

50389/B

Sweet's Hortus Britannicus:
OR,
A CATALOGUE OF PLANTS
CULTIVATED IN
THE GARDENS OF GREAT BRITAIN;
ARRANGED IN
NATURAL ORDERS:

WITH THE ADDITION OF THE

Linnean Classes and Orders to which they belong, Reference to the Books where they are described, their Native Places of Growth, when introduced, Time of Flowering, Duration, & Reference to Figures; with numerous Synonyms.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, The British Flower Garden, British Warblers, &c.



London:

PRINTED FOR JAMES RIDGWAY, 169, PICCADILLY.



1827.

Sweet's Florula Britannica:

A CATALOGUE OF PLANTS

LECTURED BY

THE GARDENS OF GREAT BRITAIN:

ARRANGED BY

NATURAL ORDERS:

WITH THE ADDITION OF THE

Common Names and Orders to which they belong, together with the names of the authors who have described them, and the names of the persons to whom they are indebted for their discovery, and the names of the persons to whom they are indebted for their description.

BY ROBERT SWEET, F.R.S.

Author of *Flora Britannica*, *Flora Helvetica*, *Flora Alpina*, *Flora Sicula*, *Flora Corsica*, *Flora Sardinica*, *Flora Tunisica*, *Flora Marocana*, *Flora Algerina*, *Flora Libanica*, *Flora Syria*, *Flora Persica*, *Flora Indica*, *Flora China*, *Flora Japonica*, *Flora Korea*, *Flora Amurica*, *Flora Manchurica*, *Flora Mongolia*, *Flora Tibetica*, *Flora Nepalia*, *Flora Siamica*, *Flora Annamica*, *Flora Bornea*, *Flora Sumbawa*, *Flora Celebes*, *Flora Sumatra*, *Flora Java*, *Flora Molucca*, *Flora Banda*, *Flora Macassar*, *Flora Celebes*, *Flora Sumatra*, *Flora Java*, *Flora Molucca*, *Flora Banda*, *Flora Macassar*.


LONDON:

PRINTED FOR JAMES RIDGWAY, 160, PICCADILLY.

TILLING, PRINTER, CHELSEA.



POSTSCRIPT.



THE Author now feels it a duty incumbent on him to acknowledge his obligations for the information he has received from various friends, since the commencement of the present publication; particularly to A. B. Lambert, Esq. whose extensive Library and Herbarium has been always open to his inspection, and which is, from its richness, and the liberality of its owner, of more real service to science than any other collection in this country.

To Miss Lousada he has to return his best thanks for the kind interest she has taken in this work; also to Mr. George Charlwood, both for the loan of Books, and for information that was of much importance. He feels also obliged to Messrs. George and David Don, for interesting communications, and the use of Monographs, &c.; and to many other friends, who have rendered him more or less assistance;—to the whole of whom he returns his most grateful acknowledgments.

Not having received the second Volume of M. Decandolle's *Prodromus* before that part of the present work was printed, he has made the alterations necessary in the Addenda, with the addition of many other Plants, that he has seen or heard of, since the former Part of the work has been printed.

ABBREVIATIONS in addition to those in PART I.

B.A. Barton's American Flora.
 C.R. Colla's Hortus Ripulensis.
 D. Desfontaines.
 Ell. Elliot's Flora of South Carolina, &c.
 F.T. Cunningham's Appendix to Baron
 Field's Travels.
 G.C. Catalogue of the Botanic Garden of
 Glasgow.
 H.A. Herbert's Appendix.
 H.G.W. { Sinclair's Hortus Gramineus
 S.G.W. { Woburnensis.
 I. h. Intermediate House between Hot-
 house and Greenhouse.

K.P. Knight's Proteæ.
 K.R. Ker's Review of the Amaryllideæ.
 L.P. Lambert's Pinus.
 M.P. Martius's Palms.
 P.B. Palisot de Beauvois, Agrostographiæ.
 R.L. Redoute's Liliaceæ.
 R.Sc. Roscoe's Scitamineæ.
 Sc. Schrader.
 S.A.B. Salisbury in Annals of Botany.
 S.P. Salisbury's Prodrômus.
 Tr. Trinius.

BOOKS QUOTED.

- Abb. ins.* The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.
- Act. Stock.* Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.
- All. auct.* Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.
- All. m. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- Alp. Ægypt.* Alpinus (Prosper.) De Plantis Ægypti liber. 1 vol. 4to.
- Alp. ex.* Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.
- Amm. ruth.* Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.
- And. bot. rep.* Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.
- And. geran.* Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.
- Amoen. ac.* Caroli Linnæi Amoenitates academicæ. 8vo.
- And. heaths.* Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.
- Ann. bot.* Annals of Botany, by C. König and J. Sims. 1805. 8vo.
- Ann. mus.* Annales du Museum d'Histoire naturelle, par les Professeurs de cet établissement. 1802. seq. 4to.
- Ap. to B. Field's trav.* Appendix to Baron Field's Travels. 4to.
- Ard. mem.* Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.
- Ard. sag. pad.* Arduino (Pietro.) Saggi di Padova.
- Ard. spec.* Arduino (Pietro.) Animadversio-num botanicarum Specimen. 4to. Patavii. 1759.
- Asso. arrag.* De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.
- Aub. Thou. obs.* Aubert Du Petit Thouars Plantes des îles de l'Afrique australe. 4to. 1804.
- Aub. gui.* Histoire des plantes de la Guiane Francoise, par M. Fusée Aublet. 1775. 4to.
- Balb. act. taur.* { Miscellanea Botanica. 4to.
Balb. misc. taur. { ex Actis Academiæ Taurinensis exserta. 1804.
- Balb. h. taur.* Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.
- Banks. ic. Kæmp.* Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.
- Banks. rel. Hous.* Reliquia Houstonnianæ. 4to. 1781.
- Barr. ic.* { Plantæ per Galliam, Hispaniam,
Barr. rar. { et Italiâ, observatæ, Iconibus æneis exhibitæ a Jac. Barreliero. 1714. fol.
- Bartr. it.* { Bartram (William.) Travels
Bartr. trav. { through North and South Carolina, Georgia, Florida. 8vo. Philadelphia. 1791.
- Bauer. n. hol.* Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.
- Bauh. hist.* Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.
- Bauh. prodr.* Caspar Bauhini Προδρομος Θεατρί Botanici. Basileæ. 1671. 4to.
- Beau. fl. ow.* Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.
- Bell. act. taur.* Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.
- Berg. act. holm.* Bergius (Pehr. Jonas.) Kongl Vetenskaps Academiens Handlingar. 8vo. 1739.
- Berg. cap.* Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.
- Berg. phyt.* Bergeret Phytomatotechnie universelle. fol.
- Berr. in. As. res.* Berry in Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.
- Besl. eyst.* Besler (Basilius.) Hortus Eystetensis. fol. 1612.
- Big. med. bot.* Bigelow (Jac.) American Medical Botany. 4to. 1817.
- Biv. Bern. st. rar.* Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.
- Biv. cent. pl.* Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.
- Blackw.* Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.
- Boc. Mus.* Boccone (Paolo.) Museo di Pianta rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.
- Boc. sic. rar.* Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galii et Italiæ. 4to. 1674.
- Boer. lugd.* Herm. Boerhaave Index alter Plantarum quæ in horto Academiæ Lugduno Batavæ aluntur. 4to. 1720.
- Boiss. fl. eur.* De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.

BOOKS QUOTED.

- Bolt. fl.* Bolton (James.) Filices Britanniae. 4to. 1785.
- Bondp. mon.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.
- Bondp. nav.* Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.
- Bory. it.* { Bory de St. Vincent (J. B. M.)
A Voyage en Espagne a tra-
Bory. voy. { vers les royaumes de Galice,
Leon, etc. 8vo.
- Bot. mag.* Curtis's Botanical Magazine, continued by James Sims and J. Bellenden Ker. 8vo.
- Bot. reg.* Edwards (Sydenham.) The Botanical Register. descr. by Bellenden Ker. 8vo. 1815. et seq.
- Bot. rep.* Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.
- Bradl. Suc.* Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) Salzburgerische flora. 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.
- Breyn. ic.* Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.
- Brot. phyt.* Brotero (Felix Avellar.) Phytographia Lusitaniae selector. fol. 1801.
- Brown. gen. rem.* Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.
- Br. Jam.* { Browne (Patrick.) The Civil
Brown. Jam. { and Natural History of Jamaica. fol. 1756.
- Bruces. tr.* Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) Collection des fleurs qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.
- Bull. herb.* Bulliard. Herbar de la France. fol. 1780.
- Burm. afr.* { Burmann (Johannes.) Rariorum
Burm. dec. { Africanarum Plantarum. 4to.
1738.
- Burm. Ind.* Nic. Laur. Burmanni Flora Indica. 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuria quinque. 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.
- Cates. car.* Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) Monadelphiae classis Dissertationes decem. 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quae aut sponte in Hispania prescunt aut in hortis hospitantur. fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.
- Chois. p. hyp.* { Choisy (J. D.) Prodrômus d'
Chois. m. h. { une monographie de la famille des Hypericinees. 4to. 1821.
- Clus. hist.* Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.
- Col. ephr.* Columna (Fabius.) Minus cognitarum stirpium Eephrasis. 4to. 1616.
- Col. phyt.* Columna (Fabius.) Phytobasanos. 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.
- Comm. petrop.* Commelyn (Casp.) Commentarii Academiae Scientiarum imperialis Petropolitanae. 4to. 1728.
- Comm. prael.* Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.
- Comm. rar.* Commelyn (Casp.) Horti Medici Amstelodamensis Plantae rariores et exoticae. 4to. 1706.
- Cook. et.* Cook (J.) Voyages, 2 vols. 4to. 1777.
- Corn. can.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.
- Crantz. Aust.* Crantz (Henr. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.
- Curt. lond.* Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.
- Cyrl. ic. fasc.* { Cyrilli (Dom.) Plantarum rariorum regni Neapolitani
Cyr. neap. { fasciculus. 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.
- Dard. trait. ren.* D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus). Annales du Museum d'histoire naturelle. 4to. 1802.
- DC. astr.* De Candolle (Augustin Pyramus.) Astragalogia. 4to. et fol. 1802.
- DC. h. mons.* De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspelienensis addito observationum circa species novas aut non satis cognitae fasciculo. 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus). Icones plantarum Galliae rariorum. 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) Memoires sur la famille des Legumineuses. 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus). Memoires du Museum d'histoire naturelle. 4to. 1815.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.

BOOKS QUOTED.

- Delil. ægyp.* { Delile (Alire Rafeneau.) Mémoires botaniques extraits de la Description de l'Égypte. fol. 1813.
- Del. fl. æg.* {
- De la Roch. dis.* De La Roche (Daniel). Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectæ plantarum in system, univers. descriptarum. 4to. 1820.
- Descrip. de Eryp.* Description de l'Égypt on Recueil des observations et des recherches faites pendant l'expédition de l'armée Française. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Loniche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et. H.* Dreves et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Mémoires pour servir a l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historiæ pemptades. fol. 1583.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianees. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonacees. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.
- Feuil. obs.* { Feuillée (Louis.) Journal des observations Physiques, Mathématiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.
- Feuill. per.* {
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.
- Fl. lap.* Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.
- Flor. græ.* Flora Græca J. E. Smith. fol. 1552.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan). Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornucopiæ. fol. 1784.
- Forsk. egypt.* { Forskaol (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.
- Forsk. dis.* {
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Fourcroy (Ant. Franc.) La Médecine eclairee par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiæ. 4to. 1805.
- Gaert. fr.* { Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.
- Gaert. sem.* {
- Garid. aix* { Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.
- Garid. prov.* {
- Gerard. gal.* { Gerard (John.) Flora Gallo-Ger. prov. { provincialis. 8vo. 1761.
- Ger. emac.* Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.
- Gmel. fl. bad.* Gmelin (Carol. Christ.) Flora Badensis-Alsatice. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) Flora Mons-peliaca. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) Illustrationes botanicæ. fol. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) Plantæ alpinæ Carniolicæ. 4to. 1782.
- Hall. all.* Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.
- Hall. helv.* { Haller (Albert.) Historia Stirpium indigenarum Helvetiæ. fol. 1768.
- Hall. hist.* {
- Hayn. term. bot.* Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.
- H. et. B. n. gen.* Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.
- H. et B. pl. aeq.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantes equinoxiales. fol. 1808.
- Herbert. append.* Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.

BOOKS QUOTED.

- Herm. parad.* Hermann (Paulus.) *Paradisi Batavi prodromus*. 12mo. 1689.
- Hills. veg. syst.* Hill (John.) *Outlines of a system of vegetable generation*. 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) *Programma Hortus Goettingensis*. fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) *Deutschlands flora, ou Flore de l'Allemagne*. 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) *Phytographische Blätter*. 8vo.
- Hoffm. salic.* Hoffmann (Georg. Franz.) *Historia salicum iconibus illustrata*. fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) *Plantarum umbelliferarum genera*. 8vo. 1816.
- Hoff. et. Lk. fl. lus.* { Hoffmannsegg et Link.
Hoff. f. port. } Flore portugaise. fol. 1806
- Hook. ex. flor.* Hooker (W. J.) *Exotic flora*. 8vo.
- Hop. in. sturm. fl. fas.* Hoppe in *Sturm Deutschland flora*. 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) *Icones Plantarum sponte nascentium in regnis Daniae et Norvegiae, etc.* fol. 1761.
- Hort. Kew.* Aiton (William.) *Hortus Kewensis*, editio prima. 8vo. 1789.
- Hort. trans.* Transactions of the Horticultural Society of London. 4to.
- Host. gram.* Host (Nicol. Thomas.) *Icones et descriptiones Graminum austriacorum*. fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) *Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks*. 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) *Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks*. 14 vol. 8vo. 1777—1788.
- Icon. Kämpf.* { Kämpfer (Engelbert.) *Icones selectæ plantarum*. fol. 1791.
- Kämpf. Icon.* {
- Icon. Hort. Kew.* *Delineations of exotic Plants cultivated in the Royal Garden at Kew*. Published by W. T. Aiton.
- Isn. act. par.* Isnard. *Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathématique et de Physique*.
- Jacq. amer.* Jacquin (Nicol. Jos.) *selectarum Stirpium Americanarum Historia*. fol. 1763.
- Jacq. am. pict.* Jacquin (N. J.) *Stirpium Americanarum Historia*.
- Jacq. aust.* Von Jacquin (Nicol. Jos.) *Floræ Austriacæ Icones*. fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) *Collectanea ad Botanicam, etc. Spectantia*. 4to. 1786.
- Jacq. f. ecl.* Von Jacquin (Jos. Franc.) *Eclogæ Botanicæ*. fol. 1811.
- Jacq. frag.* Von Jacquin (Nicol. Jos.) *Fragmenta Botanica*. fol. 1809.
- Jacq. h. vind.* Von Jacquin (Nicol. Jos.) *Hortus Botanicus vindobonensis*. fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) *Icones Plantarum rariorum*. fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) *Miscellanea Austriaca ad Botanicam, etc. Spectantia*. 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) *Observationes botanicæ*. fol. 1764.
- Jacq. ox.* Von Jacquin (Nicol. Jos.) *Oxalis monographia iconibus illustrata*. 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) *Plantarum rariorum horti cæsari Schœnbrunnensis*. fol. 1797.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) *Stapeliæ cultæ*. fol. 1806.
- J. mem. ac. sci. par.* Jussieu, *Mémoires de la Société d'Histoire Naturelle de Paris*. 4to. 1799.
- Journ. sc.* Ker (J. B.) *Journal of Science and the Arts*. 8vo.
- Jung. ic. rar.* Junghans (Phil. Casp.) *Icones Plantarum ad vitam impressæ*. fol. 1787.
- Juss. an.* Jussieu, *Annales du Museum d'Histoire Naturelle*. 4to. 1802.
- Kämp. am.* Kämpfer (Engelbert.) *Amœnitates exoticæ*. 4to. 1712.
- Kalm. it.* Kalm (Pehr.) *Resatit norra America*. 8vo. 1753.
- Ker's review.* Ker's (J. B.) *Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts*. 8vo.
- Ker's strelitz.* Ker (H. B.) *Coloured Figures of the Genus Strelitzia*. fol.
- Knight's prot.* Knight (Joseph.) *Horticultural Essays on the natural order of Proteæ*. 4to. 1809.
- Knorr. del.* Knorr (Georg. Wolfgang.) *Deliciæ naturæ selectæ oder auserlesene*. fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) *Thesaurus rei herbariæ hortensisque universalis*. fol. 1770.
- Kon. an. bot.* *Annals of Botany*, by C. König and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
- Krock. siles.* Krock (Ant. Joh.) *Flora Silesiaca renovata*. 2 vol. 8vo.
- Kth. mim.* Kunth (Car. Sig.) *Mimoses et autres plantes légumineuses du nouveau continent*. fol. 1819.
- Lab. nov. hol.* Labillardiere (Jac. Jul.) *Novæ Hollandiæ plantarum specimen*. fol. 1804.
- Lab. ic. pl. Syr.* { Labillardiere (Jac. Jul.) *Icones plantarum Syriæ rariorum*. 4to. 1791.
- Labil. Syr.* {
- Lab. voy.* Labillardiere (Jac. Jul.) *Relation du Voyage a la recherche de La Peyrouse*. 4to. 1798.
- Lamb. cinch.* Lambert (Aylm. Bourk.) *Description of the Cinchona*. 4to. 1797.
- Lamb. pin.* Lambert (Aylm. Bourk.) *A Description of the genus Pinus*. fol. 1803.
- Lam. ill.* Monet De La Mark (Jean Bapt.) *Illustration des Genres*. 1791.
- Lap. pyr. ic. ined.* Picot De La Peyrouse (Philippe.) *Figures de la Flore des Pyrénées*. fol. 1795.
- Laroch. eryng.* De La Roche (Francois.) *Eryngiorum nec non generis novi alepideæ historia*. fol. 1808.
- Leers. fl. herb.* Leers (Joh. Dan.) *Flora Herbornensis*. 8vo. 1789.
- Lehm. nicot.* Lehman (Joh. Georg. Chr.) *Generis Nicotianarum historia*. 4to. 1818.

BOOKS QUOTED.

- L. Herit. ger.* L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.
- L. Her. sert. ang.* L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.
- L. Her. stirp.* L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.
- Lind. als.* Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.
- Lindl. coll.* Lindley (John.) Collectanea Botanica. fol.
- Lindl. digit.* Lindley (John.) Digitalium Monographia. fol.
- Lindl. ros.* Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.
- Lin. amæn. ac.* Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.
- Lin. fl. lap.* Linnæus (Carolus.) Flora Lapponica. 1 vol. 8vo. 1737.
- Linn. hort. clif.* Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.
- Lin. f. dec.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.
- Linn. fil. fasc.* Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.
- Linn. sup.* Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.
- Linn. trans.* Transactions of the Linnean Society of London. vol. 1. to 14. 4to.
- Link et Ot. h. ber.* Link et Otto. Hortus Berolinensis. fol.
- Lobel. adv.* De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.
- Lob. ic.* Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.
- Lodd. bot. cab.* Botanical Cabinet, by Messrs. Loddiges. 4to.
- Loef. it. rar.* { Loeffling (Petr.) Iter Hispanicum, eller Resa til spanska,
Loef. hisp. { etc. 1 vol. 8vo. 1758.
- Loes. prus.* Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.
- Loisel. gal.* Loiseleur-Deslonchamps (J.L.A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.
- Magn. b. mons.* Magnol (Petrus.) Botanicon Monspelienae. 1 vol. 12mo. 1686.
- Marcg. bras.* Marcgravius (Georg.) Historia rerum naturalium Brasiliæ. 1 vol. fol. 1648.
- Mart. cent.* { Martyn (John.) Historia Plan-
Mart. dec. { tarum rariorum centuriæ 1 de-
cas 1-5. fol. 1728.
- Mart. fl. rust.* Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.
- Mart. n. pl. bras.* Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, per Brasiliam. ann. 1817-1820. 4to.
- Mass. Stap.* Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.
- Math. com.* Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.
- Meerb. ic.* Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.
- Mentz. pug.* Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.
- Merian. surin.* Merian (Maria Sibylla.) De metamorphosis insectorum Surinamensium. 1 vol. fol. 1726.
- Mich. amer.* Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.
- Mich. arb.* Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.
- Mich. querc.* Michaux (André) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.
- Mich. gen.* Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.
- Mill. ic.* Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
- J. Mill. ic.* Seven coloured Plates of Plants, by John Miller.
- J. F. Mill. ic.* Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
- Miss Laur. ros.* { A Collection of Roses from
M. L. R. { Nature, by Miss Law-
rance (now Mrs. Kearsse).
90 plates.
- Moret. fl. vicent.* Moretti (Gius.) Notizia supra diverse piante da aggiungersi alla flora Vicentina. 4to. 1813.
- Moris. hist.* { Morison (Robert J.) Plantarum
Moris. s. { historia universalis Oxonien-
Moris. ox. { sis. 2 vol. fol. 1680.
- Moris. umb.* Morison (Robert). Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.
- Munt. phyt. cur.* Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.
- Murr. com.* { Murray (Joh. Andr.) Com-
Mur. c. got. { mentarii Societatis regiæ
Scientiarum Gættingensis.
4to.
- Nectoux voy.* Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.
- N. et Mart. ac. b.* Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. ber.* Nees von Esembeck (G.G.) Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.
- Niss. act. par.* Nissolle in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nov. act. pet.* Nova Acta Academiae Scientiarum Imperialis Petropolitanae.
- Nov. com. pet.* Novi Commentarii Academiae Scientiarum Imperialis Petropolitanae.
- Oed. fl. dan.* Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.
- Ort. dec.* De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.

BOOKS QUOTED.

- Osbeck. it.* Osbeck (Pehr.) Dagbock öf'er en ostendyck resa. 1 vol. 8vo.
- Palisot d'owar.* { *Palisot de Beauvois.* Flore des royaumes d'Oware et de Benin. fol. 1805 et seq.
- Pal. fl. d'ow.* {
- Pall. act. pet.* Pallas (Peter Simon.) In Acta Academiæ scientiarum imperialis Petropolitanae. 4to.
- Pall. it. ed. germ.* Pallas (P.S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.
- Pall. it. ed. gal.* Voyages dans l'Empire Russe. 8 vol. 8vo.
- Pall. ross.* Pallas (P.S.) Flora Rossica. fol. 2 vol. 1784, 1788.
- Par. lond.* { *Salisbury (Rich. Anth.)* Parasal. par. lond. { disus Londinensis. 2 vol. 4to.
- Park. par.* Parkinson (John.) Paradisi in sole paradisi terrestres, or a garden of flowers. 1 vol. fol. 1629.
- Park. theat.* Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.
- Patters. iter.* A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.* { *Petiver (James.)* Herbarii
- Pet. h. brit.* { *Britannici Catalogus.* fol.
- Pet. gaz.* Petiver (James.) Gazophylacium naturæ et artis. fol. 1702, 1704.
- Pio viol.* Pio (Joh. Bapt.) De Violâ specimen. 4to. 1813.
- Pis. bras.* Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.
- Piso. lib.* Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.
- Plenck. ic.* Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.
- Pl. rar. hung.* { *Waldstein (Franc.) et Kitabel (Paul.)* Descriptiones et
- W. et K. hung.* { *Icones plantarum rariorum Hungariæ.* 3 vol. fol.
- Pluk. alm.* Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.
- Pluk. am.* Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.
- Pluk. mant.* Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.
- Pluk. phyt.* Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.
- Plum. amer.* Plumier (Charles.) Description des plantes de l'Amerique. 1 vol. fol. 1693 et 1713.
- Plum. ed. B.* { *Plantæ Americanæ à C. Plumier detectæ et à J. Burmanno editæ.* 5 fasc. fol. 1755
- Pl. ed. Burm.* {
- Plum. fil.* Plumier (C.) Traité des fougères de l'Amerique. 1 vol. fol. 1705.
- Plum. gen.* Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.
- Plum. ic.* Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantas quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.
- Pollich Palat.* Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.
- Poit. et T. fl.* Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.
- Pursh amer.* Flora Americæ Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.* Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.
- Raii syn.* { *Ray (Joh.)* Synopsis Stirpium Bri-
- Ray. syn.* { *tannicarum.* 1 vol. 8vo.
- Rauw. it.* Rauwolf (Leonh.) Etlicher Schöner Ausländischer Kreuter, deren in Seiner Rayss, in die Morgenländer Gethon, Gedacht wirt, lebendige Contrafactur.
- Red. lil.* { *Redoute (P.J.)* Les Liliacées.
- Redoute lil.* { 8 vol. fol. 1802—1816.
- Redout. ros.* Redoute (P.J.) Les Roses. 4to. et fol. 1817, et seq.
- Reliq. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.
- Renealm. spec.* Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.* Retzius (And. Joh.) Observationes Botaniciæ. 6 fasc. fol. 1774—1791.
- Rheed. mal.* { *Van Rhee (Henricus.)* Hortus Indicus Malabaricus. 12
- Rhe. hort. mal.* { vol. fol.
- Rivin. monop.* Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.
- Riv. tetr.* Rivinus (A.Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.
- Riv. pent.* Rivinus (A.Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.
- Rob. ic.* Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Rœm. arch.* Rœmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.
- Rœm. script.* Rœmer (J. J.) Scriptores de Plantis Hispanicis, Lusitanicis, et Brasiliensibus. 1 vol. 8vo. 1796.
- Rosc. scitam.* Roscoe's Figures of the order of Scitamineæ. fol.
- Roth. abh.* Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.
- Rottb. gram.* { *Descriptiones et Icones*
- Rottb. desc. rar.* { *Plantarum rariorum, etc.*
- 1 vol. fol. 1773.
- Roxb. corom.* Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.
- Rudg. gui.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.
- Ruiz et P. prod.* Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodromus. fol.
- Rumph. amb.* Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750-1755.
- Russ. alep.* Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.* { *Sabbati (Liberatus.)* Hortus
- Sabb. h. rom.* { *Romanus.* fol. vol. 3. 8vo.
- 1772, 1774, 1805.
- Sal. stirp. rar.* Salisbury (R.A.) Icones stirpium rariorum. 1 fasc. fol. 1791.

BOOKS QUOTED.

- San. viag. Santi* (Georg.) Viaggi al mont Ami-
ata. 1 vol. 8vo. 1795. II. 1798. III. 1806.
- Savi fl. pis.* Savi (Gaetano.) Flora Pisana. 2
vol. 8vo. 1798.
- Scheuch. gram.* Scheuchzer (Johan.) Agrostog-
raphia, sive Graminum, Juncorum, Cy-
perorum, iisque affinium historia.
- Scheuch. it.* Scheuchzer (Joh. Jac.) Itinera
Alpina. 4to. ed. 1. 1702—1708. Ed. 2 ;
1 vol. 4to. 1723.
- Schk. caric.* Schkuhr (Christ.) Histoire des
Carex ou Laiches. 1 vol. 8vo. 1802.
- Schkuhr flic.* Schkuhr (Christ.) Abbildungen
der Farnkräuter. 4to.
- Schk. hand.* Schkuhr (C.) Botanisches hand-
buch. 3 vol. 8vo.
- Schm. arb.* { Schmidt (Franz.) Œsterreichs
Schmid. arb. { allegemeine Baumzucht 2
Bd. fol. 1792—1794.
- Schm. ic.* Schmiedel (Cas. Christ.) Icones
Plantarum. 1 vol. fol. 1762.
- Schousb. maroc.* Schousboe (P.K.A.) Iagtta-
gelser over voextriget i Marocco. 1 vol.
4to. 1800.
- Schrاد. d. hal.* Schrader (Henr. Adolph.) De
Halophytis Pallasii. 4to. 1810.
- Schrاد. gen. nov.* Schrader (H.A.) Nova Plan-
tarum genera. 1 fasc. fol. 1797.
- Schrاد. germ.* Schrader (H.A.) Flora Germa-
nica. 8vo. 1806.
- Schr. s. han.* Schrader (H.A.) Sertum Hanno-
veranum. 4 fasc. fol. 1795, 1796.
- Schrاد. verb.* Schrader (H.A.) Monographia
generis verbasci. 4to. 1813.
- Schrاد. ver.* Schrader (H.A.) Commentatis
de Veronicis spicatis. 8vo. 1803.
- Schrank h. mon.* { Schrank (Fr. von Paula.)
Schrank pl. rar. { Plantæ rariores horti Mo-
nacensis. 1817, 1818, 1819.
- Schreb. a. ups.* Von Schreber (Joh. Christ.
Dan.) Acta litteraria et scientiarum Up-
saliæ aut ab academia Upsaliensi publi-
cata. 2 vol. 1720, 1816.
- Sch. gram.* Schreber (J.C.D.) Beschreibung
der Gräser. fol. 1769—1779.
- Scop. carn.* Scopoli (Joh. Ant.) Flora Carni-
olica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
- Scop. del.* { Scopoli (J.A.) Deliciæ floræ Insu-
Scop. ins. { bricæ. 3 vol. fol. 1786, 1788.
- Seb. mus.* { Seba (Alb.) Locupletissimi Rerum
Seb. thes. { naturalium Thesauri Descrip-
tio. 4 vol. fol. 1734—1765.
- Second. d. chen.* De Secondat (M.) Mémoires
sur l'Histoire naturelle du Chêne. 1785.
fol.
- Segu. ver.* Seguier (Joh. Franc.) Plantæ Ve-
ronenses. 3 vol. 8vo. 1745.
- Ser. m. helv.* Seringe (N.C.) Musée Helvét-
ique d'histoire naturelle. 4to. 1818, 1820.
- Shaw afric.* { Shaw (Thomas.) Travels in
Shaw barb. { Barbary and the Levant.
1 vol. fol. 1738.—Supple-
ment. 1746.
- Sinc. gr. wob.* Sinclair (George.) Hortus gra-
mineus Woburnensis. 1 vol. 8vo. 1825.
- Slo. hist.* { Sloane (Hans.) A Voyage to the
Sloan. j. { Islands Madeira, Barbadoes,
Nieves, St. Christopher's, and
Jamaica; with the Natural
History of the last of those
Islands. 2 vol. fol. 1707.
- Sm. exot. bot.* Smith (J. Edward.) Exotic
Botany. 8vo. 1804—1808.
- Sm. ic. ined.* Smith (J. E.) Plantarum Icones
hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.
- Smith ic. pict.* Smith (J. E.) Icones pictæ
Plantarum rariorum. 3 fasc. fol. 1790—
1793.
- Sm. nov. hol.* Smith (J. E.) A specimen of
the Botany of New Holland. 1 vol. 4to.
1793.
- Smith spic.* Smith (J. E.) Spicilegium Bota-
nicum. 2 fasc. fol. 1791, 1792.
- Smith. tracts.* Smith (J. E.) Tracts relating
to Natural History. 1 vol. 8vo. 1798.
- Sole's mints.* Sole (William.) Menthæ Britan-
nicæ; being a new botanical arrange-
ment of all the British Mints hitherto
discovered. 1 vol. fol. 1798.
- Sonner. it.* Sonnerat (P.) Voyage aux Indes
orientales et à la Chine. 2 vol. 4to.
- Sonner. n. guin.* Voyage à la nouvelle Guinée.
1 vol. 4to. 1776.
- Sparm. a. st.* Sparrman (Andr.) Kongl. Ve-
tenskapsAcademiens Handlingar. Stock-
holm. 1739. seq. 8vo.
- Spr. anl.* Sprengel (Kurt.) Anleitung zur
Kentniss der Gewächse. 2 theil. 8vo.
1817, 1818.
- Spreng. crypt.* Sprengel (K.) Introduction to
the study of Cryptogamous Plants, trans-
lated from the German. 8vo. 1813.
- Spr. fl. hall.* Sprengel (K.) Floræ halensis
Tentamen novum. 1 vol. 8vo. 1806.
- Spreng. umb.* Sprengel (K.) Species umbelli-
ferarum minus cognitarum illustratæ.
1 vol. 4to. 1818.
- Sternb. saxif.* Sternberg (Graf. Casp.) Revisio
Saxifragarum Iconibus illustrata. 1 vol.
fol. 1810.
- Stær. lib. de. stram.* Stærck (Ant.) Libellus
de Stramonio, Hyosciamo. Aconito. 8vo.
1763.
- Sturm. deut.* Sturm (Jacob.) Deutschland
flora. 4to.
- Swartz ic.* Swartz (Olof.) Icones Plantarum
Indiæ occidentalis. 1 fasc. fol. 1794.
- Swart. obs.* Swartz (O.) Observationes bo-
tanicæ. 1 vol. 8vo. 1791.
- Sw. syn. fil.* Swartz (O.) Synopsis filicum
earum genera et species compl. 1 vol.
8vo. 1806.
- Swt. br. fl. gar.* Sweet (Robert.) The British
Flower Garden, published in monthly
numbers, containing full and accurate
coloured figures and descriptions, with
the best mode of cultivation, of the most
choice and curious plants, that may be
cultivated in the open air of Great
Britain. 2 vol. royal 8vo.
- Swt. cist.* Sweet (R.) Cistineæ. The natural
Order of Cistus, or Rock-Rose, to be
completed in one volume, a number pub-
lished every alternate month, each num-
ber containing 4 beautifully coloured
figures of this interesting tribe of plants.
No. 1. to 9. to be continued, royal. 8vo.
- Sweet ger.* Sweet (R.) Geraniaceæ, or the
natural order of Geraniums, published
in monthly parts, with accurate coloured
figures and descriptions of the different
kinds, & their mode of culture. royal 8vo.

BOOKS QUOTED.

Swert. flor. Swertius (Eman.) Florilegium tractans de variis floribus. 1 vol. fol. 1612.

Tab. ic. Tabernæmontanus (Jac. Theod.) Eicones Plantarum cur N. Bassæo. 4to. 1590.

Tabern.kraut. Tabernæmontanus (Jac. Theod.) Kräuterbuch. fol. 1588.

Tenor. fl. nap. Tenore (Michel.) Flora Napolitana. fol. 1811.

Thunb. cris. Thunberg (Car. Petr.) de Erica. 4to.

Thunb. ir. Thunberg (Car. Petr.) Dissertatis de Iris. 4to. 1782.

Thunb. jap. Thunberg (Car. Petr.) Flora Japonica. 8vo. 1784.

Thunb. voy. Thunberg (Car. Petr.) Voyage au Japon, etc. 8vo. 1796.

Till. pis. Tilli (Mich. Ang.) Catalogus horti Pisani. fol. 1723.

Tourn. voy. Pitton De Tournefort (Joseph.) Relation d'un voyage du Levant. 4to. 1717.

Trat. arch. Trattinick (Leop.) Archiv der Gewächskunde. 4to. 1811.

Trattin. fl. aust. Trattinick (Leop.) Flora Austriaca sicca. fol. 1792.

Tratt. tab. Trattinick (Leop.) Observationes botanicæ Tabularium rei herbariæ illustrates. 4to. 1811.

Tratt. thes. bot. Trattinick (Leop.) Thesaurus Botanicus. fol. 1819.

Trev. delph. Treviranus (Lud. Christ.) De Delphinio et Aquilegia observationes. 4to. 1817.

Trew. ehret. Trew (Christ. Jac.) Plantæ selectæ ab Ehret pictæ. fol. 1750.

Trew. pl. rar. Trew (Christ. Jac.) Plantæ rariores, ed. J. C. Keller. fol. 1763.

Triumpf. obs. Triumphetti (Joh. Bapt.) Observationes de ortu et vegetatione Plantarum. 4to. 1635.

Ust. N. ann. Usteri (Paul). Neue annalen der Botanik. 8vo. 1794.

Vahl. ecl. Vahl (Martinus). Eclogæ Americanæ. fol. 1796.

Vahl. ic. rar. Vahl (Martinus). Icones Plantarum in eclogis descriptarum. fol. 1798.

Vahl. symb. Vahl (Martinus). Symbolæ botanicæ. fol. 1790.

Vail par. Vaillant (Sebastien.) Botanicon Parisiense. fol. 1727.

Vent. cels. Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.

Vent. choix. Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.

Vent. malm. Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.

Vill. c. stras. Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.

Vill. dauph. } Villars (D.) Histoire des Plantes du Dauphine. 8vo. 1786.

Viv. frag. } Viviani (Dom.) Floræ Italicæ fragmenta. 4to. 1808.

Vivian. fr. fl. it. } Volck. norib. Volkamer (Jo. Georg.) Floræ Noribergensis. 4to. 1700.

Wahl. helv. Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.

Wahl. lap. Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.

Wal. as. res. Wallich Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.

Walthe. hort. Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.

Wang. amer. Von Wangenheim (Fried. Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.

Wats. dend. brit. Watson (W.) Dendrologia Britannica. 2 vol. 8vo.

Weig. obs. Weigel (Christ. Ehret.) Observationes Botanicæ. 4to. 1772.

Weinm. phyt. Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.

Wend. ac. Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.

Wendl. col. Wendland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.

Wendl. er. Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.

Wend. h. herr. Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.

Wend. s. han. Wendland (J. C.) Sertum Hannoveranum. 4 fasc. fol.

Willd. arb. Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.

W. ber. mag. Willdenow (Car. Lud.) Berlinischer magazin oder gesammletee schriften, etc. 4to. 1765.

Willd. hort. ber. Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.

Woodv. med. bot. Woodville (William.) Medical Botany. 3 vol. 4to. 1790.

Zanon. hist. Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.

Zorn. ic. Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

Sweet's Hortus Britannicus:

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE GARDENS OF GREAT BRITAIN;

ARRANGED IN

NATURAL ORDERS:

WITH THE ADDITION OF THE

Linnean Classes and Orders to which they belong, Reference to the Books where they are described, their Native Places of Growth, when introduced, Time of Flowering, Duration, & Reference to Figures ; with numerous Synonyms.

PART I.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, The British Flower Garden, British Warblers, &c.



London:

JAMES RIDGWAY, 169, PICCADILLY.

1826.

ADVERTISEMENT.

THE adoption of the arrangement of Plants according to the Natural method, is continually increasing; and under the very prevalent impression that it will, ere long, be brought into general use, the Author has been induced to compile the present Work according to the Natural System; at the same time, there is prefixed to each genus, the Linnean Class and Order to which it belongs; and it will be seen that, not unfrequently, Plants of one genus will belong to several of the Linnean Classes and Orders. Natural Orders are also of more real service to the cultivator, as it brings together the groups of Plants that are nearest related, and which very generally require nearly the same sort of management; and Plants that are difficult to propagate, may very frequently be readily increased, by grafting or inarching on some other belonging to the same Natural Order, but will seldom or never do any good on Plants that are not so related.

Besides the adopted names of the Plants, and references to the Books where they are figured or described, numerous of the most essential Synonyms are given, so that any Plant is known as well by its different names, as by the adopted one; the want of this has of late been much complained of by Cultivators.

TO THE PUBLIC.



THE applications for "SWEET'S HORTUS BRITANNICUS" having been so numerous and incessant, and the inconvenience (not to say distress) represented to be so generally felt from the want of it, especially among the Profession, that it has been thought advisable, in some measure to remedy it, to deviate from the original intention of publishing the whole in One Volume, to the present of Two Parts.

This mode, it is apprehended, will not be without its advantages, and which must be too evident to need particularizing, further than the few weeks gained by this arrangement will enable the Author to form an "*Addenda*" of those Plants which have become known too late for incorporation among their proper Orders, besides some alterations in the arrangement of some of the Genera, &c. that has been obtained from Publications procured since the printing of the First Part, thereby rendering the Work as complete as is possible.

The Second Part will appear in a few weeks.

London, August 1, 1826.

ABBREVIATIONS.

A.B. Annals of Botany.
 Afz. Afzelius.
 A.G. Andrews's Geraniums.
 A.H. Andrews's Heaths.
 A.R. Andrews's Botanist's Repository.
 All. Allioni.
 Aub. Aublet.
 B.C. Loddiges' Botanical Cabinet.
 B.F.G. Sweet's British Flower Garden.
 B.M. Botanical Magazine.
 B.P. Brown's Prodrum Floræ Novæ Hollandiæ.
 B.R. Botanical Register.
 B.T. Burchell's Travels.
 C. Cav. Cavanilles.
 C.C. Colvill's Catalogue.
 C.I. Cavanilles Icones.
 C.L.T. Colebrooke in Linnean Transactions.
 DC. Decandolle.
 D.D. David Don.
 Desf. Desfontaines.
 Desv. (Dv.) Desvaux.
 D.F. Dufresne Valerianees.
 D.P. Don's Prodrum Floræ Nepalensis.
 E.B. Smith's English Botany.
 E.F. — English Flora.
 Ex.B. — Exotic Botany.
 F. Fischer.
 F.D. Flora Danica.
 F.G. Flora Græca.
 F.I. Flora Indica.
 G. Gärtner.
 G.D. George Don.
 H.B. Hortus Bengalensis.
 H.E.F. Hooker's Exotic Flora.
 H.G. Hoare's Geraniaceæ.
 H.K. Hortus Kewensis.
 H.M.N. Haworth's Miscellanea Naturalia.
 H.P. — in Taylor's Philosophical Magazine.
 H.R. — Saxifrages and Revisions of Succulent plants.
 H.S. — Synopsis Plantarum Succulentarum.
 H.S.S. — Supplementum Plantarum Succulentarum.
 H.S.L. Hortus Suburbanus Londinensis.
 H.T. Horticultural Society's Transactions.
 J. Jussien.
 Jac. Jacquin.
 J.S. Jacquin, Stapeliæ.
 K.S. Kunth's Synopsis.
 L. Linnæus.
 Lag. Lagasca.
 Lam. Lamarck.
 L.C. Loddiges' Catalogue.
 L.col. Lindley, Collectanea Botanica.
 L.en. Link's Enumeratio Plantarum.
 L'H. L'Heritier.
 L.R. Lindley, Rosarum Monographia.
 L.T. Transactions of the Linnean Society.
 M. Michaux, Flora Boreali-Americana.
 M.B. Marschall de Bieberstein, Flora Taurico-Caucasica.

N. Nuttall's genera of American plants.
 N.L.F. News of Literature and Fashion.
 Ph. Pursh, Flora Americæ Septentrionalis.
 P.L. Salisbury, Paradisus Londinensis.
 P.S. Persoon's Synopsis Plantarum.
 R. (Rox.) Roxburgh.
 R.C. Roxburgh's plants of the coast of Coromandel.
 R.P. Ruiz and Pavon, Flora Peruviana.
 R.S. Røemer et Schultes Systema Vegetabilium.
 R.U. (Rch.) Reichenbach Übersicht der gattung Aconitum.
 Sch. (Schl.) Schleicher.
 S.C. Sweet's Cistineæ.
 S.G. — Geraniaceæ.
 S.M. Sole's Mints.
 S.S. Sprengel's Systema Vegetabilium.
 S.T. Savi, Observationes in varias Trifoliorum species.
 Sw. Swartz.
 T.C. Tenore, Catalogus plantarum Horti Regii Neapolitani.
 T.N. — Flora Neapolitana.
 T.P. — Floræ Neapolitanæ Prodrumi.
 T.S. — Synopsis Floræ Neapolitanæ.
 Th. Thunberg.
 V. Ventenat.
 V.M. — Jardin de Malmaison.
 Viv. Viviani.
 W. Willdenow, Species Plantarum.
 W.en. — Enumeratio Plantarum Horti Bot. Berolinensis.
 W.A. — Historia Amaranthorum.
 Wall. Wallich.
 W.C. Wendland, Collectio Plantarum.
 W.D. Watson's Dendrologia Britannica.
 W.K. Waldstein et Kitaibel.
 ψ New plants from New Holland in Mr. Mackay's Nursery, with the MS. names, not published.
 1. 2. &c. Flowering the first and second month, &c.
 1. 12. Flowering all the year.
 — Same as the line above it.
 Uncertain.
 H. h. Hardy Shrub or Tree.
 F. h. Shrubs requiring the protection of a Frame or Mats.
 G. h. Greenhouse Shrub.
 S. h. Stove Shrub.
 D.S. h. Dry Stove Shrub, requiring very little water.
 h. Suffrutescent, or a dwarf Shrub.
 4. Herbaceous Perennial, enduring several years.
 w. 4. Water Perennial.
 ♂. Biennial, enduring only 2 years.
 ☉. Annual.
 b. Bulbous-rooted.
 — Climbing plants.
 C. B. S. Cape of Good Hope.
 N. S. W. New South Wales.
 N. Holl. New Holland.
 V. Diem. Isl. Van Diemen's Island.

CLASSIS 1.

DICOTYLEDONEÆ seu EXOGENÆ.

* SUBCLASSIS 1. THALAMIFLORÆ.

ORDO 1.

RANUNCULACEÆ. DC. syst. nat. 127.

Tribus 1. CLEMATIDÆ.

CLEMATIS. W.		VIRGIN'S BOWER. Polyandria Polygynia. L.	
1 erecta. DC.	upright.	Austria.	1597. 6. 8. H. 4. Jacq. aust. 3. t. 291.
γ <i>hispanica</i> .	Spanish.		
2 flammula. DC.	sweet-scented.	S. Europe.	1596. 7. 10. H. h. ∪. Lob. ic. 627. f. 1.
α <i>rotundifolia</i> .	round-leaved.	—	— H. h. ∪. Ten. fl. neap. pr. v. 1. t. 48.
β <i>vulgaris</i> .	oblong-leaved.	—	— H. h. ∪.
γ <i>maritima</i> .	narrow-leaved.	—	— H. h. ∪.
3 Massoniana. DC.	Masson's.	C. B. S. G. h. ∪.
4 orientalis. DC.	oriental.	Levant.	1731. 7. 10. H. h. ∪. Dill. elt. t. 119. f. 145.
5 glauca. W.	glaucous.	Siberia. 7. 8. H. h. ∪. Willd. arb. 65. t. 4. f. 1.
6 chinensis. DC.	Chinese.	China.	1820. H. h. ∪. Retz. obs. 2. n. 53. t. 2.
7 Vitalba. DC.	Traveller's Joy.	England. 7. 9. H. h. ∪. Eng. bot. 612.
8 virginiana. DC.	Virginian.	N. Amer.	1767. 6. 8. H. h. ∪. Wats. dend. brit. t. 74.
9 brasiliانا. DC.	Brazilian.	Brazil.	1820. S. h. ∪. Deless. ic. sel. 1. t. 1.
10 dioica. DC.	Jamaica.	Jamaica.	1733. 5. 6. S. h. ∪. Slo. hist. 1. t. 128. f. 1.
11 americana. DC.	West-Indian.	W. Ind. S. h. ∪.
12 coriacea. DC.	leathery-ld.	N. S. W.	1821. G. h. ∪.
13 aristata. DC.	awned-anther'd	—	1812. 5. 8. G. h. ∪. Bot. reg. 238.
14 hedysarifolia. DC.	Hedysarum-ld.	Nepaul.	1819. 7. 2. G. h. ∪. Bot. reg. 599.
15 triternata. DC.	triternate-ld.	1806. H. h. ∪.
16 brachiata. DC.	armed.	C. B. S.	1804. 10. 12. G. h. ∪. Bot. reg. 97.
17 grandiflora. DC.	great-flowered.	Sierra Leon.	1822. S. h. ∪.
18 dahurica. DC.	Dahurian.	Dahuria.	1822. H. h. ∪.
19 angustifolia. DC.	narrow-leaved.	Siberia.	1787. 5. 9. H. 4. Jacq. ic. 1. t. 104.
20 diversifolia. DC.	various-leaved. 9. 10. H. h. ∪. Deless. ic. sel. 1. t. 4.
21 Viorna. DC.	leathery-flow'd.	N. Amer.	1730. 6. 9. H. h. ∪. Jacq. ecl. 1. t. 32.
22 cylindrica. DC.	long-flowered.	—	1802. 7. 9. H. h. ∪. Bot. mag. 1160.
23 Simsii.	Sims's.	—	1812. 6. 9. H. h. ∪. Bot. mag. 1816.
<i>cordata</i> . B.M. nec aliorum.			
24 reticulata. DC.	netted.	—	— H. h. ∪. Wats. dend. brit. t. 72.
25 integrifolia. DC.	entire-leaved.	Hungary.	1596. 6. 8. H. 4. Bot. mag. 65.
β ? <i>angustifolia</i> .	narrow entire ld.	Siberia. H. 4.
γ ? <i>elongata</i> . DC.	long-leaved.	—	1823. — H. 4. Tratt. tab. 4. t. 178.
26 ochroleuca. DC.	silky.	N. Amer.	1767. 6. 7. H. 4. Bot. mag. 1175.
27 florida. DC.	large-flowered.	Japan.	1776. 4. 9. H. h. ∪. Bot. mag. 834.
β <i>flore pleno</i> .	double-flowered.		
28 Viticella. DC.	smooth-seeded.	Spain.	1569. 6. 9. H. h. ∪. Bot. mag. 565.
α <i>purpurea</i> .	purple-flowered.		
β <i>rubra</i> .	red-flowered.		
γ <i>pulchella</i> . P.S.	double-flowered.	—	— H. h. ∪. Chabr. sci. p. 117. f. 5.

RANUNCULACEÆ.

29	<i>crispa</i> . B.M.	curled-flower'd.	N. Amer.	1726.	7. 9.	H. $\frac{1}{2}$.	Bot. mag. 1892.
30	<i>cirrrosa</i> . DC.	tendriled.	S. Europe.	1596.	3. 4.	H. $\frac{1}{2}$.	Flor. græc. t. 517.
31	<i>pedicellata</i> .	pedicled.	Majorca.	—	H. $\frac{1}{2}$.	Bot. mag. 1070.
	<i>cirrrosa</i> . B.M. <i>nec aliorum</i> .						
	<i>cirrrosa</i> β <i>pedicellata</i> . DC.						
32	<i>calycina</i> . H.K.	evergreen.	Minorca.	1783.	2. 3.	H. $\frac{1}{2}$.	Bot. mag. 959.
	<i>balearica</i> . DC.						
ATRAGENE. W.		ATRAGENE.	Polyandria Polygynia. L.				
1	<i>austriaca</i> . B.M.	Austrian.	Austria.	1792.	5. 7.	H. $\frac{1}{2}$.	Bot. rep. 180.
	<i>Clematis alpina</i> . DC.						
2	<i>sibirica</i> . B.M.	Siberian.	Siberia.	1753.	3. 5.	H. $\frac{1}{2}$.	Bot. mag. 1951.
	<i>Clematis sibirica</i> . DC.						
3	<i>ochotensis</i> . Pall.	linear-petaled.	—	1822.	—	H. $\frac{1}{2}$.	
	<i>Clematis ochotensis</i> . DC.						
4	<i>americana</i> . B.M.	American.	N. Amer.	1797.	5. 6.	H. $\frac{1}{2}$.	Bot. mag. 887.
	<i>Clematis verticillaris</i> . DC.						
5	<i>occidentalis</i> . Horn.	shining-leaved.	1824.	H. $\frac{1}{2}$.	
NARAVELIA. DC.		NARAVELIA.	Polyandria Polygynia. L.				
	<i>zeylanica</i> . DC.	Ceylon.	Ceylon.	1796.	S. $\frac{1}{2}$.	
	β <i>Roxburghii</i> . DC.	Roxburgh's.	Coromandel.	—	S. $\frac{1}{2}$.	Roxb. cor. 2. t. 188.

Tribus II. ANEMONEÆ.

THALICTRUM. DC.		MEADOW-RUE.	Polyandria Polygynia. L.				
1	<i>contortum</i> . DC.	crook-seeded.	Siberia.	1796.	6. 7.	H. $\frac{1}{4}$.	
2	<i>aquilegifolium</i> . DC.	Columbine-ld.	Europe.	1731.	5. 7.	H. $\frac{1}{4}$.	
	<i>a album</i> .	white-stamened.	—	—	—	H. $\frac{1}{4}$.	Jacq. aust. t. 318.
	β <i>atropurpureum</i> .	purple.	—	—	—	H. $\frac{1}{4}$.	Bot. mag. 1818.
	γ <i>formosum</i> . B.M.	Sabine's.	—	—	—	H. $\frac{1}{4}$.	Bot. mag. 2025.
3	<i>corynellum</i> . DC.	clubbed-stamd.	N. Amer.	—	H. $\frac{1}{4}$.	
4	<i>revolutum</i> . DC.	revolute.	—	1806.	6. 7.	H. $\frac{1}{4}$.	
	<i>pubescens</i> . Ph. non. DC.						
5	<i>dioicum</i> . DC.	diœcious.	—	1759.	—	H. $\frac{1}{4}$.	Deles. ic. sel. 1. t. 8.
6	<i>carolinianum</i> . DC.	Carolina.	—	—	H. $\frac{1}{4}$.	
7	<i>purpurascens</i> . DC.	dwarf purple.	—	1699.	—	H. $\frac{1}{4}$.	
8	<i>petaloideum</i> . DC.	Dahurian.	Dahuria.	1799.	—	H. $\frac{1}{4}$.	Deles. ic. sel. 1. t. 9.
9	<i>alpinum</i> . DC.	Alpine.	Britain.	5. 7.	H. $\frac{1}{4}$.	Eng. bot. 262.
10	<i>fœtidum</i> . DC.	fœtid.	Europe.	1640.	—	H. $\frac{1}{4}$.	W. et K. hung. 2. t. 174.
11	<i>pubescens</i> . DC.	pubescent.	—	—	—	H. $\frac{1}{4}$.	
12	<i>acutlobum</i> . DC.	acnte-lobed.	Siberia.	—	H. $\frac{1}{4}$.	Deles. ic. sel. 1. t. 10.
13	<i>squarrosus</i> . DC.	squarrose.	—	1806.	—	H. $\frac{1}{4}$.	
14	<i>sibiricum</i> . DC.	Siberian.	—	1775.	—	H. $\frac{1}{4}$.	Gært. fruct. 1. t. 74.
15	<i>minus</i> . DC.	lesser.	Britain.	6. 7.	H. $\frac{1}{4}$.	Eng. bot. t. 11.
16	<i>collinum</i> . DC.	hill.	Germany.	1823.	—	H. $\frac{1}{4}$.	
17	<i>saxatile</i> . DC.	rock.	Europe.	5. 7.	H. $\frac{1}{4}$.	
18	<i>elatum</i> . DC.	tall.	Hungary.	1794.	6. 8.	H. $\frac{1}{4}$.	Jacq. vind. 3. t. 95.
19	<i>majus</i> . DC.	greater.	England.	—	H. $\frac{1}{4}$.	Eng. bot. 611.
20	<i>nutans</i> . DC.	nodding.	Italy.	—	H. $\frac{1}{4}$.	
21	<i>medium</i> . DC.	middle.	Hungary.	1789.	—	H. $\frac{1}{4}$.	Jacq. vind. 3. t. 96.
22	<i>concinnum</i> . DC.	neat.	6.	H. $\frac{1}{4}$.	
23	<i>flexuosum</i> . Jac.	flexuose.	6. 8.	H. $\frac{1}{4}$.	
24	<i>acuminatum</i> . Spr.	acuminate.	—	H. $\frac{1}{4}$.	
25	<i>calabricum</i> . Spr.	Calabrian.	Naples.	1802.	—	H. $\frac{1}{4}$.	
26	<i>trigynum</i> . DC.	three-styled.	Dahuria.	1823.	—	H. $\frac{1}{4}$.	
27	<i>glaucescens</i> . DC.	loose-flowered.	Russia.	—	6.	H. $\frac{1}{4}$.	
28	<i>galioides</i> . DC.	Galium-leaved.	Europe.	1816.	5. 7.	H. $\frac{1}{4}$.	Deles. ic. sel. 1. t. 11.
29	<i>angustifolium</i> . DC.	narrow-leaved.	Germany.	1739.	6. 7.	H. $\frac{1}{4}$.	Jacq. vind. 3. t. 43.
30	<i>cynapiifolium</i> . F.	Fool's-parsleyld	Siberia.	1821.	—	H. $\frac{1}{4}$.	
31	<i>oligospermum</i> . F.	few-seeded.	—	—	—	H. $\frac{1}{4}$.	
32	<i>divaricatum</i> . L. en.	spreading.	—	—	H. $\frac{1}{4}$.	
33	<i>diffusum</i> . Sch.	diffuse.	—	—	H. $\frac{1}{4}$.	
34	<i>laserpitiifolium</i> . W.	Laserwort-ld.	1823.	—	H. $\frac{1}{4}$.	
35	<i>divergens</i> . L. en.	divergent.	Siberia.	1820.	6. 7.	H. $\frac{1}{4}$.	
	<i>divaricatum</i> . Spr.						
36	<i>lucidum</i> . DC.	shining.	Spain.	1739.	5. 7.	H. $\frac{1}{4}$.	Pluk. alm. t. 65. f. 5.
37	<i>nigricans</i> . DC.	black.	Austria.	1798.	—	H. $\frac{1}{4}$.	Jacq. aust. 5. t. 421.

38	flavum. DC.	common.	Britain.	—	H. 4.	Eng. bot. 367.
39	vaginatum. Desf.	sheathed.	Europe.	—	H. 4.	
40	simplex. DC.	simple-stalked.	Sweden.	1778.	5. 6.	H. 4.	
41	cinereum. DC.	ash-coloured.	—	H. 4.	
42	glaucum. DC.	glaucous.	S. Europe.	1798.	6. 7.	H. 4.	
43	rugosum. DC.	rugged.	N. Amer.	1774.	7.	H. 4.	
44	ranunculinum. DC.	Ranunculus-ld.	N. Amer.	1806.	6. 7.	H. 4.	
45	tuberosum. DC.	tuberous-rooted.	Spain.	1713.	6.	H. 4.	Mill. ic. t. 265. f. 2.
46	anemonoides. DC.	Anemone-like.	N. Amer.	1768.	4. 5.	H. 4.	Bot. mag. 866.
<i>Anemone thalictroides</i> . W.							
	<i>β flore pleno</i> .	double-flowered.	—	1822.	—	H. 4.	
PULSATILLA. W.en. PASQUE-FLOWER. Polyandria Polygynia.							
1	vernalis. W.en.	spring.	N. Europe.	1752.	4.	H. 4.	Fl. dan. t. 29.
2	Halleri. W.en.	Haller's.	Switzerland	1816.	4. 5.	H. 4.	All. ped. t. 80. f. 2.
3	cernua. W.	drooping.	Japan.	1806.	4. 6.	H. 4.	
4	patens. W.en.	spreading.	Siberia.	1752.	6. 7.	H. 4.	Breyn. ic. t. 61.
	<i>β ochroleuca</i> . B.M.	straw-coloured.	—	—	5. 7.	H. 4.	Bot. mag. 1994.
5	vulgaris. W.en.	common.	England.	—	H. 4.	Eng. bot. 51.
6	pratensis. W.en.	meadow.	Germany.	1731.	5.	H. 4.	Fl. dan. t. 611.
7	obsoleta.	pale-flowered.	—	—	—	H. 4.	Bot. mag. 1863.
8	dahurica. DC.	Dahurian.	Dahuria.	1823.	H. 4.	
9	alpina.	Alpine.	Europe.	1658.	7.	H. 4.	Bot. mag. 2007.
10	apiifolia.	Parsley-leaved.	—	—	H. 4.	Jacq. misc. 2. t. 4.
<i>Anemone alpina δ flavescens</i> . DC.							
ANEMONE. W.en. ANEMONE. Polyandria Polygynia. L.							
1	capensis. DC.	Cape.	C. B. S.	1795.	3. 7.	G. 4.	Bot. mag. 716.
<i>Atragene capensis</i> . W.							
2	coronaria. DC.	Poppy.	Levant.	1596.	1. 12.	H. 4.	Bot. mag. 841.
	<i>β flore-pleno</i> .	double-flowered.	—	—	—	—	
3	pavonina. DC.	acute-petaled.	—	4. 5.	H. 4.	
	<i>β flore-pleno</i> .	double-scarlet.	—	—	H. 4.	Clus. hist. 1. p. 261. ic.
4	stellata. DC.	star.	Italy.	1597.	—	H. 4.	Bot. mag. 123.
<i>hortensis</i> . B.M. 123.							
5	palmata. DC.	palmated.	Portugal.	1597.	5. 6.	H. 4.	Bot. reg. 200.
6	parviflora. DC.	small-flowered.	Labrador.	1823.	3. 5.	H. 4.	Juss. ann. mus. 3. t. 21. f. 1
	<i>cuneifolia</i> . Ph.	—	—	—	—	—	
7	caroliniana. DC.	slender.	Carolina.	—	5.	H. 4.	
	<i>tenella</i> . Ph.	—	—	—	—	—	
8	apennina. DC.	blue mountain.	England.	3. 4.	H. 4.	Eng. bot. 1062.
9	baldensis. DC.	Strawberry-like.	Switzerland.	1792.	5.	H. 4.	Jac. ic. 1. t. 103.
<i>fragifera</i> . Jacq.							
10	nemorosa. DC.	wood.	Britain.	3. 5.	H. 4.	Eng. bot. 355.
	<i>β flore-pleno</i> .	double-flowered.	—	—	—	—	
11	lancifolia. DC.	lance-leaved.	N. Amer.	1823.	5. 7.	H. 4.	
12	trifolia. DC.	three-leaved.	France.	1597.	4. 5.	H. 4.	Lob. ic. 281. f. 1.
13	ranunculoides. DC.	yellow wood.	England.	3. 4.	H. 4.	Eng. bot. 1484.
14	sylvestris. DC.	Snowdrop.	Europe.	1596.	4. 5.	H. 4.	Bot. mag. 54.
15	alba. DC.	five-sepaled.	Dahuria.	1818	4. 5.	H. 4.	— 2167.
<i>ochotensis</i> . F.							
16	virginiana. DC.	Virginian.	N. Amer.	1722.	5. 6.	H. 4.	Herm. par. t. 18.
17	pensylvanica. DC.	Pensylvanian.	—	1766.	—	H. 4.	
18	dichotoma. DC.	forked.	—	1768.	—	H. 4.	Lin. f. dec. 29. t. 15.
19	narcissiflora. DC.	Narcissus-fl'd.	Europe.	1773.	5.	H. 4.	Bot. mag. 1120.
20	sibirica. DC.	Siberian.	Siberia.	1804.	6.	H. 4.	
HEPATICA. DC. HEPATICA. Polyandria Polygynia. L.							
1	americana. B. reg.	American.	N. Amer.	1819.	3. 4.	H. 4.	Bot. reg. 387.
2	triloba. DC.	three-lobed.	Europe.	1573.	2. 4.	H. 4.	
	<i>α cærulea</i> .	blue.	—	—	—	—	
	<i>β cæruleo-plena</i> .	double-blue.	—	—	—	—	
	<i>γ rubra</i> .	red.	—	—	—	—	Bot. mag. 10.
	<i>δ rubro-plena</i> .	double-red.	—	—	—	—	
	<i>ε alba</i> .	red-anthered white.	—	—	—	—	
	<i>ζ nivea</i> .	snowy-white.	—	—	—	—	
HYDRASTIS. DC. YELLOW-ROOT. Polyandria Polygynia. L.							
	canadensis. DC.	Canadian.	Canada.	1759.	5. 6.	H. 4.	Pict. hort. par. 37. t. 17.
KNOWLTONIA. DC. KNOWLTONIA. Polyandria Polygynia. L.							
1	rigida. DC.	thick-leaved.	C. B. S.	1780.	3. 5.	G. 4.	Vent. malm. 22.
2	vesicatoria. DC.	blistering.	—	1691.	2. 4.	G. 4.	Bot. mag. 775.
3	gracilis. DC.	slender.	—	1820.	—	G. 4.	Deles. ic. sel. 1. t. 19.

RANUNCULACEÆ.

4	<i>hirsuta</i> . DC.	hairy-leaved.	————	————	G. 4.	Burm. afr. t. 51.
5	<i>daucifolia</i> . DC.	Carrot-leaved.	————	1822. G. 4.	
ADONIS. DC. ADONIS. Polyandria Polygynia. L.						
1	<i>autumnalis</i> . DC.	Pheasant's-eye.	Britain.	5. 10. H. ☉	Eng. bot. 308.
2	<i>flava</i> . DC.	yellow.	France.	6. 7. H. ☉	Tab. ic. 790. f. 1.
3	<i>citrina</i> . DC.	Citron-colour'd.	————	1822.	5. 6. H. ☉	
4	<i>flammea</i> . DC.	flame-coloured.	Austria.	1800.	6. 7. H. ☉	Jac. aust. 4. t. 355.
5	<i>æstivalis</i> . DC.	tall.	S. Europe.	1629.	— H. ☉	Weinm. phyt. t. 27.
	<i>miniata</i> . Jac. aust. t. 354.					
6	<i>vernalis</i> . DC.	vernal.	Europe.	1629.	3. 4. H. 4.	Bot. mag. 134.
7	<i>apennina</i> . W. en.	Apennine.	————	— H. 4.	Mentz. pug. t. 3. f. 1.
	<i>vernalis</i> β <i>Mentzelii</i> . DC.					
8	<i>pyrenaica</i> . DC.	Pyrenean.	Pyrenees.	1820.	6. 7. H. 4.	Deless. ic. sel. 1. t. 21.

Tribus III. RANUNCULÆ.

MYOSURUS. DC. MOUSE-TAIL. Pentandria Polygynia. L.						
	<i>minimus</i> . DC.	small.	Britain.	4. 5. H. ☉	Eng. bot. 435.
CERATOCEPHALUS. CERATOCEPHALUS. Pentandria Polygynia.						
1	<i>falcatus</i> . DC.	sickle-seeded.	S. Europe.	1739.	5. H. ☉	Jac. aust. t. 48.
2	<i>orthoceras</i> . DC.	straight-seeded.	Siberia.	1823.	— H. ☉	Deles. ic. sel. 1. t. 23.
RANUNCULUS. DC. CROW-FOOT. Polyandria Polygynia. L.						
1	<i>hederaceus</i> . DC.	Ivy-leaved.	Britain.	5. 8. H. w. 4.	Eng. bot. 2003.
2	<i>tripartitus</i> . DC.	three-parted.	————	— H. w. 4.	DC. ic. g. rar. 1. t. 49.
	β <i>obtusiflorus</i> . DC.	blunt-flowered.	————	— H. w. 4.	Pet. eng. herb. t. 39. f. 1.
3	<i>aquatilis</i> . DC.	water.	————	4. 8. H. w. 4.	Eng. bot. 101.
	α <i>heterophyllus</i> . DC.	various-leaved.	————	— H. w. 4.	Tab. ic. 54. f. 2.
	β <i>peltatus</i> . DC.	peltate-leaved.	————	— H. w. 4.	Lob. ic. 2. p. 35. f. 2.
4	<i>pantothrix</i> . DC.	divided-leaved.	————	— H. w. 4.	
	α <i>capillaceus</i> . DC.	fine-leaved.	————	— H. w. 4.	Pet. eng. herb. t. 39. f. 4.
	β <i>cæspitosus</i> . DC.	tufted.	————	— H. w. 4.	— t. 39. f. 3.
	γ <i>peucedanifolius</i> . DC.	Fennel-leaved.	————	— H. w. 4.	— t. 39. f. 2.
	<i>fluviatilis</i> . W.					
5	<i>rutæfolius</i> . DC.	Rue-leaved.	Austria.	1759.	5. 7. H. 4.	Jac. coll. 1. t. 6 et 7.
6	<i>glacialis</i> . DC.	two-flowered.	Lapland.	1775.	6. 8. H. 4.	Flor. dan. t. 19.
7	<i>Seguieri</i> . DC.	Seguier's.	Switzerland.	1820.	— H. 4.	Vill. dauph. 4. t. 49.
8	<i>alpestris</i> . DC.	Alpine.	Scotland.	— H. 4.	Eng. bot. 2390.
9	<i>crenatus</i> . DC.	crenate-leaved.	Hungary.	1822.	— H. 4.	W. et K. hung. 1. t. 10.
10	<i>aconitifolius</i> . DC.	Aconite-leaved.	Europe.	1596.	5. 6. H. 4.	
	α <i>humilis</i> . DC.	dwarf.	————	— H. 4.	Lob. adv. 300. f. 2.
	β <i>crassicaulis</i> . DC.	thick-stalked.	————	— H. 4.	
11	<i>platanifolius</i> . W.	Plane-tree-ld.	Germany.	1769.	6. 7. H. 4.	Flor. dan. t. 111.
	β <i>flore-pleno</i> .	double-flowered.	————	—	— H. 4.	Bot. mag. 204.
	<i>aconitifolius</i> . B. M. 204.					
12	<i>lacerus</i> . DC.	torn-leaved.	Piedmont.	— H. 4.	Bell. act. taur. 5. t. 8.
13	<i>pyrenæus</i> . DC.	Pyrenean.	Pyrenees.	4. 6. H. 4.	Deles. ic. sel. 1. t. 27. f. B.
	β <i>bupleurifolius</i> . DC.	one-flowered.	————	— H. 4.	Jac. misc. 1. t. 18. f. 1.
14	<i>angustifolius</i> . DC.	narrow-leaved.	————	1822.	— H. 4.	Deles. ic. sel. 1. t. 27. f. C.
15	<i>amplexicaulis</i> . DC.	Plantain-leavd.	————	1633.	4. 5. H. 4.	Bot. mag. 266.
16	<i>parnassifolius</i> . DC.	Parnassia-leavd.	————	1769.	6. 7. H. 4.	— 386.
17	<i>gramineus</i> . DC.	grass-leaved.	Wales.	4. 6. H. 4.	Eng. bot. 2306.
	β <i>flore-pleno</i> .	double-flowered.	— H. 4.	Lob. ic. 671. f. 2.
18	<i>Lingua</i> . DC.	greatspear-wort	Britain.	6. 8. H. w. 4.	Eng. bot. 100.
19	<i>Flammula</i> . DC.	less.spear-wort.	————	6. 9. H. w. 4.	— 387.
	β <i>serrata</i> . DC.	saw-leaved.	————	— H. w. 4.	Lob. ic. 670. f. 2.
	γ <i>ovata</i> . DC.	oval-leaved.	————	— H. w. 4.	
20	<i>reptans</i> . DC.	least spear-wort.	————	— H. w. 4.	Flor. dan. t. 108.
21	<i>ophioglossifolius</i> . DC.	fistulous-stalkd.	S. Europe.	1822.	6. H. w. ☉	Vill. dauph. 4. t. 49.
22	<i>nodiflorus</i> . DC.	knot-flowered.	France.	1714.	5. 7. H. w. ☉	
	β <i>dentatus</i> . DC.	toothed.	Hungary.	—	— H. w. ☉	Bot mag. 2171.
23	<i>salsuginosus</i> . DC.	Russian.	Russia.	1821.	— H. 4.	Jac. vind. 3. t. 31.
	<i>ruthenicus</i> . Jac. vind. 3. t. 31.					
24	<i>bullatus</i> . DC.	blistered.	S. Europe.	1640.	5. 8. H. 4.	
	α <i>parviflorus</i> . DC.	small-flowered.	————	—	— H. 4.	Clus. hist. 1. f. 2.
	β <i>grandiflorus</i> . DC.	large-flowered.	————	—	— H. 4.	— 1. f. 1.

	<i>γ flore pleno.</i>	<i>double-flowered.</i>	————	————	————	H. 4.	
25	<i>chærophyllus. DC.</i>	<i>Chervil-leaved.</i>	————	4. 6.	H. 4.	Corn. can. 95. ic.
	<i>α vulgaris. DC.</i>	<i>common.</i>	————	————	H. 4.	Barr. ic. t. 581.
	<i>β gregarius. DC.</i>	<i>villous.</i>	————	————	H. 4.	
26	<i>fumariæfolius. DC.</i>	<i>Fumitory-leaved.</i>	————	H. 4.	Desf. ic. pict. h. par. t. 74.
27	<i>oxyspermus. DC.</i>	<i>awned-seeded.</i>	Tauria.	1822.	5.	H. 4.	
28	<i>pedatus. DC.</i>	<i>pedate.</i>	Hungary.	1806.	5. 6.	H. 4.	Pl. rar. hung. 2. t. 108.
29	<i>illyricus. DC.</i>	<i>Illyrian.</i>	Europe.	1596.	————	H. 4.	Jac. aust. t. 222.
30	<i>monspeliacus. DC.</i>	<i>Montpelier.</i>	Montpelier.	1816.	————	H. 4.	Swt. br. fl. gar. 94.
	<i>α angustilobus. DC.</i>	<i>narrow-lobed.</i>	————	————	H. 4.	Besl. eyst. 1. t. 13. f. 1.
	<i>β cuneatus. DC.</i>	<i>wedge-lobed.</i>	————	————	H. 4.	DC. ic. gall. rar. t. 50.
	<i>γ rotundifolius. DC.</i>	<i>round-leaved.</i>	————	————	H. 4.	
31	<i>asiaticus. DC.</i>	<i>garden.</i>	Levant.	1596.	————	H. 4.	Dard. trait. ren. 1. t. 6.
	<i>α vulgaris. DC.</i>	<i>common.</i>	————	————	————	H. 4.	Mill. ic. t. 216.
	<i>β sanguineus. DC.</i>	<i>Turban.</i>	————	————	————	H. 4.	Lob. ic. 672. f. 2.
	<i>γ tenuilobus. DC.</i>	<i>slender-lobed.</i>	————	————	————	H. 4.	Debr. flor. nov. t. 31.
32	<i>creticus. DC.</i>	<i>Cretan.</i>	Candia.	1659.	4. 5.	H. 4.	Clus. hist. 1. p. 239. f. 1.
33	<i>Thora. DC.</i>	<i>kidney-leaved.</i>	AlpsEurope.	1710.	5. 6.	H. 4.	Jac. aust. 5. t. 442.
34	<i>scutatus. DC.</i>	<i>shield-leaved.</i>	Hungary.	1822.	4. 5.	H. 4.	Pl. rar. hung. 2. t. 187.
35	<i>hybridus. DC.</i>	<i>hybrid.</i>	Austria.	————	6. 7.	H. 4.	Jac. obs. 1. t. 13?
36	<i>auricomus. DC.</i>	<i>Goldilocks.</i>	Britain.	3. 5.	H. 4.	Eng. bot. 624.
37	<i>cassubicus. DC.</i>	<i>Cassubian.</i>	Siberia.	1794.	6. 7.	H. 4.	Bot. mag. 2267.
38	<i>abortivus. DC.</i>	<i>three-flowered.</i>	N. Amer.	1713.	5. 8.	H. 4.	
39	<i>sceleratus. DC.</i>	<i>Celery-leaved.</i>	Britain.	————	H. w. ⊙.	Eng. bot. 681.
40	<i>hyerboreus. DC.</i>	<i>northern.</i>	Siberia.	1822.	6. 8.	H. 4.	Flor. dan. t. 331.
41	<i>nivalis. DC.</i>	<i>snowy.</i>	Lapland.	1775.	————	H. 4.	Fl. lap. ed. 1. t. 3. f. 2.
42	<i>montanus. DC.</i>	<i>mountain.</i>	Austria.	————	————	H. 4.	Jac. aust. t. 325. et 6.
43	<i>Villarsii. DC.</i>	<i>Villars's.</i>	France.	5. 7.	H. 4.	Crantz. aust. 2. t. 4. f. 2?
44	<i>Gouani. DC.</i>	<i>Gouan's.</i>	Pyrenees.	1818.	————	H. 4.	Gouan ill. t. 17. f. 1. 2.
45	<i>acris. DC.</i>	<i>upright.</i>	Britain.	6. 7.	H. 4.	Eng. bot. 652.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	————	————	H. 4.	Bot. mag. 215.
	<i>γ sylvaticus. DC.</i>	<i>wood.</i>	————	————	H. 4.	
	<i>δ multifidus. DC.</i>	<i>multifid.</i>	————	————	H. 4.	
46	<i>polyanthemus. DC.</i>	<i>many-flowered.</i>	N. Europe.	1596.	5. 6.	H. 4.	Cran. an. 2. t. 4. f. 1. s.
47	<i>nemorosus. DC.</i>	<i>wood.</i>	Switzerland.	1818.	5. 7.	H. 4.	
	<i>α multiflorus. DC.</i>	<i>numerous-flower'd</i>	————	————	————	H. 4.	
	<i>β pauciflorus. DC.</i>	<i>few-flowered.</i>	————	————	————	H. 4.	
	<i>aureus. Schl. villosus.</i>	<i>St. Am. fl. ag. 227.</i>	bon. t. 5.				
48	<i>lanuginosus. DC.</i>	<i>woolly-leaved.</i>	S. Europe.	1683.	6. 7.	H. 4.	Flor. dan. t. 397.
49	<i>repens. DC.</i>	<i>creeping.</i>	Britain.	5. 9.	H. 4.	Eng. bot. 516.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	————	————	H. 4.	Tab. ic. 53. f. 1.
	<i>γ glabratus. DC.</i>	<i>shining-leaved.</i>	————	————	H. w. 4.	
50	<i>lappaceus. DC.</i>	<i>New Holland.</i>	N. S. W.	1822.	————	G. 4.	
51	<i>pensylvanicus. DC.</i>	<i>Pennsylvanian.</i>	N. Amer.	1785.	6. 7.	H. 4.	Jac. ic. 1. t. 105.
	<i>canadensis. Jac.</i>						
52	<i>marylandicus. DC.</i>	<i>Maryland.</i>	————	1811.	5. 7.	H. 4.	
53	<i>tomentosus. DC.</i>	<i>tomentose.</i>	————	1820.	————	H. 4.	
54	<i>bulbosus. DC.</i>	<i>bulbous.</i>	Britain.	4. 6.	H. 4.	Eng. bot. 515.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	————	————	H. 4.	Lob. ic. 666. f. 2.
	<i>γ bracteatus. Schl.</i>	<i>bracted.</i>	Pyrenees.	————	H. 4.	
55	<i>hirsutus. H. K.</i>	<i>pale hairy.</i>	Britain.	6. 10.	H. ⊙.	Eng. bot. 1504.
56	<i>parvulus. Sm.</i>	<i>little upright.</i>	England.	————	H. ⊙.	Col. ecphr. t. 316.
57	<i>arvensis. DC.</i>	<i>corn.</i>	Britain.	————	H. ⊙.	Eng. bot. 135.
58	<i>muricatus. DC.</i>	<i>prickly seeded.</i>	S. Europe.	1683.	7. 8.	H. ⊙.	Lam. ill. t. 498.
59	<i>echinatus. Ph.</i>	<i>American.</i>	N. Amer.	6. 7.	H. ⊙.	Vent. cels. t. 73.
60	<i>parviflorus. DC.</i>	<i>small-flowered.</i>	England.	5. 6.	H. ⊙.	Eng. bot. 120.
61	<i>sessiliflorus. DC.</i>	<i>sessile-flowered</i>	N. S. W.	1822.	————	H. ⊙.	
FICARIA. DC.		PILEWORT.	Polyandria Polygynia.	L.			
	<i>ranunculoides. DC.</i>	<i>vernal.</i>	Britain.	3. 5.	H. 4.	Eng. bot. 584.
	<i>verna. P. s. Ranunculus Ficaria. w.</i>						
	<i>β flore pleno.</i>	<i>double-flowered.</i>	————	————	H. 4.	

Tribus IV. *HELLEBOREÆ*.

CALTHA. DC.	MARSH-MARYGOLD. Polyandria Polygynia. L.				
1 palustris. DC.	common. Britain.	3. 5.	H.w. 4.	Eng. bot. 506.
β flore-pleno.	double-flowered.	-----	— H.w. 4.	Tab. ic. 751. f. 1.
2 minor. Mill.	small.	-----	— H.w. 4.	— 750. f. 2.
3 radicans. DC.	creeping. Scotland.	—	H.w. 4.	Linn. trans. 8. t. 17.
4 flabellifolia. DC.	fan-leaved. N. Amer.	1818.	7. 8.	H.w. 4.	
5 natans. DC.	floating. Siberia.	1823.	4. 5.	H.w. 4.	Gmel. sib. 4. t. 82.
TROLLIUS. DC.	GLOBE-FLOWER. Polyandria Polygynia. L.				
1 europæus. DC.	European. Britain.	5. 6.	H. 4.	Eng. bot. t. 28.
a altissimus.	tall.	-----	— H. 4.	
β humilis. DC.	dwarf.	-----	— H. 4.	
2 napellifolius. DC.	intermediate.	— H. 4.	
3 caucasicus. DC.	Caucasean. Caucasus.	—	H. 4.	
4 asiaticus. DC.	Asiatic. Siberia.	1759.	—	H. 4.	Bot. mag. 235.
5 americanus. DC.	American. N. Amer.	1805.	5. 7.	H. 4.	— 1988.
lurus. Ph. <i>Gaissenia verna.</i> Raf.					
ERANTHIS. DC.	WINTER-ACONITE. Polyandria Polygynia. L.				
1 hyemalis. DC.	common. Europe.	1596.	1. 3.	H. 4.	Bot. mag. 3.
2 sibirica. DC.	Siberian. Siberia.	1824.	H. 4.	
HELLEBORUS. DC.	HELLEBORE. Polyandria Polygynia. L.				
1 niger. DC.	Christmas-Rose. Europe.	1596.	1. 3.	H. 4.	
a latifolius.	broad-leaved.	-----	—	H. 4.	Bot. mag. 8.
β angustifolius.	narrow-leaved.	-----	—	H. 4.	
2 purpurascens.	purplish. Hungary.	1817.	3. 4.	H. 4.	Pl. rar. hung. 2. t. 101.
3 odorus. DC.	sweet-scented.	-----	—	H. 4.	
4 viridis. DC.	green-flowered. Britain.	4. 6.	H. 4.	Eng. bot. 200.
5 atrorubens. DC.	dark-red. Hungary.	1822.	1. 3.	H. 4.	Pl. rar. hung. 3. t. 271.
6 dumetorum. DC.	bush. —	1817.	3. 4.	H. 4.	Swt. br. fl. gar. 109.
7 foetidus. DC.	Bear's-root. England.	2. 4.	H. 4.	Eng. bot. 613.
8 lividus. DC.	three-leaved. Corsica.	1710.	1. 5.	H. 4.	Bot. mag. 72.
β integrilobus. DC.	entire-lobed.	-----	—	H. 4.	
COPTIS. DC.	COPTIS. Polyandria Polygynia. L.				
trifolia. DC.	three-leaved. N. Amer.	1782.	6. 7.	H. 4.	Big. med. bot. 1. t. 5.
ISOPYRUM. DC.	ISOPYRUM. Polyandria Polygynia. L.				
1 thalictroides. DC.	Meadow-Rue. Italy.	1759.	3. 4.	H. 4.	Jac. aust. 2. t. 105.
2 fumarioides. DC.	Fumitory-ld. Siberia.	1741.	6. 7.	H. 4.	Schkuhr hand. 2. t. 153.
3 grandiflorum. F.	large-flowered. Altay.	1804.	—	H. 4.	
GARIDELLA. DC.	GARIDELLA. Decandria Trigynia. L.				
Nigellastrum. DC.	Nigella-leaved. S. Europe.	1736.	6. 7.	H. 4.	Bot. mag. 1266.
NIGELLA. DC.	Fennel-flower. Polyandria Pentagynia. L.				
1 corniculata. DC.	horned.	1822.	6. 9.	H. 4.	
2 orientalis. DC.	yellow. Syria.	1699.	—	H. 4.	Bot. mag. 1264.
3 hispanica. DC.	Spanish. Spain.	1629.	—	H. 4.	— 1265.
4 arvensis. DC.	field. Europe.	1683.	—	H. 4.	Bull. herb. t. 126.
5 sativa. DC.	small. Egypt.	1548.	—	H. 4.	Flor. græc. t. 511.
β cretica. DC.	Cretan. Crete.	—	—	H. 4.	Math. com. 581. f. iv.
γ citrina. DC.	yellow-seeded.	—	—	H. 4.	Lob. ic. 741. f. 1.
6 damascena. DC.	common. S. Europe.	1570.	—	H. 4.	Bot. mag. 22.
β flore-pleno.	double-flowered.	-----	—	H. 4.	Clus. hist. 2. p. 208. f. 1.
7 coarctata. DC.	dwarf.	1793.	—	H. 4.	
AQUILEGIA. DC.	COLUMBINE. Polyandria Pentagynia. L.				
1 vulgaris. DC.	common. Britain.	5. 7.	H. 4.	Eng. bot. 297.
β corniculata. DC.	downward-spur'd.	—	H. 4.	Barr. ic. 614. 615. 616. &c.
γ inversa. DC.	upward-spurred.	—	H. 4.	— 613.
δ stellata. DC.	starry.	—	H. 4.	— 619. 620. &c.
ε degener. DC.	green-flowered.	—	H. 4.	— 608.
2 viscosa. DC.	clammy. S. Europe.	1752.	5. 6.	H. 4.	Gou. ill. t. 19.
3 sibirica. DC.	Siberian. Siberia.	—	H. 4.	Deles. ic. sel. 1. t. 47.
4 glandulosa. F.	glandulous. Altay.	1821.	—	H. 4.	
5 alpina. DC.	Alpine. Switzerland.	1731.	—	H. 4.	Deles. ic. sel. 1. t. 48.
6 pyrenaica. DC.	Pyrenean. Pyrenees.	1821.	—	H. 4.	Trev. delph. 23. t. 2.
7 canadensis. DC.	Canadian. N. Amer.	1640.	4. 5.	H. 4.	Bot. mag. 246.

3	formosa. F.	handsome.	Kamtschatka	1824.	—	H. 4.	
9	viridiflora. DC.	green-flowered.	Siberia.	1780.	5. 6.	H. 4.	Jac. ic. 1. t. 102.
10	atropurpurea. DC.	dark-purple.	—	5. 6.	H. 4.	
11	hybrida. DC.	hybrid.	—	H. 4.	Bot. mag. 1221.
DELPHINIUM. DC. LARKSPUR. Polyandria Trigynia. L.							
1	Ajaxis. DC.	Rocket.	Tauria.	1573.	6. 9.	H. ⊙.	Spreng. geh. 1. t. 24. f. 1-5
	β flore-pleno.	double-flowered.	—	—	—	H. ⊙.	Clus. hist. 2. f. 2.
2	Consolida. DC.	field.	England.	—	H. ⊙.	Eng. bot. 1839.
	β flore-pleno.	double-flowered.	—	—	H. ⊙.	Besl. eyst. 2. t. 14. f. 1.
3	pubescens. DC.	pubescent.	S. France.	—	H. ⊙.	Flor. græc. t. 504.
4	Aconiti. DC.	Aconite-like.	Levant.	1801.	—	H. ⊙.	Vahl symb. 1. 40. t. 13.
5	junceum. DC.	Rush-like.	—	1629.	—	H. ⊙.	Flor. græc. t. 506.
	peregrinum. Lin. non Lam.						
6	cardiopetalum. DC.	heart-petaled.	Pyrenees.	1822.	—	H. ⊙.	Math. com. 557. ic.
	peregrinum. Lam. non Lin.						
7	ambiguum. DC.	doubtful.	Barbary.	1759.	7. 9.	H. ⊙.	
8	grandiflorum. DC.	great-flowered.	Siberia.	1741.	6. 9.	H. 4.	Bot. mag. 1686.
	β chinense. F.	Chinese.	China.	1816.	—	H. 4.	Bot. reg. 472.
	γ album.	white-flowered.	—	—	—	H. 4.	
	δ flore pleno.	double-flowered.	Siberia.	1741.	—	H. 4.	
9	cheilanthum. DC.	hairy-leaved.	Dahuria.	1820.	—	H. 4.	Bot. reg. 473.
10	puniceum. DC.	dark-purple.	Tartary.	1785.	7. 9.	H. 4.	
11	ochroleucum. DC.	sulphur-coloured.	Iberia.	1817.	—	H. 4.	
12	hybridum. DC.	hairy.	Siberia.	1794.	6. 9.	H. 4.	
13	fissum. P.S.	cloven.	Hungary.	1816.	—	H. 4.	Pl. rar. hung. 1. t. 81.
14	velutinum. DC.	velvety.	Italy.	1824.	—	H. 4.	
15	pentagynum. DC.	five-styled.	Portugal.	1820.	—	H. 4.	Pict. hort. par. t. 30.
16	elegans. DC.	elegant.	N. Amer.?	1824.	—	H. 4.	
17	tricorne. DC.	three-horned.	N. Amer.	1806.	4. 6.	H. 4.	Lodd. bot. cab. 306.
18	amœnum. DC.	pretty.	Siberia.	—	H. 4.	Gmel. sib. 4. t. 77.
19	azureum. DC.	azure.	Carolina.	1805.	5. 7.	H. 4.	
20	exaltatum. DC.	tall.	N. Amer.	1758.	7. 8.	H. 4.	Mill. ic. t. 250. f. 2?
21	urceolatum. DC.	hollow-leaved.	—	1806.	6. 7.	H. 4.	Jac. ic. 1. t. 101.
22	revolutum. DC.	revolute.	7. 9.	H. 4.	
23	palmatifidum. DC.	palmate.	Siberia.	6. 9.	H. 4.	
	α hispidum. DC.	hispid.	—	—	H. 4.	Gmel. sib. 4. t. 79?
	β glabellum. DC.	smooth.	—	—	H. 4.	— 4. t. 75?
24	intermedium. DC.	intermediate.	Europe.	1710.	7. 8.	H. 4.	
	α pilosissimum. DC.	villous.	—	—	H. 4.	Gmel. sib. 4. t. 80?
	β alpinum. DC.	Alpine.	—	—	H. 4.	Pl. rar. hung. 3. t. 246.
	γ leptostachyum. DC.	slender-spiked.	—	—	H. 4.	
	δ ranunculifolium. DC.	Ranunculus-ld.	—	—	H. 4.	
	ε laxum. DC.	loose-flowered.	—	—	H. 4.	Mill. ic. t. 119?
25	mesoleucum. L. en.	notched-lipped.	—	H. 4.	
26	cuneatum. DC.	wedge-leaved.	Siberia.	1815.	—	H. 4.	Bot. reg. 327.
27	villosum. DC.	villous.	1819.	—	H. 4.	
28	dyctiocarpum. DC.	netted-capsuled.	Siberia.	—	—	H. 4.	
29	laxiflorum. DC.	loose-flowered.	—	—	6. 8.	H. 4.	
30	montanum. DC.	mountain.	Pyrenees.	—	—	H. 4.	
	β bracteosum. DC.	large-bracted.	Switzerland	—	—	H. 4.	
31	dasycarpum. DC.	thick-capsuled.	Caucasus.	1824.	—	H. 4.	
32	speciosum. DC.	large-flowered.	Caucasus.	1822.	8. 10.	H. 4.	Gmel. sib. 4. t. 79.
33	flexuosum. DC.	flexuose.	—	1817.	7. 9.	H. 4.	Trev. delph. t. 1. et 2.
34	triste. DC.	dark-flowered.	Siberia.	1822.	—	H. 4.	
35	Requienii. DC.	Requien's.	S. Europe.	1819.	6. 7.	F. ♂.	Deles. ic. sel. 1. t. 63.
36	pictum. DC.	painted.	—	1816.	—	F. ♂.	Woodv. med. bot. t. 154.
37	Staphysagria. DC.	Stavesacre.	—	1596.	5. 6.	F. ♂.	Flor. græc. t. 508.
ACONITUM. DC. MONKSHOOD. Polyandria Trigynia. L.							
1	Anthora. L.	wholesome.	Pyrenees.	1596.	6. 8.	H. 4.	
2	Pallasii. R.U.	Pallas's.	Caucasus.	1824.	—	H. 4.	Rch. ac. 72. t. 6. f. A.B.
3	Jacquini. R.U.	Jacquin's.	Austria.	—	H. 4.	Jac. aust. t. 382.
4	inclinatum. DC.	inclined.	Jurasso.	—	H. 4.	Ser. m. helv. 1. t. 15. f. 2.
	anthoroideum. R.U. ac. t. 4. non. DC.						
5	eulophum. R.U.	eatable.	Caucasus.	1824.	—	H. 4.	Rch. ac. 69. t. 5.
	anthoroideum. DC.						
6	lycoctonum. L.	great-yellow.	Alps.	1596.	7. 8.	H. 4.	
7	pyrenaicum. DC.	Pyrenean.	Pyrenees.	1739.	6. 7.	H. 4.	
8	tragoctonum. R.U.	Goat's-bane.	Alps.	—	H. 4.	
9	theriophonum. R.U.	Park-bane.	—	—	H. 4.	

10	<i>lupicida</i> . R.U.	Wolf's-bane.	Switzerland.	1824.	—	H. 2.	
11	<i>thelyphonum</i> . R.U.	Elwert's.	Alps.	—	—	H. 2.	
12	<i>Vulparia</i> . R.U.	Fox-bane.	—	—	—	H. 2.	Jac. aust. 4. t. 380.
13	<i>altissimum</i> . R.U.	tallest.	France.	—	H. 2.	
14	<i>rectum</i> . R.U.	upright.	—	1824.	—	H. 2.	
15	<i>cynoctonum</i> . R.U.	Dogs-bane.	—	—	—	H. 2.	
16	<i>laxiflorum</i> . R.U.	loose-flowered.	Switzerland.	—	—	H. 2.	
17	<i>rubicundum</i> . F.	rubicund.	Russia.	1822.	6. 8.	H. 2.	
18	<i>australe</i> . R.U.	Carpathian.	Carp.mount.	1815.	—	H. 2.	Bot. mag. 2196.
	<i>septentrionale</i> . β <i>carpathicum</i> . B.M.						
19	<i>septentrionale</i> . w.	northern.	N. Europe.	1800.	7. 8.	H. 2.	Flor. dan. t. 123.
20	<i>ochroleucum</i> . DC.	pale-white.	Caucasus.	1794.	6. 9.	H. 2.	
21	<i>album</i> . H.K.	white.	Levant.	1752.	7. 8.	H. 2.	
22	<i>barbatum</i> . DC.	bearded.	Siberia.	1807.	6. 7.	H. 2.	Deles. ic. sel. 1. t. 64.
23	<i>Gmelini</i> . R.U.	Gmelin's.	—	—	H. 2.	
24	<i>variegatum</i> . DC.	variegated.	S. Europe.	1597.	6. 8.	H. 2.	Ser. m. 1. t. 15. f. 12. 133.
25	<i>hamatum</i> . R.U.	hooked.	—	1804.	—	H. 2.	
26	<i>rhynchanthum</i> . R.U.	beaked.	Italy.	—	—	H. 2.	
	β <i>bicolor</i> . R.U.	two-coloured.	—	—	—	H. 2.	
27	<i>Cammarum</i> . Jac.	purple.	Austria.	1752.	6. 7.	H. 2.	Jac. aust. 5. t. 424.
28	<i>gibbosum</i> . DC.	gouty.	Caucasus.	1823.	—	H. 2.	Ser. m. 1. t. 15. f. 14. 155.
29	<i>rostratum</i> . DC.	rostrate.	Switzerland.	—	H. 2.	Lodd. b. cab. 203.
30	<i>gracile</i> . R.U.	slender.	—	1824.	—	H. 2.	
31	<i>hebegynum</i> . DC.	downy-capsul'd.	—	—	H. 2.	Ser. m. 1. t. 15. f. 18. 199.
32	<i>paniculatum</i> . DC.	panicked.	—	—	H. 2.	— 1. t. 15. f. 20. 21.
33	<i>cernuum</i> . R.U.	drooping.	Ratisbon.	1824.	—	H. 2.	
34	<i>acuminatum</i> . R.U.	acuminate.	Switzerland.	—	—	H. 2.	
35	<i>Stœrkianum</i> . R.U.	Stoerk's.	—	—	—	H. 2.	Stor. lib. de stram. 69. ico.
36	<i>molle</i> . R.U.	soft.	Alps.	1824.	6. 7.	H. 2.	Ser. m. 1. t. 15. f. 35. 366.
37	<i>Clusii</i> . R.U.	Clusius's.	Ratisbon.	—	H. 2.	Clus. hist. 2. f. 1.
38	<i>japonicum</i> . Th.	Japan.	Japan.	1790.	6. 9.	H. 2.	Ser. m. 1. t. 15. f. 22. 233.
39	<i>uncinatum</i> . L.	American.	N. Amer.	1768.	7. 8.	H. 2.	
	β <i>Michauxianum</i> . DC.	<i>Michaux's</i> .	—	—	7. 8.	H. 2.	Bot. mag. 1119.
40	<i>speciosum</i> . DC.	specious.	1804.	—	H. 2.	Ser. m. 1. t. 15. f. 26. 277.
41	<i>tortuosum</i> . DC.	twisted.	1812.	—	H. 2.	— t. 15. f. 28. 29.
42	<i>illinitum</i> . R.U.	besmeared.	Switzerland.	1823.	—	H. 2.	
43	<i>volubile</i> . w.	twining.	Siberia.	1799.	—	H. 2.	
44	<i>flaccidum</i> . R.U.	flaccid.	—	—	H. 2.	Deles. ic. sel. 1. t. 65.
	<i>ciliare</i> β <i>polytrichum</i> . DC.						
45	<i>maximum</i> . DC.	large.	Kamtschatka	1823.	—	H. 2.	Ser. m. 1. t. 15. f. 31. 322.
46	<i>productum</i> . R.U.	long-lipped.	Siberia.	1824.	—	H. 2.	— t. 15. f. 33. 34.
47	<i>exaltatum</i> . DC.	high.	—	—	H. 2.	— t. 15. f. 37. 38.
48	<i>Napellus</i> . L.	common.	Europe.	5. 7.	H. 2.	— t. 15. f. 41. 42.
49	<i>tauricum</i> . R.U.	Taurian.	Tauria.	1752.	6. 7.	H. 2.	Rch. ac. t. 12. f. 2. 3.
50	<i>Kœlleianum</i> . R.U.	Kœlle's.	—	H. 2.	— t. 11. f. 1.
51	<i>Braunii</i> . R.U.	Braune's.	Switzerland.	1824.	—	H. 2.	
52	<i>commutatum</i> . R.U.	changeable.	Siberia.	—	—	H. 2.	Rch. ac. t. 18. f. 3.
53	<i>callybotryon</i> . R.U.	long-spiked.	Moravia.	—	—	H. 2.	— t. 16. f. 1.
54	<i>Halleri</i> . R.U.	Haller's.	Switzerland.	—	—	H. 2.	
	β <i>bicolor</i> . R.U.	two-coloured.	—	—	—	H. 2.	
55	<i>virgatum</i> . R.U.	weak.	—	—	H. 2.	
56	<i>eriosstemum</i> . DC.	woolly-stamen'd	—	6. 8.	H. 2.	
57	<i>amœnum</i> . R.U.	delightful.	—	—	H. 2.	Rch. ac. t. 14. f. 1.
58	<i>Hoppii</i> . R.U.	Hoppe's.	Carinthia.	—	—	H. 2.	
59	<i>semigaleatum</i> . R.U.	half-helmeted.	Kamtschatka	—	—	H. 2.	Rch. ac. 77. t. 8.
60	<i>formosum</i> . R.U.	handsome.	—	—	H. 2.	— t. 18. f. 2.
61	<i>venustum</i> . R.U.	beautiful.	Switzerland.	1823.	—	H. 2.	
62	<i>melocotonum</i> . R.U.	Badger-bane.	—	—	H. 2.	
63	<i>elatum</i> . R.U.	tall.	Europe.	—	H. 2.	
64	<i>neubergense</i> . DC.	Styrian.	Styria.	—	H. 2.	
65	<i>strictum</i> . DC.	straight.	Siberia.	—	H. 2.	Rch. ac. t. 15. f. 1.
66	<i>Sprengelii</i> . R.U.	Sprengel's.	1823.	—	H. 2.	
67	<i>Bernhardianum</i> . R.U.	Bernhard's.	—	—	H. 2.	
68	<i>Schleicheri</i> . R.U.	Schleicher's.	Switzerland.	—	—	H. 2.	
69	<i>ampliflorum</i> . R.U.	large-flowered.	Austria.	—	—	H. 2.	
70	<i>pyramidale</i> . M.	pyramidal.	Europe.	1596.	—	H. 2.	
71	<i>versicolor</i> . R.U.	various-colour'd.	Switzerland.	1823.	—	H. 2.	Lodd. bot. cab. 794.
72	<i>decorum</i> . R.U.	neat.	Pyrenees.	1823.	6. 8.	H. 2.	
73	<i>recognitum</i> . R.U.	recognised.	N. Amer.?	1812.	—	H. 2.	

74	Ottonianum. R. U.	Otto's.	1823.	—	H. 4.	
75	leucanthum. R. U.	white-flowered.	—	H. 4.	
76	squarrosus. DC.	squarrose.	Siberia	1823.	—	H. 4.	
77	galectonum. R. U.	Lizards-bane.	Hungary	—	—	H. 4.	
78	delphinifolium. DC.	Larkspur-leav'd	N. Amer.	1812.	—	H. 4.	Rch. ac. t. 9. f. 1. 2. 3.
79	autumnale. R. U.	autumnal.	1823.	8. 10.	H. 4.	— t. 17. f. 2.
80	laxum. R. U.	loose.	—	7. 9.	H. 4.	— t. 15. f. 4.
81	lætum. R. U.	great-flowered.	—	6. 8.	H. 4.	— t. 13. f. 2.
82	rubellum.	red-flowered.	Switzerland.	—	—	H. 4.	
	<i>Napellus floribus rubellis. Sch.</i>						
83	biflorum. DC.	two-flowered.	Siberia.	1824.	H. 4.	Ser. m. t. 15. f. 45. 46.
84	eminens. Koch.	eminent.	1822.	6. 8.	H. 4.	
85	inunctum. Koch.	anointed.	—	—	H. 4.	
86	lacinosum. Sch.	jagged.	Switzerland.	—	—	H. 4.	
87	Willdenowii. R. U.	Willdenow's.	1823.	—	H. 4.	

Tribus V. PÆONIACEÆ. DC. prodr. 1. 64.

CIMICIFUGA. L.		BUG-WORT.	Polyandria Pentagynia. L.			
1	fœtida. w.	stinking.	Siberia.	1777.	6. 7.	H. 4. Linn. amæn. ac. 8. t. 4.
2	podocarpa.	American.	Carolina.	1822.	8. 9.	H. 4.
	<i>americana. M. Actæa podocarpa. DC.</i>					
3	palmata. Ph.	palmated.	—	1812.	7. 8.	H. 4. Bot. mag. 1630.
4	cordifolia. Ph.	heart-leaved.	—	—	6. 7.	H. 4. — 2069.
MACROTYS. Raf.		SNAKEROOT.	Polyandria Monogynia. L.			
	racemosa.	black.	N. Amer.	1732.	6. 7.	H. 4. Dill. elth. 79. t. 67. f. 78.
	<i>Actæa racemosa. w. Cimicifuga serpentaria. Ph.</i>					
ACTÆA. Ph.		BANE-BERRIES.	Polyandria Monogynia. L.			
1	spicata. DC.	common.	Britain.	4. 6.	H. 4. Eng. bot. 918.
2	rubra. w. en.	red-berried.	N. Amer.	—	H. 4.
	<i>brachypetala. β rubra. DC.</i>					
3	alba. Mill.	white-berried.	—	—	H. 4. Corn. canad. t. 77.
	<i>brachypetala. α alba. DC.</i>					
ZANTHORHIZA. DC.		YELLOW-ROOT.	Pentandria Polygynia. L.			
	apiifolia. DC.	Parsley-leav'd.	N. Amer.	1766.	2. 4.	H. 4. Bot. mag. 1736.
PÆONIA. DC.		PÆONY.	Polyandria Digynia. L.			
1	Moutan. H. K.	Chinese-tree.	China.	1789.	4. 6.	H. 4. Bot. rep. 463.
	<i>α papaveracea. L. T. Poppy-flowered.</i>					
	<i>β Banksii. L. T. common.</i>					
	<i>γ rosea. L. T. rose-coloured.</i>					
	<i>δ edulis. P. L. eatable-rooted.</i>					
	<i>albiflora. L. T.</i>					
	<i>α vestalis. L. T. virgin.</i>					
	<i>β candida. L. T. pale-flowered.</i>					
	<i>γ tatarica. L. T. Tartarian.</i>					
	<i>δ sibirica. L. T. Siberian.</i>					
	<i>ε rubescens. L. T. pale-red.</i>					
	<i>ζ uniflora. L. T. one-flowered.</i>					
	<i>η Whitleji. L. T. double-white.</i>					
	<i>θ Humei. L. T. double-crimson.</i>					
	<i>i fragrans. L. T. Rose-scented.</i>					
3	anomala. L. T.	jagged-leaved.	Siberia.	1788.	5. 6.	H. 4. Bot. rep. 64.
	<i>laciniata. Pall. ross. 2. t. 85.</i>					
4	hybrida. DC.	intermediate.	Caucasus.	1822.	...	H. 4. Bot. reg. 42.
5	tenuifolia. L. T.	slender-leaved.	Siberia.	1765.	5. 6.	H. 4. Bot. mag. 926.
6	officinalis. L. T.	officinal.	Europe.	1548.	5. 6.	H. 4. Bot. mag. 1784.
	<i>α Sabini. L. T. Sabine's.</i>					
	<i>β rosea. L. T. rose-coloured.</i>					
	<i>γ blanda. L. T. blush-flowered.</i>					
	<i>δ rubra. L. T. double-red.</i>					
	<i>ε carnescens. L. T. flesh-coloured.</i>					
	<i>ζ albicans. L. T. double-blush.</i>					
7	corallina. L. T.	English.	England.	—	H. 4. Lob. ic. 684.
8	daurica. L. T.	Daurian.	Dauria.	1790.	—	H. 4. Park. par. f. 4.
	<i>triternata. DC. prodr.</i>					

9 lobata. DC.	lobed-leaved.	Portugal.	1821.	—	H. 4.	Swt. br. fl. gar. 70.
10 Russi. DC.	crimson.	Sicily.	—	H. 4.	
11 pubens. B. M.	pubescent.	1821.	—	H. 4.	Bot. mag. 2264.
12 humilis. L. T.	dwarf.	Spain.	1633.	5.	H. 4.	— 1422.
13 decora. L. T.	comely.	Turkey.	—	H. 4.	
<i>α Pallasii.</i> L. T.	<i>Pallas's.</i>	—	H. 4.	
<i>β elatior.</i> L. T.	<i>tall.</i>	—	H. 4.	
14 arietina. L. T.	rams-horned.	—	H. 4.	
15 cretica. B. R.	Cretan.	Crete.	—	H. 4.	Bot. reg. 819.
16 peregrina. L. T.	Turkish.	Levant.	1588.	5. 6.	H. 4.	
<i>α byzantina.</i> L. T.	<i>Levant.</i>	—	H. 4.	Bot. mag. 1050.
<i>β compacta.</i> L. T.	<i>compact.</i>	France?	—	H. 4.	
<i>γ Grevillii.</i> L. T.	<i>Greville's.</i>	—	H. 4.	
17 paradoxa. L. T.	paradoxical.	Levant.	—	H. 4.	
<i>α simpliciflora.</i> L. T.	<i>single-flowered.</i>	—	—	H. 4.	
<i>β fimbriata.</i> L. T.	<i>double-flowered.</i>	—	—	H. 4.	Swt. br. fl. gar. 19.
18 mollis. L. T.	soft-leaved.	Siberia?	—	H. 4.	Bot. reg. 474.
19 villosa.	villous.	1822.	—	H. 4.	

ORDO II.

DILLENACEÆ. DC. *syst. nat.* 1. p. 395.

Tribus I. DELIMACEÆ. DC.

TETRACERA. DC.	TETRACERA.	Polygamia Diœcia.				
1 volubilis. DC.	climbing.	Barbadoes.	S. h. ∞.	Pluk. alm. 48. t. 146. f. 11.
2 alnifolia. DC.	Alder-leaved.	Sierra Leone.	1822.	S. h. ∞.	
3 potatoria. Afz.	water-bearing.	—	—	S. h. ∞.	
DOLIOCARPUS. DC.	DOLIOCARPUS.	Polyandria Monogynia.				
1 Calinea. DC.	climbing.	Guiana.	1822.	S. h. ∞.	Aub. Guian. 1. t. 221.
<i>Tetracera calinea.</i> w.	<i>Calinea scandens.</i>	Aub.				
DELIMA. DC.	DELIMA.	Polyandria Monogynia.				
sarmentosa. DC.	sarmentose.	Ceylon.	1822.	S. h. ∞.	Lam. ill. t. 475.
<i>Tetracera sarmentosa.</i> w.						
CURATELLA. DC.	CURATELLA.	Polyandria Digynia.				
americana. DC.	American.	Guiana.	S. h.	Aub. guian. 1. t. 232.

Tribus II. DILLENEÆ. DC.

PLEURANDRA. DC.	PLEURANDRA.	Polyandria Monogynia.				
1 bracteata. DC.	elegant.	N. S. W.	1822.	G. h.	
2 nitida. DC.	shining.	N. S. W.	—	G. h.	
3 acicularis. DC.	needle-leaved.	—	—	G. h.	
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.				
1 grossulariæfolia. DC.	Gooseberry-ld.	N. Holl.	1803.	3. 8.	G. h. ∞.	Bot. mag. 1218.
<i>crenata.</i> A. R.						
2 volubilis. DC.	twining.	N. S. W.	1796.	5. 10.	G. h. ∞.	Bot. rep. t. 126.
3 dentata. DC.	tooth-leaved.	N. Holl.	1814.	1. 8.	G. h. ∞.	Bot. reg. 282.
4 virgata. DC.	twiggy.	N. S. W.	1822.	G. h.	
5 linearis. DC.	linear-leaved.	—	—	G. h.	
6 pedunculata. DC.	long-pedicled.	—	—	G. h.	
WORMIA. DC.	WORMIA.	Polyandria Pentagynia.				
dentata. DC.	tooth-leaved.	Ceylon.	1821.	S. h.	Thunb. linn. tr. 1. t. 200.
<i>Dillenia dentata.</i> w.						
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.				
coromandeliana. DC.	Coromandel.	E. Ind.	1803.	S. h.	Roxb. cor. 1. t. 20.
<i>Dillenia pentagynia.</i> w.						
DILLENIA. DC.	DILLENIA.	Polyandria Monogynia. L.				
speciosa. DC.	large-flowered.	E. Ind.	1800.	S. h.	Exot. bot. t. 2. 3.

ORDO III.

WINTEREÆ. *Brown.*

ILICIIUM. DC.	ANISEED-TREE. Polyandria Polygynia. L.				
1 floridanum. DC.	red-flowered. Florida.	1766.	4. 6. F. h.	Bot. mag. 439.	
2 anisatum. DC.	Chinese. China.	— F. h.	Lam. ill. t. 493. f. 2.	
3 parviflorum. DC.	small-flowered. Florida.	1790.	— F. h.	Vent. cels. t. 22.	

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v. 1. p. 439.*

MICHELIA. DC.	MICHELIA. Polyandria Polygynia. L.				
~ Champaca. DC.	sweet-scented. E. Ind.	1779. S. h.	Lam. ill. t. 493.	
MAGNOLIA. DC.	MAGNOLIA. Polyandria Polygynia. L.				
1 grandiflora. DC.	Laurel-leaved. Carolina.	1734.	6. 10. H. h.		
<i>a rotundifolia.</i>	round-leaved. ———	— H. h.		
<i>β obovata.</i> H. K.	obovate-leaved. ———	— H. h.		
<i>γ elliptica.</i> H. K.	elliptic-leaved. ———	— H. h.	Mill. ic. v. 2. t. 172.	
<i>δ ferruginea.</i> B. M.	ferruginous. ———	— H. h.	Tr. Eh. p. 8. t. 33-35.	
<i>ε lanceolata.</i> H. K.	Exmouth. ———	— H. h.	Bot. mag. 1952.	
2 glauca. DC.	glaucous-leav'd. N. Amer.	1688.	6. 9. H. h.	Mich. arb. t. 2.	
3 longifolia.	narrow-leaved. ———	— H. h.		
<i>glauca β longifolia.</i> Ph.					
4 Thompsoniana.	hybrid. Hybrid.	1818.	— H. h.		
5 tripetala. W.	Umbrella. N. Amer.	1752.	5. 6. H. h.	Mich. arb. t. 5.	
6 acuminata. DC.	bluish-flower'd. ———	1736.	5. 7. H. h.	Bot. mag. 2427.	
7 auriculata. DC.	ear-leaved. ———	1786.	4. 5. H. h.	——— 1206.	
8 pyramidata. DC.	small ear-l'd. ———	1811.	— H. h.	Bot. reg. 407.	
9 macrophylla. DC.	large-leaved. ———	1800.	6. 7. H. h.	Bot. mag. 2189.	
10 cordata. DC.	heart-leaved. ———	1801.	— H. h.	Bot. reg. 325.	
11 conspicua. P. L.	Youlan. China.	1789.	2. 5. H. h.	Bot. mag. 1621.	
<i>Yulan.</i> DC.					
12 Kobus. DC.	slender. ———	1804.	3. 4. H. h.	Par. lond. 87.	
<i>tomentosa.</i> W. <i>gracilis.</i> P. L.					
13 obovata. DC.	obovate-leaved. ———	1790.	4. 6. H. h.	Bot. mag. 390.	
<i>purpurea.</i> B. M. <i>discolor.</i> Vt.					
14 fuscata. DC.	brown-stalked. ———	1789.	— H. h.	——— 1008.	
15 annonæfolia. P. L.	small-flowered. ———	1804.	— G. h.	Par. lond. 5.	
16 pumila. DC.	dwarf. ———	1786.	1. 12. G. h.	Bot. mag. 977.	
LIRIODENDRON. W.	TULIP-TREE. Polyandria Polygynia. L.				
<i>tulipifera.</i> W.	common. N. Amer.	1663.	6. 7. H. h.	Bot. mag. 275.	
<i>a acutiloba.</i> M.	acute-lobed. ———	— H. h.		
<i>β obtusiloba.</i> M.	blunt-lobed. ———	— H. h.		

ORDO V.

ANONACEÆ. *DC. syst. nat. 1. p. 463.*

ANONA. DC.	CUSTARD-APPLE. Polyandria Polygynia. L.				
1 muricata. DC.	Soursop. W. Ind.	1656. S. h.	Jacq. obs. 1. t. 5.	
2 palustris. DC.	shining-leaved. ———	1731. S. h.	Sloan. hist. 2. t. 228. f. 1.	
3 longifolia. DC.	long-leaved. Guiana.	1820. S. h.	Aub. gui. 1. t. 248.	
4 punctata. DC.	spotted-fruited. Cayenne.	1822. S. h.	——— 1. t. 247.	
5 paludosa. DC.	marsh. Guiana.	1803. S. h.	——— 1. t. 246.	
6 squamosa. DC.	Sweetsop. S. Amer.	1731. S. h.	Jac. obs. 1. t. 6. f. 1.	
7 cinerea. DC.	cinereous. St. Thomas.	1823. S. h.		
8 Cherimolia. DC.	Cherimolli. S. Amer.	1739.	7. 8. S. h.	Bot. mag. 2011.	
<i>tripetala.</i> W.					

9 reticulata. DC.	netted.	————	1690.	S. h.	Cates. car. 2. t. 86.
10 mucosa. DC.	narrow-leaved.	Guiana.	S. h.	Rumph. amb. 1. t. 45.
11 glabra. DC.	smooth-fruited.	Carolina.	1774.	7. 8.	S. h.	Cates. car. 2. t. 64.
12 asiatica. DC.	Ceylon.	Ceylon.	S. h.	
13 senegalensis. DC.	Senegal.	Senegal.	1822.	S. h.	Deles. ic. sel. 1. t. 86.
MONODORA. DC.	MONODORA.	Polyandria Monogynia.				
myristica. DC.	Nutmeg.	Jamaica.	S. h.	Gært. fr. 2. t. 125. f. 1.
ASIMINA. DC.	ASIMINA.	Polyandria Polygynia.				
1 parviflora. DC.	small-flowered.	N. Amer.	1806.	4. 5.	H. h.	Dun. mon. t. 9.
2 triloba. DC.	trifid-fruited.	————	1736.	—	H. h.	Duh. arb. ed. 2. v. 2. t. 25.
	<i>Annona triloba.</i> W.	<i>Porcelia triloba.</i> Ph.				
3 pygmæa. DC.	dwarf.	————	1812.	—	H. h.	Dun. mon. t. 10.
	<i>Orchidocarpum pygmæum.</i> M.					
4 grandiflora. DC.	large-flowered.	Florida.	1820.	—	H. h.	Dun. mon. t. 11.
	<i>Porcelia grandiflora.</i> P. S.					
UVARIA. DC.	UVARIA.	Polyandria Polygynia. L.				
1 zeylanica. DC.	Ceylon.	E. Ind.	1794.	S. h.	Lam. ill. t. 495. f. 2.
2 Gærtneri. DC.	Gærtner's.	————	S. h.	— t. 495. f. 3.
3 lutea. DC.	yellow-fruited.	————	1822.	S. h.	Roxb. cor. 1. t. 36.
4 tomentosa. DC.	woolly.	————	—	S. h.	— 1. t. 35.
UNONA. DC.	UNONA.	Polyandria Polygynia. L.				
1 Narum. DC.	Rheede's.	E. Ind.	S. h.	Rheed. mal. 2. t. 9.
2 fuscata. DC.	brown-flower'd.	Guiana.	1820.	S. h.	
3 acuminata. DC.	taper-pointed.	————	—	S. h.	
4 odorata. DC.	sweet-scented.	Java.	1804.	5. 7.	S. h.	Lam. ill. t. 495. f. 1.
5 longifolia. DC.	long-leaved.	E. Ind.	1820.	S. h.	Sonn. voy. 4. t. 131.
6 aromatica. DC.	aromatic.	Guiana.	—	S. h.	Aub. gui. 2. t. 243.
7 æthiopica. DC.	Ethiopian.	Sierra Leone.	1822.	S. h.	Math. com. 1. p. 434. ic.
8 oxypetala. DC.	sour-petaled.	————	—	S. h.	
ARTABOTRYS. Br.	ARTABOTRYS.	Polyandria Polygynia. L.				
odoratissimus. B. R.	sweet-scented.	China.	1758.	6. 7.	S. h.	Bot. reg. 423.
	<i>Anona hexapetala.</i> W.	<i>Uvaria odoratissima.</i> H. B.				
XYLOPIA. DC.	XYLOPIA.	Polyandria Polygynia. L.				
1 muricata. DC.	rough-fruited.	W. Ind.	1793.	S. h.	Brown. jam. 250. t. 5. f. 2.
2 frutescens. DC.	shrubby.	Guiana.	1823.	S. h.	Aub. gui. 1. t. 292.
3 glabra. DC.	smooth-fruited.	W. Ind.	S. h.	Dun. mon. t. 19.
GUATTERIA. DC.	GUATTERIA.	Polyandria Polygynia. L.				
1 cerasoides. DC.	Cherry-fruited.	E. Ind.	1820.	S. h.	Roxb. cor. 1. t. 33.
2 suberosa. DC.	cork-barked.	————	—	S. h.	— 1. t. 34.
3 rufa. DC.	rufous.	India.	—	4. 8.	S. h.	Bot. reg. 836.
4 virgata. DC.	Lance-wood.	Jamaica.	1793.	S. h.	Dun. mon. t. 31.
	<i>Uvaria lanceolata.</i> W.					
5 laurifolia. DC.	Laurel-leaved.	————	1820.	S. h.	— t. 32.
	<i>Uvaria laurifolia.</i> Sw.					

ORDO VI.

MENISPERMACEÆ. DC. prodr. 1. p. 95.

Tribus II. MENISPERMEÆ. DC.

COCCULUS. DC.	COCCULUS.	Diœcia Hexandria.				
1 rotundifolius. DC.	round-leaved.	1820.	S. h.	—
2 cordifolius. DC.	heart-leaved.	E. Ind.	1822.	S. h.	Rheed. mal. 7. t. 21.
3 suberosus. DC.	cork-barked.	————	1790.	S. h.	Gært. fr. 1. t. 70. f. 7.
4 Plukenetii. DC.	Plukenet's.	————	—	S. h.	Pluk. man. 52. t. 345. f. 2.
5 incanus. C. L. T.	hoary.	————	1820.	S. h.	—
6 tomentosus. C. L. T.	woolly-leaved.	————	—	S. h.	—
7 crispus. C. L. T.	curled.	————	1822.	S. h.	Rumph. amb. 5. t. 44. f. 11.
8 palmatus. DC.	palmated.	————	S. h.	Berr. in As. res. 10. t. 55.
9 orbiculatus. DC.	orbicular-leav'd	————	1790.	S. h.	Rheed. mal. 11. t. 62.
10 laurifolius. DC.	Laurel-leaved.	————	1820.	1. 2.	S. h.	—
COSCINIUM. C. L. T.	COSCINIUM.	Diœcia Hexandria.				
fenestratum. C. L. T.	Knotted.	Ceylon.	1820.	S. h.	Gært. fr. 1. t. 46. f. 5.

- TILIACORA. C. L. T. TILIACORA.** Diœcia Hexandria.
racemosa. C. L. T. racemed. E. Ind. S. h. .
- WENDLANDIA. W. WENDLANDIA.** Heptandria Polygynia. W.
populifolia. w. Poplar-leaved. Carolina. 1759. 6. 7. H. h. . Wend. h. herr. 3. t. 16.
Menispermum Carolinum. L. Cocculus Carolinus. DC.
- CISSAMPELOS. DC. CISSAMPELOS.** Diœcia Monadelphia. L.
 1 *Paireira. DC. velvet-leaf. S. Amer. 1733. 7. 8. S. h. . Lam. ill. t. 830.*
 2 *microcarpa. DC. small-fruited. W. Ind. 1823. S. h. .*
 3 *hirsuta. DC. hairy. Nepaul. 1820. G. h. .*
 4 *Mauritiana. DC. hispid-branch'd Mauritius. — S. h. .*
 5 *Caapeba. DC. nerved-leaved. S. Amer. 1733. 7. 8. S. h. . Plum. ic. 67. f. 2.*
 6? *capensis. DC. Cape. C. B. S. 1775. G. h. .*
- MENISPERMUM. DC. MOON-SEED.** Diœcia Dodecandria. L.
 1 *canadense. DC. Canadian. N. Amer. 1691. 6. 7. H. h. . Bot. mag. 1910.*
 2 *dauricum. DC. Daurian. Dahuria. 1823. H. h. . Deles. ic. sel. 1. t. 100.*
 3 *smilacinum. DC. Smilax-leaved. Carolina. 1776. G. h. . Jacq. ic. 3. t. 629.*
Cissampelos smilacina. w.
 4 *Lyon. Ph. Lyon's. N. Amer. 1822. 6. 7. H. 4. .*
- ABUTA. DC. ABUTA.** *Menispermis sp. w.*
rufescens. DC. brown-leaved. Guiana. 1822. S. h. . Aub. gui. 1. t. 250.

Tribus III. SCHIZANDREÆ. DC. prodr. 1. p. 104.

- SCHIZANDRA. DC. SCHIZANDRA.** Monœcia Pentandria.
coccinea. DC. scarlet-flower'd. Carolina. 1806. 6. 7. G. h. . Bot. mag. 1413.

ORDO VII.

BERBERIDEÆ. DC. syst. nat. v. 2. 1.

- BERBERIS. W. BARBERRY.** Hexandria Monogynia. L.
 1 *vulgaris. DC. common. England. 4. 5. H. h. Eng. bot. 49.*
a rubra. red-fruited.
β lutea. DC. yellow-fruited.
γ violacea. DC. violet-fruited.
δ purpurea. DC. purple-fruited.
ε nigra. DC. black-fruited.
ζ alba. DC. white-fruited.
θ asperma. DC. stoneless.
- 2 *iberica. Iberian. Iberia. 1790. 4. 5. H. h.*
vulgaris. β iberica. DC.
- 3 *emarginata. DC. emarginate. Siberia. 1820. — H. h.*
 4 *canadensis. DC. Canadian. Canada. 1759. 4. 6. H. h.*
 5 *sinensis. DC. China. China. 1800. — H. h. Wats. dend. brit. t. 26.*
 6 *aristata. DC. awned. Nepaul. 1820. — F. h. Bot. reg. 729.*
Chitria. B. reg.
- 7 *cretica. DC. Cretan. Crete. 1759. — H. h. Flor. græc. t. 342.*
 8 *ilicifolia. DC. Holly-leaved. Terra del } 1791. 7. 8. H. h.*
Fuego. }
- 9 *asiatica. DC. Asiatic. Nepaul. 1820. F. h. Deles. ic. sel. 2. t. 1.*
 10 *Wallichiana. DC. Wallich's. — F. h.*
- 11 *heterophylla. DC. various-leaved. Magellan. 5. 6. H. h. Hook. exot. fl. t. 14.*
 12 *sibirica. DC. Siberian. Siberia. 1790. 6. 7. H. h. Bot. reg. 487.*
 13 *pinnata. B. reg. pinnate-leaved. America. 1820. 3. 5. G. h. — 702.*
Mahonia fascicularis. DC.
- 14 *aquifolium. Ph. Lewis's. N. Amer. 1822. 4. 5. H. h. Pursh. Amer. 1. t. 4.*
Mahonia aquifolia. DC.
- NANDINA. DC. NANDINA.** Hexandria Monogynia.
domestica. DC. garden. China. 1804. 6. 7. G. h. Bot. mag. 1109.
- LEONTICE. DC. LEONTICE.** Hexandria Monogynia. L.
 1 *Chrysogonum. DC. Oak-leaved. Levant. 1740. 3. 6. H. 4. Moris. hist. 2. t. 15. f. 7.*

NYMPHÆA. DC.		WATER-LILY. Polyandria Monogynia. L.			
1	scutifolia. DC.	Cape blue.	C. B. S.	1792.	6. 9. S.w. 4. Bot. mag. 552.
	<i>cærulea</i> . Bot. rep. 197.				
2	cærulea. DC.	Egyptian blue.	Egypt.	1812.	— S.w. 4. Vent. malm. t. 6.
	<i>stellata</i> . var. Bot. mag. 2058.				
3	cyanea. H.B.	Indian-blue.	E. Ind.	1809.	— S.w. 4.
	<i>Cahlara</i> . Donn cant. ed. 7.				
4	stellata. DC.	star-flowered.	—	1803.	— S.w. 4. Bot. rep. 330.
5	edulis. DC.	eatable.	—	— S.w. 4.
	<i>esculenta</i> . H.B.				
6	rubra. DC.	red-flowered.	—	1803.	7. 8. S.w. 4. Bot. mag. 1280.
7	rosea.	rose-coloured.	—	—	S.w. 4. ——— 1364.
	<i>rubra</i> . β <i>rosea</i> . DC.				
8	pubescens. DC.	Indian Lotus.	—	—	5. 8. S.w. 4. Rheed. h. mal. xi. t. 26.
9	Lotus. DC.	Egyptian.	Egypt.	1802.	6. 9. S.w. 4. Del. fl. egypt. ill. t. 60. f. 1.
10	thermalis. DC.	Hungarian.	Hungary.	—	— S.w. 4. Bot. mag. 797.
	<i>Lotus</i> . And. Bot. rep. 391.				
11	ampla. DC.	West-Indian.	W. Ind.	— S.w. 4. Plum. mss. 123. t. 4.
12	versicolor. DC.	changeable.	E. Ind.	1807.	— S.w. 4. Bot. mag. 1189.
13	reniformis. DC.	kidney-leaved.	Carolina.	1823.	7. G.w. 4. Deles. ic. sel. 2. t. 5.
14	alba. DC.	white.	Britain.	6. 7. H.w. 4. Eng. bot. 160.
15	odorata. DC.	sweet-scented.	N. Amer.	1786.	7. H.w. 4. Bot. mag. 819.
16	minor. DC.	smaller.	—	1812.	— H.w. 4. ——— 1652.
	<i>odorata</i> . β <i>minor</i> . B.M.				
17	nitida. DC.	cup-flowered.	Siberia.	1809.	7. 8. H.w. 4. Bot. mag. 1359.
18	pygmæa. DC.	pigmy.	China.	1805.	5. 9. H.w. 4. ——— 1525.
	<i>Castalia pygmæa</i> . Sal. par. lond. 68.				
NUPHAR. DC.		NUPHAR. Polyandria Monogynia. L.			
1	lutea. DC.	common.	Britain.	6. 7. H.w. 4. Eng. bot. 159.
	<i>Nymphæa lutea</i> . W.				
2	pumila. DC.	small-yellow.	Scotland.	— H.w. 4. ——— 2292.
	<i>minima</i> . E. B.				
3	Kalmiana. DC.	Canadian.	N. Amer.	1807.	7. 8. H.w. 4. Bot. mag. 1243.
4	advena. DC.	stripe-flowered.	—	1772.	— H.w. 4. Bot. mag. 684.
	<i>Nymphæa advena</i> . W.				

ORDO X.

PAPAVERACEÆ. DC. syst. nat. 2. p. 67.

PAPAVER. DC.		POPPY. Polyandria Monogynia.			
1	nudicaule. DC.	naked-stalked.	Siberia.	1730.	6. 8. H. 4. Bot. mag. 1633.
	β <i>glabratum</i> . DC.	smooth-stalked.	—	— H. 4.
	γ <i>radicatum</i> . DC.	small hairy.	Norway.	— H. 4.
2	rubro-aurantiacum.	f. red orange.	Dahuria.	1822.	— H. 4. Bot. mag. t. 2344.
3	microcarpum. DC.	small-capsuled.	Kamschatka.	—	— H. 4.
4	pyrenaicum. DC.	Pyrenean.	Pyrenees.	— H. 4. Seg. ver. 1. t. 4. f. 4.
	<i>aurantiacum</i> . Lois.				
	α <i>luteum</i> . DC.	yellow-flowered.	—	— H. 4. Barr. ic. t. 764.
	β <i>puniceum</i> . DC.	red-flowered.	—	— H. 4.
5	alpinum. DC.	Alpine.	Austria.	1759.	— H. 4. Jacq. aust. t. 83.
6	hybridum. DC.	mongrel.	England.	6. 7. H. 4. Eng. bot. 43.
7	Argemone. DC.	rough.	Britain.	— H. 4. ——— 643.
	β <i>maritimum</i> . With.	one-flowered.	—	— H. 4.
8	dubium. DC.	smooth.	—	— H. 4. ——— 644.
9	Rhœas. DC.	common-corn.	—	— H. 4. ——— 645.
	α <i>maculatum</i> .	spot-petaled.	—	— H. 4. Curt. lond. t. 32.
	β <i>coccineum</i> .	scarlet-flowered.	—	— H. 4. Tab. ic. f. 1.
	γ <i>carneum</i> .	flesh-coloured.	—	— H. 4. Barr. obs. ic. t. 763.
	δ <i>album</i> .	white-flowered.	—	— H. 4. Wein. phyt. t. 788. f. d.
	ϵ <i>albo-marginatum</i> .	white-edged.	—	— H. 4. ——— t. 790. f. e.
	ζ <i>coccineo-marginatum</i> .	scarlet-edged.	—	— H. 4. ——— t. 790. f. b.
10	lævigatum. DC.	slender.	Caucasus.	1823.	— H. 4.
11	Roubiæi. DC.	Roubieu's.	Montpelier.	—	— H. 4. Vig. diss. 39. n. 4. t. 1. f. 1.
12	floribundum. DC.	many-flowered.	Levant.	1815.	— H. 4. Bot. reg. 134.

ORDO XI.

DICLYTRA. DC.		DICLYTRA. Diadelphia Hexandria. L.			
1 cucullaria. DC.	naked-stalked.	N. Amer.	1731.	6. 7. H. 2.	Bot. mag. 1127.
<i>Fumaria cucullaria.</i>	B. M.				
2 bracteosa. DC.	leafy-bracted.	— — —	1823.	— H. 2.	
3 formosa. DC.	blush.	— — —	1796.	— H. 2.	Bot. mag. 1335.
4 eximia. DC.	choice.	— — —	1812.	— H. 2.	Bot. reg. 51.
<i>Fumaria eximia.</i>	B. R.				
5 canadensis. DC.	Canadian.	Canada.	1823.	— H. 2.	
6 lachenaliaeflora. DC.	Lachenalia-fl.	Siberia.	1824.	... H. 2.	Rudol. m.sc.pet.1.t.19.
ADLUMIA. DC.		ADLUMIA. Diadelphia Hexandria. L.			
cirrhusa. DC.	tendrilled.	N. Amer.	1778.	6. 9. H. ♂.	Vent. choix. t. 19.
<i>Fumaria fungosa.</i>	W.				
CYSTICAPNOS. DC.		CYSTICAPNOS. Diadelphia Hexandria. L.			
africana. DC.	African.	C. B. S.	1696.	6. 8. H. ☉.	Wein. phyt. t. 521. f. c.
<i>Fumaria vesicaria.</i>	W.				

CORYDALIS. DC.		CORYDALIS.		Diadelphia Hexandria. L.		
1	pauciflora. DC.	few-flowered.	Siberia.	1823.	H. 2.
2	Marschalliana. DC.	Marschall's.	Tauria.	—	4. 5.	H. 2.
3	tuberosa. DC.	hollow-rooted.	Europe.	1596.	2. 4.	H. 2.
	β albiflora.	white-flowered.	—	—	—	H. 2.
	<i>Fumaria cava, albiflora.</i> B. M.					
4	fabacea. DC.	Bean-leaved.	Germany.	1815.	—	H. 2.
5	caucasica. DC.	Caucasean.	Caucasus.	1823.	—	H. 2.
6	bulbosa. DC.	solid-rooted.	Britain.	—	H. 2.
	<i>Fumaria solida.</i> E. B. <i>Corydalis Halleri.</i> W. en.					
7	angustifolia. DC.	narrow-leaved.	Iberia.	1823.	—	H. 2.
8	bracteata. DC.	large-bracted.	Siberia.	—	—	H. 2.
9	nobilis. DC.	great-flowered.	—	1783.	5.	H. 2.
10	pæoniæfolia. DC.	Pæony-leaved.	—	1823.	—	H. 2.
11	glauca. DC.	glaucous.	N. Amer.	1683.	7. 8.	H. 2.
	<i>Fumaria sempervirens.</i> W.					
12	impatiens. DC.	impatient.	Dahuria.	1823.	—	H. ⊙.
13	aurea. DC.	golden.	N. Amer.	1812.	5. 7.	H. ♂.
	<i>Fumaria aurea.</i> B. R.					
14	lutea. P. s.	yellow.	England.	4. 10.	H. 2.
15	capnoides. P. s.	white-flowered.	S. Europe.	1596.	5. 10.	H. ♂.
16	uralensis. DC.	Fischer's.	Siberia.	1823.	H. 2.
17	breviflora. DC.	short-flowered.	Kamtchatka.	—	5. 10.	H. ⊙.
18	claviculata. DC.	climbing.	Britain.	—	H. ⊙.
SARCOCAPNOS. DC.		SARCOCAPNOS.		Diadelphia Hexandria. L.		
	enneaphylla. DC.	nine-leaved.	Spain.	1714.	5. 7.	H. 2.
	<i>Fumaria enneaphylla.</i> W.					
FUMARIA. DC.		FUMITORY.		Diadelphia Hexandria. L.		
1	spicata. DC.	narrow-leaved.	S. Europe.	1714.	7. 8.	H. ⊙.
2	capreolata. DC.	climbing.	Europe.	5. 9.	H. ⊙.
	β? <i>Burchellii.</i> DC.	<i>Burchell's.</i>	C. B. S.	1812.	—	H. ⊙.
3	media. DC.	intermediate.	Britain.	—	H. ⊙.
	<i>capreolata.</i> E. B.					
4	officinalis. DC.	common.	—	—	H. ⊙.
5	parviflora. DC.	small-flowered.	England.	8. 9.	H. ⊙.
6	Vaillantii. DC.	Vaillant's.	France.	5. 6.	H. ⊙.
7	densiflora. DC.	close-flowered.	Montpelier.	1823.	—	H. ⊙.

Bot. mag. 232.
 ——— 2340.
 Horn. fl. dan. t. 1394.
 Eng. bot. 1471.
 Bot. reg. 395.
 Gmel. sib. 4. t. 34.
 Bot. mag. 179.
 Bot. reg. 66.
 Eng. bot. 588.
 Pluk. alm. t. 90. f. 2.
 Eng. bot. 103.
 Barr. ic. t. 42.
 Lob. ic. t. 757. f. 2.
 DC. ic. rar. 1. t. 34.
 Eng. bot. 943.
 ——— 589.
 ——— 590.
 Vail. bot. par. t. 10. f. 6.

ORDO XII.

CRUCIFERÆ. DC. *syst. nat.* 2. p. 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. ARABIDEÆ seu Pleurorhizeæ Siliquosæ. DC.

MATHIOLA. DC.		STOCK. Tetradynamia Siliquosa. L.		
1	simplicicaulis.	Brompton.	5. 8. H. ♂.
	α coccinea.	scarlet.	— H. ♂.
	β alba.	white.	— H. ♂.
2	incana. DC.	queen.	England. 5. 11. H. ♀.
	α coccinea.	scarlet.	— — H. ♀.
	β purpurea.	purple.	— — H. ♀.
	γ alba.	white.	— — H. ♀.
	δ multiplex.	double-flowered.	— — H. ♀.
3	annua. DC.	ten-week.	S. Europe.	1731. 5. 11. H. ⊙.
	α coccinea.	scarlet.	—	— — H. ⊙.
	β purpurea.	purple.	—	— — H. ⊙.
	δ rubra.	red.	—	— — H. ⊙.
	ε rosea.	rose-coloured.	—	— — H. ⊙.
	ζ carnea.	flesh-coloured.	—	— — H. ⊙.
	η fuscata.	brown.	—	— — H. ⊙.

Besl. eyst. 2. t. 3. f. 3.
 ——— 2. t. 3. f. 2.
 Eng. bot. 1935.
 Wein. phyt. t. 642. f. 9.
 Besl. eyst. 2. t. 3. f. 2.
 ——— 2. t. 3. f. 1.
 J. Bauh. hist. 2. f. 1.

♀ <i>fulva</i> .	tawny.	————	—	—	H.⊙.	
♂ <i>lilacina</i> .	lilac.	————	—	—	H.⊙.	
κ <i>alba</i> .	white.	————	—	—	H.⊙.	Dalech. lug. 802. f. 1.
λ <i>variegata</i> .	variegated.	————	—	—	H.⊙.	
μ <i>flore pleno</i> .	double-flowered.	————	—	—	H.⊙.	
4 <i>glabra</i> . DC.	Wall-flower-ld.	—	H.⊗.	Wein. phyt. t. 642. f. 2.
α <i>alba</i> .	white-flowered.	—	H.⊗.	Moris. ox. s. 3. t. 8. f. 2.
β <i>purpurea</i> .	purple.	—	H.⊗.	
γ <i>coccinea</i> .	scarlet.	—	H.⊗.	
δ <i>flore pleno</i> .	double-flowered.	—	H.⊗.	
5 <i>græca</i> . DC.	smooth-leaved.	Greece.	—	H.⊙.	
6 <i>fenestralis</i> . DC.	window.	Crete.	1759.	7. 8.	F.⊗.	Jacq. vind. 2. t. 179.
7 <i>sinuata</i> . DC.	great sea.	England.	5. 8.	H.♂.	Eng. bot. 462.
8 <i>acaulis</i> . DC.	stalkless.	Egypt.	1823.	—	H.⊙.	
9 <i>odoratissima</i> . DC.	sweet-scented.	Tauria.	1797.	6. 7.	G.⊗.	Bot. mag. 1711.
β <i>tanaicensis</i> . DC.	fragrant.	Tanaim.	1822.	—	G.⊗.	
10 <i>varia</i> . DC.	entire-leaved.	Greece.	5. 7.	G.⊗.	Fl. græc. t. 636.
11 <i>tristis</i> . DC.	various-leaved.	S. Europe.	1768.	—	G.⊗.	Barr. ic. t. 803.
12 <i>longipetala</i> . DC.	long-petaled.	Bagdad.	1819.	—	H.⊙.	Vent. cels. t. 93.
13 <i>tricuspidata</i> . DC.	three-forked.	Barbary.	1739.	7. 10.	H.⊙.	Swt. br. fl. gar. 46.
14 <i>parviflora</i> . DC.	small-flowered.	Morocco.	1799.	—	H.⊙.	
CHEIRANTHUS. DC.		WALL-FLOWER.	Tetradynamia Siliquosa. L.			
1 <i>Cheiri</i> . DC.	garden.	S. Europe.	1573.	4. 7.	H.⊗.	Schkuhr hand. 2. t. 184.
α <i>vulgaris</i> .	common.	————	—	—	H.⊗.	Besl. eyst. 2. t. 5. f. 3.
β <i>flore pleno</i> .	double-yellow.	————	—	—	H.⊗.	———— 2. t. 4. f. 2. 3.
γ <i>grandiflorus</i> .	large-flowered.	————	—	—	H.⊗.	———— 2. t. 5. f. 2.
δ <i>maximus</i> .	largest.	————	—	—	H.⊗.	———— 2. t. 5. f. 1.
ε <i>serratus</i> .	saw-leaved.	————	—	—	H.⊗.	
ζ <i>patulus</i> .	double-spreading.	————	—	—	H.⊗.	
ι <i>ferrugineus</i> .	rusty-flowered.	————	—	—	H.⊗.	
κ <i>varius</i> .	various-coloured.	————	—	—	H.⊗.	
λ <i>sanguineus</i> .	bloody.	————	—	—	H.⊗.	
μ <i>hæmanthus</i> .	double-bloody.	————	—	—	H.⊗.	
ν <i>flavescens</i> .	pale-yellow.	————	—	—	H.⊗.	
ξ <i>thyrsoideus</i> .	bunch-flowered.	————	—	—	H.⊗.	
2 <i>fruticulosus</i> . E. B.	common.	England.	—	H.⊗.	Eng. bot. 1934.
3 <i>alpinus</i> . DC.	Alpine.	Norway.	1823.	—	H.⊗.	Wahl. fl. lap. t. 12. f. 1.
4 <i>ochroleucus</i> . DC.	pale yellow.	Switzerland.	1820.	6. 8.	H.⊗.	
decumbens. W. en.						
5 <i>tenuifolius</i> . DC.	fine-leaved.	Madeira.	1777.	5. 6.	F.⊗.	
6 <i>mutabilis</i> . DC.	changeable.	————	—	3. 5.	F.⊗.	Bot. mag. 195.
7 <i>longifolius</i> . v.	long-leaved.	————	1815.	9. 12.	F.⊗.	Vent. malm. t. 83.
8 <i>scoparius</i> . DC.	rock.	Teneriffe.	—	3. 8.	F.⊗.	
α <i>purpurascens</i> . DC.	purplish.	————	—	—	F.⊗.	
β <i>æruginosus</i> . DC.	rusty.	————	—	—	F.⊗.	
γ <i>chamæleo</i> . DC.	Chameleon.	————	—	—	F.⊗.	Bot. reg. 219.
<i>Cheiri</i> , var. <i>Chamæleon</i> . B. R.						
9 <i>semperflorens</i> . DC.	ever-blowing.	Barbary.	—	1. 12.	F.⊗.	
10 <i>frutescens</i> . P. s.	frutescent.	————	—	3. 7.	F.⊗.	
11 <i>linifolius</i> . DC.	flax-leaved.	Spain.	—	3. 8.	F.⊗.	
NASTURTIIUM. DC.		Tetradynamia Siliquosa. L.				
1 <i>officinale</i> . DC.	Water Cress.	Britain.	5. 7.	H.w.⊗.	Eng. bot. 855.
<i>Sisymbrium Nasturtium</i> . w.						
2 <i>sylvestre</i> . DC.	creeping.	————	6. 9.	H.w.⊗.	———— 2324.
3 <i>palustre</i> . DC.	marsh.	————	—	H.w.⊙.	———— 1747.
<i>Sisymbrium terrestre</i> . E. B.						
4 <i>sagittatum</i> . DC.	arrow-leaved.	Siberia.	1780.	5. 6.	H.⊗.	Jacq. ic. 1. t. 122.
5 <i>lippizense</i> . DC.	Carinthian.	Carinthia.	1823.	—	H.⊗.	———— 3. t. 505.
6 <i>pyrenaicum</i> . DC.	Pyrenean.	Pyrenees.	1775.	—	H.⊗.	All. fl. ped. t. 18. f. 1.
7 <i>amphibium</i> . DC.	amphibious.	Britain.	6. 8.	H.w.⊗.	Eng. bot. 1840.
α <i>indivisum</i> . DC.	brd. wat.-radish.	————	—	H.w.⊗.	Pet. h. brit. t. 49. f. 8.
β <i>variifolium</i> . DC.	jag. wat.-radish.	————	—	H.w.⊗.	———— t. 49. f. 10.
LEPTOCARPÆA. DC.		LEPTOCARPÆA. Tetradynamia Siliquosa. L.				
<i>Læselii</i> . DC.	Loeselius's.	Germany.	1683.	5. 8.	H.⊙.	Jacq. aust. t. 324.
<i>Sisymbrium Læselii</i> . w. <i>Turritis Læselii</i> . H. K.						
NOTOCERAS. DC.		NOTOCERAS. Tetradynamia Siliquosa. L.				
1 <i>canariense</i> . DC.	Canary.	Canaries.	1779.	8. 9.	H.⊙.	Jacq. fil. eclog. t. 111.
2 <i>hispanicum</i> . DC.	Spanish.	Spain.	1822.	3. 10.	H.⊙.	Deles. ic. sel. 2. t. 17.

BARBAREA. DC.	WINTER-CRESS.	Tetradynamia Siliquosa. L.			
1 vulgaris. DC.	common.	Britain.	5. 8. H. 4.	Eng. bot. 443.
	<i>Erysimum Barbarea.</i> W.				
2 præcox. DC.	early.	England.	4. 10. H. 4.	— — — 1129.
3 iberica. DC.	Iberian.	Iberia.	1816.	5. 8. H. 4.	
	<i>Cheiranthus ibericus.</i> W.en.				
4 plantaginea. DC.	Plantain-leav'd.	Greece.	1823.	— H. 4.	
STEVENIA. DC.	STEVENIA.	Tetradynamia Siliquosa. L.			
1 alyssoides. DC.	Alyssum-like.	Siberia.	1823.	6. 8. H. 4.	Deles. ic. sel. 2. t. 20.
2 cheiranthoides. DC.	Wall-flow.-like.	—	—	H. 4.	— — — 2. t. 21.
BRAYA. DC.	BRAYA.	Tetradynamia Siliquosa. DC.			
alpina. DC.	Alpine.	Carinthia.	1821.	4. 5. H. 4.	Deles. ic. sel. 2. t. 22.
TURRITIS. DC.	TOWER-MUSTARD.	Tetradynamia Siliquosa. L.			
1 glabra. DC.	long-podded.	England.	5. 6. H. 4.	Eng. bot. 777.
2 salsuginosa. DC.	shorter-podded.	Siberia.	1822.	— H. 4.	Pal.it.2.app.n.114.t.V.
ARABIS. DC.	WALL-CRESS.	Tetradynamia Siliquosa. L.			
1 verna. DC.	vernal.	S. Europe.	1710.	4. 5. H. 4.	Flor. græc. t. 641.
	<i>Hesperis verna.</i> W.				
2 alpina. DC.	Alpine.	Pyrenees.	1596.	3. 5. H. 4.	Bot. mag. 226.
	<i>Clusius's.</i>	—	—	H. 4.	Clus. hist. 2. p. 125. f. 2.
3 albida. DC.	early-flowered.	Tauria.	1798.	1. 5. H. 4.	Jacq. f. ecl. 1. t. 71.
	<i>caucasica</i> B. M. 2046.				
4 undulata. L.en.	wave-leaved.	S. Europe.	1823.	5. 8. H. 4.	
5 longifolia. DC.	long-leaved.	Persia.	1820.	— H. 4.	Deles. ic. sel. 2. t. 25.
6 auriculata. DC.	ear-leaved.	S. Europe.	1805.	5. 6. H. 4.	
	<i>aspera.</i> All. ped. t. 2. f. 2.				
7 saxatilis. DC.	rock.	—	—	H. 4.	Vill. dauph. 3. t. 37.
8 crispata. DC.	curled-leaved.	Carniola.	1816.	3. 4. H. 4.	
9 sagittata. DC.	arrow-leaved.	Europe.	5. 7. H. 4.	
10 hirsuta. DC.	hairy.	Britain.	H. 4.	Eng. bot. 587.
11 stenopetala. W.en.	narrow-petal'd.	1822.	6. 8. H. 4.	
12 Allionii. DC.	Allioni's.	Italy.	5. 7. H. 4.	
13 muralis. DC.	dwarf.	Switzerland.	1824.	5. 6. H. 4.	
14 stricta. DC.	Bristol.	England.	H. 4.	Eng. bot. 614.
15 ciliata. DC.	ciliated.	Ireland.	6. 7. H. 4.	— — — 1746.
	<i>Turritis alpina.</i> E. B.				
16 incana. DC.	hoary.	Switzerland.	1816.	5. 6. H. 4.	
17 Thaliana. DC.	common.	Britain.	4. 6. H. 4.	Eng. bot. 901.
18 serpyllifolia. DC.	Thyme-leaved.	Pyrenees.	1824.	6. 7. H. 4.	
19 procurrens. DC.	procurent.	Hungary.	—	5. 6. H. 4.	W.et.Kit.hun.2.t.144.
20 petræa. DC.	short-podded.	Europe.	5. 7. H. 4.	
	<i>Crantziania.</i> DC.	<i>Crantz's.</i>	Germany.	H. 4.
	<i>β hispida.</i> DC.	<i>hispid.</i>	Wales.	H. 4.
	<i>γ hastulata.</i> DC.	<i>hastulate.</i>	Britain.	H. 4.
21 lyrata. DC.	lyre-leaved.	N. Amer.	1823.	5. 6. H. 4.	
22 arenosa. DC.	purple.	Europe.	1798.	6. 7. H. 4.	Schranck. m. 3. t. 256.
23 Halleri. DC.	Haller's.	—	1820.	5. H. 4.	W.et Kit. hun. 2. t. 120.
24 stolonifera. DC.	stoloniferous.	Carniola.	1824.	— H. 4.	Scop. carn. ed. 2. t. 39.
25 ovirensis. DC.	reddish.	Carinthia.	—	5. 6. H. 4.	Jacq. ic. 1. t. 125.
26 Turrita. DC.	tower.	England.	..	4. 5. H. 4.	Eng. bot. 178.
27 pendula. DC.	pendulous.	Siberia.	1752.	5. 6. H. 4.	Jacq. vind. 3. t. 34.
28 lucida. DC.	shining-leaved.	Hungary.	1790.	6. 7. H. 4.	
29 canadensis. DC.	sickle-podded.	N. Amer.	1768.	5. 7. H. 4.	Deles. ic. sel. 2. t. 28.
30 pumila. DC.	nodding.	Switzerland.	1658.	4. 7. H. 4.	Jacq. fl. aust. t. 281.
	<i>nutans.</i> B. M. 2219.				
31 bellidifolia. DC.	Daisy-leaved.	—	1773.	5. 6. H. 4.	— — — 3. t. 280.
32 cœrulea. DC.	blue.	—	1793.	6. 7. H. 4.	Sturm. deut. fl. ic.
33 collina. DC.	hill.	Naples.	1823.	— H. 4.	
MACROPODIUM. DC.	MACROPODIUM.	Tetradynamia Siliquosa. L.			
nivale. DC.	Siberian.	Siberia.	1796.	6. 9. H. 4.	Pall.it.2.ap.n.113.t.v.
	<i>Cardamine nivalis.</i> Pall.				
CARDAMINE. DC.	LADY'S SMOCK.	Tetradynamia Siliquosa. L.			
1 rotundifolia. DC.	round-leaved.	N. Amer.	1823.	5. 6. H. 4.	
2 asarifolia. DC.	kidney-leaved.	Italy.	1710.	6. 7. H. 4.	Bot. mag. 1735.
3 bellidifolia. DC.	Daisy-leaved.	Scotland.	4. 6. H. 4.	
	<i>α petiolaris.</i> DC.	<i>long-petioled.</i>	Lapland.	H. 4.
	<i>β alpina.</i> DC.	<i>Alpine.</i>	Scotland.	H. 4.
4 resedifolia. DC.	Rocket-leaved.	Germany.	1658.	7. H. 4.	Sturm. fl. germ. ic.
5 africana. DC.	African.	C. B. S.	1691.	5. 6. H. 4.	Pluk. alm. t. 101. f. 5.

6 trifolia. DC.	three-leaved.	Europe.	1629.	3. 6.	H.w. 4.	Bot. mag. 452.
7 amara. DC.	bitter.	Britain.	4. 5.	H.w. 4.	Eng. bot. 1000.
8 pratensis. DC.	Cuckoo-flower.	-----	-----	H.w. 4.	----- 776.
β flore pleno.	double-flowered.	-----	-----	H.w. 4.	Clus. hist. 2. p. 129. f. 1.
9 dentata. DC.	toothed.	Poland.	1823.	-----	H.w. 4.	-----
10 hirsuta. DC.	hairy.	Britain.	1. 12.	H. ☉.	Eng. bot. 492.
11 sylvatica. DC.	wood.	Europe.	5. 6.	H. ☉.	Flor. dan. t. 735.
12 parviflora. DC.	small-flowered.	-----	1822.	4. 5.	H. ☉.	Gmel. fl. sib. 3. t. 64.
13 impatiens. DC.	impatient.	Britain.	4. 6.	H. ☉.	Eng. bot. 80.
14 latifolia. DC.	broad-leaved.	Spain.	1710.	6. 8.	H.w. 4.	Herm. par. p. 203. t. 69.
15 macrophylla. DC.	large-leaved.	Siberia.	1824.	-----	H. 4.	-----
16 chelidonia. DC.	Celandine-ld.	Italy.	1739.	3. 5.	H. 4.	W. et Kit. hung. 2. t. 140.
17 thalictroides. DC.	Thalicttrum-ld.	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
PTERONEURUM. DC.	PTERONEURUM.	Tetradynamia Siliquosa. L.				
1 carnosum. DC.	fleshy.	Dalmatia.	1824.	6. 8.	H. 4.	W. et Kit. hung. 2. t. 129.
2 græcum. DC.	Grecian.	S. Europe.	1710.	-----	H. ☉.	Flor. græc. t. 631.
<i>Cardamine græca.</i> W.						
DENTARIA. DC.	TOOTH-WORT.	Tetradynamia Siliquosa. L.				
1 polyphylla. DC.	many-leaved.	Hungary.	1817.	5. 6.	H. 4.	W. et Kit. hung. 2. t. 160.
2 enneaphylla. DC.	nine-leaved.	Austria.	1656.	-----	H. 4.	Jacq. fl. aust. t. 316.
3 glandulosa. DC.	glandular.	Hungary.	1815.	-----	H. 4.	W. et Kit. hung. 3. t. 272.
4 laciniata. DC.	laciniate.	N. Amer.	1823.	4. 6.	H. 4.	-----
5 diphylla. DC.	two-leaved.	-----	1810.	5. 6.	H. 4.	Bot. mag. 1465.
6 digitata. DC.	fingered.	Switzerland.	1656.	-----	H. 4.	----- 2202.
pentaphylla. B. M.	<i>Cardamine pentaphylla.</i>	H. K. ed. 2.				
7 pinnata. DC.	seven-leaved.	-----	1683.	-----	H. 4.	Boiss. fl. eur. t. 449.
8 quinquefolia. DC.	five-leaved.	Caucasus.	1823.	4. 5.	H. 4.	-----
9 bulbifera. DC.	bulbiferous.	England.	-----	H. 4.	Eng. bot. 309.
<i>Cardamine bulbifera.</i> H. K. ed. 2.						
NEUROLOMA. DC.	NEUROLOMA.	Tetradynamia Siliquosa. L.				
arabidiflorum. DC.	Arabis-flower'd.	Siberia.	1798.	5. 6.	H. 4.	Lin. am. ac. 2. t. 1. f. 20.
<i>Arabis grandiflora.</i> L.						

Tribus II. *ALYSSINEÆ* seu *Pleurorhizeæ* *Latiseptæ.* DC.

LUNARIA. DC.	HONESTY.	Tetradynamia Siliculosa. L.				
1 rediviva. DC.	perennial.	Germany.	1596.	5. 6.	H. 4.	Hill veg. syst. t. 38. f. 1.
2 biennis. DC.	biennial.	-----	1570.	-----	H. ♂.	----- t. 38. f. 2.
annua. W.						
α violacea.	violet-flowered.	-----	-----	-----	H. ♂.	
β albiflora.	white-flowered.	-----	-----	-----	H. ♂.	
RICOTIA. DC.	RICOTIA.	Tetradynamia Siliculosa. L.				
Lunaria. DC.	Syrian.	Syria.	1757.	6. 7.	H. ☉.	Lam. ill. t. 561.
ægyptiaca. B. R. 49.						
FARSETIA. DC.	FARSETIA.	Tetradynamia Siliculosa. L.				
1 ægyptiaca. DC.	Stock-like.	Levant.	1788.	6. 7.	G. ½.	Desf. atl. 2. t. 160.
cheiranthoides. H. K.	<i>Cheiranthus Farsetia.</i>	L.				
2 suffruticosa. DC.	suffrutescent.	Persia.	1820.	4. 5.	G. ½.	Vent. cels. t. 19.
3 lunarioides. DC.	oriental.	Greece.	1731.	6. 7.	H. 4.	Tourn. ic. ed. ger. 1. t. 30.
4 clypeata. DC.	buckler-podded	S. Europe.	1596.	-----	H. ♂.	Schkuhr. han. 2. t. 181.
<i>Alyssum clypeatum.</i> L.						
BERTEROA. DC.	BERTEROA.	Tetradynamia Siliculosa. L.				
1 incana. DC.	hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.
<i>Alyssum incanum.</i> W.						
2 mutabilis. DC.	changeable.	Levant.	1802.	7. 8.	H. 4.	Vent. cels. t. 85.
3 obliqua. DC.	oblique-podded.	Naples.	1824.	-----	H. ½.	Flor. græc. t. 623.
AUBRIETIA. DC.	AUBRIETIA.	Tetradynamia Siliculosa. L.				
1 deltoidea. DC.	spreading.	Levant.	1710.	3. 5.	H. 4.	Bot. mag. 126.
<i>Farsetia deltoidea.</i>	H. K. <i>Alyssum deltoideum.</i>	L.				
2 purpurea. DC.	tufted.	-----	1821.	-----	H. 4.	Flor. græc. t. 643.
VESICARIA.	VESICARIA.	Tetradynamia Siliculosa. L.				
1 utriculata. DC.	smooth.	Levant.	1739.	4. 6.	H. 4.	Bot. mag. 130.
<i>Alyssum utriculatum.</i> B. M.						
2 reticulata. DC.	veined-podded.	-----	6.	H. 4.	Tour. voy. 2. p. 252. ic.

3 sinuata. DC.	sinuate-leaved.	Spain.	1596.	4. 6.	H. ♂.	Schkuhr. han. 2. t. 181.
4 cretica. DC.	Cretan,	Crete.	1739.	5. 8.	H. ♀.	Alp. ex. p. 117 et 118. ic.
<i>Alyssum creticum.</i> W.						
SCHIVERECKIA. DC.	SCHIVERECKIA.	Tetradynamia Siliculosa. L.				
podolica. DC.	canescent.	Podolia.	1821.	5. 7.	H. ♀.	Swt. br. fl. gar. t. 77.
ALYSSUM. DC.	MADWORT.	Tetradynamia Siliculosa. L.				
1 saxatile. DC.	rock.	Russia.	1710.	4. 5.	H. ♀.	Bot. mag. 159.
2 gemonense. DC.	canescent.	Germany.	—	—	H. ♀.	Jacq. ic. 3. t. 503.
3 orientale. DC.	oriental.	Crete.	—	H. ♀.	Flor. græc. t. 625.
4 spathulatum. DC.	spathulate.	Siberia.	1821.	4. 6.	H. ♀.	Deles. ic. sel. 2. t. 37.
5 argenteum. DC.	silvery.	Switzerland.	—	5. 6.	H. ♀.	All. ped. t. 54. f. 3.
6 murale. DC.	wall.	Europe.	1801.	6. 8.	H. ♀.	W. et Kit. hung. 1. t. 6.
7 obtusifolium. DC.	blunt-leaved.	Siberia.	1812.	—	H. ♀.	Deles. ic. sel. 2. t. 38.
8 serpyllifolium. DC.	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ♀.	
9 tortuosum. DC.	twisted.	Hungary.	1804.	6. 7.	H. ♀.	W. et Kit. hung. 1. t. 91.
10 vernale. DC.	vernal.	1823.	4. 5.	H. ♀.	
11 alpestre. DC.	Italian.	Italy.	1777.	6. 10.	H. ♀.	Flor. græc. t. 624.
12 montanum. DC.	mountain.	Germany.	1713.	5. 8.	H. ♀.	Bot. mag. 419.
13 Wulfenianum. DC.	Wulfen's.	Carinthia.	1821.	—	H. ♀.	
14 rostratum. DC.	beaked.	Tauria.	1824.	6. 9.	H. ⊙.	Stev. m. ac. P. 3. t. 15. f. 1.
15 micropetalum. DC.	small-petaled.	Iberia.	—	5. 8.	H. ⊙.	Deles. ic. sel. 2. t. 39.
16 hirsutum. DC.	hairy.	—	—	—	H. ⊙.	— 2. t. 40.
17 campestre. DC.	field.	Europe.	1768.	6. 8.	H. ⊙.	Flor. græc. t. 626.
18 calycinum. DC.	persistent-cal'd.	—	1740.	—	H. ⊙.	Jacq. aust. t. 338.
19 minimum. DC.	small.	—	1791.	—	H. ⊙.	Tratt. thes. bot. t. 35.
20 edentulum. DC.	toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et Kit. hung. 1. t. 92.
<i>Adysetum edentulum.</i> L. en.						
21 maritimum. DC.	sweet.	England.	5. 10.	H. ♀.	Eng. bot. 1729.
<i>Adysetum maritimum.</i> L. en.						
22 rupestre. DC.	silvery rock.	Italy.	1824.	—	H. ♀.	Tenor fl. nap. t. 60.
23 halimifolium. DC.	Halimus-leav'd.	—	—	—	H. ♀.	All. ped. t. 54. f. 1.
24 spinosum. DC.	thorny.	S. Europe.	1683.	6. 8.	F. ♀.	Bar. ic. t. 808.
MENIOCUS. DC.	MENIOCUS.	Tetradynamia Siliculosa. L.				
linifolius. DC.	Flax-leaved.	Levant.	1822.	5. 6.	H. ⊙.	Deles. ic. sel. 2. t. 42.
<i>Alyssum linifolium.</i> W.						
CLYPEOLA. DC.	TREACLE-MUSTARD.	Tetradynamia Siliculosa. L.				
1 Jonthlaspi. DC.	common.	S. Europe.	1710.	5. 7.	H. ⊙.	Desv. j. bot. 3. t. 25. f. 7.
2 eriophora. DC.	woolly-podded.	Spain.	1820.	—	H. ⊙.	— 3. t. 25. f. 10.
PELTARIA. DC.	PELTARIA.	Tetradynamia Siliculosa. L.				
alliacea. DC.	garlic-scented.	Austria.	1601.	5. 7.	H. ♀.	Jacq. aust. 2. t. 123.
PETROCALLIS. DC.	PETROCALLIS.	Tetradynamia Siliculosa. L.				
pyrenaica. DC.	Pyrenean.	Pyrenees.	1759.	5. 6.	H. ♀.	Lodd. bot. cab. 635.
<i>Draba pyrenaica.</i> B. M. 713.						
DRABA. DC.	WHITLOW-GRASS.	Tetradynamia Siliculosa. L.				
1 aizoides. DC.	sen-green.	Wales.	2. 4.	H. ♀.	Eng. bot. 1271.
2 brachystemon. DC.	short-stamened.	1731.	—	H. ♀.	Bot. mag. 170.
<i>aizoides.</i> B. M. <i>ciliaris.</i> H. K.						
3 aizoon. DC.	hairy-podded.	Hungary.	1821.	—	H. ♀.	
4 cuspidata. DC.	sharp-pointed.	Tauria.	—	4. 5.	H. ♀.	
5 bryoides. DC.	Bryum-like.	Caucasus.	—	3. 4.	H. ♀.	
6 ericæfolia. DC.	Heath-leaved.	—	1823.	5. 6.	H. ♀.	
7 alpina. DC.	Alpine.	Norway.	—	4. 5.	H. ♀.	Flor. dan. t. 56.
8 incompta. DC.	straggling.	Caucasus.	—	6.	H. ♀.	Deles. ic. sel. 2. t. 44.
9 oblongata. DC.	oblong-leaved.	Baffins-bay.	1820.	5. 6.	H. ♀.	
10 corymbosa. DC.	corymbose.	—	—	—	H. ♀.	
11 hirta. DC.	hairy.	Lapland.	5. 7.	H. ♀.	Wahl. f. lap. t. 11. f. 3.
12 rupestris. DC.	rock.	Scotland.	—	H. ♀.	Eng. bot. 1338.
<i>hirta.</i> E. B. non Linn.						
13 helvetica. DC.	Swiss.	Switzerland.	1824.	—	H. ♀.	
14 fladnizensis. DC.	fringe-leaved.	—	—	6. 8.	H. ♀.	Jacq. misc. 1. t. 17. f. 1.
15 tomentosa. DC.	woolly-leaved.	—	—	5. 7.	H. ♀.	Wahl. helv. p. 123. t. 3.
16 stellata. DC.	starry.	—	1820.	—	H. ♀.	Jacq. obs. t. 4. f. 3.
<i>hirta.</i> Jacq. aust. t. 432.						
17 contorta. DC.	twisted-podded.	Britain.	5. 6.	H. ♂.	Eng. bot. t. 388.
<i>incana.</i> E. B.						
18 confusa. DC.	confused.	N. Europe.	—	H. ♂.	Flor. dan. t. 130.
<i>incana.</i> F. D.						
19 nemoralis. DC.	wood.	Europe, &c.	1759.	—	H. ⊙.	Houtt. syst. 4. t. 60. f. 1.
20 muralis. DC.	wall.	England.	4. 5.	H. ⊙.	Eng. bot. 912.

EROPHILA. DC.		EROPHILA. Tetradynamia Siliculosa. L.				
1 americana. DC.	American.	N. Amer.	1823.	3. 4.	H. ⊙.	
2 vulgaris. DC.	common.	Britain.	—	H. ⊙.	Flor. dan. t. 983.
<i>Draba verna.</i> Eng. bot. 586.						
COCHLEARIA. DC.		SCURVY-GRASS. Tetradynamia Siliculosa. L.				
1 saxatilis. DC.	rock.	Europe.	1775.	6. 7.	H. 4.	Jacq. aust. 2. t. 128.
<i>Myagrum saxatile.</i> L.						
β incisa. DC.	cut-leaved.	— — —	—	—	H. 4.	Mor. ox. 2. n. 11. s. 3. t. 17.
2 auriculata. DC.	eared.	Pyrenees.	1824.	5. 6.	H. 4.	Berg. phyt. 3. p. 140. ic.
3 Armoracia. DC.	Horse-radish.	England.	5.	H. 4.	Eng. bot. 2223.
<i>Armoracia rusticana.</i> Baumg.						
4 macrocarpa. DC.	large-fruited.	Hungary.	1806.	6. 8.	H. 4.	W. et Kit. hun. 2. t. 184.
5 glastifolia. DC.	Woad-leaved.	S. Europe.	1648.	5. 7.	H. ♂.	Lob. ic. t. 321. f. 2.
6 anglica. DC.	English.	England.	5.	H. ⊙.	Eng. bot. 552.
7 officinalis. DC.	common.	Britain.	4. 5.	H. ⊙.	— — — 551.
β minor. DC.	lesser.	— — —	—	H. ⊙.	
γ rotundifolia. DC.	round-leaved.	— — —	—	H. ⊙.	
<i>grœnlandica.</i> With. brit. 573. non. Lin.						
8 pyrenaica. DC.	Pyrenean.	Pyrenees.	6. 8.	H. ♂.	Deles. ic. sel. 2. t. 48.
9 grœnlandica. DC.	Greenland.	Scotland.	5. 6.	H. 4.	Eng. bot. 2403.
10 danica. DC.	Danish.	Britain.	—	H. ⊙.	— — — 696.
11 alpina.	Alpine.	— — —	—	H. 4.	

Tribus III. THLASPIDÆ seu Pleurorrhizæ Angustiseptæ. DC.

THLASPI. DC.		BASTARD-CRESS. Tetradynamia Siliculosa. L.				
1 ceratocarpon. DC.	horn-podded.	Siberia.	1779.	7.	H. ⊙.	Scop. insub. 1. t. 4.
2 arvense. DC.	Penny-cress.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1659.
3 alliaceum. DC.	Garlic-scented.	S. Europe.	1714.	5. 7.	H. ⊙.	Jacq. ic. 1. t. 121.
4 perfoliatum. DC.	perfoliate.	England.	4. 7.	H. ⊙.	Eng. bot. 2354.
5 montanum. DC.	mountain.	Europe.	5. 6.	H. 4.	Jacq. aust. 3. t. 237.
6 alpestre. DC.	Alpine.	England.	5. 7.	H. 4.	Eng. bot. t. 81.
CAPSELLA. DC.		SHEPHERDS-PURSE. Tetradynamia Siliculosa. L.				
Bursa-pastoris. DC.	common.	Britain.	1. 12.	H. ⊙.	Eng. bot. 1485.
<i>Thlaspi Bursa-pastoris.</i> L.						
β minor. DC.	small.	— — —	—	H. ⊙.	Tabern. ic. 199.
γ integrifolia. DC.	entire-leaved.	— — —	—	H. ⊙.	Moris. ox. 2. t. 20. f. 1.
δ coronopifolia. DC.	Buck's-horn-ld.	— — —	—	H. ⊙.	
HUTCHINSIA. DC.		HUTCHINSIA. Tetradynamia Siliculosa. L.				
1 rotundifolia. DC.	round-leaved.	Switzerland.	1759.	5. 7.	H. 4.	Scop. carn. n. 805. t. 37.
<i>Iberis rotundifolia.</i> L.						
2 cepeæfolia. DC.	toothed-leaved.	Carinthia.	1824.	4. 5.	H. 4.	Jacq. misc. 2. p. 28. t. 1.
3 alpina. DC.	Alpine.	Pyrenees.	1775.	4. 6.	H. 4.	Jacq. aust. 2. t. 137.
<i>Lepidium alpinum.</i> L.						
4 petræa. DC.	rock.	England.	3. 5.	H. ♂.	Eng. bot. 111.
<i>Lepidium petræum.</i> L.						
5 procumbens. DC.	procumbent.	Europe.	1823.	—	H. ⊙.	Hill. veg. syst. t. 42. f. 1.
TEESDALIA. DC.		TEESDALIA. Tetradynamia Siliculosa. L.				
Iberis. DC.	Shepherds-cress	England.	5. 7.	H. ⊙.	Eng. bot. 327.
<i>nudicaulis.</i> H. K. <i>Iberis nudicaulis.</i> L. <i>Guepinia Iberis.</i> DC.						
IBERIS. DC.		CANDY-TUFT. Tetradynamia Siliculosa. L.				
1 semperflorens. DC.	broad-leaved.	Sicily.	1679.	1. 12.	G. ♀.	Moris. ox. 2. t. 25. f. 5.
2 gibraltarica. DC.	Gibraltar.	Gibraltar.	1732.	5. 6.	G. ♀.	Bot. mag. 124.
3 saxatilis. DC.	rock.	S. Europe.	1739.	4. 6.	H. ♀.	Geu. fl. mons. 177. t. 1.
4 corifolia.	Coris-leaved.	— — —	—	—	H. ♀.	Clus. hist. 2. p. 132. ic.
<i>saxatilis</i> β <i>corifolia.</i> Bot. mag. 1642.						
5 pubescens. DC.	pubescent.	— — —	1821.	—	H. ♀.	
6 sempervirens. DC.	evergreen.	Crete.	1731.	—	H. ♀.	Flor. græc. t. 620.
7 Garrexiana. DC.	Allioni's.	Pyrenees.	6. 8.	H. ♀.	All. ped. n. 920. t. 40. f. 3.
8 amara. DC.	bitter.	England.	—	H. ⊙.	Eng. bot. 52.
9 pinnata. DC.	wing-leaved.	S. Europe.	1596.	—	H. ⊙.	Lob. ic. t. 217. f. 2.
10 odorata. DC.	sweet-scented.	Crete.	1806.	—	H. ⊙.	Swt. br. fl. gar. 50.
11 Lagascan. DC.	Lagasca's.	Spain.	1824.	—	H. ⊙.	
12 umbellata. DC.	purple.	S. Europe.	1596.	—	H. ⊙.	Bot. mag. 106.
13 linifolia. DC.	Flax-leaved.	— — —	1759.	—	H. ♂.	Garid. aix. t. 105.

14 ciliata. DC.	fringed.	—	—	H. ♂.	
15 taurica. DC.	Taurian.	Tauria.	1802.	5. 7.	H. ♂.	
16 violacea. DC.	blunt-leaved.	1782.	6. 7.	H. ⊙.	
17 nana. DC.	dwarf.	S. Europe.	1822.	6. 8.	H. ♂.	All. auct. p. 15. t. 2. f. 1.
18 Tenoreana. DC.	Tenore's.	Naples.	—	5. 7.	H. ♀.	Swt. br. fl. gar. 88.
BISCUTELLA. DC.	BUCKLER-MUSTARD.	Tetradynamia	Siliculosa. L.			
1 auriculata. DC.	ear-podded.	S. Europe.	1683.	6. 7.	H. ⊙.	DC. diss. n. 1. t. 1. f. 2.
2 erigerifolia. DC.	Erigeron-leav'd	Spain.	1824.	—	H. ⊙.	Deles. ic. sel. 2. t. 55.
3 hispida. DC.	hispid.	S. France.	1822.	—	H. ⊙.	Bot. mag. 2444.
4 cichoriifolia. DC.	Succory-leaved.	Pyrenees.	—	—	H. ♀.	DC. diss. n. 4. t. 2.
5 lyrata. DC.	lyre-leaved.	Spain.	1799.	—	H. ⊙.	Bocc. sic. 45. t. 23.
6 raphanifolia. DC.	Radish-leaved.	Sicily.	1824.	—	H. ⊙.	
7 maritima. DC.	sea.	Naples.	—	—	H. ⊙.	Tenor. fl. nap. t. 61.
8 ciliata. DC.	fringe-podded.	Italy.	1790.	—	H. ⊙.	DC. ic. gal. rar. 1. t. 39.
coronopifolia. W. non. Lin.						
9 depressa. DC.	dwarf.	Egypt.	1823.	—	H. ⊙.	
10 microcarpa. DC.	small-podded.	Gibraltar.	—	5. 6.	H. ⊙.	
11 Columnæ. DC.	Columna's.	Apulia.	1824.	6. 7.	H. ⊙.	Col. ecphr. 1. t. 284. f. 1.
12 apula. DC.	spear-leaved.	Italy.	1710.	—	H. ⊙.	Fl. græc. t. 629.
13 leiocarpa. DC.	smooth-capsul'd	Levant.	1824.	—	H. ⊙.	Gært. fruct. 2. t. 141.
14 obovata. DC.	obovate-leaved.	—	H. ⊙.	
15 lævigata. DC.	smooth-podded.	Europe.	1777.	—	H. ♀.	DC. ic. rar. 11. t. 38.
β alpestris. W. en.	Hungarian.	Hungary.	1816.	—	H. ♀.	W. et Kit. hung. 3. t. 228.
16 coronopifolia. DC.	Buck's-horn-ld.	S. Europe.	1790.	—	H. ♀.	DC. diss. n. 22. t. 18.
17 ambigua. DC.	ambiguous.	—	—	H. ♀.	— n. 23. t. 11. f. 1.
18 saxatilis.	rock.	—	1824.	—	H. ♀.	— n. 24. t. 10.
19 sempervirens. DC.	downy-leaved.	Spain.	1784.	—	F. ♀.	Barr. ic. t. 841.
MEGACARPÆA. DC.	MEGACARPÆA.	Tetradynamia	Siliculosa. L.			
laciniata. DC.	jagged-leaved.	Volga.	1823.	6. 7.	H. ♀.	DC. diss. bisc. n. 5. t. 3.

Tribus IV. *EUCLIDIEÆ* seu Pleurorrhizæ Nucamentaceæ. DC.

EUCLIDIUM. DC.	EUCLIDIUM.	Tetradynamia	Siliculosa. L.			
1 syriacum. DC.	Syrian.	Levant.	1778.	7. 8.	H. ⊙.	Jacq. anst. 1. t. 6.
Bunias syriaca. W.	Anastatica syriaca.	Jacq.				
2 tataricum. DC.	Tartarian.	Tartary.	1823.	4. 5.	H. ⊙.	Pall. it. 3. ap. t. v. f. 2.
Bunias tatarica. W.						
OCHTHODIUM. DC.	OCHTHODIUM.	Tetradynamia	Siliculosa. L.			
ægyptiacum. DC.	Egyptian.	Egypt.	1787.	8.	H. ⊙.	Jacq. vind. t. 145.
Rapistrum ægyptiacum. H. K.	Bunias ægyptiaca.	L.				

Tribus V. *ANASTATICEÆ* seu Pleurorrhizæ Septulatae. DC.

ANASTATICA. DC.	ROSE OF JERICHO.	Tetradynamia	Siliculosa. L.			
Hierochuntina. DC. common.		Levant.	1597.	5. 8.	H. ⊙.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorrhizæ Lomentaceæ. DC.

CAKILE. DC.	CAKILE.	Tetradynamia	Siliculosa. L.			
1 maritima. DC.	Sea Rocket.	Britain.	6. 9.	H. ⊙.	Eng. bot. 231.
β sinuatifolia. DC.	sinuate-leaved.	—	—	H. ⊙.	Horn. fl. dan. t. 1583.
2 americana. DC.	American.	America.	—	H. ⊙.	Tussac fl. ant. 1. f. 17.
CHORISPORA. DC.	CHORISPORA.	Tetradynamia	Siliculosa. L.			
1 tenella. DC.	purple.	Tauria.	1780.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. L. f. 3.
2 sibirica. DC.	Siberian.	Siberia.	1822.	—	H. ⊙.	Murr. com. goett. t. 11.
3 iberica. DC.	strong-scented.	Iberia.	—	—	H. ⊙.	Deles. ic. sel. 2. t. 58.

Subordo II. NOTORHIZEÆ. DC. syst. 2. p. 438.

Tribus VII. SISYMBREÆ seu Notorhizæ Siliquosæ. DC.

MALCOMIA. DC.	MALCOMIA.	Tetradynamia Siliquosa. L.				
1 africana. DC.	African.	Africa.	1747.	6. 7.	H. ☉.	Buxb. cent. 4. t. 44.
2 taraxacifolia. DC.	Dandelion-ld.	1795.	—	H. ☉.	
3 laxa. DC.	loose-branched.	Siberia.	1822.	—	H. ☉.	
4 Chia. DC.	dwf.-branching.	Chio.	1732.	5. 6.	H. ☉.	Swt. br. fl. gar. 40.
5 maritima. DC.	dwarf annual.	S. Europe.	1713.	—	H. ☉.	Bot. mag. 166.
<i>Cheiranthus maritimus.</i> B. M.						
6 arenaria. DC.	sand.	Barbary.	1801.	—	H. ☉.	Desf. fl. atl. 2. t. 162.
<i>Hesperis arenaria.</i> Desf.						
7 parviflora. DC.	small-flowered.	S. Europe.	1822.	6. 8.	H. ☉.	DC. ic. gall. rar. t. 35.
8 littorea. DC.	sea.	—	1683.	6. 11.	H. ♂.	Swt. br. fl. gar. 54.
HESPERIS. DC.	ROCKET.	Tetradynamia Siliquosa. L.				
1 tristis. DC.	night-smelling.	Austria.	1622.	4. 6.	H. ♂.	Bot. mag. 730.
2 fragrans. F.	evening-scent ^d .	Siberia?	1823.	—	H. ♂.	Swt. br. fl. gar. 61.
3 laciniata. DC.	lacinated.	Italy.	1820.	5. 6.	H. ♂.	All. ped. n. 985. t. 82. f. 11.
4 runcinata. DC.	runcinate.	Hungary.	1804.	5. 7.	H. ♂.	W. et Kit. hung. 2. t. 200.
5 bituminosa. W. en.	clammy.	1816.	—	H. ♂.	
6 matronalis. L.	common.	Europe.	1597.	5. 8.	H. ♀.	Lob. ic. t. 323. f. 2.
α albiflora. DC.	single-white.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 11.
γ albo-plena.	double-white.	—	—	—	H. ♀.	
γ purpurea. DC.	single-purple.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 22.
δ purpureo-plena.	double-purple.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. cc.
ε variegata. DC.	double-variegated	—	—	—	H. ♀.	Munt. phyt. cur. t. 186.
ζ foliiflora. DC.	green-flowered.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. aa.
7 inodora. L.	scentless.	Britain.	—	H. ♀.	Eng. bot. 731.
8 sibirica. DC.	Siberian.	Siberia.	—	H. ♀.	
9 aprica. DC.	sun.	—	1823.	5. 6.	H. ♀.	Deles. ic. sel. 2. t. 62.
ANDREOSKIA. DC.	ANDREOSKIA.	Tetradynamia Siliquosa. L.				
integrifolia. DC.	entire-leaved.	Siberia.	1824.	6. 7.	H. ☉.	
<i>Sisymbrium integrifolium.</i> W. <i>Hesperis glandulosa.</i> P. S.						
SISYMBRIUM. DC.	SISYMBRIUM.	Tetradynamia Siliquosa. L.				
1 officinale. DC.	Hedge-mustard	Britain.	5. 7.	H. ☉.	Eng. bot. 725.
<i>Erysimum officinale.</i> E. B.						
2 strictissimum. DC.	spear-leaved.	Europe.	1658.	6. 8.	H. ♀.	Jacq. aust. 2. t. 194.
<i>Cheirinia strictissima.</i> L. en.						
3 junceum. DC.	rushy.	Hungary.	1804.	7.	H. ♀.	W. et Kit. hung. 3. t. 234.
<i>Erysimum junceum.</i> W. <i>Cheirinia juncea.</i> L. en.						
4 hispanicum. DC.	Spanish.	Spain.	1820.	5. 6.	H. ♂.	Jacq. ic. rar. 1. t. 124.
5 pumilum. DC.	dwarf.	Caucasus.	—	4. 5.	H. ☉.	
6 obtusangulum. DC.	blunt-angled.	Switzerland.	5. 8.	H. ☉.	Moris. ox. 2. s. 3. t. 5. f. 10.
7 acutangulum. DC.	acute-angled.	Pyrenees.	1791.	6. 7.	H. ♂.	Jacq. vind. 3. t. 97.
<i>sinapoides.</i> H. K. <i>Sinapis pyrenaica.</i> Jacq.						
8 taraxacifolium. DC.	Dandelion-ld.	France.	1823.	5. 6.	H. ♂.	DC. ic. rar. p. 11. t. 37.
9 austriacum. DC.	Austrian.	Austria.	1799.	6. 8.	H. ☉.	Jacq. aust. 3. t. 262.
10 eckartsbergense. W.	bending-podd'd	—	—	—	H. ♂.	
11 Irio. DC.	London Rocket.	England.	5. 8.	H. ☉.	Eng. bot. 1631.
12 nitidum. DC.	glossy.	6. 8.	H. ☉.	
13 subhastatum. DC.	halbert-leaved.	Archipelago.	1822.	4. 5.	H. ☉.	
14 Columnæ. Jacq.	Columna's.	Italy.	1796.	6. 7.	H. ☉.	Jacq. aust. t. 323.
15 altissimum. L.	tall.	Siberia.	1759.	8.	H. ☉.	Walth. hort. t. 122.
16 orientale. L.	oriental.	Levant.	1739.	7. 8.	H. ☉.	
17 pannonicum. DC.	Hungarian.	Hungary.	1787.	—	H. ☉.	Jacq. ic. rar. 1. t. 123.
18 asperum. DC.	rough-podded.	S. Europe.	1778.	5. 6.	H. ☉.	J. Bauh. hist. 2. f. 3.
19 fugax. DC.	fugacious.	Spain.	1820.	7. 8.	H. ♀.	
20 Sophia. DC.	Flix-weed.	Britain.	7. 8.	H. ☉.	Eng. bot. 963.
21 persicum. DC.	Persian.	Persia.	1820.	—	H. ☉.	
22 tripinnatum. DC.	tripinnate.	C. B. S.	1817.	—	H. ☉.	
23 millefolium. DC.	Milfoil-leaved.	Canaries.	1779.	5. 9.	G. ♀.	Jacq. ic. rar. 1. t. 127.

24	tanacetifolium, DC.	Tansy-leaved.	Italy.	1731.	6. 7.	H. 4.	Mor. his. 2. s. 3. t. 6. f. 19.
25	supinum, DC.	trailing.	S. Europe.	1778.	—	H. ⊙.	Isn. act. Par. 1721. t. 18.
	<i>Erysimum supinum</i> , L.en.						
26	hirsutum, DC.	hairy-podded.	—	1822.	—	H. ⊙.	
	<i>Erysimum hirsutum</i> , L.en.						
27	polyceratium, DC.	sinuate-leaved.	—	1633.	—	H. ⊙.	Jacq. vind. t. 79.
	<i>Erysimum polyceratium</i> , L.en.						
28	bursifolium, DC.	various-leaved.	—	1732.	—	H. ⊙.	Dill. elt. t. 148. f. 177.
29	pinnatifidum, DC.	pinnatifid.	—	1822.	5. 8.	H. 4.	All. ped. t. 57. f. 3.
30	contortuplicatum, DC.	twisted-podd.	Cumana.	—	6. 8.	H. ⊙.	
	<i>Hesperis contortuplicatus</i> , Bieb.	<i>Cheiranthus contortuplicatus</i> , w.					
ALLIARIA, DC.	ALLIARIA.	Tetradynamia Siliquosa, L.					
	officinalis, DC.	garlick-scented.	Britain.	5. 6.	H. 4.	Eng. bot. 796.
	<i>Erysimum Alliaria</i> , E. B.	<i>Hesperis Alliaria</i> , Lam.					
ERYSIMUM, DC.	ERYSIMUM.	Tetradynamia Siliquosa, L.					
1	siculum, DC.	Sicilian.	Sicily.	1824.	6. 7.	H. ♂.	
2	sessiliflorum, DC.	sessile-flower'd.	Siberia.	1794.	—	H. 4.	L. Her. strirp. 1. t. 44.
	<i>Cheiranthus quadrangulus</i> , w.	<i>Cheirinia sessiliflora</i> , L.en.	<i>Syrenia Lamarckii</i> , Andr.				
3	angustifolium, DC.	narrow-leaved.	Hungary.	1800.	7. 8.	H. ♂.	W. et Kit. hung. 1. t. 98.
	<i>Cheirinia angustifolia</i> , L.en.	<i>Syrenia Ehrarti</i> , Andr.					
4	cuspidatum, DC.	sharp-pointed.	Caucasus.	1800.	5. 6.	H. ♂.	Buxb. cent. 2. t. 33. f. 1.
	<i>Syrenia Biebersteinii</i> , Andr.	<i>Cheiranthus cuspidatus</i> , w.					
5	suffruticosum, DC.	suffruticose.	1822.	4. 5.	H. ♀.	
6	strictum, DC.	upright.	Austria.	1795.	6. 8.	H. ♂.	Jacq. aust. 1. t. 73.
	<i>odoratum</i> , w.	<i>hieracifolium</i> , Jacq.	<i>Cheirinia stricta</i> , L.en.				
7	virgatum, DC.	twiggy.	Portugal.	1807.	6. 7.	H. ♂.	Fl. Dan. t. 923 ?
8	longisiliquosum, DC.	long-podded.	Switzerland.	1823.	—	H. ♂.	DC. ic. gal. rar. t. 36.
9	hieracifolium, DC.	Hawkweed-ld.	Europe.	—	5. 6.	H. ♂.	J. Bauh. his. 2. t. 2.
10	aureum, DC.	golden.	Caucasus.	1824.	—	H. ♂.	Deles. ic. sel. 2. t. 66.
11	ibericum, DC.	Iberian.	Iberia.	1803.	5. 8.	H. ♂.	Bot. mag. 835.
	<i>Cheiranthus armeniacus</i> , B. M.	<i>Cheiranthus ibericus</i> , Bieb.					
12	cheiranthoides, DC.	treacle.	Britain.	6. 8.	H. ⊙.	Eng. bot. 942.
13	repandum, DC.	small-flowered.	S. Europe.	1772.	5. 6.	H. ⊙.	Jacq. aust. 1. t. 22.
14	helveticum, DC.	Swiss.	Switzerland.	1793.	—	H. ♂.	Jacq. vind. t. 9.
	<i>Cheiranthus helveticus</i> , Jacq.	<i>Cheirinia helvetica</i> , L.en.					
15	canescens, DC.	canescent.	S. Europe.	1731.	5. 7.	H. ♂.	Barr. ic. t. 384.
	<i>Cheiranthus alpinus</i> , Jacq.	fl. aust. 1. t. 75.					
16	lanceolatum, DC.	spear-leaved.	—	1597.	—	H. ♂.	Jacq. aust. t. 74.
	<i>Cheiranthus erysimoides</i> , Jacq.						
17	firmum, DC.	hoary-podded.	Switzerland.	1824.	—	H. ♂.	
	<i>Cheirinia firma</i> , L.en.	<i>Cheiranthus firmus</i> , w.en.					
18	rhæticum, DC.	Rhætian.	Rhætia.	—	—	H. ♂.	
19	dubium, DC.	doubtful.	—	—	H. ♂.	
20	longifolium, DC.	long-leaved.	Algiers.	1822.	—	H. 4.	
21	altissimum, DC.	tall.	Limbourg.	—	6. 7.	H. ♂.	
	<i>Cheirinia altissima</i> , L.en.						
CONRINGIA, L.en.	CONRINGIA.	Tetradynamia Siliquosa, L.					
1	alpina, L.en.	Alpine.	Europe.	1793.	5. 6.	H. 4.	Vill. dauph. 3. t. 36.
	<i>Brassica alpina</i> , D.	<i>Erysimum alpinum</i> , DC.					
2	perfoliata, L.en.	perfoliate.	England.	...	—	H. ⊙.	Eng. bot. 1804.
	<i>Brassica orientalis</i> , E. B.	<i>Erysimum perfoliatum</i> , DC.					
3	austriaca, DC.	Austrian.	Austria.	—	H. ⊙.	Jacq. aust. t. 283.
	<i>Brassica austriaca</i> , Jacq.	<i>Erysimum austriacum</i> , DC.					

Tribus VIII. CAMELINEÆ seu Notorhizeæ Latiseptæ. DC.

CAMELINA, DC.	CAMELINA.	Tetradynamia Siliculosa, L.					
1	sativa, DC.	Gold of pleasure.	Britain.	5. 7.	H. ⊙.	Eng. bot. 1254.
	<i>Alyssum sativum</i> , E. B.	<i>Myagrum sativum</i> , L.					
	<i>α pilosa</i> , DC.	hairy.	—	—	H. ⊙.	Moris. ox. 2. s. 3. t. 21. f. 2.
	<i>β glabrata</i> , DC.	smooth.	—	H. ⊙.	Lind. als. 94. t. 1.
2	dentata, DC.	tooth-leaved.	Europe.	1806.	—	H. ⊙.	J. Bauh. hist. 2. p. 893. ic.
3	barbareæfolia, DC.	Barbarea-ld.	Siberia.	1824.	—	H. 4.	
4	austriaca, DC.	Austrian.	Austria.	1795.	6. 7.	H. ⊙.	Jacq. aust. 2. t. 111.

NESLIA. DC.	NESLIA.	Tetradynamia Siliculosa. L.			
paniculata. DC.	panicled.	Europe.	1683.	7. 8. H.⊙.	Flor. dan. t. 204.
Rapistrum paniculatum. Gært.	Myagrum paniculatum. L.				

Tribus IX. LEPIDINEÆ seu Notorhizeæ Angustiseptæ. DC.

SENEBIERA. DC.	SENEBIERA.	Tetradynamia Siliculosa. L.			
1 pinnatifida. DC.	pinnatifid.	England.	7. 8. H.⊙.	Eng. bot. 248.
Coronopus didyma. E. B.	Lepidium didymum. L.				
2 Coronopus. DC.	common.	Britain.	6. 10. H.⊙.	1660.
Coronopus Ruellii. E. B.	Cochlearia Coronopus. L.				
LEPIDIUM. DC.	PEPPERWORT.	Tetradynamia Siliculosa. L.			
1 Draba. DC.	Whitlow-grass.	Europe.	1596.	5. 6. H. 4.	Jacq. fl. aust. 4. t. 315.
Cochlearia Draba. Jacq.					
2 chalepense. DC.	Aleppo.	Aleppo.	1798.	5. 7. H.⊙.	Moris. ox. 2. s. 3. t. 25.
3 coronopifolium. DC.	Buckshorn-ld.	Volga.	1823.	H. 4.	
4 sativum. DC.	common Cress.	Persia.	1548.	5. 10. H.⊙.	Fl. græc. t. 616.
β crispum. DC.	curled Cress.	H.⊙.	Chabr. sci. 289. f. 2.
γ latifolium. DC.	broad-leaved.	H.⊙.	Moris. ox. 2. s. 3. t. 19. f. 2.
5 campestre. DC.	hoary field.	Britain.	6. 7. H.⊙.	Eng. bot. 1385.
Thlaspi campestre. E. B.					
6 hirtum. DC.	hairy.	H. ♂.	1803.
Thlaspi hirtum. E. B.					
7 spinosum. DC.	prickly.	Levant.	1787.	4. 9. H.⊙.	Ard. spec. 2. t. 16.
8 virginicum. DC.	Virginian.	America.	1713.	6. 7. H.⊙.	Schkuhr hand. 2. t. 180.
9 subulatum. DC.	awl-leaved.	Spain.	1739.	7. 8. F. ½.	Asso syn. arr. t. 6. f. 3.
10 rudérale. DC.	narrow-leaved.	Britain.	6. 7. H.⊙.	Eng. bot. 1595.
11 incisum. DC.	cut-leaved.	Tauria.	1824.	5. 6. H.⊙.	
12 perfoliatum. DC.	various-leaved.	Austria.	1640.	4. 6. H.⊙.	Jacq. aust. 4. t. 346.
13 Cardamines. DC.	Spanish Cress.	Spain.	1789.	6. 7. F. ♂.	Ard. spec. 1. t. 19.
14 divaricatum. DC.	close-spiked.	C. B. S.	1774.	5. 8. G. ½.	
15 bonariense. DC.	Buenos Ayres.	S. Amer.	1732.	5. 6. H.⊙.	Dill. elt. t. 286. f. 370.
16 cuneifolium. DC.	wedge-leaved.	N. S. W.	1820.	6. 8. H.⊙.	
17 piscidium. DC.	South Sea.	Society Isl.	1779.	9. H.⊙.	Mont. n. a. n. c. 6. t. 5. a.
18 lyratum. DC.	lyre-leaved.	Levant.	1759.	6. 7. H.⊙.	Tourn. it. 2. t. 389.
19 latifolium. DC.	broad-leaved.	Britain.	H. 4.	Eng. bot. 182.
20 affine. DC.	saw-leaved.	Siberia.	1823.	7. 8. H. 4.	
21 crassifolium. DC.	thick-leaved.	Hungary.	—	5. 6. H. 4.	W. et Kit. hung. 1. t. 4.
22 suffruticosum.	shrubby.	Spain.	1790.	7. 8. F. ½.	Cav. ic. 2. t. 161. f. 2.
23 lineare. DC.	linear-leaved.	Spain.	F. ½.	
24 Iberis. DC.	grass-leaved.	S. Europe.	1683.	6. 9. H. 4.	Moris. his. 2. s. 3. t. 21. f. 1.
graminifolia. H. K.					
25 capense. DC.	Cape.	C. B. S.	1818.	6. 7. G. 4.	
BIVONÆA. DC.	BIVONÆA.	Tetradynamia Siliculosa. L.			
lutea. DC.	yellow.	Sicily.	1823.	4. 5. H.⊙.	Cup. pan. sic. 2. t. 256.
Thlaspi luteum. Riv.					
ÆTHIONEMA. DC.	ÆTHIONEMA.	Tetradynamia Siliculosa. L.			
1 saxatile. DC.	rock.	S. Europe.	1759.	6. 7. H.⊙.	Jacq. aust. 3. t. 236.
2 gracile. DC.	slender.	Carniola.	1822.	H. ½.	Boc. mus. p. 79. t. 70.
3 Buxbaumii. DC.	Buxbaum's.	Iberia.	1820.	H.⊙.	Buxb. cent. 1. t. 5. f. 1.
4 monospermum. DC.	one-seeded.	Spain.	1778.	7. 8. H. ♂.	

Tribus X. ISATIDEÆ seu Notorhizeæ Nucamentaceæ. DC.

TAUSCHERIA. DC.	TAUSCHERIA.	Tetradynamia Siliculosa. L.			
1 lasiocarpa. DC.	villous-podded.	Siberia.	1824.	6. 7. H.⊙.	
2 gymnocarpa. DC.	smooth-podded.	—	—	5. 6. H.⊙.	
ISATIS. DC.	WOAD.	Tetradynamia Siliculosa. L.			
1 armena. DC.	Armenian.	Armenia.	1824.	6. 7. H.⊙.	Desv. j. 3. t. 25. f. 6.
2 lusitanica. DC.	Portugal.	Portugal.	1739.	H.⊙.	
3 alpina. DC.	Alpine.	Italy.	1800.	H. 4.	All. ped. t. 86. f. 2.

4 præcox. DC.	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
5 littoralis. DC.	sea-side.	Tauria.	—	6. 7.	H. ⊙.	
6 tinctoria. DC.	common.	England.	5. 7.	H. ♂.	Eng. bot. 97.
7 campestris. DC.	field.	Podolia.	1823.	—	H. ⊙.	
8 bannatica. DC.	Bannatic.	Bannatu.	—	—	H. ⊙.	
9 orientalis. DC.	oriental.	Levant.	—	H. ⊙.	
10 aleppica. DC.	Aleppo.	—	1739.	6. 7.	H. ⊙.	Scop. d. ins. 2. t. 16.
MYAGRUM. DC.	MYAGRUM.	Tetradynamia Siliculosa. L.				
perfoliatum. DC.	perfoliate.	Europe.	1648.	6. 7.	H. ⊙.	Schkuhr han. 2. t. 178.
SOBOLEWSKIA. DC.	SOBOLEWSKIA.	Tetradynamia Siliculosa. L.				
lithophila. DC.	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Bieb. cent. 2. t. 59.

Tribus XI. *ANCHONIEÆ* seu Notorhizæ Lomentaceæ. DC.

GOLDBACHIA. DC.	GOLDBACHIA.	Tetradynamia Siliquosa. L.				
lævigata. DC.	smooth.	Astracan.	1823.	5. 6.	H. ⊙.	Deles. ic. sel. 2. t. 81.
STERIGMA. DC.	STERIGMA.	Tetradynamia Siliquosa. L.				
1 tomentosum. DC.	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
	<i>Cheiranthus tomentosus.</i> w.					
2 torulosum. DC.	twisted-podded.	Iberia.	—	—	H. ♂.	

Subordo III. *ORTHOPOCEÆ*. DC. *syst.* 2. p. 581.

Tribus XII. *BRASSICÆ* seu Orthoploceæ Siliquosæ. DC.

BRASSICA. DC.	CABBAGE.	Tetradynamia Siliquosa. L.				
1 oleracea. DC.	common.	England.	4. 6.	H. ♂.	
A. SYLVESTRIS. DC.	WILD.	—	—	H. ♂.	Eng. bot. t. 637.
B. ACEPHALA. DC.	CATTLE.	—	—	H. ♂.	
α ramosa. DC.	branching.	—	—	H. ♂.	
β vulgaris. DC.	upright.	—	—	H. ♂.	
* viridis. DC.	green.	—	—	H. ♂.	Lob. ic. 243. f. 1.
** purpurascens. DC.	purple.	—	—	H. ♂.	Chabr. sciag. 270. f. 6.
γ quercifolia. DC.	oak-leaved.	—	—	H. ♂.	— 270. f. 1.
δ sabellica. DC.	BORECOLE.	—	—	H. ♂.	— 271. f. 1.
* pinnata. DC.	winged-leaved.	—	—	H. ♂.	Lob. ic. 246. f. 2.
** purpurascens. DC.	purple.	—	—	H. ♂.	
*** versicolor. DC.	variegated.	—	—	H. ♂.	
ε palmifolia. DC.	palm-leaved.	—	—	H. ♂.	
ζ costata. DC.	thick-ribbed.	—	—	H. ♂.	
* nepenthiformis. DC.	tubular-leaved.	—	—	H. ♂.	
C. BULLATA. DC.	SAVOY.	—	—	H. ♂.	
α vulgaris. DC.	common.	—	—	H. ♂.	Lob. ic. t. 244. f. 1.
* præcox. DC.	early.	—	—	H. ♂.	
** humilis. DC.	dwarf.	—	—	H. ♂.	
*** turionensis. DC.	Tourraine.	—	—	H. ♂.	
**** aurata. DC.	yellow.	—	—	H. ♂.	
β oblonga. DC.	winter.	—	—	H. ♂.	Lob. ic. t. 224. f. 2.
γ major. DC.	large.	—	—	H. ♂.	
δ gemmifera. DC.	Brussel's-sprouts	—	—	H. ♂.	
D. CAPITATA. DC.	HEADED.	—	—	H. ♂.	Lob. ic. 243. f. 2.
α depressa. DC.	drum-head.	—	—	H. ♂.	
β sphaerica. DC.	common.	—	—	H. ♂.	
* alba. DC.	white.	—	—	H. ♂.	
** rubra. DC.	red.	—	—	H. ♂.	Dod. pempt. 621. f. 2.
γ obovata. DC.	heart.	—	—	H. ♂.	
δ elliptica. DC.	early york.	—	—	H. ♂.	
ε subacuta.	Battersea.	—	—	H. ♂.	
ζ conica. DC.	Sugarloaf.	—	—	H. ♂.	
E. CAULO-RAPA. DC.	TURNIP-STALK	—	—	H. ♂.	

<i>a communis</i> . DC.	<i>flat-leaved.</i>	—	H. ♂.	Lob. ic. 246. f. 1.
* <i>alba</i> . DC.	<i>white-stemmed.</i>	—	H. ♂.	
** <i>purpurascens</i> . DC.	<i>violet-stemmed.</i>	—	H. ♂.	Weinm. phyt. t. 264.
β? <i>crispa</i> . DC.	<i>curl-leaved.</i>	—	H. ♂.	
F. BOTRYTIS. DC.	BROCCOLI.	—	H. ♂.	Lob. ic. 245. f. 1.
<i>a cauliflora</i> . DC.	<i>Cauliflower.</i>	—	H. ♂.	Weinm. phyt. t. 256.
β <i>asparagoides</i> . DC.	<i>Broccoli.</i>	—	H. ♂.	Dalech. lugd. 522. f. 1.
* <i>communis</i> . DC.	<i>white.</i>	—	H. ♂.	Chabr. sciagr. 269. f. 3.
** <i>violacea</i> . DC.	<i>violet.</i>	—	H. ♂.	
*** <i>viridis</i> .	<i>green.</i>	—	H. ♂.	
**** <i>ramosa</i> .	<i>branching.</i>	—	H. ♂.	
***** <i>autumnalis</i> .	<i>Cape.</i>	—	H. ♂.	
2 <i>campestris</i> . DC.	<i>field.</i>	England.	6.	H. ♂.	Eng. bot. 2224.
A. OLEIFERA. DC.	COLE-SEED.	—	H. ♂.	
* <i>autumnalis</i> . DC.	<i>autumnal.</i>	—	H. ♂.	
** <i>præcox</i> . DC.	<i>early.</i>	—	H. ♂.	
B. PABULARIA. DC.	SHEEP'S.	—	H. ♂.	
C. NAPO-BRASSICA. DC.	TURNEP-Rd	—	H. ♂.	
<i>a communis</i> . DC.	<i>common.</i>	—	H. ♂.	
* <i>alba</i> . DC.	<i>white-rooted.</i>	—	H. ♂.	
** <i>purpurascens</i> . DC.	<i>purple-rooted.</i>	—	H. ♂.	
β <i>Rutabaga</i> . DC.	<i>Swedish Turnep.</i>	—	H. ♂.	
3 <i>Rapa</i> . DC.	<i>Turnep.</i>	4. 6.	H. ♂.	Eng. bot. 2176.
A. DEPRESSA. DC.	FLAT-ROOTED.	—	H. ♂.	Mart. fl. rust. t. 49. 50.
* <i>alba</i> . DC.	<i>white-round.</i>	—	H. ♂.	
** <i>flavescens</i> . DC.	<i>yellow-round.</i>	—	H. ♂.	
*** <i>nigricans</i> . DC.	<i>dark-round.</i>	—	H. ♂.	
**** <i>punicea</i> . DC.	<i>red-round.</i>	—	H. ♂.	
***** <i>viridis</i> . DC.	<i>green-round.</i>	—	H. ♂.	
***** <i>præcox</i> .	<i>early Dutch.</i>	—	H. ♂.	
B. OBLONGA. DC.	OBLONG-Rd.	—	H. ♂.	Lob. ic. t. 197. f. 2.
C. OLEIFERA. DC.	OIL-BEARING.	Dauphiny.	—	H. ♂.	— t. 298. f. 1.
4 <i>Napus</i> . DC.	<i>Rape.</i>	Britain.	5.	H. ♂.	Eng. bot. 2146.
A. OLEIFERA. DC.	<i>wild.</i>	—	H. ♂.	Lob. ic. t. 200. f. 2.
B. ESCULENTA. DC.	<i>esculent.</i>	—	H. ♂.	— 200. f. 1.
<i>a alba</i> . DC.	<i>white-rooted.</i>	—	H. ♂.	Blackw. herb. t. 410.
β <i>flava</i> . DC.	<i>yellow-rooted.</i>	—	H. ♂.	
γ <i>nigricans</i> . DC.	<i>black-rooted.</i>	—	H. ♂.	
5 <i>præcox</i> . DC.	<i>early.</i>	S. Europe.	5. 6.	H. ⊙.	
6 <i>chinensis</i> . DC.	<i>Chinese.</i>	China.	1770.	7.	H. ⊙.	
7 <i>violacea</i> . DC.	<i>violet-flowered.</i>	—	H. ⊙.	
8 <i>incana</i> . DC.	<i>hoary.</i>	Naples.	1824.	4. 5.	H. ♀.	Cup. panph. 1. t. 132.
9 <i>Gravinæ</i> . DC.	<i>pubescent.</i>	Aprutia.	—	5. 6.	H. ♀.	Ten. fl. nap. t. 62.
10 <i>pinnatifida</i> . DC.	<i>pinnatifid.</i>	Spain.	—	9. 10.	H. ♀.	Desf. fl. atl. 2. t. 165.
11 <i>humilis</i> . DC.	<i>dwarf.</i>	S. France.	—	4. 5.	H. ♀.	
12 <i>repanda</i> . DC.	<i>wavy.</i>	S. Europe.	1818.	6. 8.	H. ♀.	Vill. dauph. 3. t. 39.
13 <i>monensis</i> . DC.	<i>Isle of Man.</i>	Britain.	—	H. ⊙.	Eng. bot. 962.
14 <i>Erucastrum</i> . DC.	<i>runcinate.</i>	S. Europe.	1790.	—	H. ⊙.	Bull. herb. t. 331.
15 <i>Cheiranthos</i> . DC.	<i>Stock-like.</i>	—	H. ♀.	Vill. dauph. 3. t. 36.
16 <i>cheiranthiflora</i> . DC.	<i>Wall-flowered.</i>	1820.	—	H. ⊙.	Willd. hort. ber. t. 19.
17 <i>Tournefortii</i> . DC.	<i>Tournefort's.</i>	Spain.	—	6. 7.	H. ⊙.	Gou. ill. p. 44. t. 20. f. A.
18 <i>lævigata</i> . DC.	<i>smooth.</i>	1825.	—	H. ♂.	
19 <i>valentina</i> . DC.	<i>Spanish.</i>	—	4. 5.	H. ⊙.	Barr. ic. t. 195. f. 1.
20 <i>fruticulosa</i> . DC.	<i>frutescent.</i>	S. Europe.	1820.	2. 4.	H. ♀.	Cyr. pl. rar. 2. t. 1.
21 <i>elongata</i> . DC.	<i>stalk-leaved.</i>	Hungary.	1801.	5. 6.	H. ♂.	W. et K. hung. 1. t. 28.
22 <i>sabularia</i> . DC.	<i>gravel.</i>	Portugal.	1818.	—	H. ⊙.	Brot. phyt. p. 97. t. 43.
SINAPIS. DC.	MUSTARD.	Tetradynamia	Siliquosa. L.			
1 <i>nigra</i> . DC.	<i>common.</i>	Britain.	4. 8.	H. ⊙.	Eng. bot. 969.
2 <i>lævigata</i> . DC.	<i>smooth.</i>	Spain.	1769.	6. 7.	H. ♂.	
3 <i>auriculata</i> . DC.	<i>eared.</i>	—	H. ⊙.	
4 <i>integrifolia</i> . DC.	<i>entire-leaved.</i>	E. Ind.	1804.	7. 8.	H. ⊙.	W. hort. ber. t. 14.
5 <i>juncea</i> . DC.	<i>fine-leaved.</i>	China.	1710.	6. 7.	H. ⊙.	Jacq. h. vind. t. 171.
6 <i>chinensis</i> . DC.	<i>Chinese.</i>	1782.	—	H. ⊙.	Ard. spec. 1. t. 10.
7 <i>brassicata</i> . DC.	<i>Cabbage-leav'd.</i>	1801.	—	H. ⊙.	
8 <i>pubescens</i> . DC.	<i>downy.</i>	Sicily.	1789.	—	H. ♀.	Ard. spec. 1. t. 9.
9 <i>arvensis</i> . DC.	<i>Charlock.</i>	Britain.	4. 8.	H. ⊙.	Eng. bot. 1748.
10 <i>orientalis</i> . DC.	<i>oriental.</i>	Levant.	1778.	6. 7.	H. ⊙.	Schk. hand. 1. t. 186.
11 <i>taurica</i> . DC.	<i>Taurian.</i>	Tauria.	1823.	4. 8.	H. ⊙.	
12 <i>subbipinnatifida</i> .	<i>subbipinnatifid.</i>	Spain.	—	6. 7.	H. ⊙.	

13 Kaber. DC.	Persian.	Persia.	—	—	H.⊙.	
14 Allionii. DC.	Allioni's.	Egypt.	1789.	—	H.⊙.	Jacq. h. vind. 2. t. 168.
15 turgida. DC.	turgid-podded.	—	—	—	H.⊙.	
16 incana. DC.	hoary-jointed.	S. Europe.	1771.	7.	H.♂.	Jacq. h. vind. 2. t. 169.
17 heterophylla. DC.	various-leaved.	Spain.	1820.	5. 6.	H.♂.	
18 alba. DC.	white-seeded.	Britain.	4. 10.	H.⊙.	Eng. bot. 1677.
19 hispida. DC.	hispid.	Spain.	1804.	6. 7.	H.⊙.	
20 dissecta. DC.	cut-leaved.	—	—	4. 6.	H.⊙.	
21 foliosa. DC.	leafy.	Levant.	—	5. 6.	H.⊙.	
22 frutescens. DC.	frutescent.	Madeira.	1777.	12. 6.	G.♀.	
23 ramosa. H. B.	branching.	E. Indies.	1804.	7. 8.	H.⊙.	
MORICANDIA. DC.	MORICANDIA.	Tetradynamia Siliquosa. L.				
arvensis. DC.	field.	S. Europe.	1739.	6.	F.♀.	Fl. græc. t. 644.
<i>Brassica arvensis. L.</i>	<i>Turritis arvensis. H. K.</i>					
DIPILOTAXIS. DC.	DIPILOTAXIS.	Tetradynamia Siliquosa. L.				
1 crassifolia. DC.	thick-leaved.	Sicily.	1824.	5. 8.	H.♀.?	
2 eruroides. DC.	dwarf.	S. Europe.	1736.	6. 7.	H.⊙.	Jacq. vind. 2. t. 170.
<i>Sinapis eruroides. L.</i>						
3 virgata. DC.	slender.	Spain.	1820.	—	H.⊙.	
4 catholica. DC.	Spanish.	—	—	4. 5.	H.⊙.	
<i>Sisymbrium catholicum. L.</i>						
5 tenuifolia. DC.	Wall rocket.	England.	7. 10.	H.⊙.	Eng. bot. 525.
<i>Sisymbrium tenuifolium. E. B.</i>	<i>Sinapis tenuifolia. H. K.</i>					
6 muralis. DC.	sand.	England.	7. 9.	H.⊙.	— 1090.
<i>Sisymbrium murale. L.</i>	<i>Sinapis muralis. H. K.</i>					
7 viminea. DC.	twiggy.	S. Europe.	5. 6.	H.⊙.	Mor. his. ox. 2. t. 5. f. 8.
8 saxatilis. DC.	rock.	—	—	H.♀.	
ERUCA. DC.	ERUCA.	Tetradynamia Siliquosa. L.				
1 sativa. DC.	stripe-flowered.	S. Europe.	1573.	7.	H.⊙.	Fl. græc. t. 646 et 647.
<i>Brassica Eruca. L.</i>	<i>Euzomum sativum. L. en.</i>					
2 vesicaria. DC.	bladdered.	Spain.	1820.	—	H.⊙.	

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VELLA. DC.	CRESS-ROCKET.	Tetradynamia Siliculosa. L.				
pseudocytisus. DC.	shrubby.	Spain.	1759.	4. 5.	H.♀.	Bot. reg. 293.
CARRICHTERA. DC.	CARRICHTERA.	Tetradynamia Siliculosa. L.				
Vellæ. DC.	annual.	England.	6. 7.	H.⊙.	Eng. bot. 1441.
<i>Vella annua. E. B.</i>						
SUCCOWIA. DC.	SUCCOWIA.	Tetradynamia Siliculosa. L.				
balearica. DC.	Minorca.	Minorca.	1781.	6. 7.	H.⊙.	Jacq. vind. 2. t. 144.
<i>Bunias balearica. L.</i>						

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCHINE. DC.	PSYCHINE.	Tetradynamia Siliculosa. L.				
stylosa. DC.	striped-flow'r'd.	Barbary.	1822.	4. 5.	H.⊙.	Desf. fl. atl. 2. t. 148.

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentaceæ. DC.

ZILLA. DC.	ZILLA.	Tetradynamia Siliculosa. L.				
myagroides. DC.	spiny.	Egypt.	4. 5.	H.♀.	Vent. malm. t. 16.
<i>Bunias spinosa. Vent.</i>						
CALEPINA. DC.	CALEPINA.	Tetradynamia Siliculosa. L.				
Corvini. DC.	annual.	S. Europe.	1820.	4. 6.	H.⊙.	W. et Kit. hung. 2. t. 107.
<i>Bunias cochlearioides. w.</i>						

Tribus XVI. *RAPHANÆ* seu Orthoploceæ Lomentaceæ. DC.

CRAMBE. DC.	COLEWORT.	Tetradynamia Siliculosa. L.			
1 maritima. DC.	Sea Kale.	Britain.	5. 6. H. 2.	Eng. bot. 924.
2 pinnatifida. DC.	smooth winged.	Siberia.	1759.	6. 7. H. 2.	Jacq. ic. 1. t. 128.
3 orientalis. DC.	oriental.	Levant.	1752.	6. 7. H. 2.	
4 tatarica. DC.	Tartarian.	Hungary.	1789.	— H. 2.	Jacq. ic. 1. t. 129.
5 aspera. DC.	rough.	Tauria.	1823.	5. 6. H. 2.	
6 cordifolia. DC.	heart-leaved.	Caucasus.	—	6. 7. H. 2.	
7 hispanica. DC.	Spanish.	Spain.	1683.	— H. 2.	Jacq. obs. 2. t. 41.
8 filiformis. DC.	Patagonian.	Patagonia.	1796.	7. 8. H. 2.	Jacq. ic. 3. t. 504.
9 fruticosa. DC.	Madeira.	Madeira.	1777.	5. 11. G. 2.	
10 strigosa. DC.	strigose shrubb.	Canaries.	1779.	5. 6. G. 2.	L. her. stirp. 1. t. 72.
RAPISTRUM. DC.	RAPISTRUM.	Tetradynamia Siliculosa. L.			
1 perenne. DC.	perennial.	Europe.	1789.	7. H. 2.	Jacq. aust. 5. t. 414.
<i>Myagrum perenne</i> . L.	<i>Cakile perennis</i> . H. K.				
2 rugosum. DC.	wrinkled.	—	1739.	6. 7. H. 2.	All. ped. 1. t. 78.
<i>Myagrum rugosum</i> . L.	<i>Cakile rugosa</i> . H. K.				
3 orientale. DC.	oriental.	Levant.	1795.	— H. 2.	Flor. græc. t. 612.
RAPHANUS. DC.	RADISH.	Tetradynamia Siliquosa. L.			
1 sativus. M.	common.	China.	1548.	5. 6. H. 2.	Fuchs. hist. 659. ic.
<i>α præcox</i> .	early Salmon.				
<i>β macrorrhizus</i> .	long Salmon.				
<i>γ purpureus</i> .	purple-rooted.				
2 rotundus. M.	Turnep-rooted.	—	—	H. 2.	Lob. ic. t. 201. f. 1.
3 chinensis. M.	oil-seeded.	—	—	H. 2.	
4 niger. DC.	black Spanish.	—	—	H. 2.	Lob. ic. 202. f. 1.
<i>α vulgaris</i> . DC.	long-rooted.	—	—	H. 2.	Wein. phyt. t. 860. f. c.
<i>β rotundus</i> . DC.	round-rooted.	—	—	H. 2.	— t. 860. f. b.
<i>γ griseus</i> . DC.	grey.	—	—	H. 2.	
5 orbicularis. M.	white Spanish.	—	—	H. 2.	
6 caudatus. DC.	long-podded.	Java.	1815.	5. 8. H. 2.	Lin. f. dec. 1. t. 10.
7 Raphanistrum. DC.	wild.	Britain.	4. 8. H. 2.	Eng. bot. 856.
<i>α album</i> .	white-flowered.	—	H. 2.	Wein. phyt. t. 862. f. a.
<i>β purpurascens</i> .	purple-flowered.	—	H. 2.	— t. 862. f. b.
<i>γ flavum</i> .	yellow-flowered.	—	H. 2.	J. Bauh. h. 2. p. 844. ic.
8 maritimus. DC.	sea-side.	—	5. 7. H. 2.	Eng. bot. 1643.

Subordo IV. *SPIROLOBÆ*. DC. *syst.* 2. p. 670.Tribus XVII. *BUNIADEÆ* seu Spirolobeæ Nucamentaceæ. DC.

BUNIAS. DC.	BUNIAS.	Tetradynamia Siliculosa. L.			
1 Erucago. DC.	prickly-podded	S. Europe.	1640.	6. 7. H. 2.	Jacq. aust. 4. t. 340.
2 aspera. DC.	rough.	Portugal.	1823.	6. 7. H. 2.	
3 orientalis. DC.	oriental.	Levant.	1795.	5. 7. H. 2.	Schk. han. 2. t. 189.

Tribus XVIII. *ERUCARIEÆ* seu Spirolobeæ Lomentaceæ. DC.

ERUCARIA. DC.	ERUCARIA.	Tetradynamia Siliquosa. L.			
aleppica. DC.	Aleppo.	Levant.	1680.	7. 8. H. 2.	Vent. h. cels. t. 64.
<i>Cordylocarpus lavigatus</i> . W.					

Subordo V. **DIPLECOLOBEÆ**. *DC. syst. 2. p. 676.*Tribus XIX. **HELIOPHILÆ** seu *Diplectolobeæ* *Siliquosæ*. L.

HELIOPHILA. DC.	HELIOPHILA.	Tetradynamia Siliquosa. L.			
1 filiformis. DC.	awl-podded.	C. B. S.	1786.	7. 9. H.⊙.	Lam. ill. t. 563. f. 3.?
2 amplexicaulis. DC.	stem-clasping.	————	1774.	6. 9. H.⊙.	Jacq. frag. t. 64. f. 2.
3 rivalis. DC.	rivulet.	————	1819.	— H.⊙.	
4 pendula. DC.	pendulous.	————	1792.	— H.⊙.	Lam. ill. t. 562. f. 2.
<i>pinnata</i> . Vent. malm. t. 113. non. L.					
5 trifida. DC.	trifid-leaved.	————	1819.	— H.⊙.	
<i>pinnata</i> . L. non. Vent.					
6 pusilla. DC.	small.	————	1824.	— H.⊙.	Pluk. mant. t. 432. f. 2.
7 lepidioides. L. en.	Crëss-like.	————	—	— H.⊙.	
8 diffusa. DC.	spreading.	————	1820.	— H.⊙.	
9 Peltaria. DC.	small-white.	————	—	— H.⊙.	
10 pilosa. DC.	hairy.	————	1768.	— H.⊙.	
<i>α integrifolia</i> . DC.	entire-leaved.	————	—	— H.⊙.	Jacq. ic. 3. t. 506.
<i>β incisa</i> . DC.	cut-leaved.	————	—	— H.⊙.	Bot. mag. 496.
<i>araboides</i> . B. M.					
11 stricta. B. M.	upright.	————	1824.	— H.⊙.	———— 2526.
12 digitata. DC.	fingered.	————	1819.	— H.⊙.	Bot. reg. 838.
13 coronopifolia. DC.	Buck's-horn-ld.	————	1778.	6. 7. H.⊙.	Herin. lugd. t. 367.
14 pectinata. DC.	pectinated.	————	1819.	— H.⊙.	
15 fœniculacea. DC.	Fennel-leaved.	————	1774.	6. 9. H.⊙.	
16 crithmifolia. DC.	Samphire-ld.	————	1816.	— H.⊙.	Deles. ic. sel. 2. t. 97.
17 platysilqua. DC.	flat-podded.	————	1774.	7. 8. G.⊙.	
18 linearifolia. DC.	linear-leaved.	————	1819.	— G.⊙.	
19 scoparia. DC.	Broom-like.	————	1802.	— G.⊙.	Deles. ic. sel. 2. t. 98.
20 incana. DC.	hoary.	————	1774.	5. 8. G.⊙.	
21 cleomoides. DC.	Cleome-like.	————	1802.	1. 12. G.⊙.	Deles. ic. sel. 2. t. 99.

Tribus XX. **SUBULARIÆ** seu *Diplocolobeæ* *Latisepæ*. DC.

SUBULARIA. DC.	AWLWORT.	Tetradynamia Siliculosa. L.			
<i>aquatica</i> . DC.	water.	Britain. 7.	H.⊙.	Eng. bot. 732.

SCHIZOPETALUM. B. M.	SCHIZOPETALUM.	Tetradynamia Siliquosa. L.			
<i>Walkeri</i> . B. M.	Walker's.	Chili.	1822.	7. 9. H.⊙.	Hook. ex. fl. 74.

ORDO XIII.

CAPPARIDÆ. *DC. prod. 1. p. 237.*Tribus I. **CLEOMEÆ**. DC.

PERITOMA. DC.	PERITOMA.	Tetradynamia Siliquosa. L.			
<i>serrulatum</i> . DC.	saw-leaved.	Missouri.	1823.	6. 8. H.⊙.	
<i>Cleome serrulata</i> . Ph.					
GYNANDROPSIS. DC.	GYNANDROPSIS.	Tetradynamia Siliquosa. L.			
1 sessilifolia. DC.	sessile-leaved.	W. Indies.	1820.	6. 8. H.⊙.	

2 triphylla. DC.	three-leaved.	—————	—————	—————	H.⊙.	Herm. lugd. 565. ic.
<i>Cleome triphylla</i> . L.?						
3 pentaphylla. DC.	five-leaved.	India.	1640.	—————	H.⊙.	Jacq. vind. 1. t. 21.
<i>Cleome pentaphylla</i> . B. M. 1681.						
4 heterotricha. DC.	various-haired.	C. B. S.	1822.	—————	H.⊙.	
CLEOME. DC.	CLEOME. Tetradynamia Siliquosa. L.					
1 gigantea. DC.	gigantic.	S. Amer.	1774.	6. 8.	S. h.	Jacq. obs. 4. t. 76.
2 heptaphylla. DC.	seven-leaved.	W. Indies.	1820.	—————	H.⊙.	
3 spinosa. DC.	white-flowered.	—————	1731.	5. 10.	S. h.	Marc. bras. t. 34.
4 pungens. DC.	pink-flowered.	S. Amer.	1812.	7. 8.	S.⊙.	W. hort. ber. 1. t. 18.
<i>spinosa</i> . B. M. 1640.						
5 pubescens. B. M.	pubescent.	1815.	7. 8.	H.⊙.	Bot. mag. 1857.
6 monophylla. DC.	simple-leaved.	E. Indies.	1759.	—————	H.⊙.	Rheed. mal. 9. t. 34.
<i>β zeylanica</i> . DC.	<i>Ceylon</i> .	—————	—————	—————	H.⊙.	Burm. zeyl. t. 100. f. 2.
7 procumbens. DC.	procumbent.	W. Indies.	1798.	—————	S. 4.	Jacq. amer. t. 120.
8 violacea. DC.	violet-coloured.	Portugal.	1776.	6. 7.	H.⊙.	Schk. han. 2. t. 189. f. 1.
9 Dilleniana. DC.	Dillenius's.	Levant.	1732.	—————	H.⊙.	Dill. elt. t. 266. f. 345.
<i>ornithopodioides</i> . W.						
10 iberica. DC.	Iberian.	Iberia.	1820.	—————	H.⊙.	
11 virgata. DC.	twiggy.	Persia.	—————	H.⊙.	Buxb. cent. 1. t. 9. f. 2.
12 arabica. DC.	Arabian.	Arabia.	1794.	—————	H.⊙.	Lin. f. dec. t. 8.
13 polygama. DC.	polygamous.	W. Indies.	1822.	—————	H.⊙.	Slo. jam. t. 124. f. 1.
14 aculeata. DC.	prickly.	S. Amer.	—————	—————	H.⊙.	
15 Houstoni. DC.	Houstoun's.	W. Indies.	1730.	—————	H.⊙.	Mart. dec. t. 45.
16 diffusa. DC.	spreading.	Brazil.	1823.	—————	H.⊙.	
17 micrantha.	small-flowered.	1824.	6. 10.	S. h.	
POLANISIA. DC.	POLANISIA. Dodecandria Monogynia. L.					
1 Chelidonii. DC.	Celandine-fld.	E. Indies.	1790.	7. 10.	H.⊙.	
<i>Cleome Chelidonii</i> . L.						
2 graveolens. DC.	strong-scented.	N. Amer.	—————	H.⊙.	Corn. can. 131. ic.
3 viscosa. DC.	viscid.	Ceylon.	1730.	—————	H.⊙.	Rheed. mal. 9. t. 23.
4 dodecandra. DC.	three-leaved.	—————	1795.	—————	H.⊙.	Burm. zeyl. t. 100. f. 1.
<i>Cleome dodecandra</i> . L.						
5 uniglandulosa. DC.	one-glanded.	S. Amer.	1823.	—————	H.⊙.	Cav. ic. 4. t. 306.

Tribus II. CAPPAREÆ. DC.

CRATÆVA. DC.	CRATÆVA. Dodecandria Monogynia. L.					
1 gynandra. DC.	thin-leaved.	Jamaica.	1789.	S. h.	Pluk. alm. t. 147. f. 6.
2 Tapia. DC.	smooth.	S. Amer.	1752.	S. h.	Plum. gen. t. 21.
3 fragrans. DC.	fragrant.	Sierra Leon.	1795.	6. 7.	S. h. ∪.	Bot. mag. 596.
<i>capparoides</i> . A. R. 176.						
NIEBUHRIA. DC.	NIEBUHRIA. Polyandria Monogynia. L.					
1 cafra. DC.	Caffrarian.	C. B. S.	1820.	G. h.	
2 madagascariensis. DC.	Madagascar.	Madagascar.	1822.	S. h.	
3 oblongifolia. DC.	oblong-leaved.	E. Indies.	1823.	S. h. ∪.	
<i>Capparis heteroclita</i> . H. B.						
BOSCIA. DC.	BOSCIA. Dodecandria Monogynia. L.					
senegalensis. DC.	Senegal.	Senegal.	1822.	S. h.	Lam. ill. t. 395.
CAPPARIS. DC.	CAPER-TREE. Polyandria Monogynia. L.					
1 mariana. DC.	heart-leaved.	Timor.	1822.	S. h.	Jacq. Schœnb. t. 109.
2 spinosa. DC.	common.	S. Europe.	1596.	5. 8.	G. h. ∪.	
3 ovata. W.	oval-leaved.	Mauritania.	—————	G. h. ∪.	Boc. sic. t. 42. f. 3.
<i>Fontanesii</i> . DC.						
4 herbacea. DC.	herbaceous.	Tauria.	1819.	—————	H. 4.	
5 ægyptia. DC.	Egyptian.	Egypt.	1822.	G. h.	Delil. fl. eg. t. 31. f. 3.
6 aphylla. DC.	leafless.	E. Indies.	—————	S. h.	
7 zeylanica. DC.	Ceylon.	Ceylon.	—————	S. h. ∪.	
8 acuminata. DC.	acuminate.	E. Indies.	1821.	S. h. ∪.	
9 frondosa. DC.	large-leaved.	Carthagera.	1800.	S. h. ∪.	Jacq. amer. t. 104.
10 triflora. DC.	three-flowered.	S. Amer.	S. h.	
11 cynophallophora. DC.	Bay-leaved.	W. Indies.	1752.	S. h.	Jacq. amer. t. 98.
12 eustachiana. DC.	purple-flower'd.	—————	1822.	S. h.	— ed. pict. t. 146.
13 saligna. DC.	Willow-leaved.	St. Cruz.	1807.	S. h.	
14 linearis. DC.	linear-leaved.	W. Indies.	1793.	S. h.	Jacq. amer. t. 102.

- 15 pulcherrima. DC. handsome. Carthagera. S. h.
arborescens. M.
 16 amygdalina. DC. Almond-leav'd. S. Amer. 1819. G. h. Plum. gen. 40. t. 16.
 17 odoratissima. DC. sweet-scented. Caracas. 1814. S. h. Jacq. schœn. t. 110.
 18 tenuisiliqua. DC. slender-podded Carthagera. 1822. S. h. Jacq. amer. t. 105.
 19 ferruginea. DC. ferruginous. Jamaica. S. h. ——— t. 100.
octandra. Jacq.
 20 Breynia. DC. Oleaster-leav'd W. Indies. 1752. G. h. Jacq. amer. t. 103.?
 21 jamaicensis. DC. Jamaica. ——— 1793. S. h. ——— t. 101.
 22 torulosa. DC. twisting. ——— 1819. S. h.
 STEPHANIA. DC. STEPHANIA. Hexandria Monogynia.
cleomoides. DC. Steome-like. Caracas. 1823. S. h. Jacq. Schœn. t. 111.
Capparis paradoxa. Jacq.

ORDO XIV.

FLACOURTIANEÆ. DC. *prod.* 1. p. 255.

Tribus I. PATRISIEÆ. DC.

- RYANÆA. DC. RYANÆA. Polyandria Monogynia.
speciosa. DC. beautiful. Trinidad. 1822. S. h. Vahl ecl. 1. p. 51. t. 9.
Patrisia pyrifera. P. S.

Tribus II. FLACOURTIEÆ. DC.

- FLACOURTIA. DC. FLACOURTIA. Diœcia Polyandria. L.
 1 Ramontchi. DC. shining-leaved. Madagascar. 1775. 6. 7. S. h. L. Her. stirp. 59. t. 30.
 2 sapida. DC. esculent. E. Indies. 1800. S. h. Roxb. cor. 1. t. 69.
 3 inermis. DC. unarmed. Moluccas. 1814. 10. 2. S. h.
 4 sepiaria. DC. obovate-leaved. Coromandel. 1820. S. h. Roxb. cor. 1. t. 68.
 5 cataphracta. DC. many-spined. E. Indies. 1804. S. h.
 6 rotundifolia. H. B. round-leaved. ——— 1823. S. h.
 7 flavescens. DC. yellow-flower'd Guinea. 1780. S. h.
 8 rhamnoides. DC. Rhamnus like. C. B. S. 1819. G. h.

Tribus III. KIGGELARIEÆ. DC.

- KIGGELARIA. DC. KIGGELARIA. Diœcia Decandria. L.
 1 africana. DC. African. C. B. S. 1683. 5. 6. G. h. Lam. ill. t. 821.
 2 integrifolia. DC. entire-leaved. ——— 1819. ——— G. h. Jacq. ic. rar. t. 628.
 MELICYTUS. DC. MELICYTUS. Diœcia Pentandria.
ramiflorus. DC. branch-flow'r'd. N. Zealand. 1822. G. h. Lam. ill. t. 812. f. 1.

ORDO XV.

BIXINEÆ. DC. *prodr.* 1. p. 259.

- BIXA. DC. ANOTTA. Polyandria Monogynia. L.
 1 purpurea. purple. E. Indies. 1820. S. h.
 2 Orellana. DC. heart-leaved. S. Amer. 1690. 5. 8. S. h. Bot. mag. 1456.
 3 Urucurana. w. white-leaved. Brazil. 1823. S. h.

LÆTIA. DC.	LÆTIA. Polyandria Monogynia. L.			
Thamnia. DC.	shining-leaved. Jamaica.	S. h.	Browne jam. t. 25. f. 2.	
PROCKIA. DC.	PROCKIA. Polyandria Monogynia. L.			
1 Crucis. DC.	oval-leaved. Santa Cruz.	S. h.	Vahl symb. 3. t. 64.	
2 serrata. DC.	saw-leaved. Montserrat. 1822.	S. h.		
3 theæformis. DC.	Tea-leaved. Bourbon. —	S. h.	Bory voy. 2. t. 24.	
<i>Ludia heterophylla</i> .	Bory non. Lam.			
LUDIA. DC.	LUDIA. Polyandria Monogynia. L.			
1 heterophylla. DC.	various-leav'd. Mauritius. 1822.	S. h.	Lam. ill. t. 466. f. 1. 2.	
2 sessiliflora. DC.	sessile-flowered ————	S. h.	Jacq. schœnb. 1. t. 112.	
<i>tuberculata</i> . Jacq.				

ORDO XVI.

CISTINEÆ. DC. *prodr.* 1. p. 263.

CISTUS. DC.	Rock-Rose. Polyandria Monogynia. L.			
1 purpureus. DC.	purple. Levant.	6. 7. F. h.	Bot. reg. 408.	
2 heterophyllus. DC.	various-leaved. Algiers.	— F. h.	Swt. cist. t. 6.	
3 parviflorus. DC.	small-flowered. Crete.	— F. h.	Swt. cist. t. 14.	
4 complicatus. DC.	complicate. Spain.	— F. h.		
5 villosus. DC.	villous. ———— 1640. —	F. h.	Duham. arb. 1. t. 64.	
6 creticus. DC.	Cretan. Levant. 1731. 6. 8.	F. h.	Jacq. ic. 1. t. 95.	
7 incanus. DC.	hoary-leaved. S. Europe. 1596. —	F. h.	Bot. mag. 43.	
8 Dunalianus.	Dunal's.	— F. h.		
<i>undulatus</i> . DC. non. L. en.				
9 crispus. DC.	curled-leaved. S. Europe. 1656. —	F. h.	Swt. cist. t.	
10 albidus. DC.	white-leaved. ———— 1640. —	F. h.	Clus. hist. 1. t. 68.	
11 candidissimus. DC.	Canary Island. Canaries. 1817. —	F. h.	Swt. cist. t. 3.	
12 vaginatus. DC.	oblong-leaved. Teneriffe. 1779. 4. 6.	F. h.	Swt. cist. t. 9.	
13 cymosus. DC.	cyme-flowered.	6. 8. F. h.		
14 salvifolius. DC.	Sage-leaved. Europe. 1548. —	H. h.	Cav. ic. 2. t. 137.	
15 corbariensis. DC.	mountain. S. France.	5. 6. H. h.	Swt. cist. t. 8.	
16 florentinus. DC.	Florentine. Italy.	6. 7. H. h.		
17 monspeliensis. DC.	Montpelier. S. Europe. 1656. —	F. h.	Swt. cist. t.	
18 Ledon. DC.	many-fl'd. gum. S. France. 1730. 6. 8.	H. h.	Duham. arb. 1. t. 66.	
19 hirsutus. DC.	hairy. Spain. 1656. —	H. h.	Swt. cist. t.	
20 laxus. DC.	waved-leaved. ————	H. h.	Swt. cist. t.	
21 longifolius. DC.	long-leaved. ————	H. h.	Swt. cist. t.	
22 populifolius. s. c.	Poplar-leaved. ———— 1656. 5. 6.	H. h.	Swt. cist. t.	
23 latifolius. s. c.	broad-leaved. Barbary.	F. h.	Swt. cist. t.	
24 laurifolius. DC.	Laurel-leaved. S. Europe. 1731. 6. 8.	H. h.	Clus. hist. 1. p. 78. f. 1.	
25 cyprius. DC.	Cyprus-gum. Cyprus.	H. h.		
26 ladaniferus. L. en.	flat-leaved gum. Spain. 1629. —	F. h.		
<i>α albiflorus</i> . DC.	white-flowered. ————	F. h.	Clus. hist. 1. p. 78. ic.	
<i>β maculatus</i> . DC.	spot-flowered. ————	F. h.	Swt. cist. t. 1.	
27 undulatus. L. en.	undulate. ————	F. h.		
<i>ladaniferus undulatus</i> . W.				
28 Clusii. DC.	Clusius's. Spain.	F. h.	Clus. hist. 1. p. 60. ic.	
HELIANTHEMUM. DC.	SUN-ROSE. Polyandria Monogynia. L.			
1 Libanotis. DC.	Rosemary-like. Spain. 1752. 6.	F. h.	Barr. ic. 294.	
2 umbellatum. DC.	umbel-flower'd. S. Europe. 1731. 6. 8.	F. h.	Swt. cist. t. 5.	
3 ocymoides. DC.	Basil-like. ————	F. h.	Clus. hist. 1. p. 72. ic.	
<i>Cistus sampsucifolius</i> .	Cav. ic. 1. t. 95.			
4 alyssoides. DC.	Alyssum-like. ————	F. h.	Vent. choix. t. 20.	
5 rugosum. DC.	rugose. Portugal.	F. h.		
6 scabrosum. DC.	rough. Italy. 1775. —	F. h.		
7 algarvense. DC.	Algarvian. Portugal. 1800. 7. 8.	F. h.	Bot. mag. 627.	
<i>Cistus algarvensis</i> . B. M.				
8 formosum. DC.	beautiful. ————	1780. 5. 7.	F. h.	——— 264.
<i>Cistus formosus</i> . B. M.				
9 atriplicifolium. DC.	Orach-leaved. Spain. 1656. 6. 7.	F. h.	Barr. ic. t. 292.	

10	lasianthum. DC.	downy.	Portugal.	1822.	—	F. h.	Barr. ic. t. 289. ?
11	cheiranthoides. DC.	Stock-like.	—	1800.	7. 8.	F. h.	
12	halimifolium. s. c.	Sea-Purslane-ld	—	1656.	—	F. h.	Swt. cist. t. 4.
13	rosmarinifolium. DC.	Rosemary-ld.	N. Amer.	1823.	—	H. 4.	
14	glomeratum. DC.	cluster-flower'd	S. Amer.	—	—	F. h.	
15	ramuliflorum. DC.	branch-flowers.	Carolina.	1823.	—	H. 4.	
16	canadense. DC.	Canadian.	Canada.	1799.	—	H. 4.	
17	carolinianum. DC.	Carolina.	Carolina.	1823.	—	F. 4.	Vent. cels. 74.
18	Tuberaria. DC.	Plantain-leav'd.	S. Europe.	1752.	—	F. 4.	Cav. ic. 1. t. 67.
19	plantagineum. DC.	Plantain like.	—	1823.	—	H. ⊙.	
20	guttatum. DC.	spotted-flow'r'd	England.	6. 8.	H. ⊙.	Eng. bot. 544.
21	eriocaulon. DC.	woolly-stalked.	Spain.	1823.	—	H. ⊙.	
22	punctatum. DC.	punctated.	France.	1816.	—	H. ⊙.	
23	lunulatum. DC.	lunulate-mark'd	Piedmont.	—	H. h.	All. auct. p. 30. t. 2. f. 3.
24	villosum. DC.	villous.	Spain.	1823.	—	H. ⊙.	
25	niloticum. DC.	Nile.	Egypt.	—	H. ⊙.	
26	ledifolium. DC.	Ledum-leaved.	England.	—	H. ⊙.	Eng. bot. 2414.
27	intermedium. DC.	intermediate.	Spain.	1759.	—	H. ⊙.	Cav. ic. t. 144.
	salicifolium. Cav.						
28	salicifolium. DC.	Willow-leaved.	—	—	—	H. ⊙.	Seg. ver. 3. t. 6. f. 3.
29	sanguineum. DC.	bloody-stalked.	—	1823.	—	H. ⊙.	
	retrofractum. P. s.						
30	ægyptiacum. DC.	Egyptian.	Egypt.	1764.	—	H. ⊙.	Jacq. obs. 3. t. 68.
31	Lippii. DC.	small-petaled.	—	1820.	—	F. h.	
32	confertum. DC.	close-flowered.	Teneriffe.	6. 7.	F. h.	
33	canariense. DC.	Canary.	Canaries.	1790.	—	F. h.	Jacq. ic. 1. t. 97.
34	ericoides. DC.	Heath-leaved.	S. Europe.	6. 8.	F. h.	Cav. ic. 2. t. 172.
35	Fumana. DC.	Heath-like.	—	1752.	—	F. h.	Desf. atl. 1. t. 105.
36	procumbens. DC.	procumbent.	—	—	F. h.	Barr. ic. t. 445.
37	lævipes. DC.	cluster-leaved.	—	1690.	—	G. h.	Bot. mag. 1782.
38	juniperinum. DC.	Juniper-leaved.	—	—	G. h.	Barr. ic. t. 443.
39	Barrelieri. DC.	Barrelier's.	Italy.	1822.	—	F. h.	Bot. mag. 2371.
40	thymifolium. DC.	Thyme-leaved.	Spain.	1658.	—	F. h.	Barr. rar. t. 444.
41	glutinosum. DC.	clammy.	—	1790.	—	F. h.	— t. 415. ?
42	molle. DC.	soft.	—	—	F. h.	Cav. ic. 3. t. 262. f. 2.
43	origanifolium. DC.	Marjoram-ld.	—	1795.	—	F. h.	— 3. t. 262. f. 1.
44	dichotomum. DC.	forked.	—	—	F. h.	— 3. t. 263. f. 1.
45	œlandicum. DC.	smooth-leaved.	Europe.	1816.	—	H. h.	Clus. hist. p. 73. ic.
46	alpestre. DC.	alpine.	—	—	—	H. h.	Swt. cist. t. 2.
47	penicillatum. DC.	pencilled.	S. Europe.	—	H. h.	
48	italicum. DC.	Italian.	Italy.	1779.	7. 9.	H. h.	Barr. rar. t. 366.
49	vineale. DC.	slender-trailing.	Europe.	1823.	—	H. h.	Swt. cist. t.
50	canum. DC.	hoary.	—	1772.	6. 7.	F. h.	— t.
51	marifolium. DC.	Marum-leaved.	—	—	F. h.	Barr. rar. t. 441.
52	cinereum. DC.	gray.	Spain.	—	F. h.	Cav. ic. 2. t. 141.
53	squammatum. DC.	scaly.	—	1815.	—	F. h.	— 2. t. 139.
54	lavandulæfolium. DC.	Lavender-ld.	Levant.	1739.	—	F. h.	Barr. ic. t. 288.
	β syriacum. DC.	Syrian.	Syria.	—	—	F. h.	Jacq. ic. 1. t. 96.
55	stœchadifolium. DC.	woolly-leaved.	Portugal.	1819.	—	F. h.	
56	croceum. DC.	Saffron-colour'd	Spain.	—	F. h.	Desf. atl. 1. t. 110.
57	glaucum. DC.	glaucous-leav'd	—	1815.	6. 8.	F. h.	Cav. ic. 3. t. 261.
58	tomentosum. DC.	tomentose.	Scotland.	7. 8.	H. h.	Eng. bot. 2208.
59	leptophyllum. DC.	narrow-leaved.	Spain.	—	F. h.	Swt. cist. t.
60	serpyllifolium. DC.	Serpyllum-ld.	—	1731.	5. 9.	F. h.	
61	vulgare. DC.	common.	Britain.	—	H. h.	Eng. bot. 1321.
	β flore pleno.	double-flowered.	—	—	H. h.	
62	surrejanum. DC.	dotted-leaved.	England.	7. 10.	H. h.	Eng. bot. 2207.
63	ovatum. DC.	ovate-leaved.	Geneva.	6. 8.	H. h.	Viv. frag. 1. t. 8. f. 2.
64	grandiflorum. DC.	large-flowered.	Pyrenees.	1800.	—	H. h.	Scop. carn. ed. 2. t. 25.
65	sampsucifolium.	rough dwarf.	Montpelier.	—	H. h.	Bot. mag. 1803.
	Cistus sampsucifolius.	B. M. non cav.					
66	obscurum. DC.	obscure.	Europe.	—	H. h.	Swt. cist. t.
67	nummularium. DC.	Money-wort.	—	1752.	—	H. h.	
68	angustifolium. DC.	distinct-petal'd.	1800.	—	H. h.	Jacq. vind. 3. t. 53.
69	hirtum. DC.	bristly-calyxed.	Spain.	1759.	—	F. h.	Cav. ic. 2. t. 146.
	α Baticum. DC.	green-leaved.					
	β aureum. DC.	canescent-leaved.					
70	pilosum. DC.	hairy.	S. Europe.	1731.	—	F. h.	
71	apenninum. DC.	Apennine.	Europe.	—	—	H. h.	Swt. cist. t.

72	papyraceum. s. c.	paper white.	5. 6.	H. \bar{h} .	Swt. cist. t.
73	hispidum. DC.	hispid.	S. France.	—	—	H. \bar{h} .	
74	pulverulentum. DC.	powdered.	—	—	H. \bar{h} .	Swt. cist. t. 13.
75	canescens. s. c.	canescent.	—	H. \bar{h} .	Swt. cist. t.
	<i>Cistus roseus</i> . Jacq. vind. 3. t. 65. non All.						
76	rhodanthum. DC.	rose-flowered.	Spain.	—	H. \bar{h} .	Swt. cist. t. 7.
77	versicolor. s. c.	various-colour'd	—	—	H. \bar{h} .	Swt. cist. t.
78	venustum. s. c.	charming.	—	H. \bar{h} .	Swt. cist. t. 10.
	β <i>flore pleno</i> .	<i>double-flowered</i> .					
79	polifolium. DC.	white-mountain	England.	5. 7.	H. \bar{h} .	Eng. bot. 1322.
80	mutabile. DC.	changeable.	Spain.	1795.	6. 7.	H. \bar{h} .	Jacq. ic. 1. t. 99.
81	sulphureum. DC.	sulphur-colour'd	—	1815.	—	H. \bar{h} .	
82	roseum. DC.	rosy.	S. Europe.	—	H. \bar{h} .	All. ped. 2. t. 45. f. 4.
83	fetidum. DC.	Bryony-scented	—	H. \bar{h} .	Jacq. ic. 1. t. 98.
HUDSONIA. DC.		HUDSONIA.	Dodecandria Monogynia. L.				
	ericoides. DC.	Heath-like.	N. Amer.	1805.	5. 7.	F. \bar{h} .	W. hort. ber. t. 15.
LECHEA. DC.		LECHEA.	Tri-Dodecandria Trigynia.				
1	villosa. DC.	villous.	Canada.	1780.	7. 8.	H. \bar{y} .	Lam. ill. t. 52. f. 2.
	<i>major</i> . Ph. non Lin.	<i>minor</i> L. non Ph.					
2	minor. DC.	lesser.	—	1802.	—	H. \bar{y} .	— t. 52. f. 1.
3	thymifolia. DC.	Thyme-leaved.	N. Amer.	1823.	—	H. \bar{y} .	

ORDO XVII.

VIOLARIÆ. *DC. prodr.* 1. p. 287.

Tribus I. *VIOLEÆ*. DC.

CALYPTRIUM. DC.		Pentandria Monogynia.				
Aubletii. DC.	Aublet's.	S. Amer.	1820.	S. h.	Aub. gui. 2. t. 319.
<i>Viola Hybanthus.</i> Aub.	<i>Jonidium Aubletii.</i> R. s.					
NOISETTIA. DC.		Pentandria Monogynia.				
longifolia. DC.	long-leaved.	Cayenne.	1822.	S. h.	Nov. g.am.t.499.b. f.2.
<i>Jonidium longifolium.</i> R. s.						
VIOLA. DC.		Pentandria Monogynia.				
1 pedata. DC.	cut-leaved.	N. Amer.	1759.	5. 8.	H. 4.	Swt. br. fl. gar. t. 69.
2 flabellifolia. B. c.	fan-leaved.	————	1822.	—	H. 4.	Lod. bot. cab. 777.
<i>pedata</i> β <i>atropurpurea.</i> DC.	<i>pedata</i> var. <i>bicolor.</i> Ph.					
3 palmata. DC.	palmated.	————	1752.	5. 6.	H. 4.	Bot. mag. 535.
4 asarifolia. DC.	Asarum-leaved.	————	1823.	—	H. 4.	
5 papilionacea. DC.	variegated.	————	1800.	—	H. 4.	
6 obliqua. Ph.	oblique-flow'r'd	————	1762.	—	H. 4.	
7 cucullata. Ph.	hollow-leaved.	————	1772.	5. 7.	H. 4.	Bot. mag. 1795.
8 pinnata. R. s.	winged-leaved.	Europe.	1752.	5. 6.	H. 4.	All. m. taur. 3. t. 5. f. 2.
9 multifida. R. s.	multifid.	Siberia.	—	—	H. 4.	Gmel. sib. 4. t. 48. f. 4.
10 variegata. DC.	variegated.	Dahuria.	1818.	—	H. 4.	
11 primulæfolia. DC.	Primrose-ld.	N. Amer.	1783.	4. 6.	H. 4.	
12 lanceolata. DC.	spear-leaved.	————	1759.	6. 7.	F. 4.	Lod. bot. cab. 211.
13 Patrinii. DC.	Siberian.	Siberia.	—	H. 4.	
14 ovata. DC.	oval-leaved.	N. Amer.	1822.	—	H. 4.	
15 sagittata. DC.	arrow-leaved.	————	1775.	—	H. 4.	
16 betonicaefolia. DC.	Betony-leaved.	N. S. W.	1823.	—	F. 4.	
17 suavis. F.	fragrant.	Siberia.	—	—	H. 4.	
18 palustris. DC.	marsh.	Britain.	5. 6.	H. 4.	Eng. bot. 444.
19 blanda. DC.	white-flowered.	N. Amer.	1802.	5. 7.	H. 4.	W. hort. ber. 1. t. 24.
20 rotundifolia. DC.	round-leaved.	————	1800.	—	H. 4.	
21 sororia. W.	white-rooted.	————	1802.	4. 6.	H. 4.	W. hort. ber. t. 72.
22 hirta. E. B.	hairy.	England.	—	H. 4.	Eng. bot. 894.
23 ambigua. R. s.	ambiguous.	Danube.	1822.	—	H. 4.	
24 odorata. DC.	sweet.	Britain.	3. 5.	H. 4.	Eng. bot. 619.
<i>a purpurea.</i>	<i>purple-flowered.</i>					
β <i>alba.</i>	<i>white-flowered.</i>					

γ <i>cærulea</i> .	<i>blue-flowered.</i>				
δ <i>purpureo-plena</i> .	<i>double-purple.</i>				
ϵ <i>albo-plena</i> .	<i>double-white.</i>				
ζ <i>cæruleo-plena</i> .	<i>double-blue.</i>				
η <i>pallido-plena</i> .	<i>Neapolitan.</i>				
25 <i>uliginosa</i> . DC.	<i>fen.</i>	Carniola.	1822.	4. 5. H. 4.	
26 <i>mirabilis</i> . DC.	<i>broad-leaved.</i>	Europe.	1732.	6. 8. H. 4.	Jacq. fl. aust. t. 19.
27 <i>striata</i> . DC.	<i>streaked.</i>	N. Amer.	1772.	— H. 4.	
28 <i>ochroleuca</i> . DC.	<i>sulphur-color'd.</i>	— — —	— H. 4.	
29 <i>canina</i> . DC.	<i>dog's.</i>	Britain.	4. 6. H. 4.	Eng. bot. 620.
30 <i>sylvestris</i> . R. s.	<i>wood.</i>	Hungary.	1823.	— H. 4.	
31 <i>debilis</i> . DC.	<i>weak.</i>	N. Amer.	1820.	— H. 4.	
32 <i>arenaria</i> . DC.	<i>sand.</i>	Europe.	—	— H. 4.	Pio viol. p. 20. t. 1. f. 2.
<i>Allionii</i> . R. s.	<i>glauc.</i> M. B.				
33 <i>pumila</i> . DC.	<i>small.</i>	Europe.	—	— H. 4.	Vill. c. stras. t. 5.
34 <i>montana</i> . R. s.	<i>mountain.</i>	— — —	1683.	5. 6. H. 4.	Bot. mag. 1595.
35 <i>lactea</i> . R. s.	<i>cream-coloured.</i>	England.	— H. 4.	Eng. bot. 445.
36 <i>Ruppii</i> . All.	<i>Piedmont.</i>	Piedmont.	1820.	— H. 4.	Lodd. bot. cab. 686.
37 <i>arborescens</i> . DC.	<i>shrubby.</i>	S. Europe.	1779.	4. 5. G. 7.	Barr. ic. 568.
38 <i>biflora</i> . DC.	<i>two-flowered.</i>	Europe.	1752.	— H. 4.	Flor. dan. 46.
39 <i>Nuttalli</i> . DC.	<i>Nuttal's.</i>	N. Amer.	1812.	5. 6. H. 4.	
40 <i>canadensis</i> . DC.	<i>Canadian.</i>	— — —	1783.	— H. 4.	
41 <i>pubescens</i> . DC.	<i>downy.</i>	— — —	1772.	6. 7. H. 4.	
42 <i>eriocarpa</i> . DC.	<i>woolly-capsul'd.</i>	— — —	1820.	— H. 4.	Swt. br. fl. gar. 102.
43 <i>uniflora</i> . DC.	<i>Siberian.</i>	Siberia.	1774.	— H. 4.	Gmel. sib. 4. t. 48. f. 5.
44 <i>cornuta</i> . DC.	<i>horned.</i>	Pyrenees.	1776.	5. 6. H. 4.	Bot. mag. 791.
45 <i>cenisia</i> . DC.	<i>Alpine.</i>	Switzerland.	1759.	6. 7. H. 4.	All. ped. 2. t. 22. f. 6.
46 <i>valderia</i> . R. s.	<i>fringed-leaved.</i>	— — —	1805.	5. 6. H. 4.	— — — 2. t. 24. f. 3.
47 <i>calcarata</i> . R. s.	<i>spurred.</i>	Europe.	1752.	3. 6. H. 4.	Hall. helv. t. 17.
48 <i>Zoysii</i> . R. s.	<i>crenated.</i>	— — —	7. 9. H. 4.	Jacq. coll. 4. t. 11. f. 1.
49 <i>amœna</i> . DC.	<i>purple.</i>	Scotland.	5. 8. H. 4.	Eng. bot. 1287.
50 <i>altaica</i> . DC.	<i>Tartarian.</i>	Altai.	1805.	3. 6. H. 4.	Bot. reg. 54.
<i>grandiflora</i> . L. non DC.					
β <i>purpurea</i> . DC.	<i>purple-flowered.</i>	— — —	— H. 4.	Swt. br. fl. gar.
51 <i>prostrata</i> . R. s.	<i>prostrate.</i>	Teneriffe.	1824.	— H. 4.	
52 <i>sudetica</i> . W. en.	<i>large-blue.</i>	Europe.	5. 8. H. 4.	
<i>grandiflora</i> . DC. fl. fr. 5. p. 620.					
53 <i>lutea</i> . E. B.	<i>large yellow.</i>	Britain.	— H. 4.	Eng. bot. 721.
54 <i>saxatilis</i> . R. s.	<i>rock.</i>	Bohemia.	1824.	— H. 4.	Swt. br. fl. gar. t.
55 <i>rothomagensis</i> . DC.	<i>Rouen.</i>	France.	1783.	— H. 4.	Bot. mag. 1498.
56 <i>tricolor</i> . R. s.	<i>Heart's-ease.</i>	Britain.	4. 9. H. 4.	Ed. fl. dan. t. 623.
57 <i>banatica</i> . R. s.	<i>intermediate.</i>	Hungary.	— H. 4.	
58 <i>arvensis</i> . R. s.	<i>corn.</i>	Britain.	— H. 4.	
59 <i>Kitaibeliana</i> . R. s.	<i>Kitaibel's.</i>	Switzerland.	1824.	— H. 4.	
60 <i>Selkirkii</i> . DC.	<i>Selkirk's.</i>	N. Amer.	1823.	— H. 4.	
SOLEA. DC.	<i>SOLEA. Pentandria Monogynia.</i>				
<i>concolor</i> . DC.	<i>green-flowered.</i>	N. Amer.	1788.	6. 7. H. 4.	Linn. trans. 6. t. 28.
POMBALIA. DC.	<i>POMBALIA. Pentandria Monogynia.</i>				
<i>Itubu</i> . DC.	<i>whiteIpecacuanha.</i>	Brazil.	1822.	7. 8. S. 4.	H. et. B. V. t. 496. f. 2.
<i>Jonidium Ipecacuanha</i> . β . B. M. 2453.					
JONIDIUM. DC.	<i>JONIDIUM. Pentandria Monogynia.</i>				
1 <i>strictum</i> . DC.	<i>upright.</i>	St. Domingo.	1820. S. 4.	
2 <i>polygalæfolium</i> . DC.	<i>Milkwort-ld.</i>	S. Amer.	1797.	4. 8. G. 4.	Vent. malm. 27.
3 <i>verbenaceum</i> . DC.	<i>Vervain-like.</i>	— — —	1822.	6. 8. H. 4.	H. et B. V. 379. t. 497.

Tribus II. ALSODINEÆ. DC.

ALSODEIA. DC.	<i>ALSODEIA. Pentandria Monogynia.</i>				
1 <i>arborea</i> . DC.	<i>tree.</i>	Madagascar.	1823. S. 4.	
2 <i>latifolia</i> . DC.	<i>broad-leaved.</i>	— — —	— S. 4.	

Tribus III. *SAUVAGEÆ*. DC.

SAUVAGESIA. DC.	SAUVAGESIA.	Pentandria Monogynia.
1 erecta. DC.	upright.	S. Amer. 1823. 7. 9. H. ☉.
2 nutans. DC.	nodding.	Madagascar. — — — H. ☉.

ORDO XVIII.

DROSERACEÆ. DC. prodr. 1. p. 317.

DROSERA. DC.	SUNDEW. Pentandria Pentagynia. L.
1 acaulis. DC.	stalkless. C. B. S. 1821. 7. 8. G.w. 4.
2 pauciflora. DC.	few-flowered. — — — — — G.w. 4.
3 rotundifolia. DC.	round-leaved. Britain. — H.w. 4. Eng. bot. 867.
4 intermedia. DC.	intermediate. England. — H.w. 4. D. et H. 3. t. 75. A.
longifolia. E. B. 868.	
5 anglica. DC.	great. — — — — — H.w. 4. Eng. bot. 869.
longifolia. D. et H. 3. t. 75. A.	
6 linearis. DC.	linear-leaved. N. Amer. 1822. 5. 6. H.w. 4.
7 filiformis. Ph.	thready-leaved. — — — — — 1811. — H.w. 4.
BYBLIS. DC.	BYBLIS. Pentandria Monogynia.
liniflora. DC.	blue-flowered. N. S. W. 1803. 5. 6. G.w. 4. ? Salisb. par. 95.
DIONÆA. DC.	DIONÆA. Decandria Monogynia. L.
Muscipula. DC.	Venus Flytrap. Carolina. 1768. 7. 8. G.w. 4. Bot. mag. 785.
PARNASSIA. DC.	PARNASSIA. Pentandria Tetragynia. L.
1 palustris. DC.	marsh. Britain. 7. 8. H.w. 4. Eng. bot. 82.
2 parviflora. DC.	small-flowered. N. Amer. 5. 6. H.w. 4.
3 caroliniana. DC.	Carolina. Carolina. 1802. 5. 8. H.w. 4. Bot. mag. 1459.
4 asarifolia. DC.	Asarum-leav'd. N. Amer. 1812. 7. 8. H.w. 4. Vent. malm. t. 39.

ORDO XIX.

POLYGALEÆ. DC. prodr. 1. p. 321.

POLYGALA. DC.	MILKWORT. Diadelphia Octandria. L.
1 oppositifolia. DC.	opposite-leav'd. C. B. S. 1790. 1. 12. G. h. Bot. reg. 636.
2 cordifolia. DC.	heart-leaved. — — — — — 1791. — G. h.
3 tetragona. DC.	square-stalked. — — — — — 1820. — G. h.
4 nummularia. DC.	Moneywort-ld. — — — — — 1812. — G. h.
5 latifolia. B. R.	broad-leaved. — — — — — 1820. — G. h. Bot. reg. 645.
cordifolia. B. M. non DC.	
6 borboniæfolia. DC.	Borbonia-leav'd — — — — — 1790. — G. h.
oppositifolia. B. M. non DC.	
7 myrtifolia. DC.	Myrtle-leaved. — — — — — 1707. 5. 8. G. h. Bot. reg. 669.
8 ligularis. DC.	ligulate-leaved. — — — — — 1820. — G. h. — — — — — 637.
9 intermedia. DC.	intermediate. — — — — — 5. 10. G. h.
10 bracteolata. DC.	spear-leaved. — — — — — 1713. — G. h. Bot. mag. 345.
11 umbellata.	hispid-stalked. — — — — — — G. h. Burm. afr. t. 73. f. 5.
12 Burmanni. DC.	Burman's. — — — — — — G. h. — — — — — t. 73. f. 4.
13 simplex. DC.	simple-stalked. — — — — — 1820. — G. h.
14 speciosa. DC.	showy. — — — — — 1814. — G. h. Bot. reg. 150.
15 teretifolia. DC.	columnar-ld. — — — — — 1791. 5. 8. G. h. Bot. rep. 370.
16 Garcini. DC.	slender-branch. — — — — — 5. 10. G. h. Burm. afr. t. 73. f. 3.

17 major. DC.	large Austrian.	Austria.	1739.	7. 8.	H. 4.	Jacq. aust. 5. t. 413.
18 vulgaris. DC.	common.	Britain.	5. 7.	H. 4.	Eng. bot. 76.
<i>a vera</i> . DC.	true.	-----	—	H. 4.	Flor. dan. t. 516.
<i>β pubescens</i> . DC.	pubescent.	-----	—	H. 4.	
<i>γ elata</i> . DC.	tall.	-----	—	H. 4.	Schk. handb. t. 194.
<i>δ Verviana</i> . DC.	white-flowered.	-----	—	H. 4.	
<i>ε acutifolia</i> . DC.	blue-flowered.	-----	—	H. 4.	
<i>ζ angustifolia</i> . DC.	rose-coloured.	-----	—	H. 4.	
<i>η grandiflora</i> . DC.	red-flowered.	-----	—	H. 4.	
19 amara. DC.	bitter.	Europe.	1775.	—	H. 4.	Bot. mag. 2437.
20 monspeliaca. DC.	Montpelier.	Montpelier.	1823.	6. 9.	H. 4.	DC. ic. rar. 1. t. 9.
21 incarnata. DC.	flesh-coloured.	N. Amer.	1812.	6. 7.	H. 4.	
22 cruciata. DC.	four-leaved.	-----	1739.	—	H. 4.	
23 brevifolia. DC.	short-leaved.	-----	1824.	—	H. 4.	
24 fastigiata. DC.	close-branched.	-----	—	—	H. 4.	
25 lutea. DC.	golden.	-----	1739.	—	H. 4.	Pluk. am. t. 438. f. 6.
26 nana. DC.	dwarf.	-----	1815.	7. 8.	H. 4.	
27 purpurea. DC.	purple.	-----	1739.	7. 9.	H. 4.	
<i>sanguinea</i> . Mich.						
28 sanguinea. DC.	bloody.	-----	—	—	H. 4.	
29 ambigua. DC.	ambiguous.	-----	1824.	6. 7.	H. 4.	
30 verticillata. DC.	whorl-leaved.	-----	1739.	—	H. 4.	Pluk. am. t. 438. f. 4.
31 paniculata. DC.	panicked.	S. Amer.	1822.	7. 10.	S. 4.	Bot. reg. 761.
32 graminifolia. DC.	grass-leaved.	N. Amer.	—	6. 7.	F. 4.	
33 Senega. DC.	Rattlesnake-rt.	-----	1739.	—	H. 4.	Bot. mag. 1051.
34 paucifolia. DC.	naked-stalked.	-----	1791.	5. 6.	H. 4.	
<i>purpurea</i> . H. K. non DC.						
35 Chamæbuxus. DC.	Box-leaved.	Europe.	1658.	—	H. 4.	Bot. mag. 316.
MURALTIA. DC.	MURALTIA.	Diadelphia Octandria.	L.			
1 Heisteria. DC.	Furze-leaved.	C. B. S.	1787.	1. 12.	G. 4.	Bot. mag. 340.
<i>Polygala Heisteria</i> . B. M.						
2 alopecuroides. DC.	Fox-tail.	-----	1800.	5. 8.	G. 4.	— 1006.
<i>Polygala alopecuroides</i> . B. M.						
3 squarrosa. DC.	squarrose.	-----	1821.	—	G. 4.	
4 stipulacea. DC.	stipuled.	-----	1801.	4. 9.	G. 4.	Bot. mag. 1715.
5 juniperifolia. DC.	Juniper-leaved.	-----	—	G. 4.	
6 diffusa. DC.	diffuse.	-----	1800.	1. 12.	G. 4.	
7 virgata. DC.	twiggy.	-----	—	—	G. 4.	
8 linophylla. DC.	Flax-leaved.	-----	1812.	5. 8.	G. 4.	
9 macroceras. DC.	long-horned.	-----	—	—	G. 4.	
10 mixta. DC.	Heath-leaved.	-----	1791.	1. 12.	G. 4.	Bot. mag. 1714.
<i>Polygala mixta</i> . B. M.						
11 ciliaris. DC.	ciliated.	-----	1822.	5. 7.	G. 4.	
12 humilis. DC.	humble.	-----	1817.	5. 8.	G. 4.	Lodd. bot. cab. 420.
<i>Polygala humilis</i> . B. C.						
MUNDIA. DC.	MUNDIA.	Diadelphia Octandria.	L.			
spinosa. DC.	spiny.	C. B. S.	1780.	1. 5.	G. 4.	
<i>α latifolia</i> . DC.	broad-leaved.					
<i>β angustifolia</i> . DC.	narrow-leaved.					
SECURIDACA. DC.	SECURIDACA.	Diadelphia Octandria.	L.			
volubilis. DC.	climbing.	W. Indies.	1739.	S. 4.	Jacq. amer. t. 183. f. 38.

ORDO XX.

TREMANDREÆ. DC. *prodr.* 1. p. 343.

TETRATHECA. DC.	TETRATHECA.	Octandria Monogynia.				
1 juncea. DC.	rushy.	N. S. W.	1803.	7. 8.	G. 4.	Sm. nov. hol. 1. t. 2.
2 glandulosa. DC.	glandular.	V. Diemen.	1822.	—	G. 4.	Lab. nov. hol. 1. t. 123.
3 pilosa. DC.	hairy.	-----	—	—	G. 4.	— 1. t. 122.
<i>glandulosa</i> . Ex. bot. 21.						
4 ericifolia. DC.	Heath-leaved.	N. S. W.	—	—	G. 4.	Sm. exot. bot. t. 20.

ORDO XXI.

PITTOSPOREÆ. *DC. prodr. 1. p. 345.*

BILLARDIERA. DC. APPLE-BERRY. Pentandria Monogynia. L.							
1 scandens. DC.	downy-fruited.	N. S. W.	1790.	6. 8.	G. h. ∪.	Bot. mag.	801.
2 mutabilis. DC.	changeable.	————	1795.	5. 9.	G. h. ∪.	————	1313.
3 longiflora. DC.	blue-fruited.	V. Diemen.	1810.	—	G. h. ∪.	————	1507.
4 fusiformis. DC.	long-fruited.	————	1822.	—	G. h. ∪.	Lab. nov. holl. t.	90.
5 angustifolia. DC.	narrow-leaved.	N. S. W.	—	—	G. h. ∪.		
PITTOSPORUM. DC. PITTOSPORUM. Pentandria Monogynia. L.							
1 coriaceum. DC.	thick-leaved.	Madeira.	1787.	5. 6.	G. h.	Bot. rep.	151.
2 viridiflorum. DC.	green-flowered.	C. B. S.	1806.	—	G. h.	Bot. mag.	1684.
3 Tobira. DC.	glossy-leaved.	China.	1804.	3. 8.	G. h.	————	1396.
4 undulatum. DC.	wave-leaved.	N. S. W.	1789.	2. 6.	G. h.	Bot. reg.	16.
5 revolutum. DC.	downy-leaved.	————	1795.	2. 4.	G. h.	————	186.
6 tenuifolium.	Willow-leaved.	————	1818.	—	G. h.	Gært. fr. 1. t.	59.
7 ferrugineum. DC.	rusty-leaved.	Guinea.	1787.	2. 5.	S. h.	Bot. mag.	2075.
BURSARIA. DC. BURSARIA. Pentandria Monogynia. L.							
spinosa. DC.	thorny.	N. S. W.	1793.	8. 12.	G. h.	Bot. mag.	1767.
SENACIA. DC. SENACIA. Pentandria Monogynia. L.							
undulata. DC.	wave-leaved.	Mauritius.	1785.	S. h.		

ORDO XXII.

FRANKENIACEÆ. *DC. prodr. 1. p. 349.*

FRANKENIA. DC. SEA HEATH. Hexandria Monogynia. L.							
1 pulverulenta. DC.	powdery.	England.	7.	H. 4.	Eng. bot.	2222.
2 nodiflora. DC.	knotted-flow'r'd	C. B. S.	1818.	6. 8.	G. 4.	Lam. ill. t.	262. f. 4.
3 Nothria. DC.	Cape.	————	1816.	—	G. 4.	Berg. cap.	171. t. 1. f. 2.
<i>Nothria repens.</i> Berg.							
4 lævis. DC.	smooth.	England.	7. 8.	H. 4.	Eng. bot.	205.
5 intermedia. DC.	sea-side.	S. Europe.	1820.	6. 8.	H. 4.	Mich. gen. t.	22. f. 2.
<i>hirsuta.</i> var. <i>calabrica.</i> L.							
6 hispida. DC.	hairy.	Siberia.	1789.	—	H. 4.	Flor. græc. t.	313.
<i>hirsuta.</i> var. <i>cretica.</i> L.							
7 ericifolia. DC.	Heath-leaved.	Canaries.	1815.	—	G. 4.		

ORDO XXIII.

CARYOPHYLLÆ. *DC. prodr. 1. p. 351.*Tribus I. *SILENEÆ.* DC.

GYPSOPHILA. DC. GYPSOPHILA. Decandria Digynia. L.							
1 Struthium. DC.	flesh-leaved.	Spain.	1729.	7. 8.	H. 4.	Barr. ic. 64. t.	119.
2 fastigiata. DC.	angular-leaved.	Europe.	1759.	6. 7.	H. 4.	Gmel. sib. 4. t.	61. f. 1.
3 arenaria. DC.	sand.	Hungary.	1801.	7. 8.	H. 4.	W. et. K. hung. t.	41.
4 viscosa. DC.	clammy.	Levant.	1773.	6. 8.	H. ☉.	Mur. c. got. 1783. t.	3.
5 altissima. DC.	upright.	Siberia.	1759.	7. 8.	H. 4.	Gmel. sib. 4. t.	60.

6	<i>perfoliata</i> . DC.	perfoliate.	Spain.	1732.	—	H. 4.	Dill. elt. t. 276.
	<i>β tomentosa</i> . DC.	woolly.	Tauria.	—	—	H. 4.	Barr. ic. t. 1002.
7	<i>scorzonerifolia</i> . DC.	Scorzonera-ld.	—	1823.	—	H. 4.	
8	<i>acutifolia</i> . DC.	sharp-leaved.	Caucasus.	1821.	—	H. 4.	
9	<i>paniculata</i> . DC.	panicked.	Siberia.	1759.	6. 7.	H. 4.	Jacq. aust. 5. t. app. 1.
10	<i>adscendens</i> . DC.	ascending.	Levant.	1819.	—	H. 4.	Jacq. h. vind. 2. t. 138.
11	<i>elegans</i> . DC.	elegant.	Tauria.	1820.	6. 8.	H. 4.	Swt. br. fl. gar.
12	<i>Steveni</i> . DC.	Steven's.	Iberia.	1817.	—	H. 4.	
13	<i>tenuifolia</i> . DC.	slender-leaved.	Caucasus.	1824.	—	H. 4.	
14	<i>repens</i> . DC.	creeping.	Pyrenees.	1774.	7. 9.	H. 4.	Bot. mag. 1448.
15	<i>dubia</i> . DC.	doubtful.	1815.	5. 9.	H. 4.	
16	<i>prostrata</i> . DC.	trailing.	Siberia.	1759.	7. 9.	H. 4.	Bot. mag. 1281.
17	<i>muralis</i> . DC.	wall.	Europe.	1739.	6. 10.	H. 4.	Lam. ill. t. 375. f. 1.
18	<i>serotina</i> . W.en.	late-flowering.	Magdeburg.	1816.	—	H. 4.	
19	<i>glomerata</i> . DC.	round-headed.	Tauria.	1804.	6. 7.	H. 4.	
20	<i>saxifraga</i> . DC.	small.	Germany.	1774.	7. 8.	H. 4.	Exot. bot. 2. t. 90.
21	<i>rigida</i> . L.	rigid.	France.	1769.	6. 8.	H. 4.	
DIANTHUS. DC. PINK. Decandria Digynia. L.							
1	<i>prolifer</i> . DC.	proliferous.	England.	7. 8.	H. 4.	Eng. bot. 956.
2	<i>diminutus</i> . W.	small-flowered.	S. Europe.	1771.	—	H. 4.	
3	<i>Armeria</i> . DC.	Deptford.	England.	7. 9.	H. 4.	Eng. bot. 317.
4	<i>pseudo-armeria</i> .	canescent.	Tauria.	1820.	—	H. 4.	Bot. mag. 2288.
5	<i>armerioides</i> . DC.	Thrift-like.	New Jersey.	—	—	H. 4.	
6	<i>barbatus</i> . DC.	Sweet-William.	Germany.	1573.	6. 7.	H. 4.	Bot. mag. 207.
	<i>β flore pleno</i> .	double.	—	—	—	H. 4.	
7	<i>latifolius</i> . DC.	broad-leaved.	5. 11.	H. 4.	Swt. br. fl. gar. t. 2.
8	<i>aggregatus</i> . DC.	clustered.	1820.	6. 8.	H. 4.	
9	<i>japonicus</i> . DC.	Japanese.	China.	1804.	6. 10.	F. 4.	Thunb. jap. t. 23.
10	<i>capitatus</i> . DC.	headed.	Tauria.	1794.	6. 7.	H. 4.	
11	<i>polymorphus</i> . DC.	variable.	—	1820.	6. 8.	H. 4.	
12	<i>diutinus</i> . L.en.	pedicled.	Hungary.	—	—	H. 4.	Swt. br. fl. gar.
13	<i>ferrugineus</i> . DC.	rusty.	Pyrenees.	1756.	7. 9.	H. 4.	Barr. ic. t. 497.
14	<i>Carthusianorum</i> . DC.	Carthusian.	Europe.	1573.	—	H. 4.	
15	<i>atro-rubens</i> . All.	dark-red.	Italy.	1802.	—	H. 4.	Jacq. ic. 3. t. 467.
16	<i>nanus</i> .	dwarf.	—	1820.	—	H. 4.	
17	<i>arboreus</i> . DC.	arborescent.	Crete.	—	—	G. 4.	Lodd. bot. cab. 459.
18	<i>fruticosus</i> . DC.	frutescent.	—	1815.	6. 9.	G. 4.	Tourn. it. 1. t. 9.
19	<i>suffruticosus</i> . DC.	shrubby.	1804.	6. 7.	G. 4.	
20	<i>carolinianus</i> . DC.	Carolina.	N. Amer.	1811.	6. 9.	F. 4.	
21	<i>asper</i> . W.en.	rough-stalked.	Switzerland.	1802.	7. 8.	H. 4.	
22	<i>collinus</i> . W.en.	hill.	Hungary.	1800.	7. 9.	H. 4.	Parad. lond. 62.
23	<i>campestris</i> . DC.	field.	Tauria.	1815.	7. 8.	H. 4.	Bot. mag. 1739.
24	<i>alpestris</i> . DC.	pasture.	—	1820.	—	H. 4.	Balb. act. taur. 7. t. 1.
25	<i>nitidus</i> . DC.	glossy.	Hungary.	1821.	6. 8.	H. 4.	W. et K. hung. 2. t. 191.
26	<i>hirtus</i> . DC.	hairy.	Dauphiny.	—	—	H. 4.	Vill. delph. 3. t. 46.
27	<i>guttatus</i> . DC.	spotted.	Caucasus.	1816.	7. 9.	H. 4.	
28	<i>versicolor</i> . DC.	various-colour'd	Russia.	1821.	—	H. 4.	
29	<i>pratensis</i> . DC.	meadow.	Tauria.	—	6. 8.	H. 4.	
	<i>ochroleucus</i> . L.en. non.	P. S.					
30	<i>chinensis</i> . DC.	China.	China.	1713.	7. 9.	H. 4.	Bot. mag. 28.
	<i>β flore pleno</i> .	double-flowered.					
31	<i>montanus</i> . DC.	mountain.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. t. 1162.
	<i>discolor</i> . B. M.						
32	<i>Caryophyllus</i> . DC.	Clove.	England.	6. 8.	H. 4.	Eng. bot. 214.
	<i>β flore pleno</i> .	Carnation.	—	H. 4.	Bot. mag. 39.
	<i>γ fruticosus</i> .	tree-Carnation.	—	H. 4.	
	<i>δ imbricatus</i> .	Wheat-ear.	—	H. 4.	Bot. mag. 1622.
33	<i>sylvestris</i> .	short-scaled.	Jurassa.	6. 7.	H. 4.	Jacq. ic. rar. t. 82.
	<i>virgineus</i> . B. M. 1740. non.	L.					
34	<i>longicaulis</i> . DC.	long-stalked.	Naples.	1824.	—	H. 4.	
35	<i>monadelphus</i> . DC.	procumbent.	Levant.	—	H. 4.	Vent. h. cels. t. 39.
	<i>procumbens</i> . P. S.						
36	<i>suaveolens</i> . DC.	sweet-scented.	1823.	—	H. 4.	
37	<i>Poiretianus</i> . DC.	Poiret's.	—	H. 4.	
	<i>β flore pleno</i> .	double-flowering.					
38	<i>Liboschitzianus</i> . DC.	Armenian.	Armenia.	1823.	6. 8.	H. 4.	
	<i>petræus</i> . M. B. non DC.						
39	<i>sylvaticus</i> . DC.	wood.	Ratisbon.	1815.	—	H. 4.	
40	<i>pomeridianus</i> . DC.	afternoon.	Palestine.	1804.	—	H. 4.	Parad. lond. 57.

41 leptopetalus. DC.	narrow-petaled	Caucasus.	1814.	—	H. 4.	Bot. mag. 1739.
42 pungens. DC.	pungent.	Spain.	1781.	8. 10.	H. 4.	
43 bicolor. DC.	two-coloured.	Tauria.	1818.	6. 8.	H. 4.	
44 furcatus. DC.	forked.	Piedmont.	1820.	—	H. 4.	Balb. act. taur. 7. f. 2.
45 virgineus. DC.	virgin.	Montpelier.	1732.	—	H. 4.	Dill. elt. 401. t. 385 ?
46 deltoides. DC.	maiden.	Britain.	6. 10.	H. 4.	Eng. bot. 61.
47 glaucus. L.	glaucous.	—	—	H. 4.	
48 crenatus. B. R.	long-cupped.	C. B. S.	1817.	8.	G. 4.	Bot. reg. 256.
49 rigidus. DC.	rigid.	Tauria.	1802.	6. 10.	H. 4.	
50 suavis. DC.	sweet.	1820.	6. 7.	H. 4.	
51 cæsius. DC.	tufted.	Britain.	—	H. 4.	Eng. bot. 62.
52 alpinus. DC.	Alpine.	Austria.	1759.	—	H. 4.	Bot. mag. 1205.
53 glacialis. DC.	acute-leaved.	France.	1820.	—	H. 4.	
54 Hornemanni. DC.	Horneman's.	Italy.	1822.	—	H. 4.	
55 petræus. DC.	rock.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 3. t. 222.
<i>β Simsii.</i>	<i>Sims's.</i>	—	—	—	H. 4.	Bot. mag. 1204.
56 ibericus. DC.	Iberian.	Iberia.	1820.	6. 8.	H. 4.	
<i>Willdenowii.</i> L. en.						
57 ruthenicus. DC.	Russian.	Russia.	—	—	H. 4.	
58 albens. DC.	white Cape.	C. B. S.	1787.	8.	G. 4.	
59 plumarius. DC.	common.	Europe.	1629.	6. 8.	H. 4.	
60 hortensis. W. en.	garden.	—	1805.	—	H. 4.	
61 caucaseus. DC.	Caucasian.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. 795.
62 squarrosus. DC.	squarrose.	Tauria.	1823.	6. 8.	H. 4.	Bieb. cent. 1. t. 33.
63 fragrans. B. M.	fragrant.	Caucasus.	1804.	6. 7.	H. 4.	Bot. mag. 2067.
64 serotinus. DC.	late-flowering.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 2. t. 172.
65 arenarius. DC.	sand.	N. Europe.	8.	H. 4.	Bot. mag. 2038.
66 prostratus. DC.	prostrate.	C. B. S.	8. 9.	G. 4.	Jacq. schoenb. 3. t. 271.
67 fimbriatus. DC.	fringed.	Iberia.	1802.	6. 8.	H. 4.	Bot. mag. 1069.
68 monspessulanus. DC.	Montpelier.	Pyrenees.	1764.	7. 8.	H. 4.	
69 superbus. DC.	superb.	Europe.	1596.	7. 9.	H. 4.	Bot. mag. 297.
SAPONARIA. DC.	SOAPWORT.	Decandria Digynia.	L.			
1 vaccaria. DC.	annual.	Europe.	1596.	7. 8.	H. 4.	Bot. mag. 2290.
2 perfoliata. DC.	perfoliate.	E. Indies.	1820.	—	H. 4.	
3 officinalis. DC.	common.	England.	7. 10.	H. 4.	Eng. bot. t. 1060.
<i>β flore pleno.</i>	<i>double-flowered.</i>					
4 ocymoides. DC.	Basil-leaved.	Europe.	1768.	5. 7.	H. 4.	Bot. mag. 154.
5 glutinosa. DC.	small-flowered.	Tauria.	1823.	—	H. 4.	Bieb. cent. 2. t. 66.
6 porrigens. DC.	hairy.	Levant.	1680.	7. 8.	H. 4.	Jacq. vind. 2. t. 109.
7 orientalis. DC.	small annual.	—	1732.	6. 8.	H. 4.	Dill. elt. t. 167. f. 204.
8 lutea. DC.	yellow.	Switzerland.	1804.	—	H. 4.	All. ped. t. 23. f. 1.
9 bellidifolia. DC.	Daisy-leaved.	Italy.	—	H. 4.	Smith spic. t. 5.
CUCUBALUS. DC.	CAMPION.	Decandria Trigynia.	L.			
bacciferus. DC.	berry-bearing.	England.	6. 7.	H. 4.	Eng. bot. 1577.
SILENE. DC.	CATCHFLY.	Decandria Trigynia.	L.			
1 acaulis. DC.	stemless.	Britain.	6. 8.	H. 4.	Eng. bot. 1081.
<i>β alba.</i> DC.	<i>white-flowered.</i>	—	—	H. 4.	
2 pumilio. DC.	dense.	Germany.	1823.	—	H. 4.	Stur. deut. 1. fas. 22. t. 11
3 fimbriata. DC.	fringe-flowered	Crete.	1803.	5. 8.	H. 4.	Bot. mag. 908.
4 lacera. DC.	jagged-flower'd	Caucasus.	1818.	—	H. 4.	— 2255.
5 stellata. DC.	four-leaved.	N. Amer.	1696.	6. 8.	H. 4.	— 1107.
6 inflata. DC.	bladder.	Britain.	5. 9.	H. 4.	Eng. bot. 164.
<i>Cucubalus Behen.</i> E. B.						
7 maritima. E. B.	sea.	—	8. 9.	H. 4.	Eng. bot. 957.
8 fabaria. H. K.	thick-leaved.	Sicily.	1731.	6. 8.	F. 4.	Boc. mus. 133. t. 92.
9 Behen. DC.	Cretan.	Crete.	1713.	6. 7.	H. 4.	Dill. elt. t. 317. f. 409.
10 indica. DC.	Indian.	Nepaul.	1824.	—	F. 4.	
11 procumbens. DC.	procumbent.	Siberia.	1820.	—	H. 4.	Murr. c. goet. p. 83. t. 2.
12 rubella. DC.	small red.	Portugal.	1732.	5. 6.	H. 4.	Del. fl. æg. t. 29. f. 3.
13 apetala. DC.	petalless.	Spain.	1801.	6. 7.	H. 4.	
14 Gypsophila. DC.	Gypsophila-like	—	H. 4.	
15 Otites. DC.	Spanish.	England.	7. 8.	H. 4.	Eng. bot. 85.
<i>Cucubalus Otites.</i> E. B.						
16 wolgensis. DC.	Volga.	Volga.	1821.	6. 8.	H. 4.	
17 parviflora. DC.	small-flowered.	Hungary.	1796.	—	H. 4.	
18 effusa. DC.	spreading.	Volga.	1821.	—	H. 4.	
19 sibirica. DC.	Siberian.	Siberia.	1773.	—	H. 4.	Hall. g. 1. p. 150. ic.
20 multiflora. DC.	many-flowered.	Hungary.	1794.	—	H. 4.	W. et K. hung. 1. t. 56.
21 tatarica. DC.	Tartarian.	Tartary.	1769.	—	H. 4.	

22 gigantea. DC.	gigantic.	Africa.	1738.	—	G. ♂.	Walt. hort. 32. t. 11.
23 viscosa. DC.	clammy.	Levant.	1739.	7.	H. ♂.	
24 conica. DC.	corn.	England.	6. 7.	H. ⊙.	Eng. bot. 922.
25 conoidea. DC.	conoid.	S. Europe.	1683.	—	H. ⊙.	Clus. his. 1. p. 288. f. 2.
26 undulata. DC.	wave-leaved.	C. B. S.	1775.	8.	G. ♂.	
27 anglica. DC.	English.	England.	6. 7.	H. ⊙.	Eng. bot. 1178.
28 lusitanica. DC.	Portugal.	Portugal.	1732.	—	H. ⊙.	Dill. elt. t. 311. f. 401.
29 gallica. DC.	French.	France.	1683.	5. 6.	H. ⊙.	Vail. par. t. 16. f. 12.
30 ocymoides. DC.	Basil-like.	1819.	6. 7.	H. ⊙.	
31 disticha. DC.	two-ranked.	1817.	—	H. ⊙.	Schrank. pl. rar. t. 39.
32 cerastoides. DC.	Cerastium-like.	S. Europe.	1732.	7. 8.	H. ⊙.	Dill. elt. t. 309. f. 397.
33 quinquevulnera. DC.	variegated.	England.	6. 8.	H. ⊙.	Eng. bot. 86.
34 nocturna. DC.	spiked.	S. Europe.	1683.	—	H. ⊙.	Dill. elt. t. 310. f. 400.
35 reflexa. H. K.	reflexed.	—	1726.	—	H. ⊙.	Magn. h. mons. 171. ic.
36 mutabilis. H. K.	changeable.	—	1688.	—	H. ⊙.	
37 micropetala. DC.	small-petaled.	Chili.	1822.	6. 7.	H. ⊙.	
38 dichotoma. DC.	dichotomous.	Hungary.	1791.	—	H. ⊙.	W. et K. hung. t. 29.
39 nyctantha. DC.	various-leaved.	1815.	6. 8.	H. ⊙.	
40 bellidifolia. DC.	Daisy-leaved.	1794.	—	H. ⊙.	Jacq. vind. 3. t. 81.
41 vespertina. DC.	evening.	Barbary.	1796.	7. 8.	H. ⊙.	Swt. br. fl. gar. 58.
<i>bipartita</i> . Desf. atl. 1. t. 100.						
42 obtusifolia. DC.	blunt-leaved.	—	1823.	6. 8.	H. ⊙.	
43 colorata. DC.	coloured.	—	1804.	—	H. ⊙.	
44 crassifolia. DC.	thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
45 gracilis. DC.	slender.	1823.	6. 8.	H. ⊙.	
46 jeniseensis. DC.	two-coloured.	Siberia.	1817.	6. 7.	H. 4.	
47 ciliata. DC.	ciliated.	Crete.	1804.	—	H. ⊙.	
48 pendula. DC.	pendulous.	Sicily.	1731.	5. 7.	H. ⊙.	Bot. mag. 114.
49 longicaulis. DC.	long-stalked.	Spain.	1818.	6. 7.	H. ⊙.	
50 secundiflora. DC.	side-flowered.	—	—	H. ⊙.	
51 viscosissima. DC.	viscous.	Naples.	1822.	—	H. ⊙.	
52 quadridentata. DC.	four-toothed.	Italy.	1783.	5. 6.	H. ⊙.	Jacq. aust. 2. t. 120.
<i>Lychnis quadridentata</i> . w.						
53 pusilla. W. en.	dwarf.	Hungary.	1804.	6. 7.	H. 4.	W. et K. hung. 3. t. 212.
54 alpestris. DC.	Austrian.	Austria.	1774.	5. 7.	H. 4.	Jacq. aust. 1. t. 96.
55 rupestris. DC.	rock.	Switzerland.	1774.	5. 7.	H. 4.	Flor. dan. 4.
56 glaucifolia. DC.	glaucous-leav'd.	Spain.	1823.	—	H. 4.	
57 inaperta. DC.	unopen-flow'r'd	S. Europe.	1732.	6. 7.	H. ⊙.	Dill. elt. t. 314. f. 407.
58 clandestina. DC.	hidden-flower'd	C. B. S.	1801.	—	H. ⊙.	Jacq. col. sup. t. 3. f. 3.
59 portensis. w.	Oporto.	Portugal.	1759.	7. 8.	H. ⊙.	
60 antirrhina. DC.	Snap-dragon.	Virginia.	1732.	6. 7.	H. ⊙.	Dill. elt. t. 313. f. 403.
61 geminiflora. DC.	twin-flowered.	1816.	H. ⊙.	
62 flavescens. DC.	yellowish.	Hungary.	1804.	—	H. 4.	W. et K. hung. 2. t. 175.
63 linifolia. DC.	Flax-leaved.	1817.	7. 8.	H. ⊙.	
64 cretica. DC.	Candian.	Candia.	1732.	5. 8.	H. ⊙.	Dill. elt. t. 314. f. 404.
65 sedoides. DC.	Sedum-like.	Crete.	1822.	6. 8.	H. ⊙.	Jacq. col. sup. t. 14. f. 1.
66 Saxifraga. DC.	Saxifrage.	S. Europe.	1640.	—	H. 4.	Lodd. bot. cab. 454.
67 petraea. DC.	fine-toothed.	Hungary.	1806.	—	H. 4.	W. et K. hung. 2. t. 164.
68 campanula. DC.	bell-flowered.	Piedmont.	1822.	—	H. 4.	All. auct. p. 28. t. 1. f. 3.
69 longipetala. DC.	long-petaled.	Aleppo.	—	—	H. ⊙.	Vent. hort. cels. t. 83.
70 nutans. E. B.	Nottingham.	England.	6. 7.	H. 4.	Eng. bot. 465.
71 saxatilis. B. M.	stone.	Siberia.	1800.	—	H. 4.	Bot. mag. 689.
72 livida. W. en.	livid.	Carniola.	1816.	—	H. 4.	
73 tenuis. DC.	slender.	Siberia.	—	—	H. 4.	
74 quadrifida. DC.	four-cleft.	Italy.	1820.	—	H. 4.	
75 viridiflora. DC.	green-flowered.	Portugal.	1739.	—	H. ♂.	Herm. parad. t. 199.
76 chlorantha. DC.	pale-flowered.	Germany.	1732.	6. 8.	H. 4.	Dill. elt. t. 316. f. 408.
77 psammitis. DC.	sulphur-colour'd	1820.	—	H. 4.	
78 nicæensis. DC.	villous clammy.	S. Europe.	—	—	H. ⊙.	All. ped. t. 44. f. 2.
79 catholica. DC.	panicled.	Italy.	1711.	7. 9.	H. 4.	Jacq. vind. 1. t. 59.
80 diversifolia. DC.	various-leaved.	1820.	—	H. ⊙.	
81 repens. DC.	creeping.	Siberia.	1806.	7. 8.	H. 4.	
82 tenuifolia. DC.	slender-leaved.	Dahuria.	1820.	—	H. ⊙.	
83 virginica. DC.	Virginian.	Virginia.	1783.	5. 8.	H. 4.	Pluk. alm. t. 203. f. 1.
84 Catesbæi. DC.	Catesby's.	Carolina.	—	H. 4.	Catesb. car. 54. ic.
85 stricta. DC.	upright.	Spain.	1802.	6. 7.	H. ⊙.	
86 Muscipula. DC.	Spanish.	—	1596.	7. 8.	H. ⊙.	Clus. hist. 1. p. 289. f. 1.
87 noctiflora. DC.	night-flowering.	England.	7.	H. ⊙.	Eng. bot. 291.
88 ornata. DC.	dark-coloured.	C. B. S.	1775.	5. 9.	G. ♂.	Bot. mag. 382.

89	ægyptiaca. DC.	Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
90	sericea. DC.	silky.	Corsica.	1801.	6. 8.	H. ⊙.	All. ped. t. 79. f. 3.
91	picta. DC.	painted.	1818.	7. 9.	H. ⊙.	Swt. br. fl. gar. 92.
92	bicolor. DC.	two-coloured.	France.	—	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 42.
93	reticulata. DC.	netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ⊙.	Desf. atl. 1. t. 99.
94	pennsylvanica. DC.	Pennsylvanian.	N. Amer.	1806.	6. 9.	H. 4.	Bot. reg. 247.
	<i>incarnata.</i> B. C. 41.						
95	vallesia. DC.	hard-rooted.	Switzerland.	1765.	6. 8.	H. 4.	All. ped. t. 23. f. 2.
96	fruticosa. DC.	shrubby.	Sicily.	1629.	6. 7.	F. ½.	Comm. hort. t. 33.
97	caspica. DC.	Caspian.	Caucasus.	1823.	—	H. 4.	
98	amœna. DC.	Tartarian.	Tartary.	1779.	7.	H. 4.	
99	supina. DC.	trailing.	Caucasus.	1804.	6. 8.	H. 4.	Bot. mag. 1997.
100	depressa. DC.	depressed.	Iberia.	1823.	—	H. 4.	
101	paradoxa. DC.	Dover.	England.	7.	H. 4.	Jacq. vind. 3. t. 84.
102	chloræfolia. DC.	Armenian.	Armenia.	1796.	8. 9.	H. 4.	Bot. mag. 807.
103	italica. DC.	Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79.
	<i>Cucubalus italicus.</i> L.						
104	polyphylla. DC.	many-leaved.	Austria.	6. 7.	H. 4.	Clus. hist. 1. t. 290.
105	nemoralis. DC.	wood.	Hungary.	1823.	—	H. 4.	W. et K. hung. 3. t. 249.
106	longiflora. DC.	long-flowered.	—	1793.	7. 9.	H. 4.	— 1. p. 7. t. 8.
107	bupleuroides. DC.	spear-leaved.	Persia.	1801.	6. 7.	H. 4.	Tourn. it. t. 154.
108	mollissima. DC.	velvet.	Italy.	1739.	7. 9.	H. 4.	W. et K. hung. 3. t. 248.
	<i>Cucubalus mollissimus.</i> L.						
109	regia. DC.	splendid.	N. Amer.	1811.	5. 8.	G. ♂.	Bot. mag. 1724.
110	Atocion. DC.	Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ⊙.	Jacq. vind. 3. t. 32.
	<i>orchidea.</i> H. K.						
111	pseudo-Atocion. DC.	Atlantic.	Atlantic.	1818.	—	H. ⊙.	
112	Armeria. DC.	Lobel's.	England.	7. 9.	H. ⊙.	Eng. bot. 1398.
	<i>α rubra.</i>	red-flowered.					
	<i>β alba.</i>	white-flowered.					
113	compacta. DC.	compact.	Russia.	1816.	—	H. ♂.	
VISCARIA. Rœhl.	VISCARIA.	Decandria Pentagynia. L.					
1	vulgaris. Rœhl.	common.	Britain.	5. 7.	H. 4.	Eng. bot. 788.
	<i>Lychnis viscaria.</i> L.						
	<i>β flore-pleno.</i>	double-red.					
2	albiflora.	white-flowered.	—	H. 4.	
LYCHNIS. DC.	LYCHNIS.	Decandria Pentagynia. L.					
1	chalconica. DC.	scarlet.	Japan.	1596.	6. 7.	H. 4.	Bot. mag. 257.
	<i>β albiflora.</i>	white-flowered.					
	<i>γ flore pleno.</i>	double-flowered.					
2	Flos-jovis. DC.	umbelled.	Piedmont.	1726.	7.	H. 4.	Bot. mag. 398.
	<i>Agrostemma Flos-jovis.</i> B. M.						
3	coronata. W.	Chinese.	China.	1774.	6. 9.	H. 4.	Bot. mag. 223.
	<i>grandiflora.</i> Jacq. pl. rar. t. 84.						
4	fulgens. DC.	brilliant.	Siberia.	1819.	7. 9.	H. 4.	Bot. mag. 2104.
5	Cœli-rosa. DC.	smooth-leaved.	Levant.	1713.	7. 8.	H. ⊙.	Bot. mag. 295.
	<i>Agrostemma Cœli-rosa.</i> L.						
AGROSTEMMA.	AGROSTEMMA.	Decandria Pentagynia. L.					
1	apetala. DC.	petalless.	Lapland.	1819.	6. 8.	H. 4.	Lin. fl. lap. t. 12. f. 1.
	<i>Lychnis apetala.</i> L.						
2	brachypetala. L. en.	short-petaled.	—	—	H. 4.	
3	sylvestris. DC.	red-flowered.	Britain.	6. 7.	H. 4.	Eng. bot. 1579.
	<i>Lychnis dioica rubra.</i> E. B.						
	<i>β flore-pleno.</i>	double-flowered.					
4	dioica. DC.	white-flowered.	—	—	H. 4.	Eng. bot. 1580.
	<i>Lychnis dioica alba.</i> E. B. <i>vespertina.</i> Sibb.						
	<i>β flore-pleno.</i>	double-white.					
	<i>γ viridiflora.</i>	double-green.					
5	læta. DC.	small.	Portugal.	1778.	7.	H. ⊙.	
6	corsica. DC.	Corsican.	Corsica.	1824.	6. 8.	H. ⊙.	
7	pyrenaica. DC.	Pyrenean.	Pyrenees.	1820.	4. 6.	H. 4.	
8	alpina. DC.	Alpine.	Scotland.	4. 5.	H. 4.	Eng. bot. 2254.
	<i>Lychnis alpina.</i> L.						
9	Floscuculi. DC.	Ragged Robin.	Britain.	6. 9.	H. 4.	Eng. bot. 573.
	<i>Lychnis Floscuculi.</i> L.						
	<i>β flore-pleno.</i>	double.					
10	coronaria. DC.	Rose Champion.	Italy.	1596.	—	H. 4.	
	<i>α rubra.</i>	red-flowered.	—	—	—	H. 4.	Bot. mag. 24.
	<i>β alba.</i>	white-flowered.					
	<i>γ plena.</i>	double-flowered.					

GITHAGO. Desf.	GITHAGO. Decandria Pentagynia. L.		
1 segetum. Desf.	Corn-Cockle. Britain.	6. 8. H.⊙.	Eng. bot. 741.
<i>Agrostemma Githago.</i> L.			
2 nicæensis.	long-calyxed. Italy. 1794. —	H.⊙.	
VELEZIA. DC.	VELEZIA. Pentandria Digynia. L.		
rigida. DC.	rigid. Spain. 1683. 7.	H.⊙.	Barr. rar. t. 1018.
DRYPIS. DC.	DRYPIS. Pentandria Trigynia. L.		
spinosa. DC.	prickly. Italy. 1775. 6. 7.	H. ½.	Bot. mag. 2216.

Tribus II. *ALSINÆÆ.* DC.

ORTEGIA. DC.	ORTEGIA. Triandria Monogynia. L.		
1 hispanica. DC.	Spanish. Spain. 1768. 6. 7.	H. ½.	
2 dichotoma. DC.	forked. Italy. 1781. 8. 9.	H. ½.	All. ped. t. 4. f. 1.
<i>hispanica.</i> Cav. ic. 1. t. 47.			
BUFFONIA. DC.	BUFFONIA. Tetrandria Digynia. L.		
1 annua. DC.	annual. England.	6. H.⊙.	Eng. bot. 1313.
<i>tenuifolia.</i> E. B.			
2 perennis. DC.	perennial. France. 1820. 6. 7.	H. ½.	Lam. ill. t. 87. f. 2.
SAGINA. DC.	PEARL-WORT. Tetrandria Tetragynia. L.		
1 procumbens. DC.	procumbent. Britain.	5. 9. H.⊙.	Eng. bot. 880.
2 cerastoides. DC.	Cerastium like. ——— 6. 7. H.⊙.	———— 166.
<i>Cerastium tetrandrum.</i> H. K.			
3 filiformis. DC.	filiform. Pyrenees. 1824. —	H.⊙.	
4 maritima. E. B.	sea-side. Ireland.	5. 8. H.⊙.	Eng. bot. 2195.
5 apetala. DC.	small-flowered. Britain.	5. 6. H.⊙.	———— 881.
MËNCHIA. P. S.	MËNCHIA. Tetrandria Tetragynia. L.		
glauca. P. S.	glaucous. Britain.	4. 5. H.⊙.	Eng. bot. 609.
<i>quaternella.</i> L. en. <i>Sagina erecta.</i> E. B.			
MËHRINGIA. DC.	MËHRINGIA. Octandria Digynia. L.		
1 muscosa. DC.	mossy. S. Europe. 1775. 6. 7.	H. ½.	Lam. ill. t. 314.
2 sedifolia. DC.	Stonecrop-ld. ———	1823. — H. ½.	W. ber. m. 1818. t. 3. f. 23.
ELATINE. DC.	WATERWORT. Octandria Tetragynia. L.		
1 Hydropiper. DC.	small. Britain.	8. H. ½.	Eng. bot. 955.
2 hexandra. DC.	hexandrous. France.	— H. ½.	DC. ic. rar. 1. t. 43. f. 1.
MOLLUGO. W.	MOLLUGO. Triandria Trigynia. L.		
1 verticillata. DC.	whorled. Virginia. 1748. 6. 8.	H.⊙.	Ehret pict. t. 6.
2 Schrankii. DC.	Schrank's. Brazil. 1821. 7. 9.	H.⊙.	Schrank pl. rar. 64.
<i>dichotoma.</i> Schr.			
3 Linkii. DC.	Link's. ——— ——— ———	H.⊙.	
<i>triphylla.</i> L. en. non Lour.			
PHARNACEUM. W.	PHARNACEUM. Pentandria Trigynia. L.		
1 Mollugo. w.	Ladies Bedstraw E. Indies. 1752. 7. 8.	S.⊙.	Burm. ind. t. 5. f. 4.
<i>Mollugo Spergula.</i> DC.			
2 cordifolium. w.	heart-leaved. C. B. S. 1820. —	H.⊙.	Jacq. h. schoen. t. 349.
3 dichotomum. w.	forked. ———	1783. — H.⊙.	
4 Cerviana. w.	umbelled. Russia. 1771. 6. 7.	H.⊙.	Lam. ill. t. 214. f. 1.
5 lineare. w.	linear-leaved. C. B. S. 1795. 5. 6.	G. ½.	Bot. rep. 326.
6 incanum. B. M.	hoary. ———	1782. 5. 10. G. ½.	Bot. mag. 1883.
HOLOSTEUM. DC.	HOLOSTEUM. Triandria Trigynia. L.		
umbellatum. DC.	umbelled. England.	7. 8. H.⊙.	Eng. bot. 27.
SPERGULA. DC.	SPURREY. Decandria Pentagynia. L.		
1 arvensis. DC.	rough-seeded. Britain.	7. 8. H.⊙.	Eng. bot. 1535.
2 pentandra. DC.	smooth-seeded. England.	6. 7. H.⊙.	———— 1536.
3 pallida. DC.	pale. C. B. S.	7. 9. H. ½.	
4 nodosa. DC.	knotted. Britain.	7. 8. H. ½.	Eng. bot. 694.
5 laricina. DC.	Larch-leaved. Siberia. 1823. 6. 8.	H. ½.	Sm. ic. ined. 1. t. 18.
6 saginoides. DC.	Sagina like. Scotland.	— H. ½.	Eng. bot. 2105.
7 subulata. DC.	awl-leaved. Britain.	6. 7. H. ½.	———— 1082.
LARBREA. DC.	LARBREA. Decandria Pentagynia. L.		
aquatica. DC.	water. Britain.	7. 8. H. ½.	Eng. bot. 538.
<i>Cerastium aquaticum.</i> E. B. <i>Stellaria aquatica.</i> P. S.			
DRYMARIA. DC.	DRYMARIA. Pentandria Trigynia. L.		
1 cordata. DC.	heart-leaved. W. Indies. 1814. 7. 9.	H.⊙.	Lam. ill. t. 51. f. 2.
<i>Holostium cordatum.</i> L.			

2 divaricata. DC.	divaricate.	Lima.	1823.	—	H.⊙.	
STELLARIA. DC.	STICHWORT.	Decandria Trigynia. L.				
1 nemorum. DC.	wood.	Britain.	4. 6.	H. 2.	Eng. bot. 92.
2 latifolia. DC.	broad-leaved.	Germany.	1816.	6. 8.	H.⊙.	
3 media. DC.	Chickweed.	Britain.	1. 12.	H.⊙.	Eng. bot. 537.
<i>Alsine media. L.</i>						
4 dichotoma. DC.	forked.	Siberia.	1774.	6. 8.	H. 2.	Smith ic. ined. 1. t. 14.
5 bulbosa. DC.	bulbiferous.	Carinthia.	1820.	—	H. 2.	Jacq. ic. rar. 3. t. 468.
6 viscida. DC.	viscous.	Tauria.	1804.	—	H.⊙.	W. et K. hung. 1. t. 22.
<i>Cerastium anomalum. W.</i>						
7 Holostea. DC.	greater.	Britain.	4. 6.	H. 2.	Eng. bot. 511.
8 velutina. DC.	velvetty.	Siberia.	1824.	6. 8.	H. 2.	
9 graminea. DC.	grass-leaved.	Britain.	5. 8.	H. 2.	Eng. bot. 803.
10 glauca. DC.	glaucous marsh.	—	—	H. 2.	— 825.
11 aquatica. DC.	bog.	—	6. 7.	H.⊙.	— 1074.
<i>uliginosa. E. B. alsine. Hof. germ. 1. t. 5.</i>						
12 cerastoides. DC.	Alpine.	Scotland.	—	H. 2.	— 911.
13 arenaria. DC.	sand.	Spain.	1799.	6. 8.	H.⊙.	
14 scapigera. DC.	naked-stalked.	Scotland.	6. 7.	H. 2.	Eng. bot. 1269.
15 multicaulis. W.	many-stemmed.	Carinthia.	1815.	6. 8.	H. 2.	Jacq. coll. 1. t. 19.
16 muralis. DC.	wall.	Crete.	1821.	—	H.⊙.	
17 elegans. DC.	elegant.	Siberia.	1823.	—	H. 2.	
18 longipes. DC.	long pedicled.	N. Amer.	1821.	—	H. 2.	
ARENARIA. DC.	SANDWORT.	Decandria Trigynia. L.				
1 segetalis. DC.	hedge.	France.	1805.	6. 10.	H.⊙.	Vail. par. t. 3. f. 3.
<i>Alsine segetalis. L.</i>						
2 rubra. DC.	purple.	Britain.	6. 8.	H.⊙.	Eng. bot. 852.
3 salina. DC.	salt marsh.	Bohemia.	1820.	—	H.⊙.	
4 rubella. F. L.	red-flowered.	England.	—	H.⊙.	Flor. lond. t.
5 media. DC.	marine.	Britain.	—	H. 2.	Eng. bot. 958.
<i>marina. E. B.</i>						
6 glandulosa. Jac.	glandular.	Europe.	1820.	6. 7.	H.⊙.	Jacq. Schoenb. 3. t. 355.
7 canadensis. DC.	Canadian.	N. Amer.	1812.	—	H.⊙.	
8 graminifolia. DC.	grass-leaved.	Caucasus.	1815.	—	H. 2.	Schrad. h. goett. t. 5.
β glaberrima. DC.	smooth.	—	—	—	H. 2.	
9 longifolia. DC.	long-leaved.	Volga.	1820.	—	H. 2.	Gmel. sib. 4. t. 63. f. 2.
10 dahurica. DC.	Dahurian.	Dahuria.	1824.	—	H. 2.	
11 otitoides. DC.	dense-flower'd.	Siberia.	—	—	H. 2.	
12 rigida. DC.	rigid.	—	—	—	H. 2.	
13 formosa. DC.	handsome.	Dahuria.	—	—	H. 2.	
14 imbricata. DC.	imbricate.	Caucasus.	1821.	—	H. 2.	
15 juniperina. DC.	Juniper-leav'd.	Armenia.	1800.	—	H. 2.	Sm. ic. ined. t. 35.
16 stricta. DC.	upright.	N. Amer.	1812.	5. 6.	H. 2.	
17 laricifolia. L.	Larch-leaved.	Britain.	8.	H. 2.	Jacq. aust. 3. t. 272.
18 rostrata. W. en.	beaked.	Hungary.	1816.	6. 7.	H. 2.	
19 striata. W.	striated.	Switzerland.	1683.	—	H. 2.	Vill. dauph. 4. t. 47. f. 6.
20 arctica. DC.	small.	Siberia.	1807.	—	H. 2.	
21 austriaca. DC.	Austrian.	Austria.	1793.	6. 9.	H. 2.	Jacq. aust. 3. t. 270.
22 grandiflora. DC.	great-flowered.	Switzerland.	1783.	—	H. 2.	All. ped. n. 1711. t. 10. f. 1.
23 triflora. L.	three-flowered.	—	1816.	—	H. 2.	Cav. ic. 3. t. 249. f. 2.
24 Helmi. DC.	long-peduncled.	Siberia.	1824.	—	H. 2.	
25 verna. DC.	vernal.	Britain.	5. 8.	H. 2.	Eng. bot. 512.
26 ramosissima. DC.	branching.	Hungary.	1820.	—	H. 2.	
27 saxatilis. DC.	rock.	Germany.	1732.	7. 8.	H. 2.	Barr. ic. t. 580.
28 pendula. DC.	pendulous.	Hungary.	1816.	6. 7.	H. 2.	W. et K. hung. 1. t. 87.
29 tenuifolia. DC.	fine-leaved.	England.	—	H.⊙.	Eng. bot. 219.
30 calycina. DC.	large-calyxed.	Barbary.	1824.	—	H.⊙.	
31 triandra. DC.	triandrous.	—	—	—	H.⊙.	Schranck. h. mon. t. 30.
32 mediterranea. DC.	Mediterranean.	S. Europe.	1821.	—	H.⊙.	
33 recurva. DC.	recurved-leav'd	—	—	—	H. 2.	Jacq. coll. 2. t. 16. f. 1.
34 hirsuta. DC.	hairy.	Tauria.	1821.	—	H. 2.	
35 setacea. DC.	bristly.	France.	1820.	—	H. 2.	
36 fasciculata. DC.	dense-flower'd.	Europe.	1815.	—	H.⊙.	Jacq. aust. 2. t. 182?
<i>fastigiata. E. B. 1744.</i>						
37 filifolia. DC.	thread-leaved.	Arabia.	—	H. 2.	Vahl. symb. 1. t. 12.
38 mucronata. DC.	mucronate.	—	1777.	—	H.⊙.	
39 uliginosa. DC.	marsh.	Switzerland.	1824.	—	H. 2.	DC. ic. gall. t. 46.
40 polygonoides. DC.	procumbent.	—	—	—	H. 2.	Jacq. coll. 1. t. 15.
41 tetraquetra. DC.	square-stalked.	S. France.	1731.	8.	H. 2.	All. ped. 2. t. 89. f. 1.

42 cherlerioides. Vill.	cherleria-leav'd	—	7. 8. H. 2.	Vill. delph. 4. t. 47. f. 1.
43 montana. DC.	mountain.	—	1800.	4. 7. H. 2.	Bot. mag. 1118.
44 serpyllifolia. DC.	Thyme-leaved.	Britain.	6. 7. H. ⊙.	Eng. bot. 923.
45 ciliata. DC.	fringed.	Ireland.	3. 8. H. 2.	— — 1745.
46 multicaulis. W.	many-stalked.	Europe.	1794.	7. 8. H. 2.	Jacq. coll. 1. t. 17. f. 1.
47 trinervia. DC.	three-nerved.	Britain.	5. 7. H. ⊙.	Eng. bot. 1483.
48 balearica. DC.	Majorca.	Majorca.	1787.	3. 8. H. 2.	L. Her. stirp. 1. t. 15.
49 biflora. DC.	two-flowered.	S. Europe.	1823.	— H. 2.	All. ped. t. 64. f. 3.
50 peploides. DC.	Sea chickweed.	Britain.	5. 7. H. 2.	Eng. bot. 189.
CERASTIUM. DC.	MOUSE-EAR CHICKWEED.	Decandria Pentagynia.	L.		
1 nemorale. DC.	wood.	Caucasus.	1823.	5. 6. H. ⊙.	
2 perfoliatum. DC.	perfoliate.	Greece.	1725.	6. 7. H. ⊙.	Dill. elt. t. 217. f. 284.
3 dahuricum. DC.	glaucous.	Dahuria.	1815.	5. 9. H. 2.	Schrank. h. mon. t. 75.
amplexicaule. B. M.	1789.				
4 maximum. DC.	greatest.	Siberia.	1792.	6. 7. H. ⊙.	Gmel. sib. 4. t. 62. f. 2.
5 dichotomum. DC.	forked.	Spain.	1725.	— H. ⊙.	
6 ruderale. DC.	pendulous-fruit.	Caucasus.	1824.	— H. ⊙.	
7 tauricum. DC.	Taurian.	Tauria.	—	— H. ⊙.	
8 vulgatum. DC.	common.	Britain.	4. 6. H. ⊙.	Eng. bot. 789.
9 viscosum. DC.	clammy.	—	4. 9. H. 2.	— — 790.
10 barbulatum. L. en.	bearded.	S. Europe.	1821.	— H. ⊙.	
11 holosteoides. DC.	Holosteum like.	Sweden.	—	— H. 2.	
12 pentandrum. DC.	five-stamened.	Spain.	1820.	— H. ⊙.	
13 semidecandrum. DC.	least.	Britain.	3. 4. H. ⊙.	Eng. bot. 1630.
14 brachypetalum. DC.	small-flowered.	France.	1816.	4. 5. H. 2.	DC. ic. gall. t. 44.
15 diffusum. DC.	spreading.	4. 9. H. 2.	
16 serpyllifolium. W. en.	Thyme-leaved.	S. Europe.	1824.	5. 6. H. 2.	
17 manticum. DC.	long-peduncul'd.	Hungary.	1801.	6. 7. H. ⊙.	W. et K. hung. 1. t. 96.
18 grandiflorum. DC.	large-flowered.	—	1820.	— H. 2.	— — 2. t. 168.
19 tomentosum. DC.	white-leaved.	S. Europe.	1648.	— H. 2.	Col. phyt. ed. 1744. t. 31.
20 Biebersteinii. DC.	Bieberstein's.	Tauria.	1820.	— H. 2.	
21 lanatum. DC.	woolly.	Pyrenees.	—	— H. 2.	
22 alpinum. DC.	Alpine.	Britain.	— H. 2.	Eng. bot. 472.
23 ovatum. DC.	oval-leaved.	Carinthia.	1816.	— H. 2.	
24 latifolium. DC.	broad-leaved.	Britain.	— H. 2.	Eng. bot. 473.
25 arvense. DC.	field.	—	5. 8. H. 2.	— — 93.
26 repens. W.	creeping.	S. Europe.	1759.	5. 7. H. 2.	Lam. ill. t. 392. f. 2.
27 strictum. W.	upright.	Austria.	1793.	— H. 2.	Scop. carn. t. 19. f. 1.
28 suffruticosum. W.	suffruticose.	S. Europe.	1796.	— H. 2.	
29 pensylvanicum. DC.	Pennsylvanian.	N. Amer.	1823.	— H. 2.	
30 pubescens. DC.	pubescent.	—	1822.	— H. 2.	
31 matrense. L. en.	Matram.	Hungary.	1823.	— H. 2.	
32 dioicum. H. K.	Spanish.	Spain.	1766.	6. 7. H. 2.	
33 pilosum. L. en.	hairy.	1823.	— H. 2.	
34 Sprengelii. DC.	Sprengel's.	—	— H. ♂.	
CHERLERIA. DC.	CHERLERIA.	Decandria Trigynia.	L.		
sedoides. DC.	dwarf.	Scotland.	7. 8. H. 2.	Eng. bot. 1212.

ORDO XXIV.

LINEÆ. DC. prodr. 1. p. 423.

LINUM. DC.	FLAX.	Pentandria Pentagynia.	L.		
1 gallicum. DC.	annual yellow.	France.	1777.	7. 8. H. ⊙.	Ger. prov. t. 15. f. 1.
2 aureum. DC.	golden.	Hungary.	1823.	— H. ⊙.	W. et K. hung. 2. t. 177.
3 luteolum. DC.	yellowish.	Tauria.	—	— H. ⊙.	Buxb. cent. 5. t. 59.
4 nodiflorum. DC.	knotted.	Italy.	1759.	— H. 2.	Flor. græc. t. 307.
5 strictum. DC.	upright.	S. Europe.	—	5. 7. H. ♂.	Lob. ic. t. 411. f. 2.
6 rigidum. DC.	stiff-leaved.	Missouri.	1807.	7. H. ⊙.	
7 virginianum. DC.	Virginian.	N. Amer.	—	— H. ♂.	
8 dahuricum. DC.	Dahurian.	Dahuria.	1822.	6. 8. H. 2.	
9 maritimum. DC.	sea.	S. Europe.	1596.	7. 8. H. 2.	Jacq. vind. 2. t. 154.
10 arboreum. DC.	shrubby.	Candia.	1788.	5. 8. G. ♀.	Bot. mag. 234.

11	campanulatum. w.	glaucous-leav'd.	S. Europe.	1795.	—	H. $\frac{1}{2}$.	
12	tauricum. W.en.	Taurian.	Tauria.	—	6. 8.	H. $\frac{1}{4}$.	
13	flavum. w.	yellow.	S. Europe.	1793.	—	H. $\frac{1}{4}$.	Bot. mag. 312.
14	trigynum. DC.	three-styled.	E. Indies.	1799.	10. 3.	G. $\frac{1}{2}$.	Bot. mag. 1100.
15	africanum. DC.	African.	C. B. S.	1771.	6. 7.	G. $\frac{1}{2}$.	— 403.
16	quadrifolium. DC.	four-leaved.	—	1787.	5. 6.	G. $\frac{1}{2}$.	— 431.
17	hypericifolium. P.L.	Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. $\frac{1}{4}$.	— 1048.
	<i>venustum.</i> A. R. 477.						
18	hirsutum. w.	hairy.	Austria.	1759.	7. 8.	H. $\frac{1}{4}$.	Jacq. aust. 1. t. 31.
19	ascyrifolium. B. M.	blue and white.	Portugal.	1800.	—	H. $\frac{1}{4}$.	Bot. mag. 1087.
20	nervosum. DC.	nervose.	Hungary.	1820.	—	H. $\frac{1}{4}$.	W. et K. hung. 2. t. 105.
21	narbonense. DC.	Narbonne.	S. France.	1759.	5. 7.	F. $\frac{1}{4}$.	Barr. ic. t. 1007.
22	usitatissimum. DC.	common.	Britain.	6. 7.	H. \odot .	Eng. bot. 1357.
23	marginatum. DC.	white-margin'd	1823.	—	H. $\frac{1}{4}$.	
	<i>angustifolium.</i> W.en. non. E. B.						
24	reflexum. DC.	reflexed-leav'd.	S. Europe.	1777.	7.	H. $\frac{1}{4}$.	
25	diffusum. DC.	spreading.	1823.	6. 8.	H. $\frac{1}{4}$.	
26	angustifolium. DC.	narrow-leaved.	England.	7.	H. $\frac{1}{4}$.	Eng. bot. 381.
27	sibiricum. DC.	Siberian.	Siberia.	1775.	6. 7.	H. $\frac{1}{4}$.	Mill. ic. t. 166. f. 2.
	<i>austriacum.</i> B. M. 1086.						
28	Lewisii. Ph.	Lewis's.	N. Amer.	1824.	—	H. $\frac{1}{4}$.	
29	anglicum. DC.	English.	England.	6. 8.	H. $\frac{1}{4}$.	Eng. bot. 40.
	<i>perenne.</i> E. B.						
30	austriacum. DC.	Austrian.	Austria.	1775.	6. 7.	H. $\frac{1}{4}$.	Jacq. aust. t. 418.
31	montanum. DC.	mountain.	Switzerland.	7. 8.	H. $\frac{1}{4}$.	Scop. carn. ed. 2. t. 11.
32	alpinum. DC.	Alpine.	Austria.	1739.	7. 8.	H. $\frac{1}{4}$.	Swt. br. fl. gar. t. 17.
33	tenuifolium. DC.	slender-leaved.	Europe.	1759.	6. 7.	H. $\frac{1}{4}$.	Jacq. aust. 3. t. 215.
34	salsoloides. DC.	Salt-wort-like.	S. France.	1823.	7. 8.	H. $\frac{1}{2}$.	
35	suffruticosum. DC.	Spanish.	Spain.	1759.	8.	F. $\frac{1}{2}$.	Cav. ic. 2. t. 108.
36	catharticum. DC.	purgings.	Britain.	6. 8.	H. \odot .	Eng. bot. 382.
RADIOLA. DC.		RADIOLA.	Tetrandria Tetragynia.				
	<i>linoides.</i> DC.	All-seed.	Britain.	7. 8.	H. \odot .	Eng. bot. 893.
	<i>millegrana.</i> E. B. <i>Linum Radiola.</i> L.						

ORDO XXV.

MALVACEÆ. DC. *prodr.* 1. p. 429.

MALOPE. DC.	MALOPE.	Monadelphia Polyandria.	L.				
1 malacoides. DC.	Barbary.	Barbary.	1710.	6. 7.	G. $\frac{1}{2}$.	Cav. diss. 2. t. 27. f. 1.	
2 trifida. DC.	trifid.	—	1808.	7. 8.	H. \odot .	— 2. t. 27. f. 2.	
MALVA. DC.	MALLOW.	Monadelphia Polyandria.	L.				
1 tricuspidata. DC.	Jamaica.	W. Indies.	1726.	7. 8.	S. $\frac{1}{2}$.	Cav. diss. 2. t. 22. f. 2.	
	<i>coromandeliana.</i> w. <i>americana.</i> Cav.						
2 americana. DC.	American.	—	1756.	6. 7.	H. \odot .		
3 scabra. DC.	rough-stemmed.	Peru.	1798.	—	G. $\frac{1}{2}$.	Cav. diss. 5. t. 138. f. 1.	
	<i>scoparia.</i> Jacq. ic. 139.						
4 scoparia. DC.	Birch-leaved.	—	1782.	8. 9.	G. $\frac{1}{2}$.	L. her. stirp. t. 27.	
5 borbonica. DC.	Bourbon.	Mauritius.	1816.	7. 8.	S. $\frac{1}{2}$.		
6 polystachya. DC.	many-spiked.	Peru.	1798.	—	G. $\frac{1}{2}$.	Cav. dis. 5. t. 138. f. 3.	
7 spicata. DC.	simple-spiked.	Jamaica.	1726.	9. 10.	S. $\frac{1}{2}$.	Cav. dis. 2. t. 20. f. 4.	
8 ovata. L. en.	oval-leaved.	Brazil.	—	S. $\frac{1}{2}$.	— 2. t. 20. f. 2.	
9 waltherifolia. DC.	Waltheria-ld.	Java.	1824.	S. $\frac{1}{4}$.		
10 trachelifolia. DC.	Trachelium-ld.	—	7. 8.	H. \odot .		
11 gangetica. DC.	Indian.	E. Indies.	—	—	H. \odot .	Pluk. t. 74. f. 6.	
12 leprosa. DC.	leprous.	Cuba.	1815.	5. 7.	S. $\frac{1}{4}$.		
13 Sherardiana. DC.	Sherard's.	Bithynia.	—	S. $\frac{1}{4}$.	Cav. dis. 2. t. 26. f. 4.	
14 hispanica. DC.	Spanish.	Spain.	1710.	7.	H. \odot .	Desf. atl. 2. t. 170.	
15 stipulacea. DC.	long-stipuled.	—	1815.	6. 8.	H. \odot .	Cav. dis. 2. t. 15. f. 2.	
16 ægyptia. DC.	Egyptian.	Egypt.	1739.	6. 7.	H. \odot .	— 2. t. 17. f. 1.	
17 trifida. DC.	large-flowered.	Spain.	1815.	—	H. \odot .	— 5. t. 137. f. 2.	
18 Tournefortiana. DC.	Tournefort's.	—	1759.	7. 8.	H. \odot .	— 2. t. 17. f. 3.	

19	<i>Alcea</i> . DC.	Vervain.	Europe.	1597.	7. 10.	H. 4.	Bot. mag. 2297.
20	<i>moschata</i> . DC.	musk.	Britain.	7. 8.	H. 4.	Eng. bot. 754.
	<i>β laciniata</i> . DC.	<i>white-flowered</i>	—	H. 4.	Bot. mag. 2298.
21	<i>mauritaniana</i> . DC.	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. 4.	Swt. br. fl. gar. 81.
22	<i>sylvestris</i> . DC.	common.	Britain.	5. 10.	H. 4.	Eng. bot. 671.
23	<i>Henningii</i> . DC.	Henning's.	Moscow.	1823.	6. 8.	H. 4.	
24	<i>rotundifolia</i> . DC.	round-leaved.	Britain.	6. 9.	H. 4.	Eng. bot. 1092.
	<i>β pusilla</i> . E. B.	<i>dwarf</i> .	—	—	H. 4.	— 241.
25	<i>nicæensis</i> . DC.	Italian.	Italy.	1823.	—	H. 4.	Cav. dis. 2. t. 25. f. 1.
26	<i>microcarpa</i> . DC.	small-fruited.	Egypt.	—	—	H. 4.	
27	<i>parviflora</i> . DC.	small-flowered.	Barbary.	1779.	6. 7.	H. 4.	Cav. dis. 2. t. 26. f. 1.
28	<i>verticillata</i> . DC.	whorl-flowered.	China.	1683.	—	H. 4.	Jacq. vind. 1. t. 40.
29	<i>crispa</i> . DC.	curled.	Syria.	1573.	6. 8.	H. 4.	Cav. dis. 2. t. 23. f. 1.
30	<i>flexuosa</i> . DC.	flexuose.	1823.	—	H. 4.	
31	<i>amœna</i> . DC.	lobe-leaved.	C. B. S.	1796.	4. 8.	G. h.	Bot. mag. 1998.
	<i>calycina</i> . B. R. 297.						
32	<i>calycina</i> . DC.	large-calyxed.	—	1812.	—	G. h.	Cav. dis. 2. t. 23. f. 4.
33	<i>virgata</i> . DC.	twiggy.	—	1727.	5. 7.	G. h.	— 2. t. 18. f. 2.
34	<i>capensis</i> . DC.	Cape.	—	1713.	1. 12.	G. h.	Bot. reg. 295.
35	<i>balsamica</i> . DC.	balsamic.	—	1800.	5. 9.	G. h.	Jacq. ic. 1. t. 140.
36	<i>oxyacanthoides</i> . DC.	Hawthorn-ld.	—	—	G. h.	
37	<i>tridactylites</i> . DC.	reflex-flowered.	—	1791.	6. 8.	G. h.	Cav. dis. 2. t. 21. f. 2.
	<i>reflexa</i> . A. R. t. 135.						
38	<i>divaricata</i> . DC.	straddling.	—	1792.	6. 9.	G. h.	And. bot. rep. 182.
39	<i>retusa</i> . DC.	blunt-leaved.	—	1803.	3. 5.	G. h.	Cav. dis. 2. t. 21. f. 1.
40	<i>fragrans</i> . DC.	fragrant.	—	1759.	5. 7.	G. h.	Bot. reg. 296.
41	<i>stricta</i> . DC.	upright.	—	1805.	5. 8.	G. h.	Jacq. schœnb. 3. t. 294.
42	<i>bryonifolia</i> . DC.	Bryony-leaved.	—	1731.	7. 8.	G. h.	Wend. h. her. 1. t. 4.
43	<i>grossulariæfolia</i> . DC.	Gooseberry-ld.	—	1732.	5. 9.	G. h.	Bot. reg. 561.
44	<i>asperima</i> . DC.	roughest.	—	1796.	—	G. h.	Jacq. schœnb. 2. t. 139.
45	<i>lactea</i> . DC.	panicked white.	Mexico.	1780.	1. 2.	G. h.	Cav. ic. 1. t. 30.
46	<i>capitata</i> . DC.	various-leaved.	Peru.	1798.	11. 12.	G. h.	Cav. dis. 5. t. 137. f. 1.
47	<i>miniata</i> . DC.	painted.	S. Amer.	—	4. 5.	G. h.	Cav. ic. 3. t. 278.
48	<i>operculata</i> . DC.	lid capsuled.	Peru.	1795.	7. 8.	G. h.	Cav. dis. 2. t. 35. f. 1.
49	<i>peruviana</i> . DC.	Peruvian.	—	1759.	6. 8.	H. 4.	Jacq. vind. 2. t. 156.
50	<i>limensis</i> . DC.	blue-flowered.	—	1768.	—	H. 4.	— 2. t. 140.
51	<i>umbellata</i> . DC.	umbelled.	S. Amer.	1814.	1. 3.	G. h.	Lod. Bot. cab. 222.
52	<i>abutiloides</i> . DC.	Bahama.	Bahama Isl.	1725.	6. 9.	G. h.	Jacq. schœnb. 3. t. 293.
53	<i>elegans</i> . DC.	elegant.	C. B. S.	1791.	5. 8.	G. h.	Cav. dis. 2. t. 16. f. 1.
54	<i>angustifolia</i> . DC.	narrow-leaved.	Mexico.	1780.	8.	G. h.	— 2. t. 20. f. 1.
55	<i>caroliniana</i> . DC.	Carolina.	Carolina.	1723.	6. 7.	H. 4.	— 2. t. 15. f. 1.
56	<i>prostrata</i> . DC.	trailing.	Brazil.	1806.	5. 7.	G. 4.	Bot. mag. 2515.
57	<i>decumbens</i> . DC.	decumbent.	S. Amer.	1815.	6. 8.	G. 4.	
KITAIBELIA. DC.		KITAIBELIA.	Monadelphia Polyandria. L.				
	<i>vitifolia</i> . DC.	Vine-leaved.	Hungary.	1801.	7. 9.	H. 4.	Bot. mag. 821.
ALTHÆA. DC.		ALTHÆA.	Monadelphia Polyandria. L.				
1	<i>officinalis</i> . DC.	Marsh-Mallow.	Britain.	7. 9.	H. 4.	Eng. bot. 147.
2	<i>taurinensis</i> . DC.	intermediate.	S. Europe.	1823.	—	H. 4.	
3	<i>narbonensis</i> . DC.	Narbonne.	—	1780.	8. 9.	H. 4.	Jacq. ic. 1. t. 138.
4	<i>cannabina</i> . DC.	Hemp-leaved.	—	1597.	6. 7.	H. 4.	Jacq. aust. 2. t. 101.
5	<i>hirsuta</i> . DC.	hairy.	—	1683.	—	H. 4.	— 2. t. 170.
6	<i>Ludwigii</i> . DC.	Ludwig's.	Sicily.	1791.	—	H. 4.	Cav. ic. 5. t. 423.
7	<i>acaulis</i> . DC.	stemless.	Aleppo.	1680.	—	H. 4.	Cav. dis. 2. t. 27. f. 3.
8	<i>caribæa</i> . DC.	West Indian.	W. Indies.	1816.	3. 4.	S. 4.	Bot. mag. 1916.
9	<i>striata</i> . DC.	streaked.	1820.	6. 8.	H. 4.	
10	<i>pallida</i> . DC.	pale-flowered.	Hungary.	1805.	—	H. 4.	
11	<i>rosea</i> . DC.	Hollyhock.	China.	1573.	7. 9.	H. 4.	Cav. dis. 2. t. 28. f. 1.
	<i>β biloba</i> . DC.	<i>two-lobed</i> .	—	—	H. 4.	
12	<i>sinensis</i> . DC.	China.	—	—	H. 4.	Cav. dis. 2. t. 29. f. 3.
13	<i>flexuosa</i> . DC.	flexuose.	E. Indies.	1803.	6. 8.	S. 4.	Bot. mag. 892.
14	<i>ficifolia</i> . DC.	Fig-leaved.	Levant.	1597.	6. 9.	H. 4.	Cav. dis. 2. t. 28. f. 2.
LAVATERA. DC.		LAVATERA.	Monadelphia Polyandria. L.				
1	<i>trimestris</i> . DC.	common annual.	S. Europe.	1633.	7. 9.	H. 4.	Bot. mag. 109.
2	<i>phœnicea</i> . DC.	scarlet.	Madeira.	1823.	6. 9.	G. h.	Vent. malm. t. 120.
3	<i>acerifolia</i> . DC.	Maple-leaved.	Teneriffe.	—	—	G. h.	Lois. h. amat. t. 322.
4	<i>hispida</i> . DC.	hispid.	Algiers.	1804.	6. 7.	G. h.	Desf. atl. 2. t. 171.
5	<i>Olbia</i> . DC.	downy-leaved.	France.	1570.	6. 10.	G. h.	Cav. dis. 2. t. 32. f. 2.
6	<i>unguiculata</i> . DC.	clawed.	Greece.	1807.	7. 9.	G. h.	
7	<i>micans</i> . DC.	glittering.	Spain.	1796.	6. 7.	G. h.	Moris. ox. t. 17. f. 9.

8	lusitanica. DC.	Portugal.	Portugal.	1731.	8. 9.	G. h.	
9	flava. DC.	yellow.	Sicily.	1823.	6. 8.	H. 4.	Desf. atl. 2. t. 172.
10	plebeia. B.M.	vulgar.	N. S. W.	1820.	—	G. 4.	Bot. mag. 2269.
11	thuringiaca. DC.	large-flowered.	Germany.	1731.	7. 9.	H. 4.	— 517.
12	biennis. DC.	biennial.	Caucasus.	1823.	5. 8.	H. ♂.	
13	punctata. DC.	spotted-stalked	Italy.	1800.	7. 9.	H. ⊙.	
14	maritima. DC.	sea side.	S. Europe.	1597.	4. 6.	G. h.	Cav. dis. 2. t. 32. f. 3.
15	triloba. DC.	three-lobed.	Spain.	1759.	6. 7.	G. h.	Bot. mag. 2226.
16	arborea. DC.	Tree Mallow.	Britain.	7. 10.	H. ♂.	Eng. bot. 1841.
17	neapolitana. DC.	Neapolitan.	Naples.	1823.	—	H. 4.	
18	cretica. DC.	Cretan.	Crete.	1723.	7. 9.	H. ⊙.	Cav. dis. 2. t. 32. f. 1.
19	lanceolata. W.en.	spear-leaved.	1823.	—	H. ⊙.	
20	sylvestris. DC.	wood.	Portugal.	—	—	H. ⊙.	
21	ambigua. DC.	ambiguous.	Naples.	1824.	—	H. ⊙.	
MALACHRA. DC.		MALACHRA.	Monadelphia Polyandria.	L.			
1	rotundifolia. DC.	round-leaved.	Brazil.	1823.	6. 9.	S. ⊙.	Schrank. h. mon. t. 56.
2	capitata. DC.	headed.	W. Indies.	1759.	8. 9.	S. ⊙.	Cav. dis. 2. t. 33. f. 1. 22.
3	fasciata. DC.	fasciate.	Caracas.	1820.	—	S. ⊙.	Jacq. ic. 3. t. 548.
4	triloba. DC.	three-lobed.	—	—	S. ⊙.	
5	radiata. DC.	rayed.	St. Domingo.	1794.	7. 9.	S. ♂.	Cav. dis. 2. t. 33. f. 3.
6	alceæfolia. DC.	Hollyhock-ld.	Caracas.	1805.	8. 9.	S. ⊙.	Jacq. ic. 3. t. 549.
7	heptaphylla. DC.	many-flowered.	Brazil.	1820.	6. 10.	S. 4.	
	fasciata. B. reg. 467.	non DC.					
URENA. DC.		URENA.	Monadelphia Polyandria.	L.			
1	lobata. DC.	angular-leav'd.	China.	1731.	6. 7.	S. h.	Dill. elt. t. 319. f. 412.
2	scabriuscula. DC.	roughish.	India.	1820.	—	S. h.	Cav. dis. 6. t. 185. f. 11.
3	repanda. DC.	netted-leaved.	—	—	—	S. h.	
4	multifida. DC.	multifid.	Mauritius.	1817.	10. 1.	S. h.	Cav. dis. 6. t. 184. f. 22.
5	tricuspis. DC.	three-pointed.	—	1820.	6. 9.	S. h.	— 6. t. 183. f. 11.
6	reticulata. DC.	netted.	St. Domingo.	1816.	—	S. h.	— 6. t. 183. f. 22.
	americana. L. non Sm.						
7	subtriloba. DC.	various-leaved.	Brazil.	1823.	—	S. ⊙.	Schrank. h. mon. t. 799.
8	Swartzii. DC.	Swartz's.	Surinam.	—	S. h.	
	sinuata. Sw. americana. Sm.						
9	sinuata. DC.	cut-leaved.	E. Indies.	1759.	7. 8.	S. h.	Cav. dis. 6. t. 185. f. 22.
10	muricata. DC.	muricate-fruit'd	—	1823.	—	S. h.	
PAVONIA. DC.		PAVONIA.	Monadelphia Polyandria.	L.			
1	spinifex. DC.	prickly-seeded.	W. Indies.	1778.	7. 8.	S. h.	Bot. reg. 339.
2	Typhalea. DC.	globular-headed	—	1823.	—	S. h.	Cav. dis. 2. t. 197.
3	urens. DC.	stinging.	Mauritius.	1801.	—	S. h.	Jacq. ic. 3. t. 522.
4	coccinea. DC.	scarlet.	St. Domingo.	1816.	—	S. h.	Cav. dis. 3. t. 47. f. 1.
5	Columella. DC.	angular-leaved.	Bourbon.	1807.	—	S. h.	— 3. t. 48. f. 3.
6	parviflora. DC.	small-flowered.	1820.	—	S. h.	
7	racemosa. DC.	naked-racemed.	Jamaica.	—	—	S. h.	Cav. dis. 3. t. 46. f. 1.
	spicata. Cav.						
8	præmorsa. DC.	bitten-leaved.	C. B. S.	1774.	6. 8.	G. h.	Bot. mag. 436.
9	paniculata. DC.	panicked.	Caracas.	1823.	—	S. h.	Cav. dis. 3. t. 46. f. 2.
10	odorata. DC.	fragrant.	E. Indies.	1807.	—	S. h.	
11	sidoides. DC.	Sida like.	—	1820.	—	S. ♂.	
12	zeylanica. DC.	Ceylon.	—	1790.	7. 9.	S. ⊙.	Cav. dis. 3. t. 48. f. 2.
13	cancellata. DC.	arrow-leaved.	Surinam.	1823.	—	S. ⊙.	Lin. sup. t. 311.
MALVAVISCUS. DC.		ACHANIA.	Monadelphia Polyandria.	L.			
1	arboreus. DC.	smooth-leaved.	Jamaica.	1714.	1. 12.	S. h.	Cav. dis. 3. t. 48. f. 1.
	Achania malvaviscus. W.						
2	mollis. DC.	soft-leaved.	Mexico.	1780.	—	S. h.	Bot. reg. 11.
	Achania mollis. B. R.						
3	pilosa. DC.	hairy.	Jamaica.	1780.	10. 11.	S. h.	Lodd. bot. cab. 829.
LEBRETONIA. DC.		LEBRETONIA.	Monadelphia Polyandria.	L.			
	coccinea. DC.	scarlet.	Brazil.	1823.	6. 8.	S. h.	Schrank. h. mon. t. 900.
HIBISCUS. DC.		HIBISCUS.	Monadelphia Polyandria.	L.			
1	liliiflorus. DC.	Lily-flowered.	Bourbon.	1822.	8. 12.	S. h.	Cav. dis. 3. t. 57. f. 1.
2	pedunculatus. DC.	long-peduncled.	C. B. S.	1812.	5. 12.	S. h.	Bot. reg. 231.
3	Lampas. DC.	three-pointed.	E. Indies.	1806.	10. 2.	S. h.	Cav. dis. 3. t. 56. f. 2.
4	membranaceus. DC.	leafy-calyxed.	1816.	S. h.	— 3. t. 57. f. 2.
5	tubulosus. DC.	tubular.	E. Indies.	1796.	7. 10.	S. ♂.	— 3. t. 68. f. 2.
6	pentacarpus. DC.	angular-fruited.	Venice.	1752.	—	G. 4.	Jacq. ic. 1. t. 143.
7	virginicus. DC.	Virginian.	Virginia.	1798.	—	H. 4.	— 1. t. 142.
8	Manihot. DC.	palmated.	E. Indies.	1712.	7. 9.	S. h.	Bot. mag. 1702.
9	ficulneus. DC.	Fig-leaved.	Ceylon.	1732.	6. 7.	S. h.	Cav. dis. 3. t. 52. f. 2.

10	tetraphyllus. DC.	four-leaved.	E. Indies.	1807.	7. 10.	S. ☉.	
11	platanifolius.	Plane-leaved.	—	1820.	—	S. h.	Pl. sel. h. ber. t. 1.
	acerifolius. DC. non.	P.L. Pavonia	platanifolia. L.en.				
12	Rosa-sinensis. DC.	China Rose.	—	1731.	1. 12.	S. h.	Bot. mag. 158.
	β rubro-plenus.	double-red.	—	—	—	S. h.	
	γ carneo-plenus.	double-salmon.	—	—	—	S. h.	
	δ variegatus.	double-striped.	—	—	—	S. h.	
	ε flavo-plenus.	double-buff.	—	—	—	S. h.	Lod. bot. cab. 513.
	ζ luteo-plenus.	double-yellow.	—	1822.	—	S. h.	
13	acerifolius. P. L.	Maple-leaved.	China.	1798.	3. 6.	G. h.	Sal. par. lond. 22.
14	syriacus. DC.	Althæa frutex.	Syria.	1596.	8. 9.	H. h.	Bot. mag. 83.
	α purpureus.	purple-flowered.					
	β ruber.	red-flowered.					
	γ albus.	white-flowered.					
	δ variegatus.	striped-flowered.					
	ε marginatus.	variegated.					
	ζ albo-plenus.	double-white.					
	η purpureo-plenus.	double-purple.					
15	pruriens. DC.	stinging.	E. Indies.	1804.	7. 9.	S. ♂.	Bot. rep. 498.
16	surattensis. DC.	prickly-stalk'd.	—	1731.	—	S. ☉.	Bot. mag. 1356.
17	radiatus. DC.	rayed.	—	1790.	6. 8.	S. ☉.	— 1911.
18	furcatus. DC.	forked.	—	1816.	7. 9.	S. ☉.	
19	scaber. DC.	scabrous.	Carolina.	1810.	—	G. ♀.	
20	strigosus. B. R.	strigose.	S. Amer.	1822.	1. 12.	S. h.	Bot. reg. 860.
21	diversifolius. DC.	different-leav'd	E. Indies.	1798.	6. 7.	S. h.	Jacq. ic. 3. t. 551.
22	heterophyllus. DC.	various-leaved.	N. S. W.	1808.	8. 9.	G. h.	Bot. reg. 29.
23	cannabinus. DC.	Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.
24	vitifolius. DC.	Vine-leaved.	—	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.
25	obtusifolius. DC.	blunt-leaved.	—	1820.	—	S. ♂.	
26	Bammia. L. en.	Egyptian.	Egypt.	6. 7.	S. ☉.	Tozz. mus. d. fir. 2. t. 7.
27	esculentus. L. en.	eatable.	India?	1692.	—	S. ☉.	
28	longifolius. DC.	long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.	
29	moscheutos. DC.	swamp.	N. Amer.	8. 10.	H. w. ♀.	Cav. dis. 3. t. 65. f. 1.
	palustris. B. M. 882. non L.						
30	palustris. DC.	marsh.	—	1759.	7. 9.	H. w. ♀.	— 3. t. 65. f. 2.
31	aquaticus. DC.	water.	Etruria.	1820.	—	H. w. ♀.	
32	incanus. DC.	hoary.	Carolina.	1806.	9.	G. ♀.	Wend. h. her. 4. t. 24.
33	militaris. DC.	smooth.	Louisiana.	1804.	8. 9.	G. ♀.	Bot. mag. 2385.
34	speciosus. DC.	superb.	Carolina.	1778.	6. 9.	G. ♀.	— 360.
35	grandiflorus. DC.	great-flower'd.	Georgia.	1823.	—	G. ♀.	
36	ferrugineus. DC.	rusty.	Madagascar.	1820.	—	S. h.	Cav. dis. 3. t. 60. f. 1.
37	lunarifolius. DC.	Lunaria-leav'd.	E. Indies.	—	S. h.	
38	æthiopicus. DC.	dwf. wedge-l'd.	C. B. S.	1774.	8.	G. h.	Cav. dis. 3. t. 61. f. 1.
39	mutabilis. DC.	changeable.	E. Indies.	1690.	10. 12.	S. h.	Bot. reg. 589.
	β flore-pleno.	double-flowered.					
40	clypeatus. DC.	shield-capsuled	Jamaica.	1759.	7. 8.	S. h.	Cav. dis. 3. t. 58. f. 1.
41	Abelmoschus. DC.	Musk Okro.	India.	1640.	7. 9.	S. h.	— 3. t. 62. f. 2.
42	eriocarpus. DC.	woolly-capsul'd	E. Indies.	1820.	—	S. h.	
43	phœniceus. B. R.	purple-flow'r'd.	S. Amer.	1796.	—	S. h.	Bot. reg. 230.
44	hirtus. L.	hairy.	E. Indies.	—	S. h.	Cav. dis. 3. t. 67. f. 3.
45	Rosa malabarica.	Malabar Rose.	—	1818.	8. 10.	S. h.	Bot. reg. 337.
46	rhombifolius. DC.	rhomb-leaved.	—	1823.	—	S. h.	Cav. dis. 3. t. 69. f. 3.
47	gossypinus. DC.	cottony.	C. B. S.	1818.	—	G. h.	
48	micranthus. DC.	small-flowered.	E. Indies.	1794.	—	S. h.	Cav. dis. 3. t. 66. f. 1.
49	Trionum. DC.	BladderKetmia	Italy.	1596.	6. 9.	H. ☉.	Bot. mag. 209.
50	hispidus. M.	hispid.	C. B. S.	—	G. h.	Bot. reg. 806.
51	Richardsoni.	Richardson's.	N. S. W.	1822.	—	G. h.	— 875.
52	vesicarius. DC.	African.	Africa.	1713.	7. 8.	H. ☉.	Cav. dis. 3. t. 62. f. 2.
53	Sabdariffa. DC.	Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.
54	digitatus. DC.	fingered.	Brazil.	1818.	—	S. ☉.	Cav. dis. 3. t. 70. f. 2.
	β Kerrianus. DC.	Ker's.	Rio Janeiro.	—	—	S. ☉.	Bot. reg. 608.
55	tricuspis. DC.	sharp-pointed.	Society Isl.	1820.	—	S. h.	Cav. dis. 3. t. 55. f. 2.
56	tiliaceus. DC.	Lime tree-l'd.	E. Indies.	1739.	7. 8.	S. h.	Bot. reg. 232.
57	elatus. DC.	tall.	Jamaica.	1790.	—	S. h.	
58	abutiloides. DC.	smooth-leaved.	S. Amer.	1820.	S. h.	
59	macrophyllus. DC.	large-leaved.	E. Indies.	—	S. h.	
60	collinus. H. B.	hill.	—	1822.	S. h.	
61	cancellatus. H. B.	netted.	Nepaul.	1823.	10. 2.	S. ♂.	
62	truncatus. H. B.	truncate.	E. Indies.	—	8. 10.	S. ☉.	

63 scandens. H. B.	climbing.	— — — —	— — — —	S. h. —	
64 strictus. H. B.	upright.	— — — —	1820.	8. 10.	S. ⊙.	
65 gangeticus. L. en.	dwarf.	— — — —	1804.	S. h.	
66 setosus. H. B.	bristly.	— — — —	1820.	S. h.	
67 tortuosus. H. B.	twisted.	E. Indies.	1808.	6. 9.	S. h.	
68 flavescens. DC.	yellowish.	Brazil.	1822.	— —	S. h.	Cav. dis. 3. t. 70. f. 3.
69 Patersonii. DC.	Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. h.	Bot. rep. 286.
70 unidens. B. R.	one-toothed.	Brazil.	1824.	11. 4.	S. h.	Bot. reg. 878.
THESPIESIA. DC.	THESPIESIA.	Monadelphia	Polyandria.	L.		
populnea. DC.	Poplar-leaved.	E. Indies.	1770.	S. h.	Cav. dis. 3. t. 56. f. 1.
<i>Hibiscus populneus.</i> W.						
GOSSYPIUM. DC.	COTTON-TREE.	Monadelphia	Polyandria.	L.		
1 herbaceum. DC.	common.	E. Indies.	1594.	7.	S. ♂.	Cav. dis. 6. t. 164. f. 2.
2 indicum. DC.	Indian.	— — — —	— —	S. ♂.	— — — — 6. t. 169.
3 arboreum. DC.	tree.	— — — —	1694.	7. 8.	S. h.	— — — — 6. t. 195.
4 vitifolium. DC.	Vine-leaved.	— — — —	1805.	— —	S. h.	— — — — 6. t. 166.
5 hirsutum. DC.	hairy.	S. Amer.	1731.	— —	S. ♂.	— — — — 6. t. 167.
6 religiosum. DC.	spotted-bark'd.	E. Indies.	1777.	— —	S. h.	— — — — 6. t. 164. f. 11.
7 latifolium. DC.	broad-leaved.	— —	S. h.	Murr. c. goet. p. 32. t. 11.
8 barbadense. DC.	Barbadoes.	Barbadoes.	1759.	8. 10.	S. ♂.	Bot. reg. 84.
9 obtusifolium. H. B.	blunt-leaved.	E. Indies.	1822.	7. 8.	S. h.	
REDOUTEA. DC.	REDOUTEA.	Monadelphia	Polyandria.	L.		
heterophylla. DC.	various-leaved.	St. Thomas.	1824.	7. 9.	S. ⊙.	Vent. cels. t. 11.
LOPIMIA. DC.	LOPIMIA.	Monadelphia	Polyandria.	L.		
malacophylla. DC.	Mallow-leav'd.	Brazil.	1824.	S. h.	Pl. sel. h. ber. t. 30.
<i>Sida malacophylla.</i> L. en.						
PALAVIA. DC.	PALAVIA.	Monadelphia	Polyandria.	L.		
1 malvæfolia. DC.	Mallow-leaved.	Lima.	1794.	6. 8.	H. ⊙.	Cav. dis. 1. t. 11. f. 4.
2 moschata. DC.	musk-scented.	— — — —	1822.	— —	H. ⊙.	— — — — 1. t. 11. f. 5.
CRISTARIA. Ph.	CRISTARIA.	Monadelphia	Polyandria.	L.		
coccinea. Ph.	scarlet.	Missouri.	1811.	7. 9.	H. ♀.	Bot. mag. 1673.
<i>Malva coccinea.</i> Nut.	<i>Sida? coccinea.</i> DC.					
ANODA. DC.	ANODA.	Monadelphia	Polyandria.	L.		
1 hastata. DC.	halberd-leav'd.	Mexico.	1799.	6. 7.	S. ⊙.	Bot. rep. 588.
2 triloba. DC.	three-lobed.	— — — —	1720.	7. 9.	G. ⊙.	Cav. dis. 1. t. 10. f. 3.
<i>Sida cristata.</i> W.						
3 Dilleniana. DC.	Dillenius's.	— — — —	1725.	6. 11.	G. ⊙.	Cav. dis. 1. t. 11. f. 1.
<i>Sida cristata.</i> B. M.	330. non W.					
4 triangularis. DC.	triangular-ld.	— — — —	1824.	7. 9.	G. ⊙.	
5 acerifolia. DC.	Maple-leaved.	Mexico.	1809.	1. 12.	S. ♂.	Bot. mag. 1541.
<i>Sida hastata.</i> B. M.	non W.					
6 parviflora. DC.	small-flowered.	New Spain.	1823.	6. 10.	G. ⊙.	Cav. ic. 5. t. 431.
PERIPTERA. DC.	PERIPTERA.	Monadelphia	Polyandria.	L.		
punicea. DC.	purple.	New Spain.	1813.	6. 9.	S. h.	Bot. mag. 1644.
<i>Sida periptera.</i> B. M.	<i>Anoda punicea.</i> Lag.					
SIDA. Kth.	SIDA.	Monadelphia	Polyandria.	L.		
1 linifolia. DC.	Flax-leaved.	S. Amer.	1822.	6. 9.	S. h.	Cav. dis. 1. t. 2. f. 1.
2 angustifolia. DC.	narrow-leaved.	Bourbon.	1726.	7. 9.	S. h.	— — — — 1. t. 2. f. 2.
3 viminea. L. en.	slender.	Brazil.	1823.	— —	S. h.	
4 spinosa. DC.	prickly.	E. Indies.	1680.	— —	S. ♂.	Cav. dis. 1. t. 1. f. 9.
5 alba. DC.	white-flowered.	— — — —	1732.	6. 7.	S. ⊙.	Dill. elt. 2. t. 171. f. 210.
6 stipulata. DC.	large-stipuled.	Mauritius.	1820.	S. h.	Cav. dis. 1. t. 3. f. 10.
7 Jamaicensis. DC.	Jamaica.	Jamaica.	1818.	6. 9.	S. h.	— — — — 1. t. 2. f. 5.
8 bracteolata. DC.	bracteolate.	S. Amer.	— —	— —	S. h.	
9 carpinifolia. DC.	Hornbeam-ld.	Canaries.	1774.	7. 9.	G. h.	Cav. dis. 5. t. 134. f. 11.
10 carpinoides. DC.	Hornbeam-like	— —	S. h.	
11 spiræifolia. L. en.	Spiræa-leaved.	— —	S. h.	
12 Schrankii. DC.	Schrank's.	Brazil.	1824.	— —	S. ♀.	
<i>brasila.</i> L. en.						
13 erosa. DC.	jagged.	— — — —	— —	— —	S. ♀.	
14 ciliaris. DC.	ciliated.	St. Domingo.	1798.	— —	S. h.	Cav. dis. 1. t. 3. f. 9.
15 alnifolia. DC.	Alder-leaved.	E. Indies.	1732.	— —	S. ♂.	Dill. elt. t. 172. f. 211.
16 canariensis. DC.	Canary Tea.	Canaries.	— —	S. h.	Cav. dis. 1. t. 3. f. 8.
<i>alba.</i> Cav. non L.						
17 rhombifolia. DC.	rhomboid-ld.	Brazil.	1732.	6. 8.	S. h.	Cav. dis. 1. t. 3. f. 12.
18 rhomboidea. DC.	rhomboid.	E. Indies.	1818.	— —	S. h.	
19 retusa. DC.	retuse-leaved.	— — — —	— —	— —	S. h.	Cav. dis. 1. t. 3. f. 4.
20 recisa. DC.	notched.	Brazil.	1823.	— —	S. ♀.	
21 calyxhymenia. DC.	New Holland.	N. Holl.	1820.	— —	G. h.	

22	maculata. DC.	corky.	St. Domingo.	1798.	S. h.	Cav. dis. 1. t. 3. f. 7.
	<i>suberosa</i> . L. her. stirp.	t. 54.					
23	acuminata. DC.	acuminate.	————	1805.	7. 9.	S. h.	
24	humilis. DC.	dwarf.	E. Indies.	1800.	7. 8.	S. ♂.	Cav. dis. 5. t. 134. f. 2.
25	cordifolia. DC.	heart-leaved.	————	1732.	6. 9.	S. ⊙.	———— 1. t. 3. f. 2.
26	arguta. DC.	sharp-leaved.	W. Indies.	1732.	7. 8.	S. h.	
27	althæifolia. DC.	Althæa-leaved.	————	1818.	—	S. h.	Sloan. his. 1. t. 136. f. 2.
28	urens. DC.	stinging.	————	1781.	—	S. h.	Cav. dis. 1. t. 2. f. 7.
29	verticillata. DC.	whorl-flowered.	Brazil.	1823.	—	S. h.	———— 1. t. 1. f. 12.
30	paniculata. DC.	dark purple.	S. Amer.	1795.	7. 9.	S. h.	Cav. dis. 1. t. 12. f. 5.
	<i>atrosanguinea</i> . Jacq. ic. 1. t. 136.						
31	triloba. DC.	three-lobed.	C. B. S.	1794.	—	G. ♂.	Jacq. schœn. 2. t. 142.
32	jatrophioides. DC.	Jatropha-like.	Peru.	1787.	8.	S. ♂.	L. Her. stirp. 1. t. 56.
33	graveolens. DC.	strong-scented.	E. Indies.	1820.	6. 9.	S. ♀.	
34	purpurascens. L. en.	purplish.	Brazil.	—	7. 9.	S. h.	
35?	patens. DC.	spreading.	Abyssinia.	1806.	—	S. ♂.	Bot. rep. 571.
36	lasiostega. L. en.	woolly.	Brazil.	1823.	—	S. h.	
37	pentacarpos. DC.	five capsuled.	E. Indies.	—	—	S. ⊙.	
38	pilosa. DC.	pilose.	W. Indies.	1793.	—	S. ♂.	Cav. dis. 1. t. 8.
39	Napæa. DC.	smooth.	Virginia.	1748.	8. 9.	H. ♀.	Bot. mag. 2193.
	<i>Napæa lævis</i> . L.						
40	dioica. DC.	rough.	————	1759.	—	H. ♀.	Cav. dis. 5. t. 132. f. 2.
BASTARDIA. Kth.		BASTARDIA.	Monadelphia Polyandria.	L.			
1	viscosa. Kth.	viscous.	S. Amer.	1822.	7. 8.	S. h.	Sloan. his. 1. t. 139. f. 4.
	<i>Sida viscosa</i> . DC.						
2	fœtida. DC.	stinking.	Peru.	1795.	—	S. ⊙.	L. Her. stirp. 1. t. 53.
	<i>Sida fœtida</i> . DC.	<i>Sida viscosa</i> . L. H.					
GAYA. Kth.		GAYA.	Monadelphia Polyandria.	L.			
1	occidentalis. Kth.	downy.	America.	1732.	7. 8.	S. ⊙.	Cav. dis. 1. t. 4. f. 3.
	<i>Sida occidentalis</i> . DC.						
ABUTILON. Kth.		ABUTILON.	Monadelphia Polyandria.	L.			
1	periplocifolium.	Periploca-ld.	India.	1691.	7. 8.	S. ♂.	Cav. dis. 1. t. 5. f. 2.
	<i>Sida periplocifolia</i> . DC.						
2	ferrugineum. Kth.	ferruginous.	Peru.	1822.	—	S. h.	
3	hernandioides.	Hernandia-ld.	Hispaniola.	1798.	S. h.	L. Her. stirp. 1. t. 58.
4	lucianum.	St. Lucian.	St. Lucia.	1822.	S. h.	
	<i>Sida luciana</i> . DC.						
5	Lechenaultianum.	Lechenault's.	E. Indies.	1820.	S. h.	
	<i>Sida Lechenaultiana</i> . DC.						
6	nudiflorum.	naked-flower'd.	Peru.	1731.	5. 6.	S. h.	L. Her. stirp. 1. t. 59.
7	polyanthon.	many-flowered.	1822.	—	S. h.	
	<i>Sida polyantha</i> . DC.						
8	auritum.	eared-stipuled.	Java.	1820.	12. 3.	S. h.	Bot. mag. 2495.
	<i>Sida aurita</i> . B. M.						
9	triquetrum.	triangular.	W. Indies.	1775.	7. 8.	S. h.	Jacq. vind. 2. t. 118.
10	incanum.	hoary.	Sandwich Isl.	1821.	—	S. h.	
	<i>Sida incana</i> . L. en.						
11	pulchellum.	neat.	N. Holland.	—	—	S. h.	Bonpl. nav. t. 2.
12	umbellatum.	umbelled.	Jamaica.	1788.	7. 9.	S. ♂.	Jacq. vind. t. 56.
13	giganteum.	gigantic.	Caracas.	1823.	S. h.	Jacq. schœnb. 2. t. 141.
14	reflexum.	reflex-flower'd.	Peru.	1799.	7. 8.	S. h.	Cav. dis. 1. t. 7.
15	crispum.	curled.	America.	1726.	—	H. ⊙.	———— 1. t. 7. f. 1.
16	virgatum.	twiggy.	Peru.	1820.	—	S. h.	Cav. ic. 1. t. 73.
17	arboreum.	great-flowered.	————	1772.	—	S. h.	L. her. stirp. 1. t. 63.
18	Mauritianum.	hairy capsuled.	Mauritius.	1789.	7. 9.	S. h.	Jacq. ic. 1. t. 137.
	<i>Sida planiflora</i> . Cav.	dis. 1. t. 7. f. 4.					
19	tiliæfolium.	Lime-tree-ld.	China.	1820.	—	S. ⊙.	Jacq. f. ecl. 1. t. 35.
20	Avicennæ. G.	broad-leaved.	S. France.	1596.	6. 8.	H. ⊙.	Houtt. syst. 8. t. 61.
	<i>Sida Abutilon</i> . DC.						
21	americanum.	American.	Jamaica.	1730.	6. 8.	S. ⊙.	
	<i>Sida americana</i> . DC.						
22	asiaticum.	small-flowered.	E. Indies.	1768.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 2.
23	populifolium.	Poplar-leaved.	————	1796.	—	S. ⊙.	———— 1. t. 7. f. 9.
24	hirtum.	hairy.	————	1820.	—	S. ⊙.	Rumph. amb. 4. t. 10?
	<i>Sida hirta</i> . DC.						
25	grandifolium.	large-leaved.	Peru.	1817.	10. 12.	S. h.	Bot. reg. 360.
	<i>Sida mollis</i> . DC.	<i>Sida grandifolia</i> . B. R.					
26	mollissimum.	soft-leaved.	————	1789.	6. 7.	S. ♂.	Cav. dis. 2. t. 14. f. 1.
27	permolle.	woolly-leaved.	————	1818.	—	S. h.	
	<i>Sida permollis</i> . DC.						

28	indicum.	Indian.	E. Indies.	1731.	7. 8.	S. ☉.	Cav. dis. 1. t. 7. f. 10.
29	vesicarium.	bladdered.	Mexico.	1796.	—	S. h.	— 2. t. 14. f. 3.
30	glaucum.	glaucous.	Senegal.	1822.	—	S. h.	Cav. ic. 1. t. 11.
31	albidum.	white-leaved.	Canaries.	—	—	G. h.	
	<i>Sida albidia</i> . DC.						
32	mollicomum.	soft.	1804.	7. 9.	S. h.	
	<i>Sida sericea</i> . Cav? <i>Sida mollicoma</i> . DC.						
33	Sonneratianum.	Sonnerat's.	C. B. S.	1806.	6. 7.	G. ♂.	Cav. dis. 1. t. 6. f. 4.
LAGUNEA. DC.		LAGUNEA. Monadelphia Polyandria. L.					
1	lobata. DC.	Maple-leaved.	Bourbon.	1787.	7. 8.	S. ☉.	Cav. dis. 5. t. 136. f. 1.
2	sinuata. DC.	sinuate.	—	S. ☉.	

ORDO XXVI.

BOMBACEÆ. *DC. prodr. 1. p. 475.*

HELICTERES. DC.	SCREW-TREE.	Monadelphia Dodecandria. L.	
1 Isora. DC.	great-fruited.	E. Indies. 1733.	6. 7. S. $\frac{h}{2}$. Bot. mag. 2061.
2 baruensis. DC.	small-fruited.	W. Indies. 1739.	9. 10. S. $\frac{h}{2}$. Jacq. amer. t. 149.
3 Jamaicensis. DC.	broad-leaved.	—————	6. 7. S. $\frac{h}{2}$. Jacq. vind. 2. t. 143.
4 guazumæfolia. DC.	Guazuma-ld.	S. Amer. 1820.	6. 8. S. $\frac{h}{2}$.
5 verbascifolia. DC.	Verbascum-ld.	Brazil.	————— S. $\frac{h}{2}$. Lodd. bot. cab. 504.
6 ferruginata. DC.	yellow-flow'r'd.	—————	————— S. $\frac{h}{2}$.
7 lanceolata. DC.	spear-leaved.	E. Indies. 1823. S. $\frac{h}{2}$.
8 spicata. H. B.	spike-flowered.	————— S. $\frac{h}{2}$.
MYRODIA. DC.	MYRODIA.	Monadelphia Dodecandria. L.	
turbinata. DC.	short-flowered.	W. Indies. 1793. S. $\frac{h}{2}$. Fl. mex. ic. ined.
PLAGIANTHUS. DC.	PLAGIANTHUS.	Monadelphia Dodecandria.	
divaricatus. DC.	small-leaved.	New Zealand. 1821. G. $\frac{h}{2}$. Forst. gen. t. 43.
ADANSONIA. DC.	SOUR-GOURD.	Monadelphia Polyandria. L.	
digitata. DC.	palmate.	Senegal. 1724. S. $\frac{h}{2}$. Cav. dis. 5. t. 157.
CAROLINEA. DC.	CAROLINEA.	Monadelphia Polyandria. L.	
1 princeps. DC.	digitated.—	W. Indies. 1787. S. $\frac{h}{2}$. Aub. gui. 2. t. 291-2.
<i>Pachira aquatica.</i> A.			
2 insignis. DC.	great-flowered.	————— 1796.	... S. $\frac{h}{2}$. Cav. dis. 5. t. 154.
3 minor. DC.	lesser.	Guiana. 1798.	7. 8. S. $\frac{h}{2}$. Bot. mag. 1412.
4 alba. B. C.	white-flowered.	Brazil.	— S. $\frac{h}{2}$. Lod. bot. cab. 752.
BOMBAX. DC.	SILK-COTTON-TREE.	Monadelphia Polyandria.	
1 Ceiba. DC.	five-leaved.	S. Amer. 1692. S. $\frac{h}{2}$. Jacq. am. t. 176. f. 1.
<i>quinatum.</i> Jacq.			
2 septenatum. DC.	seven-leaved.	————— 1699. S. $\frac{h}{2}$.
<i>heptaphyllum.</i> L. non Cav.			
3 malabaricum. DC.	Malabar.	E. Indies. S. $\frac{h}{2}$. Roxb. cor. 3. t. 247.
<i>heptaphyllum.</i> Roxb. non L.			
ERIODENDRON. DC.	ERIODENDRON.	Monadelphia Dodecandria.	
1 leiantherum. DC.	Brazilian.	Brazil. 1822. S. $\frac{h}{2}$. Cav. dis. 5. t. 152. f. 1.
<i>Bombax erianthos.</i> Cav.			
2 anfractuosum. DC.	twisted-anther'd 1739. S. $\frac{h}{2}$. Cav. dis. 5. t. 151.
<i>Bombax pentandrum.</i> L.			
α indicum. DC.	East Indian.	E. Indies. — S. $\frac{h}{2}$. Rheed. mal. 3. t. 49. 51.
β caribæum. DC.	West Indian.	W. Indies. — S. $\frac{h}{2}$. Jacq. am. t. 176. f. 70.
γ africanum. DC.	African.	Africa. 1823. S. $\frac{h}{2}$.
OCHROMA. DC.	OCHROMA.	Monadelphia Pentandria. L.	
1 Lagopus. DC.	downy-leaved.	Jamaica. 1802. S. $\frac{h}{2}$. Sw. fl. 2. t. 23.
2 tomentosa. DC.	woolly-leaved.	S. Amer. 1816. S. $\frac{h}{2}$.
CHEIROSTEMON. DC.	CHEIROSTEMON.	Monadelphia Decandria.	
platanoides. DC.	plane-leaved.	New Spain. 1820.	11. 1. S. $\frac{h}{2}$. H. et B. pl. æq. 1. t. 24.
<i>Chiranthodendron.</i> Larr. dis. ic.			

ORDO XXVII.

BUTTNERIACEÆ. *Kunth Synops. 3. p. 266.*Tribus I. *STERCULIÆ*. DC. prodr. 1. p. 481.

STERCULIA. DC.	STERCULIA.	Monœcia Monadelphia. L.			
1 Balanghas. DC.	many-seeded.	E. Indies.	1787.	6. 9. S. h.	Rheed. mal. 1. t. 49.
2 nobilis. DC.	few-seeded.	China.	—	— S. h.	Bot. reg. 185.
	<i>Balanghas. B. R.</i>	<i>Southwellia nobilis.</i>	Par. lond. 69.		
3 acuminata. DC.	taper-pointed.	Africa.	1822. S. h.	Beau. fl. ow. 1. t. 24.
4 grandiflora. DC.	large-flowered.	E. Indies.	1820. S. h.	
5 coccinea. DC.	scarlet fruited.	—	— S. h.	
6 angustifolia. DC.	narrow-leaved.	Nepaul.	1823. S. h.	
7 guttata. DC.	spotted.	E. Indies.	1819. S. h.	Rheed. mal. 4. t. 61.
8 Ivira. DC.	hairy capsuled.	W. Indies.	1793. S. h.	Aub. gui. 2. t. 279.
	<i>crinita. Cav. dis. 5. t. 162.</i>				
9 platanifolia. DC.	Plane-leaved.	China.	1757.	7. G. h.	Cav. dis. 5. t. 145.
10 colorata. DC.	scarlet.	E. Indies.	1818. S. h.	Roxb. cor. 1. t. 25.
11 urens. DC.	stinging.	—	1793.	6. 9. S. h.	— 1. t. 24.
12 villosa. DC.	villous-leaved.	—	1818. S. h.	
13 fetida. DC.	fetid.	—	1690. S. h.	Cav. dis. 5. t. 145.
HERITIERA. DC.	LOOKING-GLASS PLANT.	Dicecia Monadelphia.			
1 littoralis. DC.	large-leaved.	E. Indies.	1780. S. h.	Rheed. mal. 6. t. 21.
2 minor. DC.	small-leaved.	—	1816. S. h.	Gært. fr. 2. t. 98. f. 2.

Tribus. II. *BUTTNERIÆ*.

THEOBROMA. DC.	CHOCOLATE-NUT.	Polyadelphia Decandria. L.			
1 Cacao. DC.	smooth-leaved.	S. Amer.	1739.	6. 9. S. h.	Lodd. bot. cab. 545.
2 guianensis. DC.	woolly-leaved.	Guiana.	1803. S. h.	Aub. gui. 2. t. 275.
3 bicolor. DC.	two-coloured.	S. Amer.	1820. S. h.	H. et B. pl. eq. 1. t. 30.
ABROMA. DC.	ABROMA.	Polyadelphia Dodecandria. L.			
1 augusta. DC.	smooth-stalked.	E. Indies.	1770.	6. 9. S. h.	Bot. reg. 518.
2 fastuosa. DC.	prickly-stalked.	N. Holland.	1800.	— S. h.	Sal. par. lond. 102.
GUAZUMA. DC.	BASTARD CEDAR.	Polyadelphia Dodecandria. L.			
1 ulmifolia. DC.	Elm-leaved.	W. Indies.	1739.	8. 9. S. h.	Trew ehret. t. 76.
	<i>Bubroma Guazuma. W.</i>				
2 tomentosa. DC.	tomentose.	S. Amer.	— S. h.	
3 polybotrya. DC.	velvety.	W. Indies.	— S. h.	Cav. ic. 3. t. 299.
COMMERSONIA. DC.	COMMERSONIA.	Pentandria Pentagynia. L.			
1 echinata. DC.	oval-leaved.	Moluccas.	1806.	6. 7. S. h.	Rumph. amb. 3. t. 119.
2 platyphylla. DC.	broad-leaved.	—	—	— S. h.	And. bot. rep. 519.
RULINGIA. Br.	RULINGIA.	Pentandria Pentagynia. L.			
1 dasyphylla.	hairy-leaved.	N. Holland.	1808.	4. 7. G. h.	Bot. rep. 603.
	<i>Commersonia dasyphylla. A. R.</i>	<i>Byttneria dasyphylla. DC.</i>			
2 pannosa. B. M.	cloth-leaved.	—	1819.	— G. h.	Bot. mag. 2191.
3 hermanniæfolia.	Hermannia-ld.	—	—	— G. h.	
BUTTNERIA. L.	BUTTNERIA.	Pentandria Monogynia. L.			
1 herbacea. DC.	herbaceous.	E. Indies.	1820.	4. 7. S. 4.	Roxb. cor. 1. t. 29.
2 grandifolia. DC.	large-leaved.	—	—	— S. h.	
3 catalpæfolia. DC.	Catalpa-leav'd.	Caracas.	1823. S. h.	Jacq. schœnb. 1. t. 46.
4 cordata. DC.	heart-leaved.	Peru.	— S. h.	Cav. dis. 5. t. 150.
5 microphylla. DC.	small-leaved.	S. Amer.	1816. S. h.	— 5. t. 148. f. 2.
6 scabra. DC.	rough.	—	1793.	7. 8. S. h.	— 5. t. 148. f. 1.
AYENIA. DC.	AYENIA.	Pentandria Monogynia.			
1 pusilla. DC.	small.	Jamaica.	1756.	7. 9. S. ♂.	Mill. ic. t. 118.
2 lævigata. DC.	smooth.	—	— S. h.	

KLEINHOVIA. DC. KLEINHOVIA. Monadelphia Dodecandria.
Hospita. DC. purple-flower'd Moluccas. 1800. 7. 9. S. h. Cav. dis. 5. t. 146.

Tribus III. LASIOPETALÆ. DC.

SERINGIA. DC. SERINGIA. Pentandria Monogynia.
platyphylla. DC. broad-leaved. N. Holland. 1802. 4. 7. G. h. Gay dis. p. 13. t. 1. 2.
Lasiopetalum arborescens. H. K.
LASIOPETALUM. DC. LASIOPETALUM. Pentandria Monogynia.
1 ferrugineum. DC. rusty. N. Holland. 1791. 4. 7. G. h. Bot. mag. 1766.
2 parviflorum. DC. small-flowered. — — 1810. — G. h. Linn.trans.10.t.19.f.2.
THOMASIA. DC. THOMASIA. Pentandria Monogynia.
1 purpurea. DC. purple. N. Holland. 1803. 4. 7. G. h. Bot. mag. 1755.
Lasiopetalum purpureum. H. K.
2 foliosa. DC. leafy. — — 1822. — G. h. Gay dis. p. 24. t. 7.
3 solanacea. DC. Solanum like. — — 1803. — G. h. — — p. 26. t. 6.
Lasiopetalum solanaceum. B. M. 1486.
4 quercifolia. DC. Oak-leaved. — — — G. h. Bot. mag. 1485.

Tribus IV. HERMANNIÆ. DC.

MELOCHIA. DC. MELOCHIA. Monadelphia Pentandria. DC.
1 pyramidata. DC. pyramidal. Brazil. 1768. 7. 8. S. h. Jacq. vind. 1. t. 30.
2 tomentosa. DC. downy. W. Indies. — 5. 6. S. h. Cav. dis. 6. t. 172. f. 2.
3 parvifolia. DC. small-leaved. Caracas. 1823. ... S. h.
RIEDLEIA. DC. RIEDLEIA. Monadelphia Pentandria. L.
1 velutina. DC. soft-leaved. E. Indies. 1820. 6. 8. S. h.
2 depressa. DC. depressed. Havannah. — — S. h.
3 supina. DC. procumbent. E. Indies. 1823. — S. ♂. Pluk. alm. t. 232. f. 4.
4 corchorifolia. DC. Corchorus-ld. — — 1732. 7. 8. S. ☉. Dill. elt. t. 176. f. 217.
Melochia corchorifolia. L.
5 nodiflora. DC. knot-flowered. S. Amer. 1823. — S. h. Sloan. his. t. 135. f. 2.
Mougeotia nodiflora. Kth. Melochia nodiflora. Sw.
6 caracasana. DC. Caracas. Caracas. 1823. — S. h. Jacq. ic. 3. t. 507.
Mougeotia caracasana. Kth. Melochia caracasana. Jacq.
WALTHERIA. DC. WALTHERIA. Monadelphia Pentandria. L.
1 americana. DC. American. S. Amer. 1691. 5. 10. S. h. Jacq. ic. 1. t. 130.
2 glabra. DC. smooth. W. Indies. 1823. — S. ♀. Schrank. h. mon. t. 555.
lævis. L. en.
3 indica. DC. Indian. E. Indies. 1759. 6. 8. S. h. Burm. zeyl. t. 68.
4 elliptica. DC. woolly-leaved. — — 1812. — S. h. Cav. dis. 6. t. 171. f. 22.
5 microphylla. DC. small-leaved. — — 1823. — S. h. — — 6. t. 170. f. 2.
HERMANNIA. DC. HERMANNIA. Monadelphia Pentandria. L.
1 althæifolia. DC. Althæa-leaved. C. B. S. 1728. 3. 7. G. h. Bot. mag. 307.
2 plicata. DC. plaited-leaved. — — 1774. 11. 12. G. h. Jacq. schœnb. 2. t. 213.
3 candicans. DC. white. — — 4. 6. G. h. — — 1. t. 1177.
4 mollis. DC. soft-leaved. — — 1818. — G. h.
5 decumbens. DC. decumbent. — — — G. h.
6 hyssopifolia. DC. Hyssop-leaved. — — 1725. — G. h. Cav. dis. 6. t. 181. f. 33.
7 trifoliata. DC. three-leaved. — — 1752. 5. 8. G. h. — — 6. t. 182. f. 22.
8 triphylla. DC. three-parted. — — 1820. — G. h. — — 6. t. 178. f. 33.
9 glandulosa. DC. glandular. — — — G. h.
10 fragrans. DC. fragrant. — — — G. h.
11 disermæfolia. DC. simple-flow'r'd. — — 1795. 3. 4. G. h. Jacq. schœnb. 1. t. 121.
12 disticha. DC. round-leaved. — — 1789. 5. 8. G. h. S. et Wend. sert. h. t. 100.
rotundifolia. J. S. t. 121.
13 melochioides. DC. Melochia like. — — 1818. — G. h.
14 bryonifolia. DC. Bryony-leaved. — — — G. h.
15 salvifolia. DC. Sage-leaved. — — 1795. 4. 6. G. h. Cav. dis. 6. t. 180. f. 22.
16 micans. DC. glittering. — — 1790. 5. 8. G. h. S. et Wend. s. han. t. 55.
latifolia. J. S. t. 119.
17 involucrata. DC. involucred. — — 1794. 5. 6. G. h. Cav. dis. 6. t. 177. f. 11.

18 scordifolia. DC.	Germander-ld.	— — — —	4. 11. G. h.	Jacq. schœn. 1. t. 120.
19 denudata. DC.	smooth.	— — — —	1774. 5. 7. G. h.	— — — — 1. t. 122.
20 alnifolia. DC.	Alder-leaved.	— — — —	1728. 2. 5. G. h.	Bot. mag. 299.
21 cuneifolia. DC.	wedge-leaved.	— — — —	1791. 8. 9. G. h.	Jacq. schœn. 1. t. 124.
22 holosericea. DC.	velvet-leaved.	— — — —	1792. 5. 6. G. h.	— — — — 3. t. 292.
23 hirsuta. DC.	hairy-branch'd.	— — — —	1790. 5. 6. G. h.	S. et Wend. s. h. 1. t. 4.
24 scabra. DC.	rough-leaved.	— — — —	1789. 3. 4. G. h.	Jacq. schœn. 1. t. 127.
25 multiflora. DC.	many-flowered.	— — — —	1791. 3. 5. G. h.	— — — — 1. t. 128.
26 flammea. DC.	flame-flowered.	— — — —	1794. 1. 12. G. h.	Bot. mag. 1349.
27 angularis. DC.	angular-calyx'd.	— — — —	1791. 4. 5. G. h.	Jacq. schœn. 1. t. 126.
28 trifurcata. DC.	three-forked.	— — — —	1789. 4. 7. G. h.	— — — — 1. t. 125.
29 odorata. DC.	sweet-scented.	— — — —	1780. 2. 10. G. h.	
30 lavandulæfolia. DC.	Lavender-ld.	— — — —	1732. 5. 9. G. h.	Bot. mag. 304.
31 velutina. DC.	mucronate.	— — — —	1818. — G. h.	
32 filifolia. DC.	thread-leaved.	— — — —	1816. 5. 8. G. h.	Jacq. schœn. 1. t. 123.
33 procumbens. DC.	procumbent.	— — — —	1792. 5. 6. G. h.	Cav. dis. 6. t. 177. f. 2.
34 tenuifolia. DC.	slender-leaved.	— — — — 6. 7. G. h.	Bot. mag. 1348.
35 incisa. DC.	cut-leaved.	— — — —	1806. — G. h.	
36 pulverulenta. DC.	powdered.	— — — —	1800. 5. 8. G. h.	And. bot. rep. 164.
37 argentea. DC.	silvery-leaved.	— — — —	1818. — G. h.	
38 coronopifolia. DC.	Buckshorn-ld.	— — — —	6. 8. G. h.	
MAHERNIA. DC.	MAHERNIA.	Monadelphia Pentandria.		
1 verticillata. DC.	whorl-leaved.	C. B. S.	1820. 6. 8. G. h.	Cav. dis. 6. t. 176. f. 1.
2 resedæfolia. DC.	Reseda-leaved.	— — — —	1818. — G. h.	
3 bipinnata. DC.	winged-leaved.	— — — —	1752. — G. h.	Bot. mag. 277.
pinnata. B. M.				
4 incisa. DC.	cut-leaved.	— — — —	1792. 7. 9. G. h.	— — — — 353.
5 diffusa. DC.	diffuse.	— — — —	1774. 6. 8. G. h.	Lodd. bot. cab. 187.
6 heterophylla. DC.	various-leaved.	— — — —	1731. 4. 5. G. h.	Cav. dis. 6. t. 178. f. 1.
Hermannia grossulariæfolia. L.				
7 seselifolia. DC.	Seseli-leaved.	— — — —	1818. 6. 8. G. h.	
8 pulchella. DC.	neat.	— — — —	1792. 7. 9. G. h.	Cav. dis. 6. t. 177. f. 3.
9 glabrata. DC.	sweet-scented.	— — — —	1789. 4. 5. G. h.	Jacq. schœnb. 1. t. 53.
odorata. A. R. 85.				
10 vesicaria. DC.	inflated.	— — — —	1818. — G. h.	Cav. dis. 6. t. 181. f. 2.
11 grandiflora.	great-flowered.	— — — —	1791. 5. 8. G. h.	
Hermannia grandiflora. H. K.				
12 Burchellii.	Burchell's.	— — — —	1818. — G. h.	Bot. reg. 224.
grandiflora. B. R. non H. K.				

Tribus V. DOMBEYACEÆ. DC.

RUIZIA. DC.	RUIZIA.	Monadelphia Polyandria. L.		
1 lobata. DC.	lobed-leaved.	Bourbon.	1820. S. h.	Cav. dis. 3. t. 36. f. 1.
2 variabilis. DC.	various-leaved.	— — — —	1792. 5. S. h.	Jacq. schœn. 3. t. 295.
PENTAPETES. DC.	PENTAPETES.	Monadelphia Dodecandria. L.		
1 phœnicea. DC.	scarlet-flower'd	India.	1690. 7. 8. S. ♂.	Bot. reg. 575.
2 ovata. DC.	oval-leaved.	New Spain.	1805. 6. 9. S. ♂.	Cav. ic. 5. t. 433.
Brotera ovata. Cav.				
ASSONIA. DC.	ASSONIA.	Monadelphia Dodecandria.		
1 populnea. DC.	Poplar-leaved.	Bourbon.	1822. S. h.	Cav. dis. 3. t. 42. f. 3.
2 viburnoides. DC.	Viburnum-ld.	— — — — S. h.	
DOMBEYA. DC.	DOMBEYA.	Monadelphia Dodecandria.		
1 cordifolia. DC.	heart-leaved.	E. Indies.	1820. S. h.	
2 ferruginea. DC.	rusty.	Mauritius.	1815. S. h.	Cav. dis. 3. t. 42. f. 2.
3 ovata. DC.	oval-leaved.	Bourbon.	1822. S. h.	— — — — 3. t. 41. f. 2.
MELHANIA. DC.	MELHANIA.	Monadelphia Pentandria.		
1 Erythroxylon. DC.	red wood.	St. Helena.	1772. 5. 8. S. h.	Bot. mag. 1000.
2 Melanoxylon. DC.	black-wood.	— — — —	1800. 7. 8. S. h.	Pluk. mant. 6. t. 333. f. 5.
3 Burchellii. DC.	Burchell's.	C. B. S.	1818. — S. h.	
PTEROSPERMUM. DC.	PTEROSPERMUM.	Monadelphia Dodecandria.		
1 acerifolium. DC.	Maple-leaved.	E. Indies.	1790. 7. 9. S. h.	Bot. mag. 620.
2 suberifolium. DC.	various-leaved.	— — — —	1783. 9. 10. S. h.	— — — — 1526.
3 lanceæfolium. DC.	lance-leaved.	— — — —	1818. — S. h.	

4 canescens. H.B.	canescent.	Ceylon.	—	—	S. h.	
5 semisagittatum. DC.	fringe-bracted.	E. Indies.	—	—	S. h.	
ASTRAPÆA. DC.	ASTRAPÆA.	Monadelphia	Dodecandria.			
1 Wallichii. DC.	Wallich's.	Mauritius.	1820. 12. 1.	S. h.		Bot. reg. 691.
2 viscosa.	viscous.	Madagascar.	1823.	S. h.		
3 tiliæfolia.	Lime-leaved.	Bourbon.	1824.	S. h.		
KYDIA. DC.	KYDIA.	Monadelphia	Dodecandria.			
1 calycina. DC.	calycine.	E. Indies.	1818.	S. h.		Roxb. cor. 3. t. 215.
2 fraterna. DC.	long-stamen'd.	—	1823.	S. h.		— 3. t. 216.

Tribus VI. WALLICHIEÆ. DC.

ERIOLENÆA. DC.	ERIOLENÆA.	Monadelphia	Polyandria.			
Wallichii. DC.	Wallich's.	E. Indies.	1823.	S. h.		DC.m.thus.10.p.102.ic.

ORDO XXVIII.

TILIACEÆ. DC. *prodr.* 1. p. 503.

ENTELEA. B.M.	CORK-TREE.	Polyandria	Monogynia.			
arborescens. B.M.	New Zealand.	N. Zealand.	1821. 5. 6.	G. h.		Bot. mag. 2480.
SPARRMANNIA. DC.	SPARRMANNIA.	Polyandria	Monogynia.	L.		
africana. DC.	African.	C. B. S.	1790. 3. 7.	G. h.		Bot. mag. 516.
HELIOCARPUS. DC.	HELIOCARPUS.	Dodecandria	Monogynia.			
americana. DC.	American.	Vera Cruz.	1733.	S. h.		Trew ehret. t. 45.
CORCHORUS. DC.	CORCHORUS.	Polyandria	Monogynia.	L.		
1 siliquosus. DC.	Germander-ld.	S. Amer.	1732. 6. 8.	S. 4.		Jacq. vind. 3. t. 59.
2 hirtus. DC.	hairy.	—	1820. —	S. 4.		Plum. ed. B. t. 103. f. 2.
3 pilolobus. DC.	hairy-podded.	—	—	S. 4.		
4 trilocularis. DC.	three-celled.	Arabia.	1790. 7. 8.	S. 4.		Jacq. vind. 2. t. 173.
5 olitorius. DC.	bristly-leav'd.	India.	1640. 6. 8.	S. 4.		Lam. ill. t. 478. f. 1.
6 æstuans. DC.	Hornbeam-ld.	S. Amer.	1731. 6. 7.	S. 4.		Jacq. vind. 1. t. 85.
7 acutangulus. DC.	acute-angled.	India.	1816. —	S. h.		Pluk. phyt. t. 44. f. 1.
8 capsularis. DC.	heart-leaved.	E. Indies.	1725. —	S. 4.		Jacq. f. eclog. 2. t. 120.
9 hirsutus. DC.	woolly capsuled	S. Amer.	1752. —	S. h.		Jacq. vind. 3. t. 59.
TRIUMFETTA. DC.	TRIUMFETTA.	Dodecandria	Monogynia.	L.		
1 Lappula. DC.	prickly-seeded.	W. Indies.	1739. 7. 8.	S. h.		Plum. ic. t. 255.
2 heterophylla. DC.	various-leaved.	—	1823. —	S. h.		Pluk. t. 425. f. 3.
3 suborbiculata. DC.	subrotund.	E. Indies.	S. h.		
4 glandulosa. DC.	gland-toothed.	Mauritius.	S. h.		Lam. ill. t. 400. f. 1.
5 trichoclada. DC.	oval-leaved.	Nepaul.	1823. —	S. 3.		
6 oblongata. DC.	oblong-leaved.	—	—	S. 3.		
7 annua. DC.	annual.	Java.	1760. 8. 9.	S. 4.		Bot. mag. 2296.
8 angulata. DC.	angular-leaved	E. Indies.	1739. 6. 7.	S. h.		Lam. ill. t. 400. f. 2.
9 semitriloba. DC.	Mallow-leaved.	W. Indies.	1773. —	S. h.		Jacq. vind. 3. t. 76.
10 rhomboidea. DC.	rhomboid.	S. Amer.	1819. 5. 6.	S. h.		Lindl. coll. t. 29.
11 althæoides. DC.	Althæa-leaved	Cayenne.	—	S. h.		
<i>macrophylla.</i> Vahl.						
12 grandiflora. DC.	large-flowered.	W. Indies.	1810. —	S. h.		
13 trilocularis. DC.	three-celled.	E. Indies.	1817. 10. 4.	S. h.		
GREWIA. DC.	GREWIA.	Polyandria	Monogynia.	L.		
1 tomentosa. DC.	tomentose.	Java.	1818.	S. h.		Juss. an. 2. t. 49. f. 1.
2 hirsuta.	hairy.	—	1816. 7. 9.	S. h.		
3 bracteata. DC.	bracted.	E. Indies.	1818. 7. 9.	S. h.		
4 Mallococca. DC.	rough-fruited.	Tongatabu.	1792. 8. 9.	S. h.		Forst. gen. t. 39.
<i>Mallococca crenata.</i> Forst.						
5 oppositifolia. DC.	sharp-leaved.	Nepaul.	1818. —	S. h.		
6 umbellata. DC.	umbel-flowered	E. Indies.	—	S. h.		
7 bicolor. DC.	two-coloured.	Senegal.	1822.	S. h.		Juss. ann. t. 50. f. 2.
8 Rothii. DC.	Roth's.	E. Indies.	1819. 7. 9.	S. h.		

9	salvifolia. DC.	Sage-leaved.	—————	—————	—————	S. h.	
10	flava. DC.	yellow.	C. B. S.	1818.	—————	G. h.	
11	ovalifolia. DC.	oval-leaved.	E. Indies.	—————	—————	S. h.	
12	Microcos. DC.	panicled.	—————	1779.	—————	S. h.	Rheed. mal. 1. t. 56.
	<i>Microcos paniculata.</i> L.						
13	paniculata. DC.	villous-leaved.	—————	1820.	S. h.	
14	orientalis. DC.	oriental.	—————	1767.	7. 8.	S. h.	Rheed. mal. 5. t. 46.
15	pilosa. DC.	pilose.	—————	1804.	—————	S. h.	
16	serrulata. DC.	serrulate.	—————	1818.	—————	S. h.	
17	occidentalis. DC.	Elm-leaved.	C. B. S.	1690.	7. 9.	G. h.	Bot. mag. 422.
18	asiatica.	Asiatic.	E. Indies.	1792.	7. 8.	S. h.	Sonn. voy. 2. t. 138.
19	subinæqualis. DC.	oblique-leaved.	—————	1816.	—————	S. h.	
20	aspera. DC.	rough-leaved.	—————	1818.	—————	S. h.	
21	tiliæfolia. DC.	Lime-leaved.	—————	1812.	—————	S. h.	
22	villosa. DC.	villous.	—————	1816.	—————	S. h.	
23	therebinthinacea. DC.	strong-scented	—————	—————	S. h.	
24	obtusifolia. DC.	blunt-leaved.	C. B. S.	1818.	G. h.	
25	ulmifolia. H.B.	Chinese.	China.	—————	G. h.	
BROWNLOWIA. R.		BROWNLOWIA.	Polyandria Monogynia.				
	elata. R.	tall.	E. Indies.	1812.	S. h.	Roxb. cor. c. ic.
TILIA. DC.		LIME-TREE.	Polyandria Monogynia.				
			L.				
1	microphylla. DC.	small-leaved.	Britain.	8. 9.	H. h.	Eng. bot. 1705.
	<i>parvifolia.</i> E.B.						
2	intermedia. DC.	intermediate.	N. Europe.	—————	H. h.	Hayn. et Sv. bot. t. 40.
3	rubra. DC.	red-twigg'd.	Europe.	6. 8.	H. h.	
4	platyphylla. DC.	common.	Britain.	—————	H. h.	Eng. bot. 610.
	<i>europæa.</i> E.B.						
	<i>β laciniata.</i>	<i>jagged leaved.</i>					
5	glabra. DC.	broad-leaved.	N. Amer.	1752.	6. 7.	H. h.	Vent. dis. p. 9. t. 2.
	<i>americana.</i> L.						
6	laxiflora. DC.	loose-flowered.	—————	1820.	—————	H. h.	
7	pubescens. DC.	pubescent.	—————	1726.	7. 8.	H. h.	Vent. dis. p. 10. t. 3.
	<i>β leptophylla.</i> DC.	<i>narrow-leaved.</i>	—————	—————	—————	H. h.	
8	heterophylla. DC.	white-leaved.	—————	6. 8.	H. h.	Vent. dis. p. 16. t. 5.
	<i>alba.</i> Mich. arb. s. t. 2.						
9	argentea. DC.	silver-leaved.	Hungary.	1767.	—————	H. h.	————— p. 13. t. 4.
	<i>alba.</i> W. et K. hung. 1. t. 3.	<i>rotundifolia.</i> Vent.					
MUNTINGIA. DC.		MUNTINGIA.	Polyandria Monogynia.				
			L.				
	Calabura. DC.	Jamaica.	Jamaica.	1690.	6. 7.	S. h.	Jacq. amer. t. 107.
APEIBA. DC.		APEIBA.	Polyandria Monogynia.				
			L.				
1	Tibourbou. DC.	hairy.	S. Amer.	1756.	S. h.	Aub. gui. 1. t. 213.
	<i>Aubletia Tibourbou.</i> w.						
2	Petoumo. DC.	hoary.	—————	1817.	S. h.	————— 1. t. 215.
3	aspera. DC.	prickly-capsul'd	Cayenne.	1792.	S. h.	————— 1. t. 216.
	<i>Aubletia aspera.</i> w.						
4	glabra. DC.	smooth.	—————	1817.	S. h.	————— 1. t. 214.
	<i>Aubletia lavis.</i> w.						
SLOANEA. DC.		SLOANEA.	Polyandria Monogynia.				
			L.				
1	dentata. DC.	Chestnut-leav'd	S. Amer.	1752.	S. h.	Plum. ic. 244.
2	sinemariensis. DC.	round-leaved.	W. Indies.	1820.	S. h.	Aub. gui. 1. t. 212.
GYROSTEMON. DC.		GYROSTEMON.	Diœcia Polyandria.				
	ramulosum. DC.	branching.	N. Holland.	1820.	G. h.	Desf. m. mus. 6. t. 6.
BERRYA. DC.		BERRYA.	Polyandria Monogynia.				
	ammonilla. H.B.	Ceylon.	Ceylon.	1818.	S. h.	

ORDO XXIX.

ELÆOCARPEÆ. DC. *prodr.* 1. p. 519.

ELÆOCARPUS. DC.		ELÆOCARPUS.	Dodecandria Monogynia.				
1	serratus. DC.	saw-leaved.	E. Indies.	1774.	S. h.	Burm. zeyl. t. 40.
2	cyaneus. DC.	blue-fruited.	N. Holland.	1803.	6. 8.	G. h.	Bot. mag. 1737.
	<i>reticulatus.</i> B. R. 657.						

- ACERATIUM. DC. ACERATIUM. Dodecandria Monogynia.
 oppositifolium. DC. opposite-leaved Amboyna. 1818. S. h.
 DICERA. DC. DICERA. Dodecandria Monogynia.
 dentata. DC. tooth-leaved. N. Zealand. 1820. 6. 8. G. h. Forst. gen. t. 40.
 FRIESIA. DC. FRIESIA. Dodecandria Monogynia.
 peduncularis. DC. peduncled. Van Diem. 1818. G. h. Lab. n. holl. 2. t. 155.
Elæocarpus peduncularis. Lab.

ORDO XXX.

CHLENACEÆ. DC. *prodr.* 1. p. 521.† *Genus Chlenaceis affine.*

- HUGONIA. DC. HUGONIA. Monadelphia Decandria.
 1 Mystax. DC. entire-leaved. E. Indies. 1818. 6. 9. S. h. Rheed. mal. 2. t. 29.
 2 serrata. DC. saw-leaved. Mauritius. 1820. — S. h. Cav. dis. 3. t. 73. f. 1.

ORDO XXXI.

TERNSTRÆMIACEÆ. DC. *prodr.* 1. p. 523.

Tribus I. TERNSTRÆMIÆ. DC.

- TERNSTRÆMIA. DC. TERNSTRÆMIA. Polyandria Monogynia. L.
 1 peduncularis. DC. long-peduncled W. Indies. 1818. 6. 8. S. h.
 2 venosa. DC. veined-leaved Brazil. 1820. — S. h.
 3 serrata. H.B. saw-leaved. Silhet. — S. h.

Tribus II. FREZIERÆ. DC.

- CLEYERA. DC. CLEYERA. Polyandria Monogynia.
 japonica. DC. Japan. Japan. 1822. S. h. Kæmp. am. 5. p. 774. ic.
 FREZIERA. DC. FREZIERA. Polyandria Monogynia.
 thæoides. DC. Tea-like. Jamaica. 1818. S. h.
 EURYA. DC. EURYA. Polygamia Monœcia.
 1 chinensis. DC. China. China. 1818. S. h.
 2 multiflora. DC. many-flowered. Nepaul. 1823. S. h.
 LETTSOMIA. DC. LETTSOMIA. Polyandria Monogynia.
 tomentosa. DC. tomentose. Peru. 1823. S. h. Ruiz et P. prod. t. 14.

Tribus III. SAURAUJÆ. DC.

- SAURAUJA. DC. SAURAUJA. Polyandria Pentagynia.
 1 excelsa. DC. tall. Caracas. 1824. S. h. Willd. n. act. ber. 3. t. 4.
 2 napaulensis. DC. Nepaul. Nepaul. — S. h.

Tribus IV. *LAPLACEÆ*. DC.

COCHLOSPERMUM. DC. COCHLOSPERMUM. Monadelphia Polyandria.

- 1 *Gossypium*. DC. large-flowered. E. Indies. 1822. S. h. Sonn. voy. 2. t. 133.
Bombax grandiflorum. Son. *Bombax Gossypium*. L.
 2 *serratifolium*. DC. saw-lobed. S. Amer. 1820. S. h. Fl. mex. ic. ined.

Tribus V? *GORDONIEÆ*. DC.

MALACHODENDRON. DC. MALACHODENDRON. Monadelphia Polyandria. L.

- ovatum*. DC. oval-leaved. N. Amer. 1785. 8. 9. H. h. Exot. bot. t. 101.
Stuartia pentagynia. Ex. bot.

STUARTIA. W. STUARTIA. Monadelphia Polyandria. L.

- virginica*. DC. Virginian. N. Amer. 1742. 5. 8. H. h. Cav. dis. 5. t. 159. f. 2.
Malachodendron. L. *marylandica*. A. R. t. 73.

GORDONIA. DC. GORDONIA. Monadelphia Polyandria. L.

- 1 *Lasianthus*. DC. smooth. N. Amer. 1739. 8. 11. F. h. Bot. mag. 668.
 2 *hæmatoxylon*. DC. red-wooded. Jamaica. 1820. S. h.
 3 *pubescens*. DC. pubescent. N. Amer. 1774. 8. 11. F. h. Vent. malm. t. 1.
 4 *Franklini*. L. Her. Franklin's. ———— ———— ———— F. h.

POLYSPORA. N. L. F. POLYSPORA. Monadelphia Polyandria.

- axillaris*. N. L. F. axillary-flow'r'd E. Indies. 1816. 11. 3. S. h. Bot. reg. 349.
Camellia axillaris. B. R. et B. M. 2047.

ORDO XXXII.

CAMELLIEÆ. DC. *prodr.* 1. p. 529.

CAMELLIA. Ker. CAMELLIA. Monadelphia Polyandria. L.

- | | | | | |
|------------------------------------|---------------------------|---------|--------------------|----------------------|
| 1 <i>Thea</i> . L. en. | Bohea Tea. | China. | 1768. 11. 2. G. h. | Lob. bot. cab. 226. |
| 2 <i>viridis</i> . L. en. | green Tea. | ———— | ———— 10. 12. G. h. | ———— 227. |
| <i>Thea chinensis</i> . B. M. 998. | | | | |
| 3 <i>oleifera</i> . | oleiferous. | ———— | 1819. 1. 3. G. h. | |
| 4 <i>Kissi</i> . DC. | Nepaul. | Nepaul. | 1823. G. h. | |
| 5 <i>Sesangua</i> . DC. | Lady Banks's. | China. | 1811. 11. 1. G. h. | |
| β <i>alba</i> . | <i>semidouble white</i> . | ———— | ———— ———— G. h. | Bot. reg. 12. |
| γ <i>rosea</i> . | <i>double rosy</i> . | ———— | 1819. 1. 4. G. h. | ———— 547. |
| 6 <i>japonica</i> . DC. | common. | ———— | 1739. 12. 5. G. h. | Cav. dis. 6. t. 160. |
| α <i>rubra</i> . | <i>single-red</i> . | ———— | ———— ———— G. h. | Bot. mag. 42. |
| β <i>alba</i> . | <i>single-white</i> . | ———— | ———— G. h. | Bot. reg. 353. |
| γ <i>semiduplex</i> . | <i>semidouble red</i> . | ———— | ———— G. h. | Bot. rep. 559. |
| δ <i>rubro-plena</i> . | <i>double red</i> . | ———— | ———— G. h. | ———— 199. |
| ε <i>carnea</i> . | <i>Middlemist's</i> . | ———— | ———— G. h. | Lod. bot. cab. 455. |
| ζ <i>myrtifolia</i> . | <i>Myrtle-leaved</i> . | ———— | ———— G. h. | Bot. mag. 1670. |
| η <i>involuta</i> . | <i>Lady Long's</i> . | ———— | ———— G. h. | Bot. reg. 633. |
| θ <i>hexangularis</i> . | <i>six sided</i> . | ———— | ———— G. h. | |
| ι <i>atrorubens</i> . | <i>Loddiges' red</i> . | ———— | ———— G. h. | Lod. bot. cab. 170. |
| κ <i>anemoniflora</i> . | <i>red Waratah</i> . | ———— | ———— G. h. | Bot. mag. 1654. |
| λ <i>dianthiflora</i> . | <i>Carnation War</i> . | ———— | ———— G. h. | Bot. mag. 2577. |
| μ <i>blanda</i> . | <i>blush Waratah</i> . | ———— | ———— G. h. | |
| ν <i>variabilis</i> . | <i>white Waratah</i> . | ———— | ———— G. h. | |
| ξ <i>pomponia</i> . | <i>Kew-blush</i> . | ———— | ———— G. h. | Bot. reg. 22. |
| ο <i>pæoniflora</i> . | <i>Pæony-flowered</i> . | ———— | ———— G. h. | Lod. bot. cab. 238. |
| π <i>Welbankii</i> . | <i>Welbank's</i> . | ———— | ———— G. h. | |
| ρ <i>luteo-alba</i> . | <i>pale yellow</i> . | ———— | ———— G. h. | Bot. reg. 708. |
| σ <i>flavescens</i> . | <i>buff</i> . | ———— | ———— G. h. | ———— 112. |
| τ <i>albo-plena</i> . | <i>double white</i> . | ———— | ———— G. h. | Bot. rep. 25. |

<i>v fimbriata.</i>	<i>fringed white.</i>	— — — —	—	G. h.	
<i>φ variegata.</i>	<i>double striped.</i>	— — — —	—	G. h.	Bot. rep. 91.
<i>χ crassinervis.</i>	<i>thick-nerved.</i>	— — — —	—	G. h.	
<i>ψ expansa.</i>	<i>expanded.</i>	— — — —	—	G. h.	
<i>ω conchiflora.</i>	<i>shell-flowered.</i>	— — — —	—	G. h.	
<i>ς rubricaulis.</i>	<i>Ly. Al. Campbell's</i>	— — — —	—	G. h.	
<i>α α longifolia.</i>	<i>long-leaved.</i>	— — — —	—	G. h.	
<i>β β versicolor.</i>	<i>striped Waratah.</i>	— — — —	—	G. h.	Bot. reg. 887.

ORDO XXXIII.

OLACINÆ. DC. prod. 1. p. 531.

OLAX. DC.	OLAX. Triandria Monogynia. L.					
1 scandens. DC.	climbing.	E. Indies.	1820.	1. 12.	S. h.	Roxb. cor. 2. t. 102.
2 imbricata. DC.	imbricate.	— — — —	—	S. h.	
SPERMAXYRUM. DC.	SPERMAXYRUM. Triandria Monogynia.					
strictum. DC.	upright.	N. S. W.	1820.	G. h.	
XIMENIA. DC.	XIMENIA. Octandria Monogynia. L.					
1 americana. DC.	spring.	W. Indies.	1759.	6. 9.	S. h.	Jacq. am. pict. t. 107.
2 inermis. DC.	unarmed.	— — — —	1820.	S. h.	

ORDO XXXIV.

AURANTIACEÆ. DC. prodr. 1. p. 535.

ATALANTIA. DC.	ATALANTIA. Monadelphia Octandria.					
monophylla. DC.	simple-leaved.	E. Indies.	1777.	6. 8.	S. h.	Roxb. cor. 2. t. 83.
<i>Limonia monophylla.</i> R.						
TRIPHASIA. DC.	TRIPHASIA. Hexandria Monogynia.					
trifoliata. DC.	three-leaved.	China.	1787.	7. 8.	S. h.	Jacq. ic. rar. t. 463.
<i>Limonia trifoliata.</i> And. rep. 143.						
LIMONIA. DC.	LIMONIA. Decandria Monogynia. L.					
1 citrifolia. DC.	various-leaved.	China.	6. 8.	S. h.	
2 parviflora. DC.	small-flowered.	— — — —	1820.	2. 5.	S. h.	Bot. mag. 2416.
3 crenulata. DC.	crenulate.	E. Indies.	1808.	5. 7.	S. h.	Roxb. cor. 1. t. 86.
4 scandens. H.B.	climbing.	— — — —	1820.	S. h.	
COOKIA. DC.	COOKIA. Decandria Monogynia. L.					
punctata. DC.	Wampee tree.	China.	1795.	5. 7.	S. h.	Jacq. schœnb. 1. t. 101.
MURRAYA. DC.	MURRAYA. Decandria Monogynia. L.					
1 exotica. DC.	Ash-leaved.	E. Indies.	1771.	8. 9.	S. h.	Bot. reg. 434.
2 paniculata. DC.	panicled.	— — — —	1821.	4. 5.	S. h.	Hook. ex. flor. 134.
AGLAIA. DC.	AGLAIA. Pentandria Monogynia.					
odorata. DC.	sweet-scented.	China.	1810.	2. 5.	S. h.	Rumph. amb. 5. t. 18.
BERGERA. DC.	BERGERA. Decandria Monogynia. L.					
1 Kœnigii. DC.	Kœnig's.	E. Indies.	1818.	3. 6.	S. h.	Rumph. amb. 1. t. 53. f. 11.
2 integerrima. DC.	entire-leaved.	— — — —	1820.	S. h.	
CLAUSENIA. DC.	CLAUSENIA. Octandria Monogynia.					
pentaphylla. DC.	five-leaved.	E. Indies.	1823.	S. h.	
GLYCOSMIS. DC.	GLYCOSMIS. Decandria Monogynia.					
1 arborea. DC.	tree.	E. Indies.	1796.	5. 8.	S. h.	Roxb. cor. 1. t. 85.
<i>Limonia arborea.</i> R.						
2 pentaphylla. DC.	five-leaved.	— — — —	1790.	6. 7.	S. h.	— — — — 1. t. 84.
<i>Limonia pentaphylla.</i> R.						
FERONIA. DC.	ELEPHANT APPLE. Decandria Monogynia.					
elephantum. DC.	Indian.	E. Indies.	1804.	S. h.	Roxb. cor. 2. t. 141.
ÆGLE. DC.	BENGAL QUINCE. Polyandria Monogynia.					
1 Marmelos. DC.	thorny.	E. Indies.	1759.	S. h.	Roxb. cor. 2. t. 143.

CITRUS. DC.

1 medica. DC.	ORANGE-TREE. Polyadelphia Polyandria. L.					
2 Limetta. DC.	Lemon-tree. Asia. 1648.	5. 7.	G. h.	Ris.an.mus.20.t.2.f.2.		
3 Limonum. DC.	Bergamotte. ————	----	G. h.	———— 20.t.2.f.1.		
4 Aurantium. DC.	Lime-tree. ————	----	G. h.	Ferr. hesp. t. 247. &c.		
5 vulgaris. DC.	common. ————	1595.	G. h.	Ris.an.mus.20.t.1.f.1.2		
6 decumana. DC.	Myrtle-leaved. ————	----	G. h.	Bot. reg. t. 346.		
7 hystrix. DC.	Shaddock. India. 1724.	----	G. h.	Rumph. am.2. t.24. f.2.		
8 japonica. DC.	very spiny. ————	----	G. h.	———— 2. t. 28?		
9 nobilis. DC.	small-fruited. Japan. 1815.	----	G. h.	Th. ic. jap. t. 15.		
β minor.	Mandarin. China. 1805.	----	G. h.	Bot. rep. 608.		
10 Margarita. DC.	smaller. ————	----	G. h.	Bot. reg. 211.		
11 madurensis. DC.	sweet Lemon. ————	1820.	G. h.			
12 angulata. DC.	spineless. China. 1816.	----	G. h.	Rumph. amb. 2. t. 31.		
13 buxifolia. DC.	angular-fruited. E. Indies.	----	G. h.	———— 2. t. 32.		
	retuse-leaved. China.	----	G. h.			

ORDO XXXV.

HYPERICINEÆ. DC. *prodr.* 1. p. 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. VISMIEÆ. DC.

VISMIA. DC.

1 brasiliensis. DC.	VISMIA. Polyadelphia Polyandria.					
2 guineensis. DC.	Brasilian. Brazil. 1822.	5. 6.	S. h.	Chois. p. hyp. 35. t. 2.		
	African. SierraLeon. 1823.	----	S. h.	Lin. amœn. 8. t. 8. f. 1.		

Tribus II. HYPERICEÆ. DC.

ANDROSÆMUM. DC. TUTSAN. Monadelphia Polyandria.

officinale. DC.	common. Britain.	7. 9.	H. h.	Eng. bot. 1225.		
HYPERICUM. DC.	ST. JOHN'S-WORT. Polyadelphia Polyandria. L.					
1 elatum. DC.	tall. N. Amer. 1762.	7. 8.	H. h.	Wats. dend. brit. t. 85.		
2 frondosum. DC.	green. ————	1806.	H. h.			
3 amœnum. DC.	pretty. Carolina. 1812.	----	H. h.			
4 grandifolium. DC.	great-leaved. Teneriffe. 1818.	----	G. h.	Chois. pr. hyp. t. 3.		
5 hircinum. DC.	stinking. S. Europe. 1640.	7. 9.	H. h.	Wats. dend. brit. t. 86.		
β minus.	smaller. ————	----	H. h.	———— t. 87.		
6 foliosum. DC.	shining. Azores. 1778.	8.	G. h.			
7 floribundum. DC.	many-flowered. Madeira. 1779.	----	G. h.	Com. hort. 2. t. 68.		
8 olympicum. DC.	Olympic. Levant. 1706.	7. 9.	H. h.	Exot. bot. 2. t. 96.		
9 canariense. DC.	Canary. Canaries. 1699.	----	G. h.			
10 chinense. DC.	Chinese. China. 1753.	3. 9.	G. h.	Bot. mag. 334.		
monogynum. B. M.						
11 cordifolium. DC.	heart-leaved. Nepaul. 1822.	6. 9.	G. h.			
12 pyramidatum. DC.	pyramidal. Canada. 1759.	7. 8.	H. h.	Vent. malm. t. 118.		
13 Ascyron. DC.	Siberian. Siberia. 1774.	6. 9.	H. h.	Gmel. sib. 4. t. 69.		
14 ascyroides. DC.	large-capsuled. N. Amer. 1812.	6. 7.	H. h.			
15 patulum. DC.	spreading. Japan. 1820.	7. 9.	G. h.	Thunb. jap. ic. 17.		
16 Uralum. D. P.	Nepaul. Nepaul. ————	----	F. h.	Bot. mag. 2375.		
17 Kalmianum. DC.	Kalmia-leaved. Virginia. 1759.	6. 7.	H. h.			
18 calycinum. DC.	large-flowered. Ireland.	6. 9.	H. h.	Eng. bot. 2017.		
19 balearicum. DC.	warted. Majorca. 1714.	3. 9.	G. h.	Bot. mag. 137.		
20 virginicum. DC.	Virginian. N. Amer. 1800.	7. 9.	H. h.	Bot. rep. 552.		
Elodea campanulata. Ph.						
21 angulosum. DC.	tooth'd-flow'r'd N. Amer. 1812.	6. 7.	H. h.			
22 punctatum. DC.	spotted. ————	1789.	7. 9.	F. h.		
carymbosum. W. maculatum. Walt.						

23	dolabriforme. DC.	hatchet-like.	————	1818.	—	H. 4.	
24	densiflorum. DC.	dense-flowered.	Virginia.	1812.	6. 8.	F. ½.	
25	rosmarinifolium. DC.	Rosemary-ld.	Carolina.	—	—	F. ½.	
26	prolificum. DC.	prolific.	N. Amer.	1758.	—	H. ½.	Wats. dend. brit. t. 88.
27	glaucum. DC.	glaucous.	————	1812.	7. 8.	H. 4.	
28	lævigatum. H. K.	smooth.	————	1772.	—	H. 4.	
29	nudiflorum. DC.	naked-panicled	————	1811.	8. 10.	H. ½.	
30	quadrangulum. W.	square-stalked.	Britain.	7. 8.	H. 4.	Eng. bot. 370.
31	dubium. E. B.	imperforate.	————	—	H. 4.	— 296.
32	maculatum. All.	spot-flowered.	Europe.	—	H. 4.	All. ped. t. 83. f. 1.
33	undulatum. W. en.	wave-leaved.	Barbary.	1802.	—	F. 4.	
34	japonicum. DC.	Japan.	Japan.	1820.	—	G. 4.	Thunb. jap. t. 31.
35	crispum. DC.	curl-leaved.	Greece.	1688.	—	F. 4.	Bocc. mus. 2. t. 12.
36	pilosum. DC.	pilose.	N. Amer.	1818.	—	H. ½.	Pluk. alm. t. 245. f. 63.
	setosum. H. K.						
37	simplex. DC.	simple-stalked.	————	—	—	H. ①.	— t. 421. f. 3.
38	heterophyllum. DC.	various-leaved.	Persia.	1812.	—	G. ½.	Vent. cels. t. 68.
39	ægyptiacum. DC.	Egyptian.	Egypt.	1787.	6. 7.	G. ½.	Bot. reg. 196.
40	humifusum. DC.	trailing.	Britain.	7. 8.	H. 4.	Eng. bot. 1226.
41	pusillum. DC.	small.	N. S. W.	1818.	—	G. 4.	Lab. nov. holl. 2. t. 175.
42	involutum. DC.	involute-fl.	————	1822.	—	G. 4.	— 2. t. 174.
43	perforatum. DC.	perforate.	Britain.	—	H. 4.	Eng. bot. 295.
44	quinquenervium. DC.	small-flowered	N. Amer.	1759.	6. 9.	F. 4.	
	mutilum. W.						
45	canadense. DC.	Canadian.	Canada.	1770.	7. 9.	H. 4.	
46	perfoliatum.	perfoliate.	Italy.	1785.	5. 6.	F. 4.	
47	axillare. DC.	clustered.	N. Amer.	1806.	7.	F. ½.	
	fasciculatum. W.						
48	Elodes. DC.	marsh.	Britain.	7. 8.	H. 4.	Eng. bot. 109.
49	tomentosum. DC.	woolly.	S. Europe.	1648.	7. 9.	F. 4.	Moris. his. 2. s. 5. t. 6. n. 5.
50	lanuginosum. DC.	downy.	Levant.	1822.	—	F. 4.	
51	hirsutum. DC.	hairy.	Britain.	6. 7.	H. 4.	Eng. bot. 1156.
52	nummularium. DC.	Money-wort.	S. Europe.	1818.	—	H. 4.	Lam. ill. t. 643.
53	elegans. DC.	elegant.	Siberia.	—	7. 9.	H. 4.	Spr. fl. hal. n. 864. t. 90.
	Kohlianum. Spr.						
54	glandulosum. DC.	glandular.	Madeira.	1777.	5. 8.	G. ½.	
55	reflexum. DC.	reflex-leaved.	Teneriffe.	1778.	6. 9.	G. ½.	
56	pulchrum. DC.	small upright.	Britain.	7. 8.	H. 4.	Eng. bot. 1227.
57	elodeoides. DC.	close panicled.	Nepaul.	1823.	G. 4.	
	nervosum. D. P.						
58	barbatum. DC.	bearded.	Scotland.	6. 10.	H. 4.	Eng. bot. 1985.
59	montanum. DC.	mountain.	Britain.	7. 8.	H. 4.	— 371.
60	fimbriatum. DC.	fimbriate.	Pyrenees.	1818.	—	H. 4.	Vill. delph. 3. t. 44.
61	æthiopicum. DC.	Ethiopian.	C. B. S.	1817.	—	G. ½.	
62	ciliatum. DC.	fringed.	S. Europe.	1739.	7.	F. 4.	Boc. mus. 2. t. 127.
63	serpyllifolium. DC.	Thyme-leaved.	Levant.	1688.	7. 8.	F. ½.	Mor. his. 2. s. 5. t. 6. f. 2.
64	tripplinerve. DC.	triply-nerved.	N. Amer.	1823.	7. 9.	H. 4.	Vent. cels. t. 58.
65	Coris. DC.	Coris-leaved.	Levant.	1640.	5. 9.	G. ½.	Bot. mag. 178.
66	ericoides. DC.	Heath-leaved.	S. Europe.	1818.	—	G. ½.	Cav. ic. 2. t. 122.
67	fasciculatum. DC.	Aspalathus-like	N. Amer.	1811.	6. 8.	F. ½.	
	aspalathoides. W.						
68	verticillatum. DC.	whorl-leaved.	C. B. S.	1784.	—	G. 4.	
ASCYRUM. DC.							
		ASCYRUM.	Monadelphia Polyandria.				
1	pumilum. DC.	dwarf.	Georgia.	1806.	6. 8.	G. 4.	
2	Crux Andreae. DC.	St. Andrew's-cr	N. Amer.	1759.	7.	G. ½.	Burm. am. 146. t. 152.
3	hypericoides. DC.	Hypericum like	————	—	7. 9.	G. ½.	Burm. am. t. 152. f. 1.
4	stans. DC.	large-flowered.	————	1806.	—	G. ½.	
5	amplexicaule. DC.	stem-clasping.	————	—	—	G. ½.	

Subordo II. HYPERICINEÆ ANOMALÆ. DC.

CARPODONTOS. DC.	CARPODONTOS.	Polyandria Pentagynia.	
lucida. DC.	shining.	V. Diem. Is. 1820. G. ½. Lab. voy. 2. t. 18.

ORDO XXXVI.

GUTTIFERÆ. *DC. prodr.1. p. 557.*Tribus I. *CLUSIÆ. DC.*

CLUSIA. DC.	BALSAM-TREE. Polygamia Monœcia. L.	
1 rosea. DC.	Rose-coloured. America. 1692. 7. 8. S. h.	Cates. car. 2. t. 99.
2 alba. DC.	white-flowered. S. Amer. 1752. — S. h.	Jacq. amer. t. 166.
3 flava.	yellow-flowered Jamaica. 1759. 9. S. h.	Bot. rep. 223.
4 venosa. DC.	veiny-leaved. S. Amer. 1733. S. h.	Plum. ic. 87. f. 2.
HAVETIA. Kth.	HAVETIA. Diœcia Tetrandria.	
laurifolia. Kth.	Laurel-leaved. S. Amer. 1820. S. h.	H.etB. n.g.am.5.t.462.
<i>Clusia tetrandra. W.</i>		

Tribus II. *GARCINIEÆ. DC.*

MICRANTHERA. DC.	MICRANTHERA. Diœcia Polyandria.	
clusiæfolia. DC.	Clusia-leaved. Cayenne. 1823. S. h.	Chois.m.h.P.1.t.11.12.
GARCINIA. DC.	GARCINIA. Polyandria Monogynia.	
1 Mangostana. DC.	Mangosteen. Java. 1789. S. h.	Lam. ill. t. 405.
2 cornea. DC.	noddingflow'r'd E. Indies. 1817. S. h.	Rumph. amb. 3. t. 30.
3 Cambogia. DC.	yellow-flower'd ——— 1822. S. h.	Rheed. mal. 1. t. 24.
4 Cowa. DC.	polygamous. ——— ——— S. h.	

Tribus. III. *CALOPHYLLÆ. DC.*

MAMMEA. DC.	MAMMEE-TREE. Polyandria Monogynia. L.	
1 americana. DC.	America. S. Amer. 1737. S. h.	Jacq. amer. t. 182. f. 32.
2 africana. DC.	African. Sierra Leon. 1820. S. h.	
XANTHOCHYMUS. DC.	XANTHOCHYMUS. Polyadelphia Polyandria.	
1 pictorius. H.B.	painters. E. Indies. 1796. S. h.	Roxb. cor. 2. t. 196.
2 dulcis. H.B.	sweet. ——— 1820. S. h.	
3 ovalifolius. H.B.	oval-leaved. ——— ——— S. h.	
CALOPHYLLUM. DC.	CALOPHYLLUM. Polyandria Monogynia. L.	
1 Inophyllum. DC.	sweet-scented. E. Indies. 1793. S. h.	Rheed. mal. 4. t. 38.
2 Tacamahaca. DC.	acute-leaved. Bourbon. 1822. S. h.	Pluk. alm. t. 147. f. 3.
3 Calaba. DC.	Calaba-tree. W. Indies. 1780. S. h.	Jacq. amer. t. 165.
4 spurium. DC.	spurious. E. Indies. ——— S. h.	Rheed. mal. 4. t. 39.
<i>Calaba. L.</i>		
PENTADESMA. H.T.	BUTTER-TREE. Polyandria Monogynia.	
butyracea. H.T.	African. Sierra Leon. 1821. S. h.	

Tribus IV. *SYMPHONIEÆ. DC.*

CANELLA. DC.	CANELLA. Dodecandria Monogynia.	
1 alba. DC.	broad-leaved. W. Indies. 1735. S. h.	Linn. trans. 1. t. 8.
2 laurifolia. L.C.	narrow-leaved. ——— S. h.	

ORDO XXXVII.

MARCGRAVIACEÆ. *DC. prodr. 1. p. 565.*Subordo I. *MARCRAVIEÆ. DC.*

ANTHOLOMA. DC.	ANTHOLOMA.	Polyandria Monogynia.	
montana. DC.	mountain.	N. Caledonia 1820.	G. h. Labill. voy. t. 41.
MARCGRAVIA. DC.	MARCGRAVIA.	Polyandria Monogynia. L.	
1 umbellata. DC.	umbelled.	W. Indies. 1792. 6. 8.	S. h. Hook. exot. flor. 160.
2 coriacea. DC.	leathery-leav'd.	Guiana. 1820. —	S. h.

Subordo II. *NORANTEÆ. DC.*

NORANTEA. DC.	NORANTEA.	Polyandria Monogynia. L.	
brasiliensis. DC.	Brasilian.	Brazil. 1820.	S. h.
RUYSCHIA. DC.	RUYSCHIA.	Pentandria Monogynia.	
clusiæfolia. DC.	Clusia-leaved.	W. Indies. 1823.	S. h. Jacq. amer. t. 51. f. 2.

ORDO XXXVIII.

HIPPOCRATEACEÆ. *DC. prodr. 1. p. 567.*

HIPPOCRATEA. DC.	HIPPOCRATEA.	Triandria Monogynia. L.	
1 obcordata. DC.	obcordate.	W. Indies. 1819.	S. h. Lam. ill. 1. t. 28. f. 1.
	<i>scandens.</i> Jacq. amer. t. 9.		
2 ovata. DC.	oval-leaved.	S. Amer. 1739.	S. h. Lam. ill. 1. t. 28. f. 2.
	<i>volubilis.</i> L.		
3 indica. DC.	Indian.	E. Indies. 1818.	S. h. Roxb. cor. 2. t. 130.
4 obtusifolia. DC.	blunt-leaved.	———— 1820.	S. h.
5 arborea. DC.	tree.	———— 1822.	S. h. Roxb. cor. 3. t. 205.
ANTHODON. DC.	ANTHODON.	Triandria Monogynia.	
1 paniculatum. DC.	panicled.	Rio Janeiro. 1818.	S. h.
2 ellipticum. DC.	elliptic-leaved.	———— ————	S. h.
JOHNIA. F. I.	JOHNIA.	Triandria Monogynia. F. I.	
1 salacioides. F. I.	entire-leaved.	E. Indies. 1822.	S. h.
2 coromandeliana. F. I.	saw-leaved.	———— ————	S. h.

ORDO XXXIX.

ERYTHROXYLEÆ. *DC. prodr. 1. p. 573.*

ERYTHROXYLUM. DC.	ERYTHROXYLUM.	Decandria Trigynia. L.	
1 hypericifolium. DC.	Hypericum-ld.	Mauritius. 1818.	S. h. Cav. dis. 8. t. 230.
2 havanense. DC.	Havannah.	W. Indies. 1822.	S. h. Jacq. amer. t. 87. f. 2.
3 laurifolium. DC.	Laurel-leaved.	Mauritius. ————	S. h. Cav. dis. 8. t. 226.
SETHIA. Kth.	SETHIA.	Decandria Monogynia.	
indica. DC.	Indian.	E. Indies. 1823.	S. h. Roxb. cor. 1. t. 88.
<i>Erythroxylon monogynum.</i> H. B.			

ORDO XL.

MALPIGHIACEÆ. *DC. prodr. 1. p. 577.*Tribus I. *MALPIGHIEÆ. DC.*

MALPIGHIA. DC.	MALPIGHIA.	Decandria	Trigynia. L.		
1 fucata. DC.	painted.	W. Indies.	1814. 1. 12.	S. h.	Bot. reg. 189.
2 urens. DC.	stinging.	S. Amer.	1737. 7. 10.	S. h.	——— 94.
3 angustifolia. DC.	narrow-leaved.	W. Indies.	—— 7. 8.	S. h.	Lod. bot. cab. 321.
4 aquifolia. DC.	Holly-leaved.	S. Amer.	1759. 8. 9.	S. h.	Cav. dis. 8. t. 236. f. 2.
5 coccifera. DC.	kermes-oak-ld.	———	1733. —	S. h.	Bot. reg. 568.
6 glabra. DC.	smooth-leaved.	———	1757. 3. 7.	S. h.	Bot. mag. 813.
7 biflora. DC.	two-flowered.	——— —	S. h.	Cav. dis. 8. t. 234. f. 2.
<i>punicifolia. Cav.</i>					
8 punicifolia. DC.	Punica-leaved.	———	1690. —	S. h.	Plum. ic. t. 166. f. 2.
9 nitida. DC.	glossy-leaved.	S. Amer.	1733. 3. 8.	S. h.	
10? faginea. DC.	Beech-leaved.	———	1822.	S. h.	
BYRSONIMA. DC.	BYRSONIMA.	Decandria	Trigynia. L.		
1 verbascifolia. DC.	Mullein-leaved.	Guiana.	1818. 3. 8.	S. h.	Aub. gui. 1. t. 184.
2 nervosa. DC.	prominent-nd.	Brazil.	—— —	S. h.	
3 altissima. DC.	tall.	Guiana.	1820.	S. h.	Aub. gui. 1. t. 181.
4 crassifolia. DC.	thick-leaved.	———	1793. 8.	S. h.	——— 1. t. 182.
<i>Malpighia crassifolia. W.</i>					
5 chrysophylla. DC.	golden-leaved.	S. Amer.	1822.	S. h.	
6 spicata. DC.	spiked.	Brazil.	1818. 5. 8.	S. h.	Cav. dis. 8. t. 237.
7 lucida. DC.	wedge-leaved.	W. Indies.	1759. —	S. h.	Bot. mag. 2462.
<i>Malpighia lucida. W.</i>					
8 coriacea. DC.	leathery-leaved	Jamaica.	1814. —	S. h.	Sloan. his. 2. t. 163. f. 1.
9 pallida. DC.	pale-leaved.	W. Indies.	1820. —	S. h.	
10? volubilis. DC.	twining.	———	1793. 8. 9.	S. h.	Bot. mag. 809.
<i>Malpighia volubilis. B.M.</i>					
BUNCHOSIA. DC.	BUNCHOSIA.	Decandria	Monogynia.		
1 glandulosa. DC.	2-glanded.	Antilles.	1804. 3. 5.	S. h.	Cav. dis. 8. t. 239. f. 2.
<i>Malpighia glandulosa. Cav.</i>					
2 glandulifera. DC.	4-glanded.	Caracas.	1806. —	S. h.	Jacq. coll. 5. f. 3.
<i>Malpighia glandulosa. Jacq. ic. 3. t. 469.</i>					
3 polystachya. DC.	many-spiked.	W. Indies.	—— —	S. h.	And. bot. rep. 604.
4 media. DC.	intermediate.	———	1790. —	S. h.	
<i>Malpighia media. H.K.</i>					
5 tuberculata. DC.	tuberculate.	Caracas.	1823.	S. h.	Jacq. schoen. 1. t. 104.
6 argentea. DC.	silvery.	———	1820.	S. h.	Jacq. frag. t. 83.
7 nitida. DC.	glossy-leaved.	W. Indies.	1733. 3. 8.	S. h.	Cav. dis. 8. t. 239. f. 1.
8 canescens. DC.	downy-leaved.	———	1742.	S. h.	

Tribus II. *HYPTAGEÆ. DC.*

HIPTAGE. DC.	HIPTAGE.	Decandria	Monogynia.		
1 Madablota. DC.	clustered.	E. Indies.	1796. 3. 4.	S. h.	Roxb. cor. 1. t. 18.
<i>Gaertnera racemosa. A. R. 600.</i>					
2 obtusifolia. DC.	blunt-leaved.	China.	1822.	S. h.	
<i>Gaertnera obtusifolia. H. B.</i>					

Tribus III. *BANISTERIEÆ. DC.*

HIRÆA. DC.	HIRÆA.	Decandria	Trigynia. L.		
1 odorata. DC.	sweet-scented.	Guinea.	1822.	S. h.	

2 nutans. DC.	nodding.	E. Indies.	1818.	5. 8.	S. h. .	
3 indica. DC.	Indian.	—————	—————	—————	S. h. .	Roxb. cor. 2. t. 160.
TRIOPTERIS. DC.	TRIOPTERIS.	Decandria Trigynia.	L.			
jamaicensis. DC.	Jamaica.	Jamaica.	1818.	5. 9.	S. h. .	
TETRAPTERIS. DC.	TETRAPTERIS.	Decandria Trigynia.	L.			
1 buxifolia. DC.	Box-leaved.	St. Domingo.	5. 8.	S. h. .	Cav. dis. 9. t. 262. f. 1.
2 citrifolia. DC.	Citron-leaved.	Jamaica.	1819.	—	S. h. .	— 9. t. 260.
BANISTERIA. DC.	BANISTERIA.	Decandria Trigynia.	L.			
1 auriculata. DC.	eared.	Brazil.	1818.	S. h. .	Cav. dis. 9. t. 255.
2 ciliata. DC.	ciliated.	—————	1796.	S. h. .	— 9. t. 254.
3 splendens. DC.	shining.	S. Amer.	1812.	S. h. .	— 9. t. 253.
heterophylla. w. fulgens. Cav.						
4 sericea. DC.	silky.	Brazil.	1810.	S. h. .	— 9. t. 258.
5 tomentosa. DC.	woolly-leaved.	Antilles.	1818.	5. 8.	S. h. .	
6 ferruginea. DC.	ferruginous.	Brazil.	—	S. h. .	Cav. dis. 9. t. 248.
7 periplocæfolia. DC.	Periploca-leav'd	Porto Rico.	—	S. h. .	
8? laurifolia. DC.	Laurel-leaved.	Jamaica.	1733.	7. 8.	S. h. .	
9 fulgens. DC.	fulgent.	W. Indies.	1759.	S. h. .	
10 ovata. DC.	oval-leaved.	St. Domingo.	1819.	—	S. h. .	Vent. choix. t. 51. A.
HETEROPTERIS. DC.	HETEROPTERIS.	Decandria Trigynia.	L.			
1 purpurea. DC.	purple.	W. Indies.	1759.	S. h. .	Cav. dis. 9. t. 246. f. 1.
2 parvifolia. DC.	small-leaved.	St. Thomas.	1822.	S. h. .	Vent. choix. t. 51.
3 brachiata. DC.	cross-branched.	S. Amer.	1759.	S. h. .	
4 chrysophylla. DC.	Star-apple-ld.	Brazil.	1793.	S. h. .	Jacq. schœn. 1. t. 105.
5 cœrulea. DC.	blue-flowered.	W. Indies.	1822.	S. h. .	Cav. dis. 9. t. 243.
6 nitida. DC.	glossy.	S. Amer.	1809.	S. h. .	— 9. t. 244.
7 appendiculata. DC.	long-pointed.	W. Indies.	1823.	S. h. .	

ORDO XLI.

ACERINEÆ. DC. *prodr.* 1. p. 593.

ACER. DC.	MAPLE. Polygamia Monœcia. L.					
1 oblongum.	oblong-leaved.	Nepaul.	1820.	H. h.	
2 tataricum. DC.	Tartarian.	Tartary.	1759.	5. 6.	H. h.	Pall. fl. ros. t. 3.
3 striatum. DC.	striped-barked.	N. Amer.	1755.	5. 6.	H. h.	Mich. f. arb. 2. t. 17.
pensylvanicum. L.						
4 Pseudo-Platanus. DC.	Sycamore.	Britain.	4. 5.	H. h.	Eng. bot. 303.
β variegatum.	variegated.	—————	—	H. h.	Duham. arb. 1. t. 36.
γ subobtusum. DC.	blunt-leaved.	—————	—	H. h.	
5 spicatum. DC.	mountain.	N. Amer.	1750.	—	H. h.	Schm. arb. 1. t. 11.
montanum. H.K.						
6 hybridum. DC.	hybrid.	Hybrid.	—	H. h.	
7 campestre. DC.	common.	Britain.	5. 6.	H. h.	Eng. bot. 304.
8 austriacum. L.en.	Austrian.	Austria.	—	H. h.	Tratt. arch. 1. n. 6. ic.
9 Opalus. W.	Italian.	Italy.	1752.	—	H. h.	
10 opalifolium. L.en.	Opalus-leaved.	S. Europe.	—	H. h.	Tratt. arch. 1. n. 13. ic.
11 obtusatum. DC.	Hungarian.	Hungary.	1818.	—	H. h.	— 1. n. 14. ic.
12 creticum. DC.	Cretan.	Levant.	1752.	—	H. h.	— 1. n. 19. ic.
13 monspessulanum. DC.	Montpelier.	France.	1739.	5.	H. h.	— 1. n. 20. ic.
14 heterophyllum. DC.	evergreen.	Levant.	1759.	5. 6.	H. h.	Willd. arb. 10. t. 1. f. 1.
15 barbatum. DC.	bearded.	N. Amer.	1812.	4. 5.	H. h.	
16 platanoides. DC.	Norway.	Europe.	1683.	5. 7.	H. h.	Schm. arb. 1. t. 3. 4.
β laciniatum.	cut-leaved.	—————	—	—	H. h.	— 1. t. 5.
17 saccharinum. DC.	Sugar.	N. Amer.	1735.	4. 5.	H. h.	Mich. f. arb. 2. t. 15.
18 nigrum. DC.	black-sugar.	—————	1812.	—	H. h.	— 2. t. 16.
19 eriocarpum. DC.	Sir C. Wager's.	—————	1725.	—	H. h.	— 2. t. 13.
dasyacarpum. W.						
20 rubrum. DC.	red-flowered.	—————	1656.	—	H. h.	— 2. t. 14.
21 palmatum. DC.	palmate.	China.	1820.	H. h.	Tratt. arch. 1. n. 17. ic.
NEGUNDO. DC.	NEGUNDO. Diœcia Pentandria.					
fraxinifolium. DC.	Ash-leaved.	N. Amer.	1688.	4.	H. h.	Mich. f. arb. 2. t. 16.
Acer Negundo. L.						

ORDO XLII.

HIPPOCASTANEÆ. *DC. prod. 1. p. 597.*

ÆSCULUS. DC.		HORSE-CHESTNUT. Heptandria Monogynia. L.				
1	Hippocastanum. DC.	common.	Asia.	1629.	4. 5. H. h.	Schm. arb. 1. t. 38.
	<i>β variegata.</i>	striped-leaved.				
2	rubicunda. DC.	red-flowered.	5. 6. H. h.	Herb. amat. t. 367.
3	glabra. DC.	smooth-leaved.	N. Amer.	1812.	— H. h.	
4	ohioensis. DC.	Ohio.	—	1818.	— H. h.	
5	pallida. DC.	pale-flowered.	—	1812.	6. H. h.	
PAVIA.		SMOOTH-CHESTNUT. Heptandria Monogynia. L.				
1	macrostachya. DC.	long-spiked.	N. Amer.	1786.	7. 8. H. h.	Jacq. ecl. 1. t. 9.
	<i>Æsculus parviflora.</i>	H. K.				
2	rubra. DC.	red-flowered.	N. Amer.	1711.	5. 6. H. h.	Duham. arb. 2. t. 19.
	<i>Æsculus Pavia.</i>	L.				
3	hybrida. DC.	variegated-fl.	—	1812.	— H. h.	
4	discolor.	dwarf.	—	—	— H. h.	Bot. reg. 310.
	<i>Æsculus discolor.</i>	Ph. non hybrida. DC.				
5	flava. DC.	yellow-flowered	—	1764.	— H. h.	Schmid. arb. 1. t. 40.

ORDO XLIII.

RHIZOBOLÆ. *DC. prodr. 1. p. 599.*

CARYOCAR. DC.		CARYOCAR. Polyandria Tetragynia.				
1	glabrum. DC.	smooth-leaved.	Guiana.	1820. S. h.	Aub. gui. 2. t. 240.
2	tomentosum. DC.	woolly-leaved.	—	— S. h.	— 1. t. 239.

ORDO XLIV.

SAPINDACEÆ. *DC. prodr. 1. p. 601.*

Tribus I. PAULLINIEÆ. DC.

CARDIOSPERMUM. L. HEART-SEED. Octandria Trigynia. L.						
1	Halicacabum. DC.	smooth-leaved.	India.	1594.	6. 8. S. ☉.	Bot. mag. 1049.
2	grandiflorum. DC.	large-flowered.	Jamaica.	1823. S. h. ∪.	
3	coluteoides. DC.	Colutea-like.	Caracas.	— S. 4. ∪.	
4	Corindum. L.	Parsley-leaved.	Brazil.	1750.	7. 8. S. ☉.	
5	pubescens. DC.	pubescent.	N. Spain.	1820.	— S. h. ∪.	
URVILLÆA. Kth.		URVILLÆA. Octandria Monogynia.				
	ulmacea. Kth.	Elm-leaved.	Caracas.	1823. S. h. ∪.	H. et B. n. gen. 5. t. 440.
SERIANA. Kth.		SERIANA. Octandria Trigynia. L.				
1	sinuata. DC.	sinuate-leaved.	S. Amer.	7. 9. S. h. ∪.	Sch. ac. hafn. 3. t. 12. f. 1.
2	divaricata. DC.	divaricate.	W. Indies.	1823. S. h. ∪.	— t. 12. f. 2.
3	caracasana. DC.	tooth-leaved.	Caracas.	1816.	7. 9. S. h. ∪.	Jacq. schœn. 1. t. 99.
4	triternata. DC.	Supple-Jack.	W. Indies.	1739. S. h. ∪.	Jacq. obs. 3. t. 61. f. 10.
	<i>Paullinia polyphylla.</i>	L.				
PAULLINIA. DC.		PAULLINIA. Octandria Trigynia. L.				
1	pinnata. DC.	winged-leaved.	S. Amer.	1752.	7. 9. S. h. ∪.	Jacq. obs. 3. t. 62. f. 12.

2 Vespertilio. DC.	Bat-winged.	W. Indies.	1823.	—	S. h. ∞.	Sch. act. hafn. 3. t. 11. f. 1.
3 meliæfolia. DC.	Melia-leaved.	Brazil.	1818.	—	S. h. ∞.	Hook. ex. flor. 110.
4 curassavica. DC.	shining-leaved.	S. Amer.	1739.	6. 8.	S. h. ∞.	Jacq. obs. 3. t. 61. f. 1.
5 barbadensis. DC.	Barbadoes.	W. Indies.	1786.	S. h. ∞.	— 3. t. 61. f. 9.
6 caribæa. DC.	Caribbean.	Caribees.	S. h. ∞.	Jacq. obs. 3. t. 62. f. 7.
7 hispida. DC.	hispid.	Caracas.	1823.	S. h. ∞.	Jacq. schœn. 3. t. 268.
8 cauliflora. DC.	stem-flowering.	—	—	6. 8.	S. h. ∞.	Jacq. ic. rar. 3. t. 450.

Tribus II. *SAPINDEÆ*. DC.

SAPINDUS. DC.	SOAP-BERRY.	Octandria Trigynia. L.				
1 Saponaria. DC.	common.	W. Indies.	1697.	7. 9.	S. h.	Comm. hort. 1. t. 94.
2 marginatus. DC.	marginated.	Carolina.	—	G. h.	
3 rigidus. DC.	Ash-leaved.	S. Amer.	1759.	—	S. h.	Pluk. alm. t. 217. f. 7.
4 senegalensis. DC.	Senegal.	Senegal.	1823.	S. h.	
5 laurifolius. DC.	Laurel-leaved.	E. Indies.	1818.	S. h.	Rheed. mal. 4. t. 19.
6 longifolius. DC.	long-leaved.	—	—	S. h.	
7 emarginatus. DC.	emarginate.	—	1820.	S. h.	
8 rubiginosus. DC.	rusty-leaved.	—	—	S. h.	Roxb. cor. 1. t. 62.
9? indicus. DC.	various-leaved.	—	—	S. h.	
BLIGHIA. DC.	AKEE-TREE.	Octandria Monogynia.				
sapida. DC.	Ash-leaved.	Africa.	1723.	S. h.	Koen. an. bot. 2. t. 16. 17.
MATAYBA. DC.	MATAYBA.	Octandria Monogynia.				
guianensis. DC.	Ash-leaved.	Guiana.	1803.	7. 9.	S. h.	Aub. gui. 1. t. 128.
<i>Ephelis fraxinea</i> . W.						
SCHMIDELIA. DC.	SCHMIDELIA.	Octandria Monogynia. L.				
1 serrata. DC.	saw-leaved.	E. Indies.	1804.	6. 8.	S. h.	Roxb. cor. 1. t. 61.
<i>Ornithophe serrata</i> . W.						
2 racemosa. DC.	clustered.	—	1818.	S. h.	Burm. ind. t. 32. f. 1.
3 Cominia. DC.	yellow-berried.	Jamaica.	1759.	6. 9.	S. h.	Sloan. h. 2. t. 208. f. 1.
<i>Ornithophe Cominia</i> . W. <i>Rhus Cominia</i> . L.						
EUPHORIA. DC.	EUPHORIA.	Octandria Monogynia. L.				
1 Litchi. DC.	Lee-Chee.	China.	1786.	5. 6.	S. h.	Lam. ill. t. 306.
<i>Dimocarpus Litchi</i> . W. <i>Scytalia chinensis</i> . G. fr. t. 42. f. 3.						
2 Longana. DC.	loose-panicked.	—	—	—	S. h.	Buchoz. ic. col. t. 99.
3 Nephelium. DC.	Rambootan.	E. Indies.	1809.	S. h.	Lam. ill. t. 764.
<i>Nephelium lappaceum</i> . W. <i>Scytalia Rambootan</i> . H. B.						
CUPANIA. DC.	CUPANIA.	Octandria Monogynia.				
1 tomentosa. DC.	woolly-leaved.	W. Indies.	1818.	5. 7.	S. h.	
<i>Trigonis tomentosa</i> . Jacq. am. 102.						
2 glabra. DC.	smooth-leaved.	—	—	—	S. h.	
3 Saponaria. DC.	Soap-wort-ld.	—	1820.	S. h.	
MOLINÆA. J.	MOLINÆA.	Octandria Monogynia.				
canescens. H. B.	canescent.	E. Indies.	1817.	5. 6.	S. h.	
COSSIGNIA. DC.	COSSIGNIA.	Hexandria Monogynia.				
borbonica. DC.	golden-leaved.	Bourbon.	1811.	S. h.	Lam. ill. t. 256.
<i>pinnata</i> . Lam. <i>Ruizia aurea</i> . Hort.						
MELICOCCA. DC.	HONEY-BERRY.	Octandria Monogynia. L.				
1 bijuga. DC.	winged-leaved.	Jamaica.	1778.	S. h.	Jacq. amer. 103. t. 72.
2 olivæformis. DC.	large-leaved.	S. Amer.	1818.	S. h.	

Tribus III. *DODONÆACEÆ*. DC.

KOELREUTERIA. DC.	KOELREUTERIA.	Octandria Monogynia. L.				
paniculata. DC.	panicked.	China.	1763.	7. 8.	H. h.	Bot. reg. 320.
DODONÆA. DC.	DODONÆA.	Octandria Monogynia. L.				
1 viscosa. DC.	clammy.	S. Amer.	1690.	6. 7.	S. h.	Plum. ic. t. 247. f. 2.
2 jamaicensis. DC.	Jamaica.	Jamaica.	—	—	S. h.	Cav. ic. t. 327.
<i>viscosa</i> . Cav. <i>angustifolia</i> . Sw.						
3 Burmanniana. DC.	Burman's.	E. Indies.	1758.	5. 8.	S. h.	Burm. zeyl. t. 23.
<i>angustifolia</i> . H. B.						
4 microcarpa. DC.	small-fruited.	Bourbon.	1818.	—	S. h.	Lam. ill. t. 304. f. 2.

5 salicifolia. DC.	Willow-leaved.	C. B. S.	1758.	—	G. h.	
angustifolia. Lam.						
6 dioica. DC.	diœcious.	E. Indies.	—	S. h.	
7 triquetra. DC.	three-sided.	N. S. W.	1790.	6. 8.	G. h.	Bot. rep. 230.
8 oblongifolia. L.en.	oblong-leaved.	—	1816.	—	G. h.	
9 cuneata. DC.	wedge-leaved.	—	—	—	G. h.	Linn. trans. 11. t. 19.
10 asplenifolia. DC.	Asplenium-ld.	—	—	—	G. h.	— 11. t. 20.
11 filiformis. DC.	slender-leaved.	—	1820.	—	G. h.	
12 angustissima. DC.	narrow-leaved.	—	—	—	G. h.	
13 elæagnoides. DC.	scaly-leaved.	W. Indies.	1819.	S. h.	
14? pinnata. DC.	winged-leaved.	N. S. W.	1810.	G. h.	

ORDO XLV.

MELIACEÆ. DC. *prodr.* 1. p. 619.

Tribus I. MELIÆ. DC.

TURRÆA. DC.	TURRÆA. Decandria Monogynia. L.					
1 virens. DC.	green.	E. Indies.	1822.	S. h.	Sm. ic. ined. 1. t. 10.
2 rigida. DC.	rigid.	Mauritius.	1820.	S. h.	Vent. choix. t. 48.
QUIVISIA. DC.	QUIVISIA. Octandria Monogynia.					
heterophylla. DC.	various-leaved.	Mauritius.	1821.	S. h.	Cav. dis. 7. t. 213.
SANDORICUM. DC.	SANDORICUM. Decandria Monogynia.					
indicum. DC.	Indian.	E. Indies.	1818.	S. h.	Cav. dis. 7. t. 202. 203.
MELIA. DC.	BEAD-TREE. Decandria Monogynia. L.					
1 Azedarach. DC.	common.	Syria.	1656.	6. 8.	G. h.	Bot. mag. 1066.
2 superba. H.B.	superb.	E. Indies.	1821.	1. 2.	S. h.	
3 robusta. H.B.	robust.	—	—	S. h.	
4 sempervirens. DC.	evergreen.	Jamaica.	1656.	6. 9.	S. h.	Bot. reg. 643.
5 composita. DC.	compound-ld.	E. Indies.	1818.	1. 3.	S. h.	
6 Azadirachta. DC.	Ash-leaved.	—	1759.	6. 8.	S. h.	Cav. dis. 7. t. 208.

Tribus II. TRICHILIÆ. DC.

TRICHILIA. DC.	TRICHILIA. Decandria Monogynia. L.					
1 hirta. DC.	hairy.	Jamaica.	1820.	6. 7.	S. h.	Sloan. h. 2. t. 220. f. 1.
2 spondioides. DC.	Spondias-like.	—	—	—	S. h.	Jacq. schœn. 1. t. 102.
3 havanensis. DC.	smooth.	W. Indies.	1794.	—	S. h.	Jacq. amer. t. 175. f. 38.
glabra. L.						
4 odorata. A.R.	sweet-scented.	—	1801.	—	S. h.	Bot. rep. 637.
5 glandulosa. DC.	glandular.	N. S. W.	1821.	G. h.	
EKEBERGIA. DC.	EKEBERGIA. Decandria Monogynia.					
capensis. DC.	Cape.	C. B. S.	1789.	7. 8.	G. h.	Lam. ill. t. 358.
GUAREA. DC.	GUAREA. Octandria Monogynia. L.					
1 trichilioides. L.	Ash-leaved.	S. Amer.	1752.	5. 6.	S. h.	Jacq. am. t. 176. f. 37.
grandifolia. DC.	Melia Guara. Jacq.					
2 Swartzii.	Swartz's.	W. Indies.	1822.	S. h.	Sloan. h. 2. t. 170. f. 1.
trichilioides. Sw.						
3 ramiflora. DC.	branch-flow'r'd.	Porto Rico.	—	S. h.	Vent. choix. t. 41.
HEYNEA. DC.	HEYNEA. Decandria Monogynia.					
1 trijuga. DC.	Walnut-like.	Nepaul.	1812.	9.	S. h.	Bot. mag. 1738.
2 quinquejuga. H.B.	five-paired.	Moluccas.	1821.	S. h.	

Tribus III. *CEDRELEÆ*. DC.

CEDRELA . DC.	BASTARD CEDAR . Pentandria Monogynia. L.			
1 odorata. DC.	fragrant. W. Indies. 1739. 7. 9. S. h.	Lam. ill. t. 137.		
2 Toona. DC.	Nepaul. Nepaul. 1821. S. h.	Roxb. cor. 3. t. 238.		
3 velutina. DC.	velvetty. S. h.			
SWIETENIA . DC.	MAHOGANY-TREE . Decandria Monogynia. L.			
1 Mahagoni. DC.	common. W. Indies. 1734. S. h.	Cav. dis. 7. t. 209.		
2 febrifuga. DC.	Febrifuge. E. Indies. 1796. S. h.	Roxb. cor. 1. t. 17.		
CHLOROXYLON . DC.	CHLOROXYLON . Decandria Monogynia.			
Swietenia. DC.	Satin-wood. E. Indies. 1822. S. h.	Roxb. cor. 1. t. 64.		
	<i>Swietenia chloroxylon</i> . Roxb.			
FLINDERSIA . DC.	FLINDERSIA . Decandria Monogynia.			
australis. DC.	New Holland. N. Holland. 1821. G. h.	Brown gen. rem. t. 1.		
CARAPA . DC.	CARAPA . Decandria Monogynia.			
1 procera. DC.	tall. W. Indies. S. h.			
2 guineensis.	glossy-leaved. Sierra Leon. 1793. S. h.			
	<i>Afzelia splendens</i> . Hort.			

ORDO XLVI.

AMPELIDEÆ. DC. *prodr.* 1. p. 627.Tribus I. *VINIFERÆ* seu *SARMENTACEÆ*. DC.

CISSUS . DC.	CISSUS . Tetrandria Monogynia. L.			
1 vitiginea. DC.	vine-leaved. India. 1772. 7. 8. S. h. ∪.	Pluk. mant. t. 337. f. 4.		
2 adnata. DC.	pointed-leaved. E. Indies. 1818. — S. h. ∪.			
3 glauca. DC.	glaucous. — S. h. ∪.			
4 repens. DC.	creeping. — 1821. S. h. ∪.	Rheed. mal. 7. t. 48.		
5 puncticulosa. DC.	strumous. Cayenne. 1818. S. h. ∪.			
6 quadrangularis. DC.	square-stalked. E. Indies. 1790. S. h. ∪.	Rumph. amb. 5. t. 44. f. 2.		
7 sicyoides. DC.	naked-leaved. Jamaica. 1768. 7. 8. S. h. ∪.	Jacq. amer. 22. t. 15.		
8 ovata. DC.	oval-leaved. — 1822. S. h. ∪.	Brown. jam. t. 4. f. 1. 2.		
9 antarctica. DC.	Kanguru-Vine. N. S. W. 1790. 6. 8. G. h. ∪.	Bot. mag. 2488.		
10 capensis. DC.	Cape. C. B. S. 1792. — G. h. ∪.			
11 acida. DC.	acid. Jamaica. 1692. — S. h. ∪.	Jacq. schœn. 1. t. 33.		
12 carnososa. DC.	flat-stemmed. E. Indies. 1818. S. h. ∪.	Rheed. mal. 7. t. 9.		
13 trifoliata. DC.	three-leaved. Jamaica. 1739. 6. 8. S. h. ∪.	Sloan. jam. t. 142. f. 5. 6.		
14 alata. DC.	winged-stalk'd. — S. h. ∪.	— 1. t. 144.		
15 angustifolia. DC.	narrow-leaved. E. Indies. 1818. S. h. ∪.			
16 quinata. DC.	wedge-leaved. C. B. S. 1790. 7. G. h. ∪.			
17 pentaphylla. DC.	Japan. Japan. — 4. 9. G. h. ∪.			
18 quinquefolia. B.M.	five-leaved. Brazil. — 8. 9. S. h. ∪.	Bot. mag. 2443.		
19 diversifolia. DC.	various-leaved. S. h. ∪.			
	<i>heterophylla</i> . L. en. non DC.			
20 elongata. DC.	long-branched. E. Indies. 1818. S. h. ∪.			
21 auriculata. DC.	ear-stipuled. — S. h. ∪.			
22 orientalis. DC.	oriental. Levant. — 6. 8. G. h. ∪.			
AMPELOPSIS . DC.	AMPELOPSIS . Pentandria Monogynia. L.			
1 cordata. DC.	heart-leaved. N. Amer. 1803. 6. 8. H. h. ∪.			
	<i>Cissus Ampelopsis</i> . P.S.			
2 hederacea. DC.	Virginian creeper. — 1629. — H. h. ∪.	Com. canad. t. 100.		
	<i>Hedera quinquefolia</i> . L. <i>Cissus hederacea</i> . P.S.			
3 hirsuta. DC.	hairy. — 1806. — H. h. ∪.			
4 bipinnata. DC.	Pepper Vine. — 1700. 7. 9. H. h. ∪.	Pluk. mant. t. 412. f. 2.		
	<i>Vitis arborea</i> . W. <i>Cissus stans</i> . P.S.			
VITIS . DC.	VINE . Pentandria Monogynia. L.			
1 vinifera. DC.	common Grape. Asia. 6. 7. H. h. ∪.	Jacq. ic. 1. t. 50.		

2 laciniosa. DC.	Parsley-leaved.	1648.	—	H. h. . .	Schm. ic. 34. t. 8.
3 dentata. DC.	toothed.	1818.	H. h. . .	
4 Wallichii. DC.	Wallich's. Nepaul.	—	H. h. . .	
5 indica. DC.	Indian. E. Indies.	1692.	S. h. . .	Rheed. mal. 7. t. 6.
6 caribæa. DC.	West Indian. W. Indies.	S. h. . .	Sloan. his. 2. t. 210. f. 4.
7 Labrusca. DC.	downy-leaved. N. Amer.	1656.	5. 6.	H. h. . .	Jacq. schœn. t. 426.
8 blanda.	white-berried. ————	—	—	H. h. . .	
9 æstivalis. DC.	Fox Grape. ————	—	—	H. h. . .	Jacq. schœn. t. 425.
<i>vulpina.</i> W.					
10 cordifolia. DC.	Winter Grape. ————	1806.	H. h. . .	— t. 427.
<i>incisa.</i> Jacq.					
11 riparia. DC.	sweet-scented. ————	—	5. 6.	H. h. . .	Bot. mag. 2429.
12 rotundifolia. DC.	Bullet Grape. ————	—	—	H. h. . .	

Tribus II. LEEACEÆ. DC.

LEEÆ. DC.	LEEÆ. Pentandria Monogynia. L.				
1 sambucina. DC.	Elder-leaved. E. Indies.	1790.	S. h.	Cav. dis. 7. t. 218.
2 crispa. DC.	fringe-stalked. C. B. S.	1676.	8. 10.	S. h.	Bot. rep. t. 355.
<i>pinnata.</i> A.R.					
3 æquata. DC.	round-stalked. E. Indies.	1777.	S. h.	
4 hirta. DC.	hairy. ————	1816.	S. h.	
5 robusta. H.B.	robust. ————	1820.	S. h.	
6 macrophylla. DC.	large-leaved. ————	—	S. h.	

ORDO XLVII.

GERANIACEÆ. DC. *prodr.* 1. p. 637.

Tribus I. GERANIEÆ. S.G. 1. p. VII.

SARCOCAULON. DC.	SARCOCAULON. Monadelphia Dodecandria.				
1 L'Heritieri.	L. Heritier's. C. B. S.	1790.	5. 6.	G. h.	L. Herit. ger. t. 42.
<i>Monsonia L'Heritieri.</i> DC.	<i>Monsonia spinosa.</i> L. Her.				
2 Burmanni. DC.	Burman's. ————	—	7.	G. h.	Burm. afr. t. 31.
<i>Geranium spinosum.</i>	Cav. dis. 4. t. 75. f. 2.				
MONSONIA. S.G.	MONSONIA. Monadelphia Dodecandria.				
1 ovata. DC.	oval-leaved. C. B. S.	1774.	8.	G. ♂.	Cav. dis. 4. t. 113. f. 1.
2 lobata. DC.	broad-leaved. ————	—	4. 5.	G. ♀.	Sweet ger. 3. t. 273.
3 pilosa. W.en.	hairy. ————	1773.	7. 8.	G. ♀.	Sweet ger. 2. t. 199.
<i>filia.</i> A.R. 276. <i>nec aliorum.</i>					
4 speciosa. L.	large-flowered. ————	1774.	4. 5.	G. ♀.	
<i>a rubra.</i>	red-flowered. ————	—	12. 2.	G. ♀.	Bot. mag. 73.
<i>β pallida.</i>	pale-flowered. ————	—	4. 5.	G. ♀.	Sweet ger. 1. t. 77.
GERANIUM. DC.	CRANES-BILL. Monadelphia Decandria.				
1 sibiricum. DC.	Siberian. Siberia.	1758.	6. 7.	H. ♀.	Jacq. vind. 1. t. 19.
2 sanguineum. DC.	bloody. Britain.	6. 9.	H. ♀.	Eng. bot. 272.
3 prostratum. L.en.	Lancashire. ————	—	H. ♀.	Cav. dis. 4. t. 76. f. 3.
4 multifidum. S.G.	multifid. C. B. S.	1817.	—	G. ♀.	Sweet ger. 3. t. 245.
5 incanum. DC.	hoary. ————	1701.	5. 7.	G. ♀.	Cav. dis. 4. t. 82. f. 2.
6 canescens. DC.	silky-leaved. ————	1787.	—	G. ♀.	L. Herit. ger. t. 38.
7 argenteum. DC.	silvery-leaved. S. Europe.	1699.	6. 7.	H. ♀.	Sweet ger. 1. t. 59.
8 cinereum. DC.	grey. Pyrenees.	6. 8.	H. ♀.	Cav. dis. 4. t. 89. f. 1.
<i>varium.</i> L'Her. ger. t. 37.					
9 anemonefolium. DC.	Anemone-ld. Canaries.	1778.	5. 8.	G. h.	Sweet ger. 3. t. 244.
10 macrorhizon. DC.	long-rooted. Italy.	1576.	5. 6.	H. h.	Sweet ger. 3. t. 271.
11 tuberosum. DC.	tuberous-root'd. ————	1596.	5. 8.	H. ♀.	Sweet ger. 2. t. 155.
12 ibericum. DC.	Iberian. Iberia.	1802.	6. 9.	H. ♀.	— 1. t. 84.
13 nodosum. DC.	knotted. England.	5. 10.	H. ♀.	Eng. bot. 1091.

14	angulatum. DC.	angular-stalk'd.	1789.	5. 6.	H. 2.	Bot. mag. 203.
15	Wallichianum. s.g.	Wallich's.	Nepaul.	1820.	6. 10.	H. 2.	Sweet ger. 1. t. 90.
16	Vlassovianum. DC.	Vlassof's.	Siberia.	—	5. 8.	H. 2.	— 3. t. 228.
17	striatum. DC.	streaked.	Italy.	1629.	5. 10.	H. 2.	Bot. mag. 55.
18	reflexum. DC.	reflex-flower'd.	—	1758.	5. 6.	H. 2.	Cav. dis. 4. t. 81. f. 1.
19	phæum. DC.	dusky.	England.	4. 6.	H. 2.	Eng. bot. 322.
20	fuscum. W.	brown.	S. Europe.	1759.	7.	H. 2.	
21	lividum. W.	wrinkle-leaved.	Switzerland.	1775.	6. 7.	H. 2.	Sweet ger. 3. t. 268.
22	erlostemon. DC.	woolly-stamen'd	Dahuria.	1822.	7. 9.	H. 2.	
	<i>a cæruleum.</i> s.g.	bright blue.	—	—	—	H. 2.	Swt. ger. 2. t. 197. f. a.
	<i>β pallidum.</i> s.g.	pale blue.	Nepaul.	—	—	H. 2.	— 2. t. 197. f. b.
23	sylvaticum. DC.	wood.	Britain.	5. 6.	H. 2.	Eng. bot. 121.
24	batrachoides. L.en.	hairy.	Europe.	—	H. 2.	Cav. dis. 4. t. 85. f. 1.
25	pratense. DC.	Crowfoot-leav'd	Britain.	5. 7.	H. 2.	Eng. bot. 404.
	<i>a cæruleum.</i>	blue-flowered.	—	—	H. 2.	
	<i>β variegatum.</i>	variegated.	—	—	H. 2.	
	<i>γ album.</i>	white-flowered.	—	—	H. 2.	
	<i>δ flore pleno.</i>	double-blue.	—	—	H. 2.	
26	longipes. DC.	long-peduncled.	1824.	—	H. 2.	
	<i>Londesii.</i> L.en.						
27	maculatum. DC.	spotted.	N. Amer.	1732.	5. 8.	H. 2.	Sweet ger. 3. t.
28	collinum. DC.	hill.	Tauria.	1815.	—	H. 2.	
29	palustre. DC.	marsh.	Europe.	1732.	—	H. 2.	Sweet ger. 1. t. 3.
30	aconitifolium. DC.	Aconite-leaved.	Switzerland.	1775.	5. 6.	H. 2.	L. Herit. ger. t. 40.
31	pilosum. DC.	pointed anth'r'd	N. Zealand.	1821.	5. 8.	H. 2.	Sweet ger. 2. t. 119.
32	parviflorum. DC.	small-flowered.	Van Diem.	1816.	5. 8.	G. 2.	
33	nepalense. s.g.	Nepaul.	Nepaul.	1819.	—	H. 2.	Sweet ger. 1. t. 12.
34	cristatum. DC.	crested.	Iberia.	1823.	—	H. 2.	Stev. m. mosc. 4. t. 5.
	<i>albanum.</i> M.B.						
35	pyrenaicum. DC.	mountain.	Britain.	—	H. 2.	Eng. bot. 405.
36	umbrosum. P.S.	naked-stalked.	Hungary.	1804.	6. 9.	H. 2.	W. et Kit. hung. 2. t. 124.
37	molle. DC.	Dove's-foot.	Britain.	4. 8.	H. 2.	Eng. bot. 778.
38	pusillum. DC.	small-flowered.	England.	6. 9.	H. 2.	— 385.
39	rotundifolium. DC.	round-leaved.	—	6. 7.	H. 2.	— 157.
40	columbinum. DC.	long-stalked.	Britain.	—	H. 2.	— 259.
41	dissectum. DC.	jagged-leaved.	—	5. 7.	H. 2.	— 753.
42	carolinianum. DC.	veined petaled.	N. Amer.	1725.	7. 8.	H. 2.	Cav. dis. 4. t. 84. f. 1.
43	lanuginosum. W.en.	woolly.	—	—	H. 2.	Jacq. schœn. 2. t. 140.
44	villosum. DC.	villous.	Naples.	1824.	—	H. 2.	
45	bohemicum. DC.	Bohemian.	Bohemia.	1683.	6. 8.	H. 2.	Sweet ger. t.
46	divaricatum. DC.	straddling.	Hungary.	1799.	7. 8.	H. 2.	W. et Kit. hung. 2. t. 123.
47	lucidum. DC.	shining.	Britain.	5. 8.	H. 2.	Eng. bot. 75.
48	Briceanum.	Miss Brice's.	Bristol.	4. 10.	H. 2.	
49	Robertianum. DC.	Herb-Robert.	Britain.	—	H. 2.	Eng. bot. 1486.
50	purpureum. W.	purple.	—	—	H. 2.	Vill. dauph. 3. t. 40.
ERODIUM. DC.		HERON'S-BILL.	Monadelphia Pentandria.				
1	petræum. DC.	rock.	S. Europe.	1640.	6. 7.	H. 2.	Gouan. ill. t. 21. f. 1.
2	glandulosum. DC.	glandulous.	Spain.	1798.	—	H. 2.	Cav. dis. 5. t. 125. f. 2.
3	Stephanianum. DC.	multifid.	Dahuria.	1820.	—	H. 2.	
4	alpinum. DC.	Alpine.	Italy.	1814.	5. 8.	H. 2.	L'Herit. ger. t. 3.
5	crassifolium. DC.	thick-leaved.	Cyprus.	1788.	3. 8.	G. 2.	Sweet ger. 2. t. 111.
6	laciniatum. DC.	lacinated.	Crete.	1794.	5. 8.	G. 2.	Cav. dis. 4. t. 113. f. 3.
7	hirtum. DC.	hairy.	Egypt.	1823.	—	G. 2.	Jacq. f. ecl. 1. t. 58.
8	Ciconium. DC.	long-beaked.	S. Europe.	1711.	6. 7.	H. 2.	Jacq. vind. 1. t. 18.
9	cicutarium. E.B.	Hemlock-leav'd	Britain.	4. 9.	H. 2.	Eng. bot. 1768.
10	pimpinellæfolium.	Pimpinella-ld.	Europe.	1823.	—	H. 2.	Cav. dis. 4. t. 95. f. 2.
11	bipinnatum. W.	Numidian.	Numidia.	1803.	5. 6.	H. 2.	— 5. t. 126. f. 3.
12	romanum. W.	Roman.	Rome.	1724.	—	H. 2.	Bot. mag. 377.
13	caucalifolium. s.g.	Caucalis-leaved	S. Europe.	1816.	6. 8.	H. 2.	Sweet ger. t. 6.
14	moschatum. DC.	musky.	England.	5. 7.	H. 2.	Eng. bot. 902.
15	botrys. DC.	large-blue.	Italy.	1819.	—	H. 2.	Cav. dis. 4. t. 90. f. 2.
16	murcicum. DC.	small-blue.	Murcia.	—	—	H. 2.	— 5. t. 126. f. 1.
17	gruinum. DC.	broad-leaved.	Crete.	1596.	6. 7.	H. 2.	— 4. t. 88. f. 2.
18	serotinum. DC.	late-flowering.	Tyre.	1816.	6. 9.	H. 2.	Stev. m. ac. P. 3. t. 15. f. 2.
	<i>multicaule.</i> s.g. t. 137.						
19	chium. DC.	Levant.	Levant.	1724.	6. 7.	H. 2.	Cav. dis. 4. t. 92. f. 1.
20	hymenodes. DC.	three-leaved.	Barbary.	1789.	1. 12.	H. 2.	Sweet ger. 1. t. 23.
21	Gussonii. s.g.	Gussone's.	Naples.	1822.	5. 8.	H. 2.	— 2. t. 200.
22	malachoides. DC.	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. 2.	Cav. dis. 4. t. 91. f. 1.

23 ribifolium. w.	Currant-leaved. C. B. S.	6. 8. H. ☉.	Jacq. ic. rar. 3. t. 509.
24 incarnatum. DC.	flesh-coloured. ———	1787.	5. 7. G. ♀.	Sweet ger. 1. t. 94.
25 glaucophyllum. DC.	glaucous-leaved Egypt.	1732.	7. 8. H. ♀.	Cav. dis. 4. t. 92. f. 2.
26 malopoides. DC.	velvety-leaved. Sicily.	1818.	5. 8. H. ♀.	——— 4. t. 90. f. 1.
27 littoreum. DC.	smooth. Narbonne.	——	—— H. ♀.	
28 maritimum. DC.	sea-side. England.	5. 9. H. ♀.	Eng. bot. 646.
29 Reichardi. DC.	dwarf. Minorca.	1783.	4. 9. H. ♀.	Bot. mag. 18.
<i>chamædryoides. w.</i>	<i>Geranium Reichardi. B.M.</i>			

Tribus II. *GRIELEÆ*. S. G. p. VII.

GRIELUM. W.	GRIELUM. Decandria Pentagynia.			
1 tenuifolium. w.	large-flowered. C. B. S.	1790.	4. 6. G. ♀.	Sweet ger. 2. t. 171.
2 laciniatum. G.	jagged-leaved. ———	1825. G. ♀.	

Tribus III. *PELARGONIEÆ*. S. G. p. VIII.

PHYMATANTHUS. S. G.	WART-FLOWER. Monadelphica Pentandria.			
1 tricolor. s. G.	three-coloured. C. B. S.	1791.	6. 10. G. ♀.	Sweet ger. 1. t. 43.
	<i>Pelargonium tricolor. B.M.</i>	240.		
2 elatus. s. G.	tall. ———	1795.	—— G. ♀.	——— 1. t. 96.
3 villosus.	villous. Hybrid.	1823.	—— G. ♀.	
4 grandiflorus.	large-flowered. ———	——	—— G. ♀.	
5 latifolius. c. C.	broad-leaved. ———	——	—— G. ♀.	
CAMPYLIA. S. G.	CAMPYLIA. Monadelphica Pentandria.			
1 carinata. s. G.	keeled-stipuled. C. B. S.	1810.	4. 9. G. ♀.	Sweet ger. 1. t. 21.
2 variegata. s. G.	variegated-fl'd. Hybrid.	1823.	—— G. ♀.	——— 3. t. 266.
3 holosericea. s. G.	silky-leaved. ———	1820.	—— G. ♀.	——— 1. t. 75.
4 blattaria. s. G.	downy-leaved. C. B. S.	1790.	6. 9. G. ♀.	——— 1. t. 88.
5 elegans. s. G.	elegant. Hybrid.	1822.	—— G. ♀.	——— 3. t. 222.
6 verbasciflora. s. G.	Mullein-fl'd. C. B. S.	1811.	—— G. ♀.	——— 2. t. 157.
7 cana. s. G.	hoary-leaved. ———	1794.	7. 12. G. ♀.	——— 2. t. 114.
8 eriostemon. s. G.	velvet-leaved. ———	——	3. 6. G. ♀.	Jacq. schœn. 2. t. 132.
	<i>Pelargonium eriostemon. Jacq.</i>			
9 coronopifolia.	Buck's-horn-l'd. ———	1791.	6. 10. G. ♀.	Jacq. ic. rar. 3. t. 526.
10? œnotheræ.	œnothera-like. ———	1812.	4. 8. G. ♀.	——— 3. t. 525.
	<i>Pelargonium œnotheræ. Jacq.</i>			
OTIDIA. S. G.	OTIDIA. Monadelphica Pentandria.			
1 carnosa. s. G.	fleshy-stalked. C. B. S.	1724.	6. 8. G. ♀.	Sweet ger. 1. t. 98.
2 ceratophylla. s. G.	horn-leaved. Africa.	1786.	5. 7. G. ♀.	Bot. mag. 315.
	<i>Pelargonium ceratophyllum. B.M.</i>			
3 dasycaulon. s. G.	thick-stemmed. Africa.	1795.	7. 12. G. ♀.	Bot. mag. 2029.
4 laxa. s. G.	loose-panicked. C. B. S.	1821.	6. 9. G. ♀.	Sweet ger. 2. t. 196.
5 crithmifolia. s. G.	Samphire-l'd. ———	1790.	4. 9. G. ♀.	Smith ic. pict. 1. t. 13.
6 alternans. s. G.	Parsley-leaved. ———	1791.	5. 8. G. ♀.	Wend. h. her. 1. t. 10.
GRENVILLEA. S. G.	GRENVILLEA. Monadelphica Tetrandria.			
conspicua.	conspicuous. Africa.	1810.	7. 11. G. ♀.	Sweet ger. 3. t. 262. f. 2.
	<i>Geranium Grenvillia. A.G. c. ic.</i>			
HOAREA. S. G.	HOAREA. Monadelphica Pentandria.			
1 violæflora. s. G.	white violet-fl'd. C. B. S.	1821.	5. 8. G. ♀.	Sweet ger. 2. t. 123.
2 nivea. s. G.	snowy white. ———	——	—— G. ♀.	——— 2. t. 182.
3 bubonifolia. †	Bubon-leaved. ———	1800.	3. 7. G. ♀.	And. bot. rep. 328.
4 Leeana. s. G.	Mr. Lee's. ———	1823.	6. 8. G. ♀.	Sweet ger. 3. t.
5 laciniata. †	jag-leaved. ———	1800.	5. 6. G. ♀.	And. bot. rep. 131.
6 penniformis. †	winged. ———	——	—— G. ♀.	——— 269.
7 purpurascens. †	purplish. ———	——	—— G. ♀.	——— 204.
8 incrassata. †	fleshy-leaved. ———	1801.	6. 7. G. ♀.	Bot. mag. 761.
9 carinata. s. G.	boat-flowered. ———	1812.	5. 8. G. ♀.	Sweet ger. 2. t. 135.
10 corydaliflora. s. G.	Fumitory-fl'd. ———	——	—— G. ♀.	——— 1. t. 18.
11 rapacea.	Turnep-rooted. ———	1788.	4. 6. G. ♀.	Bot. rep. 239.
	<i>Geranium Selinum. A.R.</i>			

Those marked thus (†) are only known to us by Andrews's Figures.

12	setosa. s.g.	bristle-pointed.	— — —	1818.	4. 8.	G. 4.	Sweet ger. 1. t. 38.
13	pilosa.	hairy.	— — —	1801.	5. 7.	G. 4.	And. bot. rep. 259.
	<i>Geranium pilosum</i> . var. 1. A.G. ic.						
14	bicolor.	two-coloured.	— — —	—	3. 8.	G. 4.	Andr. geran. c. ic.
	<i>Geranium pilosum</i> . var. 2. A.G. ic.						
15	blanda.	blush-flowered.	— — —	—	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium pilosum</i> . var. 3. A.G. ic.						
16	selinifolia. s.g.	Milk-parsley-ld.	Hybrid.	1821.	—	G. 4.	Sweet ger. 2. t. 159.
17	radicata. s.g.	fleshy-fringed-ld	C. B. S.	1802.	5. 8.	G. 4.	— 1. t. 174.
18	ciliata.	ciliated.	— — —	1795.	4. 6.	G. 4.	L'Herit. ger. t. 7.
19	auriculata.	ear-leaved.	— — —	—	G. 4.	Jacq. ic. rar. 3. t. 519.
	<i>Pelargonium ciliatum</i> . Jacq.						
20	ovalifolia. s.g.	oval-leaved.	— — —	1820.	4. 8.	G. 4.	Sweet ger. 2. t. 106.
21	reticulata. s.g.	netted-petaled.	— — —	—	—	G. 4.	— 1. t. 91.
22	longifolia.	long-leaved.	— — —	1812.	5. 6.	G. 4.	Jacq. ic rar. 3. t. 518.
23	longiflora.	long-flowered.	— — —	—	5. 8.	G. 4.	— 3. t. 521.
24	depressa.	depressed.	— — —	—	—	G. 4.	— 3. t. 520.
25	nervifolia.	nerved-leaved.	— — —	—	5. 8.	G. 4.	— 3. t. 517.
26	triphylla.	three-leaved.	— — —	—	—	G. 4.	— 3. t. 515.
27	lutea.†	small yellow.	— — —	1800.	5. 8.	G. 4.	And. bot. rep. t. 123.
28	nummularifolia.	money-wort-ld.	— — —	1801.	5. 8.	G. 4.	Sal. par. lond. t. 23.
29	integrifolia. c.c.	entire-leaved.	Hybrid.	1821.	4. 8.	G. 4.	—
30	fuscata. c.c.	brown-flowered	— — —	—	—	G. 4.	—
31	nigricans. c.c.	blackish.	— — —	1822.	—	G. 4.	—
32	magica. c.c.	dark-flowered.	— — —	—	—	G. 4.	—
33	atra. s.g.	dark brown.	C. B. S.	1793.	—	G. 4.	Sweet ger. 1. t. 72.
34	dioica. c.c.	diœcious.	— — —	1795.	6. 8.	G. 4.	And. bot. rep. 209.
	<i>Geranium melananthum</i> . A.R.						
35	undulæflora. s.g.	waved-petaled.	C. B. S.	1821.	4. 8.	G. 4.	Sweet ger. 3. t. 263.
36	melanantha. s.g.	black-flowered.	— — —	1790.	—	G. 4.	— 1. t. 73.
37	varia. s.g.	various-leaved.	Hybrid.	1821.	—	G. 4.	— 2. t. 166.
38	Colvillii. s.g.	Colvill's.	— — —	1823.	—	G. 4.	— 3. t. 260.
39	Jenkinsoni. c.c.	Jenkinson's.	— — —	—	—	G. 4.	—
40	diluta.	diluted.	— — —	1821.	—	G. 4.	—
41	replicata.	replicate.	— — —	—	—	G. 4.	—
42	rubescens.	reddish.	— — —	—	—	G. 4.	—
43	intermixta.	intermixed.	— — —	1822.	—	G. 4.	—
44	capitata.	headed.	— — —	—	—	G. 4.	—
45	superba.	superb.	— — —	—	—	G. 4.	—
46	villosa.	villous.	— — —	1821.	—	G. 4.	—
47	unguiculata.	clawed.	— — —	—	5. 8.	G. 4.	—
48	tenuifolia.	slender-leaved.	— — —	—	—	G. 4.	—
49	marginata.	marginated.	— — —	1823.	—	G. 4.	—
50	atrosanguinea. s.g.	dark-crimson.	— — —	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 151.
51	elegans. s.g.	elegant.	— — —	—	—	G. 4.	— 2. t. 132.
	<i>Pelargonium Sweetianum</i> . DC.						
52	coccinea. s.g.	scarlet.	— — —	—	—	G. 4.	—
53	recurviflora.	recurv'd-petal'd	— — —	1821.	—	G. 4.	—
54	sanguinolenta.	bloody-flower'd	— — —	1823.	—	G. 4.	—
55	pulchella.	neat.	— — —	—	—	G. 4.	—
56	amœna.	delightful.	— — —	—	—	G. 4.	—
57	patens.	spreading.	— — —	1822.	—	G. 4.	—
58	lilacina.	Lilac-coloured.	— — —	—	—	G. 4.	—
59	venosa. s.g.	veined-petaled.	— — —	1823.	—	G. 4.	Sweet ger. 3. t. 209.
60	literata.	lettered.	— — —	—	—	G. 4.	—
61	labyrinthica. s.g.	labyrinth-fld.	— — —	—	—	G. 4.	Sweet ger. 3. t. 276.
62	rosea. s.g.	rose-coloured.	C. B. S.	1792.	—	G. 4.	Sweet ger. 3. t. 262. f. 1.
	<i>Geranium roseum</i> . A.R. 173. <i>Pelargonium condensatum</i> . P.S.						
63	hedysarifolia. s.g.	Hedysarum-ld.	Hybrid.	1823.	—	G. 4.	Sweet ger. t.
64	galegifolia.	Galega-leaved.	— — —	—	—	G. 4.	—
65	sisymbriifolia. s.g.	Water-rocket-ld.	— — —	—	—	G. 4.	Sweet ger. t.
66	hirsuta.	various-ld. hairy.	C. B. S.	1788.	3. 5.	G. 4.	Cav. dis. 4. t. 101. f. 2.
DIMACRIA. S.G. DIMACRIA. Monadelphica Pentandria.							
1	pinnata. s.g.	wing-leaved.	C. B. S.	1779.	4. 6.	G. 4.	Sweet ger. 1. t. 46.
	<i>Pelargonium viciæfolium</i> . DC.						
2	bipartita. s.g.	forked-leaved.	Hybrid.	1821.	4. 8.	G. 4.	— 2. t. 142.
3	foliolosa. s.g.	leafy.	C. B. S.	1800.	—	G. 4.	And. bot. rep. 311.
	<i>Geranium pinnatum</i> . A.R.						
4	astragalifolia. s.g.	Astragalus-ld.	— — —	1788.	6. 8.	G. 4.	Sweet ger. 2. t. 103.

5	tenella.†	slender.	————	1802.	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium tenellum.</i>	A.G.					
6	imbuta.	stained-petaled.	Hybrid.	1822.	4. 8.	G. 4.	
7	fulgens. c.c.	shining-scarlet.	————	1821.	—	G. 4.	
8	Andrewsii.†	Andrews's.	C. B. S.	1802.	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium heterophyllum.</i>	A.G. non Jacq.					
9	elegans. s.g.	elegant.	Hybrid.	1822.	—	G. 4.	Sweet ger. 3. t. 202.
10	coronillæfolia.†	Coronilla-leav'd	C. B. S.	1795.	6. 7.	G. 4.	And. bot. rep. 305.
11	apiifolia.†	Parsley-leaved.	————	1802.	4, 8.	G. 4.	Andr. geran. c. ic.
	<i>Geranium apiifolium.</i>	A.G. non Jacq.					
12	sulphurea. s.g.	sulphur-color'd.	Hybrid.	1821.	—	G. 4.	Sweet ger. 2. t. 163.
13	carnea.	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 4.	Jacq. ic. rar. 3. t. 512.
14	floribunda.†	many-flowered.	————	1795.	3. 5.	G. 4.	And. bot. rep. 420.
15	fissifolia.†	cloven-leaved.	————	—	4. 8.	G. 4.	———— 378.
16	barbata.†	bearded.	————	1790.	5. 8.	G. 4.	———— 303.
17	recurvata.†	recurved.	————	—	—	G. 4.	———— 323.
	<i>Geranium barbatum.</i>	v. minor. A.R.					
18	aristata.†	awned.	————	—	—	G. 4.	———— 366.
	<i>Geranium barbatum.</i>	v. undulatum. A.R.					
19	revoluta.†	revolute.	————	1800.	7. 8.	G. 4.	———— 354.
20	oxalidifolia.†	Oxalis-leaved.	————	1801.	5. 8.	G. 4.	———— 300.
21	reflexa.†	reflex-leaved.	————	1800.	6. 7.	G. 4.	———— 224.
22	undulata.†	wave-flowered.	————	1795.	5. 7.	G. 4.	———— 292.
23	spathulata.†	spatula-leaved.	————	—	4. 6.	G. 4.	———— 152.
24	affinis.†	fring'd-spat.-ld.	————	—	—	G. 4.	———— 282.
25	virginea.†	virgin.	————	—	5. 7.	G. 4.	———— 317.
26	radiata.†	ray-leaved.	————	1801.	6. 8.	G. 4.	———— 222.
27	linearis.†	linear-petaled.	————	1800.	—	G. 4.	———— 193.
28	punctata.†	dotted-flowered	————	1794.	4. 6.	G. 4.	———— 60.
SEYMOURIA. S.G. SEYMOURIA. Monadelphia Pentandria.							
1	asarifolia. s.g.	Asarum-leaved.	C. B. S.	1821.	11. 2.	G. 4.	Sweet ger. 3. t. 206.
2	L'Heritieri. s.g.	L'Heritier's.	————	1795.	4. 5.	G. 4.	L'Herit. ger. t. 43.
	<i>Pelargonium dipetalum.</i>	L'Her.					
PELARGONIUM. S.G. STORK'S-BILL. Monadelphia Heptandria.							
1	amœnum. s.g.	delightful.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 121.
2	dimacriæflorum. s.g.	Dimacria-fld.	————	1822.	—	G. 4.	———— 3. t. 220.
3	ringens. s.g.	ringent-flow'r'd	————	—	—	G. 4.	———— 3. t. 256.
4	concavum. s.g.	concave-petal'd	————	—	—	G. 4.	———— 3. t. 237.
5	hoareæflorum. s.g.	Hoarea-fld.	————	1821.	—	G. 4.	———— 2. t. 133.
6	clausum. c.c.	closed-petaled.	————	1822.	—	G. 4.	
7	patens. s.g.	spreading-fld.	————	1820.	—	G. 4.	Sweet ger. 2. t. 125.
8	cruentum. s.g.	blood-red.	————	1822.	—	G. 4.	———— 2. t. 170.
9	aulicum.	courtly.	————	1823.	5. 10.	G. 4.	
10	Avronianum. s.g.	Avron's.	————	—	—	G. 4.	Sweet ger. 3. t.
11	concretum. c.c.	intermixed.	————	1822.	4. 8.	G. 4.	
12	puniceum. c.c.	puniceous.	————	—	—	G. 4.	
13	pusillum. c.c.	dwarf.	————	1823.	—	G. 4.	
14	pygmæum. c.c.	small.	————	—	5. 8.	G. 4.	
15	venulosum.	veined-petaled.	————	1821.	—	G. 4.	
16	intertextum. s.g.	interwoven.	————	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 185.
17	acidum. s.g.	sour-leaved.	————	1823.	5. 9.	G. 4.	———— 3. t. 261.
18	pallens. s.g.	cream coloured.	C. B. S.	1800.	—	G. 4.	———— 2. t. 148.
19	caryophyllaceum.	Clove-scented.	Hybrid.	1822.	—	G. 4.	
20	paradoxum.	paradoxical.	————	—	—	G. 4.	
21	multiradiatum. s.g.	many-rayed.	C. B. S.	1818.	6. 10.	G. 4.	Sweet ger. 2. t. 145.
22	sphondyliifolium. s.g.	Sphondylium-ld	Hybrid.	1822.	4. 8.	G. 4.	———— 3. t. 246.
23	chærophyllum. s.g.	Cow-Parsley-ld	————	—	—	G. 4.	———— 3. t. 257.
24	nitidum.	glossy.	————	—	—	G. 4.	
25	sanguineum. s.g.	crimson.	C. B. S?	1819.	—	G. 4.	Sweet ger. 1. t. 76.
26	ardens. s.g.	glowing.	Hybrid.	1810.	3. 8.	G. 4.	———— 1. t. 45.
27	confertifolium.	close-leaved.	————	—	—	G. 4.	Andr. geran. c. ic.
	<i>Geranium ardens minor.</i>	A.G.					
28	pulchellum. B.M.	nonesuch.	C. B. S.	1795.	3. 5.	G. 4.	Sweet ger. 1. t. 31.
29	jonquillinum. s.g.	Jonquil-scent'd	Hybrid.	1822.	5. 10.	G. 4.	———— 3. t. 241.
30	selectum. s.g.	select.	————	1822.	—	G. 4.	———— 2. t. 190.
31	imbricatum. s.g.	imbricate-pet'd.	C. B. S?	1800.	5. 8.	G. 4.	———— 1. t. 65.
32	bicolor. s.g.	two-coloured.	————	1778.	7. 8.	G. 4.	Bot. mag. 201.
	<i>α atrum.</i>	s.g. dark-edged.	————	—	—	G. 4.	Sweet ger. 1. t. 97. f. 1.
	<i>β pallidum.</i>	s.g. pale-edged.	————	—	—	G. 4.	———— 1. t. 97. f. 2.

33	quinquevulnerum.	DC. dark-fl'd.	Hybrid.	1796.	5. 10.	G. h.	Sweet ger. 2. t. 161.
34	Blandfordianum.	s.G. hoary-leaved.	—	1812.	1. 12.	G. h.	— 2. t. 101.
35	millefoliatum.	s.G. Milfoil-leaved.	C. B. S.	1819.	6. 10.	G. 4.	— 3. t. 230.
36	flavum.	DC. pale yellow.	—	1724.	7. 9.	G. 4.	— 3. t. 254.
37	scabridum.	C.C. rough-edged.	—	1822.	—	G. 4.	—
38	triste.	DC. night-smelling.	—	1632.	5. 10.	G. 4.	Delaun. h. am. t. 27.
39	filipendulifolium.	s.G. Dropwort-l'd.	—	1812.	—	G. 4.	Sweet ger. 1. t. 85.
40	heracleifolium.	s.G. Heracleum-l'd.	—	1820.	—	G. 4.	— 3. t. 211.
41	lobatum.	DC. Cow-parsnep-l'd.	—	1710.	—	G. 4.	— 1. t. 51.
42	orbiculatum.	orbicular-l'd.	Hybrid.	1823.	—	G. 4.	—
43	pulverulentum.	s.G. powdered-l'd.	C. B. S.	1822.	—	G. 4.	Sweet ger. 3. t. 218.
44	pedicellatum.	s.G. long-pedicled.	—	—	—	G. 4.	— 3. t. 250.
45	luridum.	s.G. lurid.	—	1811.	7. 12.	G. 4.	— 3. t. 281.
<i>Geranium luridum.</i> A.G. ic.							
46	rapæfolium.	Turnep-leaved.	Hybrid.	1821.	5. 10.	G. 4.	—
47	glaucciifolium.	s.G. Glaucium-l'd.	—	—	—	G. h.	Sweet ger. 2. t. 179.
48	gibbosum.	DC. knotted-stalk'd.	C. B. S.	1712.	—	G. h.	— 1. t. 61.
49	mutabile.	s.G. changeable-cold.	Hybrid.	1822.	7. 10.	G. h.	— 3. t. 213.
50	vespertinum.	s.G. evening-scent'd.	—	—	8. 12.	G. h.	— 3. t. 239.
51	sinapifolium.	Mustard-leav'd.	Hybrid.	—	6. 10.	G. h.	—
52	brassicatum.	Cabbage-leav'd	—	—	—	G. h.	—
53	adscendens.	ascending.	—	—	—	G. h.	—
54	circumflexum.	bending.	—	—	—	G. h.	—
55	campyliæflorum.	s.G. Campylia-fl'd.	—	1823.	—	G. h.	Sweet ger. 3. t. 251.
56	reniforme.	DC. kidney-leaved.	C. B. S.	1791.	1. 12.	G. h.	— 1. t. 48.
57	flexuosum.	s.G. bent-stalked.	Hybrid.	1821.	3. 10.	G. h.	— 2. t. 180.
58	sæpeflorens.	s.G. frequent-flow'rs	—	1801.	—	G. h.	— 1. t. 48.
59	comptum.	s.G. decked.	—	1821.	—	G. h.	— 3. t. 255.
60	echinatum.	DC. prickly-stalked.	C. B. S.	1789.	6. 10.	G. h.	— 1. t. 54.
61	armatum.	s.G. long-spined.	—	—	3. 6.	G. h.	— 3. t. 214.
62	intermedium.	C.C. intermediate.	Hybrid.	1821.	6. 10.	G. h.	—
63	particeps.	s.G. participant.	—	1806.	5. 10.	G. h.	Sweet ger. 1. t. 49.
64	cortusæfolium.	DC. Cortusa-leaved.	Africa.	1786.	6. 10.	G. h.	— 1. t. 14.
65	erectum.	s.G. upright.	Hybrid.	1822.	—	G. h.	— 2. t. 187.
66	Stapletoni.	s.G. MissStapleton's	—	—	—	G. h.	— 2. t. 212.
67	crassicaule.	s.G. Cowslip-scent'd	Africa.	1786.	—	G. h.	L'Herit. ger. t. 26.
<i>a album.</i>		s.G. white-flowered.	—	—	—	G. h.	Sweet ger. 2. t. 192. f. a.
<i>β maculatum.</i>		s.G. spotted-flowered.	—	—	—	G. h.	— 2. t. 192. f. b.
68	anomalum.	anomalous.	Hybrid.	1822.	4. 8.	G. h.	—
69	tenuifolium.	DC. slender-leaved.	C. B. S.	1768.	5. 7.	G. h.	L'Herit. ger. t. 12.
70	hirtum.	DC. hairy.	—	—	3. 9.	G. h.	Sweet ger. 2. t. 113.
71	anthriscifolium.	s.G. Anthriscus-l'd.	Hybrid.	1823.	7. 9.	G. h.	— 3. t. 233.
72	fulgidum.	DC. Celandine-l'd.	C. B. S.	1723.	3. 10.	G. h.	— 1. t. 69.
73	aurantiacum.	s.G. orange-colour'd	Hybrid.	1821.	4. 8.	G. h.	— 2. t. 198.
<i>a undulatum.</i>		s.G. wave-leaved.	—	—	—	G. h.	— 2. t. 198. f. a.
<i>β planifolium.</i>		s.G. flat-leaved.	—	—	—	G. h.	— 2. t. 198. f. b.
74	ardescens.	s.G. burnished.	—	1822.	—	G. h.	— 3. t. 231.
75	torrefactum.	s.G. burnt-petaled.	—	—	—	G. h.	— 3. t. 243.
76	Potteri.	s.G. Potter's.	—	—	6. 9.	G. h.	— 2. t. 147.
77	luculentum.	bright-flower'd.	—	—	—	G. h.	—
78	dilectum.	chosen.	—	—	4. 8.	G. h.	—
79	nanum.	s.G. pigmy.	—	1820.	—	G. h.	Sweet ger. 2. t. 102.
80	incurvum.	s.G. incurved-petald	—	1821.	—	G. h.	— 3. t. 249.
81	ignescens.	s.G. fiery-flowered.	—	1812.	—	G. h.	— 1. t. 2. & 55.
<i>a major.</i>		large-flowered.	—	1818.	—	G. h.	— 1. t. 2.
<i>β coccineum.</i>		scarlet-flowered.	—	1822.	—	G. h.	—
<i>γ splendens.</i>		splendid.	—	—	—	G. h.	—
<i>δ superbum.</i>		superb.	—	—	—	G. h.	—
<i>ε sterile.</i>		s.G. barren-anthered.	—	1812.	—	G. h.	Sweet ger. 1. t. 55.
82	laxiflorum.	s.G. spreadg-umb'd.	—	1822.	—	G. h.	— 3. t. 216.
83	floccosum.	s.G. nappy.	—	1821.	—	G. h.	— 2. t. 129.
84	rubicundum.	rubicund.	—	1822.	—	G. h.	—
85	hæmanthon.	blood-coloured.	—	1823.	—	G. h.	—
86	multiflorum.	many-flowered.	—	—	—	G. h.	—
87	exile.	thin-branched.	—	1822.	—	G. h.	—
88	gracilescens.	slender-stalked.	—	—	—	G. h.	—
89	splendidum.	splendid.	—	—	—	G. h.	—
90	consimile.	likened.	—	1822.	—	G. h.	—
91	Broughtoniæ.	s.G. LadyBroughton's	—	—	—	G. h.	Sweet ger. 2. t. 181.

92	Bakerianum. s.G.	Mrs. Jenkinson's	————	————	————	G. h.	Sweet ger. 3. t. 240.
93	rubescens. s.G.	Lady Liverpool's	————	1819.	————	G. h.	———— 1. t. 30.
94	Boscaweniæ. c.C.	Mrs. Boscawen's	————	————	————	G. h.	
95	pavoninum. s.G.	peacock-spott'd	————	————	————	G. h.	Sweet ger. 1. t. 40.
96	carnescens.	pale red.	————	1822.	————	G. h.	
97	Smithii. s.G.	Smith's.	————	1819.	————	G. h.	Sweet ger. 2. t. 110.
98	spectabile. s.G.	showy.	————	1821.	————	G. h.	———— 2. t. 136.
	<i>a</i> maculatum. s.G.	spot-flowered.	————	————	————	G. h.	———— 2. t. 136. f. 1.
	<i>β</i> atrorubens. s.G.	dark-red.	————	————	————	G. h.	
	<i>γ</i> striatum. s.G.	streak-flowered.	————	————	————	G. h.	———— 2. t. 136. f. 2.
	<i>δ</i> recurvum. s.G.	recurved-petaled.	————	————	————	G. h.	———— 2. t. 136. f. 3.
	<i>ε</i> purpurascens.	purplish.	————	————	————	G. h.	
99	Tibbittsianum.	Mr. Tibbitts'.	————	————	————	G. h.	Sweet ger. 2. t. 158.
100	eriphorum.	wool-bearing.	————	1823.	————	G. h.	
101	irregulare.	irregular-ld.	————	————	————	G. h.	
102	flammeum. c.C.	flame-coloured.	————	1822.	————	G. h.	
103	affine. c.C.	related.	————	————	————	G. h.	Sweet ger. 3. t. 277.
104	Colvillii. s.G.	Colvill's.	————	1820.	————	G. h.	Sweet ger. 1. t. 86.
105	Valleti. c.C.	Vallet's.	————	1822.	————	G. h.	
106	incomparabile.	incomparable.	————	————	————	G. h.	
107	heteromallum.	soft-leaved.	————	1823.	————	G. h.	
108	hibiscifolium.	Hibiscus-ld.	————	————	————	G. h.	
109	atrorubens. c.C.	dark-red.	————	1822.	————	G. h.	
110	Allenii. s.G.	Allen's.	————	1823.	————	G. h.	Sweet ger. 3. t. 229.
111	Daveyanum. s.G.	Davey's.	————	1819.	————	G. h.	———— 1. t. 32.
112	phœniceum. s.G.	reddish purple.	————	1824. 4. 12.	G. h.	————	3. t. 207.
113	calycinum. s.G.	large-calyxed.	————	1815. 4. 10.	G. h.	————	1. t. 81.
	<i>a</i> verum. s.G.	true.	————	————	————	G. h.	———— 1. t. 81. f. a.
	<i>β</i> maculatum. s.G.	large-spotted.	————	1820.	————	G. h.	———— 1. t. 81. f. b.
	<i>γ</i> angulatum. s.G.	angular-leaved.	————	————	————	G. h.	———— 1. t. 81. f. c.
114	planiflorum. c.C.	flat-flowered.	————	————	————	G. h.	
115	Dennisianum. s.G.	Dennis's.	————	1819.	————	G. h.	Sweet ger. 1. t. 20.
116	Barringtonii. DC.	Barrington's.	C. B. S.	————	G. h.	
117	elatum. c.C.	tall purple.	Hybrid.	1812.	————	G. h.	
118	Tormanni. L.en.	Torman's.	————	1821.	————	G. h.	
119	Chandleri. c.C.	Chandler's.	————	1814.	————	G. h.	
120	crenulatum. s.G.	crenulate-leav'd	————	1821.	————	G. h.	Sweet ger. 2. t. 162.
121	Robinsoni. s.G.	Robinson's.	————	1822.	————	G. h.	———— 2. t. 150.
122	Mostynæ. s.G.	Mrs. Mostyn's.	————	1816.	————	G. h.	———— 1. t. 10.
123	cucullatum. DC.	hooded-leaved.	C. B. S.	1690.	————	G. h.	Cav. dis. 4. t. 106. f. 1.
	<i>β</i> striatiflorum.	Prince Regent.	————	1810.	————	G. h.	
	<i>γ</i> major. c.C.	Royal George.	————	1812.	————	G. h.	
	<i>δ</i> grandiflorum. c.C.	great-flowered.	————	1818.	————	G. h.	
	<i>ε</i> parvifolium. c.C.	smaller-leaved.	————	————	————	G. h.	
124	cochleatum. W.en.	concave-leaved.	————	————	G. h.	Wendl. col. 2. t. 64.
	concovifolium. Wendl.		————	————	————	G. h.	
125	rubens. W.en.	red-flowered.	————	————	G. h.	———— 2. t. 54.
126	robustum. c.C.	robust.	Hybrid.	1821.	————	G. h.	
127	angulosum. DC.	Marshmallow-l.	C. B. S.	1724. 7. 9.	G. h.	————	Cav. dis. 4. t. 112. f. 2.
128	cardiifolium. s.G.	Cockle-shell-ld.	————	1816. 4. 9.	G. h.	————	Sweet ger. 1. t. 15.
129	fasciculatum. c.C.	Banbury.	Hybrid.	1803. 5. 10.	G. h.	————	Andr. geran. c. ic.
	<i>Geranium speciosum.</i> var. <i>flore purpureo.</i>	A.G.	————	————	————	G. h.	
130	rugosum. c.C.	wrinkled-ld.	C. B. S.	————	G. h.	Andr. geran. c. ic.
131	speciosum. DC.	specious.	————	1794.	————	G. h.	
132	formosum. s.G.	variegated-fl'd.	Hybrid.	————	G. h.	Sweet ger. 2. t. 120.
133	solubile. s.G.	dissolvable-col'd	————	1818.	————	G. h.	———— 1. t. 24.
134	multinerve. s.G.	many-nerved.	————	————	————	G. h.	———— 1. t. 17.
135	tyrianthinum. s.G.	royal purple.	————	1820.	————	G. h.	———— 2. t. 183.
136	æmulum. s.G.	rival.	————	————	————	G. h.	———— 2. t. 160.
137	accedens. c.C.	approached.	————	————	————	G. h.	
138	villosum. s.G.	villous.	————	————	————	G. h.	Sweet ger. 1. t. 100.
139	floridum. s.G.	abundant-fl'd.	————	1816. 6. 10.	G. h.	————	———— 1. t. 41.
140	pulchrum. s.G.	gay.	————	1820. 5. 10.	G. h.	————	———— 2. t. 107.
141	Watsoni. s.G.	Watson's.	————	1812. 7. 11.	G. h.	————	———— 2. t. 130.
142	fusCIFlorum. s.G.	brown-marked.	————	1822. 4. 10.	G. h.	————	———— 3. t. 210.
	<i>fuscatum.</i> s.G. <i>errata.</i>		————	————	————	G. h.	
143	coarctatum. s.G.	close-leaved.	————	1814. 6. 10.	G. h.	————	———— 1. t. 70.
144	paucidentatum. s.G.	distant-toothed.	————	1821. 5. 10.	G. h.	————	———— 2. t. 186.

145	nervosum. s.G.	prominent-nerv'd	1818.	—	G. h.	Sweet ger. 1. t. 47.
146	exornatum.	adorned.	1823.	—	G. h.	—
147	Youngii. s.G.	Young's.	1820.	—	G. h.	— 2. t. 131.
148	Jenkinsoni. s.G.	Mr. Jenkinson's	—	—	G. h.	— 2. t. 154.
149	Brownii. s.G.	Brown's.	—	—	G. h.	— 2. t. 146.
150	difforme. s.G.	various-leaved.	—	—	G. h.	— 2. t. 105.
151	involutum. s.G.	large-bracted.	—	—	G. h.	—
	α maximum. s.G.	largest-flowered.	1818.	—	G. h.	— 1. t. 33.
	β albidum. s.G.	white-flowered.	1817.	—	G. h.	—
	γ incarnatum. s.G.	commander in chief	1815.	—	G. h.	—
	δ intermedium. s.G.	high-admiral.	1817.	—	G. h.	—
	ε lilacinum. s.G.	Lilac-coloured.	—	—	G. h.	—
	ζ roseum. s.G.	rosy-coloured.	—	—	G. h.	—
	η coriaceum. c.C.	leathery.	1820.	—	G. h.	—
	θ maculatum. c.C.	coronation.	—	—	G. h.	—
152	Baileyianum. s.G.	Bailey's.	1819.	—	G. h.	Sweet ger. 1. t. 87.
153	Josephinæ. Lee.	Josephine's.	1822.	—	G. h.	—
154	formosissimum. s.G.	superb-white. C. B. S.	1794.	—	G. h.	Sweet ger. 3. t. 215.
	α album. s.G.	white-flowered.	—	—	G. h.	— 3. t. 215. f. a.
	β lineatum. s.G.	lined-flowered.	—	—	G. h.	— 3. t. 215. f. b.
155	Boyleæ. s.G.	C. of Cork's. Hybrid.	1818.	—	G. h.	Sweet ger. 1. t. 50.
156	pannifolium. s.G.	cloth-leaved.	—	—	G. h.	— 1. t. 9.
157	candidum. s.G.	fair-flowered.	—	—	G. h.	— 2. t. 128.
158	blandum. s.G.	blush-flowered.	1816.	—	G. h.	— 1. t. 4.
159	aceroides. s.G.	Acer-leaved.	1822.	—	G. h.	— 3. t. 242.
160	Gardneriæ. c.C.	Lady Gardner's.	1817.	—	G. h.	—
161	interlitum.	interlined.	—	—	G. h.	—
162	lividum.	livid marked.	—	—	G. h.	—
163	ramulosum. s.G.	small-branched.	1820.	—	G. h.	Sweet ger. 2. t. 177.
164	maculatum.	spot-flowered. C. B. S.	1805.	—	G. h.	Andr. ger. c. ic.
165	Hammersleiæ. s.G.	Mrs Hammersley's. Hybrid.	1822.	—	G. h.	Sweet ger. 3. t. 225.
166	pulcherrimum. s.G.	beautiful.	1819.	—	G. h.	— 2. t. 134.
167	sidaefolium. W.en.	Sida-leaved.	—	—	G. h.	—
168	acerifolium. DC.	Maple-leaved. C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
169	cuneatum. DC.	wedge-leaved. Hybrid.	—	5. 8.	G. h.	—
170	Balbisianum. DC.	Balbis's.	—	—	G. h.	—
171	gloriosum. L.en.	renowned.	—	—	G. h.	—
172	Beaufortianum. s.G.	Beaufort's. C. B. S.?	—	—	G. h.	Sweet ger. 2. t. 138.
173	principissæ. s.G.	P. Charlotte's.	1810.	5. 10.	G. h.	— 2. t. 139.
174	purpureum.	purple-flowered	1800.	—	G. h.	Andr. geran. c. ic.
175	versicolor. s.G.	various-colour'd Hybrid.	1819.	—	G. h.	Sweet ger. 1. t. 78.
176	pectinifolium. s.G.	Scallop-shell-ld.	1820.	—	G. h.	— 1. t. 66.
177	Thynneæ. s.G.	Lady Bath's.	1815.	—	G. h.	— 1. t. 74.
178	obtusifolium. s.G.	blunt-leaved.	—	—	G. h.	— 1. t. 25.
179	Beadoniæ. s.G.	Mrs. Beadon's.	—	—	G. h.	— 2. t. 191.
180	adulterinum. DC.	hoary trifid-ld.	1785.	4. 6.	G. h.	— 1. t. 22.
181	obtusilobum. s.G.	blunt-lobed.	1806.	5. 10.	G. h.	— 1. t. 8.
182	Comptoniæ. s.G.	L. Northampton's	1818.	—	G. h.	— 2. t. 122.
183	affluens. s.G.	numerous-fl'd.	1821.	—	G. h.	— 2. t. 194.
184	Saundersii. s.G.	Saunders's.	—	—	G. h.	— 3. t. 205.
185	atropurpureum. s.G.	dark purple.	1822.	—	G. h.	— 2. t. 152.
186	coruscans. s.G.	glittering.	1821.	—	G. h.	— 2. t. 173.
187	concinnum. s.G.	comely.	1819.	—	G. h.	— 2. t. 108.
188	Seymouriæ. s.G.	Mrs. Seymour's.	—	—	G. h.	— 1. t. 37.
189	Lousadianum. s.G.	Miss Lousada's.	—	—	G. h.	— 1. t. 44.
190	lepidum. s.G.	pretty.	1822.	—	G. h.	— 2. t. 156.
191	inscriptum. s.G.	scribbled.	—	—	G. h.	— 2. t. 193.
192	labyrinthicum.	labyrinth-mark'd.	—	—	G. h.	—
193	planifolium. s.G.	flat-leaved.	1823.	—	G. h.	Sweet ger. 3. t. 219.
194	incanescens. s.G.	whitish-leaved.	—	6. 12.	G. h.	— 3. t. 203.
195	notatum. s.G.	marked-petal'd.	1821.	5. 10.	G. h.	— 3. t. 208.
196	lineatum. s.G.	striped-flower'd	1810.	—	G. h.	— 1. t. 16.
197	dumosum. s.G.	bushy.	1816.	—	G. h.	— 1. t. 19.
198	Scarboroviæ. s.G.	L. Scarborough's	1817.	—	G. h.	— 2. t. 117.
199	pustulosum. s.G.	blistered-leav'd	1816.	5. 10.	G. h.	Sweet ger. 1. t. 11.
200	bellulum. s.G.	neat.	—	—	G. h.	— 1. t. 60.
	moschatum. A.G.	—	—	—	—	—
201	Fairliæ. s.G.	Mrs. Fairlie's.	1821.	—	G. h.	— 2. t. 178.

202	scintillans. s.G.	sparkling.	————	1812.	—	G. h.	————	1. t. 28.
203	platypetalon. s.G.	broad-petaled.	————	————	—	G. h.	————	2. t. 116.
	<i>a rigidum. s.G.</i>	<i>rigid.</i>	————	————	—	G. h.	————	2. t. 116. f.a.
	<i>β hirsutum. s.G.</i>	<i>hairy.</i>	————	————	—	G. h.	————	2. t. 116. f.b.
204	optabile. s.G.	desirable.	————	————	—	G. h.	————	1. t. 62.
205	ornatum. s.G.	ornate.	————	1817.	—	G. h.	————	1. t. 39.
206	modestum. s.G.	modest.	————	1822.	—	G. h.	————	3. t. 204.
207	Newshamianum. s.G.	Miss Newsham's	————	1821.	—	G. h.	————	2. t. 144.
208	Cosmianum. s.G.	perfumed.	————	————	—	G. h.	————	2. t. 189.
209	Brightianum. s.G.	Miss Bright's.	————	1823.	—	G. h.	————	3. t. 227.
210	dependens. s.G.	pendent-petal'd.	————	————	—	G. h.	————	2. t. 195.
211	Mattocksianum. s.G.	Mrs. Sweet's.	————	————	—	G. h.	————	3. t. 234.
212	venustum. s.G.	comely-flow'r'd.	————	1822.	—	G. h.	————	2. t. 167.
213	obscurum. s.G.	darkened-pet'd.	————	1818.	—	G. h.	————	1. t. 89.
214	atrofusum. s.G.	dark-brown.	————	————	—	G. h.	————	1. t. 82.
215	acutilobum. s.G.	acute-lobed.	————	1822.	—	G. h.	————	2. t. 184.
216	compar. c.C.	partner.	————	1818.	—	G. h.	————	————
217	Hoareanum. s.G.	fair Rosamond.	————	————	—	G. h.	Sweet ger. 1. t. 80.	————
218	Lamberti. s.G.	Lambert's.	————	————	—	G. h.	————	2. t. 104.
219	recurvatum. s.G.	recurved-pet'd.	————	————	—	G. h.	————	3. t. 223.
220	penicillatum. w.en.	pencilled.	————	1794.	—	G. h.	Willd. h. ber. 1. t. 37.	————
221	dentatum. A.G.	toothed.	————	—	G. h.	Andr. geran. c. ic.	————
222	veniflorum. s.G.	veined-flow'r'd.	————	1822.	—	G. h.	Sweet ger. 3. t. 258.	————
223	florescens. H.G.	triangular-ld.	————	1818.	—	G. h.	————	————
224	Sabini. H.S.	Sabine's.	————	1821.	—	G. h.	————	————
225	betulinum. DC.	Birch-leaved.	C. B. S.	1759.	—	G. h.	Bot. mag. 148.	————
226	alnifolium. w.en.	Alder-leaved.	Hybrid.	—	G. h.	————	————
227	betulæfolium. Sch.	Birch-like.	————	—	G. h.	————	————
228	Willdenowii. s.	Willdenow's.	————	—	G. h.	————	————
229	hermannifolium. DC.	Hermannia-ld.	C. B. S.	4. 6.	G. h.	Jacq. ic. rar. 3. t. 545.	————
230	rigidum. DC.	rigid.	————	1790.	5. 8.	G. h.	————	————
231	ribifolium. DC.	Currant-leav'd.	————	1798.	—	G. h.	Jacq. ic. rar. 3. t. 538.	————
232	odoriferum.	odoriferous.	————	—	G. h.	Andr. geran. c. ic.	————
	<i>Geranium scabrum. A.G. nec aliorum.</i>	————	————	————	————	————	————	————
233	jocundum. H.G.	pleasant.	Hybrid.	1818.	—	G. h.	————	————
234	Broadleix. c.C.	Mrs. Broadley's	————	————	—	G. h.	Andr. geran. c. ic.	————
235	propinquum. c.C.	neighbouring.	————	1818.	—	G. h.	————	————
236	decorum. c.C.	graceful.	————	————	—	G. h.	————	————
237	delicatum. H.G.	delicate.	————	————	—	G. h.	Sweet ger. 3. t. 267.	————
238	semitrilobum. DC.	three-lobed.	C. B. S.	1800.	4. 7.	G. h.	Jacq. schœn. 2. t. 139.	————
239	imbutum. c.C.	stained-petal'd.	————	————	—	G. h.	————	————
240	Irbyanum. c.C.	Irby's.	Hybrid.	—	G. h.	Andr. geran. c. ic.	————
241	mixtum. s.G.	mixed.	Hybrid.	1819.	5. 8.	G. h.	Sweet ger. 1. t. 71.	————
242	myrtillum. H.S.	Myrtle-scented.	————	1820.	—	G. h.	————	————
243	rubidum.	red-purple.	C. B. S.	1805.	—	G. h.	Andr. geran. c. ic.	————
	<i>Geranium rubens. A.G. non Wendl.</i>	————	————	————	————	————	————	————
244	spurium. w.en.	spurious.	Hybrid.	—	G. h.	————	————
245	nothum. w.en.	mongrel.	————	—	G. h.	————	————
246	crispum. DC.	curl-leaved.	C. B. S.	1774.	6. 11.	G. h.	L'Herit. ger. t. 32.	————
247	gratum. w.en.	grateful-scent'd	Hybrid.	4. 8.	G. h.	————	————
248	consanguineum. w.en.	kindred.	————	—	G. h.	————	————
249	pallidum. w.en.	pale-flowered.	————	—	G. h.	————	————
250	citriodorum.	Citron-scented.	C. B. S.	—	G. h.	Andr. geran. c. ic.	————
251	uniflorum. DC.	one-flowered.	————	—	G. h.	————	————
252	limonium. s.G.	Lemon-scented.	Hybrid.	1823.	—	G. h.	Sweet ger. 3. t. 278.	————
253	notabile. s.G.	Hoare's Harlequin.	————	1822.	—	G. h.	Sweet ger. 3. t.	————
254	scabrum. DC.	rough wedge-ld.	C. B. S.	1775.	—	G. h.	L'Herit. ger. t. 31.	————
255	tricuspidatum. DC.	three-pointed.	————	1780.	—	G. h.	————	t. 30.
256	Perryanum. c.C.	Perry's.	Hybrid.	1816.	—	G. h.	————	————
257	glaucoides. w.c.	glaucum-like.	————	————	—	G. h.	Wendl. coll. ic.	————
258	glaucum. DC.	glaucous-leav'd.	C. B. S.	1775.	6. 8.	G. h.	Sweet ger. 1. t. 57.	————
259	lanceolatum.	lance-leaved.	————	————	—	G. h.	Andr. geran. c. ic.	————
260	diversifolium. w.c.	different-leav'd.	————	1794.	—	G. h.	Wendl. coll. ic.	————
261	cuspidatum. DC.	sharp-pointed.	————	—	G. h.	————	————
262	sororium. DC.	sister.	Hybrid.	—	G. h.	————	————
263	Tankervillix. H.G.	Ly. Tankerville's	————	—	G. h.	————	————
264	acutifolium.	acute-leaved.	————	1821.	—	G. h.	————	————
265	trifurcatum. c.C.	three-forked.	————	—	G. h.	————	————
266	lævigatum. DC.	glaucous.trifid-l.	C. B. S.	—	G. h.	Cav. dis. 4. t. 121. f. 1.	————

267	trifoliatum. A.G.	trifoliate-leav'd	————	1799.	—	G. h.	Andr. geran. c. ic.
	<i>oxyphyllum</i> . DC.						
268	patulum. DC.	spreading.	————	1812.	4. 7.	G. h.	Jacq. ic. rar. 3. t. 541.
269	hepaticifolium. DC.	Hepatica-ld.	————	1791.	5. 8.	G. h.	Andr. geran. c. ic.?
270	fuscatum. DC.	dark-marked.	————	1812.	—	G. h.	Jacq. ic. rar. 3. t. 540.
271	saniculæfolium. DC.	Sanicle-leaved.	————	1806.	6. 9.	G. h.	———— 3. t. 539.
	<i>cortusæfolium</i> . Jacq. <i>non</i> L. Her.						
272	crenæflorum. C.C.	notch'd-petal'd	Hybrid.	1817.	—	G. h.	
273	sceleratum. C.C.	Celery-leaved.	————	1819.	—	G. h.	
274	smyrniifolium.	Smyrnium-ld.	————	1822.	—	G. h.	
275	expansum.	expanded.	————	1823.	5. 10.	G. h.	
276	multidentatum.	many-toothed.	————	—	—	G. h.	
277	grandidentatum. S.G.	large-toothed.	————	—	—	G. h.	Sweet ger. 3. t. 217.
278	Belladonna. S.G.	painted-lady.	————	—	—	G. h.	———— 3. t. 270.
279	triumphans. C.C.	triumphant.	————	1818.	—	G. h.	
280	serratifolium. S.G.	saw-leaved.	————	1822.	—	G. h.	Sweet ger. 3. t. 221.
281	variegatum. DC.	variegated-fl'd.	C. B. S.	1812.	—	G. h.	Cav. dis. 4. t. 118. f. 3.
282	amplissimum. W.C.	stately.	Hybrid.	1796.	—	G. h.	Wendl. coll. ic.
283	grandiflorum. DC.	great-flowered.	C. B. S.	1794.	—	G. h.	Sweet ger. 1. t. 29.
284	Parmentieri. C.C.	Parmentier's.	Hybrid.	1822.	—	G. h.	
285	delphinifolium. DC.	Larkspur-ld.	————	—	G. h.	
286	electum. S.G.	elect.	————	1804.	—	G. h.	Sweet, ger. 3. t. 238.
287	asperifolium. S.G.	rough-leaved.	————	1807.	—	G. h.	———— 2. t. 169.
288	Curtisianum. DC.	Curtis's.	————	—	G. h.	
289	nobile. DC.	noble.	————	1822.	—	G. h.	
290	opulifolium. S.G.	Guelder-Rose-ld.	————	1819.	—	G. h.	Sweet ger. 1. t. 53.
291	malvaceum.	Mallow-like.	————	—	G. h.	
292	macranthon. S.G.	large-flowered.	————	1821.	—	G. h.	Sweet ger. 1. t. 83.
293	Couttsiæ. S.G.	Mrs. Coutts's.	————	1822.	—	G. h.	———— 3. t. 269.
294	rutilum. C.C.	light red.	————	1821.	—	G. h.	
295	schizophyllum.	jagged.	————	1822.	—	G. h.	Sweet ger. 3. t.
296	Barnardianum. S.G.	Mr. Barnard's.	————	1820.	—	G. h.	———— 2. t. 127.
297	mucronatum.	mucronate.	————	1823.	—	G. h.	———— 3. t. 275.
298	conchiifolium.	shell-leaved.	————	1820.	—	G. h.	
299	striatum. S.G.	streak-flower'd.	————	1818.	3. 8.	G. h.	Sweet ger. 1. t. 1.
300	rigescens. S.G.	stiff-leaved.	————	—	4. 9.	G. h.	———— 2. t. 112.
301	eriophyllum. S.G.	woolly round-ld.	————	—	5. 10.	G. h.	———— 2. t. 141.
302	intermixtum.	intermixed.	————	—	4. 8.	G. h.	
303	cordatum. DC.	heart-leaved.	C. B. S.	1774.	3. 8.	G. h.	Sweet ger. 1. t. 67.
304	conduplicatum. DC.	curl'd-heart-ld.	Hybrid.	—	G. h.	
305	rubro-cinctum. DC.	red-edged.	————	—	G. h.	
306	papilionaceum. DC.	Butterfly.	C. B. S.	1724.	4. 7.	G. h.	Sweet ger. 1. t. 27.
307	tomentosum. DC.	Pennyroyal.	————	1790.	—	G. h.	———— 2. t. 168.
308	vitifolium. DC.	Vine-leaved.	————	1724.	4. 8.	G. h.	Cav. dis. 4. t. 111. f. 2.
309	capitatum. DC.	Rose-scented.	————	1690.	—	G. h.	———— 4. t. 105. f. 1.
310	concolor. S.G.	self-coloured.	Hybrid.	1820.	—	G. h.	Sweet ger. 2. t. 140.
	<i>β major</i> . S.G.	larger.	————	—	—	G. h.	———— 2. t. 140. f. b.
311	graveolens. DC.	Odour of Rose.	C. B. S.	1774.	3. 7.	G. h.	L'Herit. ger. t. 17.
	<i>β variegatum</i> .	striped-leaved.	————	—	G. h.	Andr. geran. c. ic.
	<i>Geranium capitatum</i> . var. A.G.						
312	asperum. DC.	rough multifid.	————	1795.	5. 9.	G. h.	Roth abh. p. 51. t. 10.
313	Radula. DC.	rasp-leaved.	————	1774.	3. 7.	G. h.	L'Herit. ger. t. 16.
314	balsameum. DC.	balsamic.	————	1790.	5. 9.	G. h.	Jacq. ic. rar. 3. t. 543.
315	Vandesiæ. S.G.	Comtesse de Vandes'. Hybrid.	1818.	—	—	G. h.	Sweet ger. 1. t. 7.
316	hispidum. DC.	hispid.	C. B. S.	1790.	—	G. h.	Cav. dis. 4. t. 110. f. 1.
317	anthemifolium. DC.	Anthemis-ld.	Hybrid.	1822.	—	G. h.	
318	pyrethriifolium. S.G.	Feverfew-ld.	————	1821.	—	G. h.	Sweet ger. 2. t. 153.
319	chrysanthemifolium.	Chrysanthm.-ld.	————	—	4. 10.	G. h.	———— 2. t. 124.
320	Dobreeanum. S.G.	Mrs. Dobree's.	————	1818.	—	G. h.	———— 3. t. 253.
321	Bisshoppæ. S.G.	Mrs. Bisshopp's.	————	1822.	—	G. h.	———— 3. t. 272.
322	signatum. S.G.	marked-leaved.	————	—	—	G. h.	———— 3. t. 265.
323	dianthiflorum.	Pink-flowered.	Hybrid.	3. 9.	G. h.	
324	quercifolium. DC.	Oak-leaved.	C. B. S.	1774.	3. 8.	G. h.	L'Herit. ger. t. 14.
	<i>β bipinnatifidum</i> .	bipinnatifid.	————	—	—	G. h.	———— t. 15.
325	eximium. S.G.	select.	Hybrid.	1818.	4. 8.	G. h.	Sweet ger. 1. t. 26.
326	Essexiæ. C.C.	Lady Essex's.	————	—	—	G. h.	
327	oblatum. S.G.	oblate-leaved.	————	—	—	G. h.	Sweet ger. 1. t. 35.
328	Murrayanum. S.G.	Ld. Jas. Murray's	————	—	—	G. h.	———— 2. t. 164.
329	calocephalon. S.G.	pretty-headed.	————	1820.	—	G. h.	———— 3. t. 201.

330	augustum. DC.	august.	—	1809.	—	G. h.	Andr. geran. c. ic.
	β <i>Brucii</i> . C.C.	<i>Bruce's</i> .	—	—	—	G. h.	—
331	Breesianum. S.G.	Breese's.	—	1818.	—	G. h.	Sweet ger. 1. t. 64.
332	Husseyanum. S.G.	Lady Hussey's.	—	—	—	G. h.	— 1. t. 92.
333	Wellsianum. S.G.	Mr. Wells's.	—	1822.	3. 8.	G. h.	— 2. t. 175.
334	Kingii. S.G.	Mr. King's.	—	—	3. 12.	G. h.	— 3. t. 248.
335	Scottii. S.G.	Sir C. Scott's.	—	—	3. 9.	G. h.	— 3. t. 264.
336	Palkii. S.G.	Mr. Palk's.	—	—	1. 12.	G. h.	— 3. t. 224.
337	rotundilobum. S.G.	round-lobed.	—	1823.	3. 9.	G. h.	— 3. t. 252.
338	latilobum. S.G.	broad-lobed.	—	—	—	G. h.	— 3. t. 236.
339	obcordatum. S.G.	obcordate-pet'ld.	—	—	—	G. h.	— 3. t.
340	incomparabile.	incomparable.	—	1822.	—	G. h.	—
341	lasiophyllum. S.G.	woollydivided-ld.	—	—	—	G. h.	Sweet ger. 3. t.
342	Lechianum. DC.	acute-notched.	—	1820.	—	G. h.	—
343	jatrophæfolium. DC.	Jatropha-ld.	—	—	—	G. h.	—
344	denticulatum. DC.	tooth-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 109.
345	viscosissimum. S.G.	viscous.	—	1820.	3. 8.	G. h.	— 2. t. 118.
	α <i>album</i> .	<i>white-flowered</i> .	—	—	—	G. h.	—
	β <i>carneum</i> .	<i>flesh-coloured</i> .	—	—	—	G. h.	—
346	glutinosum. DC.	clammy.	—	1777.	5. 6.	G. h.	L'Herit. ger. t. 20.
	β <i>nigrescens</i> .	<i>black-marked</i> .	—	—	—	G. h.	Bot. mag. 143.
347	cynosbatifolium. DC.	Cynosbati-ld.	Hybrid.	—	4. 8.	G. h.	Sweet ger. 3. t. 259.
	<i>Geranium oxoniense</i> . A.G. ic.	—	—	—	—	—	—
348	verbenæfolium. S.G.	Vervain-leaved	Hybrid.	1818.	—	G. h.	— 2. t. 149.
	<i>piperatum</i> . DC ?	—	—	—	—	—	—
349	melissinum. S.G.	Balm-scented.	—	—	—	G. h.	— 1. t. 5.
350	ternatum. DC.	ternate-leaved.	C. B. S.	1789.	5. 8.	G. h.	— 2. t. 165.
351	patentissimum. W.C.	most-spreading.	—	1822.	—	G. h.	Wendl. coll. ic.
352	spinosum. DC.	thorny.	—	1795.	5. 6.	G. h.	Paters. it. t. ad. p. 67.
353	tripartitum. S.G.	brittle-stalked.	—	1789.	5. 8.	G. h.	Sweet ger. 2. t. 115.
	<i>Geranium fragile</i> . A.R. 37.	—	—	—	—	—	—
354	incisum. DC.	cut-leaved.	—	1791.	—	G. h.	— 1. t. 93.
355	canescens. S.G.	canescent.	—	—	—	G. h.	—
356	abrotanifolium. DC.	Southernwood-ld.	—	1791.	—	G. h.	Jacq. schœn. 2. t. 136.
357	artemisizæfolium. DC.	Wormwood-ld.	—	1817.	—	G. h.	—
358	fragrans. DC.	Nutmeg-scent'd	Hybrid.	—	5. 10.	G. h.	Sweet ger. 2. t. 172.
359	odoratissimum. DC.	sweet-scented.	C. B. S.	1724.	—	G. h.	Andr. ger. c. ic.
360	exstipulatum. DC.	soft trifid-ld.	—	1779.	—	G. h.	L'Herit. ger. t. 35.
	<i>Geranium suaveolens</i> . A.G. ic.	—	—	—	—	—	—
361	dissectum. S.G.	dissected-ld.	Hybrid.	1822.	5. 11.	G. h.	Sweet ger. 3. t. 247.
362	glomeratum. DC.	close-headed.	N. S. W.	1792.	5. 8.	G. h.	Jacq. fl. ecl. 1. t. 98.
	<i>australe</i> . S.G. 68. non DC.	—	—	—	—	—	—
363	australe. DC.	New Holland.	—	—	—	G. 4.	Jacq. fl. ecl. 1. t. 100.
364	inodorum. DC.	scentless.	—	1796.	3. 8.	G. 4.	Sweet ger. 1. t. 56.
365	columbinum. DC.	Doves-foot.	C. B. S.	1795.	6. 10.	G. 4.	Jacq. schœn. 2. t. 133.
366	procumbens. DC.	procumbent.	—	1801.	4. 5.	G. 4.	Andr. bot. rep. 234.
367	humifusum. DC.	trailing.	Canaries.	—	4. 10.	H. ☉.	Sweet ger. 1. t. 42.
368	chamædryfolium. DC.	Chamædry-ld.	C. B. S.	1812.	5. 6.	G. 4.	Jacq. ic. rar. 3. t. 523.
369	althæoides. DC.	Althæa-leaved.	—	1724.	4. 6.	G. 3.	L'Herit. ger. t. 10.
370	grossularioides. DC.	Gooseberry-ld.	—	1731.	4. 8.	G. 4.	Cav. dis. 4. t. 119. f. 2.
371	anceps. DC.	flat-stalked.	—	1788.	5. 7.	G. 4.	Jacq. col. 4. t. 22. f. 3.
372	parviflorum. A.G.	small-flowered.	—	1800.	—	G. 4.	Andr. geran. c. ic.
373	acugnaticum. L.T.	Tristan d'Acuna.	T.d'Acunna.	1818.	—	G. 4.	—
374	senecioides. DC.	Groundsel-ld.	C. B. S.	1775.	6. 7.	G. ☉.	L'Herit. ger. t. 11.
375	alchimilloides. DC.	mantle-leaved.	—	1693.	5. 10.	G. 4.	Cav. dis. 4. t. 98. f. 1.
376	Heritieri.	L'Heritier's.	—	1820.	—	G. 4.	—
377	tabulare. DC.	rough-stalked.	—	1775.	5. 8.	G. h.	L'Herit. ger. t. 9.
378	ovale. DC.	oval-leaved.	—	1774.	—	G. h.	Sweet ger. 3. t. 235.
379	elegans. DC.	elegant.	—	1795.	—	G. h.	Andr. repos. 98.
	α <i>major</i> . S.G.	<i>smaller-flowered</i> .	—	—	—	G. h.	Sweet ger. 1. t. 36. f. a.
	β <i>minor</i> . S.G.	<i>larger-flowered</i> .	—	—	—	G. h.	— 1. t. 36. f. b.
380	schizopetalum. S.G.	divided-petal'd.	—	1821.	6. 10.	G. h.	— 3. t. 232.
381	pinguifolium. S.G.	greasy-leaved.	Hybrid ?	—	5. 10.	G. h.	— 1. t. 52.
382	lateripes. DC.	Ivy-leaved.	C. B. S.	1787.	—	G. h.	L'Herit. ger. t. 24.
	α <i>viridifolium</i> .	<i>green-leaved</i> .	—	—	—	G. h.	Andrews's geran. c. ic.
	β <i>zonatum</i> .	<i>Horseshoe-mark'd</i>	—	—	—	G. h.	—
	γ <i>roseum</i> .	<i>rose-coloured</i> .	—	—	—	G. h.	—
	δ <i>albomarginatum</i> . DC.	<i>white-margined</i> .	—	—	—	G. h.	Andrews's geran. c. ic.

383	<i>peltatum</i> . DC.	peltate-leaved.	————	1701.	—	G. h. ∪.	Bot. mag. 20.
	<i>β variegatum</i> . A.G.	<i>variegated-leaved</i>	————	—	—	G. h. ∪.	Andr. geran. c. ic.
384	<i>scutatum</i> . S.G.	shield-leaved.	————	1819.	—	G. h. ∪.	Sweet ger. 1. t. 95.
385	<i>polytrichum</i> . S.G.	many-haired.	Hybrid.	1823.	—	G. h.	— 3. t. 274.
386	<i>dilutum</i> . S.G.	stained-petal'd.	————	—	—	G. h.	— 3. t.
387	<i>heterotrichum</i> . S.G.	unequal-haired.	————	—	—	G. h.	— 3. t.
388	<i>Moreanum</i> . S.G.	More's victory.	————	—	—	G. h.	— 3. t.
389	<i>rutaceum</i> . S.G.	Rue-like.	————	—	—	G. h.	— 3. t. 279.
390	<i>polyanthon</i> . S.G.	numerous-fl'd.	————	—	—	G. h.	— 3. t.
391	<i>ligulatum</i> . S.G.	ligulate-petaled	————	—	—	G. 4.	— 3. t.
392	<i>volatiflorum</i> . S.G.	flying-flowered.	————	—	—	G. h.	— 3. t.
393	<i>variifolium</i> . S.G.	various-leaved.	————	—	—	G. h.	— 3. t. 280.
394	<i>mundulum</i> . S.G.	spruce.	————	—	—	G. 4.	—
395	<i>rhodolentum</i> . S.G.	rose-smelling.	————	—	—	G. h.	—
396	<i>rhodanthum</i> . S.G.	rose-coloured.	————	1824.	—	G. h.	Sweet ger. 3. t. 282.
397	<i>Southcoteanum</i> . S.G.	Miss Southcote's	————	—	—	G. h.	—
398	<i>compactum</i> . S.G.	compact.	————	—	—	G. h.	—
399	<i>Barclayanum</i> . S.G.	Mr. Barclay's.	————	—	—	G. h.	—
400	<i>Milleri</i> .	Mr. Miller's.	————	—	—	G. h.	—
401	<i>brevipes</i> .	short-peduncul'd	————	—	—	G. h.	—
402	<i>Heselrigii</i> .	Ly. Heselrige's.	————	—	—	G. h.	—
JENKINSONIA. S.G. JENKINSONIA. Monadelphia Heptandria.							
1	<i>tetragona</i> . S.G.	square-stalked.	C. B. S.	1774.	5. 8.	G. h. ∪.	Sweet ger. 1. t. 99.
	<i>β variegata</i> .	<i>variegated</i> .	————	—	—	G. h. ∪.	— 1. t. 99.
2	<i>quinata</i> . S.G.	quinate-leaved.	————	1793.	—	G. h.	— 1. t. 79.
	<i>Pelargonium quinatum</i> . B.M. 547.	<i>Geranium præmorsum</i> A.R. 150.	————	—	—	—	—
3	<i>pendula</i> . S.G.	pendulous-branch'd.	————	—	G. h. ∪.	Sweet ger. 2. t. 183.
4	<i>longicaulis</i> . S.G.	long-stalked.	————	—	G. h. ∪.	Jacq. ic. rar. 3. t. 533.
	<i>Pelargonium longicaule</i> . Jacq.	————	————	—	—	—	—
5	<i>anemonefolia</i> . S.G.	Anemone-ld.	————	—	G. h. ∪.	— 3. t. 535.
6	<i>caucalifolia</i> . S.G.	Caucalus-leav'd	————	1812.	3. 9.	G. 4.	— 3. t. 529.
7	<i>multicaulis</i> . S.G.	many-stalked.	————	1802.	6. 8.	G. 4.	— 3. t. 534.
8	<i>lacera</i> . S.G.	torn-leaved.	————	1731.	—	G. 4.	— 3. t. 532.
9	<i>coriandrifolia</i> . S.G.	Coriander-ld.	————	1724.	3. 9.	G. 4.	Sweet ger. 1. t. 34.
	<i>Pelargonium coriandrifolium</i> . S.G.	————	————	—	—	—	—
10	<i>myrrhifolia</i> . S.G.	Myrrh-leaved.	————	1696.	5. 8.	G. h.	Jacq. ic. rar. 3. t. 531.
	<i>Pelargonium betonicum</i> . Jacq.	————	————	—	—	—	—
11	<i>bullata</i> . S.G.	blistered.	————	—	G. h.	— 3. t. 530.
12	<i>canariensis</i> .	Canary.	Canaries.	1802.	5. 9.	G. 3.	Willd. hort. ber. t. 17.
	<i>Pelargonium canariense</i> . W.	————	————	—	—	—	—
CICONIUM. S.G. CICONIUM. Monadelphia Heptandria.							
1	<i>acetosum</i> . S.G.	Sorrel-leaved.	C. B. S.	1710.	5. 9.	G. h.	Andr. geran. c. ic.
2	<i>scandens</i> . S.G.	climbing.	————	1800.	—	G. h.	—
3	<i>stenopetalum</i> . S.G.	narrow-petal'd.	————	—	—	G. h.	—
4	<i>leptopetalum</i> .	slender-petal'd.	————	—	—	G. h. ∪.	Andr. geran. c. ic.
	<i>Geranium stenopetalum</i> . A.G. <i>nec aliorum</i> .	————	————	—	—	—	—
5	<i>pumilum</i> . S.G.	dwarf.	————	—	—	G. h.	Andr. geran. c. ic.
	<i>Geranium zonale minima</i> . A.G.	————	————	—	—	—	—
6	<i>lateritium</i> . S.G.	brick-coloured.	————	—	—	G. h.	Jacq. ecl. 1. t. 97. fult.
7	<i>malvæfolium</i> .	Mallow-leaved.	————	1812.	—	G. h.	— 1. t. 97.
	<i>Pelargonium malvæfolium</i> . Jacq.	————	————	—	—	—	—
8	<i>heterogamum</i> . S.G.	six-stamened.	Hybrid.	1786.	—	G. h.	L'Herit. geran. t. 18.
9	<i>albidum</i> . C.C.	white-flowered.	C. B. S.	—	G. h.	—
10	<i>zonale</i> . S.G.	horse-shoe.	————	1710.	4. 12.	G. h.	Cav. diss. 4. t. 98. f. 2.
	<i>α lilacinum</i> .	<i>lilac-coloured</i> .	————	—	—	G. h.	—
	<i>β coccineum</i> .	<i>scarlet</i> .	————	—	—	G. h.	—
	<i>γ crystallinum</i> .	<i>coral-stalked</i> .	————	—	—	G. h.	—
	<i>δ marginatum</i> .	<i>white-edged</i> .	————	—	—	G. h.	—
11	<i>reticulatum</i> . S.G.	netted-veined.	Hybrid.	1810.	5. 10.	G. h.	Sweet ger. 2. t. 143.
12	<i>Fothergillii</i> . S.G.	Fothergill's.	C. B. S.	—	G. h.	— 3. t. 226.
	<i>α coccineum</i> .	<i>scarlet</i> .	————	—	—	G. h.	— 3. t. 226. a.
	<i>β purpureum</i> .	<i>purple</i> .	————	—	—	G. h.	— 3. t. 226. b.
13	<i>monstrum</i> . S.G.	cluster-leaved.	Hybrid.	1784.	7. 8.	G. h.	— 1. t. 13.
14	<i>æqualiflorum</i> . C.C.	victory.	————	1819.	5. 10.	G. h.	—
15	<i>hybridum</i> . S.G.	hybrid.	C. B. S.	1732.	—	G. h.	Sweet ger. 1. t. 63.
16	<i>oxyphyllum</i> . C.C.	sour-leaved.	Hybrid.	—	G. h.	Andr. geran. c. ic.
	<i>Geranium miniatum</i> . v. <i>album</i> . A.G.	————	————	—	—	—	—
17	<i>humile</i> .	low-spreading.	C. B. S.	—	G. h.	—

18 crenatum. s.g.	scolloped-ld.	-----	—	G. h.	Andr. geran. c. ic.
19 bracteosum.	large-bracted.	Hybrid.	—	G. h.	
<i>Pelargonium bracteosum</i> . DC.						
20 Bentinckianum.	Bentinck's.	C. B. S.	—	G. h.	Andr. geran. c. ic.
<i>Pelargonium Bentinckianum</i> . DC. <i>Geranium crenatum</i> ; var. <i>mollifoliata</i> . A.G.						
21 cerinum. s.g.	wax-flowered.	Hybrid?	—	G. h.	Sweet ger. 2. t. 176.
22 inquinans. s.g.	staining-gland'd	C. B. S.	1714.	5. 9.	G. h.	Andr. geran. c. ic.
23 micranthum.	small-flowered.	-----	—	G. h.	
ISOPETALUM. S.G. ISOPETALUM. Monadelphia Pentandria.						
1 Cotyledonis. s.g.	Hollyhock-ld.	St. Helena.	1765.	5. 8.	G. h.	Sweet ger. 2. t. 126.
<i>Pelargonium Cotyledonis</i> . w.						
2? discipes. c.c.	central-stalked.	-----	1808.	G. h.	

ORDO XLVIII.

TROPÆOLEÆ. DC. *prod.* 1. p. 683.

TROPÆOLUM. DC.		INDIAN-CRESS.	Octandria Monogynia. L.		
1 minus. DC.	small.	Peru.	1596. 6. 10.	H. ⊙.	Bot. mag. 98.
β flore pleno.	double-flowered.	-----	—	—	G. 4.
2 majus. DC.	great.	-----	1686.	—	H. ⊙.
β flore pleno.	double-flowered.	-----	—	—	G. 4.
3 hybridum. DC.	hybrid.	Hybrid.	—	G. 4.
4 aduncum. DC.	fringe-flower'd.	Peru.	1775.	—	G. ⊙.
<i>peregrinum</i> . B.R. non L.					
5 pinnatum. DC.	pinnate-flow'r'd	-----	—	G. 4.

ORDO XLIX.

BALSAMINEÆ. DC. *prodr.* 1. p. 685.

BALSAMINA. DC.		BALSAM.	Pentandria Pentagynia.		
1 hortensis. DC.	garden.	E. Indies.	1596. 7. 10.	S. ⊙.	Blackw. t. 583.
<i>Impatiens Balsamina</i> . L.					
2 coccinea. DC.	glandular-ld.	-----	1808.	6. 9.	S. ⊙.
3 mysorensis. DC.	Mysore.	-----	1823.	—	S. ⊙.
4 bifida. DC.	bifid-spurred.	C. B. S.	1818. 7. 10.	H. ⊙.	
5 capensis. DC.	Cape.	-----	—	—	H. ⊙.
6 chinensis. DC.	Chinese.	China.	1823.	—	H. ⊙.
IMPATIENS. DC.		TOUCH ME NOT.	Pentandria Monogynia. L.		
1 natans. DC.	floating.	E. Indies.	1823. 6. 10.	S.w. ⊙.	
2 biflora. w.	two-flowered.	N. Amer.	—	H. ⊙.
<i>fulva</i> . DC.					
3 pallida. DC.	pale-flowered.	-----	1812.	—	H. ⊙.
4 Noli-tangere. DC.	common.	England.	—	H. ⊙.
5 tripetala. DC.	three-petaled.	E. Indies.	1823.	—	S. ⊙.

ORDO L.

OXALIDEÆ. DC. *prodr.* 1. p. 689.

AVERRHOA. DC.		AVERRHOA.	Pentandria Pentagynia. L.		
1 Carambola. DC.	Carambola-tree	E. Indies.	1793.	S. h.
2 Bilimbi. DC.	Bilimbi-tree.	-----	1791.	5. 7.	S. h.

Rumph. amb. 1. t. 35.
— — — 1. t. 36.

BIOPHYTUM. DC.		BIOPHYTUM. *		Decandria Pentagynia.		
sensitive. DC.		sensitive.		E. Indies.		1824. 5. 7. S. 2.
<i>Oxalis sensitiva. L.</i>						Jacq.ox.n.21.t.78.f.4.
OXALIS. DC.		WOOD-SORREL.		Decandria Pentagynia. L.		
1	Plumieri. DC.	Plumier's.	S. Amer.	1822.	4. 6. S. 2.	Pl.ed.Burm.t.213.f.1.
2	Barrelieri. DC.	Barrelier's.	—	—	— S. 2.	Jacq. ox. n. 4. t. 3.
3	fruticosa. DC.	frutescent.	Rio Janeiro.	—	— S. 2.	
4	perennans. DC.	perennial.	N. S. W.	5. 9. G. 2.	
5	Dillenii. DC.	Dillenius's.	America.	1798.	— H. 2.	Dill. elth. 2. t. 221.
6	florida. s.p.	prostrate.	—	— H. 2.	
7	stricta. DC.	upright.	N. Amer.	1658.	6. 10. H. 2.	Jacq. ox. n. 9. t. 4.
8	corniculata. DC.	procumbent.	Britain.	5. 10. H. 2.	Eng. bot. 1726.
9	Lyoni. DC.	Lyons'.	N. Amer.	1812.	— H. 2.	
10	microphylla. DC.	small-leaved.	N. Holland.	— H. 2.	
	<i>rubens. H.M.</i>					
11	repens. DC.	creeping-stalk'd	C. B. S.	1793.	3. 4. G. 2.	Jacq.ox.n.11.t.78.f.1.
12	rosea. DC.	crimson.	Chili.	1822.	4. 6. G. 2.	Bot. mag. 2415.
13	lateriflora. DC.	side-flowering.	C. B. S.	—	— G. 2.	Jacq. schœnb. 2. t. 204.
14	macrostylis. DC.	long-styled.	—	1793.	10. 11. G. b.	Jacq. ox. n. 22. t. 9.
15	tubiflora. DC.	tube-flowered.	—	1790.	— G. b.	— n. 23. t. 10.
16	canescens. DC.	canescent.	—	1822.	— G. b.	— n. 24. t. 11.
17	secunda. DC.	secund.	—	1790.	— G. b.	— n. 68. t. 12.
18	hirta. DC.	hairy-stalked.	—	1787.	1. 3. G. b.	— n. 26. t. 13.
19	hirtella. DC.	tooth-stamen'd.	—	1820.	— G. b.	— n. 27. t. 14.
20	multiflora. DC.	many-flowered.	—	1789.	2. 3. G. b.	— n. 28. t. 15.
21	rubella. DC.	branching red.	—	1791.	9. 11. G. b.	Bot. mag. 1031.
22	rosacea. DC.	rose-coloured.	—	1793.	10. 2. G. b.	— 1698.
23	virginea. DC.	virgin.	—	1822.	11. 12. G. b.	Jacq.schœnb. 3. t. 275.
24	reptatrix. DC.	creeping-rooted	—	1795.	— G. 2.	Jacq. ox. n. 33. t. 20.
25	incarnata. DC.	flesh-coloured.	—	1739.	4. 6. G. b.	Jacq. vind. t. 71.
26	venosa. DC.	veined-flow'r'd.	—	1821.	— G. b.	
27	cupræa. B.C.	copper-colour'd	—	1822.	— G. b.	Lodd. b. cab. 824.
28	tetraphylla. DC.	four-leaved.	Mexico.	—	— H. b.	— t. 790.
29	sericea. DC.	silky-leaved.	C. B. S.	1794.	— G. b.	Jacq.ox.n.13.t.77.f.1.
30	violacea. DC.	violet-coloured.	N. Amer.	1772.	5. 6. H. b.	Jacq. vind. t. 180.
31	caprina. DC.	goats-foot.	C. B. S.	1757.	3. 6. G. b.	Jacq. ox. t. 76. f. 1.
32	cernua. DC.	drooping yellow	—	—	2. 5. G. b.	— n. 16. t. 6.
	<i>caprina. B.M. 237. non DC.</i>					
	<i>β flore pleno.</i>	double-flower'd	—	—	— G. b.	
33	compressa. DC.	compressed.	—	1794.	12. 1. G. b.	Jacq.ox.n.19.t.78.f.3.
34	dentata. DC.	toothed.	—	1793.	11. 12. G. b.	— n. 17. t. 7.
35	livida. DC.	livid.	—	—	10. 11. G. b.	— n. 18. t. 8.
36	purpurata. DC.	purplish-leav'd.	—	1820.	— G. b.	Jacq. schœnb. t. 356.
37	macrophylla. DC.	large-leaved.	—	—	— G. b.	
38	lobata. DC.	lobed.	Chili.	1821.	4. 6. H. b.	Bot. mag. 2386.
39	monophylla. DC.	simple-leaved.	C. B. S.	1774.	10. 11. G. b.	Jacq.ox.n.35.t.79.f.3.
40	rostrata. DC.	beaked.	—	1795.	— G. b.	— n. 36. t. 22.
41	crispa. DC.	curled.	—	1793.	— G. b.	— n. 37. t. 23.
42	leporina. DC.	Hare's-eared.	—	1795.	10. 11. G. b.	— n. 39. t. 25.
43	asinina. DC.	asses-eared.	—	1792.	11. 12. G. b.	— n. 38. t. 24.
44	lanceæfolia. DC.	spear-leaved.	—	1795.	10. 11. G. b.	— n. 40. t. 26.
45	fabæfolia. DC.	Bean-leaved.	—	1794.	— G. b.	— n. 41. t. 27.
46	laburnifolia. DC.	Laburnum-ld.	—	1793.	9. 10. G. b.	— n. 42. t. 28.
47	sanguinea. DC.	bloody-leaved.	—	1795.	10. 12. G. b.	— n. 43. t. 29.
48	tricolor. DC.	three-coloured.	—	1794.	— G. b.	— n. 63. t. 47.
49	ciliaris. DC.	ciliated.	—	1793.	— G. b.	— n. 45. t. 30.
50	arcuata. DC.	gland-covered.	—	1795.	— G. b.	— n. 46. t. 31.
51	flaccida. DC.	flaccid.	—	1812.	— G. b.	— n. 66. t. 51.
52	ferruginata. DC.	rust-spotted.	—	1822.	— G. b.	Jacq. schœnb. 3. t. 274.
53	ambigua. DC.	ambiguous.	—	1790.	9. 12. G. b.	Jacq. ox. n. 59. t. 43.
54	undulata. DC.	wave-leaved.	—	1795.	10. 11. G. b.	— n. 60. t. 44.
55	glandulosa. DC.	glandulous.	—	1822.	— G. b.	— n. 62. t. 46.
56	fusca. DC.	brown-spotted.	—	1795.	5. 6. G. b.	— n. 61. t. 45.
57	sulphurea. DC.	sulphur-colour'd	—	—	10. 11. G. b.	— n. 77. t. 63.
58	speciosa. DC.	specious.	—	1690.	9. 11. G. b.	— n. 74. t. 60.
59	variabilis. DC.	variable.	—	1795.	10. 12. G. b.	— n. 67.
	<i>α longiscapa. DC.</i>	white-flowered.	—	—	— G. b.	— t. 52.
	<i>β rubra. DC.</i>	red-flowered.	—	—	— G. b.	— t. 53.
60	grandiflora. W.	great-flowered.	—	1870.	— G. b.	— n. 68. t. 54.
	<i>β Simsii. DC.</i>	Sims's.	—	—	— G. b.	Bot. mag. 1683.

61	purpurea. DC.	purple.	————	1812.	—	G.b.	Jacq. ox. n. 70. t. 56.
62	convexula. DC.	convex-leaved.	————	1789.	11. 1.	G.b.	———— n. 69. t. 55.
63	lævigata. DC.	smooth.	1818.	6. 8.	H.⊙.	
64	marginata. DC.	green-margin'd.	C. B. S.	1812.	9. 12.	G.b.	Jacq. ox. n. 85. t. 68.
65	pulchella. DC.	beautiful.	————	1795.	10. 11.	G.b.	———— n. 86. t. 69.
66	obtusa. DC.	blunt-leaved.	————	1812.	—	G.b.	———— n. 83. t. 79. f. 1.
67	lanata. DC.	woolly-leaved.	————	1791.	—	G.b.	———— n. 81. t. 77. f. 2.
68	luteola. DC.	yellowish.	————	1822.	—	G.b.	———— n. 80. t. 65.
69	Acetosella. DC.	common.	Britain.	4. 6.	H. 2.	Eng. bot. 762.
70	americana. DC.	American.	N. Amer.	—	H. 2.	
71	tenella. DC.	slender.	C. B. S.	1793.	—	G.b.	Jacq. ox. n. 32. t. 19.
72	natans. DC.	floating.	————	1795.	9. 12.	G.w.b.	———— n. 78. t. 76. f. 2.
73	filicaulis. DC.	bilobed-leaved.	————	1815.	9. 10.	G.b.	Jacq. schoenb. 2. t. 205.
74	bifida. DC.	cloven-leaved.	————	1791.	9. 10.	G.b.	Jacq. ox. n. 89. t. 79. f. 4.
75	cuneata. DC.	wedge-leaved.	————	1818.	—	G.b.	———— n. 55. t. 40.
76	cuneifolia. DC.	wedge-shaped.	————	1793.	4. 5.	G.b.	———— n. 56. t. 41.
77	linearis. DC.	linear-leaved.	————	1795.	9. 11.	G.b.	———— n. 47. t. 32.
78	reclinata. DC.	reclining.	————	—	—	G.b.	———— n. 49. t. 34.
79	gracilis. DC.	slender-stalked	————	—	G.b.	———— n. 48. t. 33.
80	miniata. DC.	miniatured.	————	1818.	—	G.b.	———— n. 50. t. 35.
81	glabra. DC.	smooth.	————	1795.	5. 6.	G.b.	———— n. 58. t. 76. f. 3.
82	versicolor. DC.	striped-flow'r'd	————	1774.	1. 3.	G.b.	Bot. mag. 155.
83	elongata. DC.	elongated.	————	1791.	9. 10.	G.b.	Jacq. ox. n. 52. t. 37.
84	amœna. L. en.	handsome.	————	—	—	G.b.	Jacq. schoenb. t. 206.
85	tenuifolia. DC.	fine-leaved.	————	1790.	10. 11.	G.b.	Lodd. b. cab. t. 712.
86	polyphylla. DC.	many-leaved.	————	1791.	9. 1.	G.b.	Jacq. ox. n. 59. t. 39.
87	filifolia. DC.	slender-leaved.	————	1818.	—	G.b.	Jacq. schoen. 3. t. 273.
88	pentaphylla. DC.	five-leaved.	————	1800.	11. 2.	G.b.	Bot. mag. 1549.
89	lupinifolia. DC.	Lupine-leaved.	————	1791.	10. 11.	G.b.	Jacq. ox. n. 92. t. 72.
90	flava. DC.	narrow-leaved.	————	1775.	3. 4.	G.b.	Bot. reg. 117.
91	pectinata. DC.	pectinated.	————	1790.	9. 11.	G.b.	Jacq. ox. n. 95. t. 75.
92	flabellifolia. DC.	fan-leaved.	————	1789.	—	G.b.	———— n. 94. t. 74.
93	tomentosa. DC.	downy-leaved.	————	1791.	4. 5.	G.b.	———— n. 96. t. 81.

ORDO LI.

ZYGOPHYLLÆ. DC. *prodr.* 1. p. 703.

TRIBULUS. DC.		CALTROPS.	Decandria Monogynia. L.		
1	cistoides. DC.	Cistus-like.	S. Amer.	1752. 7.	S. 2.
2	terrestris. DC.	small.	S. Europe.	1596. 6. 7.	H.⊙.
3	maximus. DC.	great.	Jamaica.	1728. —	S.⊙.
4	trijugatus. DC.	Nuttall's.	America.	1823. —	H.⊙.
FAGONIA. DC.		FAGONIA.	Decandria Monogynia. L.		
1	cretica. DC.	Cretan.	Candia.	1739. 6. 8.	H.⊙.
2	arabica. DC.	Arabian.	Arabia.	1759. —	G. 2.
ZYGOPHYLLUM. DC.		BEAN-CAPER.	Decandria Monogynia. L.		
1	cordifolium. DC.	heart-leaved.	C. B. S.	1774. 10.	G. 2.
2	Fabago. DC.	common.	Syria.	1596. 7. 9.	H. 2.
3	foetidum. DC.	foetid.	C. B. S.	1790. 6. 8.	G. 2.
	β <i>insuave.</i> B.M.	unpleasant.	—	—	G. 2.
4	fruticosum. DC.	frutescent.	N. Holland.	1822. —	G. 2.
5	maculatum. DC.	spotted.	C. B. S.	1782. 10. 11.	G. 2.
6	microphyllum. DC.	small-leaved.	—	1820. —	G. 2.
7	Morgsana. DC.	four-leaved.	—	1732. 5. 9.	G. 2.
8	sessilifolium. DC.	sessile-leaved.	—	1713. 7. 8.	G. 2.
9	spinosum. DC.	spiny.	—	1818. —	G. 2.
10	coccineum. DC.	scarlet.	Egypt.	—	G. 2.
11	album. DC.	white.	—	1770. 10. 11.	G. 2.
12	prostratum. DC.	hairy-jointed.	C. B. S.	1818. —	G. 2.
GUAIAACUM. DC.		LIGNUM VITÆ.	Decandria Monogynia. L.		
1	officinale. DC.	common.	W. Indies.	1694. 7. 9.	S. 2.

Bot. reg. 791.
Lam. ill. t. 346. f. 1.
Jacq. ic. rar. t. 462.

Bot. mag. 241.

Lam. ill. t. 345. f. 1.
Schr. s. han. p. 17. t. 9.
Bot. mag. 372.

Dill. elth. t. 116. f. 141.
— t. 116. f. 142.

Forsk. des. 87. ic. t. 11.
DC. pl. gras. t. 154.

Lam. ill. t. 342.

2 verticale. DC.	vertical-petal'd.	New Spain. 1823.	S. h.	
3 arboreum. DC.	tree.	S. Amer.	—	S. h. Jacq. amer. 130. t. 83.
<i>Zygophyllum arboreum</i> . Jac.					

§ 2. ZYGOPHYLLÆ SPURIÆ ALTERNIFOLIÆ. DC.

MELIANTHUS. DC.	HONEY-FLOWER.	Didynamia Angiospermia. L.			
1 major. DC.	great.	C. B. S.	1688.	5. 7.	G. h. Bot. reg. 45.
2 minor. DC.	small.	—	1696.	8.	G. h. Bot. mag. 301.
3 comosus. DC.	tufted.	—	1818.	—	G. h. Comm. rar. t. 4.
BALANITES. DC.	BALANITES.	Decandria Monogynia.			
ægyptiaca. DC.	Egyptian.	Africa.	1822.	S. h. Del. fl. eg. t. 28. f. 1.
<i>Ximenia ægyptiaca</i> . L.					

ORDO LII.

RUTACEÆ. DC. *prodr.* 1. p. 709.

Tribus I. DIOSMEÆ. DC.

RUTA. DC.	RUE.	Decandria Monogynia. L.			
1 pinnata. DC.	winged-leaved.	Canaries.	1780.	3. 8.	G. h. Bot. reg. 307.
2 montana. DC.	mountain.	S. Europe.	1596.	8. 9.	H. 2. Jacq. ic. rar. 1. t. 76.
3 graveolens. DC.	common.	—	1562.	6. 9.	H. h. Duham. arb. 2. t. 61.
4 bracteosa. DC.	large-bracted.	Sicily.	1823.	—	H. h. Ten. fl. nap. 1. t. 36.
5 divaricata. DC.	spreading.	Italy.	—	—	H. h. Bot. mag. 2311.
6 angustifolia. DC.	narrow-leaved.	S. France.	1722.	—	G. h. ——— 2018.
7 macrophylla. DC.	long-leaved.	Africa.	—	—	G. h. ——— 2018.
<i>chalepensis</i> . a. L.					
8 albiflora. D.P.	white-flowered.	Nepaul.	1820.	9. 10.	G. 2. Hook. ex. fl. t. 79.
9 patavina. DC.	Italian.	Italy.	—	6. 9.	H. 2. Mich. gen. t. 19.
10 pubescens. DC.	pubescent.	Spain.	1816.	5. 8.	H. 2. Andr. rep. 565.
11 linifolia. DC.	Flax-leaved.	—	1752.	6. 9.	H. h. Bot. mag. 2254.
12 suaveolens. DC.	Primrose-scent'd.	Tauria.	—	H. h. Gmel. sib. 4. t. 68. f. 2.
13 dahurica. DC.	Milk-wort-ld.	Dahuria.	1816.	7. 8.	H. 2. ———
<i>Peganum dauricum</i> . β. L.					
PEGANUM. DC.	SYRIAN-RUE.	Dodecandria Monogynia. L.			
Harmala. DC.	common.	Levant.	1570.	7. 8.	H. 2. Lam. ill. t. 401.
DICTAMNUS. DC.	FRAXINELLA.	Decandria Monogynia. L.			
1 Fraxinella. L.en.	red-flowered.	S. Europe.	1596.	5. 7.	H. 2. ———
2 albus. L.en.	white-flowered.	—	—	—	H. 2. ———
CALODENDRON. DC.	CALODENDRON.	Pentandria Monogynia.			
capense. DC.	Cape.	C. B. S.	1789.	G. h. Lam. j. h. nat. 56. t. 3.
ADENANDRA. W.en.	ADENANDRA.	Pentandria Monogynia. L.			
1 uniflora. W.en.	one-flowered.	C. B. S.	1775.	4. 7.	G. h. Bot. mag. 273.
2 acuminata.	acute-leaved.	—	1812.	—	G. h. Lodd. bot. cab. 493.
<i>Diosma acuminata</i> . B.C. non DC.					
3 amœna.	charming.	—	1798.	—	G. h. Bot. reg. 553.
<i>Diosma amœna</i> . B.C. 161.					
4 speciosa.	umbel-flower'd.	—	1790.	—	G. h. Bot. mag. 1271.
<i>umbellata</i> . W.en.					
5 fragrans. R.S.	red-flowered.	—	1812.	5. 7.	G. h. ——— 1519.
6 villosa. R.S.	villous.	—	—	—	G. h. ———
<i>Diosma villosa</i> . DC. non Hort.					
7 marginata. R.S.	marginate.	—	1806.	4. 6.	G. h. Thunb. voy. 4. t. 5.
8 tetragona.	tetragonal.	—	1789.	7. 8.	G. h. ———
BAROSMA. W.en.	BAROSMA.	Pentandria Monogynia. L.			
1 serratifolia. W.en.	saw-leaved.	C. B. S.	1789.	3. 6.	G. h. Bot. mag. 456.

2	odorata. R.S.	odoriferous.	— — —	—	—	G. h.	Wend. coll. 1. t. 15.
	<i>Diosma latifolia</i> . B.C.	290.					
3	latifolia. R.S.	broad-leaved.	— — —	—	—	G. h.	Andr. rep. t. 33.
4	crenata.	crenated.	— — —	1774.	1. 5.	G. h.	Lodd. bot. cab. t. 404.
5	betulina.	wedge-leaved.	— — —	1790.	5. 7.	G. h.	
	<i>orbicularis</i> . Hort.	<i>Diosma betulina</i> . DC.					
6	ovata. L.en.	oval-leaved.	— — —	—	2. 9.	G. h.	Bot. mag. 1616.
	<i>Diosma ovata</i> . B.M.						
AGATHOSMA. W.en. AGATHOSMA. Pentandria Monogynia. L.							
1	dioica.	barren.	C. B. S.	1816.	4. 8.	G. h.	Bot. reg. 502.
	<i>Diosma dioica</i> . B.R.	<i>linifolia</i> . B.C. 490.					
2?	orbicularis.	round-leaved.	— — —	1790.	—	G. h.	
3	pulchella.	blunt-leaved.	— — —	1787.	2. 9.	G. h.	Bot. mag. 1357.
4	obtusa.	obtuse-pointed.	— — —	1774.	4. 8.	G. h.	Lodd. bot. cab. 210.
	<i>Diosma ciliata</i> . B.C.	<i>non L.</i>					
	<i>a ovata</i> .	<i>oval-leaved</i> .	— — —	—	—	G. h.	Wendl. coll. 1. t. 13.
	<i>β oblonga</i> .	<i>oblong-leaved</i> .	— — —	—	—	G. h.	— 1. t. 14.
	<i>γ lanceolata</i> .	<i>lanceolate</i> .	— — —	—	—	G. h.	Bot reg. 476.
5	ciliata.	ciliated.	— — —	—	—	G. h.	— 366.
6	prolifera.	white-flowered.	— — —	—	G. h.	
7	rugosa. L.en.	rugose.	— — —	1790.	—	G. h.	
8	ambigua.	doubtful.	— — —	—	G. h.	Lodd. bot. cab. 461.
	<i>Diosma ambigua</i> . B.C.						
9	barbata. Spr.	bearded.	— — —	—	G. h.	
10	acuminata. W.en.	acuminate.	— — —	1812.	—	G. h.	Wendl. coll. 1. t. 28.
11	imbricata. W.en.	imbricated.	— — —	1774.	—	G. h.	— 1. t. 9.
12	Cerefolium.	Chervil-scent'd.	— — —	1790.	—	G. h.	Vent. malm. t. 93.
13	villosa. W.en.	shaggy.	— — —	1786.	6. 8.	G. h.	Wendl. coll. 1. t. 2.
	<i>Diosma Wendlandiana</i> . DC.						
14	erecta.	upright.	— — —	1816.	—	G. h.	— 1. t. 3.
15	hirta.	hairy.	— — —	1794.	5. 7.	G. h.	Bot. reg. 369.
16	hispidia.	rough-leaved.	— — —	1786.	6. 8.	G. h.	
17	brevifolia.	short-leaved.	— — —	1816.	—	G. h.	
18	reflexa. L.en.	reflex-leaved.	— — —	—	—	G. h.	
19	bruniades.	Brunia-like.	— — —	—	—	G. h.	
DIOSMA. W.en. DIOSMA. Pentandria Monogynia. L.							
1	oppositifolia. DC.	opposite-leav'd.	C. B. S.	1752.	3. 7.	G. h.	
2	succulenta. DC.	succulent-ld.	— — —	4. 6.	G. h.	Wendl. coll. 1. t. 1.
3	cupressina. DC.	Cypress-like.	— — —	1790.	6. 7.	G. h.	Lodd. bot. cab. t. 303.
4	teretifolia. L.en.	round-leaved.	— — —	1818.	—	G. h.	
5	linearis. DC.	linear-leaved.	— — —	1800.	3. 7.	G. h.	
6	pectinata. DC.	pectinated.	— — —	1812.	4. 6.	G. h.	
7	subulata. DC.	awl-leaved.	— — —	—	3. 6.	G. h.	Wendl. coll. 1. t. 8.
8	alba. DC.	white-flower'd.	— — —	1800.	—	G. h.	
9	rubra. DC.	Heath-leaved.	— — —	1752.	2. 5.	G. h.	Bot. reg. 563.
10	hirsuta. DC.	hairy-leaved.	— — —	1731.	—	G. h.	Wendl. coll. 1. t. 27.
11	tenuissima. L.en.	slender-leaved.	— — —	—	G. h.	
12	ericoides. DC.	Heath-like.	— — —	1756.	3. 7.	G. h.	Mill. ic. t. 124. f. 2.
13	capitata. DC.	headed.	— — —	1790.	5. 6.	G. h.	
14	longifolia. DC.	long-leaved.	— — —	—	G. h.	Wendl. coll. 1. t. 19.
EMPLEURUM. DC. EMPLEURUM. Monœcia Tetrandria.							
	<i>serrulatum</i> . DC.	saw-leaved.	C. B. S.	1774.	6. 7.	G. h.	Sm. exot. bot. 2. t. 63.
CORRÆA. Sm. CORRÆA. Octandria Monogynia.							
1	alba. DC.	white.	N. S. W.	1793.	4. 7.	G. h.	Andr. bot. rep. 18.
2	rufa. DC.	rusty-leaved.	— — —	1819.	—	G. h.	Labill. voy. 2. t. 17.
3	speciosa. DC.	red-flowered.	— — —	1806.	11. 5.	G. h.	Bot. reg. 26.
4	virens. DC.	green-flower'd.	— — —	1800.	—	G. h.	Sm. exot. bot. 2. t. 72.
5	pulchella. ψ.	pretty.	N. Holland.	1824.	—	G. h.	
PHEBALIUM. DC. PHEBALIUM. Decandria Monogynia.							
	<i>squamulosum</i> . DC.	scaly.	N. S. W.	1820.	4. 6.	G. h.	Vent. malm. t. 102.
CROWEA. DC. CROWEA. Decandria Monogynia.							
	<i>saligna</i> . DC.	Willow-leaved.	N. S. W.	1790.	7. 12.	G. h.	Bot. mag. 989.
ERIOSTEMON. DC. ERIOSTEMON. Decandria Monogynia.							
1	buxifolium. DC.	Box-leaved.	N. S. W.	1822.	4. 6.	G. h.	
2	salicifolium. DC.	Willow-leaved.	— — —	—	—	G. h.	Linn. trans. 11. t. 26.
PHILOTHECA. L.T. PHILOTHECA. Monadelphica Decandria.							
	<i>australis</i> . L.T.	Salsola-leaved.	N. S. W.	1822.	—	G. h.	Linn. trans. 11. t. 21.
BORONIA. DC. BORONIA. Octandria Monogynia.							
1	pinnata. DC.	Hawthorn-scented.	N. S. W.	1794.	2. 5.	G. h.	Bot. mag. 1763.

2 tetrandra. DC.	tetrandrous.	N.Holland. 1824.	G. h.	Lab. nov. hol. 1. t. 125.
3 serrulata. DC.	Rose-scented.	N. S. W. 1816.	2. 5.	G. h.	Bot. reg. 842.
4 polygalæfolia. DC.	Polygala-ld.	———— 1824.	G. h.	Smith tracts. t. 7.
5 ledifolia. DC.	Ledum-leaved.	————	G. h.	
CYMINOSMA. DC.	CYMINOSMA.	Octandria Monogynia.			
1 pedunculata. DC.	peduncled.	E. Indies. 1800.	S. h.	Vahl. symb. 3. t. 61.
	<i>Jambolifera pedunculata.</i> W.				
2 odorata. DC.	sweet-scented.	China. 1818.	S. h.	
ZIERIA. DC.	ZIERIA. Tetrandria Monogynia.				
1 lanceolata. DC.	spear-leaved.	N. S. W. 1808.	4. 7.	G. h.	Bot. mag. 1395.
	<i>Smithii.</i> Bot. rep. 606.				
2 macrophylla. DC.	large-leaved.	———— 1820.	—	G. h.	
3 lævigata. DC.	smooth-leaved.	———— 1822.	—	G. h.	
4 microphylla. DC.	small-leaved.	————	—	G. h.	
5 pilosa. DC.	hairy.	————	—	G. h.	Linn. trans. 10. t. 17. f. 2.
6 hirsuta. DC.	hirsute.	————	—	G. h.	
MELICOPE. DC.	MELICOPE. Octandria Monogynia.				
ternata. DC.	ternate-leaved.	N. Zealand. 1822.	G. h.	Lam. ill. t. 294.
ELAPHRIUM. DC.	ELAPHRIUM. Octandria Monogynia.				
glabrum. DC.	smooth.	Carthageria. 1818.	S. h.	Jacq. amer. t. 71. f. 4.
	<i>Fagara Elaphrium.</i> W.				
EVODIA. DC.	EVODIA. Tetrandria Monogynia.				
triphylla. DC.	three-leaved.	Pulo Penang. 1820.	S. h.	Rumph. amb. 2. t. 62.
	<i>Fagara triphylla.</i> F.I.				
ZANTHOXYLUM. DC.	ZANTHOXYLUM. Tetrandria Monogynia et	Dicœcia Pentandria.			
1 tragodes. DC.	prickly-leaved.	St. Domingo. 1759.	8. 9.	S. h.	Jacq. amer. 21. t. 14.
	<i>Fagara tragodes.</i> W.				
2 Pterota. DC.	Lentiscus-ld.	W. Indies. 1768.	—	S. h.	Br. jam. 146. t. 5. f. 1.
	<i>Fagara lentiscifolia.</i> W.en.				
3 piperitum. DC.	Ash-leaved.	Japan. 1773.	9.	G. h.	Kæmpf. am. t. 893.
4 Avicennæ. DC.	short-panicled.	China. 1823.	G. h.	Lob. ic. 2. t. 133. f. 2.
5 heterophyllum. DC.	various-leaved.	Bourbon. —	S. h.	
6 emarginatum. DC.	notch-leaved.	Jamaica. 1739.	S. h.	Sloan. j. 2. t. 168. f. 4.
7 acuminatum. DC.	taper-pointed.	———— 1818.	S. h.	
8 tricarpum. DC.	Ash-leaved.	N. America. 1806.	H. h.	Cat. car. 1. t. 26.
9 fraxineum. DC.	common.	———— 1759.	3. 4.	H. h.	Duham. arb. 1. t. 97.
10 mite. DC.	soft-leaved.	———— 1812.	—	H. h.	
11 Clava Herculis. L.	clubbed.	W. Indies. 1739.	4. 5.	S. h.	Pluk. t. 239. f. 4.
12 aromaticum. DC.	aromatic.	St. Domingo. 1823.	S. h.	Jacq. f. ecl. 1. t. 70.
13 armatum. DC.	armed.	E. Indies. 1816.	S. h.	
14 nitidum. DC.	shining-leaved.	China. 1822.	2. 3.	G. h.	Bot. mag. 2558.
15 sapindoides. DC.	Licca-tree.	Jamaica.	G. h.	Br. jam. 207. t. 20. f. 2.
	<i>Sapindus spinosus.</i> L.				
SPIRANTHERA. DC.	SPIRANTHERA. Pentandria Monogynia.				
odoratissima. DC.	Jasmine-scent'd.	Brazil. 1823.	S. h.	N. et Mart. ac. b. XI. t. 31.
	<i>Terpnanthus jasminiodorus.</i> Nees.				

Tribus II. CUSPARIÆ. DC.

MONNIERA. DC.	MONNIERA.	Monadelphia Diandria.			
trifolia. DC.	three-leaved.	Guiana. 1792.	7. 8.	S. ⊙.	Aub. gui. 2. t. 293.
GALIPEA. DC.	GALIPEA.	Diandria Monogynia.			
trifoliata. DC.	three-leaved.	Guiana. 1803.	S. h.	Aub. gui. 2. t. 269.

ORDO LIII.

SIMARUBEÆ. DC. prodr. 1. p. 733.

QUASSIA. DC.	QUASSIA.	Decandria Monogynia. L.			
amara. DC.	bitter.	Guiana. 1790.	6. 7.	S. h.	Bot. mag. 497.

SIMARUBA. DC.	SIMARUBA.	Monœcia*Decandria.				
1 officinalis. DC.	officinal.	Guiana.	1787. S. h.	Aub. gui. 2. t. 331-2.	
<i>Quassia Simaruba</i> . L.						
2 excelsa. DC.	tall.	Jamaica.	1822. S. h.	Sw. act.holm. 1788.t.8.	
<i>Quassia excelsa</i> . Sw.						
SIMABA. DC.	SIMABA.	Decandria Monogynia.				
guianensis. DC.	Guiana.	Guiana.	1822. S. h.	Aub. gui. 1. t. 153.	
<i>Zwingera amara</i> . W.						

ORDO LIV.

OCHNACEÆ. *DC. prodr. 1. p. 735.*

OCHNA. DC.	OCHNA.	Polyandria Monogynia. L.				
1 squarrosa. Rox.	blunt-leaved.	E. Indies.	1790.	7. 8. S. h.	Roxb. cor. 1. t. 89.	
2 lucida. DC.	acute-leaved.	————	1818.	— S. h.	Lam. ill. t. 472. f. 1.	
3 nitida. DC.	shining.	C. B. S.	1816. S. h.	DC. ann. m. 17. n. 3. t. 2.	
4 multiflora. DC.	many-flowered.	Sierra Leon.	1822. S. h.	———— n. 4. t. 3.	
5 mauritiana. DC.	Mauritius.	Mauritius.	— S. h.	———— n. 8. t. 5.	
6 atropurpurea. DC.	purple-calyxed.	C. B. S.	1816. S. h.	Pluk. alm. t. 263. f. 1. 2.	
GOMPHIA. DC.	GOMPHIA.	Decandria Monogynia. W.				
1 obtusifolia. DC.	blunt-leaved.	Madagascar.	1803. S. h.	DC. ann. mus. n. 4. t. 8.	
<i>Ochna lævigata</i> . Vahl.						
2 Jabotapita. DC.	spear-leaved.	W. Indies.	1818. S. h.	Lam. ill. 472. f. 2.	
3 nitida. DC.	glossy-leaved.	————	1803. S. h.	DC. an. mus. n. 13. t. 13.	
4 laurifolia. DC.	laurel-leaved.	————	1822. S. h.	———— n. 15. t. 15.	

ORDO LV.

CORIARIEÆ. *DC. prod. 1. p. 739.*

CORIARIA. DC.	CORIARIA.	Mono-Diœcia Decandria.				
1 myrtifolia. DC.	Myrtle-leaved.	S. Europe.	1629.	5. 8. H. h.	Duham. arb. 1. t. 73.	
2 sarmentosa. DC.	sarmentose.	N. Zealand.	1820.	7. 9. G. 4.	Bot. mag. 2470.	

** SUBCLASSIS II. CALYCIFLORÆ.

ORDO LVI.

RHAMNEACEÆ. *Brown.*

HOVENIA. R.S.	HOVENIA.	Pentandria Monogynia. R. S.				
1 dulcis. R.S.	smooth-leaved.	China.	1812.	4. 6. G. h.	Lam. ill. t. 131.	
<i>acerba</i> . B.R. 500.						
2 pubescens.	pubescent-ld.	Nepaul.	1823. G. h.		
<i>dulcis</i> . D.P. et F.I. nec aliorum.						
VENTILAGO. R.S.	VENTILAGO.	Pentandria Monogynia. R. S.				
madraspata. F.I. Madras.	Bengal.	1822. S. h.	Rumph. amb. 3. t. 2.		

GOUANIA. R.S.

- 1 domingensis. R.S.
- 2 mauritiana. R.S.
- 3 tomentosa. R.S.
- 4 tiliaefolia. F.I.

PHYLICA. R.S.

- 1 glabrata. R.S.
- 2 ericoides. R.S.
- 3 parviflora. R.S.
- 4 acerosa. R.S.
- 5 lanceolata. R.S.
- 6 bicolor. R.S.
- 7 eriophora. R.S.
- 8 stipularis. R.S.
- 9 imberbis. R.S.
- 10 secunda. R.S.
- 11 villosa. R.S.
- 12 hirsuta. R.S.
- 13 pinifolia. R.S.
- 14 racemosa. R.S.
- 15 plumosa. R.S.
- 16 imbricata. R.S.
- 17 capitata. R.S.
- 18 Commelini. R.S.
- 19 reclinata. R.S.
- 20 rosmarinifolia. R.S.
- 21 axillaris. R.S.
- 22 paniculata. R.S.
- 23 buxifolia. R.S.
- 24 cordata. R.S.
- 25 orientalis. L.en.
- 26 callosa. R.S.
- 27 spicata. R.S.
- 28 cylindrica. R.S.
- 29 pubescens. H.K.
- 30 pumila. R.S.
- 31 excelsa. R.S.
- 32 papillosa. R.S.
- 33 atrata. R.S.
- 34 squarrosa. B.C.
- 35 australis. L.en.

CRYPTANDRA. Sm.

- 1 australis. L.T.
- 2 ericifolia. L.T.
- 3 amara. L.T.

COLLETIA. R.S.

- 1 obcordata. R.S.
- 2 serratifolia. R.S.

POMADERRIS. Lab.

- 1 phyllicæfolia. B.C.

Ceanothus? Wendlandiana. R.S?

- 2 apetala. R.S.
- 3 elliptica. R.S.
- 4 acuminata. L.en.
- 5 lanigera. B.M.

Ceanothus laniger. A.R.

CEANOTHUS. R.S.

- 1 americanus. W.
- 2 tardiflorus. R.S.
- 3 microphyllus. Ph.
- 4 macrocarpus. W.
- 5 sanguineus. Ph.
- 6 intermedius. Ph.
- 7 perennis. Ph.
- 8 asiaticus. W.
- 9 azureus. B.R.
- cæruleus.* Lag.
- 10 africanus. W.
- 11 globulosus. H.K.

GOUANIA. Polygamia Monœcia. L.

- | | | | | | |
|----------------|------------|-------|-------|-------------|----------------------------|
| Chaw-stick. | W. Indies. | 1739. | | S. h. . . . | Jacq. amer. t. 179. f. 40. |
| Mauritius. | Mauritius. | 1823. | | S. h. . . . | |
| woolly-leaved. | W. Indies. | — | | S. h. . . . | |
| Lime-tree-ld. | E. Indies. | 1810. | 4. 6. | S. h. . . . | Roxb. cor. 1. t. 98. |

PHYLICA. Pentandria Monogynia. L.

- | | | | | | |
|--------------------|----------|-------|---------|-------------|--------------------------|
| smooth-leaved. | C. B. S. | 1820. | 3. 5. | G. h. . . . | |
| Heath-leaved. | — | 1790. | 9. 4. | G. h. . . . | Bot. mag. 224. |
| small-flowered. | — | — | 4. 7. | G. h. . . . | |
| needle-leaved. | — | 1819. | — | G. h. . . . | Spr. m. ber. 8. B. f. 1. |
| lance-leaved. | — | 1790. | 4. 5. | G. h. . . . | |
| two-coloured. | — | 1823. | — | G. h. . . . | |
| pale-flowered. | — | 1774. | 11. 3. | G. h. . . . | |
| horned. | — | 1786. | 5. 9. | G. h. . . . | Wendl. coll. t. 32. |
| beardless. | — | 1823. | — | G. h. . . . | Breyn. cent. 18. t. 7. |
| secund. | — | 1812. | — | G. h. . . . | |
| villous. | — | 1790. | — | G. h. . . . | |
| hairy. | — | 1820. | — | G. h. . . . | |
| Pine-leaved. | — | 1789. | 5. 6. | G. h. . . . | |
| clustered. | — | 1790. | 5. 9. | G. h. . . . | |
| feathered. | — | 1752. | 3. 5. | G. h. . . . | Lam. ill. t. 127. f. 4. |
| imbricated. | — | 1801. | 8. 11. | G. h. . . . | |
| headed. | — | 1800. | 5. 8. | G. h. . . . | Bot. reg. 711. |
| Commelin's. | — | — | — | G. h. . . . | Comm. præl. 63. t. 13. |
| reclined. | — | 1820. | — | G. h. . . . | Wendl. coll. III. t. 56. |
| Rosemary-ld. | — | 1815. | — | G. h. . . . | |
| axillary-flow'r'd. | — | 1812. | 5. 6. | G. h. . . . | Spr. m. ber. f. 4. |
| panicled. | — | — | 4. 6. | G. h. . . . | |
| Box-leaved. | — | 1759. | 5. 9. | G. h. . . . | Wendl. coll. t. 26. |
| heart-leaved. | — | 1789. | 5. 6. | G. h. . . . | Comm. rar. 62. t. 12. |
| oriental. | — | 1820. | — | G. h. . . . | |
| callous-leaved. | — | 1774. | 3. 4. | G. h. . . . | |
| spiked. | — | — | 11. 12. | G. h. . . . | Lam. ill. t. 127. f. 3. |
| cylindrical. | — | | 4. 8. | G. h. . . . | Wendl. coll. t. 7. |
| pubescent. | — | 1774. | 2. 4. | G. h. . . . | Burm. afr. t. 44. f. 3. |
| dwarf. | — | 1820. | — | G. h. . . . | |
| tall. | — | — | 3. 5. | G. h. . . . | Wendl. coll. III. t. 4. |
| papillose. | — | — | — | G. h. . . . | — p. 5. t. 71. |
| black-downed. | — | — | — | G. h. . . . | |
| squarrose. | — | — | — | G. h. . . . | Lodd. Bot. cab. 36. |
| southern. | — | 1812. | — | G. h. . . . | |

CRYPTANDRA. Pentandria Monogynia. R.S.

- | | | | | | |
|----------------|----------|-------|-------|-------------|------------------------------|
| bundle-leaved. | N. S. W. | 1821. | 5. 7. | G. h. . . . | Linn. trans. X. t. 18. f. 1. |
| Heath-leaved. | — | 1823. | — | G. h. . . . | — X. t. 18. f. 2. |
| bitter. | — | — | 4. 6. | G. h. . . . | |

COLLETIA. Pentandria Monogynia. R.S.

- | | | | | | |
|-------------|-------|-------|-------|-------------|-----------------------|
| obcordate. | Peru. | 1822. | 5. 7. | G. h. . . . | Vent. h. cels. t. 92. |
| saw-leaved. | — | 1823. | | G. h. . . . | Vent. choix. t. 15. |

POMADERRIS. Pentandria Monogynia. R.S.

- | | | | | | |
|--------------------------------------|-------------|-------|-------|-------------|--------------------------|
| Phyllica-leaved. | N. S. W. | 1810. | 3. 5. | G. h. . . . | Lodd. bot. cab. 120. |
| <i>Ceanothus? Wendlandiana.</i> R.S? | | | | | |
| petalless. | N. Holland. | 1803. | 5. 6. | G. h. . . . | Lab. nov. hol. 1. t. 87. |
| elliptic-leaved. | — | 1805. | 4. 7. | G. h. . . . | — 1. t. 86. |
| loose-flowered. | — | 1816. | — | G. h. . . . | |
| woolly. | — | 1806. | — | G. h. . . . | Bot. mag. 1823. |

CEANOTHUS. Pentandria Monogynia. L.

- | | | | | | |
|-----------------|-------------|-------|--------|-------------|---------------------------|
| New Jersey Tea. | N. America. | 1713. | 7. 8. | H. h. . . . | Bot. mag. 1479. |
| late-flowering. | — | 1812. | 9. 10. | H. h. . . . | |
| small-leaved. | — | 1806. | 6. 7. | H. h. . . . | |
| large-capsuled. | New Spain. | 1823. | — | S. h. . . . | Cav. ic. 3. t. 276. |
| red-stalked. | N. America. | 1812. | 5. 7. | H. h. . . . | |
| intermediate. | — | — | 6. 7. | H. h. . . . | Pluk. alm. t. 28. f. 6. |
| perennial. | — | 1822. | — | H. h. . . . | |
| Asiatic. | E. Indies. | 1691. | 7. 8. | S. h. . . . | Cav. ic. 5. t. 440. f. 1. |
| blue. | New Spain. | 1818. | 4. 5. | G. h. . . . | Bot. reg. 291. |
| African. | C. B. S. | 1712. | 3. 4. | G. h. . . . | Pluk. phyt. 126. f. 1. |
| round-headed. | N. Holland. | 1803. | 4. 5. | G. h. . . . | Lab. nov. hol. 1. t. 85. |

12	discolor. R.S.	two-coloured.	—————	—————	—————	G. h.	Vent. malm. t. 58.
13	nepalensis. F.I.	Nepaul.	Nepaul.	1823.	H. h.	
DALRYMPLEA. F.I.		DALRYMPLEA.	Pentandria Monogynia.				
	pomifera. F.I.	apple-bearing.	Silhet.	1823.	S. h.	
RHAMNUS. R.S.		BUCKTHORN.	Pentandria Monogynia.	L.			
1	catharticus. w.	purging.	England.	5. 6.	H. h.	Eng. bot. 1629.
2	tinctorius. W.K.	dyer's.	Hungary.	1823.	—	H. h.	W. et K. hung. t. 255.
3	saxatilis. L.	rock.	S. Europe.	1752.	—	H. h.	Jacq. aust. 1. t. 53.
4	infectorius. L.	yellow-berried.	—————	1683.	6. 7.	H. h.	
5	oleoides. L.	Olive-leaved.	Spain.	1752.	—	H. h.	
6	pubescens. R.S.	pubescent.	S. France.	1820.	—	H. h.	
7	buxifolius. R.S.	Box-leaved.	S. Europe.	—	—	H. h.	
8	lycioides. w.	Boxthorn-like.	Spain.	1752.	9. 12.	G. h.	Cav. ic. 2. t. 182.
	β latifolius.	broad-leaved.					
9	theezans. w.	Thea.	China.	—	G. h.	
10	crenulatus. w.	crenulate.	Teneriffe.	1778.	3.	G. h.	
11	virgatus. F.I.	slender.	Nepaul.	1819.	4. 5.	H. h.	
12	erythroxyton. R.S.	red-wooded.	Siberia.	1822.	—	H. h.	Pall. ross. 2. t. 62.
13	tetragonus. w.	square-branch'd.	C. B. S.	1816.	G. h.	Act.gorenck.1812.c.ic.
14	valentinus. w.	Spanish.	Spain.	1825.	H. h.	Cav. ic. 2. t. 181.
	pumilus C. non. w.						
15	cubensis. w.	Cuba.	Cuba.	1824.	S. h.	Jacq. vind. 3. t. 49.
	Ceanothus cubensis. Lam.						
16	colubrinus. w.	Bahama red-wood.	Bahama.	1726.	6.	S. h.	————— 3. t. 50.
	Ceanothus colubrinus. P.S.						
17	alpinus. w.	Alpine.	Switzerland.	1752.	5. 6.	H. h.	Hall. helv.n. 823. t. 40.
18	alnifolius. w.	Alder-leaved.	N. America.	1778.	—	H. h.	
19	pumilus. w.	dwarf.	Carniola.	1752.	7.	H. h.	Jacq. coll. 2. t. 11.
	β rupestris.	small.					
20	Frangula. w.	berry-bearing.	Britain.	4. 5.	H. h.	Eng. bot. 250.
21	latifolius. w.	broad-leaved.	Azores.	1778.	7.	H. h.	Wats. dend. brit. t. 11.
22	ellipticus. w.	oval-leaved.	Jamaica.	1758.	8.	S. h.	Brown. jam. t. 29. f. 2.
	Ceanothus reclinatus. P.S.						
23	prinoides. w.	Prinos-leaved.	C. B. S.	1778.	8. 9.	G. h.	L. Her. sert. ang. t. 9.
24	celtifolius. R.S.	Celtis-leaved.	—————	—	G. h.	Burm. afr. 242. t. 88.
25	mystacinus. w.	wiry.	Africa.	1775.	11.	S. h.	
26	hybridus. w.	hybrid.	Hybrid.	5. 6.	H. h.	
27	glandulosus. w.	Madeira.	Canaries.	1785.	6. 7.	G. h.	Vent. malm. t. 34.
28	Alaternus. w.	Alaternus.	S. Europe.	1629.	4. 6.	H. h.	
	α latifolius.	broad-leaved.					
	β balearicus.	round-saw-ld.					
	γ hispanicus.	Spanish.					
	δ glaber.	smooth-leaved.					
	ε integrifolius.	entire-leaved.					
	ζ maculatus.	spot-leaved.					
	η aureo-marginatus.	gold-striped.					
	θ argenteus.	silver-striped.					
29	Clusii. R.S.	narrow-leav'd.	—————	—————	—————	H. h.	
30	integrifolius. DC.	entire-leaved.	New Spain.	1820.	S. h.	DC.h.mons. ined.t.16.
31	lanceolatus. Ph.	spear-leaved.	N. America.	1812.	4. 5.	H. h.	
32	longifolius. L.en.	long-leaved.	1822.	—	H. h.	
	Willdenowiana. R.S.						
33	microphyllus. R.S.	small-leaved.	Mexico.	—	G. h.	
ZIZYPHUS. R.S.		ZIZYPHUS.	Pentandria Monogynia.	R.S.			
1	Lotus. R.S.	Barbary.	Africa.	1731.	G. h.	Desf.act.ac.1788.t.21.
2	mucronata. W.en.	mucronate.	C. B. S.	1820.	G. h.	
	bubalina. R.S.						
3	Oenoplia. R.S.	oblique-leaved.	Ceylon.	S. h.	Burm. zeyl. 131. t. 61.
4	Jujuba. R.S.	blunt-leaved.	E. Indies.	1759.	4. 5.	S. h.	Rheed. mal. 4. t. 41.
5	albans. F.I.	white-fruited.	China.	1822.	...	G. h.	
6	Spina Christi. R.S.	Christ's-thorn.	Egypt.	4. 5.	G. h.	Pluk. alm. t. 197. f. 3.
7	Napeca. R.S.	spotted-fruited.	Ceylon.	1816.	S. h.	————— t. 216. f. 6.
8	vulgaris. R.S.	common.	S. Europe.	1640.	8. 9.	H. h.	Pall. ross. 2. t. 59.
9	nitida. F.I.	shining.	China.	1822.	G. h.	
10	Xylopyrus. R.S.	cork-barked.	E. Indies.	—	S. h.	
11	incurva. F.I.	incurved.	Nepaul.	1820.	5. 6.	F. h.	
12	flexuosa. F.I.	flexuose.	—————	—	F. h.	
13	sororia. R.S.	pubescent-ld.	E. Indies.	1823.	S. h.	

OENOPLIA. R.S.	OENOPLIA.	Pentandria Monogynia. R.S.			
1 lineata. R.S.	lined.	China.	1804. G. h.	Osborn. it. 219. t. 7.
<i>Zizyphus lineatus.</i> w.	<i>Rhamnus lineatus.</i> L.				
2 volubilis. R.S.	twining.	Carolina.	1714.	6. 7. H. h.	Jacq. ic. 2. t. 336.
<i>Rhamnus volubilis.</i> L.	<i>Zizyphus volubilis.</i> w.				
PALIURUS. R.S.	CHRIST'S-THORN.	Pentandria Trigynia. B.M.			
1 australis. R.S.	common.	S. Europe.	1596.	6. 7. H. h.	Bot. mag. 1893.
<i>Zizyphus Paliurus.</i> B.M.					
2 virgatus. D.P.	Nepaul.	Nepaul.	1819.	8. 9. H. h.	———— 2535.
PLECTRONIA. R.S.	PLECTRONIA.	Pentandria Monogynia. R.S.			
ventosa. R.S.	corymbed.	C. B. S.	1816. G. h.	Burm. prod. afr. t. 94.
<i>corymbosa.</i> P.S.					
AUCUBA. W.	AUCUBA.	Monœcia Tetrandria.			
japonica. w.	Japan.	Japan.	1783.	5. 7. H. h.	Bot. mag. 1197.
MYGINDA. W.	MYGINDA.	Tetrandria Tetragynia.			
1 latifolia. w.	broad-leaved.	W. Indies.	1795.	4. 5. S. h.	
2 Rhacoma. w.	blunt-leaved.	Jamaica.	1798. S. h.	Jacq. ic. 2. t. 311.
3 uragoga. w.	saw-leaved.	S. America.	1790.	8. 9. S. h.	Jacq. amer. 24. t. 16.
ILEX. R.S.	HOLLY.	Tetrandria Tetragynia. L.			
1 canadensis. R.S.	Canadian.	N. America.	1802.	4. 5. H. h.	Mich. amer. 2. t. 49.
<i>Prinos lucidus.</i> w.					
2 salicifolia. R.S.	Willow-leaved.	Mauritius.	1818.	— S. h.	Jacq. coll. 4. t. 2. f. 2.
3 chinensis. B.M.	Chinese.	China.	1810.	— G. h.	Bot. mag. 2043.
4 angustifolia. R.S.	narrow-leaved.	N. America.	1806.	5. 6. F. h.	Wats. dend. brit. t. 4.
5 myrtifolia. R.S.	Myrtle-leaved.	W. Indies.	1806.	7. 8. S. h.	
6 vomitoria. R.S.	South Sea Tea.	Florida.	1700.	6. 7. G. h.	Jacq. ic. 2. t. 310.
<i>ligustrina.</i> Jacq.					
7 Dahoon. R.S.	Dahoon.	Carolina.	1726.	5. 6. F. h.	
8 Cassine. R.S.	broad-ld. Dahoon.	—	—	8. F. h.	Cat. car. 1. t. 31.
9 prinoides. R.S.	deciduous.	N. America.	1760.	7. H. h.	
10 cassinoides. L.en.	Cassine-leaved.	1820.	— H. h.	
11 paraguensis. L.P.	Paraguay Tea.	Paraguay.	1823. G. h.	Lamb. pin. ic.
12 Perado. R.S.	thick-leaved.	Madeira.	1760.	4. 5. F. h.	Meerb. ic. 2. t. 6.
13 crocea. R.S.	African.	C. B. S.	1794.	5. 6. G. h.	
14 recurva. L.en.	recurved-spined.	4. 6. H. h.	
15 opaca. R.S.	Carolina.	Carolina.	1744.	5. 6. F. h.	Wats. dend. brit. t. 3.
16 laxiflora. R.S.	loose-flowered.	—	1811.	— F. h.	
17 balearica. L.en.	Minorca.	Minorca.	1815.	— H. h.	
18 Aquifolium. R.S.	common.	Britain.	4. 6. H. h.	Eng. bot. 496.
<i>β heterophylla.</i>	various-leaved.	—	— H. h.	
<i>γ crassifolia.</i>	thick-leaved.	—	— H. h.	
<i>δ ferox.</i>	hedge-hog.	—	— H. h.	
<i>ε echinata.</i>	striped hedge-hog.	—	— H. h.	
<i>ζ flava.</i>	yellow-berried.	—	— H. h.	
<i>η albo-marginata.</i>	white-margined.	—	— H. h.	
<i>θ aureo-marginata.</i>	gold-edged.	—	— H. h.	
<i>ι medio-picta.</i>	painted.	—	— H. h.	
PRINOS. R.S.	WINTER-BERRY.	Hexandria Monogynia. L.			
1 verticillatus. w.	deciduous.	N. America.	1736.	7. 8. H. h.	Wats. dend. brit. t. 30.
2 ambiguus. M.	Carolina.	—	1812.	— H. h.	———— t. 29.
3 lævigatus. Ph.	smooth.	—	—	— H. h.	———— t. 28.
4 lanceolatus. Ph.	scarlet-berry'd.	Carolina.	1811.	6. 7. H. h.	
5 glaber. w.	evergreen.	Canada.	1759.	7. 8. H. h.	Wats. dend. brit. t. 27.
6 coriaceus. Ph.	leathery-leav'd.	Georgia.	1820.	6. 7. H. h.	
7 atomarius. N.	atomiferous.	—	—	— H. h.	
8 prunifolius. Desf.	Plum-leaved.	—	— H. h.	

ORDO LVII.

CELASTRINÆ. *Brown.*

CELASTRUS. R.S.	STAFF-TREE.	Pentandria Monogynia. L.			
1 oleoides. R.S.	Olive-leaved.	C. B. S.	1823.	5. 6. G. h.	

2	tricuspidatus. R.S.	three-pointed.	————	1816.	5. 6.	G. h.	
	<i>Cassine lævigata.</i> P.S.						
3	lucidus. w.	shining.	————	1722.	4. 9.	G. h.	L'Her. stirp. 1. t. 25.
4	bullatus. w.	scarlet-fruited.	Virginia.	1759.	7.	H. h.	Pluk. alm. t. 28. f. 5.
5	scandens. w.	climbing.	N. America.	1736.	5. 6.	H. h.	Duham. arb. 1. t. 95.
6	punctatus. R.S.	spotted-stalk'd.	Japan.	1816.	G. h.	
7	cassinoides. w.	crenated.	Canaries.	1779.	8. 9.	G. h.	L'Her. sert. ang. t. 10.
8	cernuus. w.	drooping.	C. B. S.	1815.	G. h.	
9	myrtifolius. w.	Myrtle-leaved.	W. Indies.	6. 8.	G. h.	Sloan. jam. 2. t. 193. f. 1.
10	tetragonus. w.	four-sided.	C. B. S.	1816.	G. h.	
11	retusus. R.S.	notched.	Peru.	1823.	G. h.	
	<i>emarginatus.</i> P.S.						
12	linearis. R.S.	linear-leaved.	C. B. S.	—	G. h.	
13	emarginatus. w.	emarginate.	E. Indies.	1820.	S. h.	
14	cymosus. B.M.	cymose.	C. B. S.	1815.	6. 8.	G. h.	Bot. mag. 2070.
15	buxifolius. w.	Box-leaved.	————	1752.	5. 8.	G. h.	———— 2114.
16	multiflorus. R.S.	many-flowered.	Africa.	1816.	—	G. h.	
17	pyracanthus. w.	red-fruited.	C. B. S.	1752.	5. 6.	G. h.	Bot. mag. 1167.
18	octogonus. w.	angular-leaved.	Peru.	1786.	10. 11.	G. h.	
EUONYMUS. L.		SPINDLE-TREE.	Pentandria Monogynia.	L.			
1	japonicus. w.	Japan.	Japan.	1804.	6. 8.	G. h.	Kæmpf. ic. t. 8.
2	europæus. w.	European.	Britain.	5. 7.	H. h.	Eng. bot. 362.
3	verrucosus. w.	warted.	Austria.	1763.	5. 6.	H. h.	Schmidt. arb. t. 72.
4	latifolius. w.	broad-leaved.	S. Europe.	1730.	6. 7.	H. h.	———— t. 74.
5	atropurpureus. w.	dark-purple.	N. Amer.	1756.	—	H. h.	Jacq. vind. 2. t. 120.
6	americanus. w.	evergreen.	————	1683.	—	H. h.	Schmidt arb. t. 75.
7	sarmentosus. N.	sarmentose.	————	1823.	—	H. h.	
8	obovatus. N.	obovate-leaved.	————	—	—	H. h.	
9	angustifolius. Ph.	narrow-leaved.	————	1806.	—	H. h.	
10	micranthus. D.P.	small-flowered.	Nepaul.	1820.	H. h.	
11	lacerus. D.P.	torn-leaved.	————	—	H. h.	
12	lucidus. D.P.	shining-leaved.	————	—	H. h.	
13	grandiflorus. F.I.	large-flowered.	————	1823.	H. h.	
STAPHYLEA. W.		BLADDER-NUT.	Pentandria Trigynia.	L.			
1	pinnata. w.	five-leaved.	England.	4. 6.	H. h.	Eng. bot. 1560.
2	trifolia. w.	three-leaved.	N. America.	1640.	5. 6.	H. h.	Schmidt arb. t. 80.
ELÆODENDRON. W.		OLIVE-WOOD.	Pentandria Monogynia.				
1	orientale. w.	oriental.	Madagascar.	1771.	S. h.	Jacq. ic. 1. t. 48.
	<i>Rubentia olivina.</i> Juss.						
2	indicum. F.I.	Indian.	Mauritius.	1823.	S. h.	Gært. carp. 1. t. 57.
3	glaucum. P.S.	glaucous.	Ceylon.	1823.	S. h.	Rottb. a. hav. T. 2. t. 4. f. 1
PORTENSCHLAGIA.		Tr. PORTENSCHLAGIA.	Pentandria Monogynia.				
	australis. Tr.	New Holland.	N. S. W.	1796.	6. 8.	G. h.	Vent. malm. 117.
	<i>Elæodendrum australe.</i> Vent.	<i>Lamarckia dentata.</i> Hort.					
CASSINE. L.		CASSINE.	Pentandria Trigynia.	L.			
1	capensis. w.	Cape Phillyrea.	C. B. S.	1629.	7. 8.	G. h.	Burm. afr. t. 85.
2	Colpoon. w.	Colpoon tree.	————	1791.	—	G. h.	———— t. 86.
3	barbara. w.	tetragonal.	————	1816.	—	G. h.	
4	Maurocenia. w.	Hottentot cherry.	————	1690.	—	G. h.	Dill. elt. t. 121. f. 147.
5	æthiopica. R.S.	Ethiopian.	————	—	G. h.	
6	xylocarpa. v.	bony-seeded.	Antilles.	1816.	—	S. h.	Vent. choix. t. 23.
7	excelsa. F.I.	tall.	Nepaul.	1823.	S. h.	

ORDO LVIII.

BRUNIACEÆ.

LINCONIA. R.S.		LINCONIA.	Pentandria Digynia.				
1	thymifolia. s.s.	Thyme-leaved.	C. B. S.	1825.	G. h.	Sw. mag. g. n. Ber. iv. t. 4
	<i>Brunia laxa.</i> Th.						
2	cuspidata. R.S.	cuspidate.	————	—	G. h.	— V. p. 284. t. 7. f. 1.
STAÆVIA. R.S.		STAÆVIA.	Pentandria Monogynia.	R.S.			
1	radiata. R.S.	rayed.	C. B. S.	1787.	5. 6.	G. h.	Breyn. cent. t. 82.
2	glutinosa. R.S.	clammy.	————	1793.	4. 5.	G. h.	Lodd. bot. cab. 852.

BRUNIA. R.S.		BRUNIA. Pentandria Monogynia. L.				
1 lævis. R.S.	smooth.	C. B. S.	1823.	5. 7.	G. h.	
2 nodiflora. R.S.	imbricated.	————	1786.	7. 8.	G. h.	Breyn. cent. 22. t. 10.
3 deusta. R.S.	black-tipped.	————	1804.	6. 8.	G. h.	
4 lanuginosa. R.S.	woolly.	————	1774.	—	G. h.	Wendl. coll. 1. t. 11.
5 comosa. R.S.	tufted.	————	1823.	—	G. h.	
6 verticillata. R.S.	whorled.	————	1794.	—	G. h.	
7 squarrosa. R.S.	squarrose.	————	1818.	—	G. h.	
8 alopecuroides. R.S.	Fox-tail.	————	1816.	5. 7.	G. h.	
9 paleacea. R.S.	chaffy.	————	1791.	6. 8.	G. h.	Wendl. coll. t. 21.
10 abrotanoides. R.S.	Thyme-leaved.	————	1787.	5. 7.	G. h.	———— II. t. 45.
11 microphylla. R.S.	small-leaved.	————	1804.	6. 8.	G. h.	
12 plumosa. R.S.	feathered.	————	1822.	—	G. h.	
13 phylcoides. R.S.	Phylla-leaved.	————	—	—	G. h.	
14 superba. R.S.	superb.	————	1791.	—	G. h.	
15 fragarioides. R.S.	Strawberry-like.	————	1794.	5. 7.	G. h.	
16 ciliata. R.S.	fringed.	————	1812.	—	G. h.	
17 ericoides. R.S.	Heath-leaved.	————	—	—	G. h.	Wendl. coll. II. t. 57.
18 formosa. R.S?	handsome.	————	1812.	—	G. h.	
19 macrocephala. s.s.	large-headed.	————	—	—	G. h.	
? BUMALDA. R.S.	BUMALDA. Pentandria Digynia. R.S.					
trifolia. R.S.	three-leaved.	Japan.	1812.	6. 9.	G. h.	

ORDO LIX.

SAMYDEÆ. *Kth. Synops.* 3. p. 291.

SAMYDA. Kth.		SAMYDA. Decandria Monogynia. S.S.				
1 glabrata. s.s.	smooth.	Jamaica.	1818.	5. 8.	S. h.	
2 villosa. s.s.	villous.	————	—	—	S. h.	
3 decurrens. s.s.	decurrent.	Brazil.	1822.	—	S. h.	
4 pubescens. s.s.	pubescent.	W. Indies.	1793.	—	S. h.	
5 serrulata. s.s.	saw-leaved.	————	1723.	7. 8.	S. h.	Jacq. col. 2. t. 17. f. 1.
6 rosea. B.M.	rose-coloured.	————	1793.	6. 7.	S. h.	Bot. mag. 550.
<i>serrulata. A.R. 202. nec aliorum.</i>						
7 nitida. s.s.	glossy-leaved.	Jamaica.	—	—	S. h.	Br. jam. 217. t. 23. f. 3.
8 macrophylla. s.s.	large-leaved.	E. Indies.	1823.	S. h.	
CASEARIA. Kth.		CASEARIA. Decandria Monogynia. S.S.				
1 sylvestris. s.s.	wood.	Jamaica.	1823.	S. h.	
2 parviflora. s.s.	small-flowered.	W. Indies.	1818.	5. 7.	S. h.	Sloan.hist.2.t.211.f.2.
3 serrulata. s.s.	serrulate.	————	—	—	S. h.	
4 glabra. H.B.	smooth.	E. Indies.	1820.	—	S. h.	
5 hirsuta. s.s.	hairy.	W. Indies.	—	S. h.	
6 zizyphoides. Kth.	Zizyphus-like.	Caracas.	1824.	S. h.	
7 arguta. Kth.	sharp-toothed.	Mexico.	—	S. h.	

ORDO LX.

JUGLANDEÆ. *DC. theor. ed.* 1. p. 215.

JUGLANS. N.		WALNUT-TREE. Monœcia Polyandria. L.				
1 regia. w.	common.	Persia.	1562.	4. 5.	H. h.	Lam. ill. t. 781.
β maxima. P.S.	double fruited.	————	—	—	H. h.	
γ serotina. P.S.	late-fruited.	————	—	—	H. h.	
2 nigra. w.	black.	N. Amer.	1629.	—	H. h.	Wats. dend. brit.t.158.

3	cinerea. W.	shell-bark.	————	1656.	—	H. h.	————	1. t. 192.
	<i>cathartica</i> . Michaux. arb. 1. t. 2.							
4	fraxinifolia. Lam.	Ash-leaved.	————	—	H. h.		
CARYA. Nutt. HICKORY-NUT. Monœcia Tetrandria.								
1	olivæformis. N.	Olive-fruited.	N. America.	4. 5.	H. h.	Mich. arb. 1. t. 3.	
2	angustifolia. H.K.	narrow-leaved.	————	1766.	—	H. h.		
3	sulcata. N.	channelled.	————	1804.	—	H. h.	Mich. arb. 1. t. 8.	
4	alba. N.	white.	————	1730.	4. 5.	H. h.	Mich. arb. 1. t. 7.	
	<i>Juglans compressa</i> . W.							
5	tomentosa. N.	tomentose.	————	1629.	—	H. h.	————	1. t. 6.
	<i>Juglans alba</i> . W.							
6	pubescens.	pubescent.	————	—	H. h.		
	<i>Juglans pubescens</i> . L.en.							
7	microcarpa. N.	small-fruited.	————	1824.	H. h.		
8	amara. N.	bitter.	————	1800.	5.	H. h.		
9	obcordata.	obcordate.	————	1812.	—	H. h.	Mich. arb. 1. t. 9. f. 3-4.	
10	glabra.	smooth-leaved.	————	1799.	—	H. h.	————	1. t. 9. f. 1-2.

ORDO LXI.

CASSUVIÆ. *Brown.*

ANACARDIUM. W. CASHEW-NUT. Enneandria Monogynia. L.								
1	occidentale. W.	common.	India.	1599.	S. h.	Catesb. car. 3. t. 9.	
	<i>Cassuvium pomiferum</i> . Lam.							
2	dubium. H.B.	doubtful.	E. Indies.	1824.	S. h.		
SEMECARPUS. R.S. SEMECARPUS. Pentandria Trigynia. L.								
	<i>Anacardium</i> . R.S.	long-leaved.	E. Indies.	1820.	S. h.	Roxb. cor. 1. t. 12.	
	<i>Anacardium longifolium</i> . Lam.							
MANGIFERA. R.S. MANGO-TREE. Monandria Monogynia. R.S.								
1	indica. R.S.	common.	E. Indies.	1690.	6. 9.	S. h.	Andr. rep. 425.	
2	oppositifolia. F.I.	opposite-leav'd.	————	1823.	S. h.		
RHUS. R.S. SUMACH. Pentandria Trigynia. L.								
1	Coriaria. R.S.	Elm-leaved.	S. Europe.	1596.	7.	H. h.	Flor. græc. t. 290.	
2	typhina. R.S.	Virginian.	N. America.	1629.	7. 8.	H. h.	Wats. dend. t. 17. mas.	
	<i>α arborescens</i> . R.S.	arborescent.	————	—	—	H. h.	————	t. 18. fem.
	<i>β frutescens</i> . R.S.	frutescent.	————	—	—	H. h.		
3	javanica. R.S.	Java.	Java.	1799.	7. 9.	S. h.		
4	semialata. R.S.	Service-leaved.	Macao.	1780.	—	G. h.	Murr. com. got. vi. t. 3.	
5	viridiflora. R.S.	green-flower'd.	N. America.	7.	H. h.		
6	glabra. R.S.	smooth.	————	1726.	7. 9.	H. h.	Wats. dend. t. 15.	
7	elegans. R.S.	scarlet-flow'r'd.	————	—	—	H. h.	————	t. 16.
8	Vernix. R.S.	varnish.	————	1713.	—	H. h.	————	t. 19.
9	Kæmpferi.	Chinese varnish.	China.	—	G. h.	Kæmp. amœn. t. 792.	
	<i>Rhus Vernix</i> . Th. nec Ph.							
10	Amela. D.P.	large-leaved.	Nepaul.	1823.	G. h.		
11	juglandifolia. D.P.	Walnut-leaved.	————	—	G. h.		
12	fraxinifolia. D.P.	Ash-leaved.	————	—	—	G. h.		
13	parviflora. H.B.	small-flowered.	————	1824.	G. h.		
14	succedanea. R.S.	red Lac.	China.	1768.	6.	G. h.	Kæmp. amœn. t. 795.	
15	copallina. R.S.	Lentiscus-ld.	N. America.	1688.	8. 9.	H. h.	Jacq. schœn. 3. t. 341.	
16	alata. R.S.	winged-leaved.	C. B. S.	1818.	G. h.		
17	pauciflora. R.S.	few-flowered.	————	—	G. h.		
18	pumila. R.S.	dwarfpoisonous.	N. America.	1806.	7.	H. h.		
19	digitata. R.S.	fingered.	C. B. S.	1818.	G. h.		
20	obliqua. R.S.	oblique-leaved.	————	—	G. h.		
21	pentaphylla. R.S.	various-leaved.	Barbary.	1816.	G. h.		
22	chinensis. Mill.	Chinese.	China.	1740.	G. h.		
23	cirrhiiflora. R.S.	tendrill-flow'r'd.	C. B. S.	1825.	G. h.		
24	Thunbergiana. R.S.	Thunberg's.	————	1697.	7. 8.	G. h.		
25	glauca. R.S.	glaucous.	————	1818.	—	G. h.		
26	tridentata. R.S.	three-toothed.	————	—	G. h.		
27	Toxicodendron. N.	Poison oak.	N. America.	1640.	6. 7.	H. h.	Schuhr. hand. 1. t. 82.	

28 radicans. N.	rooting.	————	1724.	—	H. h.	Bot. mag. 1806.
29 crenata. R.S.	crenated.	C. B. S.	—	G. h.	
30 dentata. R.S.	rough-stalked.	————	1798.	—	G. h.	
31 sinuata. R.S.	sinuated.	————	1818.	—	G. h.	
32 cuneifolia. R.S.	wedge-leaved.	————	1816.	—	G. h.	
33 dimidiata. R.S.	variable-ld.	————	—	—	G. h.	
34 dissecta. R.S.	dissected-ld.	————	—	—	G. h.	
35 incisa. R.S.	cut-leaved.	————	1789.	—	G. h.	
36 tomentosa. R.S.	woolly-leaved.	————	1691.	—	G. h.	
37 villosa. R.S.	villous-leaved.	————	1714.	7.	G. h.	Pluk. alm. t. 219. f. 8.
38 spicata. R.S.	spiked.	————	1816.	—	G. h.	
39 pubescens. R.S.	pubescent.	————	—	—	G. h.	
40 mucronata. R.S.	mucronate.	————	1825.	G. h.	
41 viminalis. R.S.	Willow-leaved.	————	1774.	6. 7.	G. h.	Jacq. schœn. 3. t. 344.
42 erosa. R.S.	erose-leaved.	————	1816.	—	G. h.	
43 lancea. R.S.	lance-leaved.	————	—	—	G. h.	
44 angustifolia. R.S.	narrow-leaved.	————	1714.	—	G. h.	Pluk. alm. t. 219. f. 6.
45 rosmarinifolia. R.S.	Rosemary-ld.	————	1800.	—	G. h.	
46 undulata. R.S.	wave-leaved.	————	1818.	—	G. h.	Jacq. schœn. 3. t. 346.
47 lævigata. R.S.	polished-ld.	————	1758.	—	G. h.	———— 3. t. 345.
<i>elongata.</i> Jacq.						
48 elliptica. R.S.	elliptic-leaved.	————	1816.	—	G. h.	
49 pendulina. R.S.	pendulous.	————	—	—	G. h.	
50 lucida. R.S.	shining-leaved.	————	1697.	7. 8.	G. h.	Cav. ic. 2. t. 132.
51 concinna. B.T.	pretty.	————	1816.	—	G. h.	
52 nervosa. R.S.	nerved-leaved.	————	—	G. h.	
53 pyroides. B.T.	Pyrus-like.	————	1816.	—	G. h.	
54 oxyacanthoides. R.S.	Hawthorn-like.	Africa.	1823.	G. h.	
55 tridactylis. B.T.	three-fingered.	C. B. S.	1816.	G. h.	
56 heterophylla. R.S.	various-leaved.	—	6. 8.	G. h.	
57 serræfolia. B.T.	saw-leaved.	C. B. S.	—	—	G. h.	
58 zizyphina. R.S.	Zizyphus-like.	Sicily.	—	G. h.	
59 Cotinus. R.S.	Venice.	S. Europe.	1656.	6. 7.	H. h.	Jacq. aust. 3. t. 210.
LOBADIUM. Raf.	LOBADIUM.	Pentandria Trigynia.				
1 aromaticum.	aromatic.	N. America.	1772.	5.	H. h.	Turp. ann. mus. v. t. 30.
<i>Rhus aromatica.</i> R.S.	<i>Schmaltzia aromatica.</i> Desv.					
2 suaveolens.	sweet.	————	1759.	—	H. h.	
<i>Schmaltzia suaveolens.</i> Desv.	<i>Rhus suaveolens.</i> R.S.					
BUCHANANIA. H.B.	BUCHANANIA.	Decandria Monogynia.				
1 latifolia. H.B.	broad-leaved.	E. Indies.	1820.	S. h.	
2 angustifolia. s.s.	narrow-leaved.	————	—	S. h.	

ORDO LXII.

AMYRIDEÆ *Brown.*

AMYRIS. W.	AMYRIS.	Octandria Monogynia.	L.			
1 polygama. s.s.	simple-leaved.	Chili.	1790.	6. 7.	H. h.	Cav. ic. 3. t. 239.
<i>Schinus dependens.</i> H.K.						
2 Lunani. s.s.	Lunan's.	Jamaica.	—	S. h.	
3 brasiliensis. s.s.	Brazilian.	Brazil.	1822.	—	S. h.	
4 sylvatica. s.s.	wood.	Carthagera.	1793.	—	S. h.	Jacq. amer. pict. t. 188.
5 balsamifera. s.s.	Balsam.	W. Indies.	1800.	—	S. h.	Sloan. jam. t. 168. f. 4.
6 Agallocha. H.B.	hill.	E. Indies.	1820.	S. h.	
7 acuminata. H.B.	acuminate.	————	1822.	S. h.	
8 heptaphylla. H.B.	seven-leaved.	————	—	S. h.	
9 nana. H.B.	dwarf.	————	1824.	S. h.	
10 punctata. H.B.	dotted.	————	1818.	S. h.	
SCHINUS. W.	SCHINUS.	Diœcia Decandria.	L.			
1 Molle. w.	Mastick tree.	Peru.	1597.	7. 8.	G. h.	Mill. ic. 2. t. 246.
2 dentata. A.R.	tooth-leaved.	Owhyhee.	1795.	5. 7.	G. h.	Bot. rep. 620.
3 virgata.	slender.	Lima.	1822.	H. h.	

POUPARTIA. J.	POUPARTIA. Decandria Pentagynia. P.S.	
borbonica. P.S.	Bourbon. 1824. S. h.	
BURSERA. L.	BURSERA. Polygamia Dioecia. L.	
1 gummifera. L.	Jamaica. W. Indies. 1690. S. h.	Jacq. amer. t. 65.
2 serrata. Roxb.	saw-leaved. E. Indies. 1818. S. h.	

ORDO LXIII.

CONNARACEÆ. *Brown.*

CONNARUS. W.	CONNARUS. Monadelphia Decandria.	
1 paniculatus. H.B.	panicled. Chittagong. 1824. S. h.	
2 nitidus. H.B.	glossy. Silhet. S. h.	
3 africanus. w.	African. Sierra Leon. 1822. S. h.	Cav. dis. 7. t. 221.
CNESTIS. J.	CNESTIS. Decandria Pentagynia.	
1 glabra. w.	smooth. Mauritius. 1824. S. h.	Lam. ill. t. 387. f. 1.
2 polyphylla. w.	many-leaved. Madagascar. S. h.	

ORDO LXIV.

TEREBINTHACEÆ. *Juss. gen. 368.*

CNEORUM. L.	WIDOW-WAIL. Triandria Monogynia. L.	
1 tricoccum. w.	smooth. S. Europe. 1793. 4. 9. F. h.	Lam. ill. t. 27.
2 pulverulentum. v.	powdered. Teneriffe. 1820. — F. h.	Vent. cels. t. 77.
COMOCLADIA. L.	COMOCLADIA. Triandria Monogynia. L.	
1 integrifolia. w.	entire-leaved. Jamaica. 1778. 7. 9. S. h.	Sl. jam. 2. t. 222. f. 1.
2 dentata. w.	tooth-leaved. W. Indies. 1790. — S. h.	Jacq. am. 13. t. 173. f. 4.
3 ilicifolia. w.	Holly-leaved. Caribees. 1789. — S. h.	Lam. ill. t. 27. f. 2.
CANARIUM. A.B.	CANARIUM. Dioecia Hexandria.	
1 commune. w.	common. Moluccas. 1821. S. h.	Rumph. amb. 2. t. 47.
2 Pimela. A.B.	Chinese. China. 1823. S. h.	Ann. Bot. 1. t. 7. f. 2.
BOSWELLIA. H.B.	BOSWELLIA. Decandria Monogynia.	
1 thurifera. H.B.	Olibanum tree. Coromandel. 1816. S. h.	
2 glaber. H.B.	smooth. — 1824. S. h.	
GARUGA. R.C.	GARUGA. Decandria Monogynia.	
pinnata. R.C.	winged-leaved. E. Indies. 1808. S. h.	Roxb. cor. 3. t. 208.
TODDALIA. J.	TODDALIA. Pentandria Monogynia. L.	
1 aculeata. P.S.	prickly. E. Indies. 1790. 6. 8. S. h.	Rheed. mal. 5. t. 41.
asiatica. R.S.	Scopolia aculeata. w.	
2 paniculata. R.S.	panicled. I. of France. 1824. S. h.	Lam. ill. t. 139. f. 2.
inermis. P.S.	Scopolia paniculata. s.s.	
SPATHELIA. W.	SPATHELIA. Pentandria Trigynia. L.	
simplex. w.	Sumach-leav'd. Jamaica. 1778. 4. 6. S. h.	Bot. reg. 670.
PISTACIA. W.	PISTACHIA TREE. Dioecia Pentandria. L.	
1 officinarum. H.K.	officinal. Levant. 1570. 4. 5. H. h.	Lam. ill. t. 118.
Mas. P. trifolia. w.	male-flowered. — — — —	Bocc. mus. t. 93.
Fem. P. vera. w.	female. — — — —	Rauw. it. 72. t. 9.
2 reticulata. w.	netted-leaved. Levant. 1752. — H. h.	
3 Terebinthus. w.	turpentine. S. Europe. 1656. 6. 7. H. h.	
4 atlantica. w.	Atlantic. Barbary. 1790. G. h.	
5 Lentiscus. w.	Mastick-tree. S. Europe. 1664. 5. 6. F. h.	Bot. mag. 1967.
β massiliensis.	narrow-leaved.	
SPONDIAS. W.	HOG-PLUM. Decandria Pentagynia. L.	
1 Mombin. w.	flat-stemmed. W. Indies. 1817. S. h.	Jacq. amer. 139. t. 88.
Myrobalanus. Jacq.		

2 Myrobalanus. w.	yellow.	————	1739.	6. 8.	S. h.	Merlan. surin. t. 13.
Mombin. Jacq.						
3 dulcis. w.	Otahelte apple.	Society Isles.	1793.	—	S. h.	Lam. ill. t. 384.
4 axillaris. H.B.	axillary.	Nepaul.	1824.	S. h.	
5 mangifera. w.	Mango bearing.	E. Indies.	1818.	S. h.	
6 acuminata. H.B.	taper-pointed.	Malabar.	1824.	S. h.	
AILANTHUS. W.	AILANTHUS.	Polygamia Monœcia. L.				
1 glandulosa. w.	Chinese.	China.	1751.	8.	S. h.	Wats.dend. brit. t.104.
2 excelsa. w.	Indian.	E. Indies.	1800.	S. h.	Roxb. cor. 1. t. 23.
BRUCEA. S.S.	BRUCEA.	Tetrandria Tetragynia. F.I.				
1 ferruginea. s.s.	rusty.	Abyssinia.	1775.	4. 5.	S. h.	Bruce's tr. 5. p. 69. ic.
2 sumatrana. F.I.	Sumatra.	Sumatra.	1822.	—	S. h.	
3 trichotoma. s.s.	trichotomous.	China.	—	—	S. h.	
BRUNELIA. S.S.	BRUNELIA.	Dodecandria Pentagynia.				
inermis. R.P.	various-leaved.	Peru.	1823.	G. h.	
? PTELEA. W.	SHRUBBY-TREFOIL.	Tetrandria Monogynia. L.				
trifoliata. w.	three-leaved.	N. America.	1704.	6. 7.	H. h.	Schm. arb. 2. t. 76.

ORDO LXV.

LEGUMINOSÆ. Juss. gen. 345.

SUBORDO I. MIMOSEÆ. Brown.

MIMOSA. W.	SENSITIVE-PLANT.	Octandria Monogynia. S.S.				
1 viva. s.s.	lively.	Jamaica.	1739.	7. 9.	S. 4.	Slo. jam. 2. t. 182. f. 7.
2 casta. s.s.	chaste.	E. Indies.	1741.	7.	S. h.	Comm. hort. 1. t. 28.
3 floribunda. s.s.	many-flowered.	Caracas.	1824.	6. 7.	S. h.	
4 sensitiva. s.s.	true.	Brazil.	1648.	4. 9.	S. h.	Bot. reg. 25.
5 obtusifolia. w.en.	blunt-leaved.	————	1816.	—	S. h.	
6 strigosa. s.s.	strigose.	S. America.	1822.	—	S. h.	
7 pudibunda. s.s.	fringe-stipuled.	Brazil.	—	—	S. h.	
8 pudica. s.s.	Humble plant.	————	1638.	—	S. h.	And. reposit. 544.
9 polystachya. s.s.	many-spiked.	W. Indies.	1816.	—	S. h.	
10 armata. s.s.	close-spined.	E. Indies.	1820.	—	S. h.	
11 rubicaulis. s.s.	Bramble-stalk'd.	————	1799.	6. 7.	S. h.	Roxb. cor. 2. t. 200.
octandra. R. spinosiliqua. Rottler.						
12 asperata. s.s.	various-spined.	W. Indies.	1822.	—	S. h.	
13 pigra. L.	straight-spined.	Vera Cruz.	1733.	—	S. h.	Mill. ic. 2. t. 182. f. 3.
14 abstergens. s.s.	spotted-stalk'd.	E. Indies.	1818.	—	S. h.	
15 concinna. w.	neat.	————	1794.	S. h.~.	
16 latispinosa. s.s.	flat-spined.	Madagascar.	1822.	S. h.	
17 Barclayana.	Mr. Barclay's.	————	—	S. h.	
18 hispida. s.s.	hispid.	Caracas.	1824.	S. h.	
19 brasiliensis. s.s.	Brazilian.	Brazil.	—	S. h.	
20 ferruginea. s.s.	ferruginous.	E. Indies.	1818.	6. 7.	S. h.	
SCHRANKIA. W.	SCHRANKIA.	Octandria Monogynia. S.S.				
1 aculeata. s.s.	prickly.	Vera Cruz.	1733.	7. 8.	S. 4.	Mill. ic. 2. t. 182. f. 1.
2 uncinata. s.s.	hooked.	N. America.	1789.	—	H. 4.	Vent. choix. 28.
ENTADA. S.S.	ENTADA.	Decandria Monogynia. S.S.				
1 Parrana. s.s.	climbing.	India.	1780.	S. h.~.	Rheed. mal. 8. t. 32-34.
Acacia scandens. w.	Mimosa scandens. L.					
2 Rheedii. s.s.	Rheed's.	E. Indies.	—	S. h.~.	— 9. t. 77.
Mimosa Entada. w.						
DESMANTHUS. W.	DESMANTHUS.	Decandria Monogynia. S.S.				
1 lacustris. s.s.	marsh.	S. America.	1823.	6. 8.	S. ⊙.	
2 natans. s.s.	floating.	China.	1800.	7. 9.	S. ⊙.	Andr. reposit. 629.
3 triquetrus. s.s.	triquetrous.	E. Indies.	1823.	—	S. ⊙.	
4 plenus. s.s.	double yellow.	Vera Cruz.	1733.	—	S. ⊙.	Mill. ic. 2. t. 182. f. 2.
5 diffusus. s.s.	prostrate.	W. Indies.	1731.	—	S. h.	Pluk. alm. t. 307. f. 2.
6 virgatus. s.s.	twiggy.	————	1774.	—	S. h.	Jacq. vind. 1. t. 80.

7 punctatus. s.s.	spotted-stalk'd. Jamaica.	1636.	—	S. g.	Comm. hort. 1. t. 81.
8 cinereus. w.	Ash-coloured. E. Indies.	1739.	6. 7.	S. h.	Roxb. cor. 2. t. 174.
<i>Mimosa cinerea</i> . R.C.					
9 divergens. w.en.	prickly. Abyssinia.	1816.	—	S. h.	
PROSOPIS. S.S.	PROSOPIS. Decandria Monogynia. S.S.				
1 spicigera. s.s.	eatable podd'd. E. Indies.	1812.	6. 7.	S. h.	Roxb. cor. 1. t. 63.
2 cumanensis. s.s.	Cumana. Cumana.	1824.	S. h.	
<i>Acacia cumanensis</i> . w.					
3 dulcis. s.s.	sweet-podded. S. America.	—	S. h.	
<i>Acacia edulis</i> . w.					
INGA. W.	INGA. Polygamia Monœcia. W.				
1 microphylla. w.en.	small-leaved. Cumana.	1815.	S. h.	
2 dulcis. w.	Sappan fruit. E. Indies.	1800.	5. 7.	S. h.	Roxb. cor. 1. t. 99.
<i>Mimosa dulcis</i> . R.C.					
3 Unguis-Cati. w.	four-leaved. W. Indies.	1690.	4. 6.	S. h.	Jacq. schœn. 3. t. 392.
4 bigemina. w.	two-paired. E. Indies.	1823.	4..	S. h.	Rheed. mal. 6. t. 12.
5 fœtida. w.	strong-smelling. W. Indies.	1818.	S. h.	Jacq. schœn. 3. t. 390.
6 tergemina. w.	three-paired. Martinica.	—	S. h.	Jacq. amer. t. 177. f. 81.
7 vera. w.	common. —	1739.	7. 8.	S. h.	Sloan. j. 2. t. 183. f. 1.
8 rhoifolia. w.en.	villous. Brazil.	1815.	S. h.	
9 spuria. w.	spurious. Brazil.	1823.	S. h.	
10 alba. w.	white. E. Indies.	1804.	7. 8.	S. h.	
11 quassiæfolia. w.	Quassia-leaved. Brazil.	1820.	S. h.	
12 fastuosa. w.	villous-flow'r'd. Caracas.	—	S. h.	Jacq. frag. p. 15. t. 10.
<i>Mimosa fastuosa</i> . Jacq.					
13 marginata. w.	Beech-leaved. W. Indies.	1752.	—	S. h.	Pluk. alm. t. 141. f. 2.
14 nodosa. w.	knobbed. Ceylon.	1690.	—	S. h.	— t. 211. f. 5.
15 punctata. w.	spotted-branch'd. Caracas.	1818.	S. h.	Jacq. amer. t. 164.
<i>Mimosa fagifolia</i> . Jacq.					
16 laurina. w.	Laurel-leaved. W. Indies.	—	S. h.	
17 latifolia. w.	broad-leaved. W. Indies.	1768.	3. 4.	S. h.	Plum. ic. t. 9.
18 biglobosa. w.	double-headed. Guinea.	1822.	S. h.	Jacq. amer. t. 179. f. 87.
19 purpurea. w.	Soldier-wood. W. Indies.	1733.	3. 4.	S. h.	Bot. reg. 129.
<i>Mimosa purpurea</i> . A.R. 872.					
20 circinalis. w.	spiral-podded. —	1726.	S. h.	Plum. ic. t. 5.
21 comosa. w.	tufted. Jamaica.	1820.	S. h.	
ACACIA. W.	ACACIA. Polygamia Monœcia. W.				
1 verticillata. w.	whorl-leaved. V. Diem. Isl.	1780.	3. 5.	G. h.	Bot. mag. 110.
2 juniperina. w.	Juniper-leav'd. N. S. W.	1790.	3. 6.	G. h.	Vent. malm. 64.
<i>ulicina</i> . s.p.					
3 genistifolia. L.en.	Genista-leav'd. N. Holland.	1820.	—	G. h.	
4 taxifolia. w.	Yew-leaved. China.	—	—	G. h.	
5 micracantha. c.c.	small-spined. N. Holland.	1822.	—	I. h.	
6 pugioniformis. w.A.	needle-leaved. N. S. W.	1796.	—	G. h.	
<i>acicularis</i> . H.K. non. w.					
7 sulcata. H.K.	furrow'd-leav'd. N. Holland.	1803.	5. 8.	G. h.	Bot. reg. ic.
8 canaliculata. c.c.	glaucous-furrow'd. —	1823.	—	I. h.	
9 calamifolia. c.c.	quill-leaved. N. S. W.	1822.	1. 12.	G. h.	Bot. reg. 839.
10 diffusa. B.R.	spreading. —	—	3. 6.	G. h.	— 634.
<i>prostrata</i> . B.C. 631.					
11 lunata. B.C.	lunate-leaved. V. Diem. Isl.	1816.	—	G. h.	Lodd. bot. cab. 384.
12 suaveolens. w.	sweet-scented. N. S. W.	1790.	2. 6.	G. h.	
13 angustifolia. w.A.	narrow-leaved. —	—	—	G. h.	Jacq. schœn. 3. t. 391.
14 crassiuscula. w.A.	thick-leaved. —	1803.	—	G. h.	Wend. ac. 31. t. 8.
15 glaucescens. w.en.	glaucous. —	1790.	—	G. h.	Willd. hort. ber. t. 101.
16 floribunda. w.	many-flowered. —	1796.	5. 6.	G. h.	Vent. choix. 13.
17 mucronata. w.A.	mucronate. —	1812.	9. 1.	G. h.	Wend. ac. 46. t. 12.
18 uncinata. c.c.	hooked-leaved. N. Holland.	1823.	—	G. h.	
19 longissima. w.A.	long linear-l'd. N. S. W.	1812.	8. 12.	G. h.	Botan. regis. 680.
20 linifolia. w.	Flax-leaved. —	1790.	3. 6.	G. h.	Bot. mag. 2168.
21 abietina. w.	Fir-leaved. —	—	—	G. h.	
22 linearis. B.M.	linear-leaved. —	1812.	—	G. h.	Bot. mag. 2156.
23 leucophylla. c.c.	white-leaved. N. Holland.	1820.	—	I. h.	
24 cochlearis. Lab.	spoon-leaved. —	—	—	G. h.	Lab. nov. holl. c. ic.
25 saligna. Lab.	Willow-leaved. —	—	—	G. h.	— c. ic.
26 stricta. w.	upright. N. S. W.	1790.	2. 5.	G. h.	Bot. mag. 1121.
27 viscosa. w.A.	clammy. —	1818.	5. 6.	G. h.	Wend. ac. 30. t. 7.
<i>dodonæifolia</i> . w.en.					
28 longifolia. w.	long-leaved. —	1792.	3. 6.	G. h.	Andr. repos. 207.

29 heteromalla.	broad woolly-ls.	N. Holland.	1822.	—	I. h.	
30 falcata. w.	sickle-leaved.	N. S. W.	1790.	5. 6.	G. h.	Wend. ac. 20. t. 14.
31 platyphylla.	broad-leaved.	N. Holland.	1822.	I. h.	
32 Richardsoni.	Richardson's.	—	—	1. 8.	I. h.	
33 laurifolia. w.	Laurel-leaved.	Tanna.	1775.	S. h.	
34 melanoxylon. H.K.	black-wooded.	V. Diem. Isl.	1808.	4. 6.	G. h.	Bot. mag. 1659.
35 Sophoræ. H.K.	Sophora-podd'd.	—	1805.	—	G. h.	Lab. nov. holl. 2. t. 237.
36 marginata. H.K.	marginate.	N. S. W.	1803.	—	G. h.	Wend. ac. 19. t. 5. A.
37 myrtifolia. w.	Myrtle-leaved.	—	1789.	2. 5.	G. h.	Bot. mag. 302.
38 hispidula. w.	little harsh.	—	1794.	4. 5.	G. h.	Sm. n. holl. 53. t. 16.
39 vestita. B.R.	clothed.	N. Holland.	1820.	3. 6.	G. h.	Botan. regis. t. 698.
40 decipiens. H.K.	paradoxical.	—	1803.	—	G. h.	Bot. mag. 1745.
41 biflora. H.K.	two-flowered.	—	—	—	G. h.	
42 undulata. B.R.	wave-leaved.	—	1818.	—	G. h.	Botan. regis. t. 843.
43 affinis.	related.	—	1822.	—	G. h.	
44 hybrida.	Whitley's mule.	Hybrid.	—	—	G. h.	
45 armata. H.K.	armed.	N. Holland.	1803.	4. 6.	G. h.	Bot. mag. 1653.
46 alata. H.K.	wing-stalked.	—	—	4. 7.	G. h.	Botan. regist. 396.
47 heterophylla. w.	various-leaved.	Bourbon.	1820.	S. h.	
48 xylocarpa. w.	woody-podded.	E. Indies.	1822.	S. h.	Roxb. cor. 1. t. 100.
49 diptera. W.en.	two-winged.	S. America.	—	S. h.	
50 cassioides. W.en.	Cassia like.	—	—	S. h.	
51 reticulata. w.	netted.	C. B. S.	1816.	4. 7.	I. h.	Pluk. alm. 8. t. 123. f. 2.
52 strombulifera. w.	twisted podded.	Peru.	1823.	G. h.	
53 pulchella. H.K.	zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. 212.
54 strigosa. L.en.	ciliate winged.	—	—	3. 6.	G. h.	
<i>ciliata. H.K. nec aliorum.</i>						
55 nigricans. H.K.	unequal-wing'd.	—	—	5. 7.	G. h.	Bot. mag. 2188.
56 cumanensis. w.	Cumana.	Cumana.	1823.	S. h.	
57 lucida. H.B.	glossy.	E. Indies.	1816.	S. h.	
58 Sirissa. H.B.	Shireesh.	—	—	S. h.	
59 guianensis. w.	Guiana.	Cayenne.	1803.	S. h.	Anb. gui. 2. t. 357.
60 tamariscina. w.	Tamarisk-like.	Mauritius.	1824.	S. h.	Pluk. mant. 1. t. 329. f. 3.
61 Houstoni. w.	Hamstoun's.	Vera Cruz.	1729.	9. 11.	S. h.	Botan. regis. 98.
<i>Anneslia falcifolia. S.P. 64.</i>						
62 chrysostachys.	golden-spiked.	Mauritius.	1823.	S. h.	
63 trichodes. w.	warted-stalked.	Caracas.	1824.	S. h.	Jacq. schœn. 3. t. 394.
64 procera. w.	lofty.	Coromandel.	—	S. h.	Roxb. cor. 2. t. 121.
65 odoratissima. w.	fragrant.	—	1790.	4. 6.	S. h.	— 2. t. 120.
66 venusta. W.en.	charming.	S. America.	1816.	S. h.	
67 arborea. w.	tree.	Jamaica.	1768.	S. h.	Pluk. alm. 6. t. 251. f. 2.
68 Julibrissin. w.	smooth tree.	Levant.	1745.	8.	H. h.	Scop. insub. 1. t. 8.
69 speciosa. w.	splendid.	E. Indies.	1742.	8. 9.	S. h.	Jacq. ic. 1. t. 198.
70 elata. H.B.	tall.	Bengal.	1820.	S. h.	
71 Kalkora. H.B.	large.	E. Indies.	—	S. h.	
72 Lebbeck. w.	Egyptian.	Egypt.	G. h.	Pluk. mant. 2. f. 1.
73 vaga. w.	Brazilian.	Brazil.	1823.	S. h.	
74 latisiliqua. w.	broad-podded.	W. Indies.	1777.	3. 6.	S. h.	Plum. ic. 3. t. 6.
75 discolor. w.	two-coloured.	N. S. W.	1788.	—	G. h.	Andr. repos. 235.
<i>Mimosa botrycephala. V.C. t. 1.</i>						
76 caracasana. w.	Caracas.	Caracas.	1823.	S. h.	Jacq. ic. 3. t. 632.
77 amara. H.B.	bitter.	Coromandel.	—	S. h.	Roxb. cor. 2. t. 122.
78 Smithiana. H.B.	Smith's.	Silhet.	—	S. h.	
79 semicordata. H.B.	semicordate.	E. Indies.	—	S. h.	
80 leucocephala. L.en.	white-headed.	S. America.	1818.	4. 6.	S. h.	
81 portoricensis. w.	Portorico.	Portorico.	1820.	S. h.	Jacq. ic. 3. t. 633.
82 tetragona. w.	tetragonal.	Caracas.	1822.	S. h.	
83 lophantha. w.	two-spiked.	N. Holland.	1803.	5. 7.	G. h.	Botan. regist. 361.
<i>Mimosa elegans. A.R. 563.</i>						
84 pubescens. H.K.	hairy-stemmed.	N. S. W.	1790.	3. 6.	G. h.	Bot. mag. 1263.
85 brachyloba. w.	Illinois.	N. America.	1803.	9. 10.	H. h.	
86 glandulosa. w.	glandulous.	—	1806.	—	F. h.	Vent. choix. t. 27.
87 mollissima. W.en.	soft-leaved.	N. S. W.	1818.	3. 6.	G. h.	
88 dealbata. L.en.	white-leaved.	—	—	—	G. h.	Botan. regist. 371.
<i>decurrens β mollis. B.R.</i>						
89 decurrens. w.	decurrent.	—	1790.	5. 7.	G. h.	Vent. malm. 61.
90 quadrangularis. L.en.	quadrangular.	1816.	—	S. h.	
91 pernambuca. P.S.	slothful.	W. Indies.	1786.	7. 8.	S. h.	Pluk. alm. t. 307. f. 3.
92 filicina. w.	Fern-leaved.	Mexico.	1825.	S. h.	Cav. ic. 1. t. 78.

93	microphylla. w.	small-leaved.	Caracas.	1820.	S. h.	
94	peregrina. w.	white-flowered.	S. America.	1780.	7. 8.	S. h.	
95	grandiflora. w.	great-flowered.	E. Indies.	1769.	6. 9.	S. h.	Andr. repos. 592.
96	glaucæ. w.	glaucous.	S. America.	1690.	—	S. h.	Trew ehret. t. 36.
97	frondosa. w.	frondose.	E. Indies.	1816.	S. h.	
98	fruticosa. H.B.	frutescent.	China.	1820.	5. 6.	G. h.	
99	stipulata. H.B.	stipuled.	Bengal.	—	—	S. h.	
100	pedunculata. H.B.	peduncled.	E. Indies.	1822.	S. h.	
101	triquetra. H.B.	triquetrous.	Coromandel	1824.	S. h.	
102	juliflora. w.	long-flowered.	Jamaica.	1793.	5. 6.	S. h.	
103	capensis. B.T.	common cape.	C. B. S.	1816.	6. 10.	I. h.	
104	Giraffæ. B.T.	Camelopard's.	—	—	I. h.	
105	elephantina. B.T.	Elephant's.	—	—	I. h.	
106	atomiphylla. B.T.	atomous-leav'd.	—	—	I. h.	
107	detinens. B.T.	detaining.	—	—	I. h.	
108	robusta. B.T.	robust.	—	—	I. h.	
109	litakunensis. B.T.	Litakun.	—	—	I. h.	
110	heteracantha. B.T.	various-spined.	—	—	I. h.	
111	viridiramis. B.T.	green branch'd.	—	—	I. h.	
112	stolonifera. B.T.	stoloniferous.	C. B. S.	—	I. h.	
113	dumosa. H.B.	bushy.	Hindustan.	1824.	S. h.	
114	latronum. w.	white spined.	E. Indies.	—	S. h.	
115	caffra. w.	Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
116	Chundra. w.	hook-spined.	E. Indies.	1789.	S. h.	
117	Catechu. w.	medicinal.	—	1790.	S. h.	Roxb. cor. 2. t. 175.
118	leucophlœa. w.en.	panicked.	—	1812.	S. h.	— 2. t. 150.
119	concordiana. H.B.	Coromandel.	Coromandel.	1818.	S. h.	
120	cornigera. w.	Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	Pluk. alm. 3. t. 122. f. 2.
121	eburnea. w.	ivory thorned.	E. Indies.	1792.	S. h.	Roxb. cor. 2. t. 199.
122	hæmatoxylon. w.en.	hoary.	C. B. S.	1816.	I. h.	
123	horrida. w.	long-spined.	Africa.	1823.	S. h.	Jacq. schœn. 3. t. 393.
	<i>Mimosa leucacantha.</i> Jacq.						
124	flexuosa. w.	flexuose.	Cumana.	1822.	S. h.	
125	tortuosa. w.	twisted.	Jamaica.	—	S. h.	
126	farnesiana. w.	Sponge-tree.	St. Domingo.	1656.	6. 8.	S. h.	Duham. arb. ed. n. t. 28.
127	arabica. w.	Arabian.	Arabia.	—	S. h.	Roxb. cor. 2. t. 149.
128	vera. w.	Egyptian.	Egypt.	1596.	7.	I. h.	Vesl. ægypt. t. 8.
129	tomentosa. w.	tomentose.	E. Indies.	1816.	5. 7.	S. h.	
130	brachyacantha. w.en.	short-spined.	S. America.	—	S. h.	
131	ciliata. w.en.	fringed.	—	1823.	S. h.	
132	acicularis. w.en.	needle-spined.	—	—	S. h.	
133	peruviana. w.en.	Peruvian.	Peru.	1822.	S. h.	
134	edulis. w.en.	eatable.	S. America.	—	S. h.	
135	acantholoba. w.	prickly-podd'd.	—	—	S. h.	
136	cæsia. w.	gray.	E. Indies.	1773.	6. 8.	S. h.	Pluk. mant. 1. t. 330. f. 3.
137	pennata. w.	fine-leaved.	—	—	—	S. h.	Burm. zeyl. 2. t. 1.
138	Intsia. w.	angular-stalk'd.	—	1778.	—	S. h.	Rheed. mal. 6. t. 4.
139	acanthocarpa. w.en.	prickly-fruited.	S. America.	1818.	4. 7.	H. h.	
	<i>Mimosa aculeaticarpa.</i> P.S.						
140	Ceratonia. w.	round-leaved.	—	1800.	S. h.	Plum. ic. t. 8.
141	tamarindifolia. w.	Tamarind-ld.	W. Indies.	1774.	S. h.	Jacq. schœn. 3. t. 396.
142	arrophula. D.P.	Nepaul.	Nepaul.	1823.	G. h.	
143	guilandinaefolia. c.c.	Guilandina-ld.	N. S. W.	1818.	7. 9.	I. h.	
144	Lambertiana. B.R.	Mr. Lambert's.	S. America.	1820.	—	S. h.	Botan. regist. 271.

SUBORDO II. CÆSALPINEÆ. Brown.

GLEDITSCHIA. W.		GLEDITSCHIA.	Polygamia Diœcia. L.				
1	triacanthos. Ph.	three-thorned.	N.America.	1700.	6. 8.	H. h.	Wats.dend.brit.2.t.138
	<i>β inermis.</i>	<i>spineless.</i>					
2	brachycarpa. Ph.	curved-spined.	————	————	H. h.	
3	monosperma. Ph.	single-seeded.	————	1723.	————	H. h.	Catesb. car. 1. t. 43.
4	horrida. w.	strong-spined.	China.	1774.	————	H. h.	Wats. dend. brit. 75.
5	macracantha. W.en.	large-spined.	————	————	H. h.	
6	sinensis. P.S.	Chinese.	————	1812.	F. h.	
7	indica. P.S.	Indian.	E. Indies.	————	S. h.	

8 ferox. Desf.	fierce.	6. 8.	H. h.	
9 caspica. Desf.	Caspian.	Caspia.	1822.	—	H. h.	
GYMNOCLADUS. W.	GYMNOCLADUS.	Diœcia Decandria.	W.			
canadensis. w.	Canadian.	Canada.	1748.	5. 6.	H. h.	Mich. amer. 2. t. 51.
<i>Guilandina dioica.</i> L.						
CERATONIA. W.	CAROB-TREE.	Polygamia Diœcia.				
Siliqua. w.	St. John's bread.	Levant.	1570.	9. 10.	G. h.	Andrews's rep. 567.
PARKINSONIA. W.	PARKINSONIA.	Decandria Monogynia.	L.			
aculeata. w.	prickly.	W. Indies.	1739.	6. 9.	S. h.	Jacq. amer. t. 80.
TAMARINDUS. W.	TAMARIND TREE.	Monadelphica Triandria.	W.			
indica. w.	common.	India.	1633.	6. 7.	S. h.	Jacq. amer. t. 10.
OMPHALOBIMUM. S.S.	OMPHALOBIMUM.	Decandria Monogynia.	S.S.			
Schotia. s.s.	broad-leaved.	C. B. S.	1816.	4. 6.	I. h.	Hook. ex. flor. t. 159.
<i>Schotia latifolia.</i> H.						
SCHOTIA. W.	SCHOTIA.	Decandria Monogynia.	W.			
1 speciosa. w.	superb.	C. B. S.	1759.	7. 12.	I. h.	Andr. repos. 348.
2 tamarindifolia. B.M.	Tamarind-ld.	—	1795.	5. 9.	I. h.	Botan. magaz. 1153.
3 stipulata. H.K.	stipuled.	—	1794.	—	I. h.	
CATHARTOCARPUS. P.S.	CATHARTOCARPUS.	Decandria Monogynia.				
1 Fistula. P.S.	purging.	E. Indies.	1731.	6. 7.	S. h.	Rheed. mal. 1. t. 22.
2 rhombifolia. H.B.	rhomb-leaved.	—	1820.	—	S. h.	
3 nodosus. H.B.	knotted.	—	1824.	—	S. h.	
4 Bacillus. P.S.	smooth.	—	1818.	—	S. h.	Botan. regist. 881.
5 marginatus. H.B.	marginated.	—	1823.	—	S. h.	
6 conspicuus. G.D.	drumstick tree.	Sierra Leon.	1822.	S. h.	
7 grandis. P.S.	large.	S. America.	—	S. h.	Breyn. cent. t. 21.
<i>Cassia mollis.</i> w.	<i>Bactyrilobium grande.</i> L.en.					
8 javanicus. P.S.	Java.	Java.	1779.	6. 7.	S. h.	Rumph. amb. 2. t. 22.
CASSIA. P.S.	CASSIA.	Decandria Monogynia.	L.			
1 exigua. H.B.	dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
2 diphylla. w.	two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cav. ic. 5. t. 600. f. 1.
3 Absus. w.	four-leaved.	India.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
4 viminea. w.	twiggy.	W. Indies.	1786.	S. h.	Sloan. j. 2. t. 189. f. 677.
5 gracilis. s.s.	slender.	S. America.	1816.	S. h.	
6 obtusifolia. s.s.	blunt-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Dill. elt. t. 62. f. 72.
7 humilis. s.s.	dwarf.	S. America.	—	S. ⊙.	Plum. spec. 18. t. 72. f. 22.
8 Tora. s.s.	oval-leaved.	E. Indies.	1693.	—	S. ⊙.	Dill. elt. t. 63. f. 73.
9 toroides. H.B.	Mysore.	—	1812.	—	S. ⊙.	
10 ciliaris. s.s.	fringe-stipuled.	—	—	—	S. ♂.	
11 Tagera. s.s.	long-podded.	E. Indies.	1803.	7. 8.	S. ♂.	
12 Apoucouita. s.s.	acuminate.	Guiana.	1823.	S. h.	Aub. gui. 1. t. 146.
<i>acuminata.</i> w.						
13 sennoides. s.s.	Senna-leaved.	E. Indies.	1808.	7. 8.	S. h.	Jacq. ic. 1. t. 70.
14 mollissima. w.en.	soft-leaved.	S. America.	1816.	—	S. h.	
15 bicapsularis. w.	six-leaved.	W. Indies.	1739.	5. 6.	S. h.	Merian. sur. t. 32.
16 corymbosa. s.s.	corymbose.	Buenos Ayr.	1796.	7. 8.	S. h.	Bot. magaz. 633.
17 purpurea. B.R.	purple-stalked.	E. Indies.	1823.	6. 11.	S. h.	Botan. regist. 856.
18 emarginata. s.s.	notch-leaved.	Jamaica.	1759.	5. 6.	S. h.	Sloan. j. 2. t. 180. f. 1-4.
19 sericea. s.s.	silky-leaved.	—	1731.	5. 8.	S. ⊙.	Jacq. ic. 3. t. 459.
<i>sensitiva.</i> Jacq.						
20 lævigata. w.en.	smooth.	—	S. h.	
21 pubescens. s.s.	pubescent.	1818.	—	S. h.	
22 floribunda. s.s.	many-flowered.	S. America.	1822.	—	S. h.	
23 dispar. s.s.	various-leaved.	—	—	—	S. h.	
24 arborescens. w.	tree.	E. Indies.	1800.	6. 8.	S. h.	Rheed. mal. 6. t. 9. 10.
25 occidentalis. w.	occidental.	W. Indies.	1759.	3. 8.	S. h.	Botan. regist. 83.
26 atomaria. s.s.	woolly.	S. America.	1822.	—	S. h.	
27 Senna. w.	Senna.	Egypt.	1640.	7. 8.	G. ⊙.	Nectoux voy. t. 2.
<i>lanceolata.</i> s.s. non P.S.						
28 obovata. s.s.	obovate-leav'd.	—	—	G. ⊙.	
29 biflora. w.	two-flowered.	W. Indies.	1766.	12. 4.	S. h.	Botan. magaz. 810.
30 esculenta. H.B.	esculent.	E. Indies.	1823.	7. 9.	S. ⊙.	
31 ægyptiaca. s.s.	Egyptian.	Egypt.	—	—	G. ⊙.	
32 patula. s.s.	shining.	W. Indies.	1778.	8. 9.	S. h.	
33 orientalis. P.S.	oriental.	Levant.	7. 9.	H. ⊙.	Tabern. ic. 507.
34 prostrata. s.s.	prostrate.	S. America.	1823.	—	S. h.	
35 planisiliqua. s.s.	flat-podded.	W. Indies.	1822.	—	S. h.	Plum. sp. t. 77.
36 caracasana. s.s.	villous-leaved.	Caracas.	—	—	S. h.	

37	<i>ruscifolia</i> . s.s.	Ruscus-leaved.	Madeira.	1816.	5. 7.	G. h.	Jacq. ic. 1. t. 71.
38	<i>chinensis</i> . p.s.	Chinese.	China.	1807.	—	G. h.	— 1. t. 73.
39	<i>lineata</i> . s.s.	lined.	Jamaica.	1820.	—	S. h.	
40	<i>multiglandulosa</i> . w.	many-glanded.	Teneriffe.	1779.	6. 8.	G. h.	Jacq. ic. 1. t. 72.
41	<i>tomentosa</i> . w.	tomentose.	S. America.	1822.	—	S. h.	
42	<i>hirsuta</i> . w.	hairy.	—	1778.	7.	S. h.	
43	<i>ligustrina</i> . w.	Privet-leaved.	Bahama Isl.	1726.	—	S. h.	Botan. regist. 109.
44	<i>speciosa</i> . H.B.	handsome.	E. Indies.	1823.	S. h.	
45	<i>sumatrana</i> . H.B.	Sumatra.	Sumatra.	—	S. h.	
46	<i>stipulacea</i> . w.	large-stipuled.	Chili.	1786.	S. h.	Feuill. per. 3. t. 42.
47	<i>alata</i> . w.	winged-podded.	W. Indies.	1731.	S. h.	Jacq. obs. 2. t. 45. f. 2.
48	<i>marilandica</i> . w.	Maryland.	N. America.	1723.	8. 10.	H. h.	Dill. elt. t. 260. f. 339.
49	<i>robinoides</i> . s.s.	Robinia-like.	S. America.	1820.	S. h.	
50	<i>frondosa</i> . w.	smoothshrubby.	W. Indies.	1769.	3. 4.	S. h.	Jacq. ic. 1. t. 74.
51	<i>spectabilis</i> . s.s.	showy.	Caracas.	1823.	S. h.	
52	<i>Sophera</i> . s.s.	round podded.	E. Indies.	1658.	7. 9.	S. h.	Rheed. mal. 2. t. 52.
53	<i>coromandeliana</i> . s.s.	Coromandel.	Coromandel.	1824.	S. h.	
54	<i>bracteata</i> . s.s.	bracteate.	Surinam.	1822.	S. h.	
55	<i>reticulata</i> . s.s.	netted-leaved.	Brazil.	—	S. h.	
56	<i>montana</i> . s.s.	mountain.	E. Indies.	—	S. h.	
57	<i>auriculata</i> . s.s.	eared.	—	1777.	7. 9.	S. h.	Pluk. alm. t. 314. f. 4.
58	<i>virgata</i> . s.s.	slendertwigg'd.	Jamaica.	1820.	S. h.	
59	<i>capensis</i> . s.s.	Cape.	C. B. S.	1816.	4. 6.	G. h.	
60	<i>pumila</i> . s.s.	small.	China.	1820.	—	G. h.	Pluk. alm. t. 120. f. 1.
61	<i>nictitans</i> . s.s.	Virginian.	N. America.	1800.	7.	G. h.	— t. 314. f. 5.
62	<i>chamæcrista</i> . s.s.	dwarf.	America.	1699.	6. 9.	S. h.	Botan. magaz. 157.
63	<i>glandulosa</i> . s.s.	glandular.	W. Indies.	1822.	—	S. h.	
64	<i>marginata</i> . s.s.	marginated.	Surinam.	—	S. h.	
65	<i>hirta</i> . w.en.	hairy branched.	S. America.	—	S. h.	
66	<i>microphylla</i> . s.s.	small-leaved.	W. Indies.	—	6. 9.	S. h.	
67	<i>dimidiata</i> . D.P.	fine-leaved.	Nepaul.	1812.	—	S. h.	
68	<i>mimosoides</i> . s.s.	Mimosa-leaved.	E. Indies.	1806.	—	S. h.	
69	<i>tenella</i> . H.B.	small-branched.	—	1818.	—	S. h.	
70	<i>procumbens</i> . s.s.	procumbent.	N. America.	1806.	—	H. h.	Comm. petrop. t. 11.
HYPERANTHERA. W. HORSE-RADISH TREE. Decandria Monogynia.							
	<i>Moringa</i> . w.	smooth.	E. Indies.	1759.	S. h.	Lam. ill. t. 336.
	<i>Moringa zeylanica</i> . Lam.						
HÆMATOXYLON. W. LOGWOOD. Decandria Monogynia. L.							
	<i>campechianum</i> . w.	common.	S. America.	1724.	S. h.	Catesb. car. 2. t. 66.
ADENANTHERA. W. ADENANTHERA. Decandria Monogynia.							
1	<i>pavonina</i> . w.	yellow-flower'd.	E. Indies.	1759.	5. 8.	S. h.	Jacq. coll. 4. t. 23.
2	<i>falcata</i> . w.	woolly-leaved.	—	1812.	—	S. h.	Rumph. amb. 3. t. 111.
3	<i>aculeata</i> . H.B.	prickly.	Coromandel.	1821.	S. h.	
POINCIANA. J. POINCIANA. Decandria Monogynia. L.							
1	<i>pulcherrima</i> . B.M.	Flower-fence.	E. Indies.	1691.	6. 9.	S. h.	Botan. magaz. 995.
	<i>Casalpinia pulcherrima</i> . s.s.						
2	<i>elata</i> . H.K.	smooth.	—	1778.	—	S. h.	
	<i>Casalpinia elata</i> . s.s.						
CÆSALPINIA. J. BRASILETTO. Decandria Monogynia. L.							
1	<i>punctata</i> . s.s.	dotted-leaved.	Brazil.	1818.	S. h.	
2	<i>brasiliensis</i> . s.s.	Brazilian.	—	1739.	S. h.	
3	<i>procera</i> . s.s.	tall.	Cuba.	1822.	S. h.	
4	<i>bijuga</i> . s.s.	broad-leaved.	Jamaica.	1770.	6. 9.	S. h.	Sloan. j. 2. t. 181. f. 2. 3.
5	<i>cassiodes</i> . s.s.	Cassia-like.	S. America.	1823.	S. h.	
6	<i>mucronata</i> . s.s.	mucronate.	Brazil.	—	S. h.	
7	<i>bahamensis</i> . s.s.	emarginate.	Bahama.	—	S. h.	
8	<i>Tara</i> . R.P.	Peruvian.	Peru.	1818.	S. h.	
9	<i>Sappan</i> . s.s.	narrow-leaved.	E. Indies.	1773.	S. h.	Roxb. cor. 1. t. 16.
10	<i>olæosperma</i> . H.B.	oil-seeded.	—	1800.	S. h.	
11	<i>cucullata</i> . H.B.	hooded.	—	1822.	S. h.	
12	<i>sepiaria</i> . H.B.	Mysore thorn.	—	1806.	6. 9.	S. h.	
13	<i>enneaphylla</i> . H.B.	nine-leaved.	—	1812.	S. h.	
14	<i>chinensis</i> . H.B.	Chinese.	China.	—	S. h.	
15	<i>paniculata</i> . H.B.	panicled.	E. Indies.	—	S. h.	Rheed. mal. 6. t. 19.
16	<i>tortuosa</i> . H.B.	twisting.	—	1822.	S. h.	
17	<i>sumatrana</i> . H.B.	Sumatra.	—	—	S. h.	
18	<i>Crista</i> . s.s.	oval-leaved.	Jamaica.	S. h.	Plum. gen. t. 68.
19	<i>Nuga</i> . s.s.	acute-leaved.	Amboyna.	1801.	S. h.	Rumph. amb. 5. t. 50.
20	<i>mimosoides</i> . s.s.	Mimosa-leaved.	E. Indies.	1806.	S. h.	

GUILANDINA. W.	NICKER-TREE. Decandria Monogynia. L.			
1 Bonduc. L.T.	Sumatra.	Sumatra.	1640.	S. h. Pluk. phyt. t. 2. f. 22.
2 Bonducella. L.T.	common.	E. Indies.	—	S. h. Rumph. amb. 5. t. 49. ff.
CADIA. W.	CADIA. Decandria Monogynia. W.			
purpurea. w.	purple.	Arabia.	1755. 7. 10.	S. h. Pic. hort. pan. 9. c. 1.
HOFFMANSEGGIA.	W. HOFFMANSEGGIA. Decandria Monogynia. W.			
falcaria. w.	sickle-podded.	Chili.	1806. 7. 8.	S. h. Cavan. ic. t. 392.
CYNOMETRA. S.S.	CYNOMETRA. Decandria Monogynia. L.			
1 cauliflora. s.s.	stem-flowering.	E. Indies.	1804.	S. h. Lam. ill. t. 331.
2 polyandra. s.s.	many-anthered.	—	1822.	S. h.
MACROLOBIUM. W.	MACROLOBIUM. Triandria Monogynia. W.			
bijugum. L.T.	two-paired.	E. Indies.	1823.	S. h. Linn. trans. 12. t. 17.
HYMENÆA. S.S.	LOCUST-TREE. Decandria Monogynia. L.			
1 Courbaril. s.s.	leathery-leav'd.	W. Indies.	1688.	S. h. Lam. ill. t. 330. f. 1.
2 verrucosa. s.s.	warted podded.	Madagascar.	1808.	S. h. — t. 330. f. 2.
BAUHINIA. S.S.	MOUNTAIN EBONY. Decandria Monogynia. L.			
1 scandens. s.s.	climbing.	E. Indies.	1799.	S. h. Rheed. mal. 8. t. 299.
2 racemosa. s.s.	large-leaved.	—	1790. —	S. h. Vahl. symb. 3. t. 622.
3 tomentosa. s.s.	tomentose.	—	1808.	S. h. Rheed. mal. 1. t. 355.
4 ferruginea H.B.	ferruginous.	—	1822.	S. h.
5 purpurea. s.s.	purple.	—	1778. ...	S. h. Rheed. mal. 4. t. 333.
6 variegata. L.T.	variegated.	E. Indies.	1690. 6. 7.	S. h. Rheed. mal. 1. t. 322.
7 candida. w.	white-flowered.	—	1777. 5. 6.	S. h.
8 parviflora. s.s.	small-flowered.	—	1808.	S. h.
9 aurita. w.	long-eared.	Jamaica.	1756. 9. 10.	S. h. Mill. ic. 1. t. 61.
10 porrecta. s.s.	smooth-leaved.	W. Indies.	1737. 7. 8.	S. h. Botan. magaz. 17088.
11 acuminata. s.s.	acute-leaved.	E. Indies.	1808. —	S. h. Rheed. mal. 1. t. 34.
12 anguina. s.s.	snake.	—	1818.	S. h.
13 divaricata. s.s.	dwarf.	W. Indies.	1742. 6. 9.	S. h. Linn. h. cliff. t. 15.
14 esculenta. B.T.	eatable rooted.	C. B. S.	1816.	I. 4.
15 triandra. H.B.	triandrous.	E. Indies.	1823.	S. h.
16 retusa. H.B.	retuse.	—	S. h.
17 corymbosa. H.B.	corymbose.	China.	1816.	S. h.
18 semibifida. H.B.	semibifid.	Sumatra.	1818.	S. h.
19 malabarica. H.B.	Malabar.	Malabar.	1823.	S. h.
20 anatomica. L.C.	jagged leaved.	S. America.	1816.	S. h.
21 rotundifolia. P.S.	round-leaved.	—	S. h. Cav. ic. 5. t. 406.
22 aculeata. s.s.	prickly-stalked.	W. Indies.	1737. 6. 8.	S. h. Plum. ic. t. 44. f. 1.
23 forficata. s.s.	forked.	Brazil.	1824.	S. h.
24 heterophylla. s.s.	various-leaved.	Caracas.	—	S. h.
25 speciosa. L.C.	handsome.	S. h.
26 microphylla. L.C.	small-leaved.	S. h.
COPAIFERA. W.	BALSAM OF CAPEVI. Decandria Monogynia. L.			
officinalis. w.	officinal.	S. America.	1774.	S. h. Jacq. amer. t. 86.
BROWNEA. W.	BROWNEA. Monadelphica Decandria. L.			
coccinea. w.	scarletflower'd.	W. Indies.	1793. 7. 8.	S. h. Jacq. amer. t. 121.

SUBORDO III. PAPILIONACEÆ. Brown.

ANAGYRIS. W.	BEAN TREFOIL. Decandria Monogynia. L.			
1 foetida. w.	stinking.	Spain.	1570. 4. 5.	F. h. Lam. ill. t. 328.
2 latifolia. w.en.	broad-leaved.	Teneriffe.	1815. —	F. h.
3 chinensis. s.s.	Chinese.	China.	1822. —	F. h.
CERCIS. W.	JUDAS-TREE. Decandria Monogynia. L.			
1 Siliquastrum. W.	European.	S. Europe.	1596. 5. 6.	H. h. Botan. magaz. 11388.
2 canadensis. w.	American.	N. America.	1730. —	H. h.
EDWARDSIA. L.T.	EDWARDSIA. Decandria Monogynia.			
1 grandiflora. L.T.	large-flowered.	N. Zealand.	1772. 3. 6.	F. h. Botan. magaz. 167.
<i>Sophora tetraptera.</i> B.M.				
2 chrysophylla. L.T.	golden-leaved.	—	F. h. Botan. regist. 738.
3 microphylla. L.T.	small-leaved.	—	1772. —	F. h. Botan. magaz. 1443.
4 minima. L.C.	smallest.	—	1816. —	F. h.
SOPHORA. H.K.	SOPHORA. Decandria Monogynia. L.			
1 tomentosa. w.	downy.	India.	1690.	S. h. Lam. ill. t. 325. f. 12.
2 occidentalis. P.S.	West Indian.	W. Indies.	S. h. Trew. ehret. t. 59.

3	sylvatica. B.T.	Cape.	C. B. S.	1816.	8. 10.	G. h.	
4	japonica. W.	Japanese.	Japan.	1753.	8. 9.	H. h.	Andr. repos. 585.
	<i>β pendula. L.C.</i>	<i>pendulous.</i>					
5	robusta. H.B.	robust.	Silhet.	1820.	S. h.	
6	chinensis. L.C.	China.	China.	H. h.	
7	alopecuroides. s.s.	Fox-tail.	Levant.	1731.	7. 8.	H. 4.	Pall. astr. t. 87.
8	sericea. N.	silky.	Missouri.	1811.	6. 7.	H. 4.	
	<i>Astragalus carnosus. Ph.</i>						
9	flavescens. s.s.	Siberian.	Siberia.	1785.	5. 7.	H. 4.	
FORMOSIA. L.T. NECKLACE-TREE. Decandria Monogynia.							
	dasycarpa. L.T.	smooth-leaved.	W. Indies.	1793.	6. 7.	S. h.	Linn. trans. 10. t. 26.
	<i>Sophora monosperma. W.</i>						
VIRGILIA. H.K. VIRGILIA. Decandria Monogynia.							
1?	lutea. Ph.	yellow-flower'd.	N. America.	1812.	6. 7.	H. h.	Mich. arb. c. ic.
2	aurea. H.K.	golden.	Abyssinia.	1777.	7.	G. h.	L'Her. st. nov. 1. t. 75.
3	intrusa. H.K.	small-flowered.	C. B. S.	1790.	5. 8.	G. h.	
4	capensis. H.K.	Vetch-leaved.	—	1767.	7. 8.	G. h.	Botan. magaz. 1590.
CYCLOPIA. V. CYCLOPIA. Decandria Monogynia.							
1	genistoides. v.	Genista-leaved.	C. B. S.	1787.	7. 8.	G. h.	Botan. magaz. 1259.
	<i>Ibbetsonia genistoides. B.M.</i>	<i>Gompholobium maculatum. A.R.</i>	427.				
2	elata.	tall.	—	1818.	—	G. h.	
3	ternata.	ternate-leaved.	—	—	—	G. h.	
	<i>Sophora ternata. Th.</i>						
4	triphylla.	three-leaved.	—	—	—	G. h.	
	<i>Sophora triphylla. Th.</i>						
THERMOPSIS. H.K. THERMOPSIS. Decandria Monogynia.							
1	laburnifolia. D.P.	Laburnum-ld.	Nepaul.	1819.	5. 6.	H. h.	Hook. ex. flor. 131.
	<i>Baptisia nepalensis. H.E.F.</i>						
2	rhombifolia. N.	rhomb-leaved.	Louisiana.	1811.	6. 7.	H. 4.	
	<i>Cytisus rhombifolius. Ph.</i>						
3	lanceolata. H.K.	sharp-leaved.	Siberia.	1776.	—	H. 4.	Botan. magaz. 1389.
	<i>Podalyria lupinoides. W.</i>	<i>Sophora lupinoides. Pallas.</i>					
BAPTISIA. V. BAPTISIA. Decandria Monogynia.							
1	perfoliata. s.s.	perfoliate.	Carolina.	1732.	8.	H. 4.	Dill. elt. t. 102. f. 122.
	<i>Rafnia perfoliata. W.</i>						
2	exaltata. B.F.G.	tall upright.	N. America.	1812.	6. 7.	H. 4.	Swt. br. fl. gar. 97.
3	australis. s.s.	spreading blue.	—	1758.	—	H. 4.	Botan. magaz. 509.
4	alba. s.s.	white-flowered.	—	1724.	—	H. 4.	— 1177.
5	tinctoria. s.s.	dyer's.	—	1759.	7. 8.	H. 4.	— 1099.
6	villosa. s.s.	villous.	Georgia.	1811.	6. 7.	H. 4.	
PODALYRIA. S.S. PODALYRIA. Decandria Monogynia.							
1	myrtillifolia. W.	Myrtle-leaved.	C. B. S.	1795.	4. 7.	G. h.	
2	sericea. H.K.	silky-leaved.	—	1778.	10. 1.	G. h.	Botan. magaz. 1923.
3	cuneifolia. v.	wedge-leaved.	—	1804.	5. 8.	G. h.	Vent. cels. t. 99.
4	biflora. W.	two-flowered.	—	1789.	2. 6.	G. h.	Botan. magaz. 753.
5	calyptrata. W.	one-flowered.	—	1792.	4. 5.	G. h.	
6	styracifolia. B.M.	Storax-leaved.	—	—	5. 7.	G. h.	Botan. magaz. 1580.
7	buxifolia. W.	Box-leaved.	—	1790.	5. 10.	G. h.	Botan. regist. 869.
8	oleæfolia. P.L.	Olive-leaved.	—	1804.	5.	G. h.	Parad. lond. 114.
9	hirsuta. W.	hairy.	—	1774.	7. 8.	G. h.	
10	cordata. H.K.	heart-leaved.	—	1794.	5. 7.	G. h.	
CALLISTACHYS. V. CALLISTACHYS. Decandria Monogynia.							
1	ovata. B.M.	oval-leaved.	N. Holland.	1815.	6. 8.	G. h.	Botan. magaz. 1925.
2	lanceolata. v.	spear-leaved.	—	—	—	G. h.	Botan. regist. 216.
OXYLOBIMUM. H.K. OXYLOBIMUM. Decandria Monogynia.							
1	retusum. B.R.	retuse-leaved.	N. Holland.	1822.	4. 6.	G. h.	Botan. regist. 913.
2	arborescens. H.K.	tall.	V. Diem. Isl.	1805.	5. 9.	G. h.	— 392.
3	ellipticum. H.K.	elliptic-leaved.	—	—	—	G. h.	Lab. n. holl. 1. t. 135.
4	cordifolium. A.R.	heart-leaved.	N. S. W.	1807.	4. 9.	G. h.	Andr. repos. 492.
GASTROLOBIMUM. H.K. GASTROLOBIMUM. Decandria Monogynia.							
	bilobum. H.K.	two-lobed.	N. Holland.	1803.	3. 5.	G. h.	Botan. regist. 411.
EUCHILUS. H.K. EUCHILUS. Decandria Monogynia.							
	obcordatus. H.K.	heart-leaved.	N. Holland.	1803.	3. 6.	G. h.	Botan. regist. 403.
PULTENÆA. H.K. PULTENÆA. Decandria Monogynia.							
1	daphnoides. s.s.	Daphne-leav'd.	N. S. W.	1792.	6. 7.	G. h.	Botan. magaz. 1394.
2	obcordata. s.s.	heart-leaved.	V. Diem. Isl.	1808.	5. 7.	G. h.	Andr. repos. t. 574.
3	biloba. s.s.	two-lobed.	N. Holland.	1818.	—	G. h.	Botan. magaz. 2091.
4	stricta. s.s.	upright.	N. S. W.	1803.	4. 6.	G. h.	Lod. bot. cab. 974.
5	scabra. s.s.	rough-leaved.	—	—	5. 7.	G. h.	

6	retusa. s.s.	blunt-leaved.	— — —	1789.	4. 5.	G. h.	Botan. regist. 378.
7	linophylla. s.s.	Flax-leaved.	— — —	—	5. 7.	G. h.	Schrad. s. han. 3. t. 18.
8	dentata. s.s.	tooth-bracted.	— — —	1818.	—	G. h.	—
9	paleacea. L.T.	chaffy.	— — —	1789.	—	G. h.	Lodd. bot. cab. 291.
10	stipularis. s.s.	scaly.	— — —	1792.	4. 6.	G. h.	Botan. magaz. 435.
11	rosmarinifolia. †.	Rosemary-ld.	N. Holland.	1824.	G. h.	—
12	incarnata. †.	flesh-coloured.	— — —	—	G. h.	—
13	villosa. s.s.	villous.	N. S. W.	1790.	4. 5.	G. h.	Botan. magaz. 967.
14	flexilis. s.s.	shining-leaved.	— — —	1801.	4. 6.	G. h.	—
15	vestita. s.s.	awned.	N. Holland.	1803.	4. 7.	G. h.	—
16	elliptica. L.T.	elliptic-leaved.	N. S. W.	1818.	—	G. h.	Linn. trans. 11. t. 24.
17	polygalifolia. L.T.	Polygala-ld.	— — —	—	—	G. h.	— 11. t. 25.
18	ferruginea. L.T.	ferruginous.	— — —	—	—	G. h.	— 11. t. 23.
19	tenuifolia. B.M.	slender-leaved.	— — —	—	—	G. h.	Botan. magaz. 2086.
AOTUS. H.K. AOTUS. Decandria Monogynia.							
	villosa. H.K.	villous.	V. Diem. Isl.	1790.	4. 6.	G. h.	Botan. magaz. 949.
EUTAXIA. H.K. EUTAXIA. Decandria Monogynia.							
	myrtifolia. H.K.	Myrtle-leaved.	N. Holland.	1803.	3. 6.	G. h.	Botan. magaz. 1274.
	<i>Dillwynia obovata.</i> B.M.	—	—	—	—	—	—
DAVIESIA. S.S. DAVIESIA. Decandria Monogynia.							
1	alata. s.s.	winged.	N. Holland.	1820.	4. 6.	G. h.	Botan. regist. 728.
2	acicularis. s.s.	needle-leaved.	N. S. W.	1804.	6. 7.	G. h.	—
3	ulicina. s.s.	Furze-like,	— — —	1792.	4. 8.	G. h.	Andr. reposit. 304.
4	reticulata. s.s.	netted-leaved.	— — —	1822.	—	G. h.	—
5	umbellulata. L.T.	small-umbelled.	— — —	—	—	G. h.	—
6	corymbosa. s.s.	corymb-flow'r'd	— — —	1804.	5. 8.	G. h.	—
7	glauca. B.C.	glaucous-ld.	— — —	1812.	—	G. h.	Lodd. bot. cab. 43.
	<i>mimosoides.</i> B.M. 1957. non H.K.	—	—	—	—	—	—
8	mimosoides. H.K.	green-leaved.	— — —	1809.	—	G. h.	Andr. repos. 526.
	<i>corymbosa.</i> A.R.	—	—	—	—	—	—
9	incrassata. s.s.	thick-leaved.	— — —	1820.	—	G. h.	—
10	cordata. s.s. †.	heart-leaved.	N. Holland.	1824.	G. h.	—
11	latifolia. s.s.	broad-leaved.	N. S. W.	1805.	5. 8.	G. h.	Botan. magaz. 1757.
BRACHYSEMA. H.K. BRACHYSEMA. Decandria Monogynia.							
1	latifolium. H.K.	broad-leaved.	N. Holland.	1803.	4. 7.	G. h.	Botan. regist. 118.
2	undulatum. B.R.	wave-leaved.	— — —	1820.	2. 7.	G. h.	— 642.
CHORIZEMA. S.S. CHORIZEMA. Decandria Monogynia.							
1	ilicifolium. s.s.	Holly-leaved.	N. Holland.	1803.	3. 10.	G. h.	Labill. voy. 1. t. 21.
2	nanum. s.s.	dwarf.	— — —	—	—	G. h.	Botan. magaz. 1032.
3	rhombium. s.s.	few-flowered.	— — —	—	4. 6.	G. h.	—
PODOLOBIUM. H.K. PODOLOBIUM. Decandria Monogynia.							
1	trilobatum. H.K.	common.	N. S. W.	1791.	4. 7.	G. h.	Botan. magaz. 1477.
	<i>Chorizema trilobatum.</i> L.T. <i>Pultenæ ilicifolia.</i> A.R. 320.	—	—	—	—	—	—
2	spinosum. C.C.	spiny-leaved.	— — —	1821.	3. 5.	G. h.	—
	<i>aquifolium.</i> L.C.	—	—	—	—	—	—
JACKSONIA. H.K. JACKSONIA. Decandria Monogynia.							
1	scoparia. H.K.	Broom-like.	N. S. W.	1803.	6. 8.	G. h.	Lodd. bot. cab. 427.
2	spinosa. H.K.	spinous.	N. Holland.	—	4. 9.	G. h.	Labill. n. hol. 1. t. 136.
VIMINARIA. H.K. VIMINARIA. Decandria Monogynia.							
	denudata. H.K.	half-naked.	N. S. W.	1789.	6. 9.	G. h.	Botan. magaz. 1190.
SPHÆROLOBIUM. H.K. SPHÆROLOBIUM. Decandria Monogynia.							
1	vimineum. H.K.	yellow-flow'r'd.	N. Holland.	1802.	5. 8.	G. h.	Botan. magaz. 969.
2	medium. H.K.	red-flowered.	— — —	1803.	6. 8.	G. h.	—
MIRBELIA. L.T. MIRBELIA. Decandria Monogynia.							
1	reticulata. L.T.	netted-leaved.	N. S. W.	1792.	5. 8.	G. h.	Botan. magaz. 1211.
2	dilatata. H.K.	lobed-leaved.	N. Holland.	1803.	—	G. h.	—
SCLEROTHAMNUS. H.K. SCLEROTHAMNUS. Decandria Monogynia.							
	microphyllus. H.K.	small-leaved.	N. Holland.	1803.	5. 6.	G. h.	—
DILLWYNIA. H.K. DILLWYNIA. Decandria Monogynia.							
1	parvifolia. B.M.	small-leaved.	N. S. W.	1800.	3. 7.	G. h.	Botan. magaz. 1527.
2	cinerascens. B.M.	ash-coloured.	— — —	1818.	6. 7.	G. h.	— 2247.
3	juniperina. B.C.	Juniper-leaved	— — —	—	—	G. h.	Lodd. bot. cab. 401.
4	ericæfolia. s.s.	Heath-leaved.	— — —	1794.	3. 7.	G. h.	Sm. exot. bot. t. 25.
5	glaberrima. L.T.	smooth.	— — —	1800.	—	G. h.	Botan. magaz. 944.
6	floribunda. L.T.	close-flowered.	— — —	1794.	4. 7.	G. h.	Sm. exot. bot. t. 26.
	<i>ericifolia.</i> B.M. 1545. <i>nec aliorum.</i>	—	—	—	—	—	—
BURTONIA. H.K. BURTONIA. Decandria Monogynia.							
	scabra. H.K.	rough-leaved.	N. Holland.	1803.	5. 7.	G. h.	—

GOMPHOLOBIUM. L.T. GOMPHOLOBIUM. Decandria Monogynia.

- 1 latifolium. L.T. broad-leaved. N. S. W. 1803. 3. 9. G. h. Sm. exot. bot. 1. t. 58.
fimbriatum. Ex. B. psoraliaefolium. P.L.
 2 grandiflorum. L.T. large-flowered. ———— ———— ———— G. h. Botan. regist. 484.
 3 marginatum. H.K. small-flowered. N.Holland. ———— 3. 9. G. h.
 4 polymorphum. H.K. variable. ———— ———— 3. 8. G. h. Botan. magaz. 1533.
grandiflorum. A.R. nec aliorum.
 5 minus. L.T. hairy-stalked. N. S. W. 1812. ———— G. h.
 6 heterophyllum. t. various-leaved. N.Holland. 1824. G. h.
 7 lanatum. t. woolly. ———— ———— G. h.
 8 tomentosum. H.K. tomentose. ———— 1803. 4. 7. G. h.
 9 venustum. H.K. purple-flow'r'd. ———— ———— G. h.
 10 pinnatum. L.T. pinnate-leaved. N. S. W. 1822. 3. 6. G. ♂.

MULLERA. W. MULLERA. Diadelphia Decandria. L.

moniliformis. w. bracelet. Guiana. 1792. S. h.

ULEX. W. FURZE. Diadelphia Decandria. L.

- 1 europæus. w. common. Britain. 4. 6. H. h. Eng. bot. 742.
 2 nanus. w. dwarf. ———— 1. 12. H. h. ———— 743.
 3 provincialis. DC. Provence. S. Europe. 1815. 6. 8. H. h.
Stauracanthus aphyllus. W.en.

ASPALATHUS. W. ASPALATHUS. Diadelphia Decandria. L.

- 1 capitata. w. headed. C. B. S. 1823. 6. 7. G. h. Lam. ill. t. 620. f. 2.
 2 Chenopoda. w. cluster-leaved. ———— 1759. 7. 8. G. h. Botan. magaz. 2225.
 3 albens. w. white-leaved. ———— 1774. ———— G. h.
 4 hystrix. w. silky-spined. ———— 1824. ———— G. h.
 5 pedunculata. w. small-leaved. ———— 1775. ———— G. h. Botan. magaz. 344.
 6 thymifolia. w. Thyme-leaved. ———— 1825. G. h. Pluk. mant. t. 413. f. 1.
 7 ericifolia. w. Heath-leaved. ———— 1789. 7. 8. G. h. ———— t. 413. f. 6.
 8 hispida. w. hispid. ———— 1823. ———— G. h.
 9 asparagoides. w. Asparagus-ld. ———— 1812. ———— G. h.
 10 multiflora. w. many-flowered. ———— 1818. ———— G. h.
 11 pinguis. w. succulent-leav'd. ———— ———— G. h.
 12 carnososa. w. fleshy-leaved. ———— 1795. 5. 6. G. h. Botan. magaz. 1289.
 13 crassifolia. A.R. thick-leaved. ———— 1800. 7. 8. G. h. Andr. repos. 351.
 14 affinis. w. likened. ———— 1816. ———— G. h.
 15 ciliaris. w. ciliated. ———— 1799. ———— G. h. Botan. magaz. 2233.
 16 genistoides. w. Genista-like. ———— 1825. G. h.
 17 squarrosa. w. squarrose. ———— ———— G. h.
 18 galioides. w. Galium-like. ———— 1816. 7. 8. G. h.
 19 bracteata. w. bracteate. ———— ———— G. h.
 20 uniflora. w. single-flowered. ———— 1812. ———— G. h. Pluk. mant. t. 414. f. 7.
 21 pinea. w. Pine-leaved. ———— 1816. ———— G. h.
 22 subulata. w. awl-leaved. ———— 1789. ———— G. h.
 23 globosa. A.R. globular. ———— 1802. 6. 7. G. h. Andr. repos. 392.
 24 araneosa. w. cobweb. ———— 1795. ———— G. h. Botan. magaz. 829.
 25 indica. w. Indian. E. Indies. 1759. 7. 8. S. h.
 26 quinquefolia. w. five-leaved. C. B. S. 1816. ———— G. h. Pluk. alm. t. 278. f. 4.
 27 sericea. w. silky. ———— ———— G. h.
 28 argentea. w. silver-leaved. ———— 1759. ———— G. h.
 29 candicans. H.K. white. ———— 1774. ———— G. h.
 30 callosa. w. oval-spiked. ———— 1812. ———— G. h. Botan. magaz. 2329.
 31 mucronata. w. thorny-branched. ———— 1796. 6. 7. G. h.

SARCOPHYLLUM. B.M. SARCOPHYLLUM. Diadelphia Decandria. W.

carnosum. B.M. jointed-leaved. C. B. S. 1812. 5. 8. G. h. Botan. magaz. 2502.

BORBONIA. W. BORBONIA. Diadelphia Decandria. L.

- 1 ericifolia. w. Heath-leaved. C. B. S. 1812. 7. 8. G. h.
 2 trinervia. w. three-nerved. ———— 1759. ———— G. h. Pluk. alm. t. 297. f. 4.
 3 lanceolata. w. many-nerved. ———— 1752. ———— G. h. Jacq. schoen. 2. t. 217.
 4 lævigata. B.C. polished. ———— 1799. ———— G. h. Lodd. bot. cab. 247.
 5 ruscifolia. B.M. Ruscus-leaved. ———— 1816. ———— G. h. Botan. magaz. 2128.
 6 perfoliata. w. perfoliate. ———— 1812. ———— G. h.
 7 ciliata. w. fringed. ———— 1816. ———— G. h. Hout. syst. 8. t. 62. f. 2.
 8 undulata. w. wave-leaved. ———— 1812. ———— G. h.
 9 cordata. w. heart-leaved. ———— 1759. 7. 8. G. h. Jacq. schoen. 2. t. 218.
 10 crenata. w. notch-leaved. ———— 1774. 6. 8. G. h. Botan. magaz. 274.

LIPARIA. W. LIPARIA. Diadelphia Decandria. W.

- 1 sphærica. w. globe-flowered. C. B. S. 1794. 7. 8. G. h. Botan. magaz. 1241.
 2 capitata. w. headed. ———— 1812. ———— G. h.
 3 tomentosa. w. downy. ———— ———— G. h.

4	vestita. w.	concave-leav'd.	— — —	1800.	5. 6.	G. h.	Botan. magaz. 2223.
	<i>villosa</i> . A.R. 382. <i>nec aliorum</i> .						
5	graminifolia. w.	narrow-leaved.	— — —	—	6. 7.	G. h.	
6	myrtifolia. w.	Myrtle-leaved.	— — —	1825.	G. h.	
7	umbellifera. w.	umbel-flower'd.	— — —	—	G. h.	
8	villosa. w.	villous.	— — —	1774.	6. 7.	G. h.	Seb. thes. 1. t. 24. f. 1.
9	teres. w.	smooth-stalked.	— — —	1816.	—	G. h.	
10	hirsuta. w.	shaggy-stemm'd.	— — —	1792.	12. 4.	G. h.	Botan. regist. 8.
11	sericea. w.	silky-leaved.	— — —	1794.	6. 7.	G. h.	
BOSSIAEA. L.T.		BOSSIAEA. Diadelphia Decandria.					
1	Scolopendrium. H.K.	plank-plant.	N. S. W.	1792.	5. 7.	G. h.	Vent. malm. 55.
	<i>Platylobium Scolopendrum</i> . A.R. 191.						
2	rufa. H.K.	red-flowered.	N. Holland.	1803.	6. 9.	G. h.	
3	heterophylla. H.K.	various-leaved.	N. S. W.	1792.	5. 12.	G. h.	Botan. magaz. 1144.
	<i>Platylobium lanceolatum et ovatum</i> . A.R. 205. <i>et</i> 276.						
4	linophylla. H.K.	narrow-leaved.	N. Holland.	1803.	7. 9.	G. h.	— 2491.
5	prostrata. H.K.	procumbent.	N. S. W.	—	—	G. h.	— 1493.
6	cinerea. H.K.	sharp-leaved.	V. Diem. Isl.	1805.	5. 7.	G. h.	Botan. regist. 306.
7	microphylla. H.K.	small-leaved.	N. S. W.	1803.	—	G. h.	Botan. magaz. 863.
PLATYLOBIUM. L.T.		FLAT PEA. Diadelphia Decandria. W.					
1	fomosum. w.	large-flowered.	N. S. W.	1790.	6. 8.	G. h.	Botan. magaz. 469.
2	parviflorum. w.	small-flowered.	— — —	1792.	5. 9.	G. h.	— 1520.
3	triangulare. H.K.	triangular-ld.	V. Diem. Isl.	1805.	—	G. h.	— 1508.
SCOTTIA. H.K.		SCOTTIA. Diadelphia Decandria.					
	<i>dentata</i> . H.K.	tooth-leaved.	N. Holland.	1803.	6. 9.	G. h.	
TEMPLETONIA. H.K.		TEMPLETONIA. Diadelphia Decandria.					
1	retusa. H.K.	green-leaved.	N. Holland.	1803.	3. 6.	G. h.	Botan. regist. 383.
2	glaucia. B.M.	glaucous-leav'd.	— — —	—	—	G. h.	Botan. magaz. 2088.
GOODIA. P.L.		GOODIA. Diadelphia Decandria.					
1	lotifolia. P.L.	Lotus-leaved.	V. Diem. Isl.	1793.	4. 7.	G. h.	Sal. par. lond. 41.
2	subpubescens.	hairy-leaved.	— — —	1812.	—	G. h.	
3	pubescens. B.M.	downy.	— — —	1805.	—	G. h.	Botan. magaz. 1310.
4	retusa. †.	notched.	N. Holland.	1824.	G. h.	
LODDIGESIA. B.M.		LODDIGESIA. Diadelphia Decandria.					
	<i>oxalidifolia</i> . B.M.	Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. h.	Botan. magaz. 965.
WIBORGIA. W.		WIBORGIA. Diadelphia Decandria. W.					
	<i>sericea</i> . w.	silky.	C. B. S.	1780.	7. 8.	G. h.	
CROTALARIA. W.		CROTALARIA. Diadelphia Decandria. L.					
1	sagittalis. w.	Virginian.	America.	1731.	6. 7.	H. ⊙.	Pluk. alm. t. 169. f. 6.
2	prostrata. D.P.	prostrate.	E. Indies.	1804.	—	S. †.	
3	parviflora. w.	small-flowered.	N. America.	1823.	—	H. ⊙.	
4	rubiginosa. w.	ferruginous.	E. Indies.	1807.	—	S. †.	
5	anthylloides. w.	large-calyxed.	— — —	1789.	8. 9.	S. h.	
6	tetragona. A.R.	square-stalked.	Nepaul.	1806.	—	S. †.	Andr. reposit. 593.
7	juncea. w.	rush-stalked.	E. Indies.	1700.	6. 7.	S. ⊙.	Botan. magaz. 490.
8	chinensis. w.	Chinese.	China.	1820.	—	S. h.	
9	bengalensis. P.S.	Bengal.	Bengal.	1806.	—	S. ⊙.	Pluk. alm. t. 169. f. 5.
10	fenestrata. B.M.	window-calyx'd.	E. Indies.	1815.	—	S. ⊙.	Botan. magaz. 1933.
11	sericea. w.	silky.	— — —	1807.	—	S. ⊙.	
12	linifolia. w.	Flax-leaved.	— — —	1823.	—	S. ⊙.	
13	stipulacea. H.B.	large-stipuled.	— — —	—	—	S. †.	
14	montana. H.B.	mountain.	— — —	1816.	—	S. †.	
15	tuberosa. D.P.	tuberous-root'd.	Nepaul.	—	—	S. †.	
16	fulva. H.B.	tawny.	E. Indies.	—	—	S. †.	
17	pulcherrima. B.M.	Mysore.	— — —	1814.	—	S. h.	Botan. magaz. 2027.
18	retusa. w.	wedge-leaved.	— — —	1731.	—	S. ⊙.	Botan. regist. 253.
19	verrucosa. w.	blue-flowered.	— — —	—	7. 9.	S. ⊙.	Andr. reposit. 308.
20	pulchra. A.R.	short-podded.	— — —	1800.	3. 5.	S. h.	— 601.
21	semperflorens. v.	ever-blowing.	— — —	1816.	3. 9.	S. h.	Vent. cels. t. 17.
22	hirsuta. w.	hairy-podded.	— — —	1823.	6. 8.	S. ⊙.	
23	biflora. w.	two-flowered.	— — —	1790.	—	S. ⊙.	
24	hirta. W.en.	hairy.	— — —	1816.	—	S. ⊙.	Burm. ind. t. 48. f. 2.
25	alata. D.P.	winged-stalked.	— — —	1818.	—	S. h.	
26	bialata. L.en.	two-winged.	— — —	—	—	S. †.	
27	tenuifolia. H.B.	slender-leaved.	— — —	—	—	S. †.	
28	diffusa. L.en.	diffuse.	—	—	S. †.	
29	angulosa. H.B.	angular-stalk'd.	Mauritius.	—	—	S. ⊙.	
30	nepalensis. L.en.	Nepaul.	Nepaul.	1821.	—	S. ⊙.	
31	paniculata. w.	panicked.	E. Indies.	1807.	—	S. h.	

32	lotifolia. w.	Lotus-leaved.	Jamaica.	1732.	6. 7.	S. ♂.	Dill. elt. t. 102. f. 121.
33	micans. L.en.	glittering.	E. Indies.	1823.	—	S. ♀.	
34	argentea. w.	silvery-leaved.	C. B. S.	—	—	G. h.	
35	laburnifolia. w.	Laburnum-ld.	E. Indies.	1739.	7. 9.	S. ♂.	Rheed. mal. 9. t. 27.
36	floribunda. B.C.	many-flowered.	1812.	—	G. h.	Lodd. bot. cab. 509.
<i>Anthyllis cuneata.</i> Hort.							
37	elliptica. H.B.	elliptic.	China.	1823.	—	G. h.	
38	cordifolia. w.	heart-leaved.	C. B. S.	1790.	4. 6.	G. h.	
39	purpurea. v.	purple-flow'r'd.	—	—	3. 5.	G. h.	Botan. regist. 128.
40	pulchella. B.M.	large-flowered.	—	1800.	7. 8.	G. h.	Botan. magaz. 1699.
41	Saltiana. A.R.	Salt's.	Abyssinia.	1810.	6. 7.	S. h.	Andr. reposit. 648.
42	axillaris. w.	axil-flowered.	Guinea.	1781.	7. 8.	S. ♂.	
43	orixensis. w.en.	strigose.	E. Indies.	1816.	—	S. ♂.	
44	vitellina. B.R.	yellow-twigg'd.	Brazil.	1819.	5. 7.	S. h.	Botan. regist. 447.
45	incanescens. w.	spreading.	C. B. S.	1774.	6. 10.	G. h.	Jacq. vind. 3. t. 64.
46	incana. w.	hoary.	W. Indies.	1714.	6. 7.	S. ♂.	
47	trifoliastrium. w.	Trefoil-leaved.	E. Indies.	1818.	—	S. h.	
48	pallida. w.	pale-flowered.	Africa.	1775.	—	S. ♂.	
49	curtata. L.en.	short-keeled.	1820.	—	S. ♂.	
50	micrantha. L.en.	small-blossom'd.	Ceylon.	—	—	S. ♂.	
51	psoraloides. P.S.	Psoralea-like.	Madagascar.	—	—	S. h.	
52	angustifolia. w.	narrow-leaved.	C. B. S.	1815.	5. 9.	G. h.	Jacq. schoen. 2. t. 219.
53	bracteata. H.B.	large bracted.	E. Indies.	1818.	—	S. h.	
54	quinquefolia. w.	five-leaved.	—	1792.	6. 7.	S. ♂.	Rheed. mal. 9. t. 22.
HOVEA. H.K. HOVEA. Diadelphia Decandria.							
1	lanceolata. B.M.	spear-leaved.	N. S. W.	1805.	3. 7.	G. h.	Botan. magaz. 1624.
2	linearis. H.K.	linear-leaved.	—	1796.	—	G. h.	Botan. regist. 463.
<i>Poiretia linearis.</i> L.T.							
3	longifolia. H.K.	long-leaved.	—	1805.	—	G. h.	Botan. regist. 614.
4	elliptica.	elliptic-leaved.	—	1817.	—	G. h.	
<i>Poiretia elliptica.</i> L.T.							
5	latifolia. B.C.	broad-leaved.	—	—	—	G. h.	Lodd. bot. cab. 30.
6	Celsi. B.R.	Cels's.	N.Holland.	1818.	—	G. h.	Botan. regist. 280.
7	ilicifolia. t.	Holly-leaved.	—	1824.	G. h.	
RAFANIA. W. RAFANIA. Diadelphia Decandria.							
1	amplexicaulis. w.	stem-clasping.	C. B. S.	1816.	6. 7.	G. h.	Seb. thes. 1. t. 24. f. 5.
2	elliptica. w.	elliptic-leaved.	—	—	—	G. h.	
3	cuneifolia. w.	wedge-leaved.	—	1820.	—	G. h.	
4	triflora. w.	three-flowered.	—	1786.	—	G. ♂.	Botan. magaz. 482.
<i>Borbonia cordata.</i> A.R. 31. nec aliorum.							
5	opposita. w.	opposite-leav'd.	—	1825.	G. h.	
LEBECKIA. W. LEBECKIA. Diadelphia Decandria.							
1	contaminata. w.	narrow-leaved.	C. B. S.	1787.	4. 5.	G. h.	
2	sepiaria. w.	filiform-leaved.	—	1816.	—	G. h.	Pluk. mant. t. 424. f. 1.
3	sericea. w.	silky.	—	1774.	—	G. h.	
4	cytisoides. w.	Cytisus-leaved.	—	—	—	G. h.	Comm. hort. 2. t. 107.
SPARTIUM. L.en. BROOM. Diadelphia Decandria. L.							
1	monospermum. L.en.	white single-seeded.	S. Europe.	1690.	6. 7.	F. h.	Botan. magaz. 683.
2	sphaerocarpon. L.en.	yellow single-seeded.	—	1731.	—	F. h.	Renealm. spec. t. 33.
3	aphyllum. L.en.	violet-coloured.	Volga.	1818.	—	H. h.	Pall. it. 3. app. t. 5. f. 2.
4	parviflorum. L.en.	small-flowered.	—	—	F. h.	
SPARTIANTHUS. L.en. SPARTIANTHUS. Diadelphia Decandria. L.							
	juncus. L.en.	Spanish-broom.	S. Europe.	1548.	7. 9.	H. h.	Botan. magaz. 85.
	<i>a simplex.</i>	common.					
	<i>β plenum.</i>	double-flowered.					
GENISTA. L.en. GENISTA. Diadelphia Decandria. L.							
1	cinerea. L.en.	ash-coloured.	S. France.	1818.	5. 7.	H. h.	Wats. dend. brit. t. 76.
	<i>Spartium cinereum.</i> w.						
2	angulata. L.en.	small-flowered.	Levant.	1739.	—	H. h.	Venten. cels. 87.
3	congesta.	close-branched.	Teneriffe.	4. 7.	G. h.	
	<i>Spartium congestum.</i> w.en.						
4	virgata. L.en.	long-twigg'd.	Madeira.	1777.	3. 6.	G. h.	Botan. magaz. 2265.
	<i>Spartium virgatum.</i> w.						
5	linifolia. L.	Flax-leaved.	Spain.	1739.	1. 6.	G. h.	Botan. magaz. 442.
6	radiata. L.en.	rayed.	Italy.	1758.	5. 7.	H. h.	— 2260.
	<i>Spartium radiatum.</i> B.M.						
7	pilocarpa. L.en.	hairy-podded.	1820.	—	F. h.	
8	clavata. Poir.	clavate.	Mogadore.	1812.	5. 8.	G. h.	Vent. choix. t. 17.
	<i>Spartium sericeum.</i> v.						

9	purgans. Bul.	purgings.	S. France.	1768.	6. 7.	H. h.	Bull. herb. t. 115.
10	umbellatum.	umbelled.	Barbary.	1799.	4. 6.	G. h.	Desf. atl. 2. t. 180.
	<i>Spartium umbellatum.</i> w.						
11	pilosa. w.	hairy green-weed.	England.	5. 6.	H. h.	Engl. bot. 208.
12	sericea. w.	silky-leaved.	Austria.	1812.	—	H. h.	Jacq. ic. 3. t. 556.
13	diffusa. w.	diffuse.	Italy.	1816.	—	H. h.	— 3. t. 555.
14	decumbens. w.	decumbent.	France.	1775.	—	H. h.	Lodd. bot. cab. 718.
15	procumbens. w.	procumbent.	Hungary.	1816.	6. 8.	H. h.	
16	florida. w.	Spanish.	Spain.	1752.	—	H. h.	
17	ovata. w.	oval-leaved.	Hungary.	1816.	—	H. h.	Wats. dend. brit. t. 77.
18	sibirica. w.	Siberian.	Siberia.	1785.	—	H. h.	Jacq. vind. 2. t. 190.
19	tinctoria. w.	Dyer's green-weed.	Britain.	—	H. h.	Engl. bot. 44.
20	scariosa. L.en.	scariose.	Italy.	1820.	—	H. h.	
21	anxantica. Ten.	smooth.	—	—	—	H. h.	
22	triangularis. w.	three-sided.	Hungary.	1815.	5. 6.	H. h.	W. et Kit. h. 2. t. 153.
23	sagittalis. w.	jointed.	Germany.	1570.	—	H. h.	Jacq. aust. 3. t. 209.
24	triquetra. w.	triangular.	Corsica.	1770.	5. 6.	H. h.	Wats. dend. brit. t. 79.
25	viscosa. w.	clammy.	Canaries.	1815.	4. 7.	G. h.	
26	candicans. w.	hoary.	Spain.	1735.	—	G. h.	Wats. dend. brit. t. 80.
27	canariensis. w.	Canary.	Canaries.	1656.	5. 9.	G. h.	Botan. regist. 217.
28	ferox. L.en.	fierce.	Barbary.	1800.	6. 7.	G. h.	Desf. atl. 2. t. 182.
	<i>Spartium ferox.</i> B.R. 368.						
29	germanica. w.	German.	Germany.	1773.	6. 8.	H. h.	
30	hispanica. w.	dwarf prickly.	Spain.	1759.	—	H. h.	Cav. ic. 3. t. 211.
31	lusitanica. w.	Portugal.	Portugal.	1771.	3. 5.	H. h.	Andrews' reposit. 419.
32	triacanthos. L.en.	three-spined.	—	1821.	5. 6.	H. h.	
33	falcata. P.s.	falcate-podded.	—	—	3. 5.	H. h.	
34	anglica. w.	Petty Whin.	Britain.	5. 8.	H. h.	Engl. bot. 132.
35	Scorpius. L.en.	Scorpion.	S. Europe.	1570.	3. 4.	H. h.	Wats. dend. brit. t. 78.
	<i>Spartium Scorpius.</i> w.						
CALYCOTOME. L.en. CALYCOTOME. Diadelphia Decandria.							
1	spinosa. L.en.	prickly.	S. Europe.	1596.	6. 7.	F. h.	Lob. ic. 2. p. 95.
	<i>Spartium spinosum.</i> w.						
2	villosa. L.en.	villous.	—	1822.	—	F. h.	
	<i>Spartium villosum.</i> w.						
CYTISUS. L.en. CYTISUS. Diadelphia Decandria. L.							
1	nubigenus. L.en.	cluster-flow'r'd.	Teneriffe.	1779.	5. 8.	F. h.	
	<i>Spartium nubigenum.</i> w.						
2	scoparius. L.en.	common Broom.	Britain.	4. 6.	H. h.	Engl. bot. 1339.
	<i>Spartium scoparium.</i> w.						
3	patens.	woolly-podded.	Portugal.	1752.	6. 7.	H. h.	Cav. ic. 2. t. 176.
	<i>Spartium patens.</i> w.						
4	procerus. L.en.	tall.	—	1816.	—	H. h.	
5	multiflorus.	white Portugal.	—	1752.	5.	H. h.	Duham. arb. t. 23.
	<i>albus.</i> L.en. <i>Spartium multiflorum.</i> w.						
6	proliferus. w.	silky.	Canaries.	1779.	4. 5.	G. h.	Botan. regist. 121.
7	Laburnum. w.	Laburnum.	Europe.	1596.	5. 6.	H. h.	Botan. magaz. 176.
8	alpinus. w.en.	Scotch Laburnum.	—	—	6. 7.	H. h.	
9?	tomentosus. A.R.	tomentose.	C. B. S.	1798.	7. 8.	G. h.	Andr. reposit. 237.
10	nigricans. w.	black-rooted.	Austria.	1730.	6. 7.	H. h.	Jacq. aust. t. 387.
11	sessilifolius. w.	common.	Italy.	1629.	5. 6.	H. h.	Botan. magaz. 255.
12	nanus. w.en.	dwarf.	Levant.	1816.	6. 8.	H. h.	Wats. dend. brit. 81.
13	hirsutus. w.	hairy.	S. Europe.	1739.	—	H. h.	Jacq. obs. 4. t. 96.
14	capitatus. w.	cluster-flow'r'd.	Austria.	1774.	6. 7.	H. h.	Schmidt arb. 1. t. 29.
15	austriacus. w.	Austrian.	—	1741.	6. 9.	H. h.	Jacq. aust. 1. t. 21.
16	leucanthus. w.	cream-colour'd.	Hungary.	1806.	6. 7.	H. h.	Botan. magaz. 1438.
17	purpureus. w.	purple-flow'r'd.	Austria.	1792.	5. 8.	H. h.	— 1176.
	<i>β albus.</i>	<i>white-flowered.</i>					
18	elongatus. w.en.	long-branched.	Hungary.	1804.	5. 6.	H. h.	Wats. dend. brit. 82.
19	falcatus. w.en.	sickle-shaped.	—	1816.	6. 8.	H. h.	W. et Kit. h. 3. t. 238.
20	supinus. w.	trailing.	S. Europe.	1755.	5. 8.	H. h.	Jacq. aust. 1. t. 20.
21	biflorus. w.	two-flowered.	Hungary.	1760.	5. 6.	H. h.	Botan. regist. 308.
22	triflorus. w.	three-flowered.	Spain.	1640.	6. 7.	H. h.	
23	mollis. w.en.	soft-leaved.	1820.	—	H. h.	
24	argenteus. w.	silver-leaved.	France.	1739.	8.	H. h.	
ADENOCARPUS. DC. ADENOCARPUS. Diadelphia Decandria.							
1	divaricatus.	straddling.	S. Europe.	1656.	7. 8.	F. h.	Botan. magaz. 1387.
	<i>Cytisus divaricatus.</i> β. B.M.						
2	parviflorus. DC.	small-flowered.	—	—	F. h.	

3	foliolosus. DC.	leafy.	Canaries.	1779.	7. 8.	F. h.	Botan. magaz. 426.
	<i>Cytisus foliolosus.</i> W.						
4	hispanicus. DC.	Spanish.	Spain.	—	F. h.	Clus. hisp. 190. ic. 192.
CALOPHACA. F.							
	<i>wolgarica.</i> F.	CALOPHACA.	Diadelphia	Decandria.			
	<i>Cytisus wolgaricus.</i> W.	wing-leaved.	Siberia.	1786.	5. 6.	H. h.	Wats. dend. brit. 83.
CAJANUS. DC.							
	<i>PIGEON PEA.</i>		Diadelphia	Decandria.			
1	bicolor. DC.	two-coloured.	E. Indies.	1687.	7. 8.	S. h.	Jacq. vind. 2. t. 119.
2	flavus. DC.	yellow-flow'r'd.	—	—	—	S. h.	
	<i>Cytisus Cajan.</i> L.						
LUPINUS. W.							
	<i>LUPINE.</i>		Diadelphia	Decandria.	L.		
1	arbores. B.M.	tree.	S. America.	1793.	7. 9.	H. h.	Botan. magaz. 682.
2	mutabilis. B.F.G.	changeable.	Bogato.	1825.	—	H. h.	Swt. brit. fl. gar. 130.
3	mexicanus. Lag.	Mexican.	Mexico.	1819.	—	H. 4.	Botan. regist. 457.
4	villosus. W.	villous.	Carolina.	1787.	—	F. 4.	Pursh. fl. am. sep. 2. t. 21.
5	perennis. W.	smooth perennial.	N. America.	1658.	5. 7.	H. 4.	Botan. magaz. 202.
6	nootkatensis. Ph.	hairy perennial.	Nootka Sound.	1794.	6. 8.	H. 4.	— 1311.
7	albus. W.	white.	Levant.	1596.	7. 8.	H. 0.	
8	Termis. W.	Egyptian.	Egypt.	1802.	6. 7.	H. 0.	
9	varius. W.	small blue.	S. Europe.	1596.	7. 8.	H. 0.	
10	hirsutus. W.	large blue.	—	1629.	—	H. 0.	
11	pilosus. W.	rose.	—	1710.	—	H. 0.	
12	angustifolius. W.	narrow-leaved.	Spain.	1686.	—	H. 0.	Knor. del. 2. t. L. 7.
13	linifolius. W.	Flax-leaved.	1799.	—	H. 0.	Roth. abh. 14. t. 5.
14	luteus. W.	yellow.	Sicily.	1596.	—	H. 0.	Botan. magaz. 140.
15	microcarpus. B.M.	small-podded.	Chili.	1822.	4. 6.	H. 0.	— 2413.
ONONIS. W.							
	<i>REST-HARROW.</i>		Diadelphia	Decandria.	L.		
1	antiquorum. W.	tall.	S. Europe.	1790.	6. 7.	H. 4.	
2	spinosa. W.	Cammock.	Britain.	6. 8.	H. h.	Eng. bot. 682.
	<i>arvensis.</i> E.B.						
3	repens. W.	creeping.	Britain.	—	H. 4.	Dill. elt. t. 25. f. 28.
4	hircina. W.	stinking.	Italy.	1596.	5. 8.	H. 4.	Jacq. vind. 1. t. 93.
5	minutissima. W.	pointed calyx'd.	—	1818.	6. 8.	H. 0.	Cav. ic. 2. t. 143.
	<i>barbata.</i> Cav. <i>saxatilis.</i> Lam.						
6	Columnæ. W.	small-flowered.	S. Europe.	1732.	6. 7.	H. 4.	Jacq. aust. 3. t. 240.
	<i>parviflora.</i> P.S. <i>minutissima.</i> Jacq. <i>non</i> W.						
7	capitata. W.	capitate.	Spain.	1818.	—	H. 4.	Cav. ic. 2. t. 159. f. 2.
8	mitissima. W.	cluster-flow'r'd.	Portugal.	1732.	—	H. 0.	Dill. elt. t. 24. f. 27.
9	alopecuroides. W.	Fox-tail.	—	1696.	7. 8.	H. 0.	Lapey. pyr. 1. t. 9.
10	variegata. W.	variegated.	Spain.	1784.	—	H. 0.	Desf. atl. 2. t. 185.
11	striata. P.S.	striated.	Pyrenees.	1814.	6. 7.	H. 4.	
12	diffusa. T.S.	diffuse.	Italy.	1824.	7. 8.	H. 0.	
13	oligophylla. T.S.	few-leaved.	—	—	—	H. 4.	Botan. magaz. 2450.
	<i>hispanica.</i> B.M.						
14	pubescens. W.	downy.	S. Europe.	1680.	6. 8.	H. 0.	
15	cernua. W.	hanging-podded.	C. B. S.	1774.	7. 9.	G. h.	Comm. hort. 2. t. 82.
16	umbellata. W.	umbel-flow'r'd.	—	1818.	—	G. h.	
17	glabra. W.	smooth-leaved.	—	1816.	—	G. h.	
18	capensis. W.	Cape annual.	—	1823.	7. 9.	H. 0.	
19	geminata. W.	two-flowered.	—	1787.	—	G. 4.	
20	villosa. W.	villous.	—	1825.	—	G. 4.	
21	pendula. W.	pendulous.	Barbary.	1818.	—	H. 0.	Desf. atl. 2. t. 191.
22	reclinata. W.	spreading.	S. Europe.	1800.	6. 8.	H. 0.	
23	cenisia. W.	narrow-leaved.	Italy.	1759.	—	H. 4.	All. ped. 1. t. 10. f. 2.
24	foetida. S.M.	fetid.	Marocca.	1804.	7. 10.	H. 0.	
25	vaginalis. W.	sheathed.	Egypt.	1815.	6. 8.	G. h.	Vent. cels. t. 32.
26	Cherleri. W.	dwarf.	S. Europe.	1771.	6. 7.	H. 4.	Bauh. hist. 2. f. 1.
27	viscosa. W.	clammy.	—	1759.	7. 8.	H. 0.	Barr. ic. 1239.
28	biflora. W.	two-flowered.	Barbary.	1824.	—	H. 0.	
29	ornithopodioides. W.	Bird's-foot.	Sicily.	1713.	—	H. 0.	Cav. ic. 2. t. 192.
30	ramosissima. W.	branching.	Barbary.	1825.	H. 4.	Desf. atl. 2. t. 186.
31	picta. W.	painted.	—	—	H. 4.	— 2. t. 137.
32	pinguis. W.	greasy.	S. Europe.	1739.	7. 8.	F. h.	
33	Natrix. W.	yellow shrubby.	—	1683.	5. 9.	F. h.	Botan. magaz. 329.
34	hispanica. W.	Spanish.	Spain.	1799.	—	F. h.	Barrel. ic. 775.
35	tridentata. W.	three-toothed.	—	1752.	6. 8.	F. h.	Cav. ic. 2. t. 152.
36	crispa. W.	curl-leaved.	—	1739.	—	F. h.	Rœm. arch. v. 1. p. 3. t. 1.
37	arborescens. W.	tree.	Barbary.	1825.	..	F. h.	Desf. atl. 2. t. 193.
38	fruticosa. W.	shrubby.	S. France.	1680.	5. 6.	H. h.	Botan. magaz. 317.

39 rotundifolia. w.	round-leaved.	Switzerland. 1570.	5. 7. H. $\frac{1}{2}$.	Botan. magaz. 335.
ARACHIS. W.	EARTH NUT.	Diadelphia Decandria. L.		
hypogæa. w.	American.	S. America. 1712.	5. 6. S. \odot .	Trew pl. rar. t. 5. f. 3.
ANTHYLLIS. W.	KIDNEY VETCH.	Diadelphia Decandria. L.		
1 tetraphylla. w.	four-leaved.	S. Europe. 1640.	7. 8. H. \odot .	Botan. magaz. 108.
2 Vulneraria. w.	common.	Britain.	5. 8. H. $\frac{1}{4}$.	Eng. bot. 104.
β pilosa. P.S.	red-flowered.			
3 montana. w.	mountain.	S. Europe. 1759.	6. 7. H. $\frac{1}{4}$.	Swt. br. fl. gar. 79.
4 Dillenii. Sch.	Dillenius's.	-----	----- H. $\frac{1}{4}$.	
5 cornicina. w.	horned.	Spain. 1759.	7. 8. H. \odot .	Cav. ic. 1. t. 39. f. 2.
6 lotoides. w.	Lotus-like.	----- 1739.	6. 7. H. \odot .	----- 1. t. 40.
7 sericea. w.	wing-leaved.	Barbary. 1786.	7. 8. G. $\frac{1}{2}$.	Desf. act. par. 1. t. 3.
8 hamosa. w.	hooked.	----- 1820.	----- H. \odot .	
9 Gerardi. w.	Gerard's.	Provence. 1806.	6. 8. H. \odot .	Ger. prov. t. 18.
10 onobrychioides. w.	Saintfoin-like.	Spain. 1818.	----- H. $\frac{1}{4}$.	Cav. ic. 2. t. 150.
11 alpina. Ly.	Alpine.	Britain.	6. 7. H. $\frac{1}{4}$.	
12 linifolia. w.	Flax-leaved.	C. B. S. 1816.	----- G. $\frac{1}{2}$.	
13 Barba-Jovis. w.	Jupiter's-beard.	S. Europe. 1640.	3. 5. G. $\frac{1}{2}$.	Botan. magaz. 1927.
14 cretica. w.	Cretan.	Crete. 1737.	6. 7. F. $\frac{1}{2}$.	----- 1092.
<i>Ebenus cretica</i> . L.				
15 heterophylla. w.	various-leaved.	Spain. 1768.	----- G. $\frac{1}{2}$.	
16 cytisoides. w.	downy-leaved.	----- 1731.	4. 6. F. $\frac{1}{2}$.	Barr. ic. 1182.
17 Hermannia. w.	Lavender-ld.	Levant. 1739.	4. 7. F. $\frac{1}{2}$.	Botan. magaz. 2576.
18 Erinacea. w.	prickly.	Spain. 1759.	4. 5. F. $\frac{1}{2}$.	Botan. magaz. 676.
19 Hystrix.	Porcupine.	S. Europe.	----- F. $\frac{1}{2}$.	
PETALOSTEMON. M.	PETALOSTEMON.	Diadelphia Pentandria.		
1 candidum. Ph.	white.	N. America. 1811.	7. 8. H. $\frac{1}{4}$.	Mich. am. 2. t. 37. f. 1.
2 carneum. Ph.	flesh-coloured.	-----	----- H. $\frac{1}{4}$.	
3 violaceum. Ph.	purple.	-----	7. 9. H. $\frac{1}{4}$.	Botan. magaz. 1707.
4 corymbosum. Ph.	corymbose.	-----	----- H. $\frac{1}{4}$.	
<i>Dalea Kuhnistera</i> . w.				
DALEA. J.	DALEA.	Diadelphia Decandria. W.		
1 Cliffortiana. w.	Vera Cruz.	Vera Cruz. 1737.	7. 8. H. \odot .	
2 Linnæi. M.	Fox-tail.	Mississippi. 1812.	----- H. \odot .	Mich. am. 2. t. 33.
<i>Petalostemon alopecuroideum</i> . Ph.				
3 aurea. N.	golden.	Louisiana. 1811.	----- H. $\frac{1}{4}$.	
4 laxiflora. Ph.	loose-flowered.	-----	----- H. $\frac{1}{4}$.	
5 enneaphylla. w.	nine-leaved.	W. Indies. 1772.	----- S. \odot .	
6 phymatodes. w.	obovate-leaved.	Caracas. 1824.	----- S. \odot .	
7 nutans. w.	nodding.	S. America. -----	----- S. $\frac{1}{4}$.	Cav. ic. 3. t. 201.
8 citriodora. w.	leafy.	New Spain. 1780.	10. 11. S. \odot .	----- 3. t. 271.
<i>Psoralea citriodora</i> . C.I.				
9 mutabilis. w.	changeable.	S. America. 1821.	9. 10. S. $\frac{1}{2}$.	Botan. magaz. 2486.
<i>bicolor</i> . Hook. ex. flor. 43.				
10 Lagopus. w.	downy-spiked.	Mexico. 1780.	10. 11. G. \odot .	Cav. ic. 1. t. 86.
11 lutea. w.	yellow.	----- 1823.	7. 9. G. $\frac{1}{4}$.	----- 4. t. 325.
12 tomentosa. w.	woolly.	-----	----- G. $\frac{1}{4}$.	----- 3. t. 240.
PSORALEA. W.	PSORALEA.	Diadelphia Decandria. L.		
1 pinnata. w.	wing-leaved.	C. B. S. 1690.	5. 7. G. $\frac{1}{2}$.	Herm. lugd. t. 273.
2 odoratissima. w.	fragrant.	----- 1795.	----- G. $\frac{1}{2}$.	Jacq. schœn. 2. t. 229.
<i>pinnata</i> . A.R. 474. <i>nec aliorum</i> .				
3 verrucosa. w.	narrow-leaved.	----- 1774.	5. 8. G. $\frac{1}{2}$.	----- 2. t. 226.
<i>angustifolia</i> . Jacq. <i>arborea</i> . B.M. 2090.				
4 aculeata. w.	prickly-leaved.	-----	----- G. $\frac{1}{2}$.	Andr. reposit. 146.
5 bracteata. w.	oval-spiked.	----- 1731.	6. 7. G. $\frac{1}{2}$.	Botan. magaz. 446.
6 spicata. w.	long-spiked.	----- 1774.	7. 8. G. $\frac{1}{2}$.	Andr. reposit. 411.
7 involucrata. w.	large-bracted.	----- 1824.	----- G. $\frac{1}{2}$.	
8 aphylla. w.	leafless.	----- 1790.	6. 8. G. $\frac{1}{2}$.	Botan. magaz. 1727.
9 multicaulis. w.	many-stalked.	----- 1793.	8. 10. G. $\frac{1}{2}$.	Jacq. schœn. 2. t. 230.
10 tenuifolia. w.	fine-leaved.	-----	6. 7. G. $\frac{1}{2}$.	----- 2. t. 225.
11 axillaris. w.	axillary-flow'r'd.	----- 1816.	----- G. $\frac{1}{2}$.	
12 decumbens. w.	trailing.	----- 1774.	4. 6. G. $\frac{1}{2}$.	Lodd. bot. cab. 281.
13 hirta. w.	hairy.	----- 1713.	5. 9. G. $\frac{1}{2}$.	Jacq. schœn. 2. t. 228.
14 Stachydis. w.	Stachy's-leav'd.	----- 1793.	4. 6. G. $\frac{1}{2}$.	
15 striata. w.	streaked.	----- 1816.	6. 8. G. $\frac{1}{2}$.	
16 argentea. w.	silvery.	-----	----- G. $\frac{1}{2}$.	
17 tomentosa. w.	woolly.	----- 1825. G. $\frac{1}{2}$.	
18 repens. w.	creeping.	----- 1774.	7. 8. G. $\frac{1}{2}$.	
19 pedunculata. B.R.	flat-headed.	----- 1815.	1. 12. G. $\frac{1}{2}$.	Botan. regist. 223.

20	bituminosa. w.	bituminous.	S. Europe.	1570.	4. 9.	G. h.	Schkuhr. han. 2. t. 210.
21	glandulosa. w.	stripe-flowered.	Peru.	1770.	5. 9.	F. h.	Botan. magaz. 990.
22	divaricata. W.en.	divaricate.	S. America.	1820.	—	G. h.	
23	pubescens. W.en.	pubescent.	—	—	—	G. h.	
24	palæstina. w.	Palestine.	Levant.	1771.	4. 9.	F. 4.	Jacq. vind. 2. t. 184.
25	americana. w.	Madeira.	Madeira.	1640.	7. 8.	G. h.	Jacq. schœn. 2. t. 227.
26	capitata. w.	headed.	C. B. S.	1793.	6. 8.	G. h.	
27	canescens. M.	canescent.	Carolina.	1823.	—	H. 4.	
28	cuspidata. Ph.	large-rooted.	Louisiana.	1811.	—	H. 4.	
29	esculenta. Ph.	Bread root.	Missouri.	—	—	H. 4.	Pursh. am. sept. 2. t. 22.
30	incana. N.	silky.	—	1813.	—	H. 4.	
	<i>argophylla</i> . Ph.						
31	arenaria. N.	sand.	—	1823.	—	H. 4.	
	<i>lanceolata et elliptica</i> . Ph.						
32	Lupinellus. Ph.	small-flowered.	Carolina.	1812.	—	H. 4.	
33	Onobrychis. N.	rough-podded.	Louisiana.	—	—	H. 4.	Botan. regist. 453.
34	melilotoides. w.	Melilot-like.	Carolina.	1814.	—	H. 4.	454.
	<i>Melilotus psoraloides</i> . N.						
35	lathyrifolia. w.en.	Lathyrus-leav'd.	—	1823.	—	G. h.	Balb. h. turin. f. 1.
36	corylifolia. w.	Hazel-leaved.	India.	1739.	6. 7.	S. ♂.	Botan. magaz. 665.
MELILOTUS. J.		MELILOT.	Diadelphia Decandria.	L.			
1	cœrulea. P.S.	blue.	Germany.	1562.	8. 9.	H. ⊙.	Botan. magaz. 2283.
	<i>Trifolium cœruleum</i> . B.M.						
2	parviflora. DC.	small-flowered.	India.	1810.	6. 8.	H. ⊙.	
	<i>rugulosa</i> . W.en.						
3	indica. w.en.	Indian.	—	1680.	—	H. ⊙.	Pluk. alm. t. 45. f. 4.
4	Boumeti. L.en.	yellow-flow'r'd.	—	1818.	—	H. ⊙.	
5	altissima. L.en.	tallest.	S. Europe.	—	—	H. ⊙.	
6	messanensis. P.S.	Sicilian.	Sicily.	1680.	—	H. ⊙.	
7	mauritanica. W.en.	Barbary.	Barbary.	1798.	—	H. ⊙.	
8	sulcata. DC.	furrowed.	—	—	—	H. ⊙.	
9	polonica. P.S.	Polish.	Poland.	1778.	—	H. ⊙.	
10	macrorrhiza. P.S.	long-rooted.	Hungary.	1801.	7. 8.	H. 4.	W. et K. hung. 1. t. 26.
11	dentata. P.S.	toothed.	—	1802.	6. 8.	H. 4.	1. t. 42.
12	officinalis. L.en.	common.	Britain.	6. 9.	H. ⊙.	Eng. bot. 1340.
13	vulgaris. W.en.	white-flowered.	Europe.	—	H. ♂.	
14	Kochiana. W.en.	smooth-podd'd.	Germany.	1816.	—	H. ♂.	
15	Petitpierriana. W.en.	rough-podded.	—	—	—	H. ♂.	
	<i>altissima</i> . P.S.						
16	linearis. P.S.	linear-leaved.	Spain.	—	—	H. ⊙.	
17	hamosa. M.B.	hooked.	Siberia.	1823.	—	H. ⊙.	
18	plicata. F.	plaited.	—	—	—	H. ⊙.	
19	taurica. F.	Taurian.	Tauria.	—	—	H. ⊙.	
20	italica. P.S.	Italian.	Italy.	1596.	—	H. ⊙.	Camer. hort. t. 29.
21	rotundifolia. L.en.	round-leaved.	—	1824.	—	H. ⊙.	
22	cretica. P.S.	Cretan.	Candia.	1713.	—	H. ⊙.	Bauh. prodr. t. 142.
23	? ornithopodioides. P.S.	Bird's-foot.	Britain.	—	H. ⊙.	Eng. bot. 1047.
	<i>Trifolium ornithopodioides</i> . E.B.						
	<i>Trigonella ornithopodioides</i> . DC.						
LUPINASTER. Ph.		LUPINASTER.	Diadelphia Decandria.				
	<i>pentaphyllum</i> .	five-leaved.	Siberia.	1741.	7. 8.	H. 4.	Botan. magaz. 879.
	<i>Trifolium Lupinaster</i> . B.M.						
	<i>Pentaphyllum Lupinaster</i> . P.S.						
TRIFOLIUM. J.		TREFOIL.	Diadelphia Decandria.	L.			
1	reflexum. w.	reflexed.	Virginia.	1794.	6. 8.	H. 4.	
2	angulatum. w.	angular.	Hungary.	1803.	—	H. ⊙.	W. et K. hung. 1. t. 27.
3	strictum. w.	upright.	S. Europe.	1805.	7. 8.	H. ⊙.	1. t. 37.
4	hybridum. w.	hybrid.	Europe.	1777.	—	H. 4.	Mich. gen. t. 25. f. 2. 6.
5	Michelianum. P.S.	Italian.	Italy.	1815.	—	H. ⊙.	Mich. n. g. pl. t. 25. f. 2.
6	elegans. P.S.	elegant.	—	1823.	—	H. ⊙.	Savi fl. pis. 161. t. 1. f. 2.
7	pallescent. P.S.	pale.	Hungary.	1804.	—	H. ⊙.	
8	cæspitosum. w.	turfy.	Switzerland.	1815.	6. 8.	H. 4.	Vill. delph. 3. t. 41.
9	repens. w.	white clover.	Britain.	5. 9.	H. 4.	Eng. bot. 1769.
	<i>β pentaphyllum</i> . P.S.	purple 5-leaved.	—	—	H. 4.	
10	comosum. w.	tufted.	America.	1798.	6. 7.	H. 4.	
11	alpinum. w.	Alpine.	Italy.	1775.	6. 8.	H. 4.	Sturm Kl. deut. c. ic.
12	globosum. w.	globular.	Levant.	1713.	6. 8.	H. ⊙.	
13	subterraneum. w.	subterraneous.	England.	5. 6.	H. ⊙.	Eng. bot. 1048.
14	hispidum. w.	hispid.	S. Europe.	1823.	—	H. ⊙.	Desf. atl. 2. t. 209. f. 1.
15	Cherleri. w.	hairy.	Montpelier.	1750.	—	H. ⊙.	Barrel. ic. 859.
16	villosum. P.S.	villous.	France.	1818.	—	H. ⊙.	

17	pictum. w.	painted.	1800.	6. 8.	H.⊙.	
18	diffusum. P.S.	diffuse.	Hungary.	1801.	—	H.⊙.	W. et K. hung. 1. t. 50.
19	saxatile. w.	rock.	Switzerland.	1816.	—	H.♂.	All. ped. t. 59. f. 3.
20	capense. w.	Cape.	C. B. S.	1825.	G.♀.	
21	lappaceum. w.	burr.	Montpelier.	1787.	6. 8.	H.⊙.	
22	rubens. w.	long-spiked.	S. Europe.	1633.	6. 9.	H.♀.	Jacq. aust. 4. t. 385.
23	pratense. w.	common clover.	Britain.	5. 9.	H.♀.	Eng. bot. 1770.
24	medium. w.	zigzag.	England.	6. 8.	H.♀.	Eng. bot. 190.
25	alpestre. w.	oval-spiked.	Europe.	1789.	—	H.♀.	Jacq. aust. 5. t. 433.
26	pensylvanicum. Ph.	Buffalo clover.	N. America.	1811.	6. 9.	H.♀.	
27	pannonicum. w.	Hungarian.	Hungary.	1752.	6. 7.	H.♀.	Jacq. obs. 2. t. 42.
28	noricum. P.S.	white-flowered.	—	1823.	—	H.♀.	Sturm deut. c. ic.
29	bracteatum. W.en.	large-bracted.	Morocco.	1804.	—	H.♂.	
30	pallidum. w.	pale-flowered.	Hungary.	1803.	—	H.⊙.	W. et K. hung. 1. t. 36.
31	alopecuroides. P.S.	fox-tail.	—	—	H.♀.	
32	canescens. w.	gray.	Caucasus.	1803.	5. 6.	H.♀.	Botan. magaz. 1168.
33	maritimum. w.	teasel-headed.	England.	6. 7.	H.⊙.	Eng. bot. 220.
	<i>irregulare. DC.</i>						
34	squarrosum. w.	various-leaved.	Spain.	1640.	7.	H.⊙.	Moris. his. 2. t. 13. f. 1.
35	incarnatum. w.	flesh-coloured.	Italy.	1596.	—	H.⊙.	Botan. magaz. 328.
36	Molineri. w.en.	long-headed.	—	1823.	—	H.⊙.	
37	ochroleucum. w.	sulphur-color'd.	England.	5. 7.	H.♀.	Eng. bot. 1224.
38	angustifolium. w.	narrow-leaved.	S. Europe.	1640.	6. 8.	H.⊙.	Barrel. ic. t. 698.
39	lasiocephalum. L.en.	woolly-headed.	C. B. S.	1825.	—	H.⊙.	
40	involucratum. w.	involucred.	S. Europe.	—	—	H.⊙.	
41	armenium. W.en.	Armenian.	Armenia.	1816.	5. 7.	H.♀.	
42	arvense. w.	Hare's-foot.	Britain.	7. 8.	H.⊙.	Eng. bot. 944.
43	stellatum. w.	starry-headed.	England.	—	H.⊙.	— 1546.
44	gracile. P.S.	slender.	France.	1818.	—	H.⊙.	
45	clypeatum. w.	oriental.	Levant.	1711.	6. 8.	H.⊙.	Alp. exot. t. 306.
46	albidum. w.	white.	1796.	7. 8.	H.⊙.	
47	Bocconi. L.en.	Boccone's.	Italy.	1825.	—	H.⊙.	
48	scabrum. w.	rough.	Britain.	5. 6.	H.⊙.	Eng. bot. 903.
49	rigidum. P.S.	rigid.	Italy.	1818.	—	H.⊙.	Savi fl. pes. 2. t. 1. f. 1.
50	glomeratum. w.	round-headed.	England.	6.	H.⊙.	Eng. bot. 1063.
51	striatum. w.	soft-knotted.	Britain.	—	H.⊙.	— 1843.
52	gemellum. w.	double-headed.	Spain.	1825.	7. 8.	H.⊙.	
53	Gussoni. T.	Gussone's.	Italy.	—	—	H.⊙.	
54	phleoides. w.	Phleum-spiked.	Spain.	—	—	H.⊙.	
55	alexandrinum. w.	Egyptian.	Egypt.	1798.	6. 7.	H.⊙.	
56	malacanthum. L.en.	sharp-sepaled.	1824.	6. 7.	H.⊙.	
57	suffocatum. w.	suffocated.	England.	—	H.⊙.	Eng. bot. 1049.
58	conicum. S.T.	conical.	1823.	—	H.⊙.	
59	aristatum. W.en.	awned.	Portugal.	1820.	—	H.⊙.	
60	parviflorum. w.	small-flower'd.	Hungary.	1805.	7. 8.	H.⊙.	
61	spumosum. w.	bladdered.	France.	1771.	6. 7.	H.⊙.	
62	resupinatum. w.	resupinate.	Germany.	1713.	—	H.⊙.	Barr. ic. t. 872.
63	vesiculosum. P.S	recurved.	Hungary.	1805.	—	H.⊙.	W. et K. hung. 2. t. 165.
	<i>recurvum. W.K.</i>						
64	formosum. Savi.	sweet-scented.	S. Europe.	1818.	—	H.⊙.	
	<i>suaveolens. W.en.</i>						
65	tomentosum. w.	woolly.	—	1640.	—	H.⊙.	Magn. monsp. t. 264.
66	fragiferum. w.	Strawberry-headed.	England.	7. 8.	H.♀.	Eng. bot. 1050.
67	Cupani. L.en.	long-flowered.	Italy.	1820.	—	H.⊙.	
68	rupestre. T.S.	villous-headed.	—	1824.	—	H.♀.	
69	tenuiflorum. T.S.	slender-flowered.	—	—	—	H.♀.	
70	tenuifolium. T.S.	slender-leav'd.	—	—	—	H.♀.	
71	badium. P.S.	villous-stalked.	Pyrenees.	6. 8.	H.♀.	
72	spadiceum. w.	Bay-coloured.	Europe.	1778.	—	H.♀.	Botan. magaz. 557.
73	speciosum. w.	large-flowered.	Candia.	1752.	6. 7.	H.♀.	
74	agrarium. w.	golden.	Europe.	1815.	—	H.⊙.	Barrel. ic. 1024.
75	Sebastiani. Savi.	Sebastian's.	Italy.	1823.	—	H.⊙.	
76	montanum. w.	mountain.	Europe.	1786.	7. 8.	H.♀.	Flor. dan. t. 1172.
77	procumbens. E.B.	Hop.	Britain.	6. 7.	H.⊙.	Eng. bot. t. 945.
	<i>campestre. P.S. agrarium. C.L.</i>						
78	minus. E.B.	lesser yellow.	—	—	H.⊙.	— t. 1256.
	<i>procumbens. C.L.</i>						
79	filiforme. E.B.	slender yellow.	—	—	H.⊙.	— t. 1257.

MEDICAGO. W.

- 1 arborea. w.
- 2 cretacea. w.en.
- 3 sativa. w.
- 4 media. P.S.
falcata. Lam. non L.
- 5 falcata. w.
- 6 glomerata. P.S.
- 7 glutinosa. w.
- 8 prostrata. w.
- 9 brachycarpa. M.B.
- 10 suffruticosa. DC.
- 11 lupulina. E.B.
- 12 Willdenowii. DC.
- 13 obscura. P.S.
- 14 orbicularis. w.
- 15 marginata. w.en.
- 16 elegans. w.
- 17 scutellata. w.
- 18 Helix. w.
- 19 tornata. w.
- 20 turbinata. w.
- 21 tuberculata. w.
- 22 aculeata. w.
- 23 Murex. w.
- 24 intertexta. w.
- 25 Echinus. DC.
- 26 histrix. T.S.
- 27 ciliaris. w.
- 28 granatensis. W.en.
- 29 carstiensis. w.
- 30 maculata. w.
polymorpha. E.B.
- 31 flexuosa. T.S.
- 32 arenaria. T.S.
littoralis. L.en.
- 33 tentaculata. w.
- 34 coronata. w.
- 35 apiculata. w.
- 36 spinulosa. DC.
- 37 denticulata. w.
- 38 muricata. w.
- 39 Gerardi. w.
- 40 agrestis. T.S.
- 41 marina. w.
- 42 Terebellum. w.
- 43 tribuloides. w.
- 44 uncinata. w.
- 45 distans. Poir.
- 46 caspica. L.en.
- 47 pubescens. w.en.
- 48 rigidula. w.
- 49 catalanica. L.en.
- 50 græca. w.en.
- 51 minima. w.
- 52 nigra. w.
- 53 laciniata. w.
- 54 ovata. H.E.
- 55 strumaria. H.E.

MEDICK. Diadelphia Decandria. L.

- | | | | | |
|--------------------|------------|-------|--------|-------|
| Moon trefoil. | Italy. | 1596. | 5. 11. | F. h. |
| suffruticose. | Tauria. | 1805. | 7. | H. h. |
| Lucerne. | England. | | 6. 7. | H. 4. |
| pale-flowered. | Europe. | | — | H. 4. |
| yellow. | Britain. | | 7. 8. | H. 4. |
| clustered. | Italy. | | — | H. 4. |
| glutinous. | Tauria. | 1818. | — | H. 4. |
| prostrate. | Italy. | 1793. | — | H. 4. |
| short-podded. | Tiflin. | 1818. | — | H. 4. |
| frutescent. | Pyrenees. | — | 6. 7. | H. h. |
| nonesuch. | Britain. | | 5. 8. | H. 4. |
| Willdenow's. | Europe. | | — | H. 4. |
| doubtful. | | 1734. | 7. 8. | H. 4. |
| flat-podded. | S. Europe. | 1688. | — | H. 4. |
| marginated. | S. Europe. | 1816. | — | H. 4. |
| elegant. | Sicily. | 1680. | — | H. 4. |
| snail-podded. | S. Europe. | 1562. | 6. 8. | H. 4. |
| many fld. snail. | — | 1816. | — | H. 4. |
| smooth-podd'd. | — | 1658. | — | H. 4. |
| Turban. | — | 1680. | — | H. 4. |
| wart-podded. | — | 1658. | — | H. 4. |
| prickly. | | 1802. | — | H. 4. |
| Burdock-podded. | | — | — | H. 4. |
| hedge-hog. | S. Europe. | 1629. | — | H. 4. |
| Sea-egg. | — | 1820. | — | H. 4. |
| Porcupine. | Italy. | 1824. | — | H. 4. |
| fringed. | France. | 1686. | 7. 8. | H. 4. |
| Spanish. | Spain. | 1816. | 6. 8. | H. 4. |
| creeping-rooted. | Carinthia. | 1789. | 6. 7. | H. 4. |
| heart. | England. | | 5. 6. | H. 4. |
| flexuose. | Italy. | 1824. | 6. 8. | H. 4. |
| sand. | — | — | — | H. 4. |
| distichous-spined. | S. Europe. | — | — | H. 4. |
| crowned. | — | 1660. | — | H. 4. |
| tufted. | — | 1800. | — | H. 4. |
| spinulous. | — | 1820. | — | H. 4. |
| toothed. | — | 1800. | — | H. 4. |
| prickly. | England. | | 5. 6. | H. 4. |
| Gerard's. | Hungary. | 1816. | 6. 8. | H. 4. |
| field. | Italy. | 1824. | — | H. 4. |
| sea. | S. Europe. | 1596. | — | H. 4. |
| short-spined. | — | 1798. | — | H. 4. |
| Caltrops-like. | — | 1739. | — | H. 4. |
| hooked. | — | 1820. | — | H. 4. |
| distant. | | — | — | H. 4. |
| Caspian. | Caspia. | — | — | H. 4. |
| pubescent. | S. Europe. | 1823. | — | H. 4. |
| thorny-podded. | — | 1730. | — | H. 4. |
| Catalanian. | Catalania. | 1816. | — | H. 4. |
| Grecian. | Greece. | 1804. | — | H. 4. |
| least. | England. | | — | H. 4. |
| black. | France. | 1789. | — | H. 4. |
| cut-leaved. | S. Europe. | 1683. | — | H. 4. |
| oval-leaved. | — | 1818. | — | H. 4. |
| strumous. | — | — | — | H. 4. |

Flor. græc. 767.

Eng. bot. 1749.

Eng. bot. 1016.

Jacq. vind. 1. t. 89.

Eng. bot. 971.

Retz. obs. 1. p. 24. t. 1.
Gært. sem. 2. t. 155.Moris. s. 2. t. 15. f. 4.
— 2. t. 15. f. 3.Moris. s. 2. t. 15. f. 5.
— 2. t. 15. f. 6.

Moris. s. 2. t. 15. f. 7.

Botan. magaz. 909.
Eng. bot. 1616.Gært. sem. 2. t. 155.
Moris. s. 2. t. 15. f. 16.Pluk. phyt. t. 113. f. 6.
Moris. s. 2. t. 15. f. 18.

Cav. ic. 2. t. 130.

Flor. dan. 211.
Moris. s. 2. t. 15. f. 19.

Lob. ic. 2. p. 38. f. 2.

Gært. sem. 2. t. 155.








































Gmel. sibir. 4. t. 8.
— 4. t. 9.

HYMENOCARPOS. W. HYMENOCARPOS. Diadelphia Decandria.





- | | | | | | |
|---------------------------------|----------------|------------|-------|-------|-------|
| 1 radiatus. L.en. | ray-podded. | Italy. | 1629. | 6. 7. | H. 4. |
| <i>Medicago radiata</i> . w. | | | | | |
| 2 circinnatus. L.en. | kidney-podded. | Italy. | 1640. | 7. 8. | H. 4. |
| <i>Medicago circinnata</i> . w. | | | | | |
| 3 nummularius. L.en. | Money-wort. | S. Europe. | | — | H. 4. |
- TRIGONELLA. W. FENUGREEK. Diadelphia Decandria. L.
- | | | | | | |
|-------------------|---------------|----------|-------|-------|-------|
| 1 ruthenica. w. | small. | Siberia. | 1741. | 5. 7. | H. 4. |
| 2 platycarpus. w. | round-leaved. | — | — | 6. 9. | H. 4. |
| 3 hybrida. DC. | hybrid. | France. | 1806. | — | H. 4. |

4	<i>striata</i> . w.	streaked.	1824.	—	H. 4.	
5	<i>polycerata</i> . w.	broad-leaved.	S. Europe.	1640.	7. 9.	H. ⊙.	
6	<i>hamosa</i> . w.	hooked.	Egypt.	—	7. 8.	H. ⊙.	Alp. ægypt. t. 124.
7	<i>spinosa</i> . w.	thorny.	Candia.	1710.	—	H. ⊙.	Lam. ill. t. 611. f. 2.
8	<i>corniculata</i> . w.	horse-shoe.	S. Europe.	1597.	6. 7.	H. ⊙.	Moris. s. 2. t. 16. f. 11.
9	<i>cancellata</i> . P.s.	netted-podded.	1818.	—	H. ⊙.	
10	<i>tenuis</i> . M.E.	slender.	Tiflin.	—	—	H. ⊙.	
11	<i>flexuosa</i> . M.B.	flexuose.	—	—	—	H. ⊙.	
12	<i>calliceras</i> . M.B.	rostrate.	—	1824.	—	H. ⊙.	
13	<i>monspeliaca</i> . w.	Montpelier.	Montpelier.	1710.	—	H. ⊙.	W. et K. hung. 2. t. 142.
14	<i>ægyptiaca</i> . Poir.	Egyptian.	Egypt.	1823.	—	H. ⊙.	
15	<i>elongata</i> . L.en.	elongated.	—	—	H. ⊙.	
16	<i>tomentosa</i> . w.	tomentose.	C. B. S.	—	7. 9.	H. ⊙.	
17	<i>laciniata</i> . w.	laciniate.	Egypt.	—	—	H. ⊙.	
18	<i>pinnatifida</i> . w.	pinnatifid.	Spain.	1801.	6. 8.	H. ⊙.	Cav. ic. 1. t. 38.
19	<i>indica</i> . w.	Indian.	E. Indies.	1793.	6. 9.	S. ⊙.	Pluk. alm. t. 200. f. 7.
20	<i>Fœnum-græcum</i> . w.	common.	Montpelier.	1597.	—	H. ⊙.	Schk. s. han. 2. t. 211.
21	<i>esculenta</i> . w.en.	esculent.	E. Indies.	1815.	—	S. ⊙.	
22	<i>gladiata</i> . M.B.	gladiate.	S. Europe.	1820.	—	H. ⊙.	
LOTUS. W. BIRDSFOOT TREFOIL. Diadelphia Decandria. L.							
1	<i>edulis</i> . w.	esculent.	Italy.	1710.	7. 8.	H. ⊙.	Cav. ic. 2. t. 157.
2	<i>peregrinus</i> . w.	flat-podded.	S. Europe.	1713.	—	H. ⊙.	
3	<i>glaucus</i> . w.	glaucous.	Madeira.	1777.	6. 8.	G. ♂.	
4	<i>anthylloides</i> . w.	Anthyllis-like.	C. B. S.	1812.	—	G. ♀.	Vent. malm. t. 92.
5	<i>angustissimus</i> . w.	narrow-podd'd.	S. France.	5. 6.	H. ♂.	Bauh. hist. 2. f. 2.
6	<i>diffusus</i> . E.B.	slender-podd'd.	England.	—	H. ⊙.	Eng. bot. 925.
7	<i>gracilis</i> . w.	slender.	Hungary.	1818.	—	H. 4.	
8	<i>conimbricensis</i> . P.s.	Portugal.	Portugal.	1800.	6. 7.	H. ⊙.	
9	<i>arabicus</i> . w.	red-flowered.	Arabia.	1773.	7. 9.	H. ⊙.	Jacq. vind. 2. t. 155.
10	<i>australis</i> . B.W.	New Holland.	N. S. W.	1803.	5. 9.	G. ♀.	Botan. magaz. 1365.
11	<i>Gebelia</i> . v.	Aleppo.	Aleppo.	1823.	—	H. ⊙.	Vent. cels. t. 57.
12	<i>Dioscoridis</i> . w.	Dioscorides'.	Crete.	1658.	6. 7.	H. ⊙.	All. ped. 1. t. 59. f. 1.
13	<i>tenuis</i> . w.K.	slender.	Hungary.	1816.	6. 8.	H. 4.	
	<i>depressus</i> . w.en.						
14	<i>ornithopodioides</i> .	claw-podded.	Sicily.	1683.	—	H. ⊙.	Cav. ic. 2. t. 163.
15	<i>jacobæus</i> . w.	dark-flowered.	Cape Verd. Isl.	1714. 1. 12.	G. ♀.		Botan. magaz. 79.
16	<i>decumbens</i> . DC.	decumbent.	France.	1820.	5. 7.	H. 4.	
17	<i>Forsteri</i> .	Forster's.	Britain.	—	H. 4.	
	<i>decumbens</i> . E.F. non DC.						
18	<i>creticus</i> . w.	silver-leaved.	Levant.	1680.	6. 9.	G. ♀.	Cav. ic. 2. t. 156.
19	<i>lanuginosus</i> . v.	pendulous.	Levant.	1818.	7. 8.	H. 4.	Vent. malm. 92.
20	<i>hirsutus</i> . w.	hairy.	S. Europe.	1683.	6. 8.	H. ♀.	Botan. magaz. 336.
21	<i>sericeus</i> . DC.	silky.	—	1820.	—	H. 4.	
22	<i>rectus</i> . w.	upright.	—	1640.	—	H. 4.	Moris. s. 2. t. 18. f. 13.
23	<i>palustris</i> . w.	marsh.	Italy.	1824.	—	H. 4.	
24	<i>parviflorus</i> . w.	small-flowered.	—	—	7. 8.	H. ⊙.	Desf. atl. 2. t. 211.
25	<i>subbiflorus</i> . P.s.	two-flowered.	—	1820.	—	H. ⊙.	
26	<i>prostratus</i> . P.s.	prostrate.	—	—	6. 8.	H. 4.	
27	<i>suaveolens</i> . P.s.	sweet-scented.	Barbary.	1804.	—	H. 4.	Botan. magaz. 1233.
	<i>odoratus</i> . B.M.						
28	<i>ciliatus</i> . T.s.	ciliate.	Italy.	1820.	—	H. 4.	
29	<i>pedunculatus</i> . w.	long-peduncul'd.	Spain.	1814.	—	H. 4.	Cav. ic. 2. t. 164.
30	<i>corniculatus</i> . E.B.	common.	Britain.	—	H. 4.	Eng. bot. 2090.
31	<i>major</i> . E.B.	greater.	—	—	H. 4.	— 2091.
32	<i>hispidus</i> . P.s.	hispid.	S. Europe.	1820.	—	H. 4.	
33	<i>cytisoides</i> . w.	downy.	—	1752.	7. 8.	H. 4.	Barrel. rar. 71. t. 10311.
DORYCNIUM. W. DORYCNIUM. Diadelphia Decandria. L.							
1	<i>monspeliense</i> . w.	suffruticose.	S. Europe.	1640.	7. 9.	F. ♀.	Park. theat. 360. f. 1.
	<i>fruticosum</i> . P.s. <i>Lotus Dorycnium</i> . L.						
2	<i>herbaceum</i> . w.	herbaceous.	—	1802.	6. 9.	H. 4.	Vill. dauph. 3. t. 41.
3	<i>latifolium</i> . w.	broad-leaved.	Levant.	1818.	—	F. ♀.	
TETRAGONOLOBUS. TETRAGONOLOBUS. Diadelphia Decandria.							
1	<i>maritimus</i> . L.en.	sea-side.	Europe.	1683.	5. 10.	H. 4.	Flor. dan. 800.
	<i>Lotus maritimus</i> . w.						
2	<i>siliquosus</i> . L.en.	square-podded.	S. Europe.	—	7. 8.	H. 4.	Jacq. aust. 4. t. 361.
3	<i>edulis</i> . L.en.	winged pea.	Sicily.	1796.	—	H. ⊙.	Botan. magaz. 151.
	<i>Lotus tetragonolobus</i> . w.						
4	<i>conjugatus</i> . L.en.	yellow-flow'r'd.	Montpelier.	1754.	—	H. ⊙.	









DOLICHOS. W.

1 Lablab. w.	black-seeded.	Egypt.	1694.	6. 7.	S. 	Botan. magaz. 896.
2 sinensis. w.	Chinese.	India.	1776.	7. 8.	H. 	2232.
3 benghalensis. w.	Bengal.	Bengal.	1820.	—	S. 	Jacq. hort. 2. t. 124.
4 luteolus. w.	yellow.	America.	1805.	—	H. 	1. t. 90.
5 unguiculatus. w.	Birds foot.	W. Indies.	1780.	6. 7.	S. 	Jacq. vind. 1. t. 23.
6 tranquebaricus. w.	Tranquebar.	E. Indies.	1801.	—	S. 	3. t. 70.
7 cultratus. w.	sharp-edged.	Japan.	1818.	—	H. 	—
8 gladiatus. w.	sabre-podded.	E. Indies.	1801.	—	S. 	Jacq. ic. 3. t. 560.
9 tetragonolobus. w.	square-podded.	—	1816.	9. 11.	S. 	—
10 sesquipedalis. w.	long-podded.	W. Indies.	1781.	8.	S. 	Jacq. vind. 1. t. 67.
11 rotundifolius. P.S. <i>emarginatus</i> . Jacq.	round-leaved.	—	1818.	7. 8.	S. 	Jacq. schoen. 2. t. 221.
12 hirsutus. w.	hirsute.	China.	1802.	6.	G. 	Kæmpf. ic. t. 41.
13 pilosus. w.	hairy-podded.	E. Indies.	1790.	8.	S. 	—
14 minimus. w.	small.	Jamaica.	1776.	7. 8.	S. 	Jacq. obs. 1. t. 22.
15 tetraspermus. w.	four-seeded.	E. Indies.	1816.	5. 8.	S. 	—
16 medicagineus. w.	Medick-like.	—	1822.	—	S. 	Burm. zeyl. t. 84. f. 2.
17 obcordatus. H.B.	obcordate.	China.	—	—	S. 	—
18 virosus. H.B.	virose.	E. Indies.	1818.	—	S. 	Rheed. mal. 8. t. 45.
19 capensis. w.	Cape.	C. B. S.	—	—	G. 	—
20 scarabæoides. w.	silver-leaved.	E. Indies.	1773.	6. 7.	S. 	Pluk. alm. t. 53. f. 3.
21 reticulatus. w.	net-leaved.	N. S. W.	1781.	—	G. 	—
22 bulbosus. w.	bulbous.	E. Indies.	—	7.	S. 	Rumph. amb. 5. t. 132.
23 falcatus. w.	falcate-podded.	—	1820.	—	S. 	—
24 lobatus. w.	lobe-leaved.	C. B. S.	1818.	6. 7.	G. 	Hout. syst. 8. t. 64. f. 1.
25 gangeticus. H.B.	Ganges.	Bengal.	1824.	—	S. 	—
26 glutinosus. H.B.	glutinous.	E. Indies.	—	—	S. 	—
27 sanguineus. Ja.	bloody-podded.	—	1822.	—	S. 	—
28 purpureus. w.	purple.	—	1790.	5. 10.	S. 	Exot. bot. 2. t. 74.
29 violaceus. Mart.	violet-coloured.	S. America.	1823.	7. 8.	S. 	—
30 albus. w.	white-flowered.	China.	—	—	H. 	Rumph. amb. t. 137.
31 lignosus. w.	woody.	E. Indies.	1776.	—	G. 	Botan. magaz. 380.
32 luteus. w.	yellow-flow'r'd.	Jamaica.	1812.	—	S. 	—
33 phaseoloides. H.B.	Phaseolus-like.	E. Indies.	1823.	—	S. 	—
34 ensiformis. w.	cimeter-podd'd.	—	1778.	—	S. 	Jacq. ic. 3. t. 559.
35 Soja. w.	Soy.	—	1790.	—	S. 	— 1. t. 145.
36 Catiang. w.	small-fruited.	—	1793.	—	S. 	Rheed. mal. 8. t. 41.
37 biflorus. w.	two-flowered.	—	1776.	—	S. 	Pluk. alm. t. 213. f. 4.
38 roseus. w.	Rose-coloured.	Jamaica.	1812.	—	S. 	—
39 frutescens. D.P.	frutescent.	Nepaul.	1824.	—	S. 	—













STIZOLOBIUM. P.S.

1 altissimum. P.S.	tall.	Martinico.	1779.	—	S. 	Jacq. amer. t. 182. f. 85.
2 urens. P.S.	broad-podded.	W. Indies.	1691.	6. 7.	S. 	Plum. amer. t. 107.
3 pruriens. P.S.	common.	India.	1680.	—	S. 	Jacq. amer. t. 122.
4 mite. P.S.	oblique-leaved.	Peru.	1823.	—	S. 	—

CARPOPOGON. H.B.

1 monospermum. H.B.	single-seeded.	E. Indies.	1818.	7. 9.	S. 	—
2 atropurpureum. H.B.	dark purple.	—	1820.	—	S. 	—
3 niveum. H.B.	white.	—	—	—	S. 	—
4 giganteum. H.B.	gigantic.	—	1815.	—	S. 	Rheed. mal. 8. t. 36.
5 imbricatum. H.B.	imbricated.	—	—	—	S. 	—
6 bracteatum. H.B.	bracted.	—	1822.	—	S. 	—
7 anguineum. Roxb.	snake.	—	—	—	S. 	—
8 capitatum. H.B.	capitate.	—	—	7. 9.	S. 	—

PHASEOLUS. W.

1 vulgaris. w.	common.	India.	1597.	5. 9.	H. 	Lob. ic. 2. p. 59.
2 multiflorus. w. <i>coccineus</i> . P.S.	scarlet runner.	S. America?	1633.	7. 9.	H. 	Schk. han. 2. t. 199. a.
3 perennis. w.	perennial.	Carolina.	1823.	—	H. 	—
4 lunatus. w.	cimeter-podd'd.	E. Indies.	1779.	6. 7.	S. 	Hout. syst. 8. t. 63. f. 1.
5 inamœnus. w.	various-colour'd	Africa.	1794.	7. 8.	H. 	Jacq. vind. 1. t. 66.
6 farinosus. w.	mealy.	E. Indies.	1759.	—	S. 	Niss. act. par. 1730. t. 42.
7 sublobatus. H.B.	lobed-leaved.	—	1820.	—	S. 	—
8 calcaratus. H.B.	spurred.	—	—	—	S. 	—
9 dolichoides. H.B.	Dolichos like.	—	—	—	S. 	—
10 minimus. H.B.	small.	China.	1823.	—	H. 	—
11 vexillatus. w.	sweet-scented.	W. Indies.	1732.	—	H. 	Jacq. vind. 2. t. 102.
12 helvolus. w. <i>Dolichos helvolus</i> . N.	pale red.	Carolina.	—	—	H. 	Dill. elt. t. 233. f. 300.

13	hirtus. w.	hairy.	C. B. S.	1818.	—	H.⊙.	
14	semierectus. w.	dark red.	W. Indies.	1732.	—	S.⊙.	Dill. elt. t. 233. f. 301.
15	angulosus. P.S.	angular-stalk'd.	S. America.	1818.	—	H.⊙.	
16	mesoleucus. L.en.	Brasilian.	Brazil.	—	—	H.⊙.	
17	heterophyllus. W.en.	different-leav'd.	S. America.	—	—	S.4.	
18	subtrilobus. L.en.	acute-lobed.	Brazil.	—	—	H.⊙.	
19	alatus. w.	winged.	Carolina.	1732.	—	H.⊙.	Dill. elt. t. 235. f. 303.
20	Caracalla. w.	Snail-flower.	India.	1690.	8. 9.	S.4.	Botan. regist. 341.
21	aconitifolius. w.	Aconite-leav'd.	E. Indies.	1731.	6. 8.	S.⊙.	Jacq. obs. 3. t. t. 52.
22	angustifolius. H.B.	narrow-leaved.	—	1818.	—	S.⊙.	
23	trilobus. w.	three-lobed.	—	1777.	7. 8.	S.⊙.	Burm. ind. t. 50. f. 1.
24	stipularis. w.	large-stipuled.	Peru.	1805.	—	H.⊙.	
25	nanus. L.	common dwarf.	India.	—	6. 9.	H.⊙.	
26	radiatus. w.	rayed.	China.	1732.	6. 7.	H.⊙.	Dill. elt. t. 235. f. 305.
27	Max. w.	hairy-podded.	India.	1758.	—	H.⊙.	Rumph. amb. 5. t. 140.
28	Mungo. w.	small-fruited.	—	1790.	—	H.⊙.	
29	diversifolius. P.S.	various-leaved.	N. America.	1806.	—	H.⊙.	
	trilobus. Ph. <i>Glycine</i>	<i>angulosa</i> . w.					
30	lathyroides. w.	Lathyrus-like.	Jamaica.	1786.	7. 8.	S.⊙.	Sloan. j. 1. t. 116. f. 1.
31	sphærospermus. w.	round-seeded.	S. America.	1823.	—	S.⊙.	— 1. t. 117. f. 1. 2. 3.
32	glaber. H.B.	smooth.	Mauritius.	—	—	S.⊙.	
33	torosus. H.B.	Nepaul.	Nepaul.	—	—	H.⊙.	
TERAMNUS. W.		TERAMNUS.	Diadelphia Decandria.	L.			
1	volubilis. w.	twining.	Jamaica.	1822.	—	S. h.	
2	uncinatus. w.	hooked.	—	—	—	S. h.	Plum. sp. 8. ic. 221.
ERYTHRINA. W.		CORAL-TREE.	Diadelphia Decandria.	L.			
1	herbacea. w.	herbaceous.	Carolina.	1724.	6. 9.	H. h.	Botan. magaz. 877.
2	carnea. w.	flesh-coloured.	Vera Cruz.	1733.	5.	S. h.	Botan. regist. 389.
3	Corallo dendrum. w.	common.	W. Indies.	1690.	5. 6.	S. h.	Comm. hort. 1. t. 108.
4	indica. w.	Indian.	E. Indies.	1814.	—	S. h.	Rheed. mal. 6. t. 7.
5	fusca. w.	brown-flower'd.	—	1800.	S. h.	Rumph. amb. 2. t. 78.
6	caffra. w.	Cape.	C. B. S.	1816.	5. 6.	S. h.	Botan. regist. 736.
7	speciosa. A.R.	large-flowered.	W. Indies.	1805.	5. 10.	S. h.	Andr. repos. 443.
8	fulgens.	fulgent.	E. Indies.	1801.	—	S. h.	
9	aculeatissima. Desf.	very prickly.	—	1816.	—	S. h.	
10	picta. w.	prickly-leaved.	E. Indies.	1696.	—	S. h.	Rumph. amb. 2. t. 77.
11	glauca. w.	glaucous.	Caracas.	1824.	S. h.	
12	mitis. w.	smooth-stemm'd.	—	1818.	6. 8.	S. h.	Jacq. schœn. 2. t. 216.
13	piscidioides.	Piscidia-leav'd.	E. Indies.	1800.	—	S. h.	
14	abyssinica. W.en.	Abyssinian.	Africa.	1820.	S. h.	
15	incana. W.en.	hoary.	—	—	S. h.	
16	portoricensis. Desf.	Portorico.	Portorico.	—	S. h.	
17	poianthes. L.T.	crowded-fl'd.	—	—	2. 4.	S. h.	Linn. trans. 14. t. 10. 11.
18	secundiflora. L.T.	side-flowering.	Brazil.	1818.	4. 6.	S. h.	— 14. t. 12.
19	crista-galli. L.	Cock's-comb.	—	1771.	3. 10.	H. h.	Swt. br. fl. gar. t. 142.
20	stricta. H.B.	straight.	E. Indies.	1816.	4. 6.	S. h.	
21	ovalifolia. H.B.	oval-leaved.	—	—	S. h.	
22	suberosa. H.B.	cork-barked.	—	1818.	S. h.	
23	arborescens. H.B.	arborescent.	Nepaul.	—	S. h.	
24	arborea. D.L.	tree.	Trinidad.	1822.	S. h.	
25	resupinata. H.B.	resupinate.	E. Indies.	—	S. h.	
BUTEA. W.		BUTEA.	Diadelphia Decandria.				
1	frondosa. w.	downy-branched.	E. Indies.	1796.	S. h.	Roxb. cor. 1. t. 21.
2	superba. w.	smooth-branched.	—	1798.	S. h.	— 1. t. 22.
3	parviflora. H.B.	small-flower'd.	Coromandel.	1820.	S. h.	
CLITORIA. P.S.		CLITORIA.	Diadelphia Decandria.	L.			
1	Ternatea. w.	wing-leaved.	E. Indies.	1739.	7. 8.	S. h.	
	<i>a cœrulea.</i>	<i>blue-flowered.</i>	—	—	—	S. h.	Botan. magaz. 1542.
	<i>β alba.</i>	<i>white-flowered.</i>	—	1812.	—	S. h.	
2	multiflora. w.	many-flowered.	W. Indies.	1823.	—	S. h.	
3	heterophylla. w.	various-leaved.	E. Indies.	1812.	—	S.4.	Botan. magaz. 2111.
4	brasiliانا. w.	Brazilian.	Brazil.	1759.	—	S.⊙.	Breyn. cent. t. 32.
5	virginiana. w.	Virginian.	America.	1732.	—	S.4.	Parad. lond. 51.
	<i>calcarigera</i> . P.L.						
6	Plumieri. P.S.	Plumier's.	W. Indies.	1815.	8. 11.	S. h.	Botan. regist. 268.
7	mariana. w.	Maryland.	N. America.	1759.	8.	H.4.	
8	mexicana. L.en.	Mexican.	Mexico.	1823.	6. 8.	S.4.	
9	erecta. H.B.	erect.	E. Indies.	1822.	7. 8.	S. h.	
10	arborescens. H.K.	tree.	Trinidad.	1804.	S. h.	

- GALACTIA. M.**
 1 pendula. P.S.
 2 mollis. Ph.
 3 sericea. P.S.
- WISTERIA. N.**
 1 speciosa. N.
Glycine frutescens B.M. *Apios frutescens*. Ph.
 2 sinensis. Chinese. China. 1818. 5. 7. H. h. Botan. regist. 650.
Glycine sinensis. E.R.
- APIOS. N.**
 tuberosa. N.
- AMPHICARPA. N.**
 1 monoica. N.
Glycine monoica. Ph.
 2 comosa. tufted. ——— 1812. 7. 9. H. 4.
Glycine comosa. Ph.
 3 sarmentosa. N. sarmentose. Carolina. 1805. 6. 8. H. ☉. Schk. in bot. ann. 12. t. 2.
- GLYCINE. W.**
 1 clandestina. w. small-flowered. N. S. W. 1810. 4. 8. G. 4.
 2 angulosa. w. angular. N. America. 1806. 6. 8. H. ☉.
 3 vincentina. B.R. St. Vincent. St. Vincent's. 1823. — S. h. Botan. regist. 799.
 4 angustifolia. w. narrow-leaved. C. B. S. 1795. — G. h. Jacq. schœn. 2. t. 231.
 5 heterophylla. w. various-leaved. ——— 1816. — G. h.
 6 subterranea. w. subterraneous. S. America. 1820. — S. ☉.
 7 humifusa. w. en. trailing. ——— S. ☉.
 8 precatoria. w. en. Abrus-like. ——— S. h.
 9 parviflora. w. small-flowered. E. Indies. 1812. 7. 8. S. ♂.
 10 debilis. w. hairy. ——— 1778. 6. 7. S. 4.
 11 viscida. P.S. viscous. ——— 1823. — S. 4.
 12 phaseoloides. P.S. Abrus-seeded. W. Indies. 1820. — S. h. Botan. magaz. 2284.
 13 tomentosa. N. downy. N. America. 1732. 6. 9. H. 4. Dill. elt. t. 26. f. 29.
 14 reniformis. Ph. kidney-leaved. Carolina. 1806. 7. 8. F. 4.
monophylla. N.
 15 reticulata. w. net-leaved. Jamaica. 1779. 7. 9. S. h.
 16 picta. w. painted. W. Indies. 1823. — S. h. Aub. guian. 2. t. 306.
 17 suaveolens. w. sweet-scented. E. Indies. 1816. — S. h.
 18 striata. w. streaked. S. America. 1823. — S. h. Jacq. hort. 1. t. 76.
 19 caribæa. w. trailing. W. Indies. 1742. 9. 10. S. h. Jacq. ic. 1. t. 146.
 20 bituminosa. w. clammy. C. B. S. 1774. 4. 9. G. h. Botan. regist. 261.
 21 secunda. w. side-flowering. ——— 1825. 6. 9. G. h.
 22 rhombifolia. w. rhomb-leaved. E. Indies. 1815. 5. 8. S. h.
 23 sagittata. w. en. arrow-leaved. Havannah. — S. h.
- KENNEDIA. Vent.**
 1 rubicunda. v. dingy-flowered. N. S. W. 1788. 3. 8. G. h. Botan. magaz. 268.
 2 coccinea. v. many-flowered. N. Holland. 1803. 5. 8. G. h. Vent. malm. 105.
 3 prostrata. H.K. single-flowered. N. S. W. 1790. 3. 8. G. h. Botan. magaz. 270.
 4 monophylla. v. simple-leaved. ——— G. h. ——— 263.
Glycine bimaculata. B.M.
 5 ovata. B.M. oval-leaved. ——— 1820. — G. h. ——— 2169.
 6? Comptoniana. Comptonian. ——— 1803. 3. 6. G. h. Botan. regist. 298.
Glycine Comptoniana. B.R.
- CYLISTA. W.**
 1 villosa. H.K. Cape. C. B. S. 1776. 4. 6. G. h. Andr. reposit. 446.
Delichos hirtus. A.R.
 2 albiflora. B.M. white-flowered. Mauritius. 4. 5. S. h. Botan. magaz. 1859.
 3 tomentosa. H.B. tomentose. E. Indies. 1818. S. h.
 4 scariosa. w. rough. ——— 1806. 4. 6. S. h. Roxb. cor. 1. t. 92.
- CARMICHELIA. B.R.**
 australis. B.R. New Zealand. N. Zealand. 1822. 3. 5. G. h. Botan. regist. 912.
Lotus arboreus. W.
- ABRUS. W.**
 precatorius. w. common. India. 1680. 3. 5. S. h. Rheed. mal. 3. t. 39.
α erythrosperma. red-seeded. ——— S. h. Rumph. amb. 5. t. 32.
β melanosperma. black-seeded. ——— 1812. — S. h.
- AMORPHA. W.**
 1 fruticosa. w. shrubby. Carolina. 1724. 6. 8. H. h. Botan. regist. 427.
 2 crocealanata. w. D. yellow-haired. ——— 1812. — H. h. Wats. dend. brit. t. 139.
 3 emarginata. emarginate-l'd. ——— — H. h.
- R

4	nana. N.	dwarf.	Missouri.	1811.	7. 8.	F. ½.	Botan. magaz. 2112.
	<i>microphylla</i> . Ph.						
5	pubescens. Ph.	pubescent.	Carolina.	1803.	6. 7.	F. ½.	
	<i>herbacea</i> . N. <i>pumila</i> . M.						
6	canescens. N.	canescent.	Missouri.	1812.	7. 8.	F. ½.	
PISCIDIA. W.		PISCIDIA.	Diadelphia Decandria.	L.			
	<i>Erythrina</i> . w.	Jamaica Dogwood.	W. Indies.	1690.	S. ½.	Lam. ill. t. 605.
ASTRAGALUS. DC.		MILK-VETCH.	Diadelphia Decandria.	L.			
1	austriacus. w.	Austrian.	Austria.	1640.	6. 7.	H. ¼.	Jacq. aust. 2. t. 195.
2	annularis. DC.	ring-podded.	Egypt.	1800.	—	H. ①.	DC. astr. t. 7.
3	Stella. w.	star-podded.	S. Europe.	1658.	7. 8.	H. ①.	Pluk. alm. t. 79. f. 4.
4	sesameus. w.	Sesama.	—	1616.	6. 7.	H. ①.	Garid. prov. t. 12.
5	ammodytes. w.	silky-leaved.	Siberia.	1823.	—	H. ¼.	Pall. astr. p. 7. t. 5.
6	pentaglottis. w.	rough spanish.	Spain.	1739.	—	H. ①.	Cav. ic. 2. t. 188.
7	purpureus. DC.	purple.	France.	1824.	—	H. ¼.	DC. astr. t. 12.
8	hypoglottis. w.	purple mountain.	Britain.	—	H. ¼.	Eng. bot. 274.
9	leontinus. w.	Lion's-tail.	Austria.	1816.	5. 6.	H. ¼.	Jacq. ic. 1. t. 154.
10	sinicus. w.	chinese annual.	China.	1763.	7. 8.	H. ①.	Botan. magaz. 1350.
11	Glaux. w.	small spanish.	Spain.	1596.	6. 7.	H. ①.	Clus. hist. 2. t. 241.
12	Laxmanni. P.S.	Laxmann's.	Siberia.	1804.	6. 8.	H. ¼.	Jacq. vind. 3. t. 37.
13	Onobrychis. w.	purple-spiked.	Austria.	1640.	—	H. ¼.	Jacq. aust. 1. t. 38.
14	tenuifolius. w.	fine-leaved.	Siberia.	1780.	7. 8.	H. ¼.	Swt. br. fl. gar. t. 73.
	<i>linearifolius</i> . P.S.						
15	vesicarius. L.	white Italian.	Europe.	1737.	—	H. ¼.	W. et K. hung. 1. t. 40.
	<i>albidus</i> . w.						
16	vimineus. w.	slender.	Siberia.	1824.	—	H. ½.	Pall. astrag. t. 21.
17	fruticosus. w.	woody.	—	1804.	6. 7.	H. ½.	— t. 19.
18	arenarius. w.	sand.	Germany.	1798.	—	H. ¼.	Retz. obs. 3. t. 3.
19	leucophæus. w.	dwarf white.	1776.	5. 8.	H. ¼.	Lodd. bot. cab. 111.
20	subuliformis. P.S.	awl-podded.	Siberia.	1824.	—	H. ½.	Pall. astrag. t. 22.
21	varius. P.S.	twiggy.	—	1806.	—	H. ½.	— t. 18.
	<i>virgatus</i> . w.						
22	sulcatus. w.	furrowed.	Siberia.	1785.	7.	H. ¼.	Jacq. vind. 3. t. 40.
23	melilotoides. w.	Melilot like.	—	—	6. 7.	H. ¼.	Pall. astrag. t. 41.
24	scorpioides. w.	blue-flowered.	Spain.	1824.	7. 9.	H. ①.	
25	depressus. w.	depressed.	Europe.	1772.	5. 6.	H. ¼.	Lodd. bot. cab. 680.
26	helmintocarpus. DC.	stalkless.	—	1824.	—	H. ¼.	Vill. delph. 3. t. 42.
27	contortuplicatus. w.	wave-podded.	Siberia.	1764.	7. 8.	H. ①.	Pall. astrag. t. 79.
28	trimestris. w.	Egyptian.	Egypt.	1739.	—	H. ①.	Jacq. vind. 2. t. 174.
29	hamosus. w.	hook podded.	Spain.	1633.	6. 8.	H. ①.	Lam. ill. t. 622. f. 4.
30	boeticus. w.	triangular-podded.	S. Europe.	1759.	—	H. ①.	Bocc. sic. 7. t. 4.
31	glyciphyllus. w.	sweet.	Britain.	6. 7.	H. ¼.	Eng. bot. 203.
32	epiglottis. w.	heart-podded.	S. Europe.	1737.	—	H. ¼.	Herm. lugd. t. 77.
33	Cicer. w.	bladdered.	Europe.	1570.	—	H. ¼.	Jacq. aust. t. 251.
34	carnosus. N.	fleshy-podded.	N. America.	1811.	—	H. ¼.	
35	caryocarpus. B.R.	swelled-podd'd.	—	—	—	H. ¼.	Botan. regist. 176.
36	brachycarpus. B.M.	short-podded.	Siberia.	1820.	—	H. ¼.	Botan. magaz. 2335.
37	microphyllus. w.	small-leaved.	—	1773.	—	H. ¼.	
38	Buceras. w.en.	horned.	1816.	—	H. ①.	
39	Ægiceras. w.en.	Goat's-horn.	—	—	H. ①.	
40	canaliculatus. w.en.	channelled.	—	—	H. ①.	
41	galegiformis. w.	Goat's-rue-ld.	Siberia.	1729.	6. 8.	H. ¼.	Pall. astrag. t. 29.
42	chinensis. w.	upright Chinese.	China.	1795.	—	H. ¼.	Linn. f. dec. 1. t. 3.
43	asper. w.	rough Astracan.	Astracan.	1796.	7. 8.	H. ¼.	Jacq. ic. t. 152.
44	semibilocularis. P.S.	semibilocular.	Siberia.	1804.	6. 8.	H. ¼.	Dec. astrag. t. 23.
	<i>Laxmanni</i> . Jacq. vind. 3. t. 38.						
45	canadensis. w.	woolly.	N. America.	1732.	6. 7.	H. ¼.	Lodd. bot. cab. 372.
46	carolinianus. w.	Carolina.	—	—	—	H. ¼.	Dill. elt. t. 39. f. 45.
47	uliginosus. w.	marsh.	Siberia.	1752.	6. 8.	H. ¼.	Pall. astrag. t. 26.
48	odoratus. w.	sweet-scented.	Levant.	1816.	—	H. ¼.	Dec. astrag. t. 24.
49	falcatus. DC.	sickle-podded.	Siberia.	6. 7.	H. ¼.	— t. 26.
50	falciformis. DC.	sickle-like.	Barbary.	—	H. ¼.	Desf. atl. 2. t. 207.
51	virescens. H.K.	green-flowered.	Siberia.	1737.	—	H. ¼.	
52	christianus. w.	great yellow.	Armenia.	—	7.	H. ¼.	Tourn. it. 2. t. 254.
53	vulpinus. w.	Fox-tail.	Siberia.	1815.	6. 7.	H. ¼.	Pall. astrag. t. 7.
54	alopecuroides. w.	Fox-tail like.	Spain.	1737.	—	H. ¼.	— t. 8.
55	stipulatus. D.P.	large-stipuled.	Nepaul.	1821.	8. 9.	H. ¼.	Botan. magaz. 2380.
56	macrorhizus. D.P.	large-rooted.	—	—	—	H. ¼.	

57 alopecias. w.	axillary-head'd.	Siberia.	1823.	6. 7.	H. 4.	Pall. astrag. t. 9.
58 narbonensis. w.	French.	S. Europe.	1789.	—	H. 4.	— t. 10.
59 tomentosus. w.	downy-leaved.	Egypt.	1800.	7.	H. 4.	Dec. astrag. t. 29.
60 capitatus. w.	headed.	Levant.	1759.	7. 8.	H. 4.	
61 cruciatus. L.en.	oblong-leaved.	1823.	—	H. 4.	
62 caucasicus. w.	Caucasian.	Caucasus.	—	—	H. 4.	Pall. astrag. 2. t. 2.
63 Poterium. w.	small goat's-thorn.	Levant.	1640.	6. 7.	H. 4.	— 1. t. 1.
64 Tragacantha. w.	large goat's-thorn.	S. Europe.	—	—	H. 4.	Wats. dend. brit. t. 84.
65 aristatus. w.	awned.	Pyrenees.	1791.	5. 7.	H. 4.	Pall. astrag. t. 3.
66 armatus. w.	armed.	Barbary.	6. 7.	G. 4.	Desf. atl. 2. t. 194.
<i>Anthyllis tragacanthoides.</i> Desf.						
67 caprinus. w.	scented.	Barbary.	1683.	6. 7.	H. 4.	Moris. hist. 2. t. 24. f. 3.
68 longiflorus. w.	long-flowered.	Tartary.	1806.	—	H. 4.	Pall. astrag. t. 60.
69 tragacanthoides. w.	Armenian.	Armenia.	1791.	5. 7.	H. 4.	Buxb cent. 3. t. 38. f. 2.
70 exscapus. w.	hairy-podded.	Hungary.	1787.	5. 7.	H. 4.	Jacq. ic. 3. t. 561.
71 halicacabus. DC.	bladdered.	Armenia.	1806.	6.	H. 4.	Schreb. decad. t. 3.
<i>Phaca vesicaria.</i> W.						
72 incanus. w.	hoary.	Montpellier.	1759.	6. 7.	H. 4.	
73 monspessulanus. w.	Montpellier.	—	1710.	7. 8.	H. 4.	Botan. magaz. 375.
74 physodes. w.	inflated yellow.	Siberia.	1759.	6. 7.	H. 4.	Dec. astrag. t. 48.
75 testiculatus. w.	woolly-podded.	Caspia.	1824.	—	H. 4.	Pall. astrag. t. 67.
76 diffusus. w.	diffuse.	—	—	—	H. 4.	— t. 68.
77 ponticus. w.	villous calyxed.	Tauria.	—	—	H. 4.	— t. 11.
78 oxyglottis. M.B.	Taurian.	—	—	7. 9.	H. 4.	
79 adsurgens. W.en.	assurgent.	Siberia.	—	6. 7.	H. 4.	Pall. astrag. t. 31.
80 utriger. w.	elliptic-podded.	Tauria.	1825.	—	H. 4.	— t. 61.
81 gracilis. N.	long-peduncul'd.	Missouri.	1812.	—	H. 4.	
OXYTROPIS. DC.	OXYTROPIS.	Diadelphia Decandria.				
1 montana. DC.	mountain.	Austria.	1531.	7. 8.	H. 4.	Botan. magaz. 843.
<i>Astragalus montana.</i> B.M.						
2 Lambertii. Ph.	Mr. Lambert's.	Missouri.	1811.	8. 9.	H. 4.	— 2147.
3 uralensis. P.S.	silky.	Siberia.	1800.	7.	H. 4.	Pall. astrag. t. 42.
4 sordida. P.S.	hairy mountain.	Scotland.	5. 8.	H. 4.	Eng. bot. 466.
<i>Astragalus uralensis.</i> E.B. non P.S.						
5 ambigua. DC.	ambiguous.	Siberia.	1824.	—	H. 4.	Pall. astrag. t. 43.
6 grandiflora. DC.	large-flowered.	—	—	—	H. 4.	— t. 46.
7 songarica. DC.	spear-podded.	—	—	—	H. 4.	— t. 51.
8 campestris. P.S.	field.	Scotland.	7.	H. 4.	Eng. bot. 2522.
9 Gmelini. F.	Gmelin's.	Siberia.	1824.	—	H. 4.	
10 viscosa. P.S.	viscous.	Europe.	1818.	—	H. 4.	Vill. delph. 3. t. 43.
11 uncata. P.S.	hooked.	Aleppo.	1768.	7. 8.	H. 4.	
12 taurica. P.S.	Taurian.	Tauria.	1824.	—	H. 4.	Pall. astrag. t. 38.
<i>filiformis.</i> DC.						
13 altaica. P.S.	Altaic.	Siberia.	1802.	7. 9.	H. 4.	— t. 45.
14 microphylla. DC.	small-leaved.	—	1823.	—	H. 4.	— t. 76.
15 oxyphylla. DC.	sharp-leaved.	—	—	—	H. 4.	— t. 74.
16 cymbicarpos. DC.	boat-podded.	Portugal.	1800.	7. 8.	H. 4.	
17 verticillaris. DC.	whorl-leaved.	Siberia.	1824.	—	H. 4.	Amm. ruth. t. 19. f. 1.
18 myriophylla. P.S.	many-leaved.	—	—	—	H. 4.	Pall. astrag. t. 71.
<i>Astragalus verticillaris.</i> W.						
19 pilosa. DC.	pale-flowered.	—	1732.	6. 8.	H. 4.	Jacq. aust. 1. t. 51.
20 glauca.	glaucous.	Tauria.	1823.	—	H. 4.	
<i>Astragalus glaucus.</i> M.B.						
21 dealbata. P.S.	mealy.	Caucasus.	1803.	7. 8.	H. 4.	Pall. astrag. t. 23. f. 23.
22 deflexa. DC.	small-flowered.	Siberia.	1800.	6. 7.	H. 4.	Jacq. ic. 1. t. 153.
<i>Astragalus parviflorus.</i> W. hians. Jacq.						
23 dichoptera. DC.	pubescent.	—	1815.	—	H. 4.	Pall. astrag. t. 39.
BISERRULA. W.	HATCHET-VETCH.	Diadelphia Decandria. L.				
Pelecinus. w.	bastard.	S. Europe.	1640.	7. 8.	H. 4.	Lam. ill. t. 622.
PHACA. W.	BASTARD-VETCH.	Diadelphia Decandria. L.				
1 boetica. w.	hairy.	Spain.	1640.	7.	H. 4.	Moris. S. 2. t. 8. f. 1.
2 frigida. w.	small.	Austria.	1795.	—	H. 4.	Jacq. aust. t. 166.
3 alpina. w.	smooth Alpine.	—	1759.	—	H. 4.	Jacq. ic. 1. t. 151.
4 membranacea. F.	membranous.	Siberia.	1823.	—	H. 4.	
5 australis. w.	trailing.	S. Europe.	1779.	5. 6.	H. 4.	Jacq. misc. 2. t. 3.
6 arenaria. w.	sand.	Siberia.	1796.	7. 8.	H. 4.	Pall. it. 4. t. 19. f. 3. 4.
7 glabra. DC.	smooth.	S. Europe.	1822.	—	H. 4.	
8 triangularis. F.	triangular.	Siberia.	1824.	—	H. 4.	
9 campestris. Wah.	field.	Europe.	—	—	H. 4.	

10 montana. Wah.	mountain.	—————	—————	—————	H. 2.	
11 lapponica. Wah.	Lapland.	Lapland.	—————	—————	H. 2.	
12 astragalina. DC.	procumbent.	Europe.	1771.	6. 7.	H. 2.	Lodd. bot. cab. 429.
LESSERTIA. DC.	LESSERTIA.	Diadelphia	Decandria.			
1 annua. DC.	annual.	C. B. S.	1731.	6. 7.	G. 2.	Hook. ex. flor. 84.
2 diffusa. H.K.	procumbent.	—————	1792.	7. 8.	G. 2.	Jacq. ic. 3. t. 576.
<i>Galega dubia.</i> Jacq.						
3 pulchra. B.M.	pretty.	—————	1817.	5. 7.	G. 2.	Botan. magaz. 2064.
4 prostrata.	prostrate.	—————	1820.	—————	G. 2.	
<i>Colutea prostrata.</i> P.S.						
5 perennans. DC.	perennial.	—————	1753.	8.	G. 2.	Jacq. vind. 3. t. 3.
6 annularis. B.T.	annular.	—————	1816.	5. 7.	G. 2.	
SWAINSONA. H.K.	SWAINSONA.	Diadelphia	Decandria.			
1 coronillæfolia. H.K.	purple-flow'r'd.	N. S. W.	1802.	7. 8.	G. 2.	Botan. magaz. 1725.
2 galegifolia. H.K.	red-flowered.	—————	1800.	—————	G. 2.	————— 792.
3 astragalifolia. C.C.	white-flower'd.	—————	1802.	—————	G. 2.	
SUTHERLANDIA. H.K.	SUTHERLANDIA.	Diadelphia	Decandria.			
frutescens. H.K.	scarlet.	C. B. S.	1683.	6. 7.	F. 2.	Botan. magaz. 181.
<i>Colutea frutescens.</i> B.M.						
<i>β canescens.</i>	hoary-ld. dwarf.	—————	1816.	—————	F. 2.	
COLUTEA. W.	BLADDER SENNA.	Diadelphia	Decandria.	L.		
1 cruenta. W.en.	red-flowered.	Levant.	1710.	6. 7.	H. 2.	Schmidt. arb. t. 119.
2 Pocockii. W.en.	Pocock's.	—————	1752.	5. 10.	H. 2.	————— t. 120.
3 media. W.en.	smaller.	6. 8.	H. 2.	Wats. dend. brit. t. 140.
4 arborescens. W.en.	common.	France.	1568.	—————	H. 2.	Botan. magaz. 81.
GLYCIRRHIZA. W.	LIQUORICE.	Diadelphia	Decandria.	L.		
1 echinata. W.	prickly-headed.	Italy.	1596.	6. 9.	H. 2.	Botan. magaz. 2154.
2 foetida. W.	strong-scented.	Barbary.	1823.	—————	H. 2.	Desf. atl. 2. t. 199.
3 glandulifera. W.	glandulous.	Hungary.	1805.	6. 8.	H. 2.	W. et K. hung. 1. t. 21.
4 lepidota. Ph.	silky-leaved.	Missouri.	1811.	7. 8.	H. 2.	Botan. magaz. 2150.
5 glabra. W.	common.	S. Europe.	1562.	—————	H. 2.	Lam. ill. t. 625. f. 2.
6 asperrima. W.	rough.	Siberia.	1795.	7. 8.	H. 2.	Pall. it. app. t. M. f. 3.
7 hirsuta. W.	hairy.	Levant.	1739.	—————	H. 2.	
GALEGA. P.S.	GOAT'S-RUE.	Diadelphia	Decandria.	L.		
1 officinalis. P.S.	officinal.	Spain.	1568.	6. 9.	H. 2.	Schk. hand. 2. t. 208.
<i>a cærulea.</i>	purple-flowered.	—————	—————	—————	H. 2.	
<i>β alba.</i>	white-flower'd.	—————	—————	—————	H. 2.	
2 orientalis. W.	blue-flowered.	Levant.	1801.	—————	H. 2.	Botan. regist. 326.
3 persica. P.S.	yellow-flow'r'd.	Persia.	1816.	—————	H. 2.	
4 biloba. B.F.G.	two-lobed.	1823.	—————	H. 2.	Swt. br. fl. gar.
5 heterophylla. F.	various-leaved.	Siberia.	—————	—————	H. 2.	
6? caribæa. W.	Caribbean.	Caribeas.	1786.	6. 7.	S. 2.	Jacq. amer. t. 125.
7? Heyniana. H.B.	Heyne's.	E. Indies.	1807.	7.	S. 2.	
TEPHROSIA. P.S.	TEPHROSIA.	Diadelphia	Decandria.			
1 filifolia. P.S.	filiform-leaved.	C. B. S.	1824.	6. 7.	G. 2.	
2 sericea. P.S.	silky-leaved.	—————	—————	—————	G. 2.	
3 longifolia. P.S.	long-leaved.	S. America.	—————	S. 2.	Jacq. ic. 3. t. 572.
4 toxicaria. P.S.	Fish poison.	—————	1791.	S. 2.	Plum. ic. t. 135.
5 virginiana. P.S.	Virginian.	Virginia.	1765.	6. 8.	H. 2.	Pluk. alm. t. 23. f. 2.
6 grandiflora. P.S.	large-flowered.	C. B. S.	1774.	6. 9.	I. 2.	Bot. regist. 769?
<i>Galega grandiflora.</i> B.R. 769?	<i>Galega rosea.</i> Hort.					
7 stricta. P.S.	straight-podd'd.	—————	—————	5. 6.	I. 2.	Scop. insub. 1. t. 3.
8 pallens. P.S.	pale-flowered.	—————	1787.	6. 8.	I. 2.	
9 villosa. P.S.	villous.	E. Indies.	1779.	—————	S. 2.	Pluk. phyt. t. 59. f. 6.
10 Colonila. L.T.	Colonil.	—————	1818.	—————	S. 2.	
11 purpurea. P.S.	purple.	—————	1768.	7. 8.	S. 2.	Burm. zeyl. t. 32.
12 piscatoria. P.S.	woolly.	—————	1778.	6. 7.	S. 2.	
13 ochroleuca. P.S.	sulphur-colour'd	1799.	S. 2.	Jacq. ic. 1. t. 150.
14 lanceæfolia. L.en.	spear-leaved.	E. Indies.	1824.	S. 2.	
15 linearis. P.S.	linear-leaved.	Guinea.	1822.	S. 2.	
16 apollinea. L.en.	Egyptian.	Egypt.	—————	6. 7.	F. 2.	
INDIGOFERA. W.	INDIGO.	Diadelphia	Decandria.	L.		
1 filifolia. W.	naked-stalked.	C. B. S.	1812.	7. 10.	G. 2.	Botan. regist. 104.
<i>Lebeckia contaminata.</i> B.R.	<i>Lebeckia nuda.</i> B.M. 2214.					
2 linifolia. W.	Flax-leaved.	E. Indies.	1792.	7. 8.	S. 2.	Roxb. cor. 2. t. 194.
3 sericea. W.	silky.	C. B. S.	1824.	—————	G. 2.	
4 trifoliata. W.	trifoliolate.	E. Indies.	1818.	—————	S. 2.	
5 psoraloides. W.	Psoralea-like.	C. B. S.	1758.	—————	G. 2.	Botan. magaz. 476.
6 candicans. W.	white-leaved.	—————	1774.	5. 9.	G. 2.	————— 198.

7	amœna. w.	scarlet-flow'r'd.	—————	3. 5.	G. h.	Botan. regist. 800.
8	incana. w.	hoary.	—————	1812.	5. 7. G. h.	
9	spinosa. w.	spiny.	E. Indies.	1822. S. h.	
10	procumbens. w.	procumbent.	C. B. S.	1816.	5. 7. G. h.	
11	sarmentosa. w.	dwarf.	—————	1786.	6. 7. G. h.	
12	stipularis. L.en.	stipuled.	—————	1816.	— G. h.	
13	denudata. w.	smooth-leaved.	—————	1790.	5. 7. G. h.	Jacq. schœn. 2. t. 233.
14	glandulosa. w.	glandular.	E. Indies.	1818.	— S. 2.	
15	trita. w.	oval-leaved.	E. Indies.	1802.	6. 7. S. 3.	
16	microphylla. P.S.	small-leaved.	C. B. S.	1812.	1. 12. G. h.	
17	coriacea. w.	leathery-leav'd.	—————	1774.	7. 8. G. h.	
18	filiformis. w.	slender-branched.	—————	1816.	— G. h.	
19	enneaphylla. w.	trailing.	E. Indies.	1776.	— S. 2.	Burm. ind. t. 55. f. 1.
20	endecaphylla. B.R.	eleven-leaved.	St. Thomas.	1822.	— S. 2.	Botan. regist. 789.
21	fragrans. w.	fragrant.	E. Indies.	1824. S. 2.	
22	glabra. w.	smooth.	—————	—	7. 9. S. 2.	Rheed. mal. 9. t. 67.
23	cytisoides. w.	angular-stalk'd.	C. B. S.	1774.	— G. h.	Botan. magaz. 742.
24	frutescens. w.	frutescent.	—————	1823.	— G. h.	
25	stricta. w.	upright.	—————	1812.	— G. h.	Jacq. schœn. 2. t. 236.
26	hirsuta. w.	hairy-leaved.	E. Indies.	1759.	— S. h.	Burm. zeyl. t. 14.
27	angustifolia. w.	narrow-leav'd.	C. B. S.	1774.	6. 10. G. h.	Botan. magaz. 465.
28	australis. w.	Botany Bay.	N. S. W.	1790.	3. 6. G. h.	Vent. malm. 45.
29	viscosa. w.	clammy.	E. Indies.	1806.	6. 7. S. 2.	Sert. han. 2. t. 12.
30	coerulea. H.B.	blue.	—————	1820.	— S. h.	
31	Anil. w.	West Indian.	W. Indies.	1731.	7. 8. S. 3.	
32	tinctoria. w.	East Indian.	E. Indies.	—	— S. h.	Rheed. mal. 1. t. 54.
33	atropurpurea. D.P.	dark purple.	Nepaul.	1820.	— S. h.	
34	elliptica. H.B.	elliptic-leaved.	Bengal.	—	— S. h.	
35	pulchella. H.B.	pretty.	E. Indies.	1823.	— S. h.	
36	arborea. H.B.	tree.	—————	— S. h.	
37	virgata. H.B.	twiggy.	Nepaul.	—	7. 8. S. h.	
38	argentea. w.	silver-leaved.	W. Indies.	1776.	— S. h.	L'Her. stirp. t. 79.
39	violacea. H.B.	violet-coloured.	E. Indies.	1825. S. h.	
40	lateritia. w.	brick-coloured.	Guinea.	1822.	7. 8. S. 2.	Jacq. ic. 3. t. 569.
41	aspalathifolia. H.B.	Aspalathus-ld.	—————	1823. S. h.	
CARAGANA. J.		CARAGANA.	Diadelphia Decandria. L.			
1	arborescens. Lam.	common.	Siberia.	1752.	4. 5. H. h.	Schmidt arb. 1. t. 33.
	<i>Robinia Caragana. w.</i>					
2	arenaria.	sand.	—————	1802.	6. 7. H. h.	Botan. magaz. 1886.
	<i>Robinia Caragana. v. arenaria. B.M.</i>					
3	Altagana. P.S.	flat-podded.	—————	1789.	4. 6. H. h.	L'Herit. stirp. t. 76.
4	Redowskii. F.	Redowski's.	—————	1822. H. h.	
5	microphylla. Lam.	small-leaved.	—————	1816. H. h.	
6	grandiflora. M.B.	large-flowered.	—————	1822. H. h.	
7	jubata. P.S.	bearded.	—————	1796. H. h.	Pall. act. pet. 10. t. 6.
8	tragacanthoides. P.S.	Goat's-thorn like.	—————	1816.	4. 6. H. h.	— 10. t. 7.
9	spinosa. P.S.	thorny.	—————	1775.	— H. h.	Schmidt arb. 1. t. 76.
10	purpurea. L.en.	purple-flow'r'd.	1816.	— S. h.	
11	Halodendron. P.S.	Salt-tree.	Siberia.	1779.	5. 6. H. h.	Botan. magaz. 1016.
	<i>argentea. Lam. ill. t. 607. f. 3.</i>					
12	Chamlagu. P.S.	shining.	China.	1773.	— H. h.	L'Herit. stirp. t. 77.
13	frutescens. P.S.	shrubby.	Siberia.	1752.	4. 5. H. h.	Schmidt arb. 1. t. 34.
14	mollis. M.B.	soft-leaved.	—————	1822.	— H. h.	
15	pygmæa. P.S.	dwarf.	—————	1751.	— H. h.	Schmidt arb. 1. t. 37.
ROBINIA. J.		ROBINIA.	Diadelphia Decandria. L.			
1	Pseud-Acacia. w.	common or Locust tree.	N.Amer.	1640.	5. 6. H. h.	Schmidt arb. 1. t. 32.
2	inermis.	smooth.	— H. h.	
3	macrophylla. L.C.	long-leaved.	Siberia.	1797.	6. 7. H. h.	
4	spectabilis. L.C.	showy.	— H. h.	
5	sophoræfolia. L.en.	Sophora-leav'd.	— H. h.	
6	amorphæfolia. L.en.	Amorpha-ld.	— H. h.	
7	dubia. L.en.	doubtful.	— H. h.	
8	stricta. L.en.	upright.	— H. h.	
9	pendulina.	pendulous.	— H. h.	
	<i>pendula. L.en. non P.S.</i>					
10	tortuosa. L.C.	twisting.	— H. h.	
11	monstrosa. L.C.	monstrous.	— H. h.	
12	viscosa. w.	clammy.	N.America.	1797.	6. 8. H. h.	Vent. cels. t. 4.
	<i>glutinosa. B.M. 460.</i>					

13	striata. w.	streaked.	Caracas.	1824.	S. h.	
14	guineensis. w.en. <i>Cytisus hispidus. w.</i>	Guinea.	Guinea.	1821.	S. h.	
15	hispidia. w. <i>β rosea. Ph.</i>	Rose-Acacia.	Carolina.	1743.	5. 9.	H. h.	Botan. magaz. 311.
16	sepium. w.	smooth-branched.	—	1812.	—	H. h.	
17	rubiginosa. w.	hedge.	W. Indies.	1820.	S. h.	
18	candida. H.B.	rusty-branched.	Trinidad.	1823.	S. h.	
19	suberosa. H.B.	white-leaved.	E. Indies.	1810.	S. h.	
20	fruticosa. H.B.	cork-barked.	—	1818.	S. h.	
		shrubby.	—	1820.	S. h.	
LATHYRUS. W. LATHYRUS. Diadelphia Decandria. L.							
1	Aphaca. w.	yellow vetchling.	England.	6. 7.	H. ⊙.	Eng. bot. 1167.
2	Nissolia. w.	crimson.	—	5.	H. ⊙.	— 112.
3	amphicarpos. w.	Earth Pea.	Levant.	1680.	6. 7.	H. ⊙.	Moris. his. 2. t. 23. f. 1.
4	Cicera. w.	flat-podded.	S. Europe.	1633.	—	H. ⊙.	Ger. emac. f. 3.
5	sativus. w. <i>α cæruleus.</i> <i>β albus.</i>	chickling vetch. <i>blue-flowered.</i> <i>white-flowered.</i>	—	1640.	—	H. ⊙.	Botan. magaz. 115.
6	inconspicuus. w.	small-flowered.	Levant.	1739.	7. 8.	H. ⊙.	
7	setifolius. w.	bristle-leaved.	S. Enrope.	—	6. 7.	H. ⊙.	
8	sphaericus. DC. <i>coccineus. P.S.</i>	scarlet.	Italy.	1800.	—	H. ⊙.	
9	axillaris. P.S. <i>inconspicuus. Jacq.</i>	axillary-flow'r'd	S. Europe.	—	—	H. ⊙.	Jacq. vind. 1. t. 86.
10	angulatus. w.	angular-seeded.	—	1683.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.
11	tumidus. w. <i>turgidus. Lam.</i>	tumid-podded.	1816.	—	H. ⊙.	
12	articulatus. w.	joint-podded.	S. Europe.	1640.	7. 8.	H. ⊙.	Botan. magaz. 258.
13	spurius. w.en.	bastard.	1815.	6. 7.	H. ⊙.	
14	auriculatus.	eared.	S. Europe.	1820.	—	H. ⊙.	
15	odoratus. w. <i>α sicular. w.</i> <i>β zeylanicus. w.</i>	sweet pea. <i>dark-flowered.</i> <i>light-flowered.</i>	Sicily. — Ceylon.	1700. — —	— — —	H. ⊙. H. ⊙. H. ⊙.	Botan. magaz. 60.
16	grandiflorus. B.M.	large-flowered.	S. Europe.	1814.	6. 8.	H. 4.	Botan. magaz. 1938.
17	annuus. w.	yellow annual.	—	1621.	—	H. ⊙.	
18	tingitanus. w.	Tangier.	Barbary.	1680.	—	H. ⊙.	Botan. magaz. 100.
19	Clymenum. w.	various-flow'r'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.
20	attenuatus. P.S.	long-leaved.	Italy.	1824.	—	H. 4.	Vivian. fl. it. fr. t. 19.
21	tenuifolius. w.	slender-leaved.	Algiers.	—	—	H. 4.	
22	cornutus. Spr.	horned.	—	—	H. ⊙.	
23	hirsutus. w.	rough-podded.	England.	7.	H. ⊙.	Eng. bot. 1255.
24	magellanicus. w.	Lord Anson's pea.	Cape Horn.	1744.	6. 7.	H. ⊙.	
25	tuberosus. w.	tuberous-root'd.	Holland.	1596.	7. 8.	H. 4.	Botan. magaz. 111.
26	rotundifolius. w.	round-leaved.	Tauria.	1824.	—	H. 4.	
27	pratensis. w.	meadow.	Britain.	6. 8.	H. 4.	Eng. bot. 670.
28	sylvestris. w.	wood.	—	7. 9.	H. 4.	— 805.
29	latifolius. w.	everlasting pea.	England.	—	H. 4.	— 1108.
30	heterophyllus. w.	various-leaved.	Europe.	1731.	—	H. 4.	
31	palustris. w.	marsh.	Britain.	7. 8.	H. 4.	Eng. bot. 169.
32	incurvus. w.	curve-podded.	Russia.	1802.	—	H. 4.	Buxb. cent. 4. t. 46.
33	myrtifolius. w.	Myrtle-leaved.	N. America.	1823.	—	H. 4.	
34	polymorphus. N.	variable.	Missouri.	—	—	H. 4.	
35	venosus. w.	veined.	N. America.	—	—	H. 4.	
36	pisiformis. w.	Siberian.	Siberia.	1759.	6. 7.	H. 4.	Linn. fil. dec. t. 20.
PISUM. W. PEA. Diadelphia Decandria. L.							
1	sativum. w.	common.	S. Europe.	5. 10.	H. ⊙.	Lam. ill. t. 633.
2	arvense. w.	field.	Europe.	6. 9.	H. ⊙.	
3	maritimum. w.	sea.	England.	7.	H. 4.	Eng. bot. 1046.
4	Jomardi. Sch.	two-flowered.	Europe.	1818.	6. 9.	H. ⊙.	
5	thebaicum. w.en.	short-peduncul'd.	—	—	—	H. ⊙.	
OCHRUS. P.S. OCHRUS. Diadelphia Decandria. L.							
	pallida. P.S.	yellow-flow'r'd.	S. Europe.	1633.	6. 7.	H. ⊙.	Schk. hand. 2. t. 280.
	<i>Pisum Ochrus. w.</i>	<i>Lathyrus Ochrus. DC.</i>					
OROBUS. W. BITTER-VETCH. Diadelphia Decandria. L.							
1	lathyroides. w.	upright.	Siberia.	1758.	6.	H. 4.	Botan. magaz. 2098.
2	hirsutus. w.	hairy.	S. Europe.	1818.	5. 6.	H. 4.	— 2345.
3	luteus. w.	yellow.	Siberia.	1759.	6. 7.	H. 4.	Gmel. sib. 4. t. 4.
4	lævigatus. W.K.	smooth.	Hungary.	1818.	—	H. 4.	W. et K. hung. 3. t. 243.
5	variegatus. T.S.	variegated.	Italy.	—	5. 6.	H. 4.	Swt. br. fl. gar. ic.

6	vernus. w.	spring.	Europe.	1629.	3. 4.	H. 4.	Botan. magaz. 521.
7	tuberosus. w.	tuberous-root'd.	Britain.	5. 6.	H. 4.	Eng. bot. 1153.
8	tenuifolius. Roth.	slender-leaved.	Germany.	1818.	—	H. 4.	
9	albus. w.	white-flowered.	Austria.	1794.	—	H. 4.	Swt. br. fl. gar. 22.
	<i>pannonicus.</i> Jacq. aust. 1. t. 39.						
10	varius. B.M.	particoloured.	Italy.	1759.	—	H. 4.	Botan. magaz. 675.
11	angustifolius. w.	narrow-leaved.	Siberia.	1766.	—	H. 4.	Gmel. sib. 4. t. 5.
12	canescens. w.	canescent.	France.	1823.	5. 6.	H. 4.	
13	saxatilis. v.	rock.	S. France.	—	6. 8.	H. 4.	Venten. cels. t. 4.
14	pallescent. M.B.	pale-flowered.	Tauria.	1824.	5. 6.	H. 4.	
15	sessilifolius. Sm.	sessile-leaved.	—	—	—	H. 4.	
	<i>digitatus.</i> M.B.						
16	alpestris. w. K.	Alpine.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 126.
17	venosus. L.en.	veined.	Siberia.	—	—	H. 4.	Gmel. sib. 4. t. 5.
	<i>pauciflorus.</i> Hort.						
18	niger. w.	black.	Europe.	1596.	6. 7.	H. 4.	Botan. magaz. 2261.
19	pyrenaicus. w.	Pyrenean.	Pyrenees.	1699.	5. 6.	H. 4.	Pluk. alm. t. 210. f. 2.
20	sylvaticus. w.	wood.	Britain.	5. 7.	H. 4.	Eng. bot. t. 518.
21	ochroleucus. w.	sulphur-coloured.	Hungary.	1816.	—	H. 4.	W. et K. hung. 2. t. 118.
VICIA. J. VETCH. Diadelphia Decandria. L.							
1	pisiformis. w.	Pea-shaped.	Austria.	1739.	7. 8.	H. 4.	Jacq. aust. 4. t. 364.
2	dumetorum. w.	great wood.	France.	1752.	5. 6.	H. 4.	Spreng. fl. halens. t. 7.
3	sylvatica. w.	common wood.	Britain.	7. 8.	H. 4.	Eng. bot. 79.
4	americana. w.	American.	N. America.	1818.	—	H. 4.	
5	Gerardi. Jacq.	Gerard's.	Germany.	1711.	6. 7.	H. 4.	Jacq. aust. 3. t. 229.
6	abbreviata. F.	shortened.	Tauria.	1818.	—	H. 4.	
7	multiflora. DC.	many-flowered.	S. Europe.	—	—	H. 4.	
8	dentata. L.en.	toothed.	Siberia.	—	—	H. 4.	
9	consentina. L.en.	sulphur-coloured.	Italy.	1824.	—	H. 4.	
10	atropurpurea. w.	dark-purple.	Algiers.	1815.	—	H. 4.	Venton. cels. t. 84.
11	villosa. w.	villous.	Germany.	—	—	H. 4.	
12	polyphylla. w.	many-leaved.	Hungary.	1823.	—	H. 4.	
13	Cracca. w.	tufted.	Britain.	6. 8.	H. 4.	Eng. bot. 1168.
14	tenuifolia. w.	slender-leav'd.	Germany.	1799.	6. 7.	H. 4.	Botan. magaz. 2141.
15	onobrychioides. w.	Saintfoin-like.	S. Europe.	1789.	—	H. 4.	— 2206.
16	biennis. w.	biennial.	Siberia.	1753.	7. 9.	H. 4.	Gmel. sib. 4. t. 2.
17	nissoliana. w.	red-flowered.	Levant.	1773.	6. 7.	H. 4.	
18	benghalensis. w.	Bengal.	E. Indies.	1792.	7. 9.	H. 4.	Herm. lugd. t. 625.
19	canescens. w.	hoary.	Libanus.	1800.	6. 8.	H. 4.	Labil. syr. 17. t. 7.
20	capensis. w.	Cape.	C. B. S.	1802.	—	G. 4.	
21	pellucida. w.	pellucid.	—	1812.	—	G. 4.	Jacq. schoen. 2. t. 222.
22	Ervilia. w.	officinal.	S. Europe.	1596.	—	H. 4.	Blackw. t. 208. f. 3.
	<i>Ervilia sativa.</i> L.en.						
23	biflora. w.	two-flowered.	Algiers.	1801.	—	H. 4.	Desf. atl. 2. t. 197.
24	oroboides. w.	Orobus like.	Carniola.	1818.	—	H. 4.	
25	bicolor. w.en.	two-coloured.	—	—	H. 4.	
26	ochroleuca. T.N.	pale-flowered.	Italy.	1824.	—	H. 4.	
27	longifolia. Poir.	long-leaved.	—	—	H. 4.	
28	grandiflora. Scop.	large-flowered.	Switzerland.	1823.	—	H. 4.	
29	alba. Mœn.	white-flower'd.	Germany.	1798.	—	H. 4.	
30	globosa. w.	globular.	1804.	—	H. 4.	
31	sativa. w.	common.	Britain.	5. 6.	H. 4.	Eng. bot. 334.
	<i>β nemoralis.</i> P.S.						
32	segetalis. Schl.	hedge.	Switzerland.	—	H. 4.	
33	leucosperma. Mœn.	white-seeded.	—	H. 4.	
34	angustifolia. P.S.	narrow-leaved.	Europe.	—	H. 4.	
35	peregrina. w.	broad-podded.	France.	1779.	7. 8.	H. 4.	Pluk. alm. t. 233. f. 6.
36	megalosperma. M.B.	large-seeded.	Tauria.	1798.	—	H. 4.	
37	Michauxii. Spr.	Michaux's.	1803.	—	H. 4.	
38	amphicarpos. P.S.	subterraneous.	France.	1815.	—	H. 4.	Clus. exot. t. 88.
39	lathyroides. w.	spring.	Britain.	4. 6.	H. 4.	Eng. bot. 30.
40	lutea. w.	yellow.	—	6. 8.	H. 4.	— 481.
41	hybrida. w.	hairy-flowered.	England.	—	H. 4.	— 482.
42	hirta. Balb.	hairy.	France.	1820.	—	H. 4.	
43	sordida. w. K.	large-yellow.	Hungary.	1802.	—	H. 4.	W. et K. hung. 2. t. 134.
44	lævigata. w.	smooth-podded.	England.	7. 8.	H. 4.	Eng. bot. 483.
45	pannonica. w.	Hungarian.	Hungary.	1658.	6. 7.	H. 4.	Jacq. aust. 1. t. 34.
46	striata. M.B.	streaked.	Tauria.	1824.	—	H. 4.	
47	articulata. w.en.	jointed.	S. Europe.	—	H. 4.	

48 monantha. w.en.	single-flowered.	Barbary.	1790.	7. 8.	H.⊙.	
49 pilosa. M.B.	pilose.	Tauria.	1820.	—	H.⊙.	
50 sepium. w.	bush.	Britain.	5. 6.	H. ½.	Eng. bot. 1515.
51 bithynica. w.	purple.	England.	7. 8.	H. ½.	— 1842.
52 platycarpus. w.	flat-podded.	Germany.	1723.	—	H.⊙.	Roth abhand. 10. t. 1.
53 narbonensis. w.	broad-leaved.	France.	1596.	6. 7.	H.⊙.	— t. 2.
54 serratifolia. w.	saw-leaved.	Hungary.	1723.	—	H.⊙.	Jacq. aust. app. t. 8.
FABA. J.	BEAN.	Diadelphia Decandria. L.				
sativa.	garden.	Egypt.	5. 8.	H.⊙.	
β equina.	horse.	—	—	H.⊙.	
ERVUM. W.	TARE.	Diadelphia Decandria. L.				
1 longifolium. T.S.	long-leaved.	Italy.	1823.	6. 8.	H.⊙.	
Vicia gracilis. Lois.						
2 tetraspermum. w.	smooth.	Britain.	6.	H.⊙.	Eng. bot. 1223.
3 hirsutum. w.	hairy.	—	6. 7.	H.⊙.	— 970.
4 lentoides. T.S.	pubescent.	Italy.	1823.	—	H.⊙.	
5 Lens. L.	Lentil.	France.	1548.	5.	H.⊙.	
Cicer Lens. w. Lens	esculenta. Mœn.					
6 uniflorum. T.S.	single-flowered.	Italy.	1824.	6. 8.	H.⊙.	
7 lenticula. L.en.	bent-pointed.	—	—	—	H.⊙.	
8 camelorum. Spr.	broad-podded.	—	—	—	H.⊙.	
dispermum. W.en.						
9 nigricans. M.B.	black.	Tauria.	—	—	H.⊙.	
CICER. L.	CHICK PEA.	Diadelphia Decandria. L.				
arietinum. w.	common.	S. Europe.	1548.	7. 8.	H.⊙.	Schk. hand. 2. t. 202.
SCORPIURUS. W.	CATERPILLAR.	Diadelphia Decandria. L.				
1 vermiculata. w.	common.	S. Europe.	1621.	6. 7.	H.⊙.	Moris. hist. 2. t. 11. f. 33.
2 lævigata. sm.	smooth.	Levant.	1820.	—	H.⊙.	
3 muricata. w.	two-flowered.	S. Europe.	1640.	—	H.⊙.	Moris. hist. 2. t. 11. f. 41.
4 sulcata. w.	three-flowered.	—	1596.	—	H.⊙.	Desf. atl. 2. f. 4.
5 subvillosa. w.	four-flowered.	—	1731.	—	H.⊙.	Moris. hist. 2. t. 11. f. 22.
ORNITHOPUS. W.	BIRDS-FOOT.	Diadelphia Decandria. L.				
1 perpusillus. w.	common.	Britain.	5. 8.	H.⊙.	Eng. bot. 369.
2 compressus. w.	hairy.	S. Europe.	1730.	6. 7.	H.⊙.	
3 sativus. L.en.	upright.	Portugal.	1816.	—	H.⊙.	
4 ebracteatus. P.S.	round-podded.	—	5. 6.	H.⊙.	
5 durus. Cav.	perennial.	Spain.	1805.	6. 7.	H. ½.	Cav. ic. 1. t. 41.
6 lotoides. viv.	Lotus-like.	S. Europe.	1823.	—	H.⊙.	
7 scorpioides. w.	Purslane-ld.	—	1596.	—	H.⊙.	Cav. ic. 1. t. 37.
8 repandus. P.S.	repand.	Barbary.	1805.	—	H.⊙.	Lam. ill. t. 631. f. 2.
heterophyllus. W.en.						
HIPPOCREPIS. W.	HORSESHOE VETCH.	Diadelphia Decandria. L.				
1 unisiliquosa. w.	single-podded.	Italy.	1570.	6. 7.	H.⊙.	Lam. ill. t. 630.
2 multisiliquosa. w.	many-podded.	S. Europe.	1683.	6. 8.	H.⊙.	Schk. hand. 2. t. 206.
3 ciliata. w.	ciliated.	Spain.	1823.	—	H.⊙.	
4 balearica. w.	shrubby.	Minorca.	1776.	5. 6.	G. ½.	Botan. magaz. 427.
5 biflora. Spr.	two-flowered.	—	1824.	—	H.⊙.	
6 comosa. w.	tufted.	England.	4. 8.	H. ½.	Eng. bot. 31.
CORONILLA. W.	CORONILLA.	Diadelphia Decandria. L.				
1 Emerus. w.	ScorpionSenna.	France.	1596.	4. 6.	H. ½.	Botan. magaz. 445.
2 juncea. w.	Rush.	—	1656.	6. 7.	G. ½.	Botan. regist. 820.
3 valentina. w.	nine-leaved.	S. Europe.	1596.	11. 3.	F. ½.	Botan. magaz. 185.
4 glauca. w.	seven-leaved.	France.	1722.	9. 5.	F. ½.	— 13.
5 viminalis. P.L.	slender.	Mogador.	1798.	5. 11.	G. ½.	Sal. par. lond. 13.
6 iberica. M.B.	Iberian.	Iberia.	1818.	7. 10.	H. ½.	Swt. br. fl. gar. 25.
7 coronata. w.	large-headed.	S. Europe.	1776.	6. 7.	F. ½.	Botan. magaz. 907.
8 minima. w.	least.	—	1658.	7. 8.	F. ½.	— 2179.
9 argentea. w.	silvery-leaved.	Crete.	1664.	5. 6.	G. ½.	Mill. ic. 2. t. 289. f. 3.
10 cappadocica. w.	obcordate-ld.	Cappadocia.	—	H. ½.	
11 varia. w.	purple.	Europe.	1597.	6. 11.	H. ½.	Botan. magaz. 258.
12 cretica. w.	Cretan.	Crete.	1731.	6. 7.	H.⊙.	Jacq. vind. 1. t. 25.
SECURIGERA. DC.	HATCHET VETCH.	Diadelphia Decandria.				
coronilla. DC.	commou.	S. Europe.	1562.	7. 8.	H.⊙.	Lam. ill. t. 626.
Coronilla Securidaca. w.						
SMITHIA. Sal.	SMITHIA.	Diadelphia Decandria.				
1 sensitiva. P.L.	sensitive.	E. Indies.	1785.	7. 10.	S.⊙.	Sal. par. lond. 92.
2 aspera. H.B.	rough.	—	1812.	—	S.⊙.	
SESBANIA. P.S.	SESBANIA.	Diadelphia Decandria.				
1 grandiflora. P.S.	great-flowered.	E. Indies.	1768.	7. 8.	S. ½.	Rheed. mal. 1. t. 61.

2	coccinea. P.S.	red-flowered.	————	1824.	S. h.	Rumph. amb. 1. t. 77.
3	occidentalis. P.S.	West Indian.	W. Indies.	1823.	S. h.	
4	ægyptiaca. P.S.	Egyptian.	Egypt.	1680.	7. 8.	S. ♂.	Alp. ægypt. 81. t. 82.
5	aculeata. P.S.	prickly.	E. Indies.	1690.	—	S. ⊙.	Jacq. ic. 3. t. 564.
<i>Æschynomene spinulosa</i> . H.B. <i>bispinosa</i> . Jacq.							
6	paludosa. H.B.	marsh.	————	1818.	—	S. ⊙.	
7	cannabina. P.S.	Hemp.	————	1800.	—	S. ⊙.	
8	procumbens. H.B.	procumbent.	————	1818.	—	S. ⊙.	
9	uliginosa.	water.	————	—	—	S. ⊙.	
<i>Æschynomene uliginosa</i> . H.B.							
10	sericea. L.en.	silky.	————	—	—	S. ⊙.	
11	picta. P.S.	variegated.	W. Indies.	1822.	4. 9.	S. h.	Botan. regist. 873.
12	platycarpa. P.S.	flat-podded.	Carolina.	—	7. 8.	S. ⊙.	
ÆSCHYNOMENE. P.S. ÆSCHYNOMENE. Diadelphia Decandria. L.							
1	aristata. w.	awned.	St. Domingo.	1820.	S. h.	Jacq. schœn. 2. t. 237.
2	sensitiva. w.	sensitive.	W. Indies.	1733.	S. h.	Plum. ic. t. 139.
3	viscidula. M.	viscous.	N. America.	1818.	7. 8.	H. ⊙.	
4	aspera. w.	rough-stemm'd.	E. Indies.	1759.	6. 7.	S. ⊙.	Breyn. cent. t. 52.
5	hispida. w.	hispid.	N. America.	1803.	8. 9.	H. ⊙.	
6	americana. w.	hairy.	Jamaica.	1732.	7. 8.	S. ⊙.	Sloan. hist. 1. t. 118. f. 3.
7	indica. w.	Indian.	E. Indies.	1799.	6. 7.	S. ⊙.	Rheed. mal. 9. t. 18.
STYLOSANTHES. Sw. STYLOSANTHES. Diadelphia Decandria.							
1	procumbens. w.	procumbent.	Jamaica.	1820.	6. 8.	S. 4.	Sloan. hist. 1. t. 110. f. 2.
2	viscosa. w.	viscous.	————	—	—	S. 4.	———— 1. t. 119. f. 1.
3	mucronata. w.	mucronate.	E. Indies.	1818.	—	S. h.	Burm. zeyl. t. 106. f. 2.
<i>Arachis fruticosa</i> . H.B.							
4	elator. Sw.	tall.	Carolina.	1823.	7. 8.	H. 4.	Sw. act. holm. t. 11. f. 2.
HALLIA. Th. HALLIA. Diadelphia Decandria.							
1	alata. w.	wing-stalked.	C. B. S.	1818.	6. 8.	G. h.	
2	flaccida. w.	long-leaved.	————	1789.	8. 9.	G. ♂.	
3	cordata. w.	heart-leaved.	————	1787.	6. 8.	G. h.	Jacq. schœn. 3. t. 296.
4	imbricata. w.	imbricated.	————	1812.	—	G. h.	Bot. mag. 1850, & 2596.
5	Asarina. w.	Asarum-like.	————	1816.	—	G. h.	
LESPEDEZA. M. LESPEDEZA. Diadelphia Decandria.							
1	fruticosa. P.S.	shrubby.	Virginia.	1739.	7. 8.	H. h.	Jacq. vind. 3. t. 89.
2	sessiliflora. Ph.	sessile-flow'r'd.	N. America.	—	H. 4.	
3	juncea. P.S.	slender-branch'd.	Siberia.	1776.	—	H. 4.	Lin. fil. dec. 1. t. 4.
4	reticulata. P.S.	netted.	N. America.	1823.	—	H. 4.	
5	capitata. P.S.	headed.	————	1789.	6. 7.	H. 4.	
6	polystachya. P.S.	hairy.	————	—	6. 8.	H. 4.	Mich. amer. 2. t. 40.
<i>Hedysarum hirtum</i> . w.							
7	Stuvei. N.	Stuve's.	N. America.	1823.	7. 9.	H. ⊙.	
8	violacea. Ph.	Violet-flow'r'd.	————	1789.	7. 8.	H. 4.	
9	procumbens. N.	procumbent.	————	1812.	—	H. 4.	
10	prostrata. N.	prostrate.	————	1818.	—	H. 4.	
11	lagopodioides. P.S.	hare's-foot.	China.	1790.	—	H. 4.	Burm. ind. t. 53. f. 2.
ZORNIA. M. ZORNIA. Diadelphia Decandria.							
1	tetraphylla. M.	four-leaved.	Carolina.	1823.	7. 8.	H. 4.	
2	capensis. P.S.	Cape.	C. B. S.	1824.	5. 6.	G. 4.	Thunb. a. ups. 6. t. 3.
3	pulchella. P.S.	neat Indian.	E. Indies.	1799.	7. 8.	S. h.	Burm. zeyl. 116. f. 52.
4	diphylla. P.S.	two-leaved.	————	1733.	—	S. ⊙.	Rheed. mal. 9. t. 82.
FLEMINGIA. H.B. FLEMINGIA. Diadelphia Decandria.							
1	stricta. H.B.	straight.	India.	1798.	7. 9.	S. h.	
2	semialata. H.B.	winged.	Nepaul.	1805.	7. 8.	S. h.	Roxb. corom. 3. t. 249.
3	lineata. H.B.	branch-spiked.	E. Indies.	1793.	—	S. h.	Burm. ind. t. 53. f. 1.
4	congesta. H.B.	crowded-spik'd.	————	1802.	7. 9.	S. h.	
5	angustifolia. H.B.	narrow-leaved.	————	1812.	—	S. h.	
6	strobilifera. H.K.	Beech-leaved.	————	1787.	—	S. h.	Botan. regist. 617.
<i>Hedysarum strobiliferum</i> . w. <i>Zornia strobilifera</i> . P.S.							
7	nana. H.B.	dwarf.	————	1804.	8.	S. h.	
8	procumbens. H.B.	procumbent.	————	1816.	—	S. h.	
9	prostrata. H.B.	prostrate.	China.	1820.	7. 9.	S. h.	
MANNA. D.P. MANNA. Diadelphia Decandria.							
	hebraica. D.P.	Levant.	Levant.	1714.	7. 8.	G. h.	Rauw. it. 94. t. 14.
<i>Alhagi mannifera</i> . Desv. <i>Hedysarum Alhagi</i> . w.							
HEDYSARUM. W. HEDYSARUM. Diadelphia Decandria. L.							
1	bupleurifolium. w.	Hare's-ear-ld.	India.	1793.	7. 8.	S. ♂.	Roxb. corom. 2. t. 194.
2	gramineum. w.	grass-leaved.	————	1799.	—	S. ⊙.	Wendl. h. her. 1. t. 5.
3	nummularifolium. w.	Moneywort-ld.	————	1777.	7. 9.	S. ⊙.	Pet. gaz. t. 26. f. 4.

71 fruticosum. w.	shrubby Siberian.	1782.	6. 7. H. h.	Pall. it. 3. t. 5. f. 1.
72 sennoides. w.	Senna-like. E. Indies.	1818.	— S. h.	
73 alpinum. w.	Alpine. Siberia.	1798.	— H. 4.	Botan. magaz. 2213.
74 obscurum. w.	creeping-root'd. Europe.	1640.	7. 8. H. 4.	— — — — 282.
75 tauricum. w.	Taurian. Tauria.	1804.	— H. 4.	
76 roseum. B.M.	rose-coloured. Caucasus.	1803.	— H. 4.	Botan. magaz. 996.
77 coronarium. w.	French Honeysuckle. Italy.	1596.	6. 7. H. ♂.	
78 humile. w.	dwarf. Spain.	1640.	7. 8. H. 4.	Bauh. hist. 2. p. 336. c. ic.
79 carneum. L.C.	flesh-coloured. Siberia.	1818.	— H. 4.	Lodd. bot. cab. 312.
80 flexuosum. w.	wave-podded. Asia.	1680.	7. 8. H. ⊙.	Schk. hand. 2. t. 207.
81 depressum. W.en.	depressed. Barbary.	— H. ⊙.	
<i>capitatum.</i> Desf. non Burm.				
82 pallidum. w.	pale-flowered.	— H. 4.	Botan. magaz. 1251.
<i>capitatum.</i> B.M. nec aliorum.				
83 muricatum. w.	prickly-podd'd. Patagonia.	1793.	6. 7. F. 4.	Jacq. ic. 3. t. 568.
84 spinosissimum. w.	thorny. Spain.	1731.	7. 8. H. ⊙.	Pluk. alm. t. 50. f. 2.
85 brasilianum. P.S.	Brazilian. Brazil.	1823. S. h.	
86 elongatum. F.	long-stalked. Russia.	—	6. 8. H. 4.	
87 crinitum. w.	crook-podded. E. Indies.	1780.	7. 9. S. h.	Burm. ind. t. 56.
88 lasiocarpum. Beau.	woolly-podded. Guinea.	1822.	— S. h.	
ONOBRYCHIS. T. SAINTFOIN. Diadelphia Decandria.				
1 sativa. DC.	common. Britain.	6. 7. H. 4.	Eng. bot. 96.
<i>Hedysarum Onobrychis.</i> w.				
2 carpatia. F.	Carpathian. Carp. Mount.	1818.	— H. 4.	
3 tanaitica. F.	spreading. Siberia.	1823.	— H. 4.	
4 Buxbaumiana. Dv.	Buxbaum's. Tauria.	—	— H. 4.	
<i>Hedysarum Pallasii.</i> w.				
5 montana. DC.	mountain. Europe.	1816.	— H. 4.	
6 supinum. DC.	trailing.	—	— H. 4.	
7 album. P.S.	white-flowered. Hungary.	1804.	7. 8. H. 4.	W. et K. hung. 2. t. 111.
8 saxatile. P.S.	rock. S. Europe.	1790.	6. 8. H. 4.	All. ped. 1. t. 19. f. 1.
9 petræa. F.	stone. Caucasus.	1818.	— H. 4.	
10 arenaria. L.en.	sand. Hungary.	—	— H. 4.	
11 cretica. Dv.	Cretan. Crete.	1823.	— F. 4.	
12 Caput-galli. P.S.	Cock's-head. France.	1731.	7. 8. H. ⊙.	
13 Crista-galli. P.S.	Cock's-comb. S. Europe.	1710.	6. 8. H. ⊙.	
PHYLLOLOBIUM. F. PHYLLOLOBIUM. Diadelphia Decandria.				
chinense. F.	Chinese. China.	1818.	6. 8. G. 4.	
DALBERGIA. W. DALBERGIA. Diadelphia Decandria. L.				
1 latifolia. w.	broad-leaved. E. Indies.	1811. S. h.	Roxb. corom. 2. t. 113.
2 Sissoo. H.B.	large.	1823. S. h.	
3 emarginata. H.B.	emarginate.	— S. h.	
4 frondosa. H.B.	frondose.	1818. S. h.	
5 paniculata. w.	panicked.	1811. S. h.	Roxb. corom. 2. t. 114.
6 zeylanica. H.B.	Ceylon. Ceylon.	1816. S. h.	
7 robusta. H.B.	robust. E. Indies.	1811. S. h.	
8 alata. H.B.	winged.	1823. S. h.	
9 Crowey. H.B.	Silhet.	— S. h.	
10 domingensis. P.S.	violet. St. Domingo.	1759. S. h.	
<i>Robinia violacea.</i> w.				
11 rubiginosa. w.	rusty. E. Indies.	1811. S. h. ∞.	Roxb. corom. 2. t. 115.
12 volubilis. H.B.	twining.	1820. S. h. ∞.	
13 marginata. H.B.	marginated.	— S. h. ∞.	
14 Barclayi. Hk.	Mr. Barclay's. Mauritius.	1823.	5. 7. S. h. ∞.	
15 Telfairii. Hk.	Telfair's.	— S. h. ∞.	
16 scandens. H.B.	scandent. E. Indies.	1811.	5. 7. S. h. ∞.	
17 tamarindifolia. H.B.	Tamarind-ld.	1820. S. h. ∞.	
18 stipulacea. H.B.	stipuled.	— S. h.	
19 rimosa. H.B.	rimose.	1824. S. h.	
AMERIMNUM. W. AMERIMNUM. Diadelphia Decandria. L.				
1 Brownei. w.	Browne's. W. Indies.	1793.	6. 8. S. h.	Jacq. amer. t. 180. f. 58.
2 latifolium. w.	broad-leaved. S. America.	1814. S. h.	— — — — 1. t. 177. f. 50.
3 pubescens. w.	violet-flowered. Caracas.	1820. S. h.	
4 scandens. w.	climbing.	1822. S. h. ∞.	
PONGAMIA. V. PONGAMIA. Diadelphia Decandria.				
1 glabra. v.	smooth-leaved. E. Indies.	1699. S. h.	Vent. malm. t. 28.
<i>Galedupa indica.</i> Lam. <i>Dalbergia arborea.</i> w.				
2 elliptica.	elliptic-leaved.	1820. S. h. ∞.	
<i>Galedupa elliptica.</i> H.B.				

3	piscidia. H.B.	Piscidia-leav'd.	————	1818.	S. h.	
4	marginata. H.B.	marginated.	————	1821.	S. h.	
PTEROCARPUS. W.		PTEROCARPUS.	Diadelphia Decandria.	L.			
1	Draco. w.	officinal.	S. America.	1818.	S. h.	Jacq. amer. t. 163. f. 92.
2	indicus. w.	Indian.	E. Indies.	————	S. h.	
3	dalbergioides. H.B.	Dalbergia-like.	————	1820.	S. h.	
4	Marsupium. w.	emarginate-ld.	————	1811.	S. h.	Roxb. cor. 2. t. 116.
5	lunatus. w.	crescent-podded.	S. America.	1792.	S. h.	Lam. ill. t. 602. f. 5.
6	santalinus. w.	red sandal wood.	E. Indies.	1800.	S. h.	
7	Ebenus. p.s.	Jamaica Ebony.	W. Indies.	1713.	7. 8.	S. h.	Brown. jam. t. 31. f. 2.
<i>Amerimnum Ebenus. w.</i>							
ECASTAPHYLLUM. P.S.		ECASTAPHYLLUM.	Diadelphia Decandria.				
	Brownei. p.s.	oval-leaved.	W. Indies.	1733.	S. h.	Brown. jam. t. 32. f. 1.
<i>Pterocarpus Ecastaphyllum. w.</i>							
GEOFFROYA. W.		GEOFFROYA.	Diadelphia Decandria.	L.			
	inermis. w.	bastard cabbage-tree.	Jamaica.	1778.	S. h.	Phil. trans. 1777. t. 10.
NISSOLIA. W.		NISSOLIA.	Diadelphia Decandria.	L.			
1	retusa. w.en.	retuse-leaved.	S. America.	1823.	S. h.	
2	fruticosa. w.	shrubby.	————	1766.	7. 11.	S. h.	Jacq. vind. 2. t. 167.
3	glabrata. L.en.	smooth-leaved.	————	1818.	—	S. h.	
DIPTERIX. W.		TONQUIN BEAN.	Diadelphia Decandria.				
	odorata. w.	sweet-scented.	Guiana.	1793.	S. h.	Aub. gui. 2. t. 296.
<i>Baryosma Tonga. Gært. Coumarouna odorata. Aub.</i>							

ORDO LXVI.

CALYCANTHACEÆ. *Lindley.*

CHIMONANTHUS. B.R.		CHIMONANTHUS.	Icosandria Polygynia.				
	fragrans. B.R.	fragrant.	Japan.	1766.	12. 3.	H. h.	Botan. magaz. 466.
<i>Calycanthus præcox. B.M.</i>							
	<i>β luteus.</i>	yellow-flowered.	————	1814.	—	H. h.	
	<i>γ grandiflorus. B.R.</i>	large-flowered.	————	1812.	—	H. h.	Botan. regist. 451.
CALYCANTHUS. B.R.		CALYCANTHUS.	Icosandria Polygynia.	L.			
1	floridus. w.	Carolina allspice.	Carolina.	1726.	5. 8.	H. h.	Botan. magaz. 503.
2	glaucus. N.	glaucous-leav'd.	————	1806.	—	H. h.	Botan. regist. 404.
<i>fertilis. B.R.</i>							
3	oblongifolius. N.	oblong-leaved.	————	1812.	—	H. h.	
4	lævigatus. N.	smooth-leaved.	————	1806.	—	H. h.	Botan. regist. 481.

ORDO LXVII.

HOMALINEÆ. *Brown.*

HOMALIUM. S.S.		HOMALIUM.	Polyandria Trigynia.				
	racemosum. s.s.	racemed.	W. Indies.	1818.	5. 7.	S. h.	Botan. regist. 519.
BLACKWELLIA. S.S.		BLACKWELLIA.	Dodecandria Pentagynia.				
1	spiralis. s.s.	spiral.	Isl. France.	1820.	S. h.	
2	paniculata. s.s.	panicked.	————	1818.	5. 7.	S. h.	
3	glauca. s.s.	glaucous.	————	1823.	S. h.	
4	axillaris. s.s.	axillary-spiked.	Madagascar.	—	S. h.	Lam. ill. t. 412. f. 1.

ORDO LXVIII.

CHRYSOBALANEÆ. *Brown.*

PARINARIUM. J.	PARINARIUM. Heptandria Monogynia.	
1 excelsum. G.D.	rough Plum. Sierra Leon. 1822.	S. h.
2 macrophyllum. G.D.	gingerbread plum.	S. h.
CHRYSOBALANUS. W.	COCOA-PLUM. Icosandria Monogynia. L.	
1 Icaco. w.	West Indian. W. Indies. 1752.	S. h.
2 oblongifolius. Ph.	American. Georgia. 1812.	G. h.
HIRTELLA. W.	HIRTELLA. Pentandria Monogynia. L.	
americana. w.	American. W. Indies. 1782.	S. h.
		Jacq. amer. t. 94. Bartr. iter. c. ic. Aubl. guian. 1. t. 98.

ORDO LXIX.

AMYGDALINÆ. *Jussieu.*

AMYGDALUS. W.	ALMOND. Icosandria Monogynia. L.	
1 Persica. w.	common Peach. Persia. 1562. 4. 5.	H. h.
β nectarina.	Nectarine.	H. h.
γ flore pleno.	double blossomed.	
δ nana.	dwarf Peach.	
2 communis.	sweet Almond. Barbary. 1548. 3. 4.	H. h.
3 amara.	bitter Almond.	H. h.
4 nana. w.	common dwarf. Russia. 1683.	H. h.
5 incana. w.	woolly. Caucasus.	H. h.
6 prostrata. Kth.	trailing. Crete. 1802. 5.	H. h.
Prunus prostrata. B.R.		
7 pumila. w.	double dwarf. Africa. 1683. 5. 6.	H. h.
Prunus sinensis. P.S.		
8 georgica. Desf.	Georgian. Georgia. 1820. 3. 4.	H. h.
9 sibirica. L.C.	Siberian. Siberia.	3. 4. H. h.
10 orientalis. w.	silvery-leaved. Levant. 1756. —	G. h.
argentea. Lam.		
ARMENIACA. J.	APRICOT. Icosandria Monogynia.	
1 vulgaris. P.S.	common. Levant. 1548. 2. 3.	H. h.
2 dasycarpa. P.S.	black-fruited.	3. 4. H. h.
3 sibirica. P.S.	Siberian. Siberia. 1788. 4.	H. h.
4 brigantiaca. P.S.	spiny. S. Europe.	H. h.
PRUNUS. W.	PLUM-TREE. Icosandria Monogynia. L.	
1 domestica. w.	common. England.	4. H. h.
2 pyramidalis. DC.	pyramidal. Europe.	H. h.
3 maritima. W.en.	sea-side. N. America. 1800. 5.	H. h.
4 cerasifera. w.	Myrobalan.	1629. 4. 5. H. h.
5 insititia. w.	Bullace-tree. Britain.	4. H. h.
6 spinosa. w.	Sloe-tree.	3. 4. H. h.
7 Chicasa. M.	Chicasaw. N. America. 1806. 4. 5.	H. h.
8 sphærica. W.en.	brown-toothed. Europe. 1820. 3. 4.	H. h.
9 hyemalis. M.	mountain. N. America. 1805. 5.	H. h.
10 depressa. Ph.	depressed.	5. H. h.
11 Susquehannæ. W.en.	glaucous-leav'd.	1800. — H. h.
12 pumila. w.	dwarf.	1756. — H. h.
13 pygmæa. w.	small.	1818. — H. h.
14 persicifolia. Df.	peach-leaved.	4. 5. H. h.
15 nigra. w.	black.	1773. 5. 6. H. h.
16 pensylvanica. w.	Pensylvanian.	5. H. h.
17 borealis. Ph.	northern.	1818. 5. 6. H. h.
		Lam. ill. t. 431. Pall. ross. 1. t. 8. Eng. bot. 1783. Eng. bot. 841. — 842. Mill. ic. t. 89. f. 2. Botan. magaz. 1117. Willd. arb. t. 3. f. 3.

18	<i>duracina.</i>	hard Cherry.	Europe.	4. 5.	H. h.	
	<i>Cerasus duracina.</i> DC.						
19	<i>macrophylla.</i> Poir.	large-leaved.	————	—	H. h.	
20	<i>avium.</i> w.	pubescent-ld.	England.	4. 5.	H. h.	Blackw. t. 425.
	<i>Cerasus avium.</i> DC.						
21	<i>Cerasus.</i> w.	common Cherry.	————	—	H. h.	Eng. bot. 706.
	<i>β flore pleno.</i>	<i>double blossom'd.</i>					
22	<i>semperflorens.</i> w.	late-fruited.	N. America.	5. 6.	H. h.	Wats. dend. brit. 131.
23	<i>pendula.</i> Df.	pendulous.	—	H. h.	
24	<i>chamæcerasus.</i> w.	bastard Cherry.	Austria.	1597.	5.	H. h.	Jacq. ic. 1. t. 90.
25	<i>fruticosa.</i> Pall.	shrubby.	Russia.	—	H. h.	Pall. ros. 1. t. 8.
26	<i>Mahaleb.</i> w.	perfumed.	Austria.	1714.	4. 5.	H. h.	Jacq. aust. 3. t. 227.
27	<i>paniculata.</i> w.	panicked.	Japan.	1820.	—	G. h.	Botan. regist. 800.
28	<i>japonica.</i> w.	Japan-Cherry.	————	1810.	3. 5.	H. h.	———— 27.
29	<i>Laurocerasus.</i> w.	common Laurel.	Levant.	1629.	4. 5.	H. h.	Duham. arb. 1. t. 133.
	<i>β pumila.</i>	<i>dwarf.</i>					
30	<i>caroliniana.</i> w.	evergreen.	Carolina.	1759.	5.	H. h.	
31	<i>lusitanica.</i> w.	Portugal Laurel.	Portugal.	1648.	6.	H. h.	Mill. ic. t. 196. f. 1.
32	<i>occidentalis.</i> w.	West Indian.	Jamaica.	1784.	12. 1.	S. h.	
33	<i>sphærocarpa.</i> w.	round-fruited.	————	1818.	—	S. h.	
34	<i>serotina.</i> w.	American bird.	N. America.	1629.	5. 6.	H. h.	Wats. dend. brit. 48.
35	<i>virginiana.</i> w.	Virginian.	————	1724.	—	H. h.	Willd. arb. t. 5. f. 1.
36	<i>rubra.</i> w.	red fruited.	4. 5.	H. h.	———— t. 4. f. 2.
37	<i>Padus.</i> w.	Bird Cherry.	Britain.	4. 5.	H. h.	Eng. bot. 1383.
	<i>Cerasus Padus.</i> DC.						

ORDO LXX.

POMACEÆ. *Jussieu.*

MESPILUS. G.	MESPILUS. Icosandria Di-Pentagynia.						
1	<i>odoratissima.</i> A.R.	sweet-scented.	Crimea.	5. 6.	H. h.	Andr. reposit. 590.
2	<i>tanacetifolia.</i> A.R.	Tansy-leaved.	Greece.	1789.	—	H. h.	Sm. exot. bot. 2. t. 85.
3	<i>apiifolia.</i> s.s.	Parsley-leaved.	N. America.	1812.	—	H. h.	
4	<i>Azarolus.</i> s.s.	Azarole.	S. Europe.	1640.	—	H. h.	Andr. reposit. 579.
5	<i>pentagyna.</i> s.s.	pentagynous.	Hungary.	1818.	—	H. h.	
6	<i>nigra.</i> s.s.	villous-leaved.	————	—	—	H. h.	W. et K. hung. 1. t. 61.
7	<i>melanocarpa.</i> s.s.	black-fruited.	Tauria.	—	—	H. h.	
8	<i>monogyna.</i> s.s.	one-styled.	S. Europe.	—	H. h.	
	<i>β rosea.</i>	<i>red-flowered.</i>					
9	<i>elegans.</i> Poir.	elegant.	France.	—	H. h.	
10	<i>laciniata.</i> St.	jagged.	Siberia.	1822.	—	H. h.	
11	<i>Oxyacantha.</i> E.B.	Hawthorn.	Britain.	—	H. h.	Eng. bot. 2504.
	<i>Cratægus Oxyacantha.</i> L.						
	<i>β major.</i>	<i>great-fruited.</i>	————	—	H. h.	
	<i>γ plena.</i>	<i>double flowered.</i>	————	—	H. h.	
	<i>δ aurea.</i>	<i>yellow-berried.</i>	————	—	H. h.	
	<i>ε præcox.</i>	<i>Glastonbury.</i>	————	4. 5.	H. h.	
12	<i>Celsiana.</i> w.en.	Cels's.	1822.	5. 6.	H. h.	
13	<i>Aronia.</i> w.en.	Aronian.	Aronia.	—	H. h.	Wats. dend. brit. 165.
14	<i>purpurea.</i> w.D.	purple.	N. America.	4. 5.	H. h.	———— 60.
15	<i>coccinea.</i> s.s.	scarlet-fruited.	————	1683.	—	H. h.	———— 62.
16	<i>cordata.</i> s.s.	Maple-leaved.	————	1738.	5.	H. h.	———— 63.
17	<i>glandulosa.</i> s.s.	hollow-leaved.	————	1750.	5. 6.	H. h.	———— 58.
18	<i>sanguinea.</i> Pall.	bloody.	Siberia.	—	H. h.	Pall. ros. 1. t. 11.
19	<i>pyrifolia.</i> s.s.	Pear-leaved.	N. America.	1765.	6.	H. h.	Wats. dend. brit. 61.
20	<i>latifolia.</i> Poir.	broad-leaved.	————	—	H. h.	
21	<i>flava.</i> w.en.	yellow-berried.	————	1724.	5.	H. h.	Wats. dend. brit. 59.
22	<i>viridis.</i>	green-leaved.	————	5. 6.	H. h.	
	<i>Cratægus viridis.</i> w.						
23	<i>spathulata.</i> s.s.	spatula-leaved.	————	1806.	—	H. h.	
24	<i>parvifolia.</i> w.en.	Gooseberry-ld.	————	1704.	—	H. h.	Wats. dend. brit. 65.
	<i>xanthocarpus.</i> s.s.						

25	punctata. W.en.	spotted-fruited.	————	1746.	—	H. h.	Wats. dend. brit. 57.
26	Crus-galli. W.en.	Cockspur-thorn.	————	1691.	—	H. h.	———— 56.
	lucida. s.s.						
	α splendens.	shining-leaved.	————	—	—	H. h.	
	β pyracanthifolia.	Pyracantha-ld.	————	—	—	H. h.	
27	linearis. P.s.	linear-leaved.	————	—	—	H. h.	
28	elliptica. W.en.	oval-leaved.	————	1765.	5.	H. h.	
29	lobata. Poir.	lobed-leaved.	————	1818.	5. 6.	H. h.	
30	fissa. Poir.	cloven-leaved.	————	—	—	H. h.	
31	Oliveriana. Poir.	Oliver's.	Levant.	—	—	H. h.	
32	pauciflora. Poir.	few-flowered.	Switzerland.	—	—	H. h.	
33	Pyracantha. w.	evergreen thorn.	S. Europe.	1629.	5.	H. h.	Schmidt. arb. t. 90.
34	crenulata. D.P.	crenulate.	Nepaul.	1818.	6. 7.	H. h.	
35	tinctoria. D.P.	Dyer's.	————	—	—	H. h.	Linn. trans. 13. t. 10.
	Photinia dubia. L.T.						
36	grandiflora. Ex.b.	large-flowered.	S. Europe.	1800.	5. 6.	H. h.	Exot. bot. 1. t. 18.
37	germanica. W.	Medlar.	England.	5. 7.	H. h.	Eng. bot. 1523.
RAPHIOLEPIS. L.T. RAPHIOLEPIS. Icosandria Digynia.							
1	salicifolia. B.R.	Willow-leaved.	China.	1820.	5. 6.	G. h.	Botan. regist. 652.
2	indica. B.R.	Indian.	————	1818.	—	G. h.	———— 468.
3	rubra. L.C.	red-stamen'd.	————	1806.	—	G. h.	Lindl. collect. t. 3.
	Cratægus indica. B.M.	1726.					
PHOTINIA. L.T. PHOTINIA. Icosandria Digynia.							
1	arbutifolia. B.R.	Arbutus-leav'd.	California.	1796.	7. 8.	H. h.	Botan. regist. 491.
	Cratægus arbutifolia. H.K.						
2	serrulata. L.T.	serrulate-leav'd.	China.	1804.	4. 7.	H. h.	Botan. magaz. 2105.
	Cratægus glabra. B.M.						
3	integrifolia. L.T.	entire-leaved.	Nepaul.	1820.	H. h.	
	Pyrus integerrima. D.P.						
ERIOBOTRYA. L.T. LOQUAT. Icosandria Pentagynia.							
1	japonica. L.T.	Japan.	Japan.	1787.	10.	F. h.	Botan. regist. 366.
2	elliptica. L.T.	elliptic-leaved.	Nepaul.	1822.	H. h.	
	Mespilus Cuila. D.P.						
COTONEASTER. L.T. COTONEASTER. Icosandria Pentagynia.							
1	vulgaris. L.T.	common.	Europe.	1656.	4. 5.	H. h.	Schmidt. arb. t. 89.
	Mespilus Cotoneaster. w.						
2	tomentosa. L.T.	Quince-leaved.	————	1759.	—	H. h.	
3	eriocarpa. DC.	woolly-fruited.	————	6. 7.	H. h.	Wats. dend. brit. 55.
	Mespilus eriocarpa. W.D.						
4	affinis. L.T.	likened.	Nepaul.	1820.	H. h.	
5	acuminata. L.T.	taper-pointed.	————	H. h.	Linn. trans. 13. t. 9.
AMELANCHIER. L.T. AMELANCHIER. Icosandria Pentagynia.							
1	vulgaris.	common.	S. Europe.	1596.	4. 5.	H. h.	Schmidt arb. t. 85.
	Pyreus Amelanchier. w.						
2	Botryapium. L.T.	snowy.	N.America.	1746.	—	H. h.	———— t. 84.
	Mespilus canadensis. L.						
3	ovalis. L.T.	oval-leaved.	————	1800.	—	H. h.	
4	sanguinea.	red-branched.	————	1812.	—	H. h.	
	Pyrus sanguinea. Ph.						
ARONIA. P.S. ARONIA. Icosandria Pentagynia.							
1	arbutifolia. N.	red-berried.	N.America.	1700.	5. 6.	H. h.	Mill. ic. 109.
	Pyrus arbutifolia. Ph.	Aronia pyrifolia. P.s.	————	—	—	H. h.	Schmidt arb. t. 86.
2	melanocarpa. N.	black fruited.	————	—	—	H. h.	
PYRUS. W. PEAR & APPLE. Icosandria Pentagynia. L.							
1	Chamæ-mespilus. s.s.	Bastard Quince.	Pyrenees.	1683.	5. 6.	H. h.	Schmidt. arb. t. 87.
2	communis. w.	common Pear.	England.	4.	H. h.	Eng. bot. 1784.
3	angustifolia. w.	narrow-leaved.	N.America.	1750.	5.	H. h.	Wats. dend. brit. 132.
4	prunifolia. w.	Siberian Crab.	Siberia.	1758.	4. 5.	H. h.	Mill. ic. 2. t. 269.
5	spectabilis.	Chinese apple.	China.	1780.	5.	H. h.	Botan. magaz. 267.
6	baccata. w.	small Crab.	Siberia.	1784.	4. 5.	H. h.	Wats. dend. brit. 51.
7	coronaria. w.	sweet-scented.	Virginia.	1724.	5.	H. h.	Botan. magaz. 2009.
8	Malus. w.	common Apple.	Britain.	4. 5.	H. h.	Eng. bot. 179.
9	acerba. DC.	sour.	Europe.	—	H. h.	
10	dioica. w.	dioecious.	—	H. h.	
11	præcox.	Paradise.	Russia.	1784.	4.	H. h.	
12	pumila. Mill.	dwarf evergreen.	4. 5.	H. h.	
13	tormalis. s.s.	Wild Service.	England.	—	H. h.	Eng. bot. 298.
14	Pollveria. s.s.	woolly-leaved.	Germany.	1786.	—	H. h.	
15	nivalis. s.s.	white-leaved.	Austria.	5.	H. h.	Jacq. aust. 2. t. 107.

16 alpina. s.s.	Alpine.	1820.	4. 5.	H. h.	
17 edulis. s.s.	eatable.	France.	1816.	6.	H. h.	Wats. dend. brit. 52.
18 sinaica. s.s.	Mount Sinai.	Levant.	5.	H. h.	————— 49.
19 Aria. s.s.	white-beam.	Britain.	5. 6.	H. h.	Eng. bot. 1858.
20 intermedia. s.s.	Swedish.	Sweden.	1789.	4. 5.	H. h.	Flor. dan. 301.
21 elæagnifolia. s.s.	Elæagnus-ld.	Tauria.	1818.	—	H. h.	
22 salicifolia. s.s.	Willow-leaved.	Russia.	1780.	5. 6.	H. h.	Botan. regist. 514.
23 crenata. D.P.	crenated.	Nepaul.	1820.	H. h.	
24 lanata. D.P.	woolly.	—	—	H. h.	
25 arbuscula. Poir.	long-leaved.	Europe.	5. 6.	H. h.	
26 latifolia. P.S.	broad-leaved.	France.	—	H. h.	
27 hybrida. s.s.	hybrid.	Hybrid.	—	H. h.	Möench. weis. t. 6.
28 pinnatifida. E.B.	pinnatifid.	England.	—	H. h.	Eng. bot. 2331.
29 sorbifolia. W.D.	service-leaved.	—	H. h.	Wats. dend. brit. 53.
30 domestica. s.s.	Service-tree.	England.	—	H. h.	Eng. bot. 350.
31 aucuparia. s.s.	Mountain Ash.	Britain.	—	H. h.	————— 337.
32 americana. s.s.	purple-berried.	Canada.	1782.	—	H. h.	Wats. dend. brit. t. 54.
33 microcarpa. s.s.	small-fruited.	N.America.	—	H. h.	
CYDONIA. J.	QUINCE. Icosandria Pentagynia. L.					
1 vulgaris. P.S.	common.	Austria.	1573.	5. 6.	H. h.	Jacq. aust. 4. t. 342.
2 japonica. P.S.	Japan.	Japan.	1796.	1. 12.	H. h.	
<i>α rubra.</i>	red-flowered.	—	—	—	H. h.	Botan. magaz. 622.
<i>Pyrus japonica.</i> B.M.						
<i>β alba.</i>	white-flowered.	—	1812.	—	H. h.	Lodd. bot. cab. 541.
3 chinensis. B.R.	Chinese.	China.	1815.	4. 5.	H. h.	Botan. regist. 905.

ORDO LXXI.

ROSACEÆ. *Don Prodr. fl. nepal. p. 229.*

Sect. I. ROSÆ. Juss. gen. 335.

ROSA. L.	ROSE. Icosandria Polygynia. L.					
1 berberifolia. W.	Berberry-ld.	Persia.	1790.	6. 7.	F. h.	Redout. ros. 1. 27. t. 2.
<i>simplicifolia.</i> P.L. 101.						
2 ferox. L.R.	hedgheg.	Caucasus.	1796.	6. 8.	H. h.	Botan. regist. 420.
3 kamchatica. L.R.	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. h.	————— 419.
<i>β nitens.</i> B.R.	<i>glossy.</i>	—	1820.	—	H. h.	————— 824.
4 involucrata. L.R.	floral-leaved.	China.	1814.	5. 10.	H. h.	————— 739.
5 clinophylla. R.R.	naked-flower'd.	—	1820.	—	H. h.	Redout. ros. 1. t. 10.
6 bracteata. L.R.	Macartney.	—	1795.	6. 10.	H. h.	————— 1. t. 6.
<i>β scabriuscula.</i> L.R.	<i>rough Macartney.</i>	—	—	—	H. h.	Botan. magaz. 1377.
7 nitida. W.en.	dwarf Labrador.	N.America.	1773.	7. 8.	H. h.	Lindl. ros. t. 2.
8 rapa. R.R.	double Burnet.	—	1726.	—	H. h.	Redout. ros. 1. 7. t. 2.
9 lucida. W.	single Burnet.	—	1773.	—	H. h.	Miss Lawr. ros. t. 24.
10 Lindleyi. s.s.	spreading.	—	1726.	—	H. h.	Lindl. ros. t. 3.
<i>laxa.</i> L.R. non Retz.						
11 parviflora. W.	small-flowered.	—	1724.	—	H. h.	
<i>α Single Pennsylvanian.</i>		—	—	—	H. h.	Miss Lawr. ros. t. 68.
<i>β Double Pennsylvanian.</i>		—	—	—	H. h.	————— t. 66.
12 Woodsii. L.R.	Woods's.	—	1815.	6. 7.	H. h.	
13 gemella. s.s.	twin-flowering.	—	1800.	7. 8.	H. h.	
14 Lyonii. s.s.	Lyon's.	Tennessee.	1812.	—	H. h.	
15 florida. L.C.	flowering.	N. America.	—	6. 7.	H. h.	
16 carolina. L.R.	Carolina.	—	1726.	—	H. h.	Lindl. ros. t. 4.
17 pensylvanica. L.en.	Pennsylvanian.	—	—	—	H. h.	
18 blanda. L.R.	Hudson's Bay.	—	1773.	5. 8.	H. h.	Miss Lawr. ros. t. 27.
19 fraxinifolia. L.R.	Ash-leaved.	Newfoundland.	—	4. 6.	H. h.	Botan. regist. 458.
<i>β Red Alpine Rose.</i>		—	—	—	H. h.	Miss Lawr. ros. t. 75.
20 cinnamomea. E.B.	Single Cinnamon.	England.	5.	H. h.	Eng. bot. 2388.
21 fœcundissima.	double Cinnamon.	Europe.	4. 5.	H. h.	Lindl. ros. t. 5.
22 majalis. L.R.	dwarf Cinnamon.	S. Europe.	—	H. h.	Flor. dan. t. 688.

23	frutetorum. s.s.	short peduncul'd.	Volhynia.	1820.	5. 6.	H. h.	
24	ambigua. s.s.	ambiguous.	H. h.	
25	macrophylla. L.R.	long-leaved.	Nepaul.	1822.	H. h.	Lindl. ros. t. 6.
26	americana. L.en.	American.	America.	H. h.	
27	alpina. L.R.	Alpine.	Europe.	1683.	6. 7.	H. h.	Botan. regist. 424.
	<i>α</i> Alpine Rose.		H. h.	Miss Lawr. ros. t. 30.
	<i>β</i> pyrenaica. L.R.	Pyrenean.	H. h.	Jacq. schœnb. 4. t. 416.
	<i>γ</i> pendulina. L.R.	pendulous.	1726.	H. h.	Miss Lawr. ros. t. 9.
28	pygmæa. s.s.	pigmy.	Tauria.	H. h.	
29	rubella. E.B.	long-fruited.	England.	7.	H. h.	Eng. bot. 2521.
	<i>β</i> melanocarpa. L.R.	black-fruited.	H. h.	
30	muricata. L.en.	muricate.	1823.	6. 7.	H. h.	
31	balsamica. s.s.	balsamic.	H. h.	
32	stricta. L.R.	upright.	N.America.	1726.	H. h.	Lindl. ros. t. 7.
	<i>Upright Carolina.</i>		H. h.	Miss Lawr. ros. t. 36.
33	suavis. s.s.	sweet.	1817.	H. h.	
34	acicularis. L.R.	grey Siberian.	Siberia.	3. 4.	H. h.	Lindl. ros. t. 8.
35	pauciflora. LY.	few-flowered.	H. h.	
36	sulphurea. W.	double-yellow.	Levant.	1629.	7.	H. h.	Botan. regist. 46.
37	lutescens. Ph.	yellowish.	N.America?	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	<i>hispidia. B.M.</i>						
38	spinosissima. E.B.	Scotch.	Britain.	6. 7.	H. h.	Eng. bot. 187.
	<i>β</i> reversa. L.R.	reversed prickle.	H. h.	Botan. regist. 431.
	<i>γ</i> striped-flowered Scotch.		H. h.	Miss Lawr. ros. t. 15.
	<i>δ</i> Red Scotch.		H. h. t. 62.
	<i>ε</i> Double Scotch.		H. h. t. 63.
	<i>ζ</i> Tall Scotch.		H. h. t. 19.
	<i>η</i> Marbled Scotch.		H. h. t. 78.
39	altaica. W.en.	Pallas's.	Siberia.	H. h.	Pall. ros. 2. t. 75.
40	ochroleuca. L.en.	sulphur-color'd.	1814.	H. h.	
41	melanocarpa. s.s.	small black fruited.	S.Europe.	1823.	H. h.	
42	grandiflora. L.R.	large flowered.	Siberia.	5.	H. h.	Botan. regist. 888.
43	involuta. E.B.	Dr. Walker's.	Hebrides.	6. 7.	H. h.	Eng. bot. 2068.
44	reversa. L.R.	reversed.	Hungary.	1817.	H. h.	W.et K. hung. 3. t. 264.
45	Biebersteinii. LY.	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
46	Doniana. L.T.	Mr. Don's.	Britain.	6. 7.	H. h.	
47	gracilis. L.T.	slender.	Britain.	7. 8.	H. h.	Eng. bot. 583.
	<i>villosa. E.B. non L.</i>						
48	Sabini. L.T.	Mr. Sabine's.	H. h.	
49	marginata. L.R.	margin'd.	Germany.	1823.	H. h.	
50	coruscans. L.en.	glittering.	H. h.	
51	damascena. L.R.	red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
52	centifolia. L.R.	Provins.	Caucasus.	1596.	H. h. t. 8.
	<i>β</i> muscova. L.R.	Moss.	1724.	H. h.	Botan. regist. 53.
	<i>γ</i> pomponia. L.R.	Pomponie.	H. h.	Redout. ros. 1. 65. t. 21.
	<i>δ</i> bipinnata. L.R.	bipinnate.	H. h. 2. 11. t. 4.
53	gallica. L.R.	officinal.	Europe.	1596.	H. h.	Botan. regist. 448.
	<i>β</i> pumila. L.R.	dwarf.	Austria.	1773.	H. h.	Jacq. aust. 2. t. 198.
54	pulchella. s.s.	neat.	France.	H. h.	
55	parvifolia. L.R.	Burgundy.	Europe.	H. h.	Botan. regist. t. 452.
56	turbinata. L.R.	Frankfort.	1629.	H. h.	Miss Lawr. ros. t. 69.
57	villosa. L.T.	villous.	Britain.	6.	H. h.	Eng. bot. 2459.
	<i>mollis. E.B.</i>						
	<i>β</i> cærulea. L.T.	blue-stalked.	H. h.	
	<i>γ</i> concavifolia. L.T.	concave-leaved.	Scotland.	H. h.	
	<i>δ</i> suberecta. L.T.	suberect.	Yorkshire.	H. h.	
58	scabriuseula. L.T.	roughish.	Britain.	H. h.	Eng. bot. 1896.
59	heterophylla. L.T.	various-leaved.	Scotland.	H. h.	
60	tomentosa. L.T.	downy-ld. dog.	Britain.	H. h.	Eng. bot. 990.
	<i>β</i> sylvestris. L.T.	wood.	H. h.	
	<i>γ</i> canescens. L.T.	canescent.	H. h.	
	<i>δ</i> incana. L.T.	hoary.	H. h.	
61	nuda. L.T.	naked.	Westmoreland.	H. h.	
62	alba. L.R.	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
63	montana. s.s.	mountain.	Tauria.	1820.	H. h.	
64	hibernica. L.T.	Irish.	Ireland.	6. 11.	H. h.	Eng. bot. 2196.
65	lutea. L.R.	yellow.	Germany.	1596.	6.	H. h.	Botan. magaz. 363.
	<i>β</i> bicolor.	red and yellow.	H. h. 1077.
66	Sherardi. Sm.	Sherard's.	Britain.	6. 7.	H. h.	

67	rubiginosa. E.B.	sweet briar.	—	—	H. h.	Eng. bot. 991.
	<i>β umbellata. L.R.</i>	umbel-flowered.	—	—	—	—	—
68	micrantha. L.T.	small.	England.	—	H. h.	— 2490.
69	sepium. DC.	hedge.	France.	—	H. h.	—
70	Borreri. L.T.	Borrer's.	Britain.	—	H. h.	Eng. bot. 2579.
	<i>dumetorum. E.B. nec aliorum.</i>	—	—	—	—	—	—
71	adenophylla. s.s.	glandulous.	1816.	—	H. h.	—
72	pruinosa. L.C.	frosted.	1817.	5. 6.	H. h.	—
	<i>pulverulenta. L.R. non M.B.</i>	—	—	—	—	—	—
73	Montezumæ. Kth.	Mexican.	Mexico.	1823.	H. h.	Redout. ros. 1. t. 16.
74	caucasica. M.B.	Caucasean.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
75	cæsia. L.T.	grey-leaved.	Scotland.	7.	H. h.	Eng. bot. 2367.
76	sarmentacea. L.T.	sarmentose.	Britain.	6. 7.	H. h.	—
	<i>β nitens. L.T.</i>	glossy-leaved.	—	—	—	—	—
77	bractescens. L.T.	long-bracted.	Lancashire.	—	H. h.	—
78	dumetorum. L.T.	bushy.	England.	6.	H. h.	—
79	Forsteri. sm.	Forster's.	—	—	H. h.	—
80	collina. L.T.	hill.	—	—	H. h.	Jacq. aust. 2. t. 197.
81	canina. L.T.	dog or hep.	Britain.	6. 7.	H. h.	Eng. bot. 992.
	<i>β cera. L.T.</i>	waxy.	—	—	H. h.	—
	<i>γ glandulifera. L.T.</i>	glandular.	—	—	H. h.	—
	<i>δ simpliciuscula. L.T.</i>	simple-calyxed.	—	—	H. h.	—
82	surculosa. L.T.	surculose.	—	—	H. h.	—
83	leucantha. Len.	white-flowered.	Siberia.	1824.	H. h.	—
84	rubrifolia. L.R.	reddish-leaved.	S. Europe.	5. 6.	H. h.	Botan. regist. 430.
85	sericea. L.R.	silky-leaved.	Nepaul.	1823.	H. h.	Lindl. ros. t. 12.
86	microphylla. L.R.	small-leaved.	China.	1822.	6. 8.	H. h.	Botan. regist. 919.
87	longifolia. w.	Willow-leaved.	—	2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
88	indica. w.	common China.	—	1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	<i>β centifolia.</i>	large-double.	—	—	H. h.	—
	<i>γ purpurea.</i>	purple China.	—	—	H. h.	—
	<i>δ subalba.</i>	whitish China.	—	—	H. h.	—
	<i>ε media.</i>	middle China.	—	—	H. h.	—
	<i>ζ minor.</i>	small China.	—	—	H. h.	—
	<i>η fragrans.</i>	animating.	—	—	H. h.	Andr. ros. ic.
89	odorata.	sweet-scented.	—	1810.	2. 12.	H. h.	Botan. regist. 804.
	<i>indica odorata. A.R. indica fragrans. R.R. 1. 115. t. 42.</i>	—	—	—	—	—	—
	<i>β flavescens.</i>	yellow China.	—	1823.	—	H. h.	—
90	semperflorens. L.R.	red China.	—	1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	<i>α diversifolia. V.</i>	single.	—	—	F. h.	Vent. cels. t. 35.
	<i>β atrorubens.</i>	double red.	—	1789.	F. h.	Botan. magaz. 284.
	<i>γ resplendens.</i>	resplendent.	—	—	F. h.	—
	<i>δ fragrans.</i>	fragrant.	—	1820.	—	F. h.	—
	<i>ε Terneauxi.</i>	Terneaux's.	—	—	—	F. h.	—
	<i>ζ Bichonii.</i>	Bichon's.	—	—	—	F. h.	—
91	Lawranceana.	Miss Lawrance's.	—	1810.	—	F. h.	Botan. regist. 538.
	<i>β flore pleno.</i>	double-flowered.	—	1824.	—	F. h.	—
92	systyla. L.T.	clustered dog.	Britain.	6. 7.	H. h.	Eng. bot. 1895.
93	arvensis. L.T.	field.	—	—	H. h.	— 188.
	<i>β scandens.</i>	Ayrshire.	—	—	H. h.	Botan. magaz. 2054.
94	geminata. Rau.	Swiss.	Switzerland.	—	H. h.	—
95	sempervirens. w.	evergreen.	S. Europe.	1629.	6. 8.	H. h.	Botan. regist. 465.
96	Boursoulti.	Boursoult's.	Hybrid.	1821.	4. 7.	H. h.	—
97	hyacinthina.	Hyacinth-scented.	—	—	—	H. h.	—
98	Grevillii.	Greville's.	China.	—	H. h.	—
99	Roxburghii.	Roxburgh's.	—	—	H. h.	—
100	multiflora. w.	many-flowered.	—	1804.	6. 8.	H. h.	Botan. regist. 425.
101	Brunonii. L.R.	Mr. Brown's.	Nepaul.	1820.	—	H. h.	Lindl. ros. t. 14.
102	moschata. L.R.	musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	<i>β plena.</i>	double musk.	—	—	—	H. h.	t. 53.
103	nivea. Dup.	snow white.	Hybrid.	1823.	—	H. h.	Botan. regist. 861.
104	Noisettiana. R.R.	Noisette's.	—	1816.	5. 11.	H. h.	—
	<i>β Fraseri.</i>	Fraser's.	—	—	—	H. h.	—
	<i>γ purpurea.</i>	purple.	—	1823.	—	H. h.	—
105	rubifolia. L.R.	bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	—
	<i>β fenestralis. L.R.</i>	thin-leaved.	—	—	—	H. h.	Lindl. ros. t. 15.
106	sinica. L.R.	shining-leaved.	China.	1759.	6. 8.	F. h.	— t. 16.
107	Banksiæ. L.R.	Lady Banks's.	—	1807.	—	H. h.	Botan. regist. t. 397.
	<i>β lutea.</i>	yellow-flowered.	—	1823.	—	H. h.	—

GARDEN VARIETIES.

I. spinosissima.

- 1 Aberdeen.
- 2 Aberfoil.
- 3 alba.
- 4 Alloa.
- 5 Ancram.
- 6 Arbroath.
- 7 Argyll.
- 8 Arrochar.
- 9 Aurora borealis.
- 10 Balloch.
- 11 Banff.
- 12 Bannochburn.
- 13 Borisdale.
- 14 Bass.
- 15 Bengloe.
- 16 Ben Lomond.
- 17 Ben More.
- 18 Berwick.
- 19 bicolor.
- 20 Biggar.
- 21 Birnam.
- 22 Blair Athol.
- 23 Boharm.
- 24 Borthwick.
- 25 Buchan.
- 26 Bute.
- 27 Caithness.
- 28 Calder.
- 29 Callender.
- 30 Campsie.
- 31 carnescens.
- 32 Carron.
- 33 Cheviot.
- 34 ciphieri.
- 35 Clydesdale.
- 36 Cromarty.
- 37 Dalkeith.
- 38 Dalrymple.
- 39 Dornock.
- 40 Douglas.
- 41 Dumbarton.
- 42 Dumblane.
- 43 Dumfermline.
- 44 Dumfries.
- 45 Dunbar.
- 46 Duncrueff.
- 47 Dundee.
- 48 Dunglass.
- 49 Dunkeld.
- 50 Dunlop.
- 51 Dunmore.
- 52 dwarf bicolor.
- 53 Dysart.
- 54 Eden.
- 55 Elgin.
- 56 Etterick.
- 57 Fairy.
- 58 Falkirk.
- 59 Falkland.
- 60 Falla.
- 61 Fife.
- 62 flavescens.
- 63 Forfar.
- 64 Forth.
- 65 Fort William.
- 66 fulgens.

GARDEN VARIETIES.

- 67 Furness.
- 68 Galloway.
- 69 Glasgow.
- 70 Glenco.
- 71 Glenfallach.
- 72 Glengarry.
- 73 Gourrock.
- 74 Grahamston.
- 75 Grampian.
- 76 Greenock.
- 77 Haddington.
- 78 Halkirk.
- 79 Hamilton.
- 80 Hawick.
- 81 Hawthorndean.
- 82 Hector.
- 83 humilis.
- 84 Huntly.
- 85 incarnata.
- 86 Inverary.
- 87 Inverness.
- 88 Invermay.
- 89 Janus.
- 90 Jedburgh.
- 91 Jura.
- 92 Keith.
- 93 Kelso.
- 94 Kilmarnock.
- 95 Kincardine.
- 96 Kinnaird.
- 97 Kinross.
- 98 Kircaldy.
- 99 Kirkwall.
- 100 Lanark.
- 101 Laxford.
- 102 Leith.
- 103 Leslie.
- 104 Lismore.
- 105 Lochaber.
- 106 Lochaird.
- 107 Loch fine.
- 108 Lochleven.
- 109 Lochlomond.
- 110 Lothian.
- 111 Maidenkirk.
- 112 Melrose.
- 113 Moncrieff.
- 114 Monteith.
- 115 Montgomery.
- 116 Montrose.
- 117 Mount stuart.
- 118 Mull.
- 119 Moray.
- 120 mutabilis.
- 121 Nevis.
- 122 Northumberland.
- 123 Paisley.
- 124 penicillata.
- 125 Pentland.
- 126 perpetual.
- 127 picta. L.B.C. 687.
- 128 Proteus.
- 129 Robertson.
- 130 Rosslyn.
- 131 Rothsay.
- 132 rubicunda.
- 133 Selkirk.

GARDEN VARIETIES.

- 134 Shetland.
 - 135 Sky.
 - 136 Staffa.
 - 137 Stirling.
 - 138 Strathmore.
 - 139 striata.
 - 140 Stronsa.
 - 141 Sutherland.
 - 142 Tiviotdale.
 - 143 Tarbet.
 - 144 Thornhill.
 - 145 Thurso.
 - 146 Tranent.
 - 147 variegata.
 - 148 venulosa glabra.
 - 149 venulosa hispida.
- II. gallica.*
- 150 aimable beaute.
 - 151 atlas.
 - 152 belle aurore.
 - 153 belle carmosie.
 - 154 belle pourpre.
 - 155 belle violette.
 - 156 Bijou.
 - 157 blue and purple.
 - 158 blush hundred-ld.
 - 159 bright purple.
 - 160 brunette.
 - 161 carmine brillante.
 - 162 chancellor.
 - 163 couleur de feu.
 - 164 dark marbled.
 - 165 dark violet.
 - 166 delicious.
 - 167 dingy.
 - 168 double velvet.
 - 169 double marbled. M.L.R. 57.
 - 170 dutch tree.
 - 171 dutch 100 leaved.
 - 172 early Ranunculus.
 - 173 favourite purple.
 - 174 fiery.
 - 175 Flanders.
 - 176 giant. M.L.R. 49.
 - 177 Goliath. — 80.
 - 178 granaat appel.
 - 179 grand purple.
 - 180 infernal.
 - 181 Italian.
 - 182 la grand belle pourpre.
 - 183 Leyden.
 - 184 light purple.
 - 185 Lisbon. M.L.R. 67.
 - 186 L'ombre agreable.
 - 187 L'ombre superbe.
 - 188 maiden.
 - 189 Malabar.
 - 190 mignonne.
 - 191 mignonne striped.
 - 192 mignonne incised.
 - 193 mignonne blush.
 - 194 mirabelle.
 - 195 Montaubon.
 - 196 Morocco.
 - 197 mundi. M.L.R. 13.
 - 198 nonsuch.

GARDEN VARIETIES.

- 199 ornement de parade.
 200 Pæstana.
 201 perruque.
 202 petite 100 leav'd. M.L.R. 55.
 203 plicate. — t. 87.
 204 pompadour.
 205 pourpre charmante.
 206 princess.
 207 prince William V.
 208 pyramidal.
 209 queen.
 210 red and violet.
 211 royal purple.
 212 royal virgin. M.L.R. 7.
 213 Saint John's.
 214 shell. M.L.R. 89.
 215 single velvet.—51.
 216 Singleton's 100 leaved.—85.
 217 Spanish.
 218 stadtholder.
 219 triumphant.
 220 Tuscany. B.R.
 221 velours pourpre.
 222 violette de rouge.

III. *centifolia*.

- 223 aurora.
 224 beaute supreme.
 225 Blandford. M.L.R. 21.
 226 black mottled.
 227 blue.
 228 blush royal. M.L.R. 47.
 229 blush cabbage.—
 230 bouquet rouge royale.
 231 bright crumpled.
 232 Brussels.
 233 burning coal.
 234 cardinal. M.L.R. 59.
 235 carmine.
 236 cherry.
 237 cluster.
 238 Cupid.
 239 dragon.
 240 early 100 leaved.
 241 Elysian.
 242 emperor.
 243 grand cremois.
 244 grand marbled.
 245 grand Provins.
 246 Juno.
 247 king.
 248 lurid.
 249 Majorca.
 250 Malta.
 251 mignonne, scarlet.
 252 mignonne, crimson.
 253 mignonne, purple.
 254 mignonne, favourite.
 255 mignonne, red.
 256 mottled purple.
 257 Neapolitan.
 258 nonpareil.
 259 one-sided.
 260 paragon.
 261 Persian.
 262 Pluto. M.L.R. 39.
 263 poppy.

GARDEN VARIETIES.

- 264 Portland.
 265 pourpre aimable.
 266 pourpre favourite.
 267 poupre violette.
 268 prolific.
 269 Proserpine. —
 270 Provins, single.
 271 Provins, common. M.L.R. 8.
 272 Provins, cabbage.
 273 Provins, blush cabbage.
 274 Provins, scarlet. M.L.R. 22.
 275 Provins, Childings.—43.
 276 Provins, blush.—1.
 277 Provins, white.—4.
 278 Provins, Shailer's.—76.
 279 Provins, Colvill's.
 280 Provins, damask.
 281 Provins, dwarf.
 282 Provins, invincible.
 283 Provins, Dutch.
 284 Provins, imperial.
 285 Provins, royal.
 286 rouge superbe.
 287 royal red.
 288 sanspareil.
 289 siren.
 290 Spong's. —
 291 striped nosegay.
 292 superb carmine.
 293 superb red.
 294 surpassante.
 295 Trafalgar.
 296 Versailles.
 * *centifolia muscosa*.
 297 single moss.
 298 blush moss.
 299 dark moss.
 300 mottled moss.
 301 prolific moss.
 302 royal moss.
 303 scarlet moss.
 304 semidouble moss.
 305 striped moss.
 306 Shailer's white moss.
 307 Bristol white moss.
 † *centifolia pomponia*.
 308 de Meax. M.L.R. 31.
 309 de Rheims. — 71.
 310 dwarf Bagshot.
 311 mossy de Meaux.
 312 mossy Pomponne.
 313 Pomponne. M.L.R. 50.
 314 proliferous Pomponne.
 315 St. Francis. M.L.R. 88.

IV. *damascena*.

- 316 blush Belgic. M.L.R. 70.
 317 blush monthly.—18.
 318 blush damask.—52.
 319 early blush.
 320 four seasons. —
 321 fringed. M.L.R. 82.
 322 great royal. M.L.R. 58.
 323 grand monarque.
 324 imperial blush. M.L.R. 90.
 325 incomparable.
 326 lesser Belgic.

GARDEN VARIETIES.

- 327 pale cluster.
 328 red damask. M.L.R. 38.
 329 red monthly. M.L.R. 5.
 330 red Belgic.—83.
 331 rouge agathe.
 332 white monthly. M.L.R. 17.
 333 York and Lancaster.—10.
 334 Zealand.

V. *alba*.

- 335 celestial.
 336 cluster maiden's blush.
 [M.L.R. 230.
 337 de Belgique. —
 338 full double white. M.L.R. 25.
 339 great maiden's blush. —
 [M.L.R. 32.
 340 Moraga la favourite.
 341 semidouble white.
 342 spineless virgin.

VI. *rubiginosa*.

- 343 cluster blush sweet briar.
 344 double mossy sweet briar.
 [M.L.R. 72.
 345 double red sweetbriar.—61.
 346 double rosy sweet briar.
 347 evergreen sweet briar.
 348 large blush sweet briar.
 349 Manning's sweet briar.
 [M.L.R. 41.
 350 monstrous sweet briar.
 351 royal sweet briar.
 [M.L.R. 74.
 352 scarlet sweet briar.
 353 semidouble sweet briar.
 [M.L.R. 655.

VII. *various garden Roses*.

- 354 abundant.
 355 abyla.
 356 Achaia.
 357 Achilles.
 358 Adelina.
 359 admirable.
 360 Adonis.
 361 African black.
 362 agate.
 363 agate superb.
 364 agate japonese.
 365 agate magnifique.
 366 agate nouvelle.
 367 agate prolifer.
 368 agate Marie Louise.
 369 agate royale.
 370 agate thalie.
 371 aglace noir.
 372 aimable violette.
 373 Ajax.
 374 aland.
 375 alba feuille fermee.
 376 alba bifera.
 377 Albanian.
 378 alba nova pleno.
 379 alba nova celestis.
 380 albo-rosea.
 381 alba triangularis.

GARDEN VARIETIES.

382 aline.
 383 amaranth.
 384 Amazon.
 385 amour constant.
 386 Andalusian.
 387 anemoneflora.
 388 Antwerp.
 389 Arcadian.
 390 arcaro.
 391 archbishop.
 392 ardoise.
 393 Armenian.
 394 armida.
 395 Assyrian.
 396 Athenian.
 397 augusta.
 398 aurelia.
 399 baden.
 400 balbec.
 401 beaute frappante.
 402 beaute insurmontable.
 403 beaute panache.
 404 beaute renommee.
 405 beaute rouge.
 406 beaute sanspareille.
 407 beaute tendre.
 408 belladonna.
 409 belle actrise.
 410 belle aimable.
 411 belle aurore descemet.
 412 belle brune.
 413 belle cataline.
 414 belle cerisie.
 415 belle d'aunay.
 416 belle du jour.
 417 belle flamande.
 418 belle forme.
 419 belle galathee.
 420 belle hative.
 421 belle incarnate.
 422 belle inconnue.
 423 belle matilde.
 424 belle mahæca.
 425 belle parade.
 426 belle Tigridia.
 427 belle zulme.
 428 belle rouge.
 429 belle sans flatterie
 430 belle sanspareille.
 431 belle therese.
 432 belle vue.
 433 bellona.
 434 Berkshire.
 435 bifera carnea.
 436 bifera de Naples.
 437 bengale floride.
 438 bengale thisbe.
 439 bifera grandiflora.
 440 bishop. M.L.R. 20.
 441 bizard royal.
 442 black frizzled.
 443 black purple.
 444 blanche superbe.
 445 blondine.
 446 blush Italian.
 447 blush velvet.
 448 bold.

GARDEN VARIETIES.

449 Bonaparte.
 450 Bonifacius.
 451 bouquet blanc.
 452 bouquet panache.
 453 bouquet parfait.
 454 bouquet superb.
 455 Bourbon.
 456 Brabant.
 457 bracelet d'amour.
 458 brigitte.
 459 brilliant.
 460 brune brillante.
 461 Brunette aimable.
 462 Brunette superbe.
 463 Brunswick.
 464 bucephalus.
 465 bullata.
 466 cabinet.
 467 Calypso.
 468 camellote.
 469 cannabina.
 470 canopus.
 471 carnation.
 472 Carthaginian.
 473 Castile.
 474 Catalanian.
 475 cecropia.
 476 Ceres.
 477 cervalis.
 478 champion.
 479 chance.
 480 changeable.
 481 charmante pourpre.
 482 chausse.
 483 chiron.
 484 cicris pale rose.
 485 Clementina.
 486 Cleopatra. C
 487 comtesse de Genlis.
 488 cornelian.
 489 cossack.
 490 couleur a la mode.
 491 couleur de cendre
 492 couleur de cerise.
 493 couleur excellent.
 494 coupee.
 495 couronne.
 496 couronne des roses.
 497 couronne imperiale.
 498 cramoisi eblouissant.
 499 cramoisi elegant.
 500 cramoisi fonce.
 501 cramoisi imperial.
 502 cramoisi incomparable.
 503 cramoisi minor.
 504 cramoisi nouveau.
 505 cramoisi panache.
 506 cramoisi sanspareil.
 507 cramoisi triomphant.
 508 crimson.
 509 crimson perpetual.
 510 crown imperial.
 511 crown purple.
 512 cybele.
 513 danæ.
 514 Danish.
 515 dark mignonne.

GARDEN VARIETIES.

516 dark mottled.
 517 dark shell.
 518 darling.
 519 de bengal gros violet.
 520 Dejanira.
 521 delicate.
 522 Derby.
 523 descemets.
 524 diadem.
 525 damascena argentea.
 526 dianthiflora.
 527 Dickson's duchess.
 528 Dido.
 529 don des dames.
 530 Dione.
 531 discolor.
 532 Dorothee.
 533 double apple bearing. [M.L.R. 20.
 534 double dog.—60.
 535 double mimms.
 536 double Pæony.
 537 double purple.
 538 double red thornless.
 539 double white thornless.
 540 duc de Brabant.
 541 Duchess.
 542 duchess d'Angouleme.
 543 duchesse de Berri.
 544 duchessed'Oldenburgh.
 545 duke of Clarence.
 546 Durham.
 547 Dutch Cinnamon.
 548 Dutch crimson.
 549 Dutch velvet.
 550 dwarf burnet-ld.
 551 dwarf Chester.
 552 dwarf prolific.
 553 early Provins.
 554 early red.
 555 eglanteria alba.
 556 eglanteria pumila.
 557 eglantine sweet briar.
 558 Egyptian.
 559 elegans.
 560 enchanters.
 561 erato.
 562 Etna.
 563 euphrosyne.
 564 evratina.
 565 ex alba rosea.
 566 fair maid.
 567 favonius.
 568 favorite.
 569 favorite des dames.
 570 fausse unique.
 571 felicie.
 572 felicite.
 573 Felix.
 574 feu amoureux.
 575 feuille chiffonee.
 576 feuille crenulee.
 577 feuille de chenc.
 578 feuille de frene.
 579 few-spined.
 580 fine panachee.
 581 fine crimson.

GARDEN VARIETIES.

582 fine purple.
 583 flavia pourpre.
 584 Flemish.
 585 flesh-coloured.
 586 flesh-coloured four seasons.
 587 fleur de parade.
 588 fleur de pomme.
 589 fleur et feuille marbree.
 590 fleur panachee.
 591 flora.
 592 flore nigricante.
 593 florentine.
 594 flore rubra.
 595 floribunda.
 596 florio.
 597 flos puniceus.
 598 folie de corse.
 599 formidable.
 600 four seasons semidouble.
 601 franconian.
 602 Frankfort.
 603 Frankfort agate.
 604 freckled.
 605 frilled.
 606 frizzled.
 607 gallica foliacea.
 608 garnett.
 609 Gascony.
 610 Genoese.
 611 Genoese velvet.
 612 gienvieve.
 613 globe.
 614 gloomy.
 615 gloria mundi.
 616 gloria mundi flore pallida.
 617 gloria mundi pourpre.
 618 gloria rubrorum.
 619 gloriosa.
 620 glowing.
 621 grand Alexandre.
 622 grande Anglaise.
 623 grand Cæsar.
 624 grand centifolia.
 625 grande chausse.
 626 grand cramoisi.
 627 grande foncee.
 628 grand Mogul.
 629 grand pivoine.
 630 grande pompadour.
 631 grand pyramidal.
 632 grand rouge.
 633 grand triumphant.
 634 grandesse royale.
 635 grandeur royal.
 636 great Mogul.
 637 grey.
 638 grisdeline.
 639 grisdeline sans epines.
 640 Hainault.
 641 Haarlem.
 642 harpagus.
 643 Helena.
 644 Hebe.
 645 hero.
 646 Hertford.
 647 Hildesheim.
 648 Hollandia magniflora.

GARDEN VARIETIES.

649 hortulanus.
 650 hundred leaved mignonne.
 651 hyacinth.
 652 hybrida perfecta.
 653 hybride nouvelle.
 654 iconium.
 655 idumea.
 656 illustrious.
 657 imperatrice.
 658 imperatrice de France.
 659 Indian queen.
 660 inermis.
 661 iris noir.
 662 Isabelle.
 663 Isis.
 664 jaqueline.
 665 jeanne d'arc.
 666 Jersey.
 667 jessica.
 668 jolie.
 669 Josephine.
 670 Julian.
 671 king Agrippa.
 672 king of Mexico.
 673 la belle elise.
 674 la belle rosine.
 675 l'abondance.
 676 la constance.
 677 la coquette.
 678 la Diane.
 679 l'admirable.
 680 la fidele.
 681 la gracieuse.
 682 la grandesse.
 683 l'aimable de Stors.
 684 lake.
 685 la maculee.
 686 la magnifique.
 687 la majestueuse.
 688 la mignarde.
 689 l'amitie.
 690 la moderne.
 691 Lancaster.
 692 lanckman.
 693 la negresse.
 694 la parfaite.
 695 la Parisienne.
 696 la petite lisette.
 697 la plus belle.
 698 la plus rouge.
 699 la pomme grenade
 700 la precieuse pourpre.
 701 la reine.
 702 la reine des roses.
 703 large platter.
 704 large perfect.
 705 la rose de Medicis
 706 la rose d'Ispahan.
 707 la royale.
 708 la superbe.
 709 la superbe en brun.
 710 la tendresse.
 711 la victorieuse.
 712 la virginité.
 713 leafy.
 714 Leander.
 715 le dauphin.

GARDEN VARIETIES.

716 Lee's perpetual.
 717 le grandeur.
 718 le grand lowendael.
 719 le grand suwarrow.
 720 le grand visir.
 721 Leipsick.
 722 les alliées.
 723 le violet triomphant.
 724 light 100 leaved.
 725 l'impayable.
 726 l'importante.
 727 lively.
 728 l'obscurité.
 729 Lodona.
 730 Lodoiska.
 731 l'ombre panaché.
 732 l'ombre sanspareille.
 733 London pride.
 734 Louis 18th.
 735 Lubeck.
 736 Ludolph.
 737 Ludovicus.
 738 Luxemburg.
 739 Lyonnoise.
 740 lystra.
 741 madder.
 742 magdalen.
 743 maiden blush.
 744 mantle.
 745 marbled.
 746 marble apple bearing.
 747 Margaretta.
 748 Marie anne.
 749 marquis de la Romana.
 750 Marseilles.
 751 maxima.
 752 mere gigon.
 753 merveilleuse.
 754 Mexican.
 755 Milanese.
 756 Minerva.
 757 mirabelle.
 758 miroir des dames.
 759 Mogul.
 760 mon bijou.
 761 monstrosa.
 762 monstrous cluster.
 763 monstrous 100 ld. M.L.R. 73.
 764 Montpelier.
 765 morin.
 766 morning star.
 767 mottled.
 768 mourning.
 769 multiplex.
 770 Napoleon.
 771 Napoli di romana.
 772 Narbonne.
 773 Nassau.
 774 negro.
 775 negre panaché.
 776 Neptune.
 777 new mottled.
 778 new Provins.
 779 nigritienne.
 780 Niobe.
 781 noblesse.
 782 noir foncé.

GARDEN VARIETIES.

783 non plus ultra.
 784 Normandica.
 785 nouvelle favorite.
 786 nouvelle de Provins.
 787 nouvelle pivoine.
 788 Oldenburg.
 789 Oliver.
 790 Olympic.
 791 omphale.
 792 orient.
 793 orion.
 794 ornement de park.
 795 ornement de violet.
 796 oublie des François.
 797 painted.
 798 painted Belgic.
 799 Palestine.
 800 panachée admirable.
 801 panachée nouvelle.
 802 panachée sanspareille.
 803 panachée superbe.
 804 Pannonian.
 805 paradise.
 806 Paris 100-leaved.
 807 Parnassus.
 808 parson.
 809 party coloured.
 810 Patmos.
 811 Palmyra.
 812 Paulina.
 813 Pearson's gigantic.
 814 Pegasus.
 815 pencilled mignonne.
 816 pencilled Provins.
 817 Penelope.
 818 perfecta.
 819 perle de l'orient.
 820 perpetuelle rouge.
 821 Peruvian.
 822 petit Cæsar.
 823 petit cramoisi.
 824 petit favorite.
 825 petit mignon.
 826 petit panaché.
 827 phoenix.
 828 pierian.
 829 pilgrim.
 830 pink velvet.
 831 plicata purpurea.
 832 Pomeranian.
 833 pomegranate.
 834 pomona.
 835 pompone.
 836 pompone blanc.
 837 pompone bifera.
 838 pompone quatre saisons.
 839 pompone varin.
 840 Poniatowski.
 841 Pope's cluster.
 842 portlandica grandiflora.
 843 portlandica perpetua.
 844 Portobella.
 845 Portugal.
 846 pourpre agreable.
 847 pourpre de Paris.
 848 pourpre de Tyre.
 849 pourpre sans epines.

GARDEN VARIETIES.

850 pourpre de Vienne.
 851 pourpre imperial.
 852 pourpre incomparable.
 853 pourpre obscur.
 854 pourpre sans défaut.
 855 pourpre sanspareil.
 856 pourpre superb.
 857 predominant.
 858 Presburg.
 859 prince.
 860 prince d'Aremberg.
 861 princely.
 862 prince regent.
 863 princess Charlotte.
 864 princesse noble.
 865 professor.
 866 proliferous carmine.
 867 purple crimson.
 868 purple crown.
 869 purple imperial.
 870 purple velvet.
 871 pyramide pourpre.
 872 quatre saisons blanche.
 873 quatre saisons François.
 874 quatre saisons panaché.
 875 quatre saisons sans epines.
 876 queen's Provins.
 877 ragged robin.
 878 ranunculus.
 879 Raphael.
 880 Ratisbon.
 881 ravenna.
 882 red cluster.
 883 red crown.
 884 red Provins.
 885 red velvet.
 886 refulgent.
 887 regina florum.
 888 reine Caroline.
 889 reine d'Hongrie.
 890 renoncule nouvelle.
 891 rex rubrorum.
 892 riche en fleurs.
 893 roi des negres.
 894 roi de Rome.
 895 roi de Maroc.
 896 roi des pays bas.
 897 roi des pourpres.
 898 Roman.
 899 Rosabel.
 900 Rosanna.
 901 rose agreeable.
 902 rose bouquet.
 903 rose de Ceres.
 904 rose des dames.
 905 rose du roi.
 906 rose d'Orleans.
 907 rose du prince.
 908 rose la mode.
 909 rose lee.
 910 rose pivoine.
 911 rose prolifere.
 912 rouge agreable.
 913 rouge bien vif.
 914 rouge eclatant.
 915 rouge formidable.
 916 rouge frappant.

GARDEN VARIETIES.

917 rouge luisant.
 918 rouge panaché.
 919 rouge sans epines.
 920 rouge semidouble.
 921 rouge vegetable.
 922 royal bouquet.
 923 royal carmine.
 924 royal crimson.
 925 royal gabina.
 926 royal mantle.
 927 royal viscous.
 928 rubripina.
 929 rubiginosa umbellata.
 930 ruby.
 931 sable.
 932 St. Antoine.
 933 St. Catharine.
 934 St. George.
 935 St. Germain.
 936 St. Gothard.
 937 St. Jago.
 938 St. Mark.
 939 St. Patrick.
 940 sans défaut.
 941 sans petales.
 942 Sarmatian.
 943 scarlet Brabant.
 944 sceptre.
 945 scone purple.
 946 semidouble hep.
 947 semidouble mignonne.
 948 semidouble monthly.
 949 semidouble new.
 950 seigneur d'Ærtzelaar.
 951 septum cerise.
 952 Seville.
 953 Sheffield.
 954 Shylock.
 955 Silenus.
 956 Silesian.
 957 shining semidouble.
 958 simplicité.
 959 singuliere agate.
 960 Sirius.
 961 soliditas.
 962 Southampton.
 963 Spartan.
 964 spineless red.
 965 spiral.
 966 stæbon.
 967 standard.
 968 state.
 969 Stephanus.
 970 Stepney. M.L.R. 46.
 971 striped monthly.
 972 striped Provins.
 973 striped velvet.
 974 sugarloaf.
 975 sulphurea.
 976 sulphurea minor.
 977 Sultan. M.L.R. 35.
 978 superb.
 979 superb amaranth.
 980 superbe brune.
 981 superbe pyramide.
 982 surpasse Singleton.
 983 surpasse tout.

GARDEN VARIETIES.

- 984 Swiss.
 985 Syrian.
 986 Tangiers.
 987 ten-leaved.
 988 temple d'Apollon.
 989 tête de mort.
 990 Theseus.
 991 Tigris.
 992 tricolor.
 993 tomentosa alba.
 994 toujours.
 995 tous les mois gris.
 996 transparent.
 997 transparent nouvelle.
 998 Trebonius.
 999 tree burnet-leav'd.
 1000 tree pæony.
 1001 tresorier.
 1002 triangular.
 1003 triomphe.
 1004 triomphe des dames.
 1005 triomphe royale.
 1006 Triton.
 1007 turban.
 1008 two-coloured 100-leaved.
 1009 two-coloured mignonne.

GARDEN VARIETIES.

- 1010 vacuna.
 1011 vagrant.
 1012 velours cramoisie.
 1013 veloute.
 1014 venerable.
 1015 venetatus.
 1016 Venetian.
 1017 ventome noir.
 1018 Venus.
 1019 venusta.
 1020 veritas.
 1021 vermillion.
 1022 vesta.
 1023 Vesuvius.
 1024 victoria.
 1025 Vidua.
 1026 villosa nouvelle.
 1027 Vilmorin.
 1028 violette.
 1029 violette agreeable.
 1030 violette aimable.
 1031 violette brillante.
 1032 violette curieuse.
 1033 violette foncée.
 1034 violette maculée.
 1035 violette nouvelle.

GARDEN VARIETIES.

- 1036 violette sanspareille.
 1037 violette superbe.
 1038 violette superieure.
 1039 virgin's.
 1040 virginale.
 1041 virbilia.
 1042 virgo cramoisie.
 1043 ulterio.
 1044 ultramarine.
 1045 umbrella.
 1046 unique rouge.
 1047 Waterloo.
 1048 Watson's blush.
 1049 Watson's white.
 1050 Wellington.
 1051 woolly-leaved.
 1052 white damask.
 1053 white pomponne.
 1054 York.
 1055 Yorkshire blush.
 1056 Yorkshire Provins.
 1057 zabet.
 1058 zatre.
 1059 Zenobia.

SUBORDO II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS. W.

BRAMBLE. Icosandria Polygynia. L.

- | | | | | | | |
|--|-------------------|-------------|-------|--------|-------|--------------------------|
| 1 pinnatus. s.s. | pinnate. | C. B. S. | 1789. | 6. 7. | G. h. | |
| 2 rosæfolius. s.s. | Rose-leaved. | Mauritius. | 1811. | 10. 4. | G. h. | Smith ic. 3. t. 60. |
| 3 coronarius. | double-flow'r'd. | China. | — | — | H. h. | Botan. magaz. 1783. |
| <i>rosæfolius</i> β <i>coronarius</i> . B.M. | | | | | | |
| 4 micranthus. D.P. | small-flowered. | Nepaul. | 1818. | 6. 8. | H. h. | Botan. regist. 854. |
| <i>pauciflorus</i> . B.R. <i>exl. syn.</i> | | | | | | |
| 5 distans. D.P. add. | distant-leaved. | — | — | — | H. h. | |
| <i>pinnatus</i> . D.P. 234. <i>nec aliorum</i> . | | | | | | |
| 6 asper. D.P. | rough. | — | 1822. | — | H. h. | |
| 7 apetalus. s.s. | petalless. | Mauritius. | 1823. | — | S. h. | |
| 8 sanguinolentus. s.s. | red-wooded. | — | — | 6. 8. | S. h. | |
| 9 parvifolius. s.s. | small-leaved. | China. | 1818. | 6. 8. | H. h. | Botan. regist. 496. |
| 10 Idæus. s.s. | Raspberry. | Britain. | — | 5. 6. | H. h. | Eng. bot. 2442. |
| 11 fruticosus. s.s. | common. | — | — | 6. 9. | H. h. | — 715. |
| 12 affinis. Wei. | related. | — | — | — | H. h. | Weihe. rub. germ. t. 3. |
| 13 suberectus. E.B. | upright. | — | — | — | H. h. | Eng. bot. 2572. |
| 14 Linkianus. | double-flow'r'd. | — | — | — | H. h. | |
| 15 corylifolius. E.B. | Hazel-leaved. | Britain. | — | 7. | H. h. | Eng. bot. 827. |
| 16 nitidus. s.s. | glossy-leaved. | — | — | 7. 8. | H. h. | Weihe. rub. germ. t. 4. |
| 17 leucostachys. s.s. | white-spiked. | — | — | — | H. h. | |
| 18 rhamnifolius. Wei. | Rhamnus-ld. | — | — | 7. 8. | H. h. | Weihe. rub. germ. t. 6. |
| 19 cordifolius. Wei. | heart-leaved. | Germany. | — | — | H. h. | |
| 20 rubricaulis. Wei. | red-stalked. | — | — | — | H. h. | |
| 21 plicatus. s.s. | plaited-leaved. | Britain. | — | 7. | H. h. | Weihe. rub. germ. t. 1. |
| 22 Sprengelii. s.s. | Sprengel's. | Germany. | 1816. | — | H. h. | |
| 23 Menkii. s.s. | velvetty. | — | — | — | H. h. | |
| 24 Schlechtendalii. s.s. | Schlechtendale's. | — | — | — | H. h. | |
| 25 tiliæfolius. s.s. | Lime-tree ld. | — | — | — | H. h. | |
| 26 Schleicheri. s.s. | Schleicher's. | — | 1824. | — | H. h. | |
| 27 horridus. s.s. | very prickly. | — | — | 6. 7. | H. h. | |
| 28 villosus. s.s. | shaggy. | N. America. | 1777. | 7. 8. | H. h. | |
| 29 cuneifolius. s.s. | wedge-leaved. | — | 1811. | 6. 8. | H. h. | |
| 30 laciniatus. s.s. | jagged-leaved. | — | — | 6. 9. | H. h. | Willd. hort. ber. t. 82. |

31	jamaicensis. s.s.	Jamaica.	Jamaica.	1820.	—	S. h.	Sloan. j. 2. t. 213. f. 1.
32	cæsius. s.s.	Dewberry.	Britain.	6. 7.	H. h.	Eng. bot. 826.
33	sanctus. L.en.	obovate-leaved.	Levant.	—	H. h.	
34	tomentosus. s.s.	woolly-leaved.	Germany.	1816.	—	H. h.	
35	glandulosus. s.s.	glandular-stalk'd.	Britain.	7. 8.	H. h.	
36	hirtus. s.s.	hairy.	Hungary.	1816.	—	H. h.	
37	ulmifolius.	elm-leaved.	Spain.	1824.	H. h.	
38	occidentalis. s.s.	American raspberry.	N.Amer.	1696.	5. 6.	H. h.	Dill. elt. t. 247. f. 319.
39	hispidus. w.	bristly.	Canada.	1768.	8.	H. h.	
40	trivialis. Ph.	American dewberry.	N.Amer.	1789.	6. 7.	H. h.	
41	flagellaris. Ph.	shining-leaved.	—	—	—	H. h.	
42	tetraphyllus. W.en.	four-leaved.	—	1812.	—	H. h.	
43	argutus. L.en.	sharp-toothed.	—	1824.	—	H. h.	
44	foliolosus. D.P.ad.	leafy.	Nepaul.	1823.	7. 8.	H. h.	
	<i>microphyllus. D.P. 234. nec aliorum.</i>						
45	pedunculatus. D.P.	long-peduncled.	—	1820.	—	H. h.	
46	moluccanus. s.s.	Molucca.	Molucca.	1810.	6. 7.	S. h.	
47	reflexus. s.s.	reflexed.	China.	1818.	—	G. h.	Botan. regist. 461.
48	rugosus. D.P.	rugose.	Nepaul.	—	—	H. h.	
49	parviflorus. N.	Vine-leaved.	N. America.	—	H. h.	
50	odoratus. s.s.	flowering Raspberry.	—	1700.	—	H. h.	Botan. magaz. 323.
51	inermis. s.s.	smooth.	—	1805.	—	H. h.	
52	canadensis. s.s.	purple stalked.	—	1811.	—	H. h.	
53	strigosus. s.s.	strigose.	—	—	H. h.	
54	obovalis. s.s.	roundly-oval-ld.	—	1823.	5. 7.	H. h.	
55	saxatilis. E.B.	stone.	Britain.	6.	H. 4.	Eng. bot. 2233.
56	arcticus. E.B.	dwarf crimson.	Scotland.	5. 8.	H. 4.	— 1585.
57	pistillatus. s.s.	close-styled.	Labrador.	1802.	6. 7.	H. 4.	Exot. bot. 2. t. 86.
58	Chamæmorus. E.B.	Cloud-berry.	Britain.	—	H. 4.	Eng. bot. 716.
59	stellatus. s.s.	stellate.	N.America.	1823.	—	H. 4.	
DALIBARDA. M.		DALIBARDA.	Icosandria Polygynia.				
1	repens. L.	Violet-leaved.	N.America.	1768.	5. 6.	H. 4.	Mich. amer. 1. t. 27.
	<i>violæoides. M.</i>						
DRYAS. W.		DRYAS.	Icosandria Polygynia. L.				
	octopetala. w.	mountain.	Britain.	7. 8.	H. 4.	Eng. bot. 451.
SIEVERIA. Br.		SIEVERIA.	Icosandria Polygynia.				
1	geoides. s.s.	Geum-like.	Siberia.	1780.	6.	H. 4.	Jacq. vind. 3. t. 68.
	<i>Dryas geoides. Pall. Geum potentilloides. w.</i>						
2	reptans. s.s.	creeping.	Switzerland.	1775.	6. 8.	H. 4.	Jacq. aust. 5. t. app. 22.
	<i>Geum reptans. w.</i>						
3	montana. s.s.	mountain.	Austria.	1597.	5. 9.	H. 4.	Jacq. aust. 4. t. 373.
	β minor.	small mountain.	—	—	—	H. 4.	Barrel. rar. t. 399.
4	anemonoides. s.s.	Anemone-like.	N.America.	1824.	—	H. 4.	Pall. it. 3. n. 92. t. E. e. f. 4.
GEUM. S.S.		AVENS.	Icosandria Polygynia. L.				
1	agrimonoides. s.s.	Agrimony-ld.	N.America.	1811.	6. 7.	H. 4.	
2	strictum. w.	upright.	—	1778.	5. 6.	H. 4.	Jacq. ic. 1. t. 93.
3	hirsutum. L.en.	hairy.	—	1818.	—	H. 4.	
4	intermedium. W.en.	intermediate.	Europe.	1794.	5. 8.	H. 4.	W. hort. ber. 1. t. 69.
5	rivale. s.s.	water.	Britain.	6. 7.	H. 4.	Eng. bot. 106.
6	pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1804.	—	H. 4.	Lam. ill. t. 44.
7	macrophyllum. w.	large-leaved.	Kamtschatka.	—	—	H. 4.	
8	atlanticum. s.s.	Atlantic.	Africa.	1820.	—	H. 4.	
9	heterophyllum.	various-leaved.	—	H. 4.	
10	hybridum. Jacq.	hybrid.	Europe.	—	H. 4.	Jacq. ic. 1. t. 94.
11	inclinatum. Sch.	inclinate.	Switzerland.	1824.	—	H. 4.	
12	radiatum. M.	radiate.	N.America.	1822.	—	H. 4.	
13	virginianum. s.s.	Virginian.	—	7. 8.	H. 4.	
14	album. s.s.	white-flowered.	—	1730.	—	H. 4.	Jacq. vind. 2. t. 175.
	<i>canadense. Jacq.</i>						
15	urbanum. s.s.	common.	Britain.	5. 8.	H. 4.	Eng. bot. 1400.
COMARUM. W.		COMARUM.	Icosandria Polygynia. L.				
	palustre. E.B.	marsh cinquefoil.	Britain.	6. 7.	H. 4.	Eng. bot. t. 172.
TORMENTILLA. W.		SEPTFOIL.	Icosandria Polygynia. L.				
1	erecta. w.	common.	Britain.	5. 10.	H. 4.	Eng. bot. 863.
	<i>officinalis. E.B. Potentilla Tormentilla. s.s.</i>						
2	reptans. w.	large-flowered.	—	6. 7.	H. 4.	— 864.
	<i>Potentilla nemoralis. s.s.</i>						
POTENTILLA. W.		CINQUEFOIL.	Icosandria Polygynia. L.				
1	fruticosa. w.	shrubby.	England.	6. 8.	H. h.	Eng. bot. 88.

2	<i>floribunda</i> . Ph.	cluster-flow'r'd.	N.America.	1811.	6. 10. H. h.	Wats. dend. brit. t. 70.
3	<i>glabra</i> . B.C.	white-flow'r'd.	Davuria.	1818.	— H. h.	Lodd. bot. cab. 914.
4	<i>pennsylvanica</i> . s.s.	Pennsylvanian.	N.America.	1725.	6. 8. H. 4.	Jacq. vind. 2. t. 189.
5	<i>viscosa</i> . s.s.	clammy.	Siberia.	1797.	7. 8. H. 4.	
6	<i>splendens</i> . D.P.	silver-leaved.	Nepaul.	1818.	7. 10. H. 4.	Swt. br. fl. gar. 150.
	<i>striata</i> . s.s.					
7	<i>arguta</i> . s.s.	sharp-toothed.	N.America.	—	5. 7. H. 4.	
8	<i>pimpinelloides</i> . s.s.	Burnet-leaved.	Levant.	1758.	6. 8. H. 4.	Buxb. cent. 1. t. 48.
9	<i>Sprengeliana</i> . s.s.	Sprengel's.	Siberia.	1824.	— H. 4.	
10	<i>geoides</i> . s.s.	Aven's-like.	Tauria.	1820.	— H. 4.	
11	<i>sericea</i> . s.s.	silky.	Siberia.	1780.	5. 6. H. 4.	
12	<i>agrimonioides</i> . s.s.	Agrimony-ld.	Caucasus.	1823.	6. 8. H. 4.	
13	<i>verticillaris</i> . s.s.	whorled.	Siberia.	—	— H. 4.	
14	<i>bifurca</i> . s.s.	bifid-leaved.	—	1773.	6. 7. H. 4.	Gmel. it. 1. t. 27. f. 1.
15	<i>ruthenica</i> . w.	Russian.	—	1799.	5. 6. H. 4.	Moris. s. 2. t. 20. f. 2.
16	<i>supina</i> . s.s.	trailing.	—	1696.	7. 8. H. 4.	Jacq. aust. 5. t. 406.
17	<i>multifida</i> . s.s.	cut-leaved.	—	1759.	5. 6. H. 4.	
18	<i>fragarioides</i> . s.s.	Strawberry-ld.	—	1773.	— H. 4.	Gmel. sib. 3. t. 34. f. 2.
19	<i>Anserina</i> . s.s.	Wild Tansey.	Britain.	5. 9. H. 4.	Eng. bot. 861.
20	<i>rupestris</i> . s.s.	rock.	England.	— H. 4.	— 2058.
21	<i>Salesovii</i> . s.s.	suffruticose.	Siberia.	1823.	6. 8. H. h.	
22	<i>recta</i> . s.s.	upright.	S. Europe.	1648.	6. 7. H. 4.	
23	<i>obscura</i> . s.s.	obscure.	Siberia.	1816.	— H. 4.	
24	<i>hirta</i> . s.s.	hairy.	S. Europe.	1725.	5. 9. H. 4.	
25	<i>taurica</i> . s.s.	Taurian.	Tauria.	1824.	— H. 4.	
26	<i>intermedia</i> . s.s.	various-leaved.	Scotland.	—	6. 7. H. 4.	Eng. bot. 2449.
	<i>opaca</i> . E.B. non L.					
27	<i>pedata</i> . s.s.	pedate-leaved.	Italy.	1818. H. 4.	Lodd. bot. cab. 579.
28	<i>laciniosa</i> . s.s.	jagged.	Hungary.	—	— H. 4.	
29	<i>stipularis</i> . s.s.	large-stipuled.	Siberia.	1807.	— H. 4.	
30	<i>pumila</i> . s.s.	dwarf.	N.America.	1818.	5. 6. H. 4.	
31	<i>astracantha</i> . s.s.	Astracan.	Siberia.	1787.	6. 8. H. 4.	Jacq. ic. 1. t. 92.
32	<i>canescens</i> . DC.	canescent.	S. Europe.	1822.	— H. 4.	
33	<i>argentea</i> . s.s.	silvery.	Britain.	— H. 4.	Eng. bot. 89.
34	<i>calabra</i> . T.s.	Calabrian.	Italy.	1825.	— H. 4.	Ten. fl. nap. 1. t. 45.
35	<i>Guntheri</i> . s.s.	Gunther's.	Bohemia.	1823.	— H. 4.	
36	<i>collina</i> . s.s.	hill.	Germany.	—	— H. 4.	
37	<i>Dethomasii</i> . T.s.	silky-haired.	Italy.	1825.	— H. 4.	Ten. fl. nap. 1. t. 44.
38	<i>patula</i> . s.s.	spreading.	Hungary.	1806.	— H. 4.	
39	<i>aurea</i> . E.B.	saffron-colour'd.	Scotland.	—	6. 7. H. 4.	Eng. bot. 561.
	<i>crocea</i> . s.s. <i>alpestris</i> .	C.F.B. ed. 4.				
40	<i>Halleri</i> . Ser.	Haller's.	Europe.	— H. 4.	Hall. hist. t. 21. f. 4.
	<i>aurea</i> . s.s.					
41	<i>canadensis</i> . s.s.	Canadian.	N.America.	1818.	5. 8. H. 4.	
42	<i>incisa</i> . s.s.	jagged.	—	— H. 4.	
43	<i>opaca</i> . s.s.	opaque-leaved.	N.America.	6. 7. H. 4.	
44	<i>verna</i> . E.B.	spring.	Britain.	3. 5. H. 4.	Eng. bot. 37.
45	<i>subacaulis</i> . s.s.	short-stalked.	S. Europe.	1820.	4. 6. H. 4.	
46	<i>simplex</i> . s.s.	sarmentose.	N.America.	1804.	5. 8. H. 4.	
	<i>sarmentosa</i> . W.en.	<i>caroliniana</i> . Lam.				
47	<i>reptans</i> . E.B.	common.	Britain.	6. 8. H. 4.	Eng. bot. 862.
48	<i>bithynica</i> . L.en.	Bithynian.	Bithynia.	1822.	— H. 4.	
49	<i>thuringiaca</i> . L.en.	Thuringian.	Thuringia.	—	— H. 4.	
50	<i>Weinmannii</i> . L.C.	Weinmann's.	—	—	— H. 4.	Lodd. bot. cab. 706.
51	<i>alba</i> . E.B.	white-flowered.	Wales.	7. 8. H. 4.	Eng. bot. 1384.
52	<i>valderia</i> . s.s.	woolly.	S. Europe.	1818.	6. 8. H. 4.	All.ped.n.1454.t.24.f.
53	<i>lupinoides</i> . s.s.	close-flowered.	—	1739.	6. 7. H. 4.	Lodd. bot. cab. 654.
54	<i>Clusiana</i> . s.s.	Clusius's.	Alps.	1806.	7. 8. H. 4.	Botan. magaz. 1327.
55	<i>caulescens</i> . s.s.	caulescent.	Austria.	1759.	5. 6. H. 4.	Jacq. aust. t. 220.
56	<i>formosa</i> . D.P.	handsome.	Nepaul.	1820.	6. 9. H. 4.	Swt. br. fl. gar. t. 136.
	<i>nepalensis</i> . H. ex. fl. 88.					
57	<i>atrosanguinea</i> . D.P.	dark crimson.	—	—	— H. 4.	— t. 124.
58	<i>norvegica</i> . s.s.	Norwegian.	N. Europe.	1764.	6. 7. H. 4.	Flor. dan. 171.
59	<i>hirsuta</i> . s.s.	hairy-leaved.	N.America.	1820.	— H. 4.	
60	<i>monspeliensis</i> . w.	Montpelier.	France.	1680.	7. 8. H. 4.	Moris. h. s. 2. t. 20.f.
61	<i>grandiflora</i> . s.s.	great-flower'd.	Siberia.	1640.	6. 7. H. 4.	Botan. magaz. 75.
62	<i>velutina</i> . s.s.	velvety.	S. France.	— H. 4.	
63	<i>nivea</i> . s.s.	snowy-leaved.	S. Europe.	1816.	6. 8. H. 4.	Lodd. bot. cab. 460.

64	<i>micrantha</i> . s.s.	small-blossom'd.	Pyrenees.	—	—	H. 2.	
65	<i>frigida</i> . s.s.	frigid.	Alps.	—	—	H. 2.	
66	<i>Brauneana</i> . s.s.	small.	—	—	—	H. 2.	Lodd. bot. cab. 480.
	<i>minima</i> . B.C.						
67	<i>tridentata</i> . s.s.	trifid-leaved.	Scotland.	5. 6.	H. 2.	Eng. bot. 2389.
68	<i>fragariastrum</i> . Ehr.	Strawberry-like.	Britain.	3. 4.	H. 2.	— 1785.
	<i>Fragaria sterilis</i> . E.B.	<i>Comarum fragarioides</i> . w.en.					
69	<i>Jamesoniana</i> . s.s.	Jameson's.	Greenland.	1822.	6. 7.	H. 2.	
70	<i>nitida</i> . s.s.	glossy.	Austria.	1798.	—	H. 2.	Jacq. aust. 5. t. 25.
71	<i>apenninum</i> . T.S.	Apennine.	Italy.	1825.	—	H. 2.	Ten. fl. nap. 1. t. 46.
72	<i>vinosa</i> . L.C.	vinous.	—	H. 2.	
FRAGARIA. DC.		STRAWBERRY.	Icosandria	Polygynia.	L.		
1	<i>monophylla</i> . s.s.	one-leaved.	1773.	5. 6.	H. 2.	Botan. magaz. 63.
2	<i>vesca</i> . DC.	wood.	Britain.	4. 6.	H. 2.	Eng. bot. 1524.
	<i>α sylvestris</i> . DC.	common.	—	—	H. 2.	
	<i>β semperflorens</i> . DC.	ever-bearing.	4. 11.	H. 2.	Nois. jard. fr. t. 11. f. 2.
	<i>γ minor</i> . DC.	small English.	Britain.	4. 6.	H. 2.	
	<i>δ hortensis</i> . DC.	garden.	—	—	H. 2.	
	<i>ε efflagellis</i> . DC.	short-shooted.	—	H. 2.	
	<i>ζ multiplex</i> . DC.	double-blossom'd.	—	H. 2.	Blackw. herb. t. 77. f. 3.
	<i>η botryformis</i> . DC.	crown-flowered.	—	H. 2.	
	<i>θ muricata</i> . DC.	bristly-styled.	—	H. 2.	
3	<i>calycina</i> . DC.	large-calyxed.	France.	—	H. 2.	
4	<i>collina</i> . DC.	Alpine.	Germany.	1768.	4. 11.	H. 2.	
	<i>α rubra</i> .	red fruited.	—	—	—	H. 2.	
	<i>β alba</i> .	white fruited.	—	—	—	H. 2.	
5	<i>platanoides</i> . DC.	plane-leaved.	N.America?	4. 6.	H. 2.	
6	<i>Majaufea</i> . DC.	plaited-leaved.	France.	—	H. 2.	
	<i>α bifera</i> . DC.	double-bearing.	—	4. 11.	H. 2.	
	<i>β dubia</i> . DC.	flat-fruited.	—	4. 8.	H. 2.	
7	<i>Breslingea</i> . DC.	leathery-leav'd.	—	4. 6.	H. 2.	
	<i>α abortiva</i> . DC.	sterile.	—	—	H. 2.	
	<i>β nigra</i> . DC.	black.	—	—	H. 2.	
	<i>γ pendula</i> . DC.	pear-fruited.	—	—	H. 2.	
	<i>δ hispida</i> . DC.	Longchamp.	—	—	H. 2.	
	<i>ε viridis</i> . DC.	green-fruited.	—	—	H. 2.	Nois. jard. fr. t. 13. f. 2.
	<i>ζ pratensis</i> . DC.	dwarf.	—	—	H. 2.	
8	<i>elator</i> . DC.	Hautboy.	England?	4. 6.	H. 2.	Eng. bot. 2197.
	<i>α moschata</i> . DC.	musky.	—	H. 2.	Nois. jard. fr. t. 13. f. 1.
	<i>β dioica</i> . DC.	diœcious.	—	H. 2.	
9	<i>virginiana</i> . DC.	scarlet.	N.America.	1629.	—	H. 2.	Duham. arb. 1. t. 5.
	<i>β hybrida</i> . DC.	hybrid.	—	H. 2.	
10	<i>grandiflora</i> . W.	Pine.	Surinam.	1759.	—	H. 2.	Mill. ic. 2. t. 288.
	<i>α ananassa</i> . DC.	large.	—	—	—	H. 2.	Nois. jard. fr. t. 14. f. 2.
	<i>β calyculata</i> . DC.	Bath.	—	H. 2.	— t. 11. f. 1. et 14. f. 1.
	<i>γ tincta</i> . DC.	Canterbury.	—	H. 2.	Dill. hort. t. 20. f. 140.
11	<i>chilensis</i> . DC.	Chili.	S.America.	1727.	5. 6.	H. 2.	Duham. arb. 1. t. 3.
12	<i>canadensis</i> . DC.	Canada.	Canada.	—	H. 2.	
13	<i>indica</i> . DC.	yellow-flow'r'd.	Nepaul.	1805.	5. 10.	H. 2.	Botan. regist. 61.
	<i>Duchesnea fragiformis</i> . L.T.						
COMAROPSIS. DC.		COMAROPSIS.	Icosandria	Polygynia.			
1	<i>fragarioides</i> . DC.	strawberry-like.	N.America.	1803.	5. 6.	H. 2.	Mich. amer. 1. t. 28.
	<i>Dalibarda fragarioides</i> . M.						
2	<i>Doniana</i> . DC.	Don's.	—	—	—	H. 2.	Botan. magaz. 1567.
	<i>Dalibarda fragarioides</i> . B.M.						
WALDSTEINIA. S.S.		WALDSTEINIA.	Icosandria	Digynia.	L.		
	<i>geoides</i> . s.s.	Avens-leaved.	Hungary.	1804.	6. 7.	H. 2.	Lodd. bot. cab. 492.
SIBBALDIA. DC.		SIBBALDIA.	Pentandria	Pentagynia.	L.		
1	<i>procumbens</i> . DC.	procumbent.	Britain.	6. 8.	H. 2.	Eng. bot. 897.
2	<i>parviflora</i> . DC.	small-flowered.	Levant.	—	H. 2.	Will. a. ber. 1799. t. 5. f. 4.
3	<i>erecta</i> . DC.	upright.	Siberia.	1806.	—	H. 2.	Amm. ruth. t. 15.
4	<i>polygynia</i> . DC.	many-styled.	—	1824.	—	H. 2.	
AREMONIA. DC.		AREMONIA.	Octandria	Digynia.			
	<i>agrimonoides</i> . DC.	Agrimony like.	Italy.	1739.	6. 8.	H. 2.	Col. ecphr. 1. t. 144.
	<i>Spallanzania agrimonoides</i> . s.s.	<i>Agrimonia agrimonoides</i> . L.					
AGRIMONIA. DC.		AGRIMONY.	Dodecandria	Digynia.	L.		
1	<i>Eupatoria</i> . DC.	common.	Britain.	6. 7.	H. 2.	Eng. bot. 1335.
2	<i>nepalensis</i> . D.P.	Nepaul.	Nepaul.	1820.	—	H. 2.	
3	<i>odorata</i> . DC.	sweet-scented.	Italy.	1640.	7.	H. 2.	

4 pilosa. DC.	hairy.	Siberia.	1820.	—	H. 4.
5 suaveolens. DC.	fragrant.	N. America.	1820.	6. 7.	H. 4.
6 repens. DC.	creeping.	Levant.	1737.	7. 9.	H. 4.
7 parviflora. DC.	small-flowered.	N. America.	1766.	7.	H. 4.
8 striata. M.	white-flowered.	—	1812.	6. 8.	H. 4.

SUBORDO III. SANGUISORBEÆ. DC. prodr. v. 2. p. 588.

ALCHIMILLA. DC.	LADIES MANTLE.	Di-Tetrandria Monogynia.	L.		
1 capensis. DC.	Cape.	C. B. S.	1818.	4. 6.	G. 4.
2 vulgaris. DC.	common.	Britain.	6. 8.	H. 4.
β variegata.	variegated-leav'd.	—	—	H. 4.
γ glabra. DC.	smooth.	Pyrenees.	—	H. 4.
3 hybrida. DC.	mountain.	Saxony.	—	H. 4.
montana. W. en.					
4 pubescens. DC.	pubescent.	Caucasus.	1813.	—	H. 4.
5 alpina. DC.	silvery.	Britain.	7.	H. 4.
6 sericea. DC.	silky.	Caucasus.	1813.	6. 8.	H. 4.
7 pentaphylla. DC.	five-leaved.	Switzerland.	1784.	7.	H. 4.
8 sibbaldiæfolia. DC.	Sibbaldia-ld.	Mexico.	1823.	—	F. 4.
9 arvensis. DC.	Parsley piert.	Britain.	4. 6.	H. 4.
Aphanes w. Aphanes	arvensis. L.				
CEPHALOTUS. DC.	CEPHALOTUS.	Dodecandria Hexagynia.			
follicularis. DC.	pitcher-plant.	N. Holland.	1822.	G. 4.
ACÆNA. Kth.	ACÆNA.	Tri-Pentandria Monogynia.			
1 latebrosa. DC.	hairy.	C. B. S.	1774.	4. 6.	G. 4.
2 pinnatifida. DC.	pinnatifid.	Chili.	1823.	—	G. 4.
3 sericea. DC.	silky.	Port Desire.	—	G. 4.
ANCISTRUM. Kth.	ANCISTRUM.	Di-Pentandria Monogynia.			
1 sanguisorbæ. L.	Burnet-leaved.	N. Zealand.	1796.	6.	F. 4.
2 ovalifolium.	oval-leaved.	Peru.	1802.	5. 6.	F. 4.
repens. v.					
3 argenteum. Kth.	silvery-leaved.	S. America.	1823.	—	F. 4.
4 adscendens.	ascending.	Magellan.	—	—	H. 4.
5 lævigatum.	smooth.	—	1790.	6. 8.	H. 4.
6 magellanicum. Lam.	Magellan.	—	—	H. 4.
7 lucidum. Lam.	shining.	Falkland Isl.	1777.	5. 6.	H. 4.
SANGUISORBA. DC.	GREAT-BURNET.	Tetrandria Monogynia.	L.		
1 officinalis. DC.	official.	Britain.	6. 8.	H. 4.
β auriculata. DC.	eared.	Italy.	—	H. 4.
2 carnea. DC.	flesh-coloured.	1818.	—	H. 4.
3 mauritanica. DC.	Barbary.	Algiers.	—	H. 4.
4 tenuifolia. DC.	slender-leaved.	Dahuria.	1820.	—	H. 4.
5 media. DC.	short-spiked.	Canada.	1785.	—	H. 4.
6 canadensis. DC.	Canadian.	—	1633.	—	H. 4.
POTERIUM. DC.	BURNET.	Monœcia Polyandria.	L.		
1 spinosum. DC.	prickly shrubby.	Levant.	1595.	4. 8.	G. 4.
β crispum. DC.	curled-leaved.	—	—	G. 4.
γ inerme. DC.	spineless.	—	—	G. 4.
2 caudatum. DC.	shrubby.	Canaries.	1779.	1. 4.	G. 4.
3 Sanguisorba. DC.	common.	England.	7.	H. 4.
4 agrimonifolium. DC.	Agrimony-ld.	Spain.	1818.	6. 7.	H. 4.
5 hybridum. w.	sweet.	France.	1683.	—	H. 4.
6 polygamum. DC.	Hungarian.	Hungary.	1803.	7. 8.	H. 4.
CLIFFORTIA. DC.	CLIFFORTIA.	Diœcia Polyandria.	L.		
1 ilicifolia. DC.	Holly-leaved.	C. B. S.	1714.	5. 9.	G. 4.
2 cordifolia. DC.	heart-leaved.	—	1816.	—	G. 4.
3 tridentata. DC.	three-toothed.	—	1752.	6. 7.	G. 4.
4 ruscifolia. DC.	Ruscus-leaved.	—	—	—	G. 4.
arachnoides. B. C. 260.					
5 cuneata. DC.	wedge-leaved.	—	1787.	4.	G. 4.
6 strobilifera. DC.	cone-bearing.	—	1816.	5. 7.	G. 4.
7 ericæfolia. DC.	heath-leaved.	—	1799.	7. 9.	G. 4.
8 sarmentosa. DC.	twiggy.	—	1795.	6. 8.	G. 4.
9 falcata. DC.	falcate-leaved.	—	1816.	—	G. 4.

Lam. ill. t. 86. f. 2.
Eng. bot. 597.

Pluk. t. 240. f. 2.

Willd. hort. ber. 2. t. 79.
Eng. bot. 244.

Bocc. mus. p. 18. t. 1.
H. et B. n. g. am. 6. t. 561.
Eng. bot. 1011.

Lab. nov. holl. 2. t. 145.

Gært. fruct. 1. t. 32.
Fl. per. 1. t. 104. f. 1. b.
Jacq. f. ecl. 1. t. 55.

Gært. fruct. t. 32.
Vent. h. cels. t. 5.

Fl. per. 1. t. 103. f. b.

Lam. ill. t. 22. f. 2.
— t. 22. f. 3.

Eng. bot. 1312.
Bocc. mus. 19. t. 9.

Moris. ox. s. 8. t. 18. f. 4.
Schran. h. monac. t. 69.
Moris. ox. s. 8. t. 18. f. 8.
— sect. 8. t. 18. f. 12.

Moris. ox. s. 8. t. 18. f. 5.

Botan. magaz. 2341.
Eng. bot. 860.

Barrel. ic. t. 632.
W. et K. hung. 2. t. 198.

Linn. hort. cliff. t. 300.

Linn. hort. cliff. t. 31.

Pluk. alm. t. 275. f. 22.

ORDO LXXII.

KERRIA. DC.		KERRIA. Icosandria Penta-Octogynia.					
japonica. DC.	Japanese.	Japan.	1804.	5. 9.	H. h.		
<i>flore pleno.</i>	<i>double-flowered.</i>	————	————	————	H. h.		Botan. magaz. 1296.
<i>Corchorus japonicus.</i>	B.M.						
SPIRÆA. DC.		SPIRÆA. Icosandria Pentagynia.		L.			
1 opulifolia. DC.	Guelder-rose-ld.	N.America.	1690.	6. 7.	H. h.		Schmidt arb. 1. t. 52.
2 ulmifolia. DC.	Elm-leaved.	Siberia.	1790.	————	H. h.		Jacq. vind. 2. t. 140.
3 flexuosa. DC.	flexuose.	1820.	————	H. h.		
4 bella. D.P.	red-flowered.	Nepaul.	1818.	6. 8.	H. h.		Botan. magaz. 2426.
5 chamædrifolia. DC.	Germander-ld.	Siberia.	1789.	6. 7.	H. h.		Pall. ross. 1. t. 15.
6 oblongifolia. W.K.	oblong-leaved.	Hungary.	1816.	5. 6.	H. h.		W. et K. hung. 3. t. 235.
7 trilobata. DC.	three-lobed.	Siberia.	1801.	5.	H. h.		Pall. ross. 1. t. 17.
8 alpina. DC.	Alpine.	————	1806.	7.	H. h.		———— 1. t. 20.
9 thalictroides. DC.	meadow rue-ld.	————	1790.	5.	H. h.		———— 1. t. 18.
10 hypericifolia. W.	Hypericum-ld.	N.America.	1640.	4. 5.	H. h.		Schmidt arb. 1. t. 26.
11 uralensis.	Fischer's.	Siberia.	1822.	————	H. h.		
<i>hypericifolia. a. uralensis.</i>	DC.						
12 acutifolia. W.en.	acute-leaved.	————	————	————	H. h.		
13 crenata. L.	Hawthorn-ld.	————	1739.	————	H. h.		Schmidt arb. 1. t. 45.
14 obovata. W.K.	obovate-leav'd.	Hungary.	1816.	5. 6.	H. h.		
15 ceanothifolia. DC.	Ceanothus-ld.	1820.	————	H. h.		
16 corymbosa. DC.	corymbose.	Virginia.	1812.	5. 6.	H. h.		Lodd. bot. cab. 671.
17 betulæfolia. DC.	Birch-leaved.	Siberia.	————	6. 7.	H. h.		Pall. ross. 1. t. 16.
18 lævigata. DC.	smooth-leaved.	————	1774.	4. 6.	H. h.		Schmidt arb. 1. t. 49.
19 salicifolia. E.B.	Willow-leaved.	Britain.	6. 8.	H. h.		Eng. bot. 1468.
20 alba. W.D.	white-flowered.	————	H. h.		Wats. dend. brit. 133.
21 carpinifolia. W.D.	Hornbeam-ld.	N. America.	7. 8.	H. h.		———— 66.
22 tomentosa. DC.	tomentose.	————	1736.	8. 9.	H. h.		Schmidt arb. 1. t. 51.
23 sorbifolia. DC.	Service-leaved.	Siberia.	1759.	8.	H. h.		———— 1. t. 58.
<i>β alpina.</i>	<i>dwarf.</i>	Kamtschatka.	1817.	————	H. h.		Pall. ross. 1. t. 25.
24 Aruncus. DC.	Goat's-beard.	Siberia.	1633.	6. 7.	H. h.		———— 1. t. 26.
<i>β? americana.</i>	<i>American.</i>	N. America.	————	H. h.		
25 Ulmaria. DC.	Meadow-sweet.	Britain.	6. 10.	H. h.		Eng. bot. 960.
<i>α tomentosa.</i>	<i>tomentose.</i>	————	————	H. h.		
<i>β multiplex.</i>	<i>double-flowered.</i>	————	————	H. h.		
<i>γ variegata.</i>	<i>variegated-ld.</i>	————	————	H. h.		
26 lobata. DC.	lobed-leaved.	Siberia.	1765.	7. 8.	H. h.		Jacq. vind. 1. t. 88.
27 palmata. DC.	palmated.	China.	1823.	————	H. h.		
28 digitata. DC.	digitate.	Siberia.	————	————	H. h.		Pall. ross. 1. t. 27.
29 Filipendula. DC.	Dropwort.	Britain.	6. 10.	H. h.		Eng. bot. 284.
<i>β multiplex.</i>	<i>double-flowered.</i>	————	————	H. h.		
GILLENIA. DC.		GILLENIA. Dodecandria Pentagynia.					
1 trifoliata. DC.	three-leaved.	N.America.	1713.	6. 7.	H. h.		Botan. magaz. 489.
<i>Spiræa trifoliata.</i>	B.M.						
2 stipulacea. DC.	large-stipuled.	N.America.	1805.	6. 7.	H. h.		Bart. med. bot. t. 6.
<i>Spiræa stipulacea.</i>	Ph.						

ORDO LXXIII.

RESEDACEÆ. *DC. theor. ed. 1. p. 214.*

RESEDA. W.		RESEDA. Dodecandria Trigynia. L.			
1	Luteola. w.	Dyers weed.	Britain.	6. 7. H. ☉.
2	crispata. L.en.	curled-leaved.	S. Europe.	1820.	— H. ☉.
3	virescens. s.s.	greenish.	Spain.	—	— H. ☉.
4	canescens. s.s.	hoary.	—	1597.	5. 7. H. ♀.
5	glauc. s.s.	glaucous.	S. Europe.	1700.	— F. ♀.
6	scoparia. s.s.	Broom-like.	Teneriffe.	1815.	8. 9. G. ♀.
7	dipetala. s.s.	two-petaled.	C. B. S.	1774.	8. G. ♂.
8	linifolia. s.s.	flax-leaved.	S. Europe.	1820.	7. 8. F. ♂.
9	sesamoides. s.s.	spear-leaved.	France.	1787.	— H. ☉.
10	mediterranea. s.s.	Mediterranean.	Palestine.	1791.	6. 9. H. ☉.
11	odorata. s.s.	Mignonette.	Egypt.	1752.	6. 10. H. ☉.
	<i>β frutescens. B.R.</i>	<i>tree mignonette.</i>	—	— G. ♀.
12	Phyteuma. s.s.	trifid.	S. Europe.	—	6. 9. H. ☉.
13	incisa. T.C.	cut-leaved.	Italy.	1825.	— H. ☉.
14	ramosissima. s.s.	branching.	Spain.	1816.	— H. ♀.
15	saxatilis. s.s.	rock.	—	—	— H. ♀.
	<i>stricta. P.S.</i>				
16	pruinosa. s.s.	papillose-ld.	Egypt.	1823.	— H. ♀.
17	lutea. s.s.	Base-rocket.	Britain.	7. 8. H. ♂.
18	undata. s.s.	wave-leaved.	Spain.	1739.	6. 8. H. ♀.
19	alba. s.s.	upright white.	S. Europe.	1596.	5. 10. H. ♂.
20	fruticulosa. s.s.	frutescent.	Spain.	1794.	9. G. ♀.
21	bipinnata. s.s.	bipinnate.	—	1816.	6. 8. G. ♀.
22	myriophylla. T.C.	numerous-ld.	Italy.	1825.	— H. ♀.

Eng. bot. 320.

Clus. hist. 1. t. 295.

Pluk. alm. t. 107. f. 2.

All. ped. 2. t. 88. f. 3.

Jacq. ic. 3. t. 475.

Botan. magaz. 29.

Botan. regist. 227.

Jacq. aust. 2. t. 132.

Eng. bot. 321.

Barrel. rar. t. 587.

Lobel. ic. 222.

Jacq. ic. 3. t. 474.

ORDO LXXIV.

SALICARIÆ. *Juss. gen. p. 331.*

LAGERSTRÆMIA. W.		LAGERSTRÆMIA. Icosandria Monogynia. Roxb.			
1	indica. w.	Indian.	China.	1759.	8. 10. S. ♀.
2	reginæ. w.	oblong-leaved.	E. Indies.	1792. S. ♀.
3	grandiflora. H.B.	large-flowered.	—	1809. S. ♀.
4	parviflora. H.B.	small-flowered.	—	1816. S. ♀.
GRISLEA. W.		GRISLEA. Octandria Monogynia. L.			
1	tomentosa. w.	downy.	E. Indies.	1804.	5. 12. S. ♀.
	<i>Woodfordia floribunda. P.L.</i>				
2	secunda. w.	second.	Caracas.	1824. S. ♀.
LAWSONIA. W.		LAWSONIA. Octandria Monogynia. L.			
1	inermis. w.	smooth.	Egypt.	1759. S. ♀.
2	spinosa. w.	prickly.	E. Indies.	1759. S. ♀.
LYTHRUM. W.		LYTHRUM. Dodecandria Monogynia. L.			
1	Salicaria. w.	common.	Britain.	7. 8. H. ♀.
2	tomentosum. Mill.	woolly.	N.America.	— H. ♀.
	<i>Salicaria β pubescens. Ph.</i>				
3	Græfferi. T.S.	Græffer's.	Italy.	1825. H. ♀.
4	diffusum. B.F.G.	spreading.	N.America.	1822.	7. 9. H. ♀.
	<i>virgatum. Ph. nec aliorum.</i>				
5	virgatum. w.	slender-branched.	Austria.	1776.	6. 9. H. ♀.
6	alatum. Ph.	winged-stalk'd.	N.America.	1812.	5. 11. F. ♀.
7	Kennediana. Kth.	Kennedy's.	New Spain.	1824.	— G. ♀.
8	lineare. w.	linear-leaved.	N.America.	1812.	7. 8. H. ♀.

Botan. magaz. 405.

Roxb. cor. 1. t. 65.

Botan. regist. 30.

Rauw. ic. 60. t. 7.

Rheed. mal. 1. t. 40.

Eng. bot. 1061.

Swt. br. fl. gar. 149.

Botan. magaz. 1003.

Botan. magaz. 1812.

9	hyssopifolium. w.	Hyssop-leaved. England.	8.	H.⊙.	Eng. bot. 292.
10	thymifolium. w.	Thyme-leaved. S. Europe.	1820.	—	H.⊙.	Barrel, ic. 773. f. 2.
NESÆA. Kth.						
1	triflora. Kth.	three-flowered. America.	1802.	8.	H.γ.	
	<i>Lythrum triflorum.</i> w.					
2	verticillata. Kth.	whorl-flowered. N. America.	1759.	7. 9.	H.γ.	
3	salicifolia. Kth.	willow-leaved. Mexico.	1824.	9. 10.	G.γ.	
CUPHEA. Kth.						
		CUPHEA. Dodecandria Monogynia.				
1	viscosissima. w.	clammy. America.	1776.	7. 10.	H.⊙.	Swt. br. fl. gar. 60.
2	procumbens. s.s.	procumbent. Mexico.	1816.	7. 9.	H.⊙.	Botan. regist. 182.
3	spicata. s.s.	Circæa-like. S. America.	1819.	8. 10.	H.⊙.	Cav. ic. 4. t. 381.
	<i>circæoides.</i> B.M. 2201.					
4	virgata. s.s.	twiggy. Mexico.	1824.	—	H.⊙.	— 4. t. 382. f. 1.
5	decandra. s.s.	decandrous. Jamaica.	1789.	6. 10.	S.γ.	
6	parviflora. H.E.F.	small-flow'r'd. W. Indies.	1824.	10. 12.	S.γ.	Hook. ex. flor. 161.
7	Simsii.	Sims's. Trinidad.	1823.	8.	S.γ.	Botan. magaz. 2580.
	<i>serpyllifolia.</i> B.M. non Kth.					
8	Melvilla. B.R.	Melville's. W. Indies.	1822.	6. 10.	S.γ.	Botan. regist. 852.
AMMANNIA. S.S.						
		AMMANNIA. Tetrandria Monogynia. L.				
1	ægyptiaca. w.	Egyptian. Egypt.	1818.	7. 8.	H.⊙.	
2	caspica. M.B.	Caspian. Astracan.	—	—	H.⊙.	
3	viridis. R.S.	green.	—	—	H.⊙.	
4	baccifera. R.S.	berry-bearing. E. Indies.	1820.	7. 8.	S.⊙.	
5	auriculata. R.S.	eared. Egypt.	—	—	S.⊙.	Willd. hort. ber. t. 7.
6	multiflora. s.s.	many-flowered. E. Indies.	1818.	—	S.⊙.	
7	diffusa. R.S.	spreading. —	—	—	S.⊙.	
8	sanguinolenta. R.S.	bloody. Jamaica.	1803.	—	S.⊙.	
9	octandra. R.S.	octandrous. E. Indies.	1818.	—	S.⊙.	
	<i>coccinea.</i> P.S.					
10	pentandra. s.s.	pentandrous. —	1823.	—	S.⊙.	
11	debilis. R.S.	cluster-flow'r'd. —	1778.	—	S.⊙.	
12	rubra. D.P.	red-flowered. Nepaul.	1822.	7. 8.	H.⊙.	
13	ramosior. R.S.	branching. Virginia.	1759.	—	H.⊙.	
14	humilis. R.S.	small. N. America.	1823.	—	H.⊙.	
15	latifolia. R.S.	broad-leaved. W. Indies.	1733.	—	S.⊙.	Sloan. jam. 1. t. 7. f. 4.
16	rotundifolia. D.P.	round-leaved. Nepaul.	1818.	—	H.⊙.	
GONOCARPUS. Th.						
		GONOCARPUS. Tetrandria Monogynia.				
	<i>micranthus.</i> Th.	small-flowered. China.	1805.	6. 9.	H.⊙.	Thunb. jap. 69. t. 15.
PEPLIS. W.						
		WATER PURSLANE. Hexandria Monogynia. L.				
	Portula. w.	common. Britain.	7. 9.	H.⊙.	Eng. bot. 1211.
ACISANTHERA. J.						
		ACISANTHERA. Decandria Monogynia.				
	quadrata. P.S.	four-sided. Jamaica.	1804.	S.γ.	Brown. jam. t. 22. f. 1.

ORDO LXXV.

ONAGRARIÆ. *Jussieu.*

MONTINIA. L.						
		MONTINIA. Diœcia Tetrandria. L.				
	caryophyllacea. H.K.	Sea-purslane ld. C. B. S.	1774.	7.	G.γ.	Smith spic. 14. t. 15.
	<i>acris.</i> w.					
CIRCÆA. W.						
		ENCHANTER'S NIGHT-SHADE. Diandria Monogynia.				
1	lutetiana. w.	common. Britain.	6. 8.	H.γ.	Eng. bot. 1056.
2	alpina. w.	mountain. —	6. 9.	H.γ.	— 1057.
LOPEZIA. R.S.						
		LOPEZIA. Monandria Monogynia. L.				
1	racemosa. B.M.	smooth. Mexico.	1792.	8. 10.	G.γ.	Botan. magaz. 254.
	<i>mexicana.</i> R.S.					
2	coronata. R.S.	coronet-flow'r'ing. —	1805.	7. 9.	H.⊙.	Swt. br. fl. gar. 108.
3	pumila. Kth.	dwarf. —	1825.	—	H.⊙.	
4	hirsuta. R.S.	hairy. —	1796.	9. 11.	G.γ.	Jacq. coll. 5. t. 15. f. 4.
5	miniata. DC.	frutescent. —	1824.	—	G.γ.	
	<i>frutescens.</i> R.S.					

LUDWIGIA. W.		LUDWIGIA. Tetrandria Monogynia. L.			
1 alternifolia. w.	macrocarpa. M.	large-capsuled. Virginia.	1752. 6. 7. H. ☉.	Lam. ill. 1. t. 77.	
2 hirsuta. Ph.		hairy.	N. America. 1812. 6. 8. H. 4.		
ISNARDIA. W.		ISNARDIA. Tetrandria Monogynia. L.			
palustris. w.		marsh.	Europe. 1776. 7. H. ☉.	Schk. han. 1. t. 25.	
JUSSIÆA. J.		JUSSIÆA. Oct-Decandria Monogynia.			
1 suffruticosa. w.		tall.	India. 1808. 8. 9. S. 4.	Andr. repos. 621.	
2 ovalifolia. B.M.		oval-leaved.	Madagascar. 1823. 7. 8. S. 4.	Botan. magaz. 2530.	
3 hirta. s.s.		hairy.	W. Indies. — S. 4.	Plum. ic. t. 174. f. 2.	
4 octovalvis. P.S.		spear-leaved.	S. America. 7. 9. S. 3.		
5 scabra. w.en.		rough.	———— 1816. — S. 4.		
6 erecta. w.		upright.	———— 1739. — S. 3.	Plum. ic. t. 175. f. 2.	
7 grandiflora. s.s.		great-flowered.	Carolina. 1812. 7. 10. G. 4.	Botan. magaz. 2122.	
8 leptocarpa. N.		narrow-podd'd.	Mississippi. 1824. 7. 9. H. 4.		
9 repens. s.s.		creeping.	E. Indies. 1816. — S. 4.	Rheed. mal. 2. t. 51.	
ÆNOTHERA. L.		EVENING-PRIMROSE. Octandria Monogynia. L.			
1 biennis. w.		common.	N. America. 1629. 6. 9. H. 3.	Eng. bot. 1534.	
2 grandiflora. B.M.		large-flowered.	———— 1778. 6. 8. H. 3.	Botan. magaz. 2068.	
3 parviflora. w.		small-flowered.	———— 1757. — H. 3.	Meerb. ic. 1. t. 34.	
4 cruciata. N.		cross-petaled.	———— 1821. 6. 10. H. 4.		
5 muricata. w.		prickly-stalked.	———— 1789. 7. 8. H. 3.	Mur. com. got. 6. t. 1.	
6 longiflora. w.		long-flowered.	Buenos Ayres. 1776. 7. 9. H. 3.	Botan. magaz. 365.	
7 corymbosa. B.M.		corymbose.	Mexico. 1816. 7. 10. G. 3.	———— 1974.	
8 villosa. w.		villous.	C. B. S. 1791. 7. 8. G. 3.		
9 nocturna. w.		night-smelling.	———— 1790. 4. 8. G. 3.	Jacq. ic. 3. t. 455.	
10 sinuata. w.		scollop-leaved.	N. America. 1770. 7. H. ☉.	Mur. com. got. 5. t. 9.	
11 gauroides. w.en.		Gaura like.	———— 1816. 7. 8. H. 2.		
12 striata. L.en.		streaked. — 6. 9. H. ☉.		
13 odorata. s.s.		sweet scented.	Patagonia. 1790. 4. 8. H. 4.	Botan. regist. 147.	
β undulata.		purple-stalked.	———— — H. 4.	Botan. magaz. 2403.	
14 serrulata. N.		saw-leaved.	N. America. 1821. 6. 10. H. 4.	Swt. br. fl. gar. 133.	
15 media. L.en.		intermediate.	———— — 7. 9. H. 4.		
16 dentata. s.s.		toothed.	Chili. 1818. 6. 9. H. ☉.	Lindl. collect. t. 10.	
17 salicifolia. Desf.		Willow-leaved. — H. ☉.		
18 micrantha. s.s.		small-blossom'd.	California. 1820. — H. ☉.		
hirta. L.en.					
19 cheiranthifolia. s.s.	Wallflower-ld.	Chili.	—— — H. 4.		
20 purpurea. s.s.	purple-flow'r'd.	N. America. 1794. 5. 9. H. ☉.	Botan. magaz. 352.		
21 Romanzovii. s.s.	Romanzoff's:	—— — 1819. — H. ☉.	Botan. regist. 562.		
22 tenella. s.s.	slender.	Chili. 1822. — H. ☉.	Botan. magaz. 2424.		
23 albicaulis. N.	white-stalked.	N. America. 1811. — H. 4.			
24 mollissima. s.s.	soft wave-ld.	Buenos Ayre. 1732. 6. 10. H. 3.	Schk. handb. 1. t. 105.		
25 pinnatifida. N.	pinnatifid.	Missouri. 1811. 5. 8. H. ☉.			
26 cæspitosa. s.s.	tufted.	N. America. — 6. 7. H. 4.	Botan. magaz. 1593.		
27 acaulis. s.s.	short-stalked.	Chili. 1822. — F. 4.	Botan. regist. 763.		
28 tetraptera. s.s.	white-flowered.	Mexico. 1796. 6. 8. H. ☉.	Botan. magaz. 468.		
29 speciosa. N.	handsome.	Louisiana. 1821. — H. 4.	Hook. ex. flor. 80.		
30 rosea. s.s.	rose-coloured.	Peru. 1783. 5. 8. F. 2.	Botan. magaz. 347.		
31 triloba. N.	root-flowering.	Louisiana. 1821. 6. 10. H. 4.	———— 2566.		
rhizocarpa. s.s.					
32 macrocarpa. Ph.	broad-leaved.	N. America. 1811. 6. 8. H. 4.	Swt. br. fl. gar. 5.		
33 missouriensis. B.M.	narrow-leaved.	—— — — H. 4.	Botan. magaz. 1592.		
alata. N.					
34 fruticosa. N.	frutescent.	—— — 1737. — H. 4.	—— — 332.		
35 tetragona. Roth.	blunt-leaved.	—— — — H. 4.			
36 ambigua. s.s.	ambiguous.	—— — — H. 4.			
37 Fraseri. s.s.	Fraser's.	—— — 1811. 5. 10. H. 4.	Botan. magaz. 1674.		
38 glauca. s.s.	glaucous.	—— — 1812. — H. 4.	—— — 1606.		
39 serotina.	late-flowered.	—— — 1820. 7. 10. H. 2.			
40 linearis. s.s.	linear-leaved.	—— — 6. 8. H. 4.			
41 pumila. s.s.	dwarf.	—— — 1757. 5. 9. H. 4.	Botan. magaz. 355.		
42 spectabilis. Bern.	showy. 1822. — H. 4.			
GAURA. W.		GAURA. Octandria Monogynia.			
1 mutabilis. s.s.	changeable.	S. America. 1795. 7. 8. F. 3.	Botan. magaz. 388.		
2 biennis. s.s.	biennial.	N. America. 1762. 8. 10. H. 3.	—— — 389.		
3 coccinea. N.	scarlet.	Louisiana. 1811. — H. 4.			
4 fruticosa. s.s.	shrubby.	S. America. 1816. 7. 9. G. 2.	Jacq. ic. 3. t. 457.		

5 œnotheriflora. z.	Ænothera-fl'd.	S.America.	1816.	7. 9. F. ♂.	
6 tripetala. s.s.	three-petaled.	Mexico.	1801.	8. 9. H. ☉.	Cav. ic. 4. t. 396. f. 1.
EPILOBIUM. W.	WILLOW-HERB.	Octandria Monogynia. L.			
1 angustifolium. w.	Rose-Bay.	Britain.	7. 8. H. ♀.	Eng. bot. 1947.
2 spicatum. N.	spike-flowered.	N.America.	— H. ♀.	
3 angustissimum. w.	narrow-leaved.	Europe Alps.	1775 H. ♀.	Botan. magaz. 76.
4 Halleri. Retz.	Haller's.	Switzerland.	1798.	6. 8. H. ♀.	
<i>Dodonæi. All.</i>	<i>angustissimum. β. w.</i>				
5 latifolium. w.	Orache-leaved.	N.Europe.	1779.	7. 8. H. ♀.	Sal. par. lond. 58.
<i>Chamænerium halimifolium. P.L.</i>					
6 hirsutum. w.	Codlins&Cream.	Britain.	— H. ♀.	Eng. bot. 838.
7 parviflorum. E.B.	small-flowered.	—	— H. ♀.	— — — 795.
8 villosum. w.	villous.	C. B. S.	1799.	— G. ♀.	
9 montanum. w.	mountain.	Britain.	— H. ♀.	Eng. bot. 1177.
10 roseum. E.B.	pale smooth-l'd.	England.	— H. ♀.	— — — 693.
11 alsinifolium. E.B.	Chickweed-l'd.	Britain.	— H. ♀.	— — — 2000.
12 coloratum. Ph.	Pink-flowered.	N.America.	1805. H. ♀.	
13 tetragonum. w.	square-stalked.	Britain.	— H. ♀.	Eng. bot. 1948.
14 palustre. E.B.	round-stalked.	—	— H. ♀.	— — — 346.
15 davuricum. s.s.	Davurian.	Davuria.	1816.	— H. ☉.	
16 alpestre. s.s.	simple-stalked.	Switzerland.	— H. ♀.	
17 alpinum. w.	Alpine.	Britain.	6. H. ♀.	Eng. bot. 2001.
TRAPA. S.S.	WATER-CALTROPS.	Tetrandria Monogynia. L.			
1 natans. s.s.	European.	Europe.	1781.	6. 8. H.w. ☉.	Botan. regist. 259.
2 quadrispinosa. s.s.	four-spined.	E. Indies.	1823.	— S.w. ☉.	
3 bicornis. s.s.	Chinese.	China.	1790. G.w. ♀.	Gært. sem. 2. t. 95.
4 bispinosa. s.s.	two-spined.	E. Indies.	1822.	6. 9. S.w. ☉.	
FUCHSIA. S.S.	FUCHSIA.	Octandria Monogynia. L.			
1 coccinea. s.s.	scarlet.	Chili.	1788.	5. 8. F. h.	Botan. magaz. 97.
2 gracilis. B.R.	slender.	—	1822.	— F. h.	Botan. regist. 847.
<i>decussata. B.M. 2507. non R.P.</i>					
<i>β tenella.</i>	<i>weak.</i>	—	—	— F. h.	
3 macrostemma. s.s.	large-crowned.	Chili.	1823. G. h.	Flor. per. t. 323. f. b.
4 lycioides. s.s.	Box-thorn-l'd.	—	1796.	4.10. G. h.	Botan. magaz. 1024.
5 arborescens. B.M.	arborescent.	Mexico.	1823.	6.10. G. h.	— — — 2620.
6 excorticata. s.s.	changeable-col'd.	N.Zealand.	1821.	8. 4. G. h.	Botan. regist. 857.

2000 225 11 11 11 11 1830

ORDO LXXVI.

COMBRETACEÆ. *Brown prodr. 351.*

COMBRETUM. L.	COMBRETUM.	Oct-Decandria Monogynia.			
1 laxum. s.s.	loose-racemed.	S. America.	1822. S. h. ∞.	Lam. ill. t. 282. f. 1.
2 purpureum. s.s.	scarlet-flow'r'd.	Madagascar.	1818.	3. 9. S. h. ∞.	Botan. regist. 429.
3 decandrum. w.	Roxburgh's.	E. Indies.	1822. S. h.	Roxb. corom. 1. t. 59.
<i>Roxburghii. s.s.</i>					
4 secundum. s.s.	side-flow'ring.	W. Indies.	— S. h.	Jacq. am. pict. t. 260.
5 comosum. G.D.	tufted.	Sierra Leon.	— S. h. ∞.	
6 intermedium. G.D.	intermediate.	—	— S. h. ∞.	
7 grandiflorum. G.D.	large-flower'd.	—	— S. h. ∞.	
QUISQUALIS. S.S.	QUISQUALIS.	Decandria Monogynia. L.			
1 indica. B.R.	Indian.	China.	1815.	5. 8. S. h. ∞.	Botan. regist. 492.
2 pubescens.	pubescent.	E. Indies.	— S. h. ∞.	
CACOUCIA. Aub.	CACOUCIA.	Dodecandria Monogynia.			
coccinea. Aub.	scarlet.	Guiana.	1815. S. h. ∞.	Aub. gui. 1. t. 179.
<i>Schousbæa coccinea. w.</i>					
BUCIDA. W.	OLIVE-BARK-TREE.	Decandria Monogynia. L.			
Buceras. w.	Jamaica.	Jamaica.	1793.	7.10. S. h.	Botan. regist. 907.
TERMINALIA. W.	TERMINALIA.	Polygamia Monœcia. L.			
1 mauritiana. s.s.	Mauritius.	Mauritius.	1822. S. h.	
2 latifolia. s.s.	broad-leaved.	W. Indies.	1816. S. h.	
3 Catappa. s.s.	large-leaved.	E. Indies.	1778. S. h.	Jacq. ic. 1. t. 197.

4 subcordata. Kth.	heart-leaved.	W. Indies.	1816.	S. h.	
5 moluccana, s.s.	smooth-leaved.	Molucca's.	—	S. h.	
6 Chebula. s.s.	oval-leaved.	E. Indies.	1796.	S. h.	Roxb. corom. 2. t. 197.
7 Bellerica. s.s.	axillary-fl'd.	—	1818.	S. h.	
8 procera. s.s.	tall.	—	1816.	S. h.	
9 angustifolia. w.	narrow-leaved.	—	1692.	S. h.	Jacq. vind. 3. t. 100.
<i>Benzoin. L?</i>						
10 citrina. H.B.	Citron-leaved.	—	1823.	S. h.	
11 gangetica. H.B.	Ganges.	—	—	S. h.	
12 biticaria. H.B.	Silhet.	—	1824.	S. h.	
13 arbuscula. P.S.	tree like.	S. America.	1822.	...	S. h.	
GETONIA. S.S.	GETONIA. Decandria Monogynia.					
1 floribunda. s.s.	many-flowered.	E. Indies.	1815.	S. h.	Roxb. corom. t. 87.
2 nutans. H.B.	nodding.	—	1823.	S. h.	
CONOCARPUS. W.	BUTTON-TREE.	Pentandria Monogynia. L.				
1 erecta. w.	upright.	Jamaica.	1752.	S. h.	Catesb. car. 2. t. 33.
2 procumbens. w.	procumbent.	Cuba.	1730.	S. h.	Jacq. amer. t. 52. f. 2.
3 latifolia. H.B.	broad-leaved.	E. Indies.	1816.	S. h.	

ORDO LXXVII.

LOASEÆ. *Jussieu. ann. mus. d'hist. nat. v.5. p.18.*

Sect. I. LOASEÆ VERÆ. *Kunth synops.* 3. p. 402.

LOASA. S.S.	LOASA. Polyadelphia Icosandria.					
1 nitida. H.E.F.	shining-leaved. Peru.	1822.	8.10.	H.☉.	Hook. ex. fl. 83.	
2 acanthifolia. B.R.	Acanthus-ld. Chili.	—	—	H.☉.	Botan. regist. 785.	
3 tricolor. B.R.	three-colour'd. ———	—	—	H.☉.	— 667.	
4 volubilis. s.s.	climbing. ———	—	—	F.☉.☿.	Juss. an. m. c. 25. t. 5. f. 1.	
BARTONIA. B.M.	BARTONIA. Icosandria Monogynia.					
1 ornata. Ph.	naked-seeded. Missouri.	1811.	7. 9.	G.♂.	Botan. magaz. 1487.	
decapetala. B.M.						
2 nuda. Ph.	winged-seeded. ———	—	—	G.♀.		
MENTZELIA. S.S.	MENTZELIA. Icosandria Monogynia.					
1 hispida. s.s.	hispid. Mexico.	1824.	6. 9.	G.♀.	Cav. ic. 1. t. 70.	
2 aspera. s.s.	rough. America.	1773.	7. 8.	S.☉.	Plum. ic. 174. f. 1.	
3 oligosperma. s.s.	few-seeded. Louisiana.	1812.	5. 6.	G.♀.	Botan. magaz. 1760.	
aurea. N.						

Sect. II. TURNERACEÆ. *Kunth synops.* 3. p. 406.

TURNERA. Kth.	TURNERA. Pentandria Trigynia. L.	
1 ulmifolia. R.S.	Elm-leaved. Jamaica. 1733.	6. 9. S. ☼. Hort. cliff. t. 10.
2 angustifolia. B.M.	narrow-leav'd. ———— ————	4. 9. S. ☼. Botan. magaz. 281.
3 elegans. R.S.	elegant. Brazil. 1821.	—— S. ☼.
4 cuneiformis. R.S.	wedge-leaved. ———— 1812.	—— S. ☼.
5 trioniflora. B.M.	Ketmia-fl'd. ———— ————	—— S. ☼. Botan. magaz. 2106.
6 Pumilea. R.S.	nettle-leaved. Jamaica. 1796.	8. 9. S. ☉. Pet. gaz. 59. t. 38. f. 9.
7 cistoides. R.S.	Cistus-like. America. 1774.	6. 10. H. ☉. Plum. ic. t. 150. f. 1.
PIRIQUETA. Kth.	PIRIQUETA. Pentandria Trigynia.	
racemosa.	clustered. 1789.	7. 10. H. ☉. Jacq. vind. 3. t. 94.
<i>Turnera racemosa. W.</i>		

ORDO LXXVIII.

MYRTACEÆ. *Kunth. synops. 3. p. 410.*Sect. I. MYRTEÆ. *Kth. loc. cit. 410.*

ALANGIUM. J.		ALANGIUM. Icosandria Monogynia.			
1 decapetalum. s.s.	Sage-leaved.	E. Indies.	1779.	S. h.	Rheed. mal. 4. t. 17.
2 hexapetalum. s.s.	six-petal'd.	————	1822.	S. h.	———— 4. t. 26.
PHILADELPHUS. S.S.		SYRINGA. Icosandria Monogynia. L.			
1 coronarius. s.s.	common.	S. Europe.	1596. 5. 6.	H. h.	Botan. magaz. 391.
β variegatus.	striped-leaved.	————	H. h.	
γ multiplex.	double-blossom'd.	————	H. h.	
2 nanus. Mill.	dwarf.	H. h.	
3 grandiflorus. Ph.	large-flowered.	Carolina.	1811. 6. 7.	H. h.	Wats. dend. brit. t. 46.
4 hirsutus. N.	hairy.	Louisiana.	1816. —	H. h.	———— t. 47.
5 inodorus. Ph.	scentless.	Carolina.	1738. —	H. h.	Botan. magaz. 1478.
LEPTOSPERMUM. W.		LEPTOSPERMUM. Icosandria Monogynia.			
1 grandifolium. s.s.	large-leaved.	N. S. W.	1803. 6. 7.	G. h.	Botan. magaz. 1810.
2 emarginatum. s.s.	emarginate.	————	1816. —	G. h.	
3 sericeum. s.s.	silky-leaved.	N. Holland.	1820. —	G. h.	
4 marginatum. s.s.	white margin'd.	————	1816. —	G. h.	
5 pubescens. s.s.	pubescent.	N. S. W.	1774. —	G. h.	
6 lanigerum. s.s.	woolly-leaved.	————	—	G. h.	
7 scoparium. s.s.	N. Zealand Tea.	N. Zealand.	1772. —	G. h.	Andr. reposit. 622.
8 rubricaulis. L. en.	red-stalked.	N. S. W.	1812. —	G. h.	
9 tuberculatum. s.s.	tuberculate.	————	1816. —	G. h.	
10 grandiflorum. B.C.	large-flowered.	————	—	G. h.	Lodd. bot. cab. 514.
11 attenuatum. s.s.	fine-branched.	————	1795. 5. 7.	G. h.	
12 flavescens. s.s.	yellowish.	————	1787. —	G. h.	Sch. s. han. 24. t. 14.
13 trilobulare. s.s.	trilobular.	————	1816. —	G. h.	Vent. malm. 88.
14 juniperinum. s.s.	Juniper-leaved.	————	1790. 6. 7.	G. h.	———— 89.
15 baccatum. s.s.	berry-fruited.	————	—	G. h.	Cav. ic. 4. t. 331. f. 2.
16 arachnoideum. s.s.	cobweb.	————	1795. 5. 7.	G. h.	Gært. sem. 1. t. 35.
17 parvifolium. s.s.	small-leaved.	————	—	6. 7.	G. h.
18 imbricatum. s.s.	imbricated.	————	1800. —	G. h.	
19 ambiguum. s.s.	hook-leaved.	————	1791. —	G. h.	Sm. exot. bot. 1. t. 59.
20? flexuosum. s.s.	flexuose-stalk'd.	N. Holland.	1812. —	G. h.	
21? salignum. s.s.	Willow-leaved.	————	—	G. h.
22? ovalifolium.	oval-leaved.	————	—	G. h.
<i>Fabricia myrtifolia.</i> Hort. non. W.					
FABRICIA. G.		FABRICIA. Icosandria Monogynia.			
1 myrtifolia. s.s.	opposite-leav'd.	N. Holland.	G. h.	Gært. sem. 1. t. 355. f. 4.
2 lævigata. s.s.	smooth-leaved.	N. S. W.	1788. 5. 6.	G. h.	Botan. magaz. 1304.
3? sericea.	silky-leaved.	N. Holland.	G. h.	
CALLISTEMON. B.R.		CALLISTEMON. Icosandria Monogynia.			
1 speciosum. C.C.	splendid.	N. S. W.	1803. 3. 6.	G. h.	Botan. magaz. 1761.
<i>Metrosideros speciosa.</i> B.M.					
2 lanceolatum. C.C.	spear-leaved.	————	1788. 11. 6.	G. h.	———— 260.
<i>Metrosideros citrina.</i> B.M.					
3 salignum. C.C.	Willow-leaved.	————	—	5. 7.	G. h.
4 rigidum. B.R.	rigid-leaved.	————	1800. 3. 6.	G. h.	Botan. regist. 393.
<i>Metrosideros viminalis.</i> Hort. non. Sm.					
5 lineare. C.C.	linear-leaved.	————	1788. 6. 7.	G. h.	Sert. han. 19. t. 11.
6 viridiflorum.	green-flowered.	————	1820. —	G. h.	Botan. magaz. 2602.
<i>ruscifolium.</i> C.C. <i>Metrosideros viridiflora.</i> B.M.					
7 pinifolium.	Pine-tree-ld.	N. S. W.	6. 7.	G. h.
8? marginatum.	margin'd.	————	1816.	G. h.	Cav. ic. 4. t. 332.
<i>Metrosideros marginata.</i> Cav.					
MELALEUCA. H.K.		MELALEUCA. Polyadelphia Icosandria. L.			
1 Lencadendron. w.	aromatic.	E. Indies.	1796.	S. h.	Rumph. amb. 2. t. 16.
2 Cajuputi. H.B.	Cajuputi-tree.	————	1816.	S. h.	———— 2. t. 17. f. 1.

3	viridiflora. w.	green-flowered. N. S. W.	1798.	G. h.	Cav. ic. 4. t. 333.
4	paludosa. H.K.	long-leav'd red. N.Holland.	1803.	7. 9.	G. h.	
5	globifera. H.K.	globe-fruited. ————	———	G. h.	
6	diosmifolia. A.R.	Diosma-leaved. ————	1794.	6. 7.	G. h.	Andr. reposit. 476.
7	stypheleoides. H.K.	Stypheleia-ld. N. S. W.	1793.	5. 6.	G. h.	Sm. exot. bot. 1. t. 55.
8	genistifolia. H.K.	Genista-leaved. ————	———	———	G. h.	
9	striata. H.K.	rigid-leaved. N. Holland.	1803.	———	G. h.	Lab. nov. holl. 2. t. 167.
10	thymoides. H.K.	yellow spear-ld. ————	———	———	G. h.	
11	imbricata. L.en.	imbricated. ————	———	———	G. h.	
12	lanceolata. L.en.	spear-leaved. ————	1812.	———	G. h.	Otto hort. ber. 36.
13	squamea. H.K.	scaly-branched. V.Diem.Isl.	1805.	6. 7.	G. h.	Botan. regist. 477.
14	nodosa. H.K.	Whin-leaved. N. S. W.	1790.	———	G. h.	Sm. exot. bot. 1. t. 35.
15	ericifolia. H.K.	Heath-leaved. ————	1788.	7. 9.	G. h.	——— 1. t. 34.
16	armillaris. H.K.	pale-flowered. ————	———	6. 7.	G. h.	Andr. reposit. 175.
17	uncinata. H.K.	hook-leaved. N. Holland.	1803.	G. h.	
18	scabra. H.K.	rough-thread-ld. ————	———	6. 7.	G. h.	
19	pulchella. H.K.	pendulous. ————	———	6. 9.	G. h.	Lodd. bot. cab. 200.
20	incana. B.R.	hoary. N. S. W.	1812.	6. 8.	G. h.	Botan. regist. 410.
	<i>canescens</i> . Hort. ber. 37.	<i>lanata</i> . Hort.				
21	thymifolia. H.K.	Thyme-leaved. N. S. W.	1792.	7. 9.	G. h.	Sm. exot. bot. 1. t. 36.
	<i>coronata</i> . A.R. 278.					
22	decussata. H.K.	decussate. N. Holland.	1803.	6. 9.	G. h.	Botan. magaz. 2260.
23	rotundifolia. C.C.	round-leaved. V.Diem.Isl.	1822.	6. 8.	G. h.	
24	fulgens. H.K.	splendid. N.Holland.	1803.	———	G. h.	Botan. regist. 103.
25	linariifolia. H.K.	Toad-flax-ld. N. S. W.	1793.	7. 9.	G. h.	Sm. exot. bot. 1. t. 56.
26	hypericifolia. H.K.	Hypericum-ld. ————	1792.	———	G. h.	Andr. reposit. 200.
27	squarrosa. H.K.	Myrtle-leaved. ————	1794.	6. 8.	G. h.	Botan. magaz. 1935.
28	calycina. H.K.	permanent-cup'd. N.Holland.	1803.	———	G. h.	
29	parviflora. L.en.	small-flowered. ————	———	———	G. h.	Otto hort. ber. 37.
30	densa. H.K.	whorl-leaved. ————	———	G. h.	
TRISTANIA. H.K.		TRISTANIA. Polyadelphia Icosandria.				
1	nereifolia. H.K.	Oleander-ld. N. S. W.	1804.	7. 9.	G. h.	Botan. magaz. 1058.
	<i>Melaleuca nereifolia</i> . B.M.					
2	laurina. H.K.	Laurel-leaved. ————	1798.	G. h.	
3	depressa. L.C.	depressed. ————	1820.	G. h.	
4	conferta. H.K.	Pittosporum-ld. ————	1805.	7. 9.	G. h.	
	<i>Pittosporum hirtum</i> . Hort.					
5	arborescens.	arborescent. N.Holland.	1822.	G. h.	
CALOTHAMNUS. H.K.		CALOTHAMNUS. Polyadelphia Icosandria.				
1	quadrifida. H.K.	four-cleft. N.Holland.	1803.	1. 12.	G. h.	Botan. magaz. 1506.
2	villosa. H.K.	hairy 5-cleft. ————	———	———	G. h.	Lodd. bot. cab. 92.
3	gracilis. H.K.	slender-leaved. ————	———	———	G. h.	
BEAUFORTIA. H.K.		BEAUFORTIA. Polyadelphia Icosandria.				
1	decussata. H.K.	splendid. N. Holland.	1803.	3. 8.	G. h.	Botan. regist. 18.
2	sparsa. H.K.	alternate-la. ————	———	G. h.	
BÆCKEA. L.T.		BÆCKEA. Octandria Monogynia.				
1	frutescens. Sm.	Chinese. China.	1806.	9. 12.	G. h.	Qsb. voy. v. 2. t. 1.
2	virgata. B.M.	slender. N. S. W.	———	8. 10.	G. h.	Botan. magaz. 2127.
3	linifolia. L.T.	Flax-leaved. ————	1820.	6. 8.	G. h.	
4	denisfolia. L.T.	close-leaved. ————	1812.	———	G. h.	
5	camphorata. L.T.	camphor-scent'd. ————	1823.	———	G. h.	
METROSIDEROS. S.S.		METROSIDEROS. Icosandria Monogynia.				
1	vera. L. Col.	Ironwood. E. Indies.	1815.	5. 8.	S. h.	Lindl. collect. 18.
2	hispida. L.T.	rough. N. S. W.	1789.	———	G. h.	Sm. exot. bot. 1. t. 42.
3	floribunda. L.T.	many-flow'r'd. ————	1788.	———	G. h.	
4	costata. L.T.	ribbed. ————	1816.	———	G. h.	Gært. sem. 1. t. 34. f. 2.
5	glomulifera. L.T.	cluster-flow'r'd. ————	1805.	5. 6.	G. h.	
6	angustifolia. L.T.	narrow-leaved. C. B. S.	1787.	G. h.	
*EUCALYPTUS. L.T.		EUCALYPTUS. Icosandria Monogynia.				
1	robusta. L.T.	brown gum-tree. N. S. W.	1794.	8. 9.	G. h.	Sm. nov. holl. t. 13.
2	reticulata. L.en.	netted-leaved. ————	1816.	G. h.	
3	pilularis. L.T.	small-fruited. ————	1804.	2. 5.	G. h.	
4	rostrata. Cav.	beaked. ————	———	G. h.	Cav ic. 4. t. 342.
5	cornuta. s.s.	horned. N.Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
6	globulus. s.s.	variable-leav'd. ————	1804.	5. 6.	G. h.	Lab. nov. holl. 1. t. 133.
	<i>pulverulenta</i> . Hort. non B.M.					
7	incrassata. s.s.	thick-leaved. ————	1820.	G. h.	

* We suspect that many of these species will belong to *Metrosideros* when the Flowers are seen.

8	<i>marginata</i> . L.T.	thick-edged.	N. S. W.	1794.	4. 7.	G. h.	
9	<i>longifolia</i> . L.en.	long-leaved.	N. S. W.	1818.	—	G. h.	
10	<i>tereticornis</i> . L.T.	long-horned.	—	1804.	—	G. h.	
11	<i>resinifera</i> . L.T.	red gum-tree.	—	1788.	—	G. h.	Andr. repos. 400.
12	<i>multiflora</i> . s.s.	many-flow'r'd.	N.Holland.	1820.	—	G. h.	
13	<i>capitellata</i> . L.T.	headed.	N. S. W.	1804.	—	G. h.	White's voy. 226. t.f.a.
14	<i>saligna</i> . L.T.	willow-like.	—	—	—	G. h.	
15	<i>persicifolia</i> . B.C.	Peach-leaved.	—	1812.	—	G. h.	Lodd. bot. cab. 501.
16	<i>media</i> . L.en.	taper-pointed.	—	1820.	G. h.	
17	<i>mucronata</i> . L.en.	mucronate.	—	—	G. h.	
18	<i>triantha</i> . L.en.	three-flowered.	—	—	4. 6.	G. h.	
19	<i>elongata</i> . L.en.	elongated.	—	—	—	G. h.	
20	<i>myrtifolia</i> . L.en.	Myrtle-leaved.	—	1812.	—	G. h.	
21	<i>microphylla</i> . L.en.	small-leaved.	—	1816.	—	G. h.	
22	<i>stenophylla</i> . L.en.	slender-leaved.	—	—	G. h.	
23	<i>angustifolia</i> . L.en.	narrow-leaved.	—	—	G. h.	
24	<i>viminalis</i> . s.s.	slender.	N. Holland.	—	G. h.	
25	<i>verrucosa</i> . C.C.	warted.	N. S. W.	—	G. h.	
26	<i>hypericifolia</i> . L.en.	Hypericum-ld.	—	1804.	G. h.	
27	<i>purpurascens</i> . L.en.	purple-veined.	—	—	G. h.	
28	<i>albicaulis</i> . C.C.	white-stemm'd.	V.Diem.Isl.	1822.	G. h.	
29	<i>perfoliata</i> . C.C.	perfoliate-ld.	—	1812.	4. 6.	G. h.	
30	<i>pulverulenta</i> . B.M.	powdered.	N.Holland.	1816.	11. 3.	G. h.	Botan. magaz. 2087.
	<i>cordata</i> . B.C. 328. non Lab.						
31	<i>hirsuta</i> . L.en.	hairy.	N. S. W.	1804.	3. 6.	G. h.	
32	<i>undulata</i> . C.C.	wave-leaved.	—	—	G. h.	
33	<i>alata</i> . C.C.	winged-stalked.	V.Diem.Isl.	1822.	G. h.	
34	<i>botryoides</i> . L.T.	flat-peduncled.	N. S. W.	1803.	4. 7.	G. h.	Cav. ic. 4. t. 341.
35	<i>hæmastoma</i> . L.T.	red-mouthed.	—	—	—	G. h.	
36	<i>amygdalina</i> . s.s.	Almond-leaved.	N.Holland.	1822.	G. h.	
37	<i>piperita</i> . L.T.	Peppermint tree.	N. S. W.	1788.	4. 7.	G. h.	White's voy. t. c. ic.
38	<i>obliqua</i> . L.T.	oblique-leaved.	V.Diem.Isl.	1774.	7. 8.	G. h.	Sal. par. lond. 15.
39	<i>corymbosa</i> . L.T.	corymbus-fld.	N. S. W.	1788.	G. h.	Cav. ic. 4. t. 340.
40	<i>paniculata</i> . L.T.	panicled.	—	1804.	G. h.	
41	<i>ovata</i> . s.s.	oval-leaved.	N.Holland.	1822.	G. h.	
CALYTRIX. Lab.		CALYTRIX. Icosandria Monogynia.					
1	<i>glabra</i> . B.R.	smooth.	N. S. W.	1818.	4. 6.	G. h.	Botan. regist. 409.
2	<i>pubescens</i> .	pubescent.	N.Holland.	1824.	—	G. h.	
CARYOPHYLLUS. P.S. CLOVE-TREE.		Icosandria Monogynia.					
	<i>aromaticus</i> . P.S.	aromatic.	Moluccas.	1797.	S. h.	Rumph. amb. 2. t. 1.2.
	<i>Eugenia caryophyllata</i> . w.	<i>Myrtus Caryophyllus</i> . s.s.					
EUGENIA. W.		EUGENIA. Icosandria Monogynia. L.					
1	<i>malaccensis</i> . w.	Malay Apple.	E. Indies.	1768.	5. 8.	S. h.	Andr. reposit. 458.
2	<i>macrocarpa</i> . H.B.	large-fruited.	—	1822.	S. h.	
3	<i>glandulifera</i> . H.B.	glandular.	—	1823.	S. h.	
4	<i>pulchella</i> . H.B.	pretty.	—	1822.	S. h.	
5	<i>aquea</i> . H.B.	watery.	—	1819.	S. h.	
6	<i>acuminata</i> . H.B.	taper-pointed.	—	1816.	5. 6.	S. h.	
7	<i>ternifolia</i> . H.B.	three-leaved.	—	1822.	S. h.	
8	<i>obtusifolia</i> . H.B.	blunt-leaved.	—	1823.	S. h.	
9	<i>amplexicaulis</i> . H.B.	stem clasping.	—	1820.	S. h.	
10	<i>cerasoides</i> . H.B.	Cherry-fruited.	—	1823.	S. h.	
11	<i>Jambos</i> . w.	narrow-leaved.	—	1768.	2. 7.	S. h.	Botan. magaz. 1696.
12	<i>baruensis</i> . w.	many-flowered.	S. America.	S. h.	Jacq. ic. 3. t. 480.
13	<i>axillaris</i> . w.	axillary.	Jamaica.	1793.	9.	S. h.	
14	<i>fragrans</i> . w.	sweet scented.	—	1790.	4. 5.	S. h.	Botan. magaz. 1242.
15	<i>Mini</i> . w.	small-fruited.	Guiana.	1803.	...	S. h.	Aub. gui. 1. t. 197.
16	<i>Smithii</i> . Foir.	Smith's.	N. S. W.	1790.	5. 9.	G. h.	Botan. magaz. 1872.
	<i>elliptica</i> . Sm. non Lam.						
17	<i>myrtifolia</i> . B.M.	Myrtle-leaved.	N.Holland.	1812.	—	G. h.	— 2230.
	<i>Myrtus australis</i> . s.s.						
18	<i>ligustrina</i> . w.	Privet-leaved.	Hispaniola.	1798.	8.	S. h.	
19	<i>uniflora</i> . w.	one-flowered.	Brazil.	1759.	1. 3.	S. h.	Botan. magaz. 473.
20	<i>zeylanica</i> . A.R.	Ceylon.	E. Indies.	1798.	6. 7.	S. h.	Andr. reposit. 619.
21	<i>balsamica</i> . w.en.	balsamic.	1816.	S. h.	Jacq. frag. t. 45. f. 2.
22	<i>latifolia</i> . w.	broad-leaved.	Guiana.	1793.	S. h.	Aub. gui. 1. t. 199.
23	<i>bracteata</i> . w.	bracteate.	E. Indies.	1820.	S. h.	
24	<i>macrophylla</i> . Lam.	large-leaved.	—	—	S. h.	
25	<i>buxifolia</i> . w.	Box-leaved.	W. Indies.	1822.	4. 6.	S. h.	

26 floribunda. w.	many-flowered. W. Indies.	—	S. h.	
27 obovata. Poir.	obovate-leaved. Isl. France.	1823.	S. h.	
MYRTUS.	MYRTLE. Icosandria Monogynia.	L.			
1 communis. w.	common.	S. Europe.	1597.	7. 8.	G. h. Duham. arb. e. n. t. 43.
α romana.	broad-leaved.	—	—	—	G. h. Mill. ic. t. 184. f. 1.
β tarentina.	Box-leaved.	—	—	—	G. h.
γ italica.	upright Italian.	—	—	—	G. h.
δ bætica.	Orange-leaved.	—	—	—	G. h. Blackwell t. 114.
ε lusitanica.	Portugal.	—	—	—	G. h. Clus. hist. 1. t. 1.
ζ belgica.	broad-ld. Dutch.	—	—	—	G. h.
η mucronata.	Rosemary-ld.	—	—	—	G. h.
θ multiplex.	double-blossom'd.	—	—	—	G. h.
ι variegata.	striped-leaved.	—	—	—	G. h.
χ maculata.	blotch-leaved.	—	—	—	G. h.
2 tenuifolia. L.T.	slender-leaved.	N. Holland.	1824.	G. h.
3 tomentosa. w.	woolly-leaved.	China.	1776.	6. 6.	S. h. Botan. magaz. 250.
4 affinis.	smooth-leaved.	—	1823.	S. h.
5 biflora. w.	two-flowered.	Jamaica.	1759.	4. 5.	S. h. Brown. jam. t. 25. f. 3.
6 lucida. w.	shining.	Surinam.	1793.	S. h.
7 trinervia. L.T.	three-nerved.	N. S. W.	1823.	S. h.
8 dumosa. w.	bushy.	W. Indies.	1793.	6. 7.	S. h.
9 disticha. w.	globe-berried.	Jamaica.	—	4. 7.	S. h. Botan. magaz. 867.
10 Pimenta. w.	narrow-ld. Allspice.	W. Ind.	1723.	5. 7.	S. h. ——— 1236.
11 acris. w.	broad-ld. Allspice.	—	1759.	—	S. h. Lodd. bot. cab. 178.
	Pimenta. B.C. non. w. pimentoides. L.				
12 coriacea. w.	Sumach-leaved.	Hispaniola.	1759.	—	S. h. Plum. ic. t. 208. f. 2.
13 virgultosa. w.	twiggy.	W. Indies.	1787.	7. 8.	S. h. ——— t. 208. f. 1.
14 Gregii. w.	Greg's.	Dominica.	1776.	5. 7.	S. h. Gært. sem. 1. t. 33. f. 3.
CALYPTRANTHES.	W. CALYPTRANTHES. Icosandria Monogynia.				
1 Zuzygium. w.	oval-leaved.	W. Indies.	1778.	5. 7.	S. h. Brown. jam. t. 7. f. 2.
2 Jambolana. w.	Jambolana-tree.	E. Indies.	1796.	S. h. Rumph. amb. 1. t. 42.
3 caryophyllifolia. w.	Clove-leaved.	—	1822.	S. h.
	Eugenia caryophyllifolia. H.B.				
4 Chytraculia. w.	forked.	Jamaica.	1778.	3. 5.	S. h. Brown. jam. t. 37. f. 2.
PSIDIUM. S.S.	GUAVA. Icosandria Monogynia.	L.			
1 pyrifera. s.s.	Pear-fruited.	W. Indies.	1656.	6. 7.	S. h. Rumph. amb. 1. t. 47.
2 latifolium. L.en.	broad-leaved.	—	S. h.
3 aromaticum. s.s.	aromatic.	W. Indies.	1779.	S. h. Aub. gui. 1. t. 191.
4 Cattleyanum. s.s.	Cattley's.	1816.	1. 12.	S. h. Lindl. collect. 16.
5 guianense. s.s.	Guiana.	Guiana.	1823.	S. h.
6 sapidissimum. s.s.	pleasant.	—	6. 7.	S. h.
7 cordatum. s.s.	spice.	W. Indies.	1811.	5. 7.	S. h. Botan. magaz. 1779.
8 pomiferum. s.s.	apple-fruited.	—	1692.	6. 7.	S. h. Rheed. mal. 3. t. 35.
9 polycarpon. L.T.	many-fruited.	—	1809.	4. 8.	S. h. Linn. trans. v. 11. t. 17.
10 montanum. s.s.	mountain.	—	1779.	5. 7.	S. h.
11 oligospermum. s.s.	few-seeded.	S. h.
12 chinense. L.C.	yellow Chinese.	China.	1. 4.	S. h.
13 fragrans. L.C.	fragrant.	4. 8.	S. h.
14 myrtifolia. L.C.	Myrtle-leaved.	—	S. h.
PUNICA. W.	POMEGRANATE. Icosandria Monogynia.	L.			
1 nana. w.	dwarf.	W. Indies.	1723.	7. 9.	G. h. Botan. magaz. 634.
2 Granatum. w.	common.	S. Europe.	1548.	6. 9.	H. h. ——— 1832.
β multiplex.	double-flowered.	—	—	H. h.
γ alba.	whitish-flow'r'd.	—	H. h. Andr. reposit. 96.
δ flava.	yellowish.	—	H. h.
DECUMARIA. W.	DECUMARIA. Dodecandria Monogynia.	L.			
1 barbara. Ph.	smaller.	Carolina.	1785.	7. 8.	H. h. ~
2 sarmentosa. Ph.	larger.	—	1758.	—	H. h. ~ Act. par. 1. t. 13.

Sect. II. LECYTHIDEÆ. Kth. synops. 3. p. 424.

LECYTHIS. S.S.	LECYTHIS. Icosandria Monogynia.				
1 Ollaria. s.s.	sessile-leaved.	Brazil.	1820.	S. h.
2 bracteata. s.s.	bracted.	Guiana.	—	S. h. Aub. gui. 2. t. 282.
	Couroupita gujanensis. Aub.				

GUSTAVIA. L.	GUSTAVIA. Monadelphica Polyandria. L.	
<i>angusta. w.</i>	large-flowered. Guiana. 1794. S. h.	Aub. gui. 1. t. 192.
<i>Pirigara tetrapetala. Aub.</i>		
STRAVADIUM. J.	STRAVADIUM. Monadelphica Polyandria.	
1 <i>acutangulum.</i>	acute-angled. E. Indies. 1822. S. h.	Rheed. mal. 4. t. 7.
<i>Barringtonia acutangula. H.B. Eugenia acutangula. L.</i>		
2 <i>racemosum.</i>	racemed. ———— ———— S. h.	Rumph. amb. 3. t. 116.
<i>Barringtonia racemosa. H.B. Eugenia racemosa. L.</i>		
BARRINGTONIA. L.	BARRINGTONIA. Monadelphica Polyandria. L.	
<i>speciosa. w.</i>	Laurel-leaved. E. Indies. 1786. S. h.	Rumph. amb. 3. t. 114.
<i>Butonica speciosa. Lam.</i>		

ORDO LXXIX.

MELASTOMACEÆ. *Juss. gen. 328*

MEMECYLON. W.	MEMECYLON. Octandria Monogynia. L.	
1 <i>edule. s.s.</i>	eatable. E. Indies. 1823. S. h.	
2 <i>capitellatum. s.s.</i>	Ceylon. ———— 1796. 7. S. h.	Burm. zeyl. 76. t. 30.
PETALOMA. S.S.	PETALOMA. Decandria Monogynia.	
1 <i>myrtilloides. s.s.</i>	sessile-leaved. Jamaica. 1818. S. h.	
2 <i>alternifolia. s.s.</i>	alternate-leav'd. E. Indies. 1823. S. h.	
BLAKEA. L.	BLAKEA. Dodecandria Monogynia. L.	
<i>trinervia. s.s.</i>	three-ribbed. Jamaica. 1789. 6. 7. S. h.	Botan. magaz. 451.
MELASTOMA. D.D.	MELASTOMA. Decandria Monogynia.	
1 <i>sanguinea. B.M.</i>	red-veined. Sts. Sunda. 1818. 5. 12. S. h.	Botan. magaz. 2241.
2 <i>macrocarpa. D.D.</i>	large-fruited. E. Indies. 1793. 1. 8. S. h.	————— 529.
<i>malabathrica. B.M. non L.</i>		
3 <i>affinis. D.D.</i>	likened. ———— 1816. ———— S. h.	
4 <i>malabathrica. L.</i>	Malabar. ———— ———— S. h.	Botan. regist. 672.
5 <i>aspera. w.</i>	rough. ———— 1815. 8. 11. S. h.	Burm. zeyl. t. 72.
6 <i>candida. D.D.</i>	white-leaved. China. 1820. 4. 8. S. h.	
7 <i>nepalensis. B.C.</i>	Nepaul. Nepaul. 1819. 2. 6. S. h.	Lodd. bot. cab. 707.
8 <i>octandra. w.</i>	octandrous. Ceylon. 1815. S. h.	
9 <i>corymbosa. H.K.</i>	corymbose. Sierra Leon. 1792. 4. 8. S. h.	Botan. magaz. 904.
10 <i>elongata. G.D.</i>	tuberous-root'd. ———— 1822. S. h.	
MICONIA. D.D.	MICONIA. Decandria Monogynia.	
1 <i>ecostata.</i>	ribless. Jamaica. 1793. 5. 6. S. h.	
<i>Melastoma ecostata. H.K.</i>		
2 <i>tetrandra. D.D.</i>	tetrandrous. Jamaica. 1815. S. h.	
3 <i>trinervia. D.D.</i>	three-nerved. ———— 1793. 7. S. h.	
4 <i>purpurea. D.D.</i>	purple. Guiana. 1804. 4. 8. S. h.	Aub. gui. 1. t. 154.
5 <i>lævigata. D.D.</i>	smooth. S. America. 1815. ———— S. h.	Botan. regist. 363.
6 <i>grandifolia. D.D.</i>	large-leaved. ———— 1818. ———— S. h.	
<i>Melastoma grandifolia. And. mss. latifolia. Bondp. mss. in Herb. Lamb.</i>		
7 <i>rubescens. D.D.</i>	reddish. ———— 1820. ———— S. h.	
<i>Melastoma rubescens. Bondp. mss. in H.L.</i>		
8 <i>tenuifolia. D.D.</i>	slender-leaved. ———— ———— S. h.	
<i>Melastoma tenuifolia. Bondp. mss. in H.L.</i>		
9 <i>angustata. D.D.</i>	narrow-leaved. Trinidad. ———— ———— S. h.	
10 <i>impetiolaris. D.D.</i>	great-leaved. Guiana. 1822. S. h.	Bondp. mon. t. 29.
11 <i>decussata. D.D.</i>	cross-branched. ———— 1818. 3. 6. S. h.	
12 <i>semicrenata. D.D.</i>	semicrenate. W. Indies. 1823. S. h.	
13 <i>Acinodendron.</i>	oval-leaved. Jamaica. 1804. S. h.	Plum. ic. 142. f. 2.
14 <i>purpurascens. D.D.</i>	purplish. W. Indies. 1822. 3. 6. S. h.	
CHITONIA. D.D.	CHITONIA. Decandria Monogynia.	
1 <i>Fothergilla. D.D.</i>	Fothergill's. S. America. 1815. S. h.	Aub. gui. 1. t. 175.
<i>Melastoma Fothergilla. s.s. Fothergilla mirabilis. Aub.</i>		
2 <i>albicans. D.D.</i>	white-leaved. Jamaica. ———— S. h.	
3 <i>macrophylla. D.D.</i>	large-leaved. W. Indies. 1820. S. h.	
PLEROMA. D.D.	PLEROMA. Decandria Monogynia.	
1 <i>granulosa. D.D.</i>	rough-leaved. S. America. 1818. 4. 8. S. h.	Botan. regist. 671.
<i>Melastoma granulosa. B.R. Rhexia Fontanesii. Kth.</i>		

2	heteromalla. D.D.	woolly-leaved.	—————	—————	—————	S. h.	—————	644.
	<i>Melastoma heteromalla.</i> B.R.							
3	viminea. D.D.	slender.	—————	1820.	—————	S. h.	—————	664.
	<i>Rhexia viminea.</i> B.R.							
4	holosericea. D.D.	silky.	Brazil.	1816.	—————	S. h.	—————	323.
	<i>Rhexia holosericea.</i> B.R.							
TOCOCA. Aub. TOCOCA. Decandria Monogynia.								
1	Aubletii. D.D.	Aublet's.	Guiana.	1822.	S. h.	Aub. gui. 1. t. 174.	
	<i>guianensis.</i> Aub. <i>Melastoma physiphora.</i> Vahl.							
2	lanata. D.D.	woolly.	W. Indies.	—————	S. h.		
	<i>Melastoma lanata.</i> And. C.							
CLIDEMIA. D.D. CLIDEMIA. Decandria Monogynia.								
1	hirta. D.D.	hairy.	Jamaica.	1740.	3. 6.	S. h.	Botan. magaz. 1971.	
	<i>Melastoma hirta.</i> B.M.							
2	elegans. D.D.	elegant.	Trinidad.	1822.	—————	S. h.	Aub. gui. 1. t. 167.	
3	rubra. D.D.	red.	Guiana.	1793.	5. 6.	S. h.	————— 1. t. 161.	
4	cernua. D.D.	nodding.	Jamaica.	1820.	—————	S. h.		
	<i>Melastoma cernua.</i> Bondp. mss. in H. Lamb.							
5	microphylla. D.D.	small-leaved.	—————	—————	—————	S. h.		
6	holosericea. D.D.	silky-leaved.	Brazil.	—————	—————	S. h.	Pluk. mant. 4. t. 252. f. 2.	
7	velutina. D.D.	velvety-leav'd.	Jamaica.	1818.	7. 10.	S. h.		
8	nivea. D.D.	snowy-white.	—————	1820.	—————	S. h.	Bondp. mon. t. 44.	
	<i>Melastoma nivea.</i> B.							
9	aggregata. D.D.	clustered.	—————	—————	—————	S. h.		
ACIOTIS. D.D. ACIOTIS. Decandria Monogynia.								
1	discolor. D.D.	two-coloured.	W. Indies.	1793.	3. 9.	S. h.	Plum. ic. t. 42. f. 1.	
	<i>Melastoma discolor.</i> W.							
2	aquatica. D.D.	marsh.	S. America.	—————	—————	S. h.	Aub. gui. 1. t. 169.	
	<i>Rhexia aquatica.</i> W.							
MERIANIA. Swartz. MOUNTAIN ROSE. Decandria Monogynia.								
	<i>purpurea.</i> P.S.	purple-flow'r'd.	Jamaica.	1825.	S. h.		
OSBECKIA. W. OSBECKIA. Oct-Decandria Monogynia.								
1	zeylanica. W.	Ceylon.	Ceylon.	1749.	5. 9.	S. h.	Botan. regist. 565.	
2	chinensis. W.	Chinese.	China.	1816.	—————	S. h.	————— 542.	
	<i>Melastoma osbeckioides.</i> B.M. 2235. <i>Rhexia glomerata.</i> B.C. 334.							
3	stellata. D.P.	starry-haired.	Nepaul.	1818.	—————	S. h.	————— 674.	
4	nepalensis. H.E.F.	handsome.	—————	1820.	—————	S. h.	Hook. ex. flor. t. 31.	
	<i>speciosa.</i> D.P.							
RHEXIA. W. RHEXIA. Octandria Monogynia. L.								
1	mariana. W.	Maryland.	N. America.	1759.	6. 8.	H. 4.	Pluk. mant. t. 428. f. 1.	
	<i>α purpurea.</i> Ph.	purple-flowered.	—————	—————	—————	H. 4.		
	<i>β rubella.</i> Ph.	reddish-flowered.	—————	—————	—————	H. 4.	Swt. br. fl gar. 41.	
2	virginica. W.	Virginian.	—————	—————	—————	H. 4.	Botan. magaz. 968.	
3	ciliosa. M.	ciliated.	—————	1812.	—————	F. 4.	Pursh. fl. amer. 1. t. 10.	
4	angustifolia. N.	narrow-leaved.	—————	—————	—————	H. 4.		
	<i>mariana γ exalbida.</i> M.							

ORDO LXXX.

TAMARISCINEÆ. *Desvaux.*

TAMARIX. R.S. TAMARISK. Tetr-Pent-Decandria Trigynia.								
1	gallica. R.S.	red-wooded.	England.	7. 8.	H. h.	Eng. bot. 1318.	
2	indica. R.S.	Indian.	E. Indies.	S. h.		
3	articulata. R.S.	jointed.	—————	1816.	S. h.	Vahl. symb. 2. t. 32.	
4	dioica. H.B.	dicacious.	—————	1812.	S. h.		
5	germanica. R.S.	green-wooded.	Germany.	1582.	6. 9.	H. h.	Flor. dan. t. 234.	

ORDO LXXXI.

CUCURBITACEÆ. *Juss. gen. 393.*

GRONOVIA. W.	GRONOVIA. Pentandria Monogynia. L.				
scandens. w.	climbing. Jamaica. 1731. 6. 7. S. 4. ◯. ◯.	Jacq. ic. 2. t. 338.			
SICYOS. W.	SICYOS. Monœcia Monadelphia. W.				
1 angulata. w.	angular-leav'd. N. America. 1710. 7. 9. H. ◯. ◯. ◯.	Lam. ill. t. 796.			
2 parviflora. w.	small-flowered. Mexico. 1823. — H. ◯. ◯. ◯.				
3 microphylla. Kth.	small-leaved. — — — — — H. ◯. ◯. ◯.				
4 vitifolia. w.	Vine-leaved. — — — — — H. ◯. ◯. ◯.				
SECHIUM. Sw.	CHOKO. Monœcia Monadelphia.				
edule. sw.	eatable. S. America. 1823. 7. 8. F. ◯. ◯. ◯.				
BRYONIA. W.	BRYONY. Monœcia Monadelphia. W.				
1 scabra. w.	globe-fruited. C. B. S. 1774. 9. 10. G. 4. ◯. ◯.				
2 verrucosa. w.	rough. Canaries. 1779. 6. 10. G. 4. ◯. ◯.				
3 punctata. w.	dotted. C. B. S. 1816. — G. 4. ◯. ◯.				
4 cordata. w.	cordate. — — — — — G. 4. ◯. ◯.				
5 grandis. w.	great-flowered. E. Indies. 1783. 5. 8. S. 4. ◯. ◯.	Rumph. am. 5. t. 166. f. 1.			
6 epigæa. w.	umbel-flower'd. — — — — — 1815. — S. 4. ◯. ◯.				
7 scabrella. w.	rough-seeded. — — — — — 1781. 6. 7. S. ◯. ◯. ◯.				
8 latebrosa. w.	hairy. Canaries. 1779. 6. 8. G. 4. ◯. ◯.				
9 triloba. w.	three-lobed. C. B. S. 1816. — G. ◯. ◯. ◯.				
10 dioica. w.	common. Britain. — — — — — 5. 9. H. 4. ◯. ◯.	Eng. bot. 439.			
11 alba. w.	white. Europe. 1807. 6. 7. H. 4. ◯. ◯.	Lam. ill. t. 796.			
12 cretica. w.	Cretan. Candia. 1759. 7. 9. G. 4. ◯. ◯.	Desf. an. mus. 12. t. 17.			
13 quinqueloba. w.	five-lobed. C. B. S. — — — — — 6. 10. G. 4. ◯. ◯.	Botan. regist. 82.			
14 ficifolia. w.	Fig-leaved. Buenos Ayres. 1726. — G. 4. ◯. ◯.	Dill. elth. t. 50. f. 58.			
15 divisa. w. en.	divided-leaved. — — — — — 1818. — G. 4. ◯. ◯.				
16 palmata. w.	palmated. Ceylon. 1778. 7. 8. S. 4. ◯. ◯.				
17 Garcini. w.	Ceylon. — — — — — 1818. — S. 4. ◯. ◯.	Burm. ind. t. 57. f. 3.			
18 laciniosa. w.	laciniated. E. Indies. 1710. — S. 4. ◯. ◯.	Herm. lugd. t. 97.			
19 africana. w.	African. C. B. S. 1759. — G. 4. ◯. ◯.	Herm. parad. t. 708.			
20 dissecta. w.	smooth-leaved. — — — — — 1710. — G. 4. ◯. ◯.				
21 pinnatifida. B. T.	pinnatifid. — — — — — 1816. — G. 4. ◯. ◯.				
22 tenella. H. B.	slender. E. Indies. 1820. — S. 4. ◯. ◯.				
23 filiformis. H. B.	filiform. — — — — — — S. 4. ◯. ◯.				
ELATERIUM. L.	ELATERIUM. Monœcia Monandria. W.				
tamnoides. w. en.	Tamus-leaved. Mexico. 1818. 6. 9. H. ◯. ◯. ◯.				
MELOTHRIA. W.	MELOTHRIA. Triandria Monogynia. W.				
pendula. w.	pendulous. America. 1752. 6. 7. H. ◯. ◯.	Plum. ic. t. 66. f. 2.			
ANGURIA. W.	ANGURIA. Monœcia Diandria. W.				
trilobata. w.	three-lobed. Carthagera. 1793. — S. 4. ◯. ◯.	Jacq. amer. pict. t. 234.			
LUFFA. P. S.	LUFFA. Monœcia Pentandria.				
1 foetida. P. S.	stinking. Isl. France. 1812. 6. 10. F. ◯. ◯. ◯.	Botan. magaz. 1638.			
2 acutangula. H. B.	acute-angled. E. Indies. 1818. — F. ◯. ◯. ◯.				
3 clavata. H. B.	upright. — — — — — 1820. — F. ◯. ◯. ◯.				
4 amara. H. B.	bitter. — — — — — — F. ◯. ◯. ◯.				
5 graveolens. H. B.	strong-scented. — — — — — 1823. — F. ◯. ◯. ◯.				
6 racemosa. H. B.	racemed. — — — — — — F. ◯. ◯. ◯.				
MOMORDICA. W.	MOMORDICA. Monœcia Monandria. W.				
1 Balsamina. w.	Balsam Apple. India. 1568. 6. 7. F. ◯. ◯. ◯.				
2 Charantia. w.	hairy. E. Indies. 1710. — F. ◯. ◯. ◯.	Botan. magaz. 2455.			
3 muricata. w.	tuberclcd. — — — — — — F. ◯. ◯. ◯.	Rheed. mal. 8. t. 10.			
4 operculata. w.	rough-fruited. W. Indies. 1731. 6. 9. F. ◯. ◯. ◯.	Comm. rar. t. 22.			
5? Luffa. w.	Egyptian. Egypt. 1739. 7. 8. F. ◯. ◯. ◯.				
6 monadelphia. H. B.	perennial. E. Indies. 1812. — S. 4. ◯. ◯.				
7 dioica. H. B.	diœcious. — — — — — 1820. — S. 4. ◯. ◯.	Rheed. mal. 8. t. 18.			
8 mixta. H. B.	mixed. — — — — — — S. 4. ◯. ◯.				
9 umbellata. H. B.	umbel-flower'd. — — — — — 1818. — S. 4. ◯. ◯.				
10? Elaterium. w.	squirting Cucumber. S. Europe. 1548. 6. 7. H. 4. ◯. ◯.	Botan. magaz. 1914.			
CUCUMIS. W.	CUCUMBER. Monœcia Monadelphia. W.				
1 Colycinthis. w.	bitter. C. B. S. 1551. 5. 8. F. ◯. ◯.				

2 prophetarum. w.	globe.	Levant.	1777.	6. 9.	F.⊙.	Jacq. vind. 1. t. 9.
3 africanus. L.	African.	C. B. S.	1816.	—	H.⊙.	Herm. parad. t. 134.
4 Anguria. w.	round prickly.	Jamaica.	1692.	7. 8.	F.⊙.	Mill. ic. 1. t. 33.
5 acutangulus. w.	acute-angled.	India.	—	6. 9.	F.⊙.	Jacq. vind. 3. t. 73. 744.
6 Melo. w.	Melon.	Tartary.	1570.	5. 9.	F.⊙.	
7 deliciosus. Roth.	delicious.	E. Indies.	1818.	—	F.⊙.	
8 Dudaim. w.	Apple-fruited.	Levant.	1705.	7. 8.	H.⊙.	Andr. reposit. 548.
9 Chate. w.	hairy.	—	1759.	6. 7.	H.⊙.	Alp. ægypt. t. 117.
10 pubescens. w.	pubescent.	—	1815.	6. 9.	F.⊙.	
11 sativus. w.	common.	E. Indies.	1573.	7. 9.	H.⊙.	
12 Momordica. H.B.	Momordica-like.	—	1812.	—	F.⊙.	
13 utilitissimus. H.B.	useful.	—	1820.	—	F.⊙.	
14 turbinatus. H.B.	top-shaped.	—	—	—	F.⊙.	
15 anguinus. w.	Snake-fruited.	—	—	—	F.⊙.	Rumph. amb. 5. t. 1488.
16 flexuosus. w.	flexuose-snake.	—	1597.	5. 9.	F.⊙.	Ger. herb. 763. f. 3.
17 maderaspatanus. w.	Madras.	—	1805.	7. 8.	F.⊙.	Pluk. alm. t. 170. f. 22.
18 integrifolius. H.B.	entire-leaved.	—	1825.	—	F.⊙.	
CUCURBITA. W.	GOURD.	Monœcia Monadelphica. W.				
1 lagenaria. w.	bottle.	India.	1597.	7. 9.	H.⊙.	Rumph. amb. 5. t. 1444.
2 Pepo. w.	Pumpkin.	Levant.	1570.	6. 8.	H.⊙.	
3 Potira. P.S.	large-fruited.	—	—	—	H.⊙.	
4 moschata. Duc.	musky.	—	—	—	H.⊙.	
5 maxima. Duc.	largest.	—	—	—	H.⊙.	
6 aurantia. w.	orange-fruited.	—	1802.	—	H.⊙.	
7 ovifera. w.	egg-shaped.	Astracan.	—	—	H.⊙.	
8 verrucosa. w.	warted.	—	1658.	—	H.⊙.	
9 Melopepo. w.	Squash.	—	1597.	5. 9.	H.⊙.	Moris. s. 1. t. 8.
10 Citrullus. w.	Water Melon.	S. Europe.	—	—	F.⊙.	Rumph. amb. 5. t. 1466.
TRICHOSANTHES. W.	SNAKE-GOURD.	Monœcia Monadelphica. W.				
1 Anguina. w.	common.	China.	1755.	5. 6.	F.⊙.	Botan. magaz. 722.
2 dioica. H.B.	diœcious.	E. Indies.	1820.	—	S. 4.	
3 cucumerina. w.	Cucumber-like.	—	1804.	6. 7.	F.⊙.	Rheed. mal. 8. t. 15.
4 lobata. H.B.	lobed-leaved.	—	1812.	—	F.⊙.	
5 cordata. H.B.	heart-leaved.	—	1823.	—	S.⊙.	
CERATOSANTHES. J.	HORN-GOURD.	Monœcia Monadelphica.				
tuberosa.	tuberous-root'd.	W. Indies.	1810.	6. 7.	S. 4.	Plum. ic. 24.
<i>Trichosanthes tuberosa. w.</i>						
CARICA. W.	PAPAW-TREE.	Diœcia Decandria. L.				
1 Papaya. w.	common.	India.	1690.	7. 8.	S. h.	Botan. regist. 459.
2 cauliflora. w.	stem-flowering.	Caracas.	1806.	6. 8.	S. h.	Jacq. schœn. 3. t. 3111.
3 microcarpa. w.	small-fruited.	—	—	—	S. h.	— 3. t. 309-100.
4 monoica. Desf.	monœcious.	—	1816.	—	S. h.	
5 spinosa. w.	spiny.	Guiana.	1822.	—	S. h.	Aub. gui. 2. t. 246.

ORDO LXXXII.

FICOIDEÆ. *Juss. gen. 315.*

REAUMURIA. W.	REAUMURIA. Icosandria Pentagynia.					
hypericoides. w.	Hypericum-like.	Syria.	1800.	7. 10.	G. h.	Botan. magaz. 2057.
NITRARIA. W.	NITRARIA. Dodecandria Monogynia. W.					
1 caspica. w.en.	Caspian.	Caspia.	1822.	—	H. h.	
2 Schoberi. w.	Siberian.	Siberia.	1778.	5. 8.	H. h.	Andr. reposit. 529.
3 tridentata. w.	African.	Barbary.	1822.	—	H. h.	
SESUVIUM. W.	SESUVIUM. Icosandria Trigynia. L.					
1 pedunculatum. DC.	peduncled.	W. Indies.	1692.	6. 8.	S. 4.	Lam. ill. t. 434. f. 1.
2 sessile. P.S.	sessile-flow'r'd.	—	—	—	S. 4.	DC. plant. grass. 9.
<i>Portulacastrum. w.</i>						
3 revolutifolium. w.en.	revolute-leav'd.	S. America.	—	7. 8.	S. 4.	Botan. magaz. 1701.
4 longifolium. w.en.	long-leaved.	—	1816.	—	S.⊙.	
5 repens. w.en.	creeping.	E. Indies.	—	—	S.⊙.	Rumph. amb. 5. t. 72. f. 1.

AIZOON. W.		Aizoön. Icosandria Pentagynia. L.			
1 canariense. w.	Purslane-ld.	Canaries.	1731.	7. 8.	H. ☉. Andr. reposit. 201.
2 perfoliatum. w.	perfoliate.	C. B. S.	1816.	6. 8.	G. ☿.
3 glinoides. w.	hairy.	—	1774.	—	G. ☿.
4 hispanicum. w.	Spanish.	Spain.	1728.	7. 8.	H. ☉. DC. plant. grass. 30.
5 lanceolatum. w.	spear-leaved.	C. B. S.	1752.	8.	G. ♂.
GLINUS. W.		GLINUS. Dodecandria Pentagynia. L.			
lotoides. w.	hairy.	S. Europe.	1788.	7.	H. ☉. Bocc. sic. 21. t. 11.
MESEMBRYANTHEMUM. FIG-MARYGOLD.		Icosandria Pentagynia. L.			
1 minutum. H.R.	small-white.	C. B. S.	1795.	9. 11.	I. ♀. Botan. magaz. 1376.
2 minimum. H.R.	small chequer'd.	—	1776.	9. 12.	I. ♀. Pet. gaz. t. 39. 3.
3 perpusillum. H.R.	small exserted.	—	1819.	—	I. ♀. Botan. magaz. 1647.
4 obcordellum. H.R.	glaucous chequer'd.	—	1776.	10. 2.	I. ♀.
5 obconellum. H.R.	green chequer'd.	—	1794.	—	I. ♀.
6 ficiforme. H.R.	fig-shaped.	—	1819.	I. ♀.
7 truncatellum. H.R.	large dotted.	—	1795.	10. 2.	I. ♀.
8 fibuliforme. H.R.	cloth button.	—	—	11.	I. ♀.
9 uvæforme. H.R.	Grape-like.	—	1820.	I. ♀. Burm. dec. t. 10. f. 2?
10 nuciforme. H.R.	nut-shaped.	—	1790.	I. ♀.
11 testiculare. H.R.	broad short white.	—	1774.	11.	I. ♀.
12 octophyllum. H.R.	narrow short white.	—	—	—	I. ♀. Botan. magaz. 1573.
testiculare. B.M.	—	—	—	—	—
β longiusculum.	longer-leaved.	—	—	—	I. ♀.
γ roseum.	rosy.	—	—	—	I. ♀.
13 obtusum. H.R.	obtuse cloven.	—	1792.	3. 4.	I. ♀.
14 fissum. H.R.	cloven white.	—	1776.	I. ♀.
15 digitiforme. H.R.	finger-formed.	—	1775.	I. ♀.
digitatum. H.K?	—	—	—	—	—
16 magnipunctum. H.R.	great dotted club.	—	1816.	9. 11.	I. ♀.
a sesquiunciale. H.R.	thickest-leaved.	—	—	I. ♀.
β unciale. H.R.	thinner-leaved.	—	—	I. ♀.
17 nobile. H.P.	noble.	—	—	11.	I. ♀.
18 canum. H.R.	hoary club-ld.	—	1795.	I. ♀.
19 aloides. H.R.	Aloe-like.	—	1816.	9. 11.	I. ♀.
20 caninum. H.R.	dog-chop.	—	1717.	8. 10.	G. ☿. DC. plant. grass. 95.
21 vulpinum. H.R.	fox-chop.	—	1795.	—	G. ☿.
22 hybridum. H.R.	hybrid.	Hybrid.	—	G. ♀.
23 albidum. H.R.	white.	C. B. S.	1714.	7. 8.	G. ♀. Botan. magaz. 1824.
24 tigrinum. H.P.	tiger-chop.	—	1790.	9. 11.	G. ♀. Botan. regist. 260.
25 felinum. H.P.	cat-chop.	—	1730.	8. 11.	G. ♀. DC. plant. grass. 152.
26 lupinum. H.P.	wolf's chop.	—	1822.	G. ♀.
27 mustelinum. H.P.	weasel-chop.	—	1818.	8. 11.	G. ♀.
28 murinum. H.P.	mouse-chop.	—	1790.	9.	G. ♀.
29 dolabriforme. H.R.	hatchet-leaved.	—	1705.	5. 11.	G. ☿. Botan. magaz. 32.
30 carinans. H.R.	scymetar-ld.	—	1820.	G. ♀.
31 scapiger. H.P.	great-scaped.	—	1822.	8. 9.	G. ♀.
32 denticulatum. H.R.	toothed, beak'd.	—	1793.	4.	G. ♀.
a canum. H.R.	white-leaved.	—	—	—	G. ♀.
β glaucum. H.R.	glaucous-leaved.	—	—	—	G. ♀.
γ candidissimum. H.R.	whitest.	—	—	—	G. ♀.
33 robustum. H.R.	robust-beaked.	—	1795.	G. ♀.
34 compactum. H.R.	compact.	—	1780.	11.	G. ☿.
35 quadrifidum. H.R.	quadrifid.	—	1795.	—	G. ☿.
36 bifidum. H.R.	bifid beaked.	—	—	—	G. ♀.
37 bibracteatum. H.R.	double-bracted.	—	1803.	4. 11.	G. ☿.
38 rostratum. H.R.	heron-beaked.	—	1732.	4. 5.	G. ♀. Dill. elth. f. 229.
β tuberculatum. H.R.	tuberculate.	—	—	G. ♀.
39 ramulosum. H.R.	small-beaked.	—	1803.	3. 11.	G. ☿.
40 pisiforme. H.R.	pea-shaped.	—	1796.	...	I. ♀.
41 moniliforme. H.R.	necklace.	—	1791.	3. 4.	I. ♀.
42 scalpratum. H.R.	great tongue.	—	1714.	8. 10.	G. ♀. Dill. elth. t. 183. f. 224.
43 fragrans. H.R.	sweet-scented.	—	1820.	—	G. ♀.
44 præpingue. H.R.	soft-tongue.	—	1792.	—	G. ♀.
45 medium. H.R.	large-tongue.	—	1816.	—	G. ♀.
46 cultratum. H.R.	long cultrated.	—	1820.	—	G. ♀.
47 lucidum. H.R.	high-polished.	—	1768.	—	G. ♀. Dill. elth. f. 227.
48 adscendens. H.R.	long-peduncul'd.	—	1805.	8. 11.	G. ♀.
49 pustulatum. H.R.	blis't'r'd tongue.	—	1816.	—	G. ♀.

50	longum. H.R.	long thin-ld.	C. B. S.	1725.	8. 10.	G. 4.	
	<i>a flaccidum.</i> H.R.	long-flaccid.				G. 4.	Botan. magaz. 1866.
	<i>depressum.</i> B.M. nec	<i>aliorum.</i>					
	<i>β declive.</i> H.R.	lesser erect-edg'd.				G. 4.	
	<i>γ angustius.</i> H.R.	tufted narrow-ld.		1819.		G. 4.	
	<i>δ purpurascens.</i> H.R.	purple green.		1819.		G. 4.	
	<i>ε uncatum.</i> H.R.	leaden green.				G. 4.	
	<i>ζ attollens.</i> H.R.	narrow dark.				G. 4.	
51	linguæforme. H.R.	common tongue.		1732.	11. 3.	G. 4.	Dill. elth. f. 226?
	<i>β rufescens.</i> H.R.	reddish green.		1804.	G. 4.	
	<i>γ subcruciatum.</i> H.R.	subcruciate.		1820.	8. 11.	G. 4.	
	<i>δ prostratum.</i> H.R.	prostrate.				G. 4.	
	<i>ε assurgens.</i> H.R.	assurgent.		1819.		G. 4.	
52	latum. H.R.	broad tongue.		1732.		G. 4.	Dill. elth. f. 225.
	<i>β breve.</i> H.R.	short flat.		1802.		G. 4.	
53	depressum. H.R.	small recurving-ld.		1795.	9. 11.	G. 4.	Dill. elth. f. 226?
	<i>a pallens.</i> H.R.	light green.				G. 4.	
	<i>β lividum.</i> H.R.	rufous green.		1819.		G. 4.	
54	cruciatum. H.R.	soft cruciate.		1792.	5. 11.	G. 4.	
55	taurinum. H.R.	Bull's-horn.		1795.	9. 11.	G. 4.	
56	Salmii. H.R.	Prince de Salm's.		1818.		G. 4.	
	<i>a decussatum.</i> H.R.	decussate.				G. 4.	
	<i>β semicruciatum.</i> H.R.	semicruciate.		1820.		G. 4.	
	<i>γ angustifolium.</i> H.R.	narrow-leaved.				G. 4.	
57	surrectum. H.R.	thick acute tongue.		1819.		G. 4.	
58	heterophyllum. H.R.	various-leaved.		1795.		G. 4.	
59	angustum. H.R.	narrow tongue.		1790.	3. 10.	G. 4.	
	<i>β pallidum.</i> H.R.	paler-leaved.		1819.	G. 4.	
	<i>γ heterophyllum.</i> H.K.	semicylindric-ld.		8. 10.	G. 4.	Andr. reposit. 540.
60	difforme. H.R.	difformed.		1732.		G. 4.	Dill. elth. f. 242.
61	bidentatum. H.R.	double-toothed.		1816.		G. 4.	
	<i>a minus.</i> H.R.	smaller.				G. 4.	
	<i>β majus.</i> H.R.	larger.				G. 4.	
62	semicylindricum. H.R.	small difform'd.		1732.	3. 11.	G. 4.	Dill. elth. t. 194. f. 241
63	gibbosum. H.R.	great pale gibbous.		1780.	1. 4.	G. 4.	
64	luteo-viride. H.R.	long pale gibbous.		1795.		G. 4.	
65	perviride. H.R.	dark green gibbous.		1792.	1. 5.	G. 4.	
66	pubescens. H.R.	hoary gibbous.				G. 4.	
67	calamiforme. H.R.	white fld. quill.		1717.	7. 9.	G. 4.	DC. plant. grass. t. 55.
68	obsubulatum. H.R.	reversed quill.		1796.	G. 4.	
69	cylindricum. H.R.	cylindric quill.		1792.	9. 2.	G. 4.	
70	teretifolium. H.R.	round quill.		1794.		G. 4.	
71	teretiusculum. H.R.	roundish quill.				G. 4.	
72	bellidiflorum. H.R.	daisy-flowered.		1717.	6. 8.	G. 4.	Dill. elth. 224. t. 233
	<i>a glaucescens.</i> H.R.	small glaucous.				G. 4.	
	<i>β subulatum.</i> H.R.	great green.		1768.		G. 4.	DC. plant. gras. t. 411
	<i>γ viride.</i> H.R.	pea green.		1822.		G. 4.	
73	acutum. H.R.	great awl-ld.		1793.	11. 4.	G. 4.	
74	punctatum. H.R.	middle-spotted.		G. 4.	
75	diminutum. H.R.	small awl-ld.		1789.	4.	G. 4.	
	<i>β cauliculatum.</i> H.R.	stalked.		1817.		G. 4.	
76	loreum. H.R.	leathery-stalk'd.		1732.	9.	G. 4.	Dill. elth. t. 200. f. 256
	<i>β congestum.</i> H.R.	crowded-leaved.		1805.	G. 4.	
77	diversifolium. H.R.	short horn-ld.		1726.	3. 10.	G. 4.	Dill. elth. t. 198. f. 253
	<i>a majus.</i> H.R.	larger.				G. 4.	
	<i>β glaucius.</i> H.R.	glaucouscent.			G. 4.	
	<i>γ brevifolium.</i> H.R.	short-leaved.		8.	G. 4.	
	<i>δ late-virens.</i> H.R.	pale green.		G. 4.	
	<i>ε atro-virens.</i> H.R.	dark green.		8. 9.	G. 4.	
78	decipiens. H.R.	middle horn-ld.		1820.	G. 4.	
79	dubium. H.R.	round stalked.		1800.	11. 5.	G. 4.	Bradl. succ. d. 4. t. 44
80	corniculatum. H.R.	long horn-ld.		1732.	3. 5.	G. 4.	DC. plant. gras. 108
81	procumbens. H.R.	purple-jointed.		1820.	G. 4.	
82	tricolorum. H.R.	three-coloured.		1794.	10.	G. 4.	
83	pugioniforme. H.R.	great dagger-ld.		1714.	7. 9.	G. 4.	DC. plant. gras. 72.
	<i>β carneum.</i> H.R.	flesh-coloured.			G. 4.	
	<i>γ purpureum.</i> H.R.	purple.			G. 4.	
	<i>δ bienne.</i> H.R.	biennial.			G. 4.	

84	capitatum. H.R.	lesser dagger-ld.	C. B. S.	1717.	7. 9.	G. h.	Botan. regist. 494.
	<i>β ramigerum.</i> H.R.	branching.	————	1816.	—	G. h.	
85	brevicaule. H.R.	dwarf dagger-ld.	————	—	—	G. h.	
86	coruscans. H.R.	glittering dagger.	————	1813.	—	G. h.	
87	elongatum. H.R.	tuberous long-ld.	————	1793.	5.	G. h.	
	<i>α grandiflorum.</i>	large-flowered.	————	—	—	G. h.	
	<i>β minus.</i> H.R.	lesser.	————	—	—	G. h.	Botan. regist. 493.
88	geminiflorum. H.R.	small pale.	————	1819.	—	G. h.	
89	simile. H.R.	short-jointed.	————	—	—	G. h.	
90	laxum. H.R.	long-jointed.	————	—	—	G. h.	
91	sarmentosum. H.R.	sarmentose.	————	1805.	4.	G. h.	
92	rigidicaule. H.R.	stiff-stemmed.	————	1819.	—	G. h.	
93	Schollii. H.R.	Scholl's.	————	1818.	—	G. h.	Jacq. frag. t. 51. f. 2.
	<i>aduncum.</i> Jacq. <i>non H.</i>	<i>recurvum.</i> H.S.S.	————	—	—	—	
94	filamentosum. H.R.	thready.	————	1732.	3. 4.	G. h.	Dill. elth. t. 212. f. 273.
95	serrulatum. H.R.	rosy-stalked.	————	1795.	11. 12.	G. h.	
	<i>α glaucum.</i> H.R.	glaucous.	————	—	—	G. h.	
	<i>β viridius.</i> H.R.	greenish.	————	—	—	G. h.	
96	rubricaule. H.R.	deep red-stalk'd.	————	1802.	12. 2.	G. h.	
	<i>α gracilius.</i> H.R.	slenderest.	————	—	—	G. h.	
	<i>β densius.</i> H.R.	crowded.	————	—	—	G. h.	
	<i>γ subvirens.</i> H.R.	tall-green.	————	—	—	G. h.	
97	acinaciforme. H.R.	great scymetar-ld.	————	1714.	8. 9.	G. h.	Dill. elth. f. 270. 271.
	<i>α breve.</i> H.R.	short-branched.	————	—	—	G. h.	Andr. reposit. 508.
	<i>β longum.</i> H.R.	longer-branched.	————	—	—	G. h.	
98	lævigatum. H.R.	smooth scymetar.	————	1802.	—	G. h.	
99	rubro-cinctum. H.R.	red-edged.	————	1811.	—	G. h.	
	<i>α crassum.</i> H.R.	thick-leaved.	————	—	—	G. h.	
	<i>β compressum.</i> H.R.	compressed.	————	—	—	G. h.	
	<i>γ tenerum.</i> H.R.	tender.	————	—	—	I. h.	
100	subalatum. H.R.	wing-stalked.	————	1802.	—	G. h.	
101	edule. H.R.	Hottentot's-fig.	————	1690.	7. 8.	G. h.	Dill. elth. t. 212. f. 272.
102	dimidiatum. H.R.	lesser eatable.	————	1811.	—	G. h.	
103	glaucescens. H.R.	glaucous.	N. Holland. 1804.	7.	G. h.		
104	Rossi. H.R.	Ross's.	V. Diem. Isl. 1821.	—	G. h.		
105	virescens. H.R.	virescent.	N. Holland. 1804.	6. 8.	G. h.		
106	æquilaterale. H.R.	equal angled.	————	1791.	—	G. h.	
107	virens. H.R.	smooth-edged green.	C. B. S. 1821.	—	G. h.		
108	reptans. H.R.	creeping.	————	1774.	6. 8.	G. h.	
109	australe. H.R.	New Zealand.	N. Zealand. 1773.	—	G. h.		
110	crassifolium. H.R.	thick-leaved.	C. B. S. 1727.	5. 8.	G. h.		Dill. elth. t. 208. f. 257.
111	clavellatum. H.R.	club-ld. creeping.	N. Holland. 1803.	6. 7.	G. h.		
	<i>β aggregatum.</i> H.R.	cluster branched.	————	—	—	G. h.	
	<i>γ minus.</i> H.R.	shorter-branch'd.	————	—	—	G. h.	
112	forficatum. H.R.	scissor-leaved.	C. B. S. 1758.	9. 10.	G. h.		Jacq. vind. 1. t. 26.
113	geminatum. H.R.	white twin-shooted.	————	1792.	—	G. h.	
114	marginatum. H.R.	white-edged.	————	1793.	—	G. h.	
115	rostellum. H.R.	little prostrate beak.	————	1820.	8. 10.	G. h.	
116	perfoliatum. H.R.	great-hooked.	————	1714.	6. 8.	G. h.	Dill. elth. t. 192. f. 240.
	<i>α tricanthum.</i> H.R.	three-thorned.	————	—	—	G. h.	Bradl. suc. 5. t. 46.
	<i>β monacanthum.</i> H.R.	one-thorned.	————	—	—	G. h.	Bradl. suc. dec. 3. f. 26.
117	uncinellum. H.R.	small-hooked.	————	1819.	—	G. h.	
118	uncinatum. H.R.	greenish-hook'd.	————	1725.	8.	G. h.	DC. plant. grass. 54.
119	semidentatum. H.R.	slender-hook'd.	————	1818.	—	G. h.	
120	viride. H.R.	deep green.	————	1792.	7.	G. h.	
121	acutangulum. H.P.	sharp-angled.	————	1820.	—	G. h.	
122	curtum. H.R.	short-sheathed.	————	1811.	—	G. h.	
	<i>β majus.</i> H.R.	larger.	————	—	—	G. h.	
	<i>γ politum.</i> H.R.	polished.	————	—	—	G. h.	
123	hamatum. w.	hook'd sheathing.	————	—	—	G. h.	
124	vaginatum. H.R.	rough sheathing.	————	1802.	7. 8.	G. h.	
	<i>β parviflorum.</i> H.R.	smaller-flow'r'd.	————	—	—	G. h.	
125	parviflorum. H.R.	small-flowered.	————	1800.	8.	G. h.	
126	rigidum. H.R.	rigid.	————	1793.	—	G. h.	
127	tenellum. H.R.	least perfoliate.	————	1792.	—	G. h.	
128	imbricatum. H.R.	imbricated.	————	1792.	7.	G. h.	
129	multiflorum. H.R.	many-flowered.	————	—	7. 9.	G. h.	Pluk. phyt. t. 117. f. 1.
	<i>α majus.</i> H.R.	larger white.	————	—	—	G. h.	
	<i>β minus.</i> H.R.	lesser white.	————	—	—	G. h.	

<i>γ rubrum</i> . H.R.	red-flowered.	C. B. S.	1816.	G. h.	
<i>δ patens</i> . H.R.	single flowered.	—	—	G. h.	
<i>ε nitens</i> . H.R.	bright-green.	—	—	G. h.	
130 <i>umbellatum</i> . H.R.	umbel-flower'd.	—	1727.	6. 9.	G. h.	Dill. elth. t. 208. f. 266.
131 <i>tumidulum</i> . H.R.	tumid.	—	1802.	3.	G. h.	
132 <i>foliosum</i> . H.R.	many-leaved.	—	—	9.	G. h.	
133 <i>lineolatum</i> . H.R.	tumid sheath'd.	—	1819.	G. h.	
<i>β minus</i> . H.R.	lesser.	—	—	G. h.	
<i>γ nitens</i> . H.R.	glittering.	—	—	G. h.	
134 <i>serratum</i> . H.R.	saw-keeled.	—	1707.	6. 7.	G. h.	Dill. elth. t. 192. f. 238.
135 <i>lacerum</i> . H.R.	ragged-keeled.	—	1792.	6.	G. h.	
136 <i>heteropetalum</i> . H.R.	various-petal'd.	—	1794.	5. 8.	G. h.	
137 <i>glaucinum</i> . H.R.	glaucine.	—	1818.	G. h.	
<i>α angustum</i> . H.R.	slenderest-ld.	—	—	G. h.	
<i>β crassum</i> . H.R.	thicker-leaved.	—	—	G. h.	
138 <i>mutabile</i> . H.R.	changeable.	—	1792.	7. 9.	G. h.	DC. plant. gras. 60.
<i>filamentosum</i> . DC.						
139 <i>inclaudens</i> . H.R.	open-flowered.	—	1805.	6. 9.	G. h.	Andr. reposit. 388.
140 <i>caulescens</i> . H.R.	smooth delta-ld.	—	1731.	5. 7.	G. h.	Dill. elth. f. 243-4.
141 <i>deltoides</i> . H.R.	great delta-ld.	—	—	5.	G. h.	DC. plant. gras. 53.
142 <i>muricatum</i> . H.R.	small delta-ld.	—	—	—	G. h.	Dill. elth. t. 195. f. 246.
<i>β minus</i> . H.R.	smaller-leaved.	—	—	G. h.	
143 <i>microphyllum</i> . H.R.	small-green-ld.	—	1795.	—	G. h.	
144 <i>mucronatum</i> . H.R.	bristle-pointed.	—	1794.	G. h.	
145 <i>pygmæum</i> . H.R.	pygmy connate.	—	1820.	G. h.	
146 <i>canescens</i> . H.R.	small grey-ld.	—	1793.	4.	G. h.	
<i>pulchellum</i> . H.S.						
<i>β revolutum</i> . H.R.	revolving.	—	1819.	—	G. h.	
147 <i>maximum</i> . H.R.	great crescent-ld.	—	1787.	3. 8.	G. h.	
148 <i>lunatum</i> . H.R.	small crescent-ld.	—	—	G. h.	
149 <i>falcatum</i> . H.R.	small sickle-ld.	—	1727.	6. 8.	G. h.	Dill. elth. f. 275-6.
150 <i>decumbens</i> . H.R.	dwarf decumbent.	—	1759.	5. 10.	G. h.	
151 <i>incurvum</i> . H.R.	incurved.	—	1802.	6.	G. h.	
<i>β dilatans</i> . H.R.	dilated.	—	1805.	9. 10.	G. h.	
<i>γ pallidius</i> . H.R.	pale-flowering.	—	—	—	G. h.	
<i>δ densifolium</i> . H.R.	dense lesser-ld.	—	1819.	—	G. h.	
<i>ε roseum</i> . H.R.	rosy.	—	—	—	G. h.	
152 <i>confertum</i> . H.R.	crowded-ld.	—	1805.	—	G. h.	
153 <i>falciforme</i> . H.R.	sickle-shaped.	—	—	7. 8.	G. h.	
154 <i>glomeratum</i> . H.R.	clustered.	—	1732.	6. 8.	G. h.	Dill. elth. t. 213. f. 274.
155 <i>inflexum</i> . H.R.	inflex-leav'd.	—	1818.	G. h.	
156 <i>scabrum</i> . H.R.	rough.	—	1731.	7.	G. h.	Dill. elth. t. 197. f. 251.
<i>α pallidum</i> . H.R.	pale-bloomed.	—	—	—	G. h.	
<i>β purpureum</i> . H.R.	purple.	—	—	—	G. h.	
157 <i>versicolor</i> . H.R.	changeable rough.	—	1795.	5. 8.	G. h.	
158 <i>retroflexum</i> . H.R.	reflex-flower'd.	—	1794.	5. 10.	G. h.	
159 <i>imbricans</i> . H.R.	imbricate-ld.	—	1818.	G. h.	
160 <i>deflexum</i> . H.R.	smooth deflex'd.	—	1774.	7. 10.	G. h.	
161 <i>leptaleon</i> . H.R.	slender deflex'd.	—	1820.	—	G. h.	
162 <i>polyanthon</i> . H.R.	copious-flow'r'd.	—	1803.	8.	G. h.	
163 <i>flexile</i> . H.R.	little flexile.	—	1820.	—	G. h.	
164 <i>polyphyllum</i> . H.R.	crowded-ld.	—	1819.	6. 10.	G. h.	
165 <i>violaceum</i> . H.R.	deep violaceous.	—	1820.	10.	G. h.	
166 <i>emarginatum</i> . H.R.	notch-petal'd.	—	1732.	6. 8.	G. h.	Dill. elth. t. 197. f. 250.
167 <i>dilatatum</i> . H.R.	gibbons-keeled.	—	1795.	7.	G. h.	
168 <i>virgatum</i> . H.R.	slender-twigg'd.	—	1793.	2. 4.	G. h.	
169 <i>bracteatum</i> . H.R.	double-bracted.	—	1774.	7. 10.	G. h.	
170 <i>anceps</i> . H.R.	broad-bracted.	—	1811.	9. 10.	G. h.	
<i>β pallidum</i> . H.R.	paler-flowered.	—	—	—	G. h.	
171 <i>gracile</i> . H.R.	slender bracteate.	—	1794.	8. 11.	G. h.	
<i>stellatum</i> . H.S. non DC.						
<i>β gracilius</i> . H.R.	pale flat-bracted.	—	—	G. h.	
172 <i>radiatum</i> . H.R.	radiate.	—	1732.	—	G. h.	Dill. elth. t. 197. f. 249.
173 <i>compressum</i> . H.R.	rough compress'd.	—	1792.	7. 9.	G. h.	
174 <i>patulum</i> . H.R.	paler-flowered.	—	1811.	10. 11.	G. h.	
175 <i>asperum</i> . H.R.	large rough-ld.	—	1818.	G. h.	
<i>α majus</i> . H.R.	broad-leaved.	—	—	G. h.	
<i>β cærulescens</i> . H.R.	bluish-leaved.	—	1820.	G. h.	
176 <i>formosum</i> . H.R.	white-ey'd red.	—	—	8. 9.	G. h.	

177	spectabile. H.R.	glaucous showy. C. B. S.	1787.	5. 8.	G. h.	Botan. magaz. 396.
178	conspicuum. H.R.	dark red showy. ———	1806.	9. 10.	G. h.	
179	blandum. H.R.	fair-flowered. ———	1816.	6. 12.	G. h.	Botan. regist. 582.
180	curviflorum. H.R.	incurving white. ———	1818.	—	G. h.	
181	aureum. H.R.	great orange. ———	1750.	3. 10.	G. h.	Botan. magaz. 262.
182	aurantium. H.R.	glaucous orange. ———	1793.	6. 8.	G. h.	
183	glaucum. H.R.	great gold-fl'd. ———	1696.	6. 7.	G. h.	DC. plant. gras. 146.
184	cymbifolium. H.P.	greater boat-ld. ———	1823.	G. h.	
185	strictum. H.R.	upright boat-ld. ———	1795.	G. h.	
186	mucroniferum. H.P.	mucronate boat-ld. ———	1823.	G. h.	
187	cymbiforme. H.R.	small boat-ld. ———	1793.	G. h.	
188	graniforme. H.R.	grain-leaved. ———	1727.	9. 10.	G. h.	Bradl. succ. 2. t. 20.
189	molle. H.R.	soft. ———	1774.	10.	G. h.	
190	coccineum. H.R.	scarlet-flow'r'd. ———	1696.	5. 9.	G. h.	Botan. magaz. 59.
	<i>α obtusum.</i> H.R.	blunt-calyxed. ———	—	—	G. h.	DC. plant. grass. 83.
	<i>β acutius.</i> H.R.	acute-calyxed. ———	—	G. h.	
	<i>γ minus.</i> H.R.	lesser. ———	—	G. h.	
191	bicolorum. H.R.	two-coloured. ———	1732.	—	G. h.	
	<i>α erectum.</i> H.R.	tall upright. ———	—	—	G. h.	Dill. elth. t. 202. f. 258.
	<i>β patulum.</i> H.R.	spreading. ———	—	G. h.	
	<i>γ minus.</i> H.R.	dwarf spreading. ———	—	G. h.	
192	inæquale. H.R.	unequal-cup'd. ———	1716.	—	G. h.	Bradl. succ. 1. t. 7.
193	tenuifolium. H.R.	slender-leav'd. ———	1700.	6. 9.	G. h.	Dill. elth. t. 201. f. 256.
	<i>β erectum.</i> H.R.	upright slender-ld. ———	—	G. h.	DC. plant. gras. 82.
194	variabile. H.R.	changeable-fl'd. ———	1796.	6. 8.	G. h.	
	<i>α densius.</i> H.R.	rough close-ld. ———	—	—	G. h.	
	<i>β levius.</i> H.R.	smoother distant-ld. ———	—	—	G. h.	
195	spiniforme. H.R.	thorn-shaped. ———	1793.	9. 10.	G. h.	
	<i>β subaduncum.</i> H.R.	greater hook-ld. ———	1810.	10. 11.	G. h.	
196	curvifolium. H.R.	great curve-ld. ———	1799.	10.	G. h.	
197	flexifolium. H.R.	lesser curve-ld. ———	1818.	G. h.	
	<i>α perviride.</i> H.R.	dark-green. ———	—	G. h.	
	<i>β late virens.</i> H.R.	apple-green. ———	—	G. h.	
198	aduncum. H.R.	small curve-ld. ———	1795.	2. 3.	G. h.	
199	filicaule. H.R.	thready-stem'd. ———	1800.	9.	G. h.	
200	spinosum. H.R.	thorny. ———	1714.	6. 9.	G. h.	Dill. elth. t. 208. f. 265.
201	productum. H.R.	great-cupped. ———	1820.	6. 8.	G. h.	
202	stipulaceum. H. .R.	tall, stipuled. ———	1723.	5. 8.	G. h.	Dill. elth. f. 267 & 268.
203	corallinum. H.R.	coral-stemmed. ———	1819.	G. h.	
204	Haworthii. H.R.	Haworth's. ———	1793.	6. 1.	G. h.	
205	læve. H.R.	blunt white-ld. ———	1774.	7. 9.	G. h.	
206	veruculatum. H.R.	long spit-ld. ———	1731.	5. 6.	G. h.	
	<i>α Dillenii.</i> H.R.	Dillenius's. ———	—	—	G. h.	Dill. elth. f. 259.
	<i>β Candollii.</i> H.R.	cluster spit-ld. ———	—	—	G. h.	DC. plant. gras. 36.
207	purpuro-croceum. H.R.	purple saffron-fl'd. ———	1780.	8. 10.	G. h.	
	<i>β flavo-croceum.</i> H.R.	yellow-saffron. ———	1816.	5. 9.	G. h.	
208	croceum. H.R.	saffron-flow'r'd. ———	—	10. 11.	G. h.	Jacq. frag. p. 17. t. 11. f. 2.
209	crystallinum. H.R.	diamond. ———	1727.	5. 8.	G. ♂.	DC. plant. gras. 128.
210	glaciale. H.R.	Ice-plant. Greece. ———	1787.	—	G. ⊙.	
211	pinnatifidum. H.R.	jagged-leaved. C. B. S. ———	1774.	5. 10.	G. ⊙.	Botan. magaz. 67.
212	sessiliflorum. H.R.	small ice-plant. ———	—	7. 8.	G. ⊙.	
	<i>α luteum.</i> H.R.	yellow-flowered. ———	—	—	G. ⊙.	
	<i>β album.</i> H.R.	white-flowered. ———	—	1816.	G. ⊙.	
213	humifusum. H.R.	narrow-ld. ice-pt. ———	1774.	—	G. h.	
214	Aitoni. H.R.	Aiton's. ———	—	6. 10.	G. ♂.	Jacq. vind. 3. t. 7.
215	lancoelatum. H.R.	spear-leaved. ———	1795.	5. 8.	G. ⊙.	
	<i>α album.</i> H.R.	white-flowered. ———	—	—	G. ⊙.	
	<i>β roseum.</i> H.R.	rosy. ———	1812.	—	G. ⊙.	
216	cordifolium. H.R.	heart-leaved. ———	1774.	5. 9.	G. ♀.	DC. plant. gras. 102.
217	pomeridianum. H.R.	great yellow-fl'd. ———	—	7. 9.	G. ⊙.	Botan. magaz. 540.
	<i>β Andrewsii.</i> H.R.	Andrews's. ———	—	G. ⊙.	Andr. reposit. 57.
218	Candollii. H.R.	Decandolle's. ———	—	G. ⊙.	DC. plant. gras. 135.
	<i>helianthoides.</i> DC. nec aliorum.	—	—	—	—	
219	pilosum. H.R.	hairy yellow. ———	1800.	6. 8.	G. ⊙.	Breyn. cent. t. 79.
220	calendulaceum. H.R.	hispid narrow-cup'd. ———	1819.	8.	G. ⊙.	
221	helianthoides. H.R.	spatula-leaved. ———	1774.	8. 10.	G. ⊙.	
222	limpidum. H.R.	transparent. ———	—	7.	G. ⊙.	Jacq. ic. 3. t. 288.
223	tricolor. H.R.	annual 3-colour'd. ———	1820.	4. 7.	G. ⊙.	
	<i>α pyropæum.</i> H.R.	the ruby. ———	—	—	G. ⊙.	Botan. magaz. 2144.

<i>β roseum</i> . H.R.	<i>the rosy</i> .	C. B. S.	—	—	G. ⊙.	
<i>γ album</i> . H.R.	<i>blush white</i> .	—	1819.	—	G. ⊙.	
224 <i>villosum</i> . H.R.	<i>villous</i> .	—	1759.	7.	G. $\frac{1}{2}$.	
225 <i>caducum</i> . H.R.	<i>deciduous</i> .	—	1774.	7. 8.	G. ⊙.	
226 <i>apetalum</i> . H.R.	<i>dwarf spreading</i> .	—	—	—	G. ⊙.	Jacq. vind. 3. t. 6.
227 <i>nodiflorum</i> . H.R.	<i>knot-flowered</i> .	Egypt.	1739.	8. 10.	G. ⊙.	DC. plant. gras. 88.
228 <i>ciliatum</i> . H.R.	<i>ciliated</i> .	C. B. S.	1774.	G. $\frac{1}{2}$.	
229 <i>geniculiflorum</i> . H.R.	<i>joint-flowered</i> .	—	1727.	7. 9.	G. $\frac{1}{2}$.	DC. plant. gras. 17.
230 <i>Tripolium</i> . H.R.	<i>Aster-leaved</i> .	—	1700.	6. 10.	G. ♂.	Dill. elth. t. 179. f. 220.
231 <i>expansum</i> . H.R.	<i>houseleek-ld</i> .	—	1705.	7. 8.	G. $\frac{1}{2}$.	DC. plant. gras. 94.
<i>tortuosum</i> . DC.						
232 <i>varians</i> . H.R.	<i>varying</i> .	—	1706.	7. 10.	G. $\frac{1}{2}$.	Pet. gaz. t. 78. f. 10.
233 <i>tortuosum</i> . H.R.	<i>twisting-ld</i> .	—	1705.	6. 10.	G. $\frac{1}{2}$.	Dill. elth. t. 181. f. 222.
234 <i>pallens</i> . H.R.	<i>pale-flowered</i> .	—	1774.	7. 8.	G. $\frac{1}{2}$.	DC. plant. gras. 47.
<i>expansum</i> . DC.						
235 <i>crassicaule</i> . H.P.	<i>thick-stalked</i> .	—	1822.	5.	G. $\frac{1}{2}$.	
236 <i>loratum</i> . H.R.	<i>glaucous strap-ld</i> .	—	1819.	—	G. $\frac{1}{2}$.	
237 <i>relaxatum</i> . H.R.	<i>livid strap-ld</i> .	—	—	G. $\frac{1}{2}$.	
238 <i>anatomicum</i> . H.R.	<i>skeleton-leav'd</i> .	—	1803.	7. 8.	G. $\frac{1}{2}$.	
239 <i>rectum</i> . H.R.	<i>upright egg-ld</i> .	—	1819.	G. $\frac{1}{2}$.	
240 <i>crassuloides</i> . H.R.	<i>Crassula-like</i> .	—	—	7. 8.	G. $\frac{1}{2}$.	
241 <i>incomptum</i> . H.R.	<i>persistent cup'd</i> .	—	1816.	—	G. $\frac{1}{2}$.	
242 <i>splendens</i> . H.R.	<i>shining white-fl'd</i> .	—	1716.	6. 8.	G. $\frac{1}{2}$.	DC. plant. gras. 35.
243 <i>flexuosum</i> . H.R.	<i>flexuose-leaved</i> .	—	1795.	7. 8.	G. $\frac{1}{2}$.	
244 <i>acuminatum</i> . H.P.	<i>long-cupped</i> .	—	1820.	8. 9.	G. $\frac{1}{2}$.	
245 <i>sulcatum</i> . H.R.	<i>acute-cupped</i> .	—	1819.	—	G. $\frac{1}{2}$.	
246 <i>fastigiatum</i> . H.R.	<i>level-topped</i> .	—	1794.	7. 9.	G. $\frac{1}{2}$.	
<i>β reflexum</i> . H.R.	<i>reflex-leaved</i> .	—	1792.	8. 9.	G. $\frac{1}{2}$.	
247 <i>micranthon</i> . H.R.	<i>small-blossom'd</i> .	—	1804.	G. $\frac{1}{2}$.	
248 <i>junceum</i> . H.R.	<i>Rushy</i> .	—	1800.	8. 10.	G. $\frac{1}{2}$.	
249 <i>granulicaule</i> . H.P.	<i>shagreen-stem'd</i> .	—	1821.	G. $\frac{1}{2}$.	
250 <i>tenue</i> . H.R.	<i>slender rushy</i> .	—	1819.	G. $\frac{1}{2}$.	
251 <i>spinuliferum</i> . H.R.	<i>spinulescent</i> .	—	1794.	6. 10.	G. $\frac{1}{2}$.	
252 <i>grossum</i> . H.R.	<i>gouty</i> .	—	1774.	8. 10.	G. $\frac{1}{2}$.	
253 <i>salmonium</i> . H.R.	<i>salmon-colour'd</i> .	—	1819.	—	G. $\frac{1}{2}$.	
254 <i>canaliculatum</i> . H.R.	<i>channel-leaved</i> .	—	1794.	7. 10.	G. $\frac{1}{2}$.	
255 <i>viridiflorum</i> . H.R.	<i>green-flowered</i> .	—	1774.	7. 11.	G. $\frac{1}{2}$.	Botan. magaz. 326.
256 <i>tenuiflorum</i> . H.R.	<i>slender-flow'r'd</i> .	—	1824.	G. $\frac{1}{2}$.	Jacq. frag. 52. f. 3.
257 <i>longispinulum</i> . H.P.	<i>rosy-cup'd yellow</i> .	—	1821.	8. 11.	G. $\frac{1}{2}$.	
258 <i>nitidum</i> . H.R.	<i>shrubby crystalline</i> .	—	1790.	7. 10.	G. $\frac{1}{2}$.	
259 <i>subincanum</i> . H.P.	<i>soft-leav'd white</i> .	—	1821.	8. 9.	G. $\frac{1}{2}$.	
260 <i>brachiatum</i> . H.R.	<i>three-forked</i> .	—	1774.	6. 8.	G. $\frac{1}{2}$.	
261 <i>testaceum</i> . H.R.	<i>tile-coloured</i> .	—	1816.	—	G. $\frac{1}{2}$.	
262 <i>tuberosum</i> . H.R.	<i>tuberous shrubby</i> .	—	1714.	6. 10.	G. $\frac{1}{2}$.	DC. plant. gras. 78.
<i>β minus</i> . H.R.	<i>lesser-leaved</i> .	—	—	—	G. $\frac{1}{2}$.	
263 <i>noctiflorum</i> . H.R.	<i>night-flowering</i> .	—	—	6. 8.	G. $\frac{1}{2}$.	DC. plant. gras. 10.
<i>α phœniceum</i> . H.R.	<i>deep rosy</i> .	—	—	—	G. $\frac{1}{2}$.	Dill. elth. f. 262.
<i>β stramineum</i> . H.R.	<i>straw-coloured</i> .	—	—	—	G. $\frac{1}{2}$.	— f. 263.
<i>γ elatum</i> . H.R.	<i>tall-rosy</i> .	—	1819.	—	G. $\frac{1}{2}$.	
264 <i>fulvum</i> . H.R.	<i>grey-barked</i> .	—	1732.	—	G. $\frac{1}{2}$.	
265 <i>horizontale</i> . H.R.	<i>spreading-ld</i> .	—	1795.	—	G. $\frac{1}{2}$.	
266 <i>speciosum</i> . H.R.	<i>glitt'ring orange</i> .	—	1793.	5. 10.	G. $\frac{1}{2}$.	
267 <i>micans</i> . H.R.	<i>glitt'ring orange</i> .	—	1704.	5. 8.	G. $\frac{1}{2}$.	Botan. magaz. 448.
268 <i>maculatum</i> . H.R.	<i>spotted-stalked</i> .	—	1792.	G. $\frac{1}{2}$.	
269 <i>flavum</i> . H.R.	<i>small glittering</i> .	—	1820.	8.	G. $\frac{1}{2}$.	
270 <i>obliquum</i> . H.R.	<i>bright afternoon flg.</i> .	—	1819.	—	G. $\frac{1}{2}$.	
271 <i>parvifolium</i> . H.R.	<i>small triquetrous</i> .	—	1820.	7. 10.	G. $\frac{1}{2}$.	
272 <i>brevifolium</i> . H.R.	<i>short-leaved</i> .	—	1777.	—	G. $\frac{1}{2}$.	
273 <i>subglobosum</i> . H.R.	<i>globular</i> .	—	1795.	—	G. $\frac{1}{2}$.	
274 <i>pulverulentum</i> . H.R.	<i>powdered</i> .	—	1792.	5.	G. $\frac{1}{2}$.	
275 <i>hispidum</i> . H.R.	<i>hispid-stalked</i> .	—	1704.	5. 10.	G. $\frac{1}{2}$.	DC. plant. gras. 66.
<i>α Dillenii</i> . H.R.	<i>the bushy</i> .	—	—	—	G. $\frac{1}{2}$.	Dill. elth. f. 278.
<i>β platypetalum</i> . H.R.	<i>tall</i> .	—	1820.	—	G. $\frac{1}{2}$.	
276 <i>hirtellum</i> . H.R.	<i>dwarf bristly</i> .	—	1792.	5. 11.	G. $\frac{1}{2}$.	
277 <i>candens</i> . H.R.	<i>trailing hispid</i> .	—	1820.	—	G. $\frac{1}{2}$.	
278 <i>floribundum</i> . H.R.	<i>crowded-fl'd</i> .	—	1704.	5. 10.	G. $\frac{1}{2}$.	Dill. elth. t. 214. f. 280.
279 <i>torquatum</i> . H.R.	<i>twisted hairy</i> .	—	1820.	—	G. $\frac{1}{2}$.	— f. 279.
280 <i>calycinum</i> . H. .R.	<i>hispid long-cup'd</i> .	—	1819.	—	G. $\frac{1}{2}$.	
281 <i>striatum</i> . H.R.	<i>striped bristly</i> .	—	1727.	—	G. $\frac{1}{2}$.	Dill. elth. t. 215. f. 281.

282	attenuatum. H.R.	slender hispid.	— — — —	1820.	—	G. $\frac{1}{2}$.	
283	hispidifolium. H.R.	hispid-leaved.	— — — —	1814.	—	G. $\frac{1}{2}$.	
	<i>a fastigiatum.</i> H.R.	level-topped.	— — — —	—	—	G. $\frac{1}{2}$.	
	<i>β roseum.</i> H.R.	rosy-flowered.	— — — —	—	—	G. $\frac{1}{2}$.	
284	echinatum. H.R.	hedge-hog.	— — — —	1774.	7. 10.	G. $\frac{1}{2}$.	DC. plant. gras. 24.
	<i>a luteum.</i>	yellow.	— — — —	—	—	G. $\frac{1}{2}$.	
	<i>β album.</i>	white-flowered.	— — — —	—	—	G. $\frac{1}{2}$.	
285	strumosum. H.R.	tuberous hedge-hog.	— — — —	1820.	—	G. $\frac{1}{2}$.	
286	barbatum. H.P.	bearded bushy.	— — — —	1793.	5. 10.	G. $\frac{1}{2}$.	Botan. magaz. 70.
287	stelligerum. H.P.	procumbent bearded.	— — — —	1705.	6. 8.	G. $\frac{1}{2}$.	DC. plant. gras. 28.
288	bulbosum. H.P.	bearded tuberous.	— — — —	1820.	—	G. $\frac{1}{2}$.	
289	intonsum. H.P.	black bearded.	— — — —	—	7.	G. $\frac{1}{2}$.	
	<i>a rubicundum.</i> H.P.	red-flowered.	— — — —	—	—	G. $\frac{1}{2}$.	
	<i>β album.</i> H.P.	white-flowered.	— — — —	—	—	G. $\frac{1}{2}$.	
290	stellatum. H.P.	small-bearded.	— — — —	1716.	9. 10.	G. $\frac{1}{2}$.	DC. plant. gras. 29.
291	densum. H.P.	dwarf-bearded.	— — — —	1732.	5. 8.	G. $\frac{1}{2}$.	Botan. magaz. 1220.
HYMENOGYNE. H.R. HYMENOGYNE. Icosandria Pentagynia.							
	glabra. H.R.	smooth.	C. B. S.	1787.	7. 8.	G. \odot .	
	<i>Mesembryanthemum glabrum.</i> H.S. non A.R.						
TETRAGONIA. W. TETRAGONIA. Icosandria Pentagynia. L.							
1	expansa. H.S.	horned.	N. Zealand.	1772.	8. 9.	G. δ .	DC. plant. gras. 113.
2	crystallina. H.S.	diamond.	Peru.	1788.	6. 12.	G. \odot .	— — — — 34.
3	fruticosa. H.S.	shrubby.	C. B. S.	1712.	7. 9.	G. $\frac{1}{2}$.	Mill. ic. 2. t. 263. f. 2.
4	linearis. H.R.	linear-leaved.	— — — —	1819.	9.	G. $\frac{1}{2}$.	
5	obovata. H.R.	obovate-leav'd.	— — — —	—	—	G. $\frac{1}{2}$.	
6	decumbens. H.S.	trailing.	— — — —	1758.	7. 9.	G. $\frac{1}{2}$.	DC. plant. gras. 23.
7	Tetrapteris. H.S.	wing-seeded.	— — — —	1795.	—	G. $\frac{1}{2}$.	
8	spicata. H.S.	spiked.	— — — —	—	—	G. $\frac{1}{2}$.	
9	herbacea. H.S.	tuberous-root'd.	— — — —	1752.	6. 7.	G. $\frac{1}{2}$.	Comm. hort. 2. t. 102.
10	echinata. H.S.	hedge-hog.	— — — —	1774.	5. 8.	G. δ .	DC. plant. gras. 113.

ORDO LXXXIII.

HYGROBIÆ. *Rich. analyse du fruit. p. 34.*

HALORAGIS. W. HALORAGIS. Octandria Tetragynia.							
1	Cercodia. w.	whorl-flowered.	N. Zealand.	1772.	4. 9.	G. $\frac{1}{2}$.	Jacq. ic. 1. t. 69.
	<i>alata.</i> Jacq. <i>Cercodia erecta.</i> Mur.						
2	prostrata. w.	prostrate.	N. S. W.	1818.	—	G. $\frac{1}{2}$.	
SERPICULA. W. SERPICULA. Monœcia Tetrandria. L.							
	repens. w.	creeping.	C. B. S.	1789.	7. 8.	G. $\frac{1}{2}$.	Lam. ill. t. 758.
MYRIOPHYLLUM. W. WATER-MILFOIL. Monœcia Polyandria. L.							
1	spicatum. w.	spiked.	Britain.	—	6. 8.	H.w. $\frac{1}{2}$.	Eng. bot. 83.
2	verticillatum. w.	verticillate.	England.	—	7.	H.w. $\frac{1}{2}$.	— — — 218.
PROSERPINACA. W. PROSERPINACA. Triandria Trigynia.							
1	palustris. Ph.	marsh.	N. America.	1822.	7. 8.	H.w. \odot .	
2	pectinata. Ph.	pectinated.	— — — —	—	—	H.w. \odot .	
CALLITRICHE. W. WATER-STARWORT. Monandria Digynia. L.							
1	verna. R.S.	vernal.	Britain.	—	4. 6.	H.w. \odot .	Eng. bot. 722.
2	autumnalis. R.S.	autumnal.	— — — —	—	6. 10.	H.w. \odot .	Gmel. sib. III. t. 1.
HIPPURIS. W. MARE'S-TAIL. Monandria Monogynia. L.							
	vulgaris. w.	common.	Britain.	—	5.	H.w. $\frac{1}{2}$.	Eng. bot. 763.

ORDO LXXXIV.

PORTULACEÆ. *Juss. gen. 312.*

CLAYTONIA. W. CLAYTONIA. Pentandria Monogynia. L.							
1	virginica. w.	Virginian.	N. America.	1748.	3. 5.	H. $\frac{1}{2}$.	Botan. magaz. 941.
2	caroliniana. M.	spatula-leaved.	— — — —	1789.	—	H. $\frac{1}{2}$.	Pluk. alm. t. 102. f. 3.
	<i>spathulæfolia.</i> Par. lond. 71.						

3 lanceolata. Ph.	spear-leaved.	1812.	—	H. 4.	Pursh. fl. am. 1. t. 3.
4 sibirica. w.	Siberian.	Siberia.	1768.	5. 8. H. ⊙.	Swt. br. fl. gar. 16.
5 alsinoides. B.M.	chickweed-like.	Nootka sound.	1794.	3. 6. H. ⊙.	Botan. magaz. 1309.
6 perfoliata. B.M.	small-flowered.	N. America.	—	5. 8. H. ⊙.	— 1336.
LIMEUM. W.	LIMEUM.	Heptandria Digynia.	L.		
africanum. w.	African.	C. B. S.	1774.	6. 7. G. 4.	
TRIANTHEMA. W.	TRIANTHEMA.	Pent-Decandria Mono-Digynia.			
1 monogyna. w.	Purslane-ld.	Jamaica.	1710.	7. 8. S. ⊙.	DC. plant. gras. 109.
2 obcordata. H.B.	obcordate.	E. Indies.	1820.	— S. ⊙.	
3 decandra. w.	trailing.	—	1762.	— S. ⊙.	Burm. ind. t. 31. f. 3.
CORRIGIOLA. W.	STRAPWORT.	Pentandria Trigynia.	L.		
littoralis. w.	sand.	England.	7. 8. H. ⊙.	Eng. bot. 668.
TELEPHIUM. W.	ORPINE.	Pentandria Trigynia.	L.		
Imperati. w.	true.	S. Europe.	1658.	6. 8. H. 4.	Lam. ill. t. 213.
PORTULACARIA. W.	PURSLANE-TREE.	Pentandria Trigynia.			
afra. w.	African.	Africa.	1732. G. 4.	Jacq. coll. 1. t. 22.
MONTIA. W.	CHICKWEED.	Triandria Trigynia.	L.		
fontana. w.	water.	Britain.	4. 5. H. ⊙.	Eng. bot. 1206.
PORTULACA. S.S.	PURSLANE.	Dodecandria Monogynia.	L.		
1 sativa. H.S.	garden.	S. America.	1652.	6. 9. H. ⊙.	
β aurea. H.S.	golden.	—	—	— H. ⊙.	
2 oleracea. H.S.	small.	Europe.	1562.	6. 7. H. ⊙.	DC. plant. gras. 123.
3 parvifolia. H.S.	small-leaved.	Jamaica.	1799.	8. H. ⊙.	
4 pilosa. H.S.	hairy.	W. Indies.	1690.	6. 8. S. 4.	Botan. regist. 792.
5 foliosa. B.R.	leafy.	Guinea.	1822.	— S. 4.	— 793.
6 guineensis. s.s.	Guinea.	—	—	— S. 4.	
7 involucrata. H.R.	leafy-flow'r'd.	1819.	8. 9. S. 4.	
8 halimoides. L.	Halimus-leav'd.	Jamaica.	1823.	— S. ⊙.	Sloan. hist. 1. t. 129. f. 3.
9 quadrifida. H.S.	quadrifid.	E. Indies.	1773.	— S. ⊙.	Jacq. coll. 2. t. 17. f. 4.
10 meridiana. H.S.	noonday.	—	1791.	5. 6. S. ⊙.	
TALINUM. J.	TALINUM.	Dodecandria Monogynia.			
1 triangulare. H.S.	triangular.	W. Indies.	1739.	8. 9. S. 4.	Jacq. obs. 1. t. 23.
2 crassifolium. H.S.	thick-leaved.	1800.	— S. 4.	Jacq. vind. 3. t. 52.
3 patens. H.S.	spreading-fl'd.	S. America.	1776.	8. 10. S. 4.	— 1. t. 151.
4 cuneifolium. w.	wedge-leaved.	Arabia.	1823.	— S. 4.	
5 paniculatum. P.S.	panicled.	S. America.	1812.	— S. 4.	
6 Andrewsii.	Andrews's.	W. Indies.	—	— S. 4.	Andrews's repos. 253.
patens. A.R. nec aliorum.					
7 reflexum. H.S.	reflex-flow'r'd.	—	1800.	— S. 4.	Botan. magaz. 1543.
8 ciliatum. H.E.F.	ciliated.	Chili.	1823.	— S. ⊙.	Hook. ex. flor. 82.
9 teretifolium. B.C.	round-leaved.	N. America.	1820.	7. 8. G. 4.	Lod. bot. cab. 819.
ANACAMPSEROS. B.M.	ANACAMPSEROS.	Dodecandria Monogynia.			
1 rotundifolia.	round-leaved.	C. B. S.	1732.	7. 9. I. 4.	DC. plant. gras. 3.
Talinum Anacampseros. w.	Rulingia Anacampseros. H.S.				
2 arachnoides. B.M.	cobweb.	—	1790.	— I. 4.	Botan. magaz. 1368.
3 varians.	various-leaved.	—	1812.	— I. 4.	
Rulingia varians. H.S.S.					
4 rufescens. H.R.	rufescent.	—	1818.	— I. 4.	
5 rubens. H.S.	red-leaved.	—	1796.	— I. 4.	
6 filamentosa. B.M.	thready.	—	1795.	— I. 4.	Botan. magaz. 1367.
7 polyphylla.	many-leaved.	—	1818.	— I. 4.	Pluk. phyt. 41. t. 6.
Rulingia polyphylla. H.R.					
8 lanceolata. H.S.	spear-leaved.	—	1796.	— I. 4.	
9 angustifolia.	narrow-leaved.	—	1819.	— I. 4.	
Rulingia angustifolia. H.R.					

ORDO LXXXV.

OPUNTIACEÆ. *Kth. synops. 3. p. 368.*

CACTUS. H.S.	MELON-THISTLE.	Icosandria Monogynia.	L.		
1 melocactus. H.S.	Turk's-cap.	W. Indies.	1688.	7. 8. D.S. 4.	DC. plant. gras. 112.
2 macrocanthos. H.R.	large-spined.	S. America.	1820.	— D.S. 4.	

3 ? depressus. H.S.	depressed.	—————	1789.	D.S. h.
4 ? parvispinus. H.S.S.	small-spined.	W. Indies.	1815.	D.S. h.
5 ? erinaceus. H.S.S.	hedgehog.	1818.	D.S. h.
6 ? senilis. H.P.	grey-headed.	Mexico.	1823.	D.S. h.
7 ? latispinus. H.P.	broad-spined.	—————	—————	D.S. h.
8 ? nobilis. L.	recurv'd-spin'd.	Peru.	1768.	D.S. h.
<i>recurvus. H.S.</i>					
9 ? intortus. H.S.	twisted.	Antigua.	—————	D.S. h.
10 ? reductus. S.S.	removed.	Mexico.	1796.	D.S. h.
<i>nobilis. H.S. non. L.</i>					

MAMMILLARIA. H.S. MAMMILLARIA. Icosandria Monogynia.

1 simplex. H.S.	small red-spin'd.	W. Indies.	1688.	7. 8.	D.S. h. DC. plant. gras. 111.
<i>Cactus mammillaris. S.S.</i>					
2 prolifera. H.S.	white-spined.	—————	—————	—————	D.S. h.
3 discolor. H.S.	large discolor'd.	1800.	D.S. h.
4 straminea. H.S.S.	straw-spined.	1811.	D.S. h.
5 flavescens. H.S.S.	yellow-spined.	S. America.	—————	D.S. h.
6 conica. H.S.S.	cone-beaded.	1808.	D.S. h.
7 parvimamma. H.S.S.	small-beaded.	1817.	D.S. h.
<i>Cactus Microthele. S.S.</i>					
8 magnimamma. H.P.	large-beaded.	Mexico.	1823.	D.S. h.
9 lanifera. H.P.	wool-bearing.	—————	—————	D.S. h.
10 stellata.	hoary-starry.	S. America.	1816.	6. 9.	D.S. h. Lodd. bot. cab. 79.
<i>Cactus stellatus. S.S.</i>					
11 geminispina. H.P.	twin-spined.	Mexico.	1823.	D.S. h.
12 coronaria. H.R.	the great.	S. America.	1820.	D.S. h.
13 vivipara. H.S.S.	viviparous.	Louisiana.	1813.	6. 8.	D.S. h.
14 missouriensis.	Missouri.	Missouri.	—————	—————	G. h.
<i>Cactus mamillaris. N. nec aliorum.</i>					
15 pusilla.	small.	1820.	G. h.
<i>Cactus pusillus. S.S.</i>					

CEREUS. H.S. CEREUS. Icosandria Monogynia.

1 gibbosus.	gibbous.	1808.	6. 8.	D.S. h. Botan. regist. 137.
<i>Cactus gibbosus. B.R.</i>					
2 Hystrix.	Porcupine.	W. Indies.	1818.	D.S. h.
<i>Cactus Hystrix. H.S.S.</i>					
3 abnormis.	irregular.	S. America.	1816.	D.S. h.
<i>Cactus abnormis. S.S.</i>					
4 regalis. H.S.S.	royal.	D.S. h.
5 multangularis. H.S.S.	many-angled.	S. America.	1815.	D.S. h.
6 euphorbioides. H.S.S.	Euphorbia-like.	—————	D.S. h.
7 heptagonus. H.S.	great 7-angled.	W. Indies.	1728.	7.	D.S. h.
8 hexagonus. H.S.	great 6-angled.	Surinam.	1690.	7. 8.	D.S. h. Andr. repos. 513.
9 peruvianus. H.S.	great Peruvian.	Peru.	1728.	8.	D.S. h. DC. plant. gras. 58.
10 eburneus. S.S.	ivory-thorned.	S. America.	1818.	—————	D.S. h.
11 nobilis. H.S.	noble.	W. Indies.	1811.	D.S. h.
<i>Cactus Haworthii. S.S.</i>					
12 grandis. H.S.S.	straddling-spin'd.	Brazil.	D.S. h.
13 tetragonus. H.S.	great 4-angled.	S. America.	1710.	7.	D.S. h.
14 pentagonus. H.S.	5-angled.	—————	1769.	7. 8.	D.S. h.
15 triangularis. H.S.	great triangular.	W. Indies.	1690.	—————	D.S. h. Bot. mag. 1884.
16 quadrangularis. H.S.	quadrangular.	S. America.	1809.	D.S. h. Pl. am. t. 199. f. 1.
17 trigonus. H.S.	small triangular.	—————	—————	D.S. h. ——— t. 200. f. 2.
18 triqueter. H.S.	least triangular.	—————	1794.	D.S. h.
19 bifrons. H.S.S.	rooting 4-angular.	St. Domingo.	1818.	D.S. h.
20 speciosissimus.	beautiful.	S. America.	1816.	6. 9.	D.S. h. Bot. regist. 486.
<i>Cactus speciosissimus. B.R. speciosus. W.en</i>					
21 Royeni. H.S.	Royen's 9-angl'd.	W. Indies.	1728.	D.S. h.
22 lanuginosus. H.S.	woolly.	—————	1690.	7. 8.	D.S. h. Herm. parad. t. 115.
23 griseus. H.S.	grey-spined.	S. America.	1809.	9. 10.	D.S. h.
24 fulvispinosus. H.S.	tawny-spined.	—————	1795.	D.S. h.
25 repandus. H.S.	waved short-spin'd.	W. Indies.	1728.	8. 10.	D.S. h. Botan. regist. 336.
26 subrepandus. H.S.S.	waved long-spin'd.	—————	1817.	D.S. h.
27 obtusus. H.R.	blunt 3-angled.	1820.	D.S. h.
28 serpentinus. H.S.S.	white-spined.	S. America.	1817.	D.S. h.
29 prismaticus. H.S.S.	prismatic.	—————	1818.	D.S. h.
30 imbricatus. H.R.	imbricated.	1820.	D.S. h.
31 niger. H.R.	the black.	S. America.	—————	D.S. h.

- 32 *cylindricus*. H.s. cylindrical. Peru. 1799. D.S. $\frac{h}{2}$.
 33 *strictus*. L.en. straight. S.America. 1822. D.S. $\frac{h}{2}$.
 34 *albispinus*. L.en. green, white-spin'd. ———— D.S. $\frac{h}{2}$.
 35 *crenulatus*. L.en. crenulate. W. Indies. ———— D.S. $\frac{h}{2}$.
 36 *flavispinus*. L.en. yellow-spined. D.S. $\frac{h}{2}$.
 37 *albisetosus*. H.s.s. trailing white-spin'd. St. Domingo. 1816. .. D.S. $\frac{h}{2}$.
 38 *reptans*. H.s.s. creeping. W. Indies. 1813. D.S. $\frac{h}{2}$.
 39 *grandiflorus*. H.s. night-flow'ring. Jamaica. 1700. 6. 8. D.S. $\frac{h}{2}$. Andr. reposit. 508.
 40 *flagelliformis*. H.s. creeping. Peru. 1690. 3. 6. G. $\frac{h}{2}$. Botan. magaz. 17.
 41 *speciosus*. rose-flowered. S. America. 1816. 5. 8. G. $\frac{h}{2}$. Botan. regist. 304.
Cactus speciosus. B.R. *Epiphyllum speciosum*. H.s.s.
 42 *truncatus*. truncated. Brazil. 1818. ———— S. $\frac{h}{2}$. ———— 696.
Cactus truncatus. B.R. *Epiphyllum truncatum*. H.s.s.
EPIPHYLLUM. H.S. EPIPHYLLUM. Icosandria Monogynia.
 1 *alatum*. H.s.s. gibbous-tooth'd. W. Indies. 1818. D.S. $\frac{h}{2}$.
 2 *phyllanthoides*. Phyllanthus-like. S.America. 1820. 6. 7. D.S. $\frac{h}{2}$. Botan. magaz. 2092.
Cactus phyllanthoides. B.M.
 3 *Phyllanthus*. H.s. Spleenwort-ld. ———— 1710. 6. 7. D.S. $\frac{h}{2}$. DC. plant. gras. 145.
OPUNTIA. H.S. INDIAN-FIG. Icosandria Monogynia.
 1 *Brasiliensis*. H.s.s. round-stemm'd. Brazil. 1817. D.S. $\frac{h}{2}$.
 2 *elator*. H.s. great black-spin'd. S.Amer. 1731. 7. 8. D.S. $\frac{h}{2}$. Dill. elt. t. 294. f. 379.
 3 *Tuna*. H.s. great yellow-spin'd. ———— ———— D.S. $\frac{h}{2}$. ———— t. 295. f. 380.
 4 *Dillenii*. H.s.s. Dillenius's. ———— ———— 9. 10. D.S. $\frac{h}{2}$. Botan. regist. 255.
Cactus Dillenii. B.R.
 5 *nigricans*. H.s. lesser black-spin'd. ———— 1795. 8. D.S. $\frac{h}{2}$. Botan. magaz. 1557.
 6 *humilis*. H.s. humble. W. Indies. ———— D.S. $\frac{h}{2}$.
 7 *polyantha*. H.s. many-flower'd. S. America. 1811. 7. 8. D.S. $\frac{h}{2}$. DC. plant. gras. c. ic.
 8 *vulgaris*. H.s. common dwarf. S. Europe. 1596. 7. 9. F. $\frac{h}{2}$. Knor. thes. 1. t. F. a.
Cactus Opuntia. s.s.
 9 *stricta*. H.s. oval upright. S. America. 1796. ———— D.S. $\frac{h}{2}$. DC. plant. gras. c. ic.
Cactus Opuntia inermis. DC.
 10 *tuberculata*. H.s.s. tuberculated. 1818. D.S. $\frac{h}{2}$.
 11 *crassa*. H.s.s. thick-lobed. Mexico. 1817. G. $\frac{h}{2}$.
 12 *monacantha*. H.s.s. one-spined. S. America. 1816. D.S. $\frac{h}{2}$.
 13 *elongata*. H.s.s. various-spined. ———— ———— D.S. $\frac{h}{2}$.
 14 *maxima*. H.s. great oblong. ———— 1768. D.S. $\frac{h}{2}$.
 15 *decumana*. H.R. great. ———— 1820. D.S. $\frac{h}{2}$.
 16 *Ficus-indica*. H.s. Indian-fig. ———— 1731. 7. 8. D.S. $\frac{h}{2}$.
 17 *cochinellifera*. H.s. Cochineal. ———— 1688. 7. 9. D.S. $\frac{h}{2}$. Andr. reposit. 533.
 18 *lanceolata*. H.s. spear-shaped. ———— 1796. 7. D.S. $\frac{h}{2}$.
 19 *triacantha*. three-spined. ———— D.S. $\frac{h}{2}$.
Cactus triacanthos. W.en.
 20 *tomentosa*. L.en. woolly-branch'd. ———— 1824. D.S. $\frac{h}{2}$.
 21 *subinermis*. L.en. nearly smooth. ———— D.S. $\frac{h}{2}$.
 22 *spinosissima*. H.s. cluster-spined. Jamaica. 1732. 7. D.S. $\frac{h}{2}$.
 23 *ferox*. H.s.s. ferocious. S. America. 1817. D.S. $\frac{h}{2}$.
 24 *polyacantha*. H.s.s. many-spined. Missouri. 1814. H. $\frac{h}{2}$.
Cactus ferox. N. non. W.en.
 25 *media*. H.s.s. lesser many-spin'd. ———— H. $\frac{h}{2}$.
 26 *fragilis*. H.s.s. brittle-jointed. ———— H. $\frac{h}{2}$.
 27 *pusilla*. H.s. greater Pin-pillow. S.Amer. 1805. 6. D.S. $\frac{h}{2}$.
 28 *curassavica*. H.s. Pin pillow. Curassao. 1690. 6. 7. D.S. $\frac{h}{2}$. Knor. thes. 2. t. O. 2.
a major. H.s. larger. ———— ———— D.S. $\frac{h}{2}$.
 β media. H.s. middle. ———— ———— D.S. $\frac{h}{2}$.
 γ minor. H.s. smaller. ———— ———— D.S. $\frac{h}{2}$.
 δ longa. H.R. longer. Brazil. 1820. ———— D.S. $\frac{h}{2}$.
 29 *foliosa*. W.en. glaucous. S. America. 1817. ———— D.S. $\frac{h}{2}$.
RHIPSA LIS. G. RHIPSA LIS. Icosandria Monogynia.
 1 *Cassutha*. G. naked. W. Indies. 1758. 9. D.S. $\frac{h}{2}$. Hook. exot. fl. 2.
Cactus pendulus. W.
 2 *parasiticus*. H.s. hairy. S. America. 1800. D.S. $\frac{h}{2}$. DC. plant. gras. 59.
 3 *fasciculatus*. H.s.s. cluster-branch'd. ———— 1817. D.S. $\frac{h}{2}$.
 4 *salicornoides*. H.s.s. Salicornia-like. W. Indies. 1818. 5. 8. D.S. $\frac{h}{2}$. Botan. magaz. 2461.
 5 *mesembryanthoides*. fig-mary gold. ———— D.S. $\frac{h}{2}$.
 6 *grandiflorus*. H.R. great-flowered. 7. 8. D.S. $\frac{h}{2}$.
Cactus funalis. s.s.
PERESKIA. H.S. BARBADOES GOOSEBERRY. Icosandria Monogynia.
 1 *aculeata*. H.s. short-spined. W. Indies. 1696. 10. 11. S. $\frac{h}{2}$. Dill. elt. t. 227. f. 294.
Cactus Pereskia. W.

2 longispina. H.s.s.	long-spined.	S. America. 1808.	S. h.
3 grandifolia. H.s.s.	great-leaved.	Brazil. 1818.	S. h.

ORDO LXXXVI.

GROSSULARIÆ. *DC. fl. fr. ed. 3. v. 4. p. 405.*

RIBES. R.S.	CURRENT. Pentandria Monogynia. L.				
1 rubrum. R.S.	red.	Britain.	4. 5. H. h.	Eng. bot. 1289.
β album.	white.	—	— H. h.	—
2 petraeum. R.S.	rock.	England.	5. H. h.	Eng. bot. 705.
3 multiflorum. R.S.	many-flow'r'd.	Hungary. 1818.	—	H. h.	Botan. magaz. 2368.
4 spicatum. R.S.	acid.	England.	— H. h.	Eng. bot. 1290.
5 rigens. R.S.	rigid.	N.America. 1812.	4. 5. H. h.	—	—
6 procumbens. R.S.	trailing.	Dahuria. 1804.	5. 6. H. h.	—	Pall. ross. 2. t. 65.
7 prostratum. R.S.	glandulous.	N.America. 1777.	4. 5. H. h.	—	L'Herit. stirp. 1. t. 2.
8 alpinum. R.S.	Alpine.	Britain.	— H. h.	Eng. bot. 704.
9 triste. R.S.	dark-coloured.	Siberia. 1818.	— H. h.	—	—
10 sanguineum. R.S.	red-flowered.	N.America. 1820.	— H. h.	—	—
11 aureum. R.S.	golden.	Missouri. 1812.	— H. h.	—	Botan. regist. 125.
12 nigrum. R.S.	black.	Britain.	— H. h.	Eng. bot. 1291.
13 floridum. R.S.	Pensylvanian.	N.America. 1729.	— H. h.	—	Dill. elt. t. 244. f. 315.
14 laxiflorum. R.S.	loose-flowered.	— 1812.	— H. h.	—	—
15 resinosum. R.S.	clammy.	— 1800.	— H. h.	—	Botan. magaz. 1583.
16 glandulosum. R.S.	glandular-calyx'd.	Chili. 1820.	5. 6. H. h.	—	Flor. peruv. t. 233. f. b.
17 hirtellum. R.S.	hairy.	N.America. 1812.	4. 5. H. h.	—	—
18 gracile. R.S.	slender.	—	— H. h.	—	—
19 triflorum. R.S.	three-flower'd.	—	— H. h.	—	Willd. hort. ber. 1. t. 61.
20 orientale. R.S.	oriental.	Syria. 1820.	— H. h.	—	—
21 Diacantha. R.S.	two-spined.	Siberia. 1781.	5. 6. H. h.	—	Pall. ross. II. t. 66.
22 reclinatum. R.S.	procumbent.	Germany. 1683.	4. 5. H. h.	—	—
23 oxyacanthoides. R.S.	Hawthorn-ld.	N.America. 1705.	— H. h.	—	Dill. elt. t. 159. f. 166.
24 lacustre. R.S.	swamp.	— 1812.	— H. h.	—	Lodd. bot. cab. 884.
25 Cynosbati. R.S.	prickly-fruited.	Canada. 1759.	4. H. h.	—	Schmidt. arb. 98.
26 caucasicum. R.S.	Caucasean.	Caucasus. 1820.	4. 5. H. h.	—	—
27 uva-crispa. R.S.	smooth Gooseberry.	England.	— H. h.	—	Eng. bot. 2057.
28 Grossularia. R.S.	rough Gooseberry.	—	— H. h.	—	— 1292.

GARDEN VARIETIES.

a red fruited.

- 1 Ackerley's Rodney.
- 2 Ackerley's seedling.
- 3 Adam's Cheshire sheriff.
- 4 Alcock's king.
- 5 Alcock's duke of York.
- 6 Alexander the great.
- 7 Andrews's conqueror.
- 8 Ashton's seedling.
- 9 Ashton's red globe.
- 10 Astley's seedling.
- 11 Beauforemont.
- 12 Beggar lad.
- 13 Black Wallnut.
- 14 Black eagle.
- 15 Black bull.
- 16 Black ram.
- 17 Black king.
- 18 Black virgin.
- 19 Black dragon.
- 20 Blackley's swing'em.
- 21 Boardman's royal oak.
- 22 Bradshaw's redcap.

GARDEN VARIETIES.

- 23 Brundrit's Atlas.
- 24 Calderbank's seedling.
- 25 Carpenter.
- 26 Carthington's conqueror.
- 27 Champaign.
- 28 Chapman's incomparable.
- 29 Cheadle's surprize.
- 30 Cheetham's bright Venus.
- 31 Chelmerdine's Cheshire.
- 32 Clarke's seedling.
- 33 Clyton's Britannia.
- 34 Coe's Hannibal.
- 35 Crimson Wallnut.
- 36 Damson.
- 37 Dean's glory of England.
- 38 Down's Cheshire round.
- 39 Dickinson's sapphire.
- 40 Elliot's red hot ball.
- 41 Fairlow's Lord Hood.
- 42 Fisher's conqueror.
- 43 Fok's jolly smoaker.
- 44 Fok's royal.
- 45 Gerriot's Achilles.

GARDEN VARIETIES.

- 46 Gill's first seedling.
- 47 Gill's second seedling.
- 48 Gordon's emperor.
- 49 Gordon's nonsuch.
- 50 Gregory's perfection.
- 51 Gregory's supreme.
- 52 Gregory's great Britain conqueror.
- 53 Hall's porcupine.
- 54 Halmon's dumpling.
- 55 Heart of oak.
- 56 Hector.
- 57 High sheriff.
- 58 Hippard's attractor.
- 59 Hogbean's king.
- 60 Hott's regulator.
- 61 Hulton's great Cæsar.
- 62 Jackson's hero.
- 63 Jackson's slim.
- 64 Jackson's scarlet seedling.
- 65 Jared's Achilles.
- 66 Jared's Admiral Kepple.
- 67 Johnson's twig'em.

GARDEN VARIETIES.

- 68 Johnny lad.
- 69 Kenyon's Samson.
- 70 Knight's colonel Tarleton.
- 71 Knight's scarlet seedling.
- 72 Lancashire farmer.
- 73 Late red.
- 74 Late damson.
- 75 Layforth's seedling.
- 76 Lee's red lion.
- 77 Lee's black.
- 78 Lincolnshire top.
- 79 Little John.
- 80 Livesey's Duke William.
- 81 Lomack's victory.
- 82 Malkin wood.
- 83 Mason's Hercules.
- 84 Mather's admiral.
- 85 Mather's Alexander.
- 86 Mather's black lady.
- 87 Monk's Charles Fox.
- 88 Monk's Watkin.
- 89 Mongrel.
- 90 Morello.
- 91 Moss weather.
- 92 Murrey.
- 93 Mussey's black prince.
- 94 Nero.
- 95 New champaign.
- 96 Old rough red.
- 97 Ostrich's egg.
- 98 Oswego sylvan.
- 99 Pendleton's Mogul.
- 100 Pendleton's matchless.
- 101 Pendleton's bullocks heart
- 102 Pineapple.
- 103 Plum.
- 104 Proctor's scarlet nonsuch.
- 105 Raffold's beauty.
- 106 Raspberry.
- 107 Ratcliff's red lion.
- 108 Rawlinson's favourite.
- 109 Rawlinson's king.
- 110 Raymond's red.
- 111 Read's jolly red nose.
- 112 Red mogul.
- 113 Red Orleans.
- 114 Red supreme.
- 115 Red wolf.
- 116 Red Lion.
- 117 Richmond red.
- 118 Rider's black prince.
- 119 Rider's old England.
- 120 Ring's sheriff.
- 121 Ring's governor Penn.
- 122 Ring's free bearer.
- 123 Rombonillon.
- 124 Shaw's hilly dean.
- 125 Shelmardine's red rose.
- 126 Shelmardine's Cheshire stag.
- 127 Siddal's top.
- 128 Singleton's Mogul.
- 129 Stanley's earl of Derby.
- 130 Stanley's Oronoco.
- 131 Stapleton's black prince.
- 132 Stuckley's red.
- 133 Taylor's red rose.

GARDEN VARIETIES.

- 134 Taylor's voluntary.
- 135 Thorpe's master tup.
- 136 Thorpe's master Wolfe.
- 137 Tilletson's saint John.
- 138 Tilletson's seedling.
- 139 Tom of Lincoln.
- 140 Trop's pretty Betty.
- 141 Twamblow's seedling.
- 142 Two pounders.
- 143 Victory.
- 144 Wareham russet.
- 145 Warrington red.
- 146 Welchman's red.
- 147 Whitley's plentiful bearer
- 148 Whittington's royal princess.
- 149 Wild's red Walnut.
- 150 Worthington's defiance.
- 151 Worthington's Emperor of Morocco.
- 152 Worthington's glory of eccles.
- 153 Worthington's seedling.
- 154 Worthington's conqueror.
- 155 Worthington's hero.
- 156 Worthington's Cornwallis.

β yellow fruited.

- 157 Adern's seedling.
- 158 Bangen.
- 159 Barley's seedling.
- 160 Bell's bright farmer.
- 161 Blackley's eclipse.
- 162 Bradshaw's yellow top.
- 163 Brundrit's Sir Sydney.
- 164 Cartenden's Goliath's champion.
- 165 Caton's canary.
- 166 Chad's golden lion.
- 167 Cheadle's golden lion.
- 168 Chetham's brandy yellow.
- 169 Clyton's canary.
- 170 Coe's Diogenes.
- 171 Coe's Washington.
- 172 Cooke's golden champion.
- 173 Davenport's defender.
- 174 Davenport's creeping Ceres.
- 175 Early brown.
- 176 Goldfinch.
- 177 Golden ball.
- 178 Golden drop.
- 179 Goliath.
- 180 Hamnet's Kilton.
- 181 Hill's golden pumpkin.
- 182 Hill's royal governor.
- 183 Honeycomb.
- 184 Hulm's dumpling.
- 185 Jackson's golden drop.
- 186 Kershaw's yellow willow.
- 187 Large amber.
- 188 Leigh's prince of Orange.
- 189 Maddock's drop of gold.
- 190 Mason's jolly gipsy.
- 191 Mason's golden conqueror
- 192 Nixon's golden eagle.
- 193 Oswego sylvan.

GARDEN VARIETIES.

- 194 Parkinson's goldfinder.
- 195 Pendleton's nonsuch.
- 196 Rawlinson's yellow amber.
- 197 Ridder's speel-scented Lemon.
- 198 Rider's Goliath.
- 199 Rider's brandy yellow.
- 200 Robin Hood.
- 201 Robinson Crusoe.
- 202 Smith's sparkles.
- 203 Stanley's golden ball.
- 204 Stanley's independent.
- 205 Stanley's golden griffin.
- 206 Stanley's mullion.
- 207 Stanley's dolphin.
- 208 Sweet amber.
- 209 Taylor's Nimrod.
- 210 Thorp's lamb.
- 211 Unsworth's primrose.
- 212 Williamson's yellow hornet.
- 213 Wittington's gold'n sceptre
- 214 Wrigley's melon.
- 215 Yellow seedling.

γ green fruited.

- 216 Blackley's green chissel.
- 217 Boardman's green oak.
- 218 Brundrit's tickle Toby.
- 219 Chadwick's hero.
- 220 Creeping germings.
- 221 Cucumber.
- 222 Dean's Lord Hood.
- 223 Early green hairy.
- 224 Fok's green goose.
- 225 General Carlton.
- 226 Green globe.
- 227 Green-gage.
- 228 Green chancellor.
- 229 Green dragon.
- 230 Green fig.
- 231 Green dorrington.
- 232 Green Gascoign.
- 233 Green Griffin.
- 234 Green gros berry.
- 235 Green nonsuch.
- 236 Green Walnut.
- 237 Green sugar.
- 238 Harrison's favourite.
- 239 Harrison's Cæsar.
- 240 Heilton's Cæsar.
- 241 Jackson's green John.
- 242 Jackson's green disart.
- 243 Jay's wing.
- 244 Johnson's green willow.
- 245 Lee's victory.
- 246 Mills's Langley green.
- 247 Monk's Joseph.
- 248 Nield's gage.
- 249 Nixon's Myrtle.
- 250 Old ball.
- 251 Oswego sylvan.
- 252 Pomme water.
- 253 Rawlingson's royal George
- 254 Read's pleasure.
- 255 Royal George.
- 256 Robinson's stump.

GARDEN VARIETIES.

- 257 Sharret's green`gage.
 258 Shelmardine's genteelly green.
 259 Shipley's unicorn.
 260 Smith's green mask.
 261 Spronson's saint David.
 262 Stanley's Reine Claude.
 263 Stanley's green Margill.
 264 Stanley's syringe.
 265 Taylor's rainbow.
 266 Taylor's green-lined.
 267 Trial.
 268 Triumph.
 269 Winning's green.
 270 Worthington's Patrick.
 271 Worthington's vanguard.
 272 Wrigley's favourite.
 273 Yates's Duke of Bedford.
 274 Yearsley's black lion.

δ white fruited.

- 275 Adams's snowball.
 276 Atkinson's Whitehall.
 277 Boardman's highland queen.

GARDEN VARIETIES.

- 278 Button's silver heels.
 279 Calderbank's white.
 280 Chapman's highland white
 281 Cheshire white walnut.
 282 Crawford's seedling.
 283 Davenport's lady.
 284 Extra white.
 285 Gibson's Apollo.
 286 Gregory's highland king.
 287 Gregory's mount pleasant.
 288 Heroine.
 289 Holding's white muslin.
 290 Joye's white groat.
 291 Johnson's white globe.
 292 Kenyon's white genteelly.
 293 Kenyon's white lion.
 294 Liptrot's Duke of Bedford
 295 Mather's white mogul.
 296 Mills's white champion.
 297 Milkmaid.
 298 Miss bold.
 299 Moore's white bear.
 300 Nayden's rule all.
 301 Nield's white rose.

GARDEN VARIETIES.

- 302 Nield's white stag.
 303 Nixon's heart.
 304 Pigeon's egg.
 305 Platt's white.
 306 Redford's lily.
 307 Rider's white hellebore.
 308 Royal white.
 309 Squire Haughton's barra-doe.
 310 Stafford's white imperial.
 311 Sugarloaf.
 312 Swan's-egg.
 313 Thin-skinned crystal.
 314 Thorp's white queen.
 315 White crystal.
 316 White belmont.
 317 White imperial.
 318 White lion.
 319 White mogul.
 320 White olive.
 321 White Orleans.
 322 White walnut.
 323 Whittington's rose.
 324 Woodward's whitesmith.

ORDO LXXXVII.

PARONYCHIEÆ. *St. Hilaire in ann. mus.*

LÆFLINGIA. W.	LÆFLINGIA.	Triandria Monogynia. L.		
hispanica. w.	Spanish.	Spain. 1770. 6.	H.⊙.	Cav. ic. 1. t. 47.
MINUARTIA. W.	MINUARTIA.	Triandria Trigynia. L.		
1 dichotoma. w.	forked.	Spain. 1771. 6. 7.	H.⊙.	Act.stock.1758.t.1.f.2.
2 campestris. w.	field.	———— 1806. ———	H.⊙.	———— t. 1. f. 3.
3 montana. w.	mountain.	———— ——— ———	H.⊙.	Læf. it. rar. t. 1. f. 4.
QUERIA. W.	QUERIA.	Triandria Trigynia. L.		
hispanica. w.	Spanish.	Spain. 1800. 5. 9.	H.⊙.	
POLYCARPON. W.	ALL-SEED.	Triandria Trigynia.		
tetraphyllum. W.	four-leaved.	England. 7.	H.⊙.	Eng. bot. 1031.
POLLICHIA. W.	POLLICHIA.	Monandria Monogynia. L.		
campestris. w.	whorl-leaved.	C. B. S. 1780. 9.	G.♂.	Smith. spicil. 1. t. 1.
MNIARUM. B.P.	MNIARUM.	Monandria Monogynia.		
biflorum. B.P.	two-flowered.	N.Holland. 1818. 5. 7.	G.♀.	Forst. gen. 1. t. 1.
SCLERANTHUS. W.	KNAWEL.	Decandria Digynia. L.		
1 annuus. w.	annual.	Britain. 7. 8.	H.⊙.	Eng. bot. 351.
2 perennis. w.	perennial.	———— ——— ———	8. 9. H.♀.	———— 352.
ILLECEBRUM. B.P.	KNOT-GRASS.	Pentandria Monogynia. L.		
1 verticillatum. R.S.	whorled.	England. 7.	H.♀.	Eng. bot. 895.
2 cymosum. B.P.	cymose.	S. Europe. 1817. 6. 7.	H.♀.	Flor. græc. t. 245.
3 echinatum. R.S.	bristly.	———— ——— ———	H.♀.	Schrad.journ.1801.t.4.
PARONYCHIA. J.	PARONYCHIA.	Pentandria Monogynia.		
1 polygonifolia. J.	Polygonum-ld.	S. Europe. 1816. 5. 8.	H.♀.	Vill. delph. 2. t. 16.
2 italica. R.S.	Italian.	Italy. ——— ———	H.♀.	
3 hispanica. DC.	mountain.	S. Europe. 1640. ———	H.♀.	Flor. græc. t. 246.
<i>Illecebrum Paronychia. w.</i>				
4 pubescens. DC.	pubescent.	Pyrenees. 1818. ———	H.♀.	
5 serpyllifolia. R.S.	Thyme-leaved.	S. France. 1820. ———	H.♀.	Hacq. pl. alp. 3.t.2.f.1.
6 capitata. R.S.	capitate.	Spain. 1683. 6. 8.	F.♀.	Flor. græc. t. 247.
7 nivea. R.S.	villous.	———— 1812. ———	F.♀.	Barrel. ic. 687.
8 tenuifolia. L.en.	slender-leav'd. 1822. ———	H.⊙.	
9 alsinifolia. R.S.	Chickweed-ld.	Spain. ———	H.⊙.	Scop. del. ins. t. 13.

ANYCHIA. M.		ANYCHIA. Pentandria Monogynia.				
dichotoma. R.S.	forked.	N.America.	1806.	5. 8.	H. ♂.	Ort. dec. t. 15. f. 2.
<i>Queria canadensis. W.</i>						
HAGEA. P.S.		HAGEA. Pentandria Monogynia.				
1 diffusa.	forked.	Canaries.	1779.	7. 8.	H. ⊙.	Willd. hort. ber. t. 11.
<i>Mollia diffusa. W. Lahaya diffusa. R.S.</i>						
2 latifolia. R.S.	broad-leaved.	————	1816.	—	G. ♀.	
3 aristata. R.S.	bearded.	————	1780.	6. 7.	G. ♀.	
<i>Mollia aristata. H.K.</i>						
4 polycarpoides. R.S.	Polycarpon-like.	Sicily.	1818.	6. 8.	H. ♀.	
5 gnaphaloides. R.S.	woolly-leaved.	Barbary.	—	—	H. ♀.	
HERNIARIA. R.S.		RUPTURE-WORT. Pentandria Digynia. L.				
1 glabra. R.S.	smooth.	England.	7.	H. ♀.	Eng. bot. 206.
2 hirsuta. R.S.	hairy.	————	7. 8.	H. ♀.	———— 1379.
3 cinerea. DC.	cinereous.	Montpelier.	1816.	—	H. ♀.	
4 alpina. R.S.	Alpine.	S. France.	—	—	H. ♀.	
5 fruticosa. R.S.	frutescent.	S. Europe.	1814.	5. 8.	H. ♀.	Pluk. alm. t. 53. f. 3.
6 incana. R.S.	hoary.	————	1818.	—	H. ♀.	Cavan. ic. 2. t. 131.
7 polygonoides. R.S.	Knot-grass like.	————	1752.	—	F. ♀.	

ORDO LXXXVIII.

CRASSULACEÆ. *Jussieu.*

BULLIARDA. DC.		BULLIARDA. Tetrandria Tetragynia.				
Vaillant. DC.	Vaillant's.	S. Europe.	1825.	6. 8.	H.w. ⊙.	DC. plant. gras. t. 74.
TILLÆA. R.S.		TILLÆA. Tetrandria Tetragynia. L.				
1 aquatica. R.S.	water.	N. Europe.	1816.	6. 8.	H.w. ⊙.	Ust. N. ann. 6. t. 1.
2 muscosa. R.S.	mossy.	England.	6. 10.	H. ⊙.	Eng. bot. 116.
VAUANTHES. H.R.		V-FLOWER. Pentandria Pentagynia. H.				
chloræflora. H.R.	Chlora-flow'r'd.	C. B. S.	1774.	6. 7.	H. ⊙.	Herm. lugdb. t. 553.
<i>Crassula dichotoma. W.</i>						
GLOBULEA. H.S.		GLOBULEA. Pentandria Pentagynia. H.				
1 cultrata. H.S.	sharp-leaved.	C. B. S.	1732.	7. 8.	G. ♀.	Botan. magaz. 1940.
<i>Crassula cultrata. B.M.</i>						
2 atropurpurea. H.P.	dingy purple.	————	1823.	—	G. ♀.	
3 radicans. H.P.	rooting-branch'd	————	—	12. 3.	G. ♀.	
4 lingua. H.P.	larger tongue-ld.	————	—	5. 6.	G. ♀.	
5 lingula. H.P.	lesser tongue-ld.	————	—	—	G. ♀.	
6 capitata. H.R.	large-ld. grey.	————	1819.	7. 8.	G. ♀.	
7 obvallata. H.S.	houseleek-ld.	————	1795.	—	G. ♀.	DC. plant. gras. 61.
<i>Crassula obvallata. DC.</i>						
8 canescens. H.S.	grey.	————	1800.	—	G. ♀.	
9 paniculata. H.P.	panicled.	————	1823.	—	G. ♀.	
10 impressa. H.P.	impressed.	————	1822.	—	G. ♀.	
β minor. H.P.	lesser.	————	—	—	G. ♀.	
11 sulcata. H.R.	sulcate.	————	1820.	5. 9.	G. ♀.	
12 nudicaulis. H.S.	naked-stem'd.	————	1732.	—	G. ♀.	DC. plant. gras. 133.
<i>Crassula nudicaulis. DC.</i>						
13 hispida. H.P.	hispid.	————	1823.	10. 11.	G. ♀.	
14 mesembryanthoides.	Fig-marygold like.	————	1822.	7. 9.	G. ♀.	
15 mollis. H.P.	soft.	————	1774.	—	G. ♀.	
<i>Crassula mollis. W.</i>						
16 subincana. H.P.	hoary frutescent.	————	1822.	—	G. ♀.	
α decumbens. H.P.	decumbent.	————	—	—	G. ♀.	
β erecta. H.P.	erect.	————	—	—	G. ♀.	
TURGOSEA. H.R.		TURGOSEA. Pentandria Pentagynia. H.				
1 linguæfolia. H.R.	tongue-leaved.	C. B. S.	1803.	8.	G. ♀.	
<i>Crassula linguæfolia. H.S.</i>						
2 tomentosa. H.R.	tomentose.	————	1790.	4. 5.	G. ♀.	
3 pertusa. H.R.	impress-dotted.	————	1818.	9. 11.	G. ♀.	Com. præl. t. 29?

4	turrita. H.R.	tower-like.	C. B. S.	—	2. 3.	G. ♂.	
	<i>Crassula turrita</i> . H.S.S.						
	<i>β rosea</i> . H.S.S.	rose-colour'd.	—	—	—	G. ♂.	
5	obovata. H.R.	obovate-leav'd.	—	—	7. 8.	G. ♂.	
6	aloïdes. H.R.	ovate hispid.	—	1774.	6. 8.	G. ♂.	
7	capitella. H.R.	square-spiked.	—	—	7. 8.	G. ♂.	
CRASSULA. H.R. CRASSULA. Pentandria Pentagynia. L.							
1	moschata. H.S.	musky.	N. S. W.	1794.	5. 11.	H. ⊙.	
2	diffusa. H.S.	diffuse.	C. B. S.	1774.	6. 8.	H. ⊙.	
3	sparsa. H.S.	alternate-ld.	—	—	—	G. ♂.	
4	expansa. H.S.	awl-leaved.	—	—	—	H. ⊙.	
5	verticillaris. H.S.	whorl-flower'd.	S. Europe.	1788.	7. 8.	H. ⊙.	
6	Magnolii. DC.	Magnol's.	—	—	—	H. ⊙.	Magn. bot. p. 237. et 238.
7	rubens. H.S.	annual red.	Italy.	1759.	5. 8.	H. ⊙.	DC. plant. gras. 55.
8	pulchella. H.R.	pretty.	C. B. S.	1778.	7. 8.	H. ⊙.	
9	glabra. H.R.	smooth cluster'd.	—	1774.	6. 10.	H. ⊙.	
10	glomerata. H.S.	rough cluster'd.	—	—	8. 10.	H. ⊙.	DC. plant. gras. 67.
11	centauroides. H.S.	Centaury-ld.	—	—	5. 6.	G. ♂.	Botan. magaz. 1765.
12	lineolata. H.S.	channelled.	—	—	6. 8.	G. ♂.	
13	subulata. R.S.	awl-leaved.	—	1820.	—	H. ⊙.	Petiv. gaz. t. 89. f. 8.
14	retroflexa. H.S.	orange-flow'r'd.	—	1788.	—	H. ⊙.	
15	orbicularis. H.S.	starry.	—	1731.	7. 9.	G. ♀.	DC. plant. gras. t. 43.
16	rosularis. H.R.	great starry.	—	1819.	—	G. ♀.	
17	Cotyledon. H.S.	Cotyledon-ld.	—	1800.	—	G. ♀.	
18	cordata. H.S.	heart-leaved.	—	1774.	5. 8.	G. ♀.	DC. plant. gras. t. 121.
19	spathulata. H.S.	notch-leaved.	—	—	7. 9.	G. ♀.	— t. 49.
20	pellucida. H.S.	pellucid.	—	1732.	6. 9.	G. ♀.	Jacq. frag. t. 131.
21	marginalis. H.S.	marginated.	—	1774.	7. 8.	G. ♀.	Jacq. schœnb. t. 471.
22	punctata. H.S.	dotted.	—	1759.	4. 8.	G. ♀.	
23	perfilata. H.S.	filed.	—	1785.	9.	G. ♀.	Scop. d. ins. 3. t. 6. C.
	<i>perfossa</i> . DC. pl. gr. t. 25.						
24	argentea. R.S.	silvery-leaved.	—	1820.	7. 9.	G. ♀.	
25	imbricata. H.S.	whip-cord.	—	1760.	6. 7.	G. ♀.	
26	ericoides. H.P.	large whipcord.	—	1820.	9. 10.	G. ♀.	
27	columnaris. H.S.	columnar.	—	1789.	7. 10.	G. ♀.	Burm. afr. t. 9. f. 2.
28	squamulosa. H.R.	small scaly.	—	1817.	6. 9.	G. ♀.	
29	scabrella. H.R.	patent-leaved.	—	1820.	—	G. ♀.	
30	scabra. H.R.	rough-leaved.	—	1730.	6. 7.	G. ♀.	Dill. elt. t. 99. f. 117.
31	bullulata. H.R.	roughly yellow-ld.	—	1800.	—	G. ♀.	Mart. cent. t. 24.
32	corymbulosa. L.en.	small corymb'd.	—	1821.	—	G. ♀.	
33	ramuliflora. L.en.	branch-flow'r'd.	—	—	—	G. ♀.	
34	dejecta. R.S.	dejected.	—	—	—	G. ♀.	Jacq. schœnb. t. 433.
35	biconvexa. H.S.	double convex.	—	1800.	8.	G. ♀.	
36	concinella. H.P.	elegant.	—	1822.	—	G. ♀.	
37	concinna. H.R.	small neat.	—	1820.	—	G. ♀.	
38	ligulifolia. H.R.	latchet-leaved.	—	—	—	G. ♀.	
39	ciliata. H.S.	ciliated.	—	1732.	7. 8.	G. ♀.	DC. plant. gras. 7.
40	albiflora. B.M.	white-flower'd.	—	1820.	7. 9.	G. ♀.	Botan. magaz. 2391.
41	lactea. H.S.	milk white.	—	1774.	9. 2.	G. ♀.	— 1771.
42	obliqua. H.S.	oblique-leav'd.	—	1759.	4. 5.	G. ♀.	DC. plant. gras. 79.
43	arborescens. H.S.	arborescent.	—	1739.	5. 6.	G. ♀.	Botan. magaz. 384.
	<i>Cotyledon</i> . B.M.						
44	revolvens. H.P.	recurving-ld.	—	1820.	8. 10.	G. ♀.	
45	filicaulis. H.P.	thready-stem'd.	—	—	—	G. ♀.	
46	bibracteata. H.P.	double-bracted.	—	—	—	G. ♀.	
	<i>α minor</i> . H.P.	smaller.	—	—	—	G. ♀.	
	<i>β major</i> . H.P.	larger.	—	—	—	G. ♀.	
47	biplanata. H.P.	flat-leaved.	—	—	9. 10.	G. ♀.	
48	acutifolia. H.S.	acute-leaved.	—	1795.	9. 11.	G. ♀.	DC. plant. gras. t. 2.
49	tetragona. H.S.	square-leaved.	—	1711.	8. 9.	G. ♀.	— t. 19.
50	ramosa. H.S.	branching.	—	1774.	7. 8.	G. ♀.	
51	telephioides. H.R.	Orpine-like.	—	1820.	—	G. ♀.	
CURTOGYNE. H.R. CURTOGYNE. Pentandria Pentagynia.							
1	undulata. H.R.	lesser-waved.	C. B. S.	1797.	8. 11.	G. ♀.	Lodd. bot. cab. 584.
	<i>Crassula undulata</i> . R.S.						
2	undata. H.R.	greater-waved.	—	1818.	—	G. ♀.	
KALOSANTHES. H.R. KALOSANTHES. Pentandria Pentagynia.							
1	coccinea. H.R.	scarlet.	C. B. S.	1710.	6. 8.	G. ♀.	Botan. magaz. 495.
	<i>Crassula coccinea</i> . B.M. <i>Dietrichia coccinea</i> . Trat.						

2	media. H.R.	great changeable.	— — — —	1820.	—	G. $\frac{1}{2}$.	
3	versicolor. H.R.	various-color'd.	— — — —	1816.	—	G. $\frac{1}{2}$.	Botan. regist. 320.
	<i>Crassula versicolor.</i> B.R.						
4	bicolor. H.R.	two-coloured.	— — — —	1820.	—	G. $\frac{1}{2}$.	
5	odoratissima. H.R.	sweet-scented.	— — — —	1793.	6. 7.	G. $\frac{1}{2}$.	Andr. reposit. 26.
	<i>Crassula odoratissima.</i> A.R. <i>Dietrichia odoratissima.</i> Trat.						
6	flava.	yellow.	— — — —	1802.	8. 9.	G. $\frac{1}{2}$.	Pluk. alm. t. 314. f. 2.
	<i>Crassula flava.</i> L. <i>Larochea? flava.</i> H.S.						
7	cymosa. H.R.	cyme-flowered.	— — — —	1800.	—	G. $\frac{1}{2}$.	
8	biconvexa. H.P.	convex-leaved.	— — — —	1822.	7. 8.	G. $\frac{1}{2}$.	
9	jasminea. H.R.	Jasmine-fl'd.	— — — —	1812.	6. 8.	G. $\frac{1}{2}$.	Botan. magaz. 2178.
	<i>Crassula jasminea.</i> B.M.						
LAROCHEA. H.R. LAROCHEA. Pentandria Pentagynia.							
1	falcata. H.R.	falcated.	C. B. S.	1785.	6. 9.	G. $\frac{1}{2}$.	DC. plant. gras. t. 103.
	<i>Crassula falcata.</i> B.M. 2035. <i>Rochea falcata.</i> DC.						
	β minor. H.R.	lesser falcated.	— — — —	1821.	—	G. $\frac{1}{2}$.	
2	perfoliata. H.R.	great perfoliate.	— — — —	1725.	7. 8.	G. $\frac{1}{2}$.	DC. plant. gras. 13.
	β alba. H.R.	white perfoliate.	— — — —	—	—	G. $\frac{1}{2}$.	
SEPTAS. H.S. SEPTAS. Heptandria Heptagynia. L.							
1	capensis. H.S.	Cape.	C. B. S.	1774.	8. 9.	G. $\frac{1}{4}$.	Andr. repos. 98.
2	globiflora. B.M.	globe-flow'ring.	— — — —	1809.	3. 5.	G. $\frac{1}{4}$.	Botan. magaz. 1472.
3	umbella. H.S.	skreen.	— — — —	1800.	7.	G. $\frac{1}{4}$.	Jacq. vind. 2. t. 352.
	<i>Crassula umbella.</i> Jacq.						
COTYLEDON. H.S. NAVELWORT. Decandria Pentagynia. L.							
1	orbiculata. H.S.	round-leaved.	C. B. S.	1789.	7. 8.	G. $\frac{1}{2}$.	
2	ovata. H.S.	ovate-leaved.	— — — —	1789.	7. 10.	G. $\frac{1}{2}$.	Botan. magaz. 321.
	<i>orbiculata.</i> B.M.						
3	oblonga. H.S.	oblong-leaved.	— — — —	1690.	—	G. $\frac{1}{2}$.	
4	triflora. H.R.	three-flowered.	— — — —	1821.	—	G. $\frac{1}{2}$.	
5	ramosa. H.S.S.	branching.	— — — —	1768.	—	G. $\frac{1}{2}$.	Moris. sect. 12. t. 7. f. 39.
6	ramosissima. H.S.S.	cluster-branch'd.	— — — —	1816.	G. $\frac{1}{2}$.	
7	fascicularis. H.S.	clustered.	— — — —	1759.	7. 9.	G. $\frac{1}{2}$.	Burm. afr. 41. t. 18.
8	hemisphærica. H.S.	thick-leaved.	— — — —	1731.	6. 7.	G. $\frac{1}{2}$.	DC. plant. gras. 87.
9	spuria. H.S.	narrow-leav'd.	— — — —	—	7. 8.	G. $\frac{1}{2}$.	Comm. rar. t. 23.
10	mucronata. s.s.	mucronate.	— — — —	1818.	G. $\frac{1}{2}$.	Burm. dec. t. 19. f. 2.
	<i>undulata.</i> H.S.S.						
11	jasminiflora. H.R.	Jasmine-fl'd.	— — — —	—	6. 8.	G. $\frac{1}{2}$.	
12	elata. H.S.S.	tall powdered.	— — — —	1816.	—	G. $\frac{1}{2}$.	
13	cuneata. H.S.S.	large pubesc'nt.	— — — —	1813.	G. $\frac{1}{2}$.	
14	coruscans. H.S.S.	sparkling.	— — — —	1818.	3. 5.	G. $\frac{1}{2}$.	Botan. magaz. 2601.
	<i>canalifolia.</i> H.P.						
15	curviflora. B.M.	curv'd-flow'r'd.	— — — —	1813.	7. 8.	G. $\frac{1}{2}$.	— — — — 2044.
	<i>purpurea.</i> H.S.S. <i>vic Thunb.</i>						
16	decussata. B.M.	cross-leaved.	— — — —	—	5. 6.	G. $\frac{1}{2}$.	— — — — 2518.
	<i>papillaris.</i> H.S.S. <i>non Thunb.</i>						
17	tricuspidata. H.P.	trident-leaved.	— — — —	1820.	G. $\frac{1}{2}$.	
18	cacalioides. H.R.	Cacalia-leaved.	— — — —	—	5. 6.	G. $\frac{1}{2}$.	
19	rhombifolia. H.P.	rhomb-leaved.	— — — —	1823.	G. $\frac{1}{2}$.	
20	mammillaris. H.S.S.	mammillary.	— — — —	1818.	5. 7.	G. $\frac{1}{2}$.	Burm. dec. t. 21. f. 1.
21	canaliculata. H.S.S.	channel-leav'd.	— — — —	1818.	G. $\frac{1}{2}$.	
22	maculata. H.R.	spotted-leaved.	— — — —	—	5. 7.	G. $\frac{1}{2}$.	
23	coccinea. Cav.	scarlet.	1816.	1. 8.	G. $\frac{1}{2}$.	Botan. magaz. 2572.
24	tuberculosa. s.s.	tubercled.	C. B. S.	1822.	G. $\frac{1}{2}$.	
25	ungulata. s.s.	ungulate.	— — — —	—	G. $\frac{1}{2}$.	
26	gracilis. H.S.S.	slender.	Portugal.	1800.	5. 8.	G. $\frac{1}{2}$.	
27	cæspitosa. H.M.N.	tongue-leaved.	California.	1796.	6. 8.	G. $\frac{1}{4}$.	
	<i>linguæformis.</i> H.K.						
28	dichotoma. H.R.	fork-spined.	C. B. S.	1818.	—	G. $\frac{1}{2}$.	
29	spinosa. s.s.	spiny.	Siberia.	F. $\frac{1}{4}$.	
30	serrata. H.S.	notch-leaved.	Crete.	1732.	6. 7.	H. $\frac{1}{4}$.	Dill. elt. t. 95. f. 112.
31	hispanica. H.S.	Spanish.	Spain.	1796.	—	H. $\frac{1}{2}$.	DC. plant. gras. 122.
32	Umbilicus. E.B.	Pennywort.	Britain.	6. 9.	H. $\frac{1}{4}$.	Eng. bot. 325.
33	lutea. E.B.	yellow.	England.	—	H. $\frac{1}{4}$.	— — — — 1522.
OROSTACHYS. F. OROSTACHYS. Decandria Pentagynia.							
	<i>Malacophyllum.</i> F.	annual.	Davuria.	1815.	6. 7.	H. \odot .	Pall. it. 3. ap. t. G. f. 11.
	<i>Cotyledon malacophyllum.</i> W.						
KALANCHOE. H.S. KALANCHOE. Octandria Tetragynia.							
1	spathulata. DC.	yellow spathulate.	China.	1820.	7. 9.	D.S. $\frac{1}{2}$.	DC. plant. gras. 63.
2	ægyptiaca. DC.	red spathulate.	Egypt.	—	—	D.S. $\frac{1}{2}$.	— — — — 64.

- 3 *rotundifolia*. H.P. round Orpine-ld. C. B. S. 1820. 7. 9. G. ½.
Crassula rotundifolia. H.P. 188.
- 4 *acutiflora*. H.R. white flower'd. E. Indies? 1806. — D.S. ½. Andr. reposit. 460.
Veria acutiflora. A.R.
- 5 *Verea*. P.S. Vere's. Sierra Leon. 1793. — D.S. ½. ——— 21.
Veria crenata. A.R. *Cotyledon crenatum*. B.M. 1436.
- 6 *laciniata*. DC. cut-leaved. E. Indies. 1731. 7. 8. D.S. ½. DC. plant. gras. 100.
- 7 *ceratophylla*. H.R. buck's-horn-ld. China. 1820. 9. 1. D.S. ½.
- BRYOPHYLLUM**. P.L. **BRYOPHYLLUM**. Octandria Tetragynia.
calycinum. P.L. large-cupped. Mauritius. 1800. 4. 7. D.S. ½. Parad. lond. 3.
- RHODIOLA**. L. ROSE-ROOT. Diœcia Octandria. L.
rosea. L. common. Britain. 5. 7. H. ¼. Eng. bot. 508.
- SEDUM**. L. STONECROP. Decandria Pentagynia. L.
- 1 *maximum*. L.en. great purple. Spain. 1794. 7. 8. H. ¼.
Anacampseros maxima. H.S.
- 2 *albicans*. great white. Europe. — — H. ¼.
Anacampseros albicans. H.S.
- 3 *triphyllum*. three-ld. purple. Portugal. — — H. ¼.
purpureum. L.en. *Anacampseros triphylla*. H.S.
- 4 *verticillatum*. W. whorl-leaved. S. Europe. 7. 9. H. ¼. Amœn. ac. 2. t. 4. f. 14.
- 5 *argutum*. lance-toothed. Carpathian. m. 1820. — H. ¼.
Anacampseros arguta. H.R.
- 6 *paucidentis*. H.R. few-toothed. — H. ¼.
- 7 *pectinatum*. pectinated. — H. ¼.
Anacampseros pectinata. H.R.
- 8 *Telephium*. E.B. common Orpine. Britain. — H. ¼. Eng. bot. 1319.
Anacampseros vulgaris. H.S.
- 9 *Anacampseros*. W. evergreen. France. 1596. 7. 8. H. ¼. Botan. magaz. 118.
Anacampseros sempervirens. H.S.
- 10 *telephioides*. M. Rhodiola-like. N. America. 1810. — H. ¼.
- 11 *lividum*. W.en. livid. 1820. — H. ¼.
- 12 *Aizoon*. W. yellow Orpine. Siberia. 1757. 7. 9. H. ¼. DC. plant. gras. 101.
- 13 *populifolium*. W. Poplar-leaved. — 1780. 7. 8. H. ½. Botan. magaz. 211.
- 14 *divaricatum*. W. spreading. Madeira. 1777. 6. 7. G. ½.
- 15 *ciliare*. fringed. Caucasus. 1810. 7. 9. H. ¼. Botan. magaz. 1807.
oppositifolium. B.M. *Anacampseros ciliaris*. H.R.
- 16 *spurium*. W.en. greater fringed. — — H. ¼. ——— 2370.
- 17 *dentatum*. H.R. large-toothed. — H. ¼.
- 18 *hybridum*. W. German-leaved. Siberia. 1766. 5. 7. H. ¼. Mur. c. got. 6. t. 5.
- 19 *ternatum*. M. dwarf 3-leav'd. N. America. 1789. 7. 8. H. ¼. Botan. regist. 142.
- 20 *stellatum*. W. starry. S. Europe. 1640. 6. 7. H. ⊙. Cam. hort. 7. ic. 2.
- 21 *Cepœa*. W. paniced. France. — 7. 8. H. ⊙. W. et K. hung. t. 104.
spatulatum. W.K.
- 22 *sempervivoides*. F. houseleek-ld. Iberia. 1823. 6. 8. H. ¼. Botan. magaz. 2474.
- 23 *ochroleucum*. H.P. tall sharp-cupp'd. Greece. 7. 8. F. ¼.
- 24 *altissimum*. DC. tall blunt-cupp'd. Italy. 1769. — H. ¼. Jacq. vind. 1. t. 81.
Jacquini. H.P. *Sempervivum sediforme*. Jacq.
- 25 *cœrulescens*. H.P. great straw-fld. — H. ¼.
- 26 *reflexum*. H.P. reflex-leaved. Britain. 6. 7. H. ¼. Eng. bot. 695.
- 27 *septangulare*. H.P. 7-angled glaucous. Europe. 7. 8. H. ¼. DC. plant. gras. 115.
rupestre. DC. non L. *collinum*. W.en. ex H.P.
- 28 *glaucum*. H.P. glaucous short-ld. England. 6. 7. H. ¼. Eng. bot. 2477.
- 29 *minus*. H.P. lesser short-ld. — H. ¼. DC. plant. gras. 116.
reflexum. DC. non H.P.
- 30 *spirale*. H.P. small 7-angled. 1820. 6. 7. H. ¼. DC. plant. gras. 118.
sexangulare. DC. non E.B.
- 31 *recurvatum*. H.P. slender recurv'd. — H. ¼.
- 32 *anopetalum*. H.P. broader-leaved. S. France. 1815. — H. ¼.
- β *aurantiacum*. H.P. orange-colour'd. — H. ¼.
- 33 *virens*. H.P. deep green-ld. Portugal. 1774. — H. ¼.
- 34 *rupestre*. H.P. expanding glaucous. England. — H. ¼. Eng. bot. 170.
virescens. W.en.
- 35 *Forsterianum*. E.B. Forster's. Wales. 7. 8. H. ¼. ——— 1802.
- 36 *quadrifidum*. W. four-cleft. N. Asia. 1800. — H. ¼. Pall. it. 3. a. t. P. f. 1.
- 37 *nudum*. W. naked-branch'd. Madeira. 1777. — G. ½.
- 38 *quinquefidum*. H.R. linear-leaved. — H. ¼.
- 39 *hexapetalum*. H.R. six-petaled. — H. ¼.
- 40 *sexfidum*. H.R. six-cleft. Caucasus. 1818. — H. ⊙.
- 41 *monregalense*. W.en. clammy. S. Europe. 1816. 6. 7. H. ¼. Lodd. bot. cab. 464.

42	hispanicum. w.	Spanish.	Spain.	1732.	—	H. 4.	Jacq. aust. 5. t. a. 47.
43	album. E.B.	white.	England.	6. 7.	H. 4.	Eng. bot. 1578.
44	villosum. E.B.	hairy.	Britain.	—	H. 4.	— 171.
45	annuum. w.	annual.	N. Europe.	1739.	7. 9.	H. ☉.	
46	atratum. w.	dark annual.	Italy.	1795.	—	H. ☉.	Jacq. aust. 1. t. 8.
47	dasyphyllum. E.B.	thick-leaved.	England.	6. 7.	H. 4.	Eng. bot. 656.
48	pallidum. M.B.	pale-red.	Caucasus.	1820.	7. 9.	H. ☉.	
49	cœruleum. w.	blue pubescent.	N. Africa.	1821.	—	H. h.	Botan. regist. 520.
50	sexangulare. E.B.	insipid.	England.	6. 7.	H. 4.	Eng. bot. 1946.
51	acre. E.B.	biting.	Britain.	—	H. 4.	— 839.
52	saxatile. w.	rock.	S. Europe.	1820.	7. 9.	H. 4.	
53	pallens. H.R.	5-petaled glaucous.	—	—	H. ☉?	
54	oblongum. H.R.	oblong-leaved.	England.	7. 8.	H. 4.	
55	anglicum. H.R.	small English.	—	—	H. 4.	Eng. bot. 171.
	β microphyllum. H.R.	least English.	—	—	H. 4.	
MONANTHES. H.R. MONANTHES. Dodecandria Heptagynia.							
	polyphylla. H.R.	many-leaved.	Canaries.	1777.	7. 9.	G. 4.	Botan. magaz. 93.
	Semprevivum monanthos. B.M.						
SEMPERVIVUM. L. HOUSELEEK. Dodecandria Dodecagynia. L.							
1	arboreum. w.	tree.	Levant.	1640.	12. 3.	G. h.	Botan. regist. 99.
	β variegatum. H.R.	variegated.	—	—	G. h.	
	γ atropurpureum. H.R.	dark-purple-l'd.	—	—	G. h.	
2	canariense. w.	Canary.	Canaries.	1699.	6. 7.	G. h.	DC. plant. gras. 141.
3	glutinosum. w.	clammy.	Madeira.	1777.	7. 8.	G. h.	Botan. regist. 278.
4	Smithii. B.M.	Smidt's.	Canaries.	1815.	9.	G. h.	Botan. magaz. 1980.
5	tabulæforme. H.R.	table-shaped.	Madeira.	—	7. 9.	G. h.	
6	aureum. s.s.	chalice formed.	—	—	6. 7.	G. h.	Botan. regist. 892.
	calyciforme. H.S.S.						
7	spurium. H.R.	spurious.	Hybrid.	—	G. h.	
8	barbatum. s.s.	bearded.	Madeira.	1815.	—	G. h.	
	lineolare. H.S.S.						
9	glandulosum. w.	gland-edged.	—	1777.	3. 5.	G. h.	
10	ciliatum. s.s.	ciliated.	Teneriffe.	1815.	G. h.	
11	cæspitosum. s.s.	latchet-leaved.	Madeira.	1815.	9. 4.	G. h.	Botan. magaz. 1978.
	ciliatum. B.M. non w.	ciliare. H.S.S.					
12	hybridum. H.R.	hybrid.	Hybrid.	—	G. h.	
13	laxum. H.R.	loose-flowered.	1820.	7. 10.	G. ♂.	
14	villosum. w.	small shrubby villous.	Madeira.	1777.	6. 7.	G. h.	
15	stellatum. H.R.	annual villous.	—	1790.	7. 8.	H. ☉.	Botan. magaz. 1809.
	villosum. B.M.						
16	tortuosum. w.	twisted.	Canaries.	1779.	—	G. h.	— 296.
17	dodrantale. w.en,	smooth-l'd annual.	Teneriffe.	1815.	—	H. ☉.	
18	africanum. H.S.	African.	C. B. S.	1768.	G. 4.	
19	tectorum. w.	common.	Britain.	...	6. 9.	H. 4.	Eng. bot. 1320.
20	grandiflorum. H.R.	great-flowered.	Germany.	1731.	6. 7.	H. 4.	Botan. magaz. 507.
	globiferum. B.M. non L.						
21	flagelliforme. s.s.	whip-lash.	Siberia.	1818.	—	H. 4.	
22	hirtum. w.	hairy.	Italy.	1804.	—	H. 4.	Schmidt ic. t. 17.
23	montanum. w.	red-flowered.	Switzerland.	1752.	—	H. 4.	DC. plant. gras. 105.
24	globiferum. H.R.	hen & chicken.	Germany.	—	H. 4.	Botan. magaz. 1457.
25	arachnoideum. w.	cobweb.	Italy.	1699.	—	H. 4.	— 68.
26	cuspidatum. H.R.	pin pointed.	Siberia.	1790.	8.	H. 4.	Gmel. sib. t. 67. f. 2.
PENTHORUM. W. Penthorum. Decandria Pentagynia. L.							
	sedoides. w.	American.	Virginia.	1768.	7. 8.	H. 4.	Lam. ill. t. 390.

ORDO LXXXIX.

SAXIFRAGEÆ. Juss. gen. 308.

SAXIFRAGA. L.	SAXIFRAGE.	Decandria Digynia. L.		
1	crassifolia. L.T.	thick-leaved.	Siberia.	1765. 3. 5. H. 4. Botan. magaz. 196.
	Bergenia crassifolia. Moen.	Megasea crassifolia H.R.		
2	cordifolia. L.T.	heart-leaved.	—	1779. — H. 4.

3	media.	intermediate.	————	1819.	——	H. 4.	
	<i>Megasea media.</i> H.R.						
4	ligulata. L.T.	fringed-leaved.	Nepaul.	1818.	——	H. 4.	Swt. br. fl. gar. 59.
	<i>Megasea ciliata.</i> H.R.						
5	Geum. L.T.	kidney-leaved.	Ireland.	6. 7.	H. 4.	Eng. bot. 61.
6	hirsuta. L.T.	hirsute.	————	5. 6.	H. 4.	———— 232A
7	polita. L.en.	polished.	————	——	H. 4.	
	<i>Robertsonia polita.</i> H.S.						
8	dentata. L.en.	toothed.	————	——	H. 4.	
	<i>Robertsonia dentata.</i> H.S.						
9	crenata.	crenated.	1790.	——	H. 4.	
	<i>Robertsonia crenata.</i> H.S.						
10	sphæroidea.	sphæroid.	Pyrenees?	1800.	——	H. 4.	
	<i>Robertsonia sphæroidea.</i> H.S.						
11	punctata. L.	dotted-flow'r'd.	Siberia.	1699.	——	H. 4.	
12	serrata. L.en.	sawed-leaved.	Ireland.	——	H. 4.	
	<i>Robertsonia serrata.</i> H.S.						
13	umbrosa. L.T.	London pride.	Britain.	4. 6.	H. 4.	Eng. bot. 633.
14	cuneifolia. L.T.	wedge-leaved.	Switzerland.	1768.	5. 6.	H. 4.	W. et K. hung. 1. t. 44.
15	hybrida. L.en.	hybrid.	1820.	——	H. 4.	Sternb. sax. 17. t. 8. f. 3
16	stellaris. L.T.	starry.	Britain.	6. 7.	H. 4.	Eng. bot. 167.
	δ <i>Schleicheri.</i> L.T.	<i>Schleicher's.</i>	Switzerland.	1819.	——	H. 4.	
	<i>Spatularia stellaris.</i> γ <i>depilata.</i> H.R.						
17	leucanthemifolia. L.T.	Stock-leav'd.	N. America.	1812.	——	H. 4.	Lap. pyr. sax. t. 25.
18	sarmentosa. L.T.	sarmentose.	China.	1771.	——	F. 4.	Botan. magaz. 92.
	<i>Diptera sarmentosa.</i> Bork.	<i>Ligularia sarmentosa.</i> H.R.					
19	cuscutæformis. B.C.	dodder-like.	————	1815.	2. 7.	F. 4.	Lodd. bot. cab. t. 186.
	<i>Ligularia minor.</i> H.R.						
20	erosa. L.T.	jagged-leaved.	N. America.	1812.	5. 6.	H. 4.	
	<i>Aulaxis nuda.</i> H.R.						
	β <i>hirsuta.</i> L.T.	hairy.	————	——	——	H. 4.	
	<i>Aulaxis micranthifolia.</i> H.R.						
21	rotundifolia. L.T.	round-leaved.	Austria.	1596.	——	H. 4.	Botan. magaz. 424.
	<i>Miscopetalum rotundifolium.</i> H.R.						
	β <i>repanda.</i> L.T.	repand.	————	——	H. 4.	Sternb. saxif. t. 5.
22	granulata. L.T.	grain-rooted.	Britain.	5.	H. 4.	Eng. bot. 500.
	β <i>multiplex.</i>	double-flowered.	————	——	H. 4.	
23	cernua. L.T.	drooping.	Scotland.	7.	H. 4.	Eng. bot. 664.
	<i>Lobaria cernua.</i> H.R.						
24	sibirica. L.T.	Siberian.	Siberia.	1802.	5. 6.	H. 4.	Sternb. sax. t. 12. f. 4?
25	rivularis. L.T.	Alpine brook.	Scotland.	6. 7.	H. 4.	Eng. bot. 2275.
	<i>Lobaria rivularis.</i> H.R.						
26	hederacea. L.T.	Ivy-leaved.	Levant.	1752.	7.	H. ☉.	Flor. græc. t. 379.
27	Hirculus. L.T.	yellow marsh.	England.	8.	H. 4.	Eng. bot. 1009.
	<i>Hirculus ranunculoides.</i> H.R.						
28	flagellaris. L.T.	flagelliferous.	Baffin's Bay.	1820.	——	H. 4.	Sternb. sax. p. 25. t. 6.
29	aizoides. L.T.	smaller mountain.	Britain.	7. 8.	H. 4.	———— t. 8. f. 1.
	β <i>autumnalis.</i>	larger mountain.	————	——	H. 4.	Eng. bot. 39.
	<i>Leptasea aizoides.</i> H.R.						
30	bronchialis. L.T.	spiny-fringed.	Siberia.	1819.	——	H. 4.	Gmel. sib. 4. t. 65. f. 2.
31	tenella. L.T.	slender.	Carinthia.	1824.	——	H. 4.	Jacq. coll. 3. t. 17.
32	aspera. L.T.	rough.	Switzerland.	1752.	8.	H. 4.	Jacq. aust. 5. t. 31.
	<i>Ciliaria aspera.</i> H.R.						
33	bryoides. L.T.	thread-moss like.	————	——	6. 7.	H. 4.	Jacq. misc. 2. t. 5. f. 1.
34	hieracifolia. L.T.	Hawkweed-ld.	Hungary.	1789.	5. 6.	H. 4.	W. et K. hung. 1. t. 18.
35	pensylvanica. L.T.	Pennsylvanian.	N. America.	1732.	——	H. 4.	Dill. elt. t. 253. f. 328.
	β <i>glabra.</i>	smoother-leaved.	————	——	——	H. 4.	
36	semipubescens. L.T.	semipubescent.	————	——	H. 4.	
	<i>Micranthes semipubescens.</i> H.S.						
37	virginiensis. L.T.	Virginian.	————	1790.	5. 7.	H. 4.	Botan. magaz. 1664.
	<i>Dermasea pilosa.</i> H.R.						
38	congesta. H.S.L.	close-headed.	————	1812.	——	H. 4.	
	<i>nivalis.</i> Ph. nec <i>uliorum.</i>						
39	nivalis. L.T.	clustered Alpine.	Britain.	6. 7.	H. 4.	Eng. bot. 440.
	<i>Dermasea nivalis.</i> H.R.						
40	Cotyledon. L.T.	pyramidal.	Alps Europe.	1596.	5. 7.	H. 4.	Flor. dan. t. 241.
	<i>Chondrosea pyramidalis.</i> H.R.						
41	intermedia.	related.	1808.	7.	H. 4.	
	<i>Chondrosea intermedia.</i> H.R.						

42	lingulata. L.T.	tongue-leaved.	Pyrenees.	5. 7.	H. 4.	
	<i>longifolia</i> . s.s.						
	<i>β media</i> . L.T.	<i>middle</i> .	————	—	H. 4.	Sternb. sax. p. 1. t. 1. a.
43	crustata. L.en.	crusted.	————	—	H. 4.	———— t. 1. b.
44	Aizoon. L.T.	large margined.	————	1731.	—	H. 4.	Jacq. aust. t. 438.
45	recta. P.S.	straight-leav'd.	Alps Europe.	5. 7.	H. 4.	Lap. pyr. sax. t. 15.
	<i>intacta</i> . L.T. <i>Chondrosca Aizoon</i> . H.R.						
	<i>β minor</i> . H.R.	<i>lesser</i> .	————	—	H. 4.	
	<i>γ parviflos</i> . H.R.	<i>smaller-flower'd</i> .	————	—	H. 4.	
46	mutata. L.T.	saffron-colour'd.	Switzerland.	1779.	6. 7.	H. 4.	Botan. magaz. 351.
47	aretioides. L.T.	Aretia-like.	————	1825.	H. 4.	Lap. pyr. sax. t. 13.
48	Burseriana. L.T.	Burser's.	Italy.	—	5. 6.	H. 4.	Jacq. misc. 1. t. 17. f. 3.
49	retusa. L.T.	purple-flow'r'd.	Pyrenees.	3. 4.	H. 4.	Lap. pyr. sax. t. 18.
50	oppositifolia. L.T.	opposite-leav'd.	Britain.	—	H. 4.	Eng. bot. t. 9.
	<i>Antiphylla cærulea</i> . H.R.						
51	biflora. L.T.	two-fl'd purple.	Switzerland.	1825.	—	H. 4.	Lap. pyr. sax. t. 17.
52	cæsia. L.T.	grey.	————	1752.	5. 6.	H. 4.	Jacq. aust. 4. t. 374.
53	androsacea. L.T.	Androsace-ld.	————	1792.	—	H. 4.	Jacq. aust. 4. t. 389.
54	sedioides. L.T.	Stonecrop-like.	Europe.	1825.	H. 4.	Jacq. misc. 2. t. 21. f. 22.
55	tenera. L.T.	flat-leaved.	Switzerland.	—	5. 6.	H. 4.	Sternb. sax. t. 9. f. 4.
	<i>planifolia</i> . s.s.						
56	geranioides. L.S.	cranesbill-ld.	Pyrenees.	1770.	4. 5.	H. 4.	Lap. pyr. sax. t. 43.
57	irrigua. L.T.	crowfoot-ld.	Siberia.	1820.	—	H. 4.	M.B. cent. pl. rar. t. 73.
58	pedatifida. L.T.	pedatifid.	Scotland.	5. 6.	H. 4.	Eng. bot. 2278.
	<i>β minor</i> . H.R.	<i>smaller villous</i> .	————	—	H. 4.	
59	quinquefida. H.R.	quinquefid.	————	—	H. 4.	
60	ceratophylla. L.T.	shining-calyx'd.	Spain.	1804.	—	H. 4.	Botan. magaz. 1651.
61	ajugifolia. L.T.	Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. 4.	Lap. pyr. sax. t. 31.
62	affinis. L.T.	affined.	Ireland.	—	H. 4.	
63	pentadactyla. L.T.	five-fingered.	Pyrenees.	1815.	5. 6.	H. 4.	Lap. pyr. sax. t. 40.
64	decipiens. L.T.	palmate.	Wales.	—	H. 4.	Eng. bot. 455.
	<i>palmata</i> . E.B.						
65	hirta. L.T.	hairy.	Ireland.	—	H. 4.	— — — 2291.
66	platypetala. L.T.	broad-petaled.	Scotland.	6.	H. 4.	— — — 2276.
66	incurvifolia. L.T.	incurved-ld.	Ireland.	—	H. 4.	
68	denudata. L.T.	half naked.	Scotland.	—	H. 4.	
69	Sternbergii. L.T.	Sternberg's.	Germany.	5. 6.	H. 4.	Sternb. sax. t. 24.
70	pulchella. L.T.	pretty.	————	1818.	—	H. 4.	
71	tridentata. L.T.	three-toothed.	—	H. 4.	
72	cæspitosa. L.T.	tufted.	Wales.	—	H. 4.	Eng. bot. 794.
73	exarata. L.T.	furrowed.	Pyrenees.	1818.	—	H. 4.	Lap. pyr. sax. t. 39.
	<i>nervosa</i> . Lap.						
74	moschata. L.T.	musky.	————	—	H. 4.	Jacq. misc. 2. t. 21. f. 2.
75	muscoides. L.T.	Moss like.	England.	—	H. 4.	Lap. pyr. sax. t. 35.
	<i>Muscaria muscoides</i> . H.R.						
76	pygmæa. L.T.	pigmy.	Scotland.	—	H. 4.	Eng. bot. 2214.
	<i>moschata</i> . E.B. non Jacq. <i>Muscaria cæspitosa</i> . H.R.						
77	tridactylites. E.B.	Rue-leaved.	Britain.	3. 5.	H. ⊙.	— — — 501.
	<i>Tridactylites annua</i> . H.R.						
78	controversa. s.s.	confused.	N. Europe.	—	H. ⊙.	Sternb. sax. t. 16.
79	petræa. L.T.	rock.	Carinthia.	1752.	4. 5.	H. ⊙.	Jacq. ic. 1. t. 81.
80	adscendens. L.T.	ascending.	Pyrenees.	—	5. 6.	H. 4.	Sternb. sax. t. 19. f. 1. 2.
	<i>aquatica</i> . St.						
81	condensata. L.T.	close.	Scotland.	H. 4.	Gmel. fl. bad. t. 3.
82	elongella. L.T.	long peduncled.	————	—	H. 4.	Eng. bot. 2277.
83	leptophylla. L.T.	narrow-leaved.	Wales.	5. 6.	H. 4.	
	<i>β angustifida</i> . L.T.	<i>narrow-lobed</i> .	————	—	H. 4.	
84	lætevirens. L.T.	light-green.	Scotland.	—	H. 4.	
85	hypnoides. L.T.	mossy.	Britain.	4. 6.	H. 4.	Eng. bot. 454.
	<i>β viscosa</i> . L.T.	<i>viscous</i> .	————	—	H. 4.	
	<i>γ angustifolia</i> . L.T.	<i>narrow-leaved</i> .	————	—	H. 4.	
	<i>δ muscosa</i> . L.T.	<i>tufted</i> .	————	—	H. 4.	
	<i>ε pulchella</i> . L.T.	<i>larger</i> .	————	—	H. 4.	
	<i>ζ spatulata</i> . H.R.	<i>spatulate</i> .	————	—	H. 4.	
	<i>η lutifida</i> . H.R.	<i>broad-cleft</i> .	————	—	H. 4.	
	<i>θ rhodopetala</i> . H.R.	<i>rosy-petaled</i> .	————	—	H. 4.	
	<i>ι recurvula</i> . H.R.	<i>recurving-cup'd</i> .	————	—	H. 4.	
	<i>κ aristata</i> . H.R.	<i>awned</i> .	————	—	H. 4.	
	<i>λ septifida</i> . H.R.	<i>seven-cleft</i> .	————	—	H. 4.	

86 lanceolata. H.B.	spear-leaved.	Europe.	1808.	—	H. 2.	
obtusa. H.R.	blunt-leaved.	—	1820.	—	H. 2.	
87 altifida. H.R.	deep-cleft.	—	—	H. 2.	
88 viscosa. H.R.	viscous.	—	—	H. 2.	
89 quinquedens. H.R.	five-toothed.	—	—	H. 2.	
90 Haworthii. H.S.L.	Haworth's.	—	—	H. 2.	
hirta. H.R. non E.B.						
HEUCHERA. L.	HEUCHERA. Pentandria Digynia. L.					
1 americana. L.	viscid.	N.America.	1656.	5. 7.	H. 2.	Pluk alm. t. 58. f. 3.
viscida. Ph.						
2 pubescens. Ph.	pubescent.	—	1812.	—	H. 2.	
3 hispida. Ph.	hispid.	—	1820.	—	H. 2.	
4 villosa. M.	villous.	—	1812.	—	H. 2.	
5 caulescens. Ph.	caulescent.	—	...	—	H. 2.	
TIARELLA. L.	TIARELLA. Decandria Digynia. L.					
1 cordifolia. Ph.	heart-leaved.	N.America.	1731.	4. 5.	H. 2.	Botan. magaz. 1589.
2 Menziesii. Ph.	leafy-stemmed.	—	1812.	—	H. 2.	
3 polyphylla. D.P.	many-leaved.	Nepaul.	1818.	—	H. 2.	
ASTILBE. D.P.	ASTILBE. Oct-Decandria Digynia.					
decandra. D.P.	decandrous.	Carolina.	1812.	5. 6.	F. 2.	Vent. malm. 54.
Tiarella biternata. V.						
MITELLA. L.	MITELLA. Decandria Digynia. L.					
1 diphylla. w.	two-leaved.	N.America.	1731.	4. 5.	H. 2.	Botan. regist. 166.
2 cordifolia. w.	heart-leaved.	—	1812.	—	H. 2.	Lam. ill. t. 373. f. 3.
3 reniformis. Lam.	kidney-leaved.	—	1758.	6. 8.	H. 2.	— t. 373. f. 2.
nuda. w.						
4 prostrata. M.	prostrate.	—	1812.	5. 6.	H. 2.	
CHRYSOSPLENIUM. L.	GOLDEN SAXIFRAGE. Oct-Decandria Digynia.					
1 alternifolium. w.	alternate-ld.	Britain.	4. 5.	H. 2.	Eng. bot. 54.
2 oppositifolium. w.	opposite-leav'd.	—	—	H. 2.	— 490.
3 nepalense. D.P.	Nepaul.	Nepaul.	1824.	—	H. 2.	
ADOXA. L.	MOSCHATEL. Oct-Decandria Tetragynia.					
Moschatellina. E.B.	tuberous.	Britain.	3. 5.	H. 2.	Eng. bot. 453.
HYDRANGEA. L.	HYDRANGEA. Decandria Digynia. L.					
1 arborescens. w.	shrubby.	Virginia.	1736.	7. 8.	H. 2.	Botan. magaz. 437.
vulgaris. Ph.						
2 cordata. Ph.	heart-leaved.	Carolina.	1806.	—	H. 2.	Wats. dend. brit. t. 42.
3 radiata. w.	white-leaved.	—	1786.	—	H. 2.	Lam. ill. t. 370. f. 2.
nivea. Wats. dend. brit. 43.						
4 heteromalla. D.P.	woolly-leaved.	Nepaul.	1823.	H. 2.	
5 quercifolia. w.	Oak-leaved.	Florida.	1803.	6. 9.	F. 2.	Botan. magaz. 975.
6 hortensis. w.	changeable.	China.	1788.	4. 9.	F. 2.	— 438.

ORDO XC.

CUNONIACEÆ. *Brown.*

WEINMANNIA. L.	WEINMANNIA. Octandria Digynia. L.					
1 glabra. L.	smooth.	W. Indies.	1818.	5. 7.	S. 2.	Lam. ill. t. 313. f. 1.
2 hirta. w.	hairy.	—	—	—	S. 2.	
3 elliptica. K.S.	elliptic-leaved.	Peru.	1823.	G. 2.	
4 ovata. K.S.	oval-leaved.	—	—	G. 2.	Cav. ic. 6. t. 566.
CUNONIA. L.	CUNONIA. Decandria Digynia. L.					
capensis. w.	Cape.	C. B. S.	1816.	5. 7.	G. 2.	Botan. regist. 828.
CALLICOMA. A.R.	CALLICOMA. Dodecandria Digynia.					
serratifolia. A.R.	saw-leaved.	N. S. W.	1793.	5. 8.	G. 2.	Andr. reposit. 566.
CERATOPETALUM. Sm.	CERATOPETALUM. Decandria Monogynia.					
gummiferum. Sm.	gum-bearing.	N.Holland.	1820.	G. 2.	Sm. n. holl. 1. t. 3.
BAUERA. Sal.	BAUERA. Polyandria Digynia. H.K.					
1 rubiæfolia. Sal.	Madder-leaved.	N. S. W.	1793.	7. 12.	G. 2.	Sal. ann. bot. 1. t. 10.
rubioides. A.R. 198. B.M. 715.						
2 humilis. L.en.	dwarf.	—	1804.	—	G. 2.	

ORDO XCI.

UMBELLIFERÆ. *Juss. gen. 218.*

ARCTOPUS. S.S.	ARCTOPUS. Polygamia Diœcia. L.				
echinatus. s.s.	rough.	C. B. S.	1774.	6. 9. G. 4.	Botan. regist. 705.
ERYNGIUM. S.S.	ERYNGO. Pentandria Digynia. L.				
1 aquaticum. s.s.	marsh.	N. America.	1699.	7. 9. H. 4.	Botan. regist. 372.
2 longifolium. s.s.	long-leaved.	Mexico.	1812.	— G. 4.	Cav. ic. 6. t. 555.
3 bromelifolium. s.s.	Bromelia-ld.	New Spain.	1822. G. 4.	Laroch. eryng. t. 28.
4 ebracteatum. s.s.	bractless.	Monte Video.	1810.	7. 9. G. 4.	— t. 32.
5 planum. s.s.	flat-leaved.	Europe.	1596.	— H. 4.	Jacq. aust. 4. t. 391.
6 tricuspidatum. s.s.	trifid.	Spain.	1699.	9. H. ♂.	Laroch. eryng. t. 9.
7 asperifolium. s.s.	rough-leaved.	1824.	6. 8. H. 4.	— t. 11.
8 dichotomum. s.s.	forked.	S. Europe.	—	7. 9. H. 4.	Desf. atl. 1. t. 55.
9 cœruleum. M.B.	blue.	Caucasus.	1816.	— H. 4.	
10 giganteum. s.s.	gigantic.	Armenia.	1823.	— H. 4.	
11 alpinum. s.s.	Alpine.	Switzerland.	1597.	— H. 4.	Botan. magaz. 922.
β rigidum. P.S.	rigid.	France.	1816.	— H. 4.	
12 virgatum. s.s.	oval-leaved.	N. America.	1810.	6. 7. H. 4.	Laroch. eryng. t. 20.
13 gracile. s.s.	slender.	New Spain.	1818.	7. 9. G. 4.	— t. 24.
14 corniculatum. s.s.	horned.	Portugal.	1803.	6. 8. H. 4.	Botan. magaz. 1427.
15 tenue. s.s.	slender annual.	—	— H. ☉.	Moris. sect. 7. t. 35. f. 155.
16 pusillum. s.s.	dwarf.	Spain.	1640.	— H. 4.	Laroch. eryng. t. 16.
17 virginianum. s.s.	Virginian.	Virginia.	7. 9. H. 4.	— t. 19.
18 serratum. s.s.	serrated.	New Spain.	1823.	8. 10. G. 4.	Cav. ic. 6. t. 55.
19 foetidum. s.s.	stinking.	W. Indies.	1714.	— S. 4.	Sloan. jam. t. 156. f. 3. 44.
20 maritimum. s.s.	sea Holly.	Britain.	7. 10. H. 4.	Eng. bot. 718.
21 campestre. s.s.	field.	—	7. 8. H. 4.	— 57.
22 Bourgati. s.s.	cut-leaved.	S. France.	1731.	6. 8. H. 4.	Gouan. ill. 7. t. 3.
23 amethystinum. s.s.	amethystine.	Styria.	1648.	7. 8. H. 4.	W. et K. hung. 3. t. 2155.
24 dilatatum. s.s.	dilated.	Portugal.	— H. 4.	Laroch. eryng. t. 4.
25 comosum. s.s.	tufted.	New Spain.	1818.	— S. 4.	— t. 7.
26 azureum. R.S.	azure blue.	—	— H. 4.	
ECHINOPHORA. S.S.	ECHINOPHORA. Pentandria Digynia. L.				
1 spinosa. s.s.	prickly.	England.	7. H. 4.	Eng. bot. 2413.
2 tenuifolia. s.s.	fine-leaved.	Apulia.	1731.	7. 8. H. 4.	Flor. græc. t. 266.
ACTINOTUS. Lab.	ACTINOTUS. Pentandria Digynia.				
Helianthi. Lab.	larger.	N. S. W.	1821.	6. 12. G. 4.	Botan. regist. 654.
Eriocalia major. Ex.	bot. 80.				
SANICULA. S.S.	SANICLE. Pentandria Digynia. L.				
1 europæa. s.s.	wood.	Britain.	6. 7. H. 4.	Eng. bot. 98.
2 canadensis. s.s.	Canadian.	Canada.	1800.	— H. 4.	
3 marilandica. s.s.	Maryland.	N. America.	1765.	— H. 4.	Jacq. ic. 2. t. 348.
DONDIA. S.S.	DONDIA. Pentandria Digynia. L.				
Epipactis. s.s.	dwarf.	S. Europe.	1818.	5. 7. H. 4.	Jacq. aust. 5. t. 11.
Astrantia Epipactis. w.					
ASTRANTIA. S.S.	ASTRANTIA. Pentandria Digynia. L.				
1 major. w.	great black.	Alps Europe.	1596.	5. 9. H. 4.	Exot. bot. 2. t. 76.
2 carniolica. w.	Carniolian.	Carniola.	1812.	5. 6. H. 4.	Jacq. aust. 5. app. t. 100.
3 caucasica. R.S.	Caucasean.	Caucasus.	1824.	— H. 4.	
intermedia. M.B.					
4 maxima. Pall.	Hellebore-ld.	—	1804.	6. 7. H. 4.	Botan. magaz. 1553.
helleborifolia. P.L.	60. heterophylla. M.B.				
5 minor. w.	small.	Switzerland.	1686.	5. 6. H. 4.	Sm. exot. bot. 2. t. 777.
HYDROCOTYLE. S.S.	MARSH-PENNYWORT. Pentandria Digynia. L.				
1 vulgaris. s.s.	common.	Britain.	5. 6. H. w. 4.	Eng. bot. 751.
2 umbellata. s.s.	umbelled.	N. America.	1795.	7. 8. H. w. 4.	Spreng. umb. 1. t. 1.
3 americana. s.s.	American.	—	1790.	5. 8. H. w. 4.	— p. 3. t. 2. f. 3.
4 villosa. s.s.	villous.	C. B. S.	1795.	8. G. w. 4.	
5 nepalensis. H.E.F.	Nepaul.	Nepaul.	1818.	2. 6. G. w. 4.	Hook. ex. flor. 30.
hispida. D.P.					
6 nitidula. s.s.	glossy.	Java.	1821.	— S. w. 4.	— 29.

CHONDROCARPUS. N. CHONDROCARPUS. Pentandria Digynia. N.									
1 repanda. N.	Pilewort-ld.	N. America.	1806.	6. 7.	G.w. 2.	Spreng. umb. t. 2. f. 4.			
<i>Hydrocotyle repanda. s.s. Glyceria repanda. N.</i>									
2 asiatica. N.	thick-leaved.	Asia.	1690.	7. 8.	G.w. 2.	Rheed. mal. 10. t. 46.			
3 sibthorpioides. N.	Sibthorpia-like.	Mauritius.	1818.	—	S.w. 2.				
SPANANTHE. S.S. SPANANTHE. Pentandria Digynia. S.S.									
paniculata. s.s.	panicked.	Caracas.	1795.	7. 8.	S. 3.	Jacq. ic. 2. t. 350.			
<i>Hydrocotyle Spananthe. w.</i>									
TRACHYMENE. L.T. TRACHYMENE. Pentandria Digynia. S.S.									
incisa. L.T.	cut-leaved.	N. S. W.	1820.	6. 8.	G. 2.	Linn. trans. 10. t. 21. f. 2.			
BUPLEURUM. S.S. HARE'S-EAR. Pentandria Digynia. L.									
1 arborescens. s.s.	arborescent.	C. B. S.	1816.	G. h.				
<i>Tenoria arborescens. R.S.</i>									
2 coriaceum. s.s.	thick-leaved.	Gibraltar.	1784.	7. 8.	G. h.	Jacq. ic. 2. t. 351.			
3 fruticosum. s.s.	shrubby.	S. Europe.	1596.	—	H. h.	Flor. græc. t. 263.			
4 frutescens. s.s.	frutescent.	Spain.	1752.	8. 9.	H. h.	Cav. ic. 2. t. 106.			
5 plantagineum. s.s.	plantain-ld.	Barbary.	1809.	—	G. h.	Desf. atl. 1. t. 57.			
<i>β canescens. P.S. hoary.</i>									
6 spinosum. s.s.	thorny.	Spain.	1752.	—	G. h.	Gouan. ill. 8. t. 2. f. 3.			
7 difforme. s.s.	various-leaved.	C. B. S.	—	—	G. h.	Burm. afr. t. 71. f. 1.			
8 rotundifolium. s.s.	round-leaved.	England.	6. 7.	H. ⊙.	Eng. bot. 99.			
9 protractum. s.s.	protracted.	Portugal.	1824.	—	H. ⊙.				
10 heterophyllum. s.s.	various-leaved.	Egypt.	—	—	H. ⊙.				
11 aureum. s.s.	golden.	Siberia.	—	—	H. 2.				
12 longifolium. s.s.	long-leaved.	Switzerland.	1713.	5. 7.	H. 2.	Moris. sect. 9. t. 11.			
13 pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1814.	—	H. 2.	Gouan. ill. t. 4.			
14 angulosum. w.	angular-leaved.	Switzerland.	1759.	—	H. 2.	Moris. sect. 9. t. 12.			
15 ranunculoides. w.	Crowfoot-like.	Pyrenees.	1790.	7. 8.	H. 2.	Park. theatr. f. 7.			
16 caricifolium. w.	Carex-leaved.	S. France.	1824.	—	H. 2.				
17 Burserianum. w.en.	Burser's.	—	1820.	—	H. 2.				
18 graminifolium. s.s.	Grass-leaved.	Switzerland.	1768.	5. 7.	H. 2.	Jacq. ic. 1. t. 56.			
19 stellatum. s.s.	starry.	—	1775.	—	H. 2.	Hall. helv. t. 18.			
20 falcatum. s.s.	twisted-stalk'd.	Germany.	1739.	5. 9.	H. 2.	Jacq. aust. 2. t. 158.			
<i>scorzoneraefolium. W.en.</i>									
21 rigidum. R.S.	rigid.	S. France.	—	—	H. 2.	Moris. sect. 9. t. 12.			
22 nudum. s.s.	naked-stalked.	C. B. S.	1778.	10.	G. 2.				
23 canariense. s.s.	cut-leaved.	Canaries.	1780.	7.	G. 3.				
<i>Crithmum latifolium. L. Tenoria canariensis. R.S.</i>									
24 Odontites. s.s.	narrow-leaved.	England.	—	H. ⊙.	Eng. bot. 2468.			
<i>Odontites luteola. R.S.</i>									
25 junceum. s.s.	linear-leaved.	S. Europe.	1722.	7. 8.	H. ⊙.	Moris. sect. 9. t. 12.			
<i>β Gerardi. R.S. Gerard's.</i>									
26 baldense. R.S.	channel-leav'd.	M. Baldo.	1818.	—	H. ⊙.	Jacq. aust. t. 256.			
<i>exaltatum. P.S.</i>									
27 lancifolium. Horn.	lance-leaved.	1824.	6. 9.	H. ⊙.	W. et K. hung. 3. t. 257.			
28 semicompositum. s.s.	dwarf.	Spain.	1778.	—	H. ⊙.	Flor. græc. t. 261.			
<i>Odontites semicomposita. R.S.</i>									
29 Pollichii. R.S.	Pollich's.	Italy.	1820.	—	H. ⊙.				
30 tenuissimum. s.s.	slender.	England.	7. 8.	H. ⊙.	Eng. bot. 478.			
31 trifidum. s.s.	trifid-umbel'd.	Italy.	1824.	6. 9.	H. 2.				
HERMAS. S.S. HERMAS. Polygamia Monœcia. W.									
1 gigantea. s.s.	gigantic.	C. B. S.	1794.	6. 7.	G. 2.	Thunb. act. pet. 14. t. 11.			
2 villosa. s.s.	villous.	—	1795.	—	G. 2.	Burm. afr. t. 71. f. 2.			
<i>depauperata. L.</i>									
3 ciliata. s.s.	ciliated.	—	1816.	—	G. 2.	— t. 72. f. 1.			
PIMPINELLA. S.S. BURNET SAXIFRAGE. Pentandria Digynia. L.									
1 magna. s.s.	great.	England.	6. 8.	H. 2.	Eng. bot. 408.			
2 media. P.S.	middle.	Germany.	—	H. 2.	Hoff. deut. fl. t. 397.			
<i>orientalis. Jacq. aust. t. 397.</i>									
3 dissecta. w.	cut-leaved.	France.	—	H. 2.	Retz. obs. 3. t. 2.			
4 rotundifolia. M.B.	round-leaved.	Caucasus.	1816.	—	H. 3.	Spr. Anl. ed. 2. t. 4. f. 1. 4.			
<i>Sison rotundifolius. s.s.</i>									
5 Saxifraga. w.	common.	Britain.	—	H. 2.	Eng. bot. 407.			
6 nigra. w.en.	black-rooted.	Germany.	1683.	—	H. 2.	Moris. sect. 9. t. 5.			
7 lateriflora. L.en.	side-flowering.	Hungary.	1816.	—	H. 2.				
8 dichotoma. w.	dichotomous.	Spain.	1798.	—	H. 2.				
TRINIA. Hof. TRINIA. Pentandria Digynia. L.en.									
1 Hoffmanni. M.B.	Hoffman's.	England.	5. 6.	H. 2.	Eng. bot. 1209.			
<i>Pimpinella dioica. E.B.</i>									

2	Henningii. M.B.	Henning's.	Hungary.	1803.	6. 8.	H. 4.	W. et K. hung. t. 72.
	<i>Pimpinella glauca</i> . W.						
TRAGIUM. S.S.		TRAGIUM. Pentandria Digynia. S.S.					
1	Anisum. L.en.	Anise.	Egypt.	1551.	6. 8.	H. 0.	Moris. sect. 9. t. 9.
	<i>Sison Anisum</i> . R.s.	<i>Anisum vulgare</i> . G.					
2	Columnæ. s.s.	Columna's.	S. Europe.	1824.	—	H. 4.	Column. phyt. t. 17.
	<i>Pimpinella Tragium</i> . P.s.						
3	peregrinum. s.s.	nodding.	Italy.	1640.	—	H. 4.	Jacq. vind. 2. t. 131.
4	aromaticum. s.s.	aromatic.	Caucasus.	1824.	—	H. 4.	
5	Broteri. s.s.	Bubon-like.	Portugal.	1814.	—	H. 4.	
	<i>Pimpinella bubonoides</i> . P.s.						
6	Schousboei. R.s.	villous-flow'r'd.	Morocco.	1824.	—	H. 4.	
	<i>Pimpinella villosa</i> . Schous.						
LEDEBURIA. L.en.		LEDEBURIA. Pentandria Digynia. L.en.					
	<i>pimpinelloides</i> . L.en.	Taurian.	Tauria.	1824.	6. 8.	H. 4.	
	<i>Tragium tauricum</i> . S.S.						
SESELI. S.S.		MEADOW SAXIFRAGE. Pentandria Digynia. S.S.					
1	elatum. s.s.	tall.	Austria.	1710.	7. 8.	H. 4.	Gouan. ill. 16. t. 8.
2	glaucum. s.s.	glaucous.	France.	1759.	—	H. 4.	Jacq. aust. 2. t. 144.
3	montanum. s.s.	mountain.	Italy.	1658.	6. 7.	H. 4.	Jacq. vind. 2. t. 129.
4	annuum. s.s.	annual.	Europe.	1816.	7. 8.	H. 8.	Jacq. aust. t. 55.
	<i>Carum simplex</i> . W.						
5	dubium. s.s.	doubtful.	—	1818.	—	H. 4.	
6	pimpinelloides. s.s.	nodding-fl'd.	S. Europe.	1796.	—	H. 4.	
7	Hippomarathrum. s.s.	various-ld.	Austria.	1656.	—	H. 4.	Jacq. aust. 2. t. 143.
8	tortuosum. s.s.	crooked.	S. Europe.	1597.	10.	H. 4.	Moris. sect. 9. t. 6.
9	leucospermum. s.s.	woolly-headed.	Hungary.	1805.	7.	H. 4.	W. et K. hung. t. 89.
10	proliferum. s.s.	prolific.	1823.	5. 8.	H. 4.	
11	chærophylloides. s.s.	Chervil-like.	C. B. S.	1816.	—	G. 4.	
12	divaricatum. s.s.	shining-leaved.	N. America.	1812.	6. 7.	H. 4.	Botan. magaz. 1742.
13	striatum. s.s.	striped-stalked.	C. B. S.	1816.	7. 8.	G. 4.	
14	gracile. s.s.	slender.	Hungary.	1805.	6. 7.	H. 4.	W. et K. hung. 2. t. 117.
15	ammoides. s.s.	Milfoil-leaved.	S. Europe.	1759.	—	H. 0.	Jacq. vind. 1. t. 52.
16	verticillatum. s.s.	whorled.	S. Europe.	1825.	—	H. 0.	
17	varium. s.s.	various-leaved.	1818.	7. 8.	H. 4.	
18	corsicum. L.en.	dwarf annual.	Corsica.	1825.	—	H. 0.	
19	Pallasii. Bess.	Pallas's.	Siberia.	1823.	—	H. 4.	
20	Lobelianum. Bess.	Lobel's.	—	—	H. 4.	
SISON. S.S.		SISON. Pentandria Pentagynia. L.					
1	Amomum. E.B.	hedge.	Britain.	7. 8.	H. 0.	Eng. bot. 954.
2	segetum. E.B.	corn.	England.	8.	H. 0.	— 228.
3	peregrinus. s.s.	Parsley-leav'd.	Portugal.	1633.	6. 7.	H. 8.	Jacq. vind. 3. t. 18.
	<i>Ligusticum peregrinum</i> . Jacq.						
4	aureus. s.s.	golden.	N. America.	1699.	5. 6.	H. 4.	
	<i>Smyrniolum aureum</i> . W. <i>Thaspium aureum</i> . N.						
5	integerrimus. s.s.	entire-leaved.	—	1759.	6.	H. 4.	
6	capillaceus. s.s.	slender-leaved.	—	1812.	7. 8.	H. 0.	
7	Ammi. s.s.	narrow-leaved.	S. Europe.	1824.	—	H. 0.	Jacq. vind. t. 200.
ÆGOPODIUM. L.		GOUT-WEED. Pentandria Digynia. L.					
	<i>Podagraria</i> . E.B.	common.	Britain.	5. 7.	H. 4.	Eng. bot. 940.
	<i>Sison Podagraria</i> . S.S.						
CARUM. S.S.		CARAWAY. Pentandria Digynia. L.					
	<i>Carvi</i> . s.s.	common.	Britain.	6.	H. 8.	Eng. bot. 1503.
	<i>Fœniculum Carvi</i> . L.en.						
CNIDIUM. S.S.		CNIDIUM. Pentandria Digynia. S.S.					
1	Monnieri. s.s.	annual.	S. Europe.	1771.	7. 8.	H. 0.	Jacq. vind. 1. t. 62.
	<i>Selinum Monnieri</i> . Jacq.						
2	pyrenæum. s.s.	Pyrenean.	Pyrenees.	1739.	6. 7.	H. 4.	Gouan. ill. t. 7. f. 2.
	<i>Ligusticum pyrenaicum</i> . W. <i>Seseli aristatum</i> . H.K.						
3	Silaus. s.s.	meadow.	England.	6. 8.	H. 4.	Eng. bot. 2142.
	<i>Peucedanum Silaus</i> . E.B.						
4	alsaticum. s.s.	small-headed.	Austria.	1774.	—	H. 4.	Jacq. aust. 1. t. 70.
5	Fischeri. s.s.	Fischer's.	Siberia.	1820.	—	H. 4.	
	<i>Angelica Fischeri</i> . R.s. <i>Ligusticum Fischeri</i> . L.en.						
CENANTHE. S.S.		WATER-DROPWORT. Pentandria Digynia. L.					
1	fistulosa. s.s.	common.	Britain.	6. 8.	H. 4.	Eng. bot. 363.
2	tenuifolia. s.s.	slender-leaved.	C. B. S.	1816.	6. 8.	G. 4.	
3	peucedanifolia. s.s.	round-rooted.	S. Europe.	—	H. w. 4.	Pollich. palat. t. 3.
4	silafolia. s.s.	oblong-rooted.	England.	—	H. w. 4.	Eng. bot. 348.
	<i>peucedanifolia</i> . E.B. non s.s.						

5	<i>gymnorhiza</i> . s.s.	naked rooted.	N. Europe.	1824.	—	H.w. 4.	
6	<i>pimpinelloides</i> . s.s.	Burnet Saxifrage.	England.	—	H.w. 4.	Eng. bot. 347.
7	<i>prolifera</i> . s.s.	proliferous.	S. Europe.	1739.	—	H.w. 4.	Jacq. vind. 3. t. 62.
8	<i>globulosa</i> . s.s.	globe-headed.	Portugal.	1710.	—	H. ♂.	Gouan. ill. 18. t. 9.
9	<i>crocata</i> . s.s.	poisonous.	Britain.	—	H.w. 4.	Eng. bot. 2313.
10	<i>Phellandrium</i> . s.s.	water Hemlock.	—	6. 7.	H.w. ♂.	— 684.
	<i>Phellandrium aquaticum</i> . E.B.						
11	<i>apiifolia</i> . s.s.	Parsley-leaved.	Portugal.	1806.	6. 8.	H. 4.	
12	<i>australis</i> . R.s.	southern.	S. Europe.	1824.	—	H. 4.	
13	<i>involucrata</i> . Cav.	involucrated.	Spain.	—	—	H. 4.	
14	<i>interrupta</i> . s.s.	interrupted.	C. B. S.	1816.	—	G. 4.	
15	<i>inebrians</i> . s.s.	various-leaved.	—	—	8. 9.	G. 4.	
APIUM. S.S. PARSLEY. Pentandria Digynia. L.							
1	<i>Petroselinum</i> . s.s.	common.	Sardinia.	1548.	6. 7.	H. ♂.	Moris. sect. 9. t. 8. f. 2.
	<i>β crispum</i> .	curled-leaved.	—	—	H. ♂.	— 9. t. 8. f. 3.
2	<i>romanum</i> . Zuc.	large.	Greece.	—	H. ♂.	
3	<i>prostratum</i> . s.s.	prostrate.	V. Diem. Isl.	1818.	—	G. ♂.	Vent. malm. t. 81.
4	<i>graveolens</i> . s.s.	Celery.	Britain.	6. 8.	H. ♂.	Eng. bot. 1210.
	<i>α fistulosum</i> .	hollow-stalked.	—	—	H. ♂.	
	<i>β solidum</i> .	solid-stalked.	—	—	H. ♂.	
	<i>γ rubrum</i> .	red-stalked.	—	—	H. ♂.	
	<i>δ napaceum</i> . Mill.	Turnep-rooted.	—	H. ♂.	
MEUM. S.S. BAWD-MONEY. Pentandria Digynia. S.S.							
1	<i>athamanticum</i> . s.s.	common.	Britain.	4. 6.	H. 4.	Eng. bot. 2249.
2	<i>heterophyllum</i> . s.s.	Coriander-ld.	Pyrenees.	1778.	7.	H. ♂.	Jacq. vind. t. 198.
	<i>Æthusa Bunius</i> . W.						
3	<i>Mutellina</i> . s.s.	Alpine.	Austria.	1774.	7. 8.	H. 4.	Jacq. aust. t. 56.
	<i>Phellandrium Mutellina</i> . L.						
4	<i>sibiricum</i> . s.s.	Siberian.	Siberia.	1820.	—	H. 4.	
FÆNICULUM. G. FENNEL. Pentandria Digynia.							
1	<i>vulgare</i> . G.	common.	Britain.	7. 8.	H. 4.	Eng. bot. 1208.
	<i>Anethum Fœniculum</i> . E.B. <i>Meum Fœniculum</i> . s.s.						
2	<i>dulce</i> . DC.	sweet.	S. Europe.	1824.	—	H. ⊙.	DC. hort. m. ined. t. 96.
3	<i>segetum</i> .	hedge.	Portugal.	1796.	6. 7.	H. ⊙.	
4	<i>piperitum</i> .	peppery.	Italy.	1824.	—	H. ♂.	
	<i>Meum piperitum</i> . R.S. <i>Anethum piperitum</i> . Bert.						
ANETHUM. L.en. DILL. Pentandria Digynia. L.							
1	<i>graveolens</i> . W.	common.	Spain.	1570.	6. 7.	H. ♂.	Hoff. umb. gen. t. 1. f. 13.
	<i>Pastinaca Anethum</i> . s.s.						
2	<i>segetum</i> . L.en.	Portugal.	Portugal.	1796.	—	H. ⊙.	Jacq. vind. t. 132.
3	<i>Sowa</i> . H.B.	Indian.	E. Indies.	1810.	—	H. ⊙.	
SMYRNIUM. S.S. ALEXANDERS. Pentandria Digynia. L.							
1	<i>Olusatrum</i> . s.s.	common.	Britain.	5. 6.	H. ♂.	Eng. bot. 230.
2	<i>perfoliatum</i> . W.	perfoliate.	Italy.	1596.	5.	H. 4.	Lobel. ic. 709.
	<i>Dodonæi</i> . s.s.						
3	<i>Dioscoridis</i> . s.s.	Dioscorides.	S. Europe.	—	H. ♂.	Flor. græc. t. 289.
4	<i>apiifolium</i> . s.s.	Smallage-ld.	Candia.	1731.	5. 7.	H. 4.	
5	<i>nudicaule</i> . s.s.	naked-stalked.	Caucasus.	1820.	—	H. 4.	Spreng. umb. t. 4. f. 7.
6	<i>cordatum</i> . s.s.	heart-leaved.	N. America.	1759.	6. 7.	H. 4.	
CACHRYS. L.en. CACHRYS. Pentandria Digynia. L.							
1	<i>odotalgica</i> . s.s.	Pallas's.	Siberia.	1824.	7. 8.	H. 4.	
2	<i>Morisoni</i> . s.s.	Morison's.	S. Europe.	1710.	—	H. 4.	Moris. umb. t. 3. f. 1.
CRITHMUM. L.en. SAMPHIRE. Pentandria Digynia. L.							
1	<i>Libanotis</i> . L.en.	smooth-seeded.	Sicily.	1570.	7. 8.	H. 4.	Schk. handb. 1. t. 65.
	<i>Cachrys Libanotis</i> . s.s.						
2	<i>maritimum</i> . W.	sea.	Britain.	7. 9.	H. 4.	Eng. bot. 819.
HIPPOMARATHRUM. HIPPOMARATHRUM. Pentandria Digynia.							
	<i>siculum</i> . L.en.	hairy-seeded.	Sicily.	1640.	7. 8.	H. 4.	Moris. umb. t. 3. f. 2.
	<i>Cachrys sícula</i> . s.s.						
RUMIA. L.en. RUMIA. Pentandria Digynia.							
	<i>taurica</i> . L.en.	Taurian.	Tauria.	1820.	7. 8.	H. 4.	Hoff. umb. p. 173. f. 17.
	<i>Cachrys taurica</i> . s.s.						
ULOSPERMUM. L.en. ULOSPERMUM. Pentandria Digynia.							
	<i>dichotomum</i> . L.en.	dichotomous.	Barbary.	1800.	6. 7.	H. ⊙.	Desf. atl. 1. t. 66.
	<i>Conium dichotomum</i> .	Desf. <i>Cachrys dichotoma</i> . s.s. <i>Tordylium peregrinum</i> . W.					
CORIANDRUM. S.S. CORIANDER. Pentandria Digynia. L.							
	<i>sativum</i> . s.s.	common.	England.	6.	H. ⊙.	Eng. bot. 67.
BIFORIS. S.S. BIFORIS. Pentandria Digynia. S.S.							
1	<i>flosculosa</i> . s.s.	flosculose.	S. Europe.	1640.	6. 7.	H. ⊙.	Moris. sect. 9. t. 11.
	<i>Corion testiculatum</i> . L.en. <i>Coriandrum testiculatum</i> . L.				2 B 2		

2 radians. s.s.	rayed.	Tauria.	—	H.⊙.	
SILER. S.S.	SILER. Pentandria Digynia. S.S.					
1 aquilegifolium. s.s.	Columbine-ld.	Austria.	1796.	5. 7.	H. 2.	Jacq. aust. 2. t. 147.
	<i>Laserpitium aquilegifolium.</i> w.					
2 caucasicum. s.s.	Caucasean.	Caucasus.	1823.	—	H. 2.	
	<i>Cachrys latifolia.</i> M.B.					
3 salsum. s.s.	fine-leaved.	Siberia.	1804.	7. 8.	H. 2.	Pall. act. pet. 1779. t. 8.
	<i>Sison salsum.</i> L.					
CICUTA. S.S.	COWBANE. Pentandria Digynia. L.					
1 virosa. s.s.	long-leaved.	Britain.	7.	H. 2.	Eng. bot. 479.
2 davarica. s.s.	Daurian.	Siberia.	1824.	—	H. 2.	Gmel. sib. 1. t. 47.
3 maculata. s.s.	spotted.	N. America.	1759.	7. 8.	H. 2.	Pluk. alm. t. 76. f. 1.
4 bulbifera. s.s.	bulb-bearing.	—	1823.	—	H. 2.	
ÆTHUSA. R.S.	FOOLS-PARSLEY. Pentandria Digynia. L.					
1 Cynapium. w.	common.	Britain.	7. 9.	H.⊙.	Eng. bot. 1192.
2 cynapioides. M.B.	Caucasean.	Caucasus.	1820.	—	H.⊙.	
3 elata. L.en.	tall.	Siberia.	—	—	H.⊙.	
4 fatua. R.S.	fine-leaved.	—	1781.	—	H. 2.	
PHYSOSPERMUM. S.S.	PHYSOSPERMUM. Pentandria Digynia. S.S.					
commutatum. s.s.	Cornish.	England.	7. 8.	H. 2.	Eng. bot. 683.
	<i>Ligusticum cornubiense.</i> E.B.					
PLEUROSPERMUM. S.S.	PLEUROSPERMUM. Pentandria Digynia. S.S.					
austriacum. s.s.	Austrian.	Austria.	1596.	6. 8.	H. 2.	Jacq. aust. 2. t. 151.
	<i>Ligusticum austriacum.</i> w.					
HASSELQUISTIA. S.S.	HASSELQUISTIA. Pentandria Digynia. L.					
1 ægyptiaca. s.s.	Egyptian.	Egypt.	1768.	7.	H.⊙.	Jacq. vind. 1. t. 37.
2 cordata. s.s.	heart-leaved.	—	1787.	—	H.⊙.	— 2. t. 193.
TORDYLIUM. S.S.	HARTWORT. Pentandria Digynia. L.					
1 syriacum. s.s.	Syrian.	Syria.	1597.	7.	H.⊙.	Jacq. vind. 1. t. 54.
2 officinale. s.s.	officinal.	England.	—	H.⊙.	Eng. bot. 2440.
3 apulum. s.s.	small.	Italy.	1739.	—	H.⊙.	Jacq. vind. 1. t. 53.
4 maximum. s.s.	great.	England.	6. 7.	H.⊙.	Eng. bot. 1173.
5 lusitanicum. w.en.	Portugal.	Portugal.	1820.	—	H.⊙.	
ZOSIMIA. M.B.	ZOSIMIA. Pentandria Digynia.					
absinthifolia. L.en.	Wormwood-ld.	Persia.	1816.	7. 8.	H.⊙.	Vent. choix. t. 22.
	<i>Heracleum absinthifolium.</i> s.s. <i>Tordylium absinthifolium.</i> p.s.					
THYSSELINUM. R.S.	THYSSELINUM. Pentandria Digynia. S.S.					
1 palustre. s.s.	marsh.	Britain.	7. 8.	H. 2.	Eng. bot. 229.
	<i>Selinum palustre.</i> E.B.					
2 Plinii. s.s.	Pliny's.	Switzerland.	—	H. 2.	Moris. sect. 9. t. 17.
CALLISACE. F.	CALLISACE. Pentandria Digynia.					
davarica. F.	Daurian.	Dauria.	1820.	7. 8.	H. 2.	
	<i>Thyselinum davaricum.</i> s.s.					
CAUCALIS. S.S.	BUR-PARSLEY. Pentandria Digynia. L.					
1 grandiflora. s.s.	great-flowered.	S. Europe.	1648.	7. 8.	H.⊙.	Jacq. aust. 1. t. 54.
2 latifolia. s.s.	broad-leaved.	England.	—	H.⊙.	Eng. bot. 198.
3 daucoides. s.s.	small.	—	—	H.⊙.	— 197.
4 platycarpus. s.s.	broad-seeded.	S. Europe.	1800.	7. 8.	H.⊙.	Jacq. vind. 3. t. 10.
5 mauritanica. s.s.	Barbary.	Barbary.	1823.	—	H.⊙.	
6 leptophylla. s.s.	fine-leaved.	Europe.	1739.	—	H.⊙.	Jacq. vind. t. 195.
7 pumila. w.	dwarf.	S. Europe.	1640.	7. 8.	H.⊙.	Cav. ic. 2. t. 101.
8 orientalis. M.B.	villous-fruited.	Caucasus.	1699.	6. 7.	H. ♂.	Moris. s. 9. t. 14. f. 5.
9 pulcherrima. M.B.	setose-fruited.	—	1816.	—	H. ♂.	
10 littoralis. M.B.	sea-shore.	Odessa.	1824.	—	H. ♂.	
	<i>Cachrys littoralis.</i> s.s.					
DAUCUS. S.S.	CARROT. Pentandria Digynia. L.					
1 Carota. w.	wild.	Britain.	6. 7.	H. ♂.	Eng. bot. 1174.
	<i>β lutea.</i>	<i>yellow-rooted, garden.</i>	—	H. ♂.	
	<i>γ aurantia.</i>	<i>long-orange.</i>	—	H. ♂.	
	<i>δ præcox.</i>	<i>early horn.</i>	—	H. ♂.	
2 mauritanicus. w.	fine-leaved.	Spain.	1768.	—	H. ♂.	All. ped. 2. t. 61. f. 1.
3 polygamus. L.en.	polygamous.	—	—	H. ♂.	Jacq. vind. 3. t. 78.
4 maritimus. E.B.	sea-side.	England.	—	H. ♂.	Eng. bot. 2560.
5 gummifer. s.s.	gum-bearing.	Italy.	1722.	—	H. ♂.	Moris. sect. 9. t. 13.
6 hispidus. s.s.	hispid.	Barbary.	1804.	—	H. ♂.	Desf. atl. t. 63.
7 Gingidium. s.s.	shining-leaved.	France.	1722.	—	H. ♂.	Moris. s. 9. t. 13. f. 4.
	<i>lucidus.</i> w.					
8 muricatus. s.s.	prickly-seeded.	Barbary.	1683.	—	H.⊙.	— t. 14. f. 4.
9 littoralis. s.s.	sea-shore.	Greece.	1823.	—	H.⊙.	Flor. græc. t. 271.

TRACHYSPERMUM. L.en. TRACHYSPERMUM. Pentandria Pentagynia.

copticum. L.en. Egyptian. Egypt. 1773. 6. 7. H.⊙. Jacq. vind. 2. t. 196.

Daucus copticus. s.s. *Ammi copticum*. L. *Bunium copticum*. s.s.

TORILIS. S.S. TORILIS. Pentandria Digynia. S.S.

1 Anthriscus. s.s. upright. Britain. 7. 8. H.⊙. Eng. bot. 987.

2 infesta. E.F. spreading. H.⊙. 1314.

helvetica. s.s. *arvensis*. L.en. *Caucalis infesta*. E.B.

3 nodosa. s.s. knotted. 5. 7. H.⊙. 199.

4 crinita. s.s. whorl-leaved. Barbary. 1804. 6. 7. H.⊙. Desf. atl. t. 62.

Daucus crinitus. Desf.

5 trichosperma. s.s. trifid-umbelled. Egypt. 1818. 5. 7. H.⊙.

OLIVERIA. V. OLIVERIA. Pentandria Digynia. S.S.

decumbens. v. Thyme-scent'd. Bagdad. 1816. 5. 7. H.⊙. Venten. cels. 21.

ATHAMANTA. S.S. SPIGNELI. Pentandria Digynia. L.

1 panacifolia. s.s. Parsnep-leav'd. Sicily. 1752. 7. 8. H.⊙. Bocc. sic. 1. t. 1.

Cachrys panacisfolia. w.

2 Libanotis. w. mountain. England. 7. 8. H.⊙. Eng. bot. 138.

3 condensata. w. close-headed. Siberia. 1773. 7. 9. H.⊙. Gmel. sib. 1. t. 44.

4 sibirica. w. Siberian. 1771. 7. 8. H.⊙. Lam. ill. t. 194. f. 1.

5 sicula. s.s. Flixweed-ld. Sicily. 1686. 6. 7. H.⊙. Ten. fl. nap. 1. t. 25.

6 Matthioli. s.s. fine-leaved. Carniola. 1802. — H.⊙. Jacq. ic. rar. 1. t. 57.

7 cretensis. s.s. candy-carrot. Austria. 1596. — H.⊙. Jacq. aust. 1. t. 62.

8 incana. s.s. hoary. Siberia. 1802. 7. 8. H.⊙.

9 annua. w. annual. Candia. 1731. 6. 7. H.⊙.

10 Oreoselinum. w. divaricated. Germany. 1768. 7. 8. H.⊙. Jacq. aust. 1. t. 68.

BUBON. W. BUBON. Pentandria Digynia. L.

1 macedonicum. w. Macedonian. Greece. 1596. 6. 8. G.♂. Lobel. ic. 708.

Athamanta macedonica. s.s.

2 buchtormensis. s.s. Siberian. Siberia. 1822. 7. 8. H.⊙.

3 glaucus. s.s. glaucous. Tauria. 1824. — H.⊙.

Seseli petræum. M.B.

4 rigidus. s.s. rigid. Europe. 1710. 6. 8. H.♂. Bocc. mus. 2. t. 76.

5 gummiferus. gum-bearing. Crimea. 1804. 7. 9. H.♂. Sm. exot. bot. t. 120.

Seseli gummiferum. B.M. 2259.

6 dichotomus. L.en. forked. Tauria. 1816. — H.♂. Botan. magaz. 2073.

Seseli dichotomum. B.M.

7 cuneifolius. s.s. wedge-leaved. Sicily. 1823. — H.⊙. Moris. sect. 9. t. 7.

siculus. R.S. *Seseli cuneifolius*. M.B.

8 Galbanum. w. Lovage-leaved. C. B. S. 1596. 7. 8. G.♂. Jacq. vind. 3. t. 36.

BUNIIUM. E.B. EARTH-NUT. Pentandria Digynia. L.

1 flexuosum. E.B. common. England. 5. 6. H.⊙. Eng. bot. 988.

2 Bulbocastanum. w. great. Portugal. H.⊙. Flor. dan. 220.

CAPNOPHYLLUM. S.S. CAPNOPHYLLUM. Pentandria Digynia. S.S.

africanum. s.s. Rue-leaved. C. B. S. 1759. 6. 9. H.⊙. Jacq. vind. t. 191.

Conium africanum. w. *Rumia capensis*. L.en.

SCANDIX. S.S. CICELY. Pentandria Digynia. L.

1 Pecten. s.s. Venus's-comb. Britain. 6. 7. H.⊙. Eng. bot. 1397.

2 australis. s.s. radiated. S. Europe. 1713. 5. 6. H.⊙. Flor. græc. t. 285.

3 pinnatifida. s.s. cut-leaved. Persia. 1805. — H.⊙. Venten. cels. 14.

MYRRHIS. S.S. MYRRH. Pentandria Digynia. S.S.

1 odorata. s.s. sweet-scented. Britain. 5. 6. H.⊙. Eng. bot. 697.

2 Claytoni. s.s. sweet-rooted. N.America. 1806. 7. 8. H.⊙. Spreng. umb. t. 3. f. 6.

3 aromatica. s.s. aromatic. Scotland. 1726. 6. 8. H.⊙. Jacq. aust. 2. t. 150.

Chærophyllum aromaticum. Jacq.

4 hirsuta. s.s. hairy-leaved. Switzerland. 1759. 6. 7. H.⊙. ——— 2. t. 148.

5 cicutaria. Cicuta-like. S. Europe. 1816. — H.⊙.

Chærophyllum cicutarium. L.en.

6 aurea. s.s. golden. Scotland. 6. H.⊙. Eng. bot. 2103.

Chærophyllum aureum. E.B.

7 bulbosa. s.s. bulbous-rooted. Europe. 1726. 6. 7. H.♂. Jacq. aust. 1. t. 63.

8 temulenta. E.F. rough. Britain. 7. 8. H.♂. Eng. bot. 1521.

9 maculata. spotted. S. Europe. 1824. 6. 7. H.⊙.

Chærophyllum maculatum. w.en.

10 capensis. s.s. Cape. C. B. S. 1816. — G.♂.

11 colorata. s.s. color'd-bract'd. Illyria. 1806. 7. 8. H.♂. Moris. s. 9. t. 10. f. 6.

12 canadensis. s.s. Canada. N.America. 1699. — H.⊙. ——— sect. 9. t. 11.

Sison canadense. w.

13 procumbens. s.s. procumbent. ——— 6. 7. H.⊙. ——— s. 9. t. 11. f. ult.

14 rosea. s.s. rose-coloured. Iberia. 1824. — H.♂. Hoff. umb. t. 1. B. f. 33.

15	<i>tenuifolia</i> . s.s.	slender-leaved.	Morocco.	—	—	F. ♂.	
CHÆROPHYLLUM . S.S. CHERVIL. Pentandria Digynia. L.							
1	<i>sativum</i> . s.s.	garden.	Britain.	6.	H. ⊙.	Eng. bot. 1268.
	<i>Scandix cerefolium</i> . E.B.						
2	<i>sylvestre</i> . s.s.	smooth.	—	—	4. 5.	H. ♀. — 752.
3	<i>monogonum</i> . L.en.	one-angled.	Hungary.	1820.	4. 6.	H. ♀.	
4	<i>angulatum</i> . Kit.	angular.	—	—	—	H. ♀.	
5	<i>nitidum</i> . Wahl.	glossy-seeded.	Carpathian-m.	—	—	H. ♀.	
6	<i>Biebersteinii</i> . Lag.	Bieberstein's.	Caucasus.	1824.	5. 6.	H. ♀.	
ANTHRISCUS . S.S. ROUGH CHERVIL. Pentandria Digynia. S.S.							
1	<i>vulgaris</i> . s.s.	common.	Britain.	5. 6.	H. ⊙.	Eng. bot. 818.
	<i>Scandix anthriscus</i> . E.B.						
2	<i>nemorosa</i> . s.s.	wood.	Caucasus.	1823.	7. 8.	H. ♀.	Hoff. umb. 2. t. 1. B. f. 19.
3	<i>fumarioides</i> . s.s.	Fumitory like.	Hungary.	1818.	—	H. ♂.	W. et K. hung. 3. t. 224.
4	<i>nodosa</i> . s.s.	knotted.	Sicily.	1656.	5. 6.	H. ♀.	Jacq. vind. 3. t. 25.
AMMI . S.S. BISHOP'S WEED. Pentandria Digynia. L.							
1	<i>majus</i> . s.s.	great.	S. Europe.	1551.	6. 7.	H. ⊙.	Flor. græc. t. 273.
2	<i>Bæberi</i> . L.en.	Bæber's.	Crete.	1818.	7. 8.	H. ♀.	
	<i>cicutæfolium</i> . R.S.						
3	<i>Visnaga</i> . s.s.	Toothpick.	S. Europe.	1596.	6. 8.	H. ⊙.	Gært. fr. 1. t. 107.
	<i>Visnaga daucoides</i> . G.						
4	<i>glaucofolium</i> . s.s.	glaucous-leav'd.	France.	1816.	—	H. ♀.	Lapeyr. pyr. t. 75.
5	<i>acaule</i> . s.s.	stalkless.	Caucasus.	1823.	—	H. ♂.	
CUMINUM . S.S. CUMIN. Pentandria Digynia. L.							
	<i>Cuminum</i> . s.s.	official.	Egypt.	1594.	6. 7.	H. ⊙.	Cav. ic. 4. t. 360.
SIUM . S.S. WATER-PARSNIP. Pentandria Digynia. L.							
1	<i>latifolium</i> . s.s.	broad-leaved.	Britain.	7. 8.	H. w. ♀.	Eng. bot. 204.
2	<i>lancifolium</i> . s.s.	spear-leaved.	Siberia.	1823.	—	H. w. ♀.	Gmel. sib. 1. t. 47.
3	<i>angustifolium</i> . s.s.	narrow-leav'd.	Britain.	—	H. w. ♀.	Eng. bot. 139.
4	<i>nodiflorum</i> . s.s.	procumbent.	—	—	H. w. ♀.	— 639.
5	<i>repens</i> . s.s.	creeping.	—	6.	H. w. ♀.	— 1431.
6	<i>Falcaria</i> . s.s.	decurrent.	Europe.	1726.	7. 8.	H. ♀.	Jacq. aust. 3. t. 257.
7	<i>Sisarum</i> . s.s.	Skirret.	China.	1548.	—	H. ♀.	Schkuhr. hand. 1. t. 69.
8	<i>siculum</i> . s.s.	Sicilian.	Sicily.	1686.	—	H. ♀.	Jacq. vind. 2. t. 133.
9	<i>inundatum</i> . E.F.	water.	Britain.	5. 6.	H. w. ⊙.	Eng. bot. 227.
	<i>Sison inundatum</i> . R.B.						
10	<i>verticillatum</i> . s.s.	whorled-leav'd.	—	7. 8.	H. w. ♀.	— 395.
11	<i>peucedanoides</i> . s.s.	Sulphurwort-like.	Caucasus.	1823.	—	H. ♀.	
CONIUM . S.S. HEMLOCK. Pentandria Digynia. L.							
1	<i>maculatum</i> . s.s.	common.	Britain.	6. 7.	H. ♂.	Eng. bot. 1191.
2	<i>croaticum</i> . W.K.	Hungarian.	Hungary.	—	H. ♂.	
3	<i>rigens</i> . w.	fine-leaved.	C. B. S.	1787.	6. 7.	G. ♀.	
	<i>Bunium rigens</i> . s.s.						
4	<i>Arracacha</i> . H.E.F.	Arracacha.	S. America.	1822.	4. 5.	S. ♀.	Hook. ex. flor. 152.
LIGUSTICUM . S.S. LOVAGE. Pentandria Digynia. L.							
1	<i>Levisticum</i> . s.s.	common.	Italy.	1596.	6. 7.	H. ♀.	Schk. hand. t. 68.
2	<i>scoticum</i> . s.s.	Scotch.	Britain.	—	H. ♀.	Eng. bot. 1207.
3	<i>nodiflorum</i> . s.s.	knot-flowered.	Apennines.	1818.	—	H. ♀.	Allion. ped. t. 72.
	<i>verticillatum</i> . W.K.	2. t. 171.					
4	<i>peloponesiacum</i> . s.s.	Hemlock-ld.	Switzerland.	1596.	5. 7.	H. ♀.	Jacq. aust. app. t. 13.
5	<i>obtusifolium</i> . s.s.	blunt-leaved.	Tangiers.	1824.	7. 8.	H. ♀.	
6	<i>Cervaria</i> . s.s.	broad-leaved.	Europe.	1597.	—	H. ♀.	Jacq. aust. 1. t. 69.
	<i>Athamanta Cervaria</i> . Jacq.						
7	<i>athamantoides</i> . s.s.	Carrot-leaved.	Pyrenees.	1734.	—	H. ♀.	Scop. carn. t. 10.
	<i>Ammi daucifolium</i> . w.	<i>Athamanta pyrenaica</i> . Jacq.	vind. 2. t. 197.				
8	<i>alatum</i> . s.s.	winged-stalk'd.	Caucasus.	1823.	—	H. ♀.	
9	<i>apioides</i> . s.s.	Parsley-leaved.	Europe.	1791.	6. 7.	H. ♀.	Jacq. aust. 5. ap. t. 44.
	<i>Laserpitium silaifolium</i> . Jacq.						
10	<i>simplex</i> . s.s.	shining.	Switzerland.	1775.	7.	H. ♂.	Jacq. misc. 2. t. 2.
	<i>Laserpitium simplex</i> . Jacq.	<i>lucidum</i> . H.K.					
11	<i>ferulaceum</i> . s.s.	Fennel-leaved.	Levant.	1752.	6.	H. ♀.	Allion. ped. t. 60.
	<i>Laserpitium dauricum</i> . Jacq.	vind. 3. t. 38.					
12	<i>candicans</i> . s.s.	pale.	1780.	7. 8.	H. ♀.	
13	<i>actæifolium</i> . R.S.	Actæa-leaved.	N. America.	1824.	—	H. ♀.	
14	<i>Fontanesii</i> . s.s.	fine-leaved.	Algiers.	6. 7.	H. ♀.	Desf. atl. 1. t. 71.
	<i>Laserpitium peucedanoides</i> . Desf.						
MELANOSELINUM . H. BLACK-PARSLEY. Pentandria Digynia.							
1	<i>decipiens</i> . H.	shrubby.	Madeira.	1785.	6. 7.	G. ♀.	Wend. s. han. 3. t. 13.
2	<i>Seguieri</i> . H.	Fennel-leaved.	Italy.	1774.	7. 8.	H. ♀.	Jacq. vind. 1. t. 61.

OREOSELINUM. H.									
1	latifolium. M.B.	broad-leaved.	Caucasus.	1816.	7. 8.	H. 4.			
2	austriacum. H.	Austrian.	Austria.	1804.	—	H. 4.	Jacq. aust. 1. t. 71.		
	<i>Selinum austriacum.</i>	Jacq.							
3	montanum. Lag.	mountain.	Switzerland.	1816.	—	H. 4.			
4	polymorphum. Lag.	variable.	Russia.	1824.	—	H. 4.			
5	baicalense. Lag.	Baical.	Siberia.	—	—	H. 4.			
6	rablense. H.	linear-leaved.	N. Europe.	1816.	—	H. 4.	Flor. dan. t. 1330.		
	<i>Selinum lineare.</i> s.s.	<i>Ferula rablensis.</i> w.							
7	Bellardi. Lag.	Bellard's.	—	1824.	—	H. 4.			
8	elegans. Lag.	elegant.	—	—	—	H. 4.			
9	peucedanoides. H.	Sulphurwort-like.	S. France.	—	—	H. 4.			
10	Chabrai. M.B.	fine-leaved.	Europe.	1791.	—	H. 4.	Jacq. aust. 1. t. 72.		
11	podolicum. H.	Polish.	Poland.	1819.	—	H. 4.			
12	caucasicum. M.B.	Caucasean.	Caucasus.	1824.	—	H. 4.			
	<i>Imperatoria caucasica.</i> s.s.								
SELINUM. L.									
MILK-PARSLEY. Pentandria Digynia. L.									
1	Carvifolia. w.	Caraway-ld.	Austria.	1774.	7. 8.	H. 4.	Jacq. aust. 1. t. 16.		
2	pyrenæum. L.en.	Pyrenean.	Pyrenees.	1818.	—	H. 4.	Gouan. ill. p. 11. t. 5.		
	<i>Angelica pyrenæa.</i> s.s.								
3	Angelicastrum. Lk.	Angelica like.	—	—	H. 4.			
	<i>Angelica lancifolia.</i> s.s.								
PEUCEDANUM. S.S.									
SULPHURWORT. Pentandria Digynia. L.									
1	officinale. s.s.	officinal.	England.	5. 7.	H. 4.	Eng. bot. 1767.		
2	album. Hort.	white-flowered.	1824.	H. 4.			
3	alsaticum. w.	small-headed.	Austria.	1774.	6. 8.	H. 4.	Jacq. aust. 1. t. 70.		
4	gallicum. s.s.	French.	France.	1816.	—	H. 4.	Gmel. sib. 1. t. 41.		
5	italicum. P.s.	yellow-flow'r'd.	Italy.	5. 7.	H. 4.			
6	ruthenicum. s.s.	Russian.	Russia.	1824.	6. 8.	H. 4.			
7	arenarium. s.s.	sand.	Hungary.	1816.	6. 7.	H. 4.	W. et K. hung. 1. t. 20.		
8	Matthioli. s.s.	late-flowering.	Italy.	1824.	7. 8.	H. 4.			
9	alpestre. s.s.	Alpine.	France.	1739.	6. 7.	H. 4.			
10	aureum. s.s.	golden.	Canaries.	1779.	6.	G. ♂.	Botan. regist. 559.		
11	tenuifolium. s.s.	slender-leaved.	C. B. S.	1816.	6. 8.	G. ♂.			
12	Vocontiorum. s.s.	dwarf.	Dauphiny.	1800.	5. 7.	H. 4.	Vill. delph. 2. t. 14.		
	<i>Heracleum pumilum.</i> vill.								
HERACLEUM. S.S.									
COW-PARSNEP. Pentandria Digynia. L.									
1	Sphondylium. w.	common.	Britain.	5. 6.	H. 4.	Eng. bot. 939.		
2	flavescens. w.	yellowish.	Austria.	1789.	6. 7.	H. 4.	Jacq. aust. 2. t. 173.		
3	elegans. w.	rough-leaved.	—	1800.	5. 6.	H. 4.	— 2. t. 175.		
4	angustifolium. w.	narrow-leaved.	—	—	H. 4.	— 2. t. 174.		
5	longifolium. Jacq.	long-leaved.	—	—	H. 4.	— 2. t. 374.		
6	sibiricum. s.s.	Siberian.	Siberia.	1768.	—	H. 4.	Gmel. sib. 1. t. 50.		
7	Panaces. s.s.	Fig-leaved.	—	1596.	7. 8.	H. 4.	Lobel. ic. 701.		
8	pyrenaicum. w.	Pyrenean.	Pyrenees.	1804.	—	H. 4.			
9	amplifolium. Lap.	large-leaved.	—	—	—	H. 4.	Lap. fl. pyr. t. 79.		
10	gummiferum. w.	gum-bearing.	—	1816.	—	H. 4.	Wild. hort. ber. t. 53. 54.		
11	speciosum. Horn.	handsome.	—	—	—	H. 4.			
12	asperum. M.B.	rough.	Caucasus.	—	—	H. 4.			
13	villosum. s.s.	villous.	Siberia.	—	—	H. 4.			
14	marginatum. F.	marginated.	—	—	—	H. 4.			
15	pubescens. M.B.	pubescent.	Caucasus.	1824.	—	H. 4.			
16	alpinum. s.s.	Alpine.	Switzerland.	1739.	6. 7.	H. 4.	Barrel. ic. 55.		
17	austriacum. s.s.	Austrian.	Austria.	1816.	—	H. 4.	Jacq. aust. t. 61.		
	<i>Tordylium siifolium.</i> w.								
18	ligusticifolium. s.s.	Lovage-leaved.	Tauria.	1824.	—	H. ♂.			
19	subvillosum. F.	subvillous.	Siberia.	1820.	—	H. 4.			
20	giganteum. F.	gigantic.	—	—	—	H. 4.			
21	basvicum. F.	stately.	—	—	—	H. 4.			
22	laciniatum. F.	jagged.	—	1824.	—	H. 4.			
23	tauricum. F.	Taurian.	Tauria.	1823.	H. 4.			
24	lanatum. M.	woolly.	N. America.	—	6. 7.	H. 4.			
PASTINACA. S.S.									
PARSNEP. Pentandria Digynia. L.									
1	lucida. s.s.	shining-leav'd.	S. Europe.	1771.	6. 7.	H. ♂.	Jacq. vind. 2. t. 199.		
2	sativa. w.en.	cultivated.	7.	H. ♂.	Flor. dan. t. 1206.		
3	opaca. w.en.	wild.	Britain.	—	H. ♂.	Eng. bot. 556.		
	<i>sativa β arvensis.</i> P.S.								
4	graveolens. s.s.	strong-scented.	Tauria.	1819.	7. 8.	H. 4.	Hoff. umb. t. 1. B. f. 6.		
5	pimpinellifolia. s.s.	Burnet Saxifrage.	Caucasus.	1824.	—	H. ♂.	Buxb. cent. 3. t. 27.		

6	dissecta. s.s.	cut-leaved.	Levant.	1816.	6. 7.	H. ♂.	Venten. cels. t. 78.
7	rigida. s.s.	Virginian.	Virginia.	1774.	7. 8.	H. ♀.	Moris. s. 9. t. 7. f. 1.
	<i>Sium rigidius.</i> w.						
8	nudicaulis. s.s.	naked-stalked.	N. America.	1816.	—	H. ♀.	
	<i>Smyrniium nudicaule.</i> Ph.						
9	divaricata. Desf.	spreading.	1824.	H. ♀.	
FERULA. S.S.		GIANT-FENNEL.	Pentandria Digynia.	L.			
1	lævigata. s.s.	smooth.	C. B. S.	1774.	12. 3.	G. h.	
	<i>Bubon lævigatum.</i> w.						
2	Opopanax. s.s.	rough.	S. Europe.	1640.	6. 7.	H. ♀.	W. et K. hung. 3. t. 211.
	<i>Pastinaca Opopanax.</i> w.						
3	Asa foetida. s.s.	Asa foetida.	Persia.	1818.	7. 8.	H. ♀.	
4	communis. s.s.	common.	S. Europe.	1597.	6. 7.	H. ♀.	Moris. s. 9. t. 15. f. 3.
5	glauca. s.s.	glaucous.	Italy.	1596.	—	H. ♀.	
6	nodiflora. s.s.	knot-flowered.	S. Europe.	—	—	H. ♀.	Desf. atl. 1. t. 67.
	<i>sulcata.</i> Desf.						
7	Ferulago. s.s.	Fennel-leaved.	—	—	—	H. ♀.	Jacq. aust. 5. ap. t. 5.
	<i>nodiflora.</i> Jacq. non s.s.						
8	thyrsiflora. s.s.	thyrses-flower'd.	Crete.	1823.	—	F. ♀.	Flor. græc. t. 280.
9	tingitana. s.s.	Tangier.	Barbary.	1680.	—	H. ♂.	Herm. parad. t. 165.
10	stricta. s.s.	upright.	C. B. S.	1816.	—	G. ♂.	
11	sibirica. s.s.	Siberian.	Siberia.	1804.	—	H. ♀.	W. et K. hung. 1. t. 20.
	<i>Peucedanum sibiricum.</i> w.						
12	caspica. s.s.	Caspian.	Caspia.	1824.	—	H. ♀.	Spreng. umb. t. 7. f. 14.
13	orientalis. s.s.	eastern.	Levant.	1759.	7. 8.	H. ♀.	Tourn. it. 3. t. 239.
14	persica. s.s.	stinking.	Persia.	1782.	—	H. ♀.	Andr. repos. 558.
15	longifolia. s.s.	long-leaved.	Wolga.	1823.	—	H. ♀.	
16	meoides. s.s.	Meum-like.	Levant.	—	—	H. ♀.	
ANGELICA. S.S.		ANGELICA.	Pentandria Digynia.	L.			
1	Archangelica. s.s.	garden.	England.	6. 8.	H. ♂.	Eng. bot. 2561.
2	sylvestris. s.s.	wild.	Britain.	—	H. ♀.	— 1128.
3	Razoulii. s.s.	decurent-ld.	Pyrenees.	1816.	—	H. ♀.	Gouan. ill. 13. t. 6.
4	atropurpurea. s.s.	dark purple.	Canada.	1759.	7. 8.	H. ♀.	Cornut. canad. t. 199.
5	flavescens. Bess.	yellowish.	Pyrenees.	1816.	—	H. ♀.	
6	lucida. s.s.	shining.	Canada.	1640.	—	H. ♂.	Jacq. vind. 3. t. 24.
7	pratensis. s.s.	field.	Galicia.	1824.	—	H. ♀.	
IMPERATORIA. S.S.		MASTERWORT.	Pentandria Digynia.	L.			
1	Osthruthium. s.s.	common.	Scotland.	5. 7.	H. ♀.	Eng. bot. 1380.
2	verticillaris. s.s.	whorl-flowered.	Italy.	1683.	7.	H. ♀.	Jacq. vind. 2. t. 130.
	<i>Angelica verticillaris.</i> w.						
3	angustifolia. s.s.	narrow-leaved.	Alps Europe.	1818.	5. 7.	H. ♀.	Moris. sect. 9. t. 4.
	<i>Selinum Imperatorioides.</i> L. en.						
THAPSIA. S.S.		DEADLY CARROT.	Pentandria Digynia.	L.			
1	villosa. s.s.	villous.	S. Europe.	1710.	6. 7.	H. ♀.	Moris. s. 9. t. 18. f. 3.
2	foetida. s.s.	stinking.	Spain.	1596.	7. 8.	H. ♀.	— t. 18. f. 7.
3	gummifera. s.s.	gum-bearing.	S. Europe.	1824.	—	H. ♀.	Desf. atl. 1. t. 72.
	<i>Laserpitium gummiferum.</i> Desf.						
4	Asclepium. s.s.	oriental.	Levant.	—	H. ♀.	Flor. græc. t. 286.
5	garganica. s.s.	Garganian.	Barbary.	1683.	—	H. ♀.	Gouan. ill. 18. t. 10.
6	trifoliata. s.s.	three-leaved.	N. America.	1759.	6. 7.	H. ♀.	
LASERPITIUM.		LASERWORT.	Pentandria Digynia.	L.			
1	latifolium. s.s.	broad-leaved.	Europe.	1640.	6. 7.	H. ♀.	Jacq. aust. t. 146.
2	Libanotis. s.s.	pubescent.	S. Europe.	1824.	—	H. ♀.	Lob. ic. 705.
3	marginatum. s.s.	purple-margin'd.	Hungary.	1818.	—	H. ♀.	W. et K. hung. 2. t. 192.
4	trilobum. s.s.	three-lobed.	S. Europe.	1640.	5. 7.	H. ♀.	— 3. t. 253.
	<i>alpinum.</i> W. K.						
5	aquilegifolium. w.	Columbine-ld.	Austria.	1796.	—	H. ♀.	Jacq. aust. 2. t. 147.
6	Siler. s.s.	mountain.	—	1640.	—	H. ♀.	— 2. t. 145.
7	angustifolium. w.	narrow-leaved.	S. Europe.	1738.	6. 7.	H. ♀.	Moris. s. 9. t. 19. f. 9.
8	peucedanoides. w.	fine-leaved.	Italy.	—	H. ♀.	Jacq. ic. 2. t. 350.
9	hirsutum. s.s.	hairy.	Switzerland.	1759.	—	H. ♀.	Hall. stirp. t. 19.
10	Archangelica. s.s.	spotted-stalked.	Hungary.	1818.	—	H. ♀.	Jacq. ic. 1. t. 58.
11	pilosum. s.s.	sulphur-color'd.	Caucasus.	1759.	—	H. ♀.	
12	pruthenicum. s.s.	Prussian.	Germany.	—	7. 8.	H. ♀.	Jacq. aust. 2. t. 153.
13	hispidum. M. B.	hispid.	Caucasus.	1818.	—	H. ♀.	
14	Athamantæ. s.s.	branching.	Siberia.	—	—	H. ♂.	
15	gallicum. s.s.	French.	S. Europe.	1683.	6. 7.	H. ♀.	Pluk. phyt. t. 198. f. 6.
16	ferulaceum. w.	Fennel-leaved.	Levant.	1752.	—	H. ♀.	Tourn. it. 2. t. 121.
17	triquetrum. v.	winged.	—	1816.	—	H. ♀.	Vent. cels. t. 97.

ARTEDIA. S.S.	ARTEDIA. Pentandria Digynia. L.			
squamata. s.s.	Fennel-leaved. Levant. 1740. 7.	H. ☉.	Lam. ill. t. 193.	
LAGECIA. L.	WILD CUMIN. Pentandria Monogynia. L.			
cuminoides. s.s.	common. Levant. 1640. 6. 7.	H. ☉.	Lam. ill. t. 242.	

ORDO XCII.

ARALIACEÆ. *Juss. gen. p. 217.*

PANAX. L.	PANAX. Polygamia Diœcia. L.			
1 quinquefolium. w.	Ginseng. N.America. 1740.	6.	H. 4.	Botan. magaz. 1333.
2 trifolium. w.	lesser. ———— 1759.	5. 6.	H. 4.	————— 1334.
pusilla. a. B.M.				
3 fruticosum. w.	shrubby. Ternate. 1800.	8. 9.	S. h.	Andr. reposit. 595.
4 digitatum. H.B.	fingered. E. Indies. 1818.	S. h.	
5 arboreum. w.	tree. N.Zealand. 1822.	G. h.	
6 chrysophyllum. R.S.	golden-leaved. Guiana. ————	S. h.	Aub. gui. 2. t. 360.
7 conchifolium. H.B.	shell-leaved. ———— 1820.	S. h.	Rumph. amb. 4. t. 31.
8 aculeatum. w.	prickly. China. 1773.	11.	S. h.	Jacq. ic. 3. t. 684.
CUSSONIA. W.	CUSSONIA. Pentandria Digynia. L.			
1 thyrsiflora. w.	thyrses-flower'd. C. B. S. 1795.	8. 10.	G. h.	Th. nov. act. ups. 3. t. 12.
2 spicata. w.	spike-flowered. ———— 1789.	—	G. h.	————— 3. t. 13.
SCIODAPHYLLUM. S.S.	SCIODAPHYLLUM. Pentandria Pentagynia. S.S.			
1 acuminatum. s.s.	acuminate-petal'd. Peru. 1818.	S. h. ~.	Flor. peruv. t. 310.
Actinophyllum acuminatum. R.P.				
2 conicum. s.s.	conical-flow'r'd. ———— ————	S. h. ~.	————— p. 75. t. 309.
3 pedicellatum. s.s.	pedicelled. ———— ————	S. h. ~.	————— t. 308.
Actinophyllum pedicellatum. R.P.				
4 Brownii. s.s.	upright. W. Indies. 1793.	6. 8.	S. h.	Brown jam. t. 19. f. 1. 2.
Aralia Sciodaphyllum. w.				
ARALIA. D.P.	ARALIA. Pentandria Pentagynia. L.			
1 pentaphylla. s.s.	five-ld. prickly. China. 1822.	G. h.	
2 spinosa. s.s.	Angelica tree. Virginia. 1688.	9.	H. h.	Comm. hort. 1. t. 47.
3 racemosa. s.s.	berry-bearing. N.America. 1658.	6. 9.	H. 4.	Schkuhr. hand. 1. t. 86.
4 nudicaulis. s.s.	naked-stalked. ———— 1731.	6. 7.	H. 4.	Pluk. alm. t. 238. f. 5.
5 hispida. s.s.	hispid. ———— 1799.	—	H. h.	Botan. magaz. 1085.
6 pubescens. DC.	pubescent. New Spain. 1819.	S. h.	DC. mons. ined. t. 45.
GASTONIA. J.	GASTONIA. Dodecandria Dodecagynia.			
palmata. H.B.	palmate-leaved. E. Indies. 1818.	3. 4.	S. h.	Botan. regist. 894.
HEDERA. D.P.	Ivy. Pentandria Mono-Pentagynia.			
1 umbraculifera.	large. E. Indies. 1818.	3. 4.	S. h.	
Aralia umbraculifera. H.B.				
2 digitata. H.B.	fingered. ———— ————	—	S. h.	
3 aculeata. D.P.	prickly Nepaul. Nepaul. 1816.	F. h.	
4 fragrans. D.P.	fragrant. ———— ————	F. h.	
5 cochleata.	shell-leaved. E. Indies. 1820.	S. h.	Rumph. amb. 4. t. 31.
Aralia cochleata. R.S.				
6 arborea. R.S.	tree. Jamaica. ————	S. h.	Jacq. schœnb. t. 51.
7 capitata. R.S.	cluster-flow'r'd. W. Indies. 1777.	8.	S. h.	Smith ic. pict. 4.
8 canariensis. R.S.	Irish. Canaries. 1807.	9. 10.	H. h. ~.	Willd. ber. m. 2. t. 5. f. 1.
9 Helix. R.S.	common. Britain. ————	H. h. ~.	Eng. bot. 1267.
β poetica. R.S.	Poet's. ————	H. h. ~.	
γ albo-variegata.	white-variegated. ————	H. h. ~.	
δ flavo-variegata.	yellow-variegated. ————	H. h. ~.	

ORDO XCIII.

CAPRIFOLIACEÆ. *Juss. gen. p. 210.*

CORNUS. L.		DOGWOOD. Tetrandria Monogynia. L.			
1	alternifolia. R.S.	alternate-ld.	N.America. 1760.	9.	H. h. Schm. arb. 2. t. 70.
2	paniculata. R.S.	panicked.	———— 1758.	6. 7.	H. h. ——— 2. t. 68.
3	stricta. R.S.	upright.	———— ———	————	H. h. ——— 2. t. 67.
	<i>β variegata.</i>	<i>variegated-ld.</i>	———— ———	————	H. h. ———
4	oblonga. F.I.	oblong-leaved.	Nepaul. 1818.	H. h. ———
5	circinata. R.S.	Pensylvanian.	N.America. 1784.	7. 8.	H. h. Schm. arb. 2. t. 69.
6	alba. R.S.	white berried.	Siberia. 1741.	6. 9.	H. h. ——— 2. t. 65.
7	sibirica. L.C.	Siberian.	————	————	H. h. ———
8	sericea. R.S.	blne-berried.	N.America. 1683.	8.	H. h. Schm. arb. 2. t. 64.
9	sanguinea. R.S.	common.	Britain.	6. 7.	H. h. Eng. bot. 249.
	<i>β variegata.</i>	<i>variegated.</i>	————	————	H. h. ———
10	mascula. R.S.	Cornelian Cherry.	Europe. 1596.	2. 4.	H. h. Flor. græc. t. 151.
	<i>β variegata.</i>	<i>variegated.</i>	———— ———	————	H. h. ———
11	florida. R.S.	great-flower'd.	N.America. 1731.	4. 5.	H. h. Botan. magaz. 526.
12	canadensis. R.S.	Canadian.	Canada. 1774.	6. 8.	H. h. ——— 880.
13	suecica. R.S.	dwarf.	Britain.	4.	H. h. Eng. bot. 310.
SAMBUCUS. L.		ELDER. Pentandria Trigynia. L.			
1	Ebulus. R.S.	herbaceous.	Britain.	6. 7.	H. h. Eng. bot. 475.
2	humilis. Mill.	dwarf.	————	H. h. ———
3	nigra. R.S.	common.	Britain.	5. 7.	H. h. Eng. bot. 476.
	<i>β variegata.</i>	<i>variegated.</i>	————	————	H. h. ———
	<i>γ aurea.</i>	<i>golden-leaved.</i>	————	————	H. h. ———
	<i>δ pulverulenta.</i>	<i>powdered-leaved.</i>	————	————	H. h. ———
	<i>ε monstrosa.</i>	<i>deformed.</i>	————	————	H. h. ———
	<i>ζ virescens.</i>	<i>green-fruited.</i>	————	————	H. h. ———
	<i>η albida.</i>	<i>white-fruited.</i>	————	————	H. h. ———
4	laciniata. L.en.	Parsley-leaved.	————	H. h. Schm. arb. t. 144.
5	canadensis. R.S.	Canadian.	N.America. 1761.	6. 8.	H. h. ——— t. 142.
6	racemosa. R.S.	red-berried.	S. Europe. 1596.	5. 6.	H. h. Jacq. ic. 1. t. 59.
	<i>α purpurea.</i>	<i>purple-flowered.</i>	———— ———	————	H. h. ———
	<i>β flavescens.</i>	<i>yellowish.</i>	———— ———	————	H. h. ———
7	pubens. R.S.	pubescent.	N.America. 1812.	————	H. h. ———
VIBURNUM. L.		VIBURNUM. Pentandria Trigynia. L.			
1	molle. R.S.	soft.	N.America. 1812.	6. 7.	H. h. ———
2	acerifolium. R.S.	Maple-leaved.	———— 1736.	————	H. h. Wats. dend. brit. 118.
3	edule. R.S.	eatable-fruited.	———— 1812.	7.	H. h. ———
4	Oxycoccus. R.S.	Cranberry like.	————	————	H. h. ———
5	Opulus. R.S.	Guelder-Rose.	Britain.	5. 6.	H. h. Eng. bot. 332.
	<i>β roseum. R.S.</i>	<i>Snowball tree.</i>	————	H. h. Schm. arb. t. 174.
	<i>γ variegatum.</i>	<i>variegated-ld.</i>	————	H. h. ———
6	davuricum. R.S.	Siberian.	Dahuria. 1785.	6. 7.	H. h. Pall. ross. 1. t. 38.
7	lantanoides. R.S.	Lantana like.	N.America.	5. 6.	H. h. ———
8	Lantana. R.S.	wayfaring-tree.	Britain.	————	H. h. Eng. bot. 331.
9	Lentago. R.S.	tree.	N.America. 1761.	7.	H. h. Wats. dend. brit. 21.
10	squamatum. R.S.	scaly.	———— 1812.	6. 7.	H. h. ——— t. 24.
11	pyrifolium. R.S.	pear-leaved.	————	5. 6.	H. h. ——— t. 22.
12	prunifolium. R.S.	plum-leaved.	———— 1731.	————	H. h. ——— t. 23.
13	pubescens. R.S.	pubescent.	———— 1736.	6. 7.	H. h. ———
14	dentatum. R.S.	tooth-leaved.	———— ———	————	H. h. Wats. dend. brit. 25.
15	lævigatum. R.S.	Cassioberry bush.	———— 1724.	7. 8.	H. h. Mill. ic. 1. t. 83. f. 1.
16	nitidum. R.S.	shining-leaved.	———— 1758.	5. 6.	H. h. ———
17	cassinoides. R.S.	thick-leaved.	———— 1761.	6. 7.	H. h. ———
18	obovatum. R.S.	obovate-leaved.	———— 1812.	5. 6.	H. h. ———
19	odoratissimum. B.R.	sweet-scented.	China. 1810.	5. 6.	G. h. Botan. regist. 456.
	<i>chinense. Zeyh.</i>				
20	nudum. R.S.	oval-leaved.	N.America. 1752.	5. 6.	H. h. Wats. dend. brit. 20.
21	villosum. R.S.	villous.	Jamaica. 1820.	4. 6.	S. h. ———
22	rugosum. R.S.	rugged-leaved.	Canaries. 1796.	4. 5.	H. h. Botan. regist. 376.
	<i>rigidum. Vent. malm. t. 98.</i>				

- 23 strictum. L en. upright Laurestine. S.Europe. 1596. 3. 5. H. h.
 β virgatum. twiggy. ———— ———— H. h.
- 24 Tinus. R.S. common Laurestine. ———— ———— 12. 4. H. h. Botan. magaz. 38.
 25 lucidum. R.S. shining Laurestine. ———— ———— 2. 5. H. h. Clus. hist. 1. 49. ic.
- SYMPHORIA. S.S. St. PETER'S-WORT. Pentandria Monogynia.
 1 glomerata. s.s. common. N.America. 1730. 8. 9. H. h. Schmidt arb. t. 115.
 2 racemosa. s.s. Snowberry. ———— 1812. 7. 9. H. h. Wats. dend. brit. 7.
- DIERVILLA. J. DIERVILLA. Pentandria Monogynia.
 humilis. P.S. yellow-flow'r'd. N.America. 1739. 6. 7. H. h. Botan. magaz. 1796.
 lutea. Ph. *Tournefortii.* R.S. *canadensis.* s.s. *Lonicera Diervilla.* L.
- LONICERA. W. HONEYSUCKLE. Pentandria Monogynia. L.
 1 Caprifolium. w. early. England. 4. 6. H. h. Eng. bot. 799.
 β rubra. early red. S. Europe. — H. h. Schmidt arb. t. 106.
 2 etrusca. s.s. Italian. Italy. — H. h. San. viag. al. mont. t. 1.
 Caprifolium etruscum. R.S.
- 3 dioica. s.s. small-flowered. N.America. 1766. 6. 7. H. h. Botan. regist. 138.
 Caprifolium parviflorum. Ph. *bracteosum.* M.
- 4 flava. B.M. yellow-flow'r'd. ———— 1810. 5. 7. H. h. Botan. magaz. 1318.
 Fraseri. s.s. *Caprifolium Fraseri.* Ph.
- 5 pubescens. pubescent. ———— 1820. — H. h. Hook. ex. flor. 27.
 Goldii. s.s. *Caprifolium pubescens.* H. E. F.
- 6 grata. s.s. evergreen. N.America. 1730. 6. 8. H. h. Hort. angl. n. 10. t. 8.
 7 sempervirens. s.s. trumpet. ———— 1656. 5. 8. H. h. Botan. magaz. 781.
 β minor. smaller. Carolina. 1812. — H. h. ———— 1753.
- 8 Periclymenum. s.s. Woodbine. Britain. 5. 7. H. h. Eng. bot. 800.
 α vulgaris. H.K. common. ———— — H. h. Schmidt arb. t. 107.
 β serotina. H.K. late-red. — H. h. ———— t. 108.
 γ belgica. H.K. dutch. — H. h. Hort. angl. n. 5. t. 6.
 δ quercifolia. H.K. Oak-leaved. Britain. — H. h.
 ε variegata. H.K. variegated-ld. — H. h.
- 9 implexa. s.s. Minorca. Minorca. 1772. 6. 9. H. h.
 10 japonica. w. Japan. China. 1806. 7. 9. H. h. Botan. regist. 70.
 Caprifolium japonicum. R.S. non D.P.
- 11 chinensis. W.D. Chinese. ———— 1814. 4. 8. H. h. Wats. dend. brit. 117.
 glabrata. F.I. *flexuosa.* B.R. *nec aliorum.*
- 12 alpigena. s.s. red-berried. Switzerland. 1596. 4. 5. H. h. Schmidt arb. t. 112.
 13 microphylla. s.s. small-leaved. Siberia. 1818. 5. 6. H. h.
 14 sibirica. R.S. Siberian. ———— — H. h.
 15 orientalis. R.S. oriental. Levant. 1820. — H. h.
- caucasica.* Pall.
- 16 punicea. B.M. crimson-fl'd. 4. 5. H. h. Botan. magaz. 2469.
 17 iberica. R.S. Iberian. Iberia. 1818. 5. 6. H. h.
 18 cœrulea. R.S. blue-berried. Switzerland. 1629. 3. 4. H. h. Botan. magaz. 1965.
 19 villosa. R.S. villous. Canada. 1818. 4. 5. H. h.
- Xylosteum villosum.* M.
- 20 Xylosteum. R.S. fly. England. 6. 7. H. h. Eng. bot. 916.
 21 canescens. R.S. canescent. Barbary. 1820. — H. h. Desf. atl. 1. t. 52.
 biflora. Desf.
- 22 canadensis. R.S. Canadian. Canada. 1812. 4. 5. H. h.
 23 tatarica. R.S. Tartarian. Tartary. 1752. — H. h. Pall. ros. 1. t. 36.
 α alba. white-flowered. ———— — H. h.
 β rubra. red-flowered. ———— — H. h. Botan. regist. t. 31.
- 24 nigra. R.S. black-berried. Switzerland. 1597. 3. 4. H. h. Schmidt arb. 110.
 25 flexuosa. R.S. flexuose. China. 1806. 7. 9. H. h.
 26 pyrenaica. R.S. Pyrenean. Pyrenees. 1739. 5. H. h. Magn. hort. t. 209.
- TRIOSTEUM. R.S. FEVERWORT. Pentandria Monogynia. L.
 1 perfoliatum. R.S. perfoliate. N.America. 1730. 6. 7. H. 4. Swt. br. fl. gar. 154.
 2 angustifolium. R.S. narrow-leaved. ———— 1699. — H. 4. Pluk. alm. t. 104. f. 2.
- LINNÆA. W. LINNÆA. Didynamia Angiospermia. L.
 borealis. w. two-flowered. Britain. 5. 8. H. 4. Eng. bot. 433.

ORDO XCIV.

RHIZOPHOREÆ. *Brown.*

RHIZOPHORA. L.	RHIZOPHORA.	Octandria Monogynia.		
Mangle. s.s.	common.	India.	1818. S. h.	Jacq. amer. t. 89.

ORDO XCV.

LORANTHÆ. *Juss. ann. mus. 12. p. 292.*

LORANTHUS. L.	LORANTHUS.	Hexandria Monogynia.		
europæus. s.s.	European.	Europe.	1824. H. h.	Jacq. aust. t. 30.
VISCUM. L.	MISSILTOE.	Diœcia Tetrandia. L.		
album. E.B.	common.	England. 5. H. h.	Eng. bot. 1470.

ORDO XCVI.

RUBIACEÆ. *Juss. gen. 196.*Sect. I. GUETTARDEÆ. *Kunth synops. 3. p. 67.*

GUETTARDA. S.S.	GUETTARDA.	Monœcia Tetr-Pent-Hexandria.		
1 hirsuta. s.s.	hairy.	Peru.	1822. S. h.	Flor. per. 2. t. 145. f.a.
Laugeria hirsuta. R.P.				
2 tomentosa. s.s.	tomentose.	Jamaica. S. h.	
3 lucida. s.s.	glossy.	-----	1818. S. h.	Vahl. symb. 3. t. 57.
Laugeria lucida. Sw.				
4 scabra. s.s.	rough.	W. Indies. S. h.	Vent. choix. 1. t. 1.
Matthiola scabra. L.				
5 rugosa. s.s.	rough-leaved.	-----	1793. S. h.	
6 speciosa. s.s.	great-flowered.	E. Indies.	1771. S. h.	Rheed. mal. 4. t. 47. 48.
VANGUERIA. J.	VANGUERIA.	Pentandria Monogynia. S.S.		
1 edulis. s.s.	eatable.	E. Indies.	1809. S. h.	Lam. ill. t. 159.
2 spinosa. H.B.	spiny.	-----	1818. S. h.	
ERITHALIS. S.S.	ERITHALIS.	Pentandria Monogynia. L.		
fruticosa. s.s.	shrubby.	Jamaica.	1793. 7. 8. S. h.	Jacq. am. p. t. 260. f. 20.
odorifera. R.S.				

Sect. II. HAMELIACEÆ. *Kth. synops. 3. p. 63.*

HAMELIA. S.S.	HAMELIA.	Pentandria Monogynia. L.		
1 axillaris. s.s.	axillary-fl'd.	Jamaica.	1820. 7. 8. S. h.	
2 ventricosa. s.s.	large-flowered.	W. Indies.	1778. 9. 11. S. h.	Sal. par. lond. 55.
grandiflora. P.L.				
3 chrysantha. s.s.	yellow-flow'r'd.	-----	1820. — S. h.	Jacq. ic. 2. t. 335.
4 patens. s.s.	spreading.	-----	1752. 7. 8. S. h.	Exot. bot. 1. t. 24.
5 sphærocarpa. P.S.	round-fruited.	Peru.	1811. — S. h.	Flor. per. t. 221. f. b.

ISERTIA. S.S.
coccinea. s.s.

ISERTIA. Hexandria Monogynia. S.S.
scarlet-flow'r'd. S. America. 1820. S. h. Aub. gui. 1. t. 123.

Sect. III. GARDENIÆ. *Sal. par. lond.* 46.

- MUSSÆNDA. R.S.** **MUSSÆNDA.** Pentandria Monogynia. L.
1 frondosa. R.S. frondose. E. Indies. 1815. 5. 10. S. h. Botan. regist. 517.
2 glabra. R.S. smooth. ——— 1820. — S. h.
3 pubescens. R.S. pubescent. China. 1805. 5. 9. G. h. Botan. magaz. 2099.
4 arcuata. R.S. arched. Isle France. 1822. S. h.
- LUCULIA. B.F.G.** **LUCULIA.** Pentandria Monogynia.
gratissima. B.F.G. sweet-scented. Nepaul. 1818. 10. 2. G. h. Swt. br. fl. gar. 145.
Cinchona gratissima. F.I. *Mussaenda Luculia.* D.P.
- RANDIA. R.S.** **RANDIA.** Pentandria Monogynia. R.S.
1 aculeata. R.S. prickly. W. Indies. 1733. 5. 6. S. h. Botan. magaz. 1841.
Gardenia Randia. W.
2 obovata. R.S. obovate-leaved. Peru. 1818. — S. h. Flor. per. 2. t. 220. f. b.
3 rotundifolia. R.S. round-leaved. ——— — S. h.
4 macrantha. R.S. large-flowered. Sierra Leon. 1796. 8. 9. S. h. Sal. par. lond. 93.
longiflora. P.L. non R.S.
5 racemosa. H.B. racemed. E. Indies. 1818. S. h.
6 longiflora. R.S. long-flowered. E. Indies. 1818. S. h. Lam. ill. t. 156. f. 3.
Gardenia multiflora. W.
- GARDENIA. R.S.** **GARDENIA.** Pentandria Monogynia. L.
1 amœna. s.s. crimson-tipped. China. 1810. 6. 8. S. h. Botan. magaz. 1904.
2 dumetorum. s.s. bushy. E. Indies. 1779. 7. 9. S. h. Roxb. cor. 2. t. 136.
Posoqueria dumetorum. F.I. *Canthium coronatum.* Lam.
3 uliginosa. s.s. marsh. ——— 1802. — S. h. ——— 2. t. 135.
4 nutans. H.B. drooping. ——— 1818. — S. h.
Posoqueria nutans. F.I.
5 spinosa. s.s. thorny. China. 1804. — S. h. Thunb. gar. n. 7. t. 2. f. 4.
6 armata. s.s. armed. W. Indies. 1813. S. h. Jacq. amer. pict. t. 71.
Mussaenda spinosa. Jacq.
7 tetracantha. s.s. four-thorned. New Spain. 1818. S. h.
8 longispina. H.B. long-spined. E. Indies. 1812. S. h.
Posoqueria longispina. F.I.
9 fragrans. s.s. fragrant. ——— 1822. S. h.
Posoqueria fragrans. F.I.
10 esculenta. s.s. esculent. China. 1823. 5. 6. S. h.
11 florida. s.s. Cape Jasmine. ——— 1754. 7. 10. S. h. Botan. regist. 449.
β flore-pleno. double-flowered. ——— — S. h. Ehret. pict. t. 15.
12 angustifolia. B.C. narrow-leaved. ——— 1820. — S. h. Lodd. bot. cab. 512.
13 radicans. s.s. rooting. ——— 1804. 3. 6. G. h. Botan. regist. 73.
14 latifolia. s.s. broad-leaved. E. Indies. 1787. S. h. Roxb. cor. 2. t. 134.
15 lucida. F.I. glossy-leaved. ——— 1820. S. h.
16 Thunbergia. s.s. starry. C. B. S. 1773. 1. 3. S. h. Botan. magaz. 1004.
17 Rothmannia. s.s. spotted-fl'd. ——— 1774. 7. G. h. ——— 690.
18 micrantha. R.S. small-flowered. China. 1806. 6. 8. S. h. Thunb. gar. n. 8. t. 1. f. 2.
19 montana. F.I. mountain. E. Indies. 1818. — S. h.
20 campanulata. F.I. bell-flowered. ——— 1812. — S. h.
- OXYANTHUS. DC.** **OXYANTHUS.** Pentandria Monogynia.
speciosus. DC. tube-flowered. Sierra Leon. 1789. 7. 12. S. h. Botan. magaz. 1992.
Gardenia tubiflora. A.R. 183.
- GENIPA. R.S.** **GENIP-TREE.** Pentandria Monogynia.
1 oblongifolia. R.S. oblong-leaved. Peru. 1823. S. h. Flor. per. 2. t. 220. f. a.
2 americana. R.S. American. S. America. 1779. S. h. Plum. ic. t. 136.
3 Merianæ. R.S. hairy. Cayenne. 1800. S. h. Merian. sur. t. 43.
Duroia eriopila. L.
- WEBERA. S.S.** **WEBERA.** Pentandria Monogynia.
1 corymbosa. s.s. corymbose. E. Indies. 1759. 4. 6. S. h. Botan. regist. 119.
2 cymosa. s.s. cymose. ——— 1811. S. h.
- BURCHELLIA. B.R.** **BURCHELLIA.** Pentandria Monogynia.
1 capensis. B.R. broad-leaved. C. B. S. 1818. 3. 6. G. h. Botan. regist. 466.
2 parviflora. B.R. smaller-fl'd. ——— — G. h. ——— 891.
bubalina. B.M. 2339.

CATESBÆA. S.S.	CATESBÆA. Tetrandria Monogynia. L.		
1 spinosa. s.s.	spiny. Isl. Prov. 1726. 5. 9. S. h.	Botan. magaz. 131.	
2 latifolia. B.R.	broad-leaved. W. Indies. 1818. 9. 11. S. h.	Botan. regist. 858.	
3 parviflora. s.s.	small-flowered. ——— 1810. S. h.	Sloan. h. 2. t. 207. f. 1.	
FERNELIA. J.	FERNELIA. Tetrandria Monogynia.		
1 obovata. Lam.	obovate-leaved. Isl. France. 1816. S. h.		
2 buxifolia. Lam.	Box-leaved. ——— ——— ——— S. h.		
	<i>Coccocypselum buxifolium. s.s.</i>		
COCCOCYPSELUM. S.S.	COCCOCYPSELUM. Tetrandria Monogynia. S.S.		
repens. s.s.	creeping. W. Indies. 1793. 5. S. h.	Brown. jam. t. 6. f. 1.	

Sect. IV. CINCHONEÆ. *Kth. synops. 3. p. 47.*

PORTLANDIA. S.S.	PORTLANDIA. Pentandria Monogynia. L.		
1 grandiflora. R.S.	great-flowered. Jamaica. 1775. 6. 8. S. h.	Sm. ic. pict. 1. t. 6.	
2 coccinea. R.S.	scarlet-flow'r'd. ——— 1812. S. h.		
COUTAREA. S.S.	COUTAREA. Hexandria Monogynia. S.S.		
speciosa. s.s.	Laurel-leaved. Guiana. 1803. S. h.	Aub. gui. 1. t. 122.	
	<i>Portlandia hexandra. Jacq. am. pict. t. 65.</i>		
EXOSTEMMA. R.S.	EXOSTEMMA. Pentandria Monogynia. R.S.		
1 caribæum. R.S.	Caribbean. W. Indies. 1780. 6. 9. S. h.	Andr. reposit. 481.	
	<i>Cinchona caribæa. W.</i>		
2 floribundum. R.S.	many-flowered. ——— 1794. S. h.	Lamb. cinch. 27. t. 7.	
PINCKNEYA. M.	PINCKNEYA. Pentandria Monogynia.		
pubens. M.	pubescent. Georgia. 1786. 6. 7. F. h.	Mich. amer. t. 13.	
HYMENODICTYON. F.I.	HYMENODICTYON. Pentandria Monogynia.		
1 thyrsiflorum. Wall.	thyrs-flow'r'd. E. Indies. 1816. S. h.		
2 excelsum. Wall.	tall. ——— ——— ——— S. h.	Roxb. cor. 2. t. 106.	
	<i>Cinchona excelsa. R.S.</i>		
HILLIA. S.S.	HILLIA. Tetr-Hexandria Monogynia. S.S.		
1 longiflora. s.s.	long-flowered. W. Indies. 1789. 2. 3. S. h.	Botan. magaz. 721.	
2 tetrandra. s.s.	mountain. Jamaica. 1793. 6. 7. S. h.		
MACROCNEUM. L.	MACROCNEUM. Pentandria Monogynia. L.		
jamaicense. R.S.	Jamaica. Jamaica. 1806. S. h.	Swartz obs. t. 3. f. 1.	
RONDELETIA. R.S.	RONDELETIA. Pentandria Monogynia. L.		
1 americana. R.S.	American. W. Indies. 1752. 8. S. h.	Plum. ic. t. 242. f. 1.	
2 lævigata. R.S.	smooth-leaved. ——— 1790. 7. 8. S. h.		
3 racemosa. R.S.	racemed. ——— 1818. ——— S. h.	Brown. jam. 143. t. 2. f. 3.	
4 tomentosa. R.S.	downy-leaved. ——— ——— S. h.		
5 hirta. R.S.	hairy. ——— 1776. 6. 8. S. h.	Lodd. bot. cab. 350.	
6 paniculata. F.I.	panicled. E. Indies. 1820. S. h.		

Sect. V. HEDYOTIDEÆ. *Kth. synops. 3. p. 40.*

HEDYOTIS. R.S.	HEDYOTIS. Tetrandria Monogynia. L.		
1 diffusa. R.S.	spreading. E. Indies. 1818. 7. 9. S. ☉.		
2 herbacea. R.S.	herbaceous. ——— 1816. 6. 9. S. ☉.	Rheed. mal. 10. t. 35.	
3 umbellata. R.S.	Indian Madder. E. Indies. 1792. 7. 8. S. 4.	Roxb. cor. 1. t. 3.	
	<i>Oldenlandia umbellata. L.</i>		
4 cymosa. R.S.	Hyssop-leaved. Jamaica. 1739. 6. 10. S. ☉.	Ehret pic. t. 2. f. 1. et t. 4.	
	<i>Oldenlandia corymbosa. W.</i>		
5 ramosissima. R.S.	branching. 1816. ——— S. ☉.		
6 biflora. R.S.	two-flowered. E. Indies. ——— ——— S. ☉.		
7 lactea. R.S.	milk-coloured. ——— ——— S. ☉.		
MANETTIA. R.S.	MANETTIA. Tetrandria Monogynia. L.		
1 Lygistum. R.S.	veined-leaved. W. Indies. 1822. 2. 4. S. h. ∪.	Brown. jam. t. 3. f. 2.	
2 coccinea. R.S.	scarlet. Trinidad. 1806. 12. 4. S. h. ∪.	Botan. regist. 693.	
BOUVARDIA. R.S.	BOUVARDIA. Tetrandria Monogynia.		
1 triphylla. R.S.	three-leaved. Mexico. 1794. 4. 11. G. h.	Sal. par. lond. 88.	
	<i>Jacquinii. s.s. Houstonia coccinea. A.R. 106.</i>		
α pubescens.	pubescent. ——— ——— ——— G. h.	Botan. regist. 107.	
β glabra.	smooth. ——— ——— ——— G. h.		
2 versicolor. S.S.	various-color'd. S. America. 1814. 7. 1. S. h.	Botan. regist. 245.	

DENTELLA. W.	DENTELLA. Pentandria Monogynia. W.	
repens. W.	creeping. N.Holland. 1802. 7. H. ☉.	Lam. ill. t. 118.
SPERMADICTYON. B.R.	SPERMADICTYON. Pentandria Monogynia.	
suaveolens. B.R.	sweet-scented. E. Indies. 1816. 8. 12. S. h.	Botan. regist. 348.
<i>Hamiltonia suaveolens</i> . F.I.		

Sect. VI. CEPHALANTHÆ. *Kth. synops. 3. p. 37.*

NAUCLEA. R.S.	NAUCLEA. Pentandria Monogynia. L.	
1 Adina. sm.	Myrtle-leaved. China. 1804. 7. 8. S. h.	Botan. regist. 895.
<i>Adina globiflora</i> . P.L. 115.		
2 orientalis. R.S.	oriental. E. Indies. 1800. S. h.	
3 Cadamba. F.I.	broad-leaved. ———— 1823. S. h.	Rheed. mal. 3. t. 33.
4 undulata. F.I.	wave-leaved. ———— ———— S. h.	
5 cordifolia. R.S.	heart-leaved. ———— ———— S. h.	Roxb. cor. 1 ^{re} t. 53.
SARCOCEPHALUS. Afz.	SARCOCEPHALUS. Pentandria Monogynia.	
esculentus. Afz.	eatable-fruited. Sierra Leon. 1822. 6. 8. S. h.	Hort. trans. 5. t. 18.
CEPHALANTHUS. L.	BUTTON-WOOD. Tetrandria Monogynia. L.	
occidentalis.	American. N.America. 1735. 8. S. h.	Schmidt arb. 1. t. 45.
MORINDA. L.	MORINDA. Pentandria Monogynia. L.	
1 umbellata. R.S.	umbelled. E. Indies. 1809. S. h.	
2 citrifolia. R.S.	broad-leaved. Otaheite. 1793. S. h.	Rheed. mal. 1. t. 52.
3 bracteata. F.I.	bracted. E. Indies. 1816. S. h.	
4 angustifolia. F.I.	narrow-leaved. ———— ———— S. h.	
5 Royoc. R.S.	Laurel-leaved. W. Indies. 1793. 7. 10. S. h.	Jacq. vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops. 3. p. 20.*

MITCHELLA. L.	MITCHELLA. Tetrandria Monogynia. L.	
repens. L.	creeping. N.America. 1761. 6. H. h.	Cat. car. 1. t. 20.
PAVETTA. R.S.	PAVETTA. Tetrandria Monogynia. L.	
1 indica. R.S.	Indian. E. Indies. 1791. 8. 10. S. h.	Burm. ind. t. 13. f. 3.
2 arenosa. R.S.	tubercled. China. 3. 10. S. h.	Botan. regist. 198.
<i>indica</i> . B.R. <i>nec aliorum</i> .		
IXORA. L.	IXORA. Tetrandria Monogynia. L.	
1 grandiflora. B.R.	great-flowered. E. Indies. 1814. 7. 9. S. h.	Botan. regist. 154.
<i>coccinea</i> . L. non B.M.		
2 Bandhuca. F.I.	stem-clasping. ———— ———— 1. 4. S. h.	————— 513.
3 fulgens. F.I.	glossy. ———— 1820. S. h.	Rumph. amb. 4. t. 46.
<i>longifolia</i> . Sm. <i>lanceolata</i> . Lam.		
4 flammea. S.P.	flame-coloured. China. 1690. 4. 8. S. h.	Botan. magaz. 169.
<i>coccinea</i> . B.M. <i>stricta</i> . F.I.		
5 crocata. B.R.	saffron-color'd. ———— 1820. ———— S. h.	Botan. regist. 782.
6 incarnata. B.C.	flesh-coloured. ———— ———— S. h.	Lodd. bot. cab. 729.
7 blanda. B.R.	charming. ———— 1812. ———— S. h.	Botan. regist. 100.
8 alba. W.	white. E. Indies. 1768. 6. S. h.	Rheed. mal. 2. t. 14.
9 cuneifolia. F.I.	wedge-leaved. E. Indies. 1820. ———— S. h.	————— 648.
10 brachiata. F.I.	brachiate-panicled. ———— ———— S. h.	
11 Pavetta. A.R.	fragrant. ———— S. h.	Andrews's reposit. 78.
12 parviflora. F.I.	small-flowered. ———— 1800. 8. 10. S. h.	Vahl symb. 3. t. 52.
13 barbata. F.I.	bearded. ———— 1822. 6. 8. S. h.	Botan. magaz. 2505.
14 undulata. F.I.	wave-leaved. ———— 1818. ———— S. h.	
15 rosea. F.I.	rose-coloured. ———— 1820. 4. 8. S. h.	Botan. regist. 540.
16 obovata. R.S.	obovate-leav'd. ———— S. h.	
<i>purpurea</i> . F.?		
CHOMELIA. W.	CHOMELIA. Tetrandria Monogynia. W.	
spinosa. W.	spiny. W. Indies. 1793. S. h.	Jacq. amer. 18. t. 13.
SIDERODENDRON. S.S.	IRON-TREE. Tetrandria Monogynia. W.	
triflorum. s.s.	three-flowered. W. Indies. 1793. S. h.	Jacq. amer. 19. t. 175. f. 9
TETRAMERIUM. G.	TETRAMERIUM. Tetrandria Monogynia. S.S.	
1 odoratissimum. s.s.	sweet-scented. W. Indies. 1793. 4. 6. S. h.	Jacq. amer. t. 47.
<i>Coffea occidentalis</i> . W. <i>Ixora americana</i> . Sw.		
2 paniculatum. s.s.	panicled. Guiana. 1822. S. h.	Aub. guian. t. 58.

COFFEA. L.	COFFEE-TREE. Pentandria Monogynia. L.		
arabica. w.	Arabian. Yemen. 1696. 8. 11. S. h.	Botan. magaz. 1303.	
CEPHAELIS. S.S.	CEPHAELIS. Pentandria Monogynia. L.		
1 elata. s.s.	tall. Jamaica. 1793. S. h.		
2 axillaris. s.s.	axillary-fl'd. Brazil. 1816. 4. 5. S. h.	Lind. coll. 21.	
calycina. L. col.			
3 pedunculata. P.L.	long-peduncul'd. Sierra Leon. 2. 4. S. h.	Sals. par. lond. 103.	
PSYCHOTRIA. R.S.	PSYCHOTRIA. Pentandria Monogynia. L.		
1 asiatica. R.S.	Indian. E. Indies. 1806. 4. 5. S. h.	Jacq. amer. p. t. 260. f. 19	
2 glabrata. R.S.	smooth. Jamaica. 1822. — S. h.		
3 citrifolia. R.S.	Citron-leaved. W. Indies. 1793. 1. 12. S. h.		
4 elliptica. B.R.	elliptic-leaved. Brazil. 1820. 2. 6. S. h.	Botan. regist. 607.	
5 parasitica. R.S.	parasitic. W. Indies. 1802. 5. 8. S. h.	Jacq. amer. t. 51. f. 1.	
6 brachiata. R.S.	cross-branched. — 1793. S. h.		
7 pubescens. R.S.	pubescent. Jamaica. 1812. S. h.		
8 undata. R.S.	wave-leaved. Bahama. 1818. 4. 6. S. h.	Jacq. schœnb. 3. t. 260.	
GEOPHILA. D.P.	GEOPHILA. Pentandria Monogynia.		
reniformis. D.P.	kidney-leaved. W. Indies. 1793. 4. 6. S. 4.	Jacq. amer. t. 46.	
Psychotria herbacea. W.			
CHIOCOCCA. W.	SNOWBERRY. Pentandria Monogynia. L.		
racemosa. w.	cluster-flow'r'd. Jamaica. 1729. 2. S. h.	Andr. reposit. 284.	
ERNODEA. S.S.	ERNODEA. Tetrandria Monogynia. W.		
montana. s.s.	mountain. Sicily. 1820. 6. 7. H. h.	Flor. græc. t. 143.	
Asperula calabrica. L.			
SERISSA. S.S.	SERISSA. Pentandria Monogynia. W.		
foetida. s.s.	Japanese. Japan. 1787. 5. 9. G. h.	Botan. magaz. 361.	
β multiplex.	double-flowered. — — — — — G. h.		
PLOCAMA. W.	PLOCAMA. Pentandria Monogynia. W.		
pendula. w.	pendulous. Canaries. 1779. G. h.		
? PÆDERIA. W.	PÆDERIA. Pentandria Monogynia. L.		
foetida. w.	stinking. China. 1806. G. h. —. Icon. Kæmpf. 9.		

Sect. VIII. SPERMACOCEÆ. *Kth. synops. 3. p. 14.*

RICHARDSONIA. Kth.	RICHARDSONIA. Hexandria Monogynia. L.		
scabra. B.F.G.	rough. S. America. 1812. 9. 10. H. ⊙.	Swt. br. fl. gar. 91.	
PHYLLIS. W.	BASTARD HARE'S-EAR. Pentandria Digynia. L.		
Nobla. w.	Canary. Canaries. 1699. 6. 7. G. h.	Dill. elth. t. 299. f. 386.	
DIODIA. S.S.	DIODIA. Tetrandria Monogynia. W.		
1 virginica. s.s.	Virginian. Virginia. 1820. 6. 8. H. 4.	Jacq. ic. 1. t. 29.	
2 sarmentosa. s.s.	sarmentose. W. Indies. 1821. — S. h.		
3 verticillata. s.s.	whorl-leaved. Santa Cruz. — ... S. 4.		
BIGELOVIA. S.S.	BIGELOVIA. Tetrandria Monogynia. S.S.		
1 verticillata. s.s.	whorl-flowered. Africa. 1732. 6. 8. S. h.	Dill. elth. t. 277. f. 358.	
Spermacoe verticillata. L.			
2 commutata. s.s.	starry-headed. W. Indies. 1818. — S. 4.		
3 stricta. s.s.	upright. — — — — — 1821. — S. ⊙.		
Spermacoe stricta. L.			
SPERMACOCE. S.S.	BUTTON-WEED. Tetrandria Monogynia. L.		
1 glabra. s.s.	smooth. N. America. 1823. 7. 8. H. ⊙.		
2 diodina. s.s.	Diodia-like. — — — — — 1820. — H. ⊙.		
3 hispida. s.s.	bristly. E. Indies. 1781. 8. 9. S. ⊙.	Burm. zeyl. t. 20. f. 3.	
4 latifolia. s.s.	broad-leaved. Guiana. 1803. 7. S. ♂.	Aub. gui. t. 19. f. 1.	
5 cornifolia. s.s.	Dogwood-l'd. Brazil. 1820. 8. 9. S. ⊙.		
6 stylosa. s.s.	long-styled. Manila. — — — — — S. ⊙.		
7 suffruticosa. s.s.	suffruticose. 1823. 7. 8. S. h.		
8 radicans. s.s.	rooting. Guiana. 1803. — S. 4.	Aub. gui. 1. t. 20. f. 4.	
9 tenuior. s.s.	slender. W. Indies. 1732. 6. 8. H. ⊙.	Sch. hand. 1. t. 22.	
10 lanceolata. L. en.	spear-leaved. — — — — — 1818. — H. ⊙.		
11 hirta. s.s.	hairy. Jamaica. 1822. 7. 9. H. ⊙.	Jacq. ic. t. 308.	
12 scabra. s.s.	rough. E. Indies. 1816. — S. ⊙.	Rheed. mal. 9. t. 76.	
13 rubra. s.s.	Cross-wort. S. America. 1760. 7. 8. S. ♂.	Jacq. schœn. 3. t. 256.	
strigosa. B.M. 1558.			
14 Fischeri. s.s.	Fischer's. Jamaica. 1820. — S. ⊙.		
15 Roxburghii. s.s.	Roxburgh's. E. Indies. 1818. — S. ♂.		
lævis. F.I. non Lam.			

KNOXIA. S.S.	KNOXIA. Tetrandria Monogynia. W.
1 corymbosa. s.s.	Sumatra. E. Indies. 1818. 4. 6. S. $\frac{1}{2}$.
<i>Spermacoe sumatrensis. F.I.</i>	
2 umbellata. s.s.	umbel-flower'd. Nepaul. 1820. — S. $\frac{1}{2}$.
<i>Spermacoe teres. F.I.</i>	

Sect. IX. GALEÆ. *Kth. synops. 3. p. 10.*

ANTHOSPERMUM. W. AMBER-TREE. Diœcia Tetrandria. L.									
æthiopicum. s.s.		Ethiopian.	C. B. S.	1692.	6. 7.	G. $\frac{1}{2}$.	Pluk. alm. t. 183. f. 1.		
CRUCIANELLA. R.S. CROSS-WORT. Tetrandria Monogynia. L.									
1	angustifolia. R.S.	narrow-leaved.	S. Europe.	1658.	6. 7.	H. \odot .	Sm. exot. bot. 2. t. 109.		
2	ciliata. R.S.	ciliated.	Levant.	1805.	7. 8.	H. \odot .			
3	patula. R.S.	spreading.	Spain.	1798.	6. 7.	H. \odot .			
4	latifolia. R.S.	broad-leaved.	S. Europe.	1633.	—	H. \odot .	Flor. græc. t. 139.		
5	ægyptiaca. R.S.	Egyptian.	Egypt.	1800.	—	H. \odot .			
6	monspeliaca. R.S.	Montpelier.	S. France.	1791.	7. 8.	H. \odot .	Flor. græc. t. 140.		
7	maritima. R.S.	sea-side.	—	1640.	—	G. $\frac{1}{2}$.	Sabb. hort. 2. t. 13.		
8	americana. R.S.	American.	Vera Cruz.	—	S. $\frac{1}{2}$.			
9	pubescens. R.S.	pubescent.	Candia.	1799.	7. 8.	G. $\frac{1}{2}$.			
10	molluginoides. R.S.	Mollugo-like.	Caucasus.	1800.	—	H. $\frac{1}{2}$.	Buxb. cent. 2. t. 30. f. 1.		
anomala. M.B.									
SHERARDIA. R.S. SHERARDIA. Tetrandria Monogynia. L.									
arvensis. R.S.		little.	Britain.	4. 9.	H. \odot .	Eng. bot. 891.		
RUBIA. R.S. MADDER. Tetrandria Monogynia. L.									
1	tinctorum. R.S.	dyer's.	S. Europe.	1596.	6.	H. $\frac{1}{2}$.	Flor. græc. t. 141.		
2	splendens. R.S.	glossy.	Portugal.	1812.	6. 8.	H. $\frac{1}{2}$.			
3	galioides. R.S.	Galium-like.	Canaries.	1816.	—	F. $\frac{1}{2}$.			
4	peregrina. R.S.	wild.	England.	7.	H. $\frac{1}{2}$.	Eng. bot. 851.		
5	lucida. R.S.	shining.	Majorca.	1762.	—	F. $\frac{1}{2}$.	Flor. græc. t. 142.		
6	fruticosa. R.S.	prickly-leaved.	Canaries.	1779.	9.	F. $\frac{1}{2}$.			
7	Bocconi. R.S.	Boccone's.	Italy.	1823.	—	H. $\frac{1}{2}$.			
8	angustifolia. R.S.	narrow-leaved.	S. Europe.	1772.	7. 8.	F. $\frac{1}{2}$.	Lam. ill. t. 60. f. 2.		
9	cordifolia. R.S.	heart-leaved.	Siberia.	1783.	7.	H. $\frac{1}{2}$.	Pall. it. 3. ap. t. L. f. 1.		
ASPERULA. R.S. WOODRUFF. Tetrandria Monogynia. L.									
1	lævigata. R.S.	shining.	S. Europe.	1775.	6.	H. $\frac{1}{2}$.	Moris. his. 3. t. 21. f. 4.		
2	taurina. R.S.	broad-leaved.	Italy.	1739.	4. 6.	H. $\frac{1}{2}$.	Lob. ic. 800. f. 1.		
3	longiflora. R.S.	long-flowered.	Hungary.	1818.	—	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 150.		
4	aristata. R.S.	awned.	S. Europe.	1823.	—	H. $\frac{1}{2}$.			
5	supina. R.S.	trailing.	Caucasus.	—	6. 7.	H. $\frac{1}{2}$.			
6	brevifolia. R.S.	short-leaved.	Levant.	1818.	—	H. $\frac{1}{2}$.			
7	cynanchica. R.S.	small.	England.	7.	H. $\frac{1}{2}$.	Eng. bot. 33.		
8	alpina. s.s.	Alpine.	Caucasus.	1825.	—	H. $\frac{1}{2}$.			
9	crassifolia. R.S.	thick-leaved.	Levant.	1775.	6.	H. $\frac{1}{2}$.			
10	scabra. s.s.	rough.	Italy.	1824.	—	H. $\frac{1}{2}$.			
11	tinctoria. R.S.	narrow-leaved.	Europe.	1764.	6. 7.	H. $\frac{1}{2}$.	Tabern. ic. 151.		
12	montana. R.S.	mountain.	Hungary.	1801.	—	H. $\frac{1}{2}$.			
13	arvensis. R.S.	field.	Europe.	1596.	7.	H. \odot .	Lobel. ic. t. 801. f. 2.		
14	arcadiensis. s.s.	Arcadian.	Arcadia.	1819.	5.	H. $\frac{1}{2}$.	Botan. magaz. 2146.		
15	hirta. R.S.	thick-rooted.	Pyrenees.	—	5. 6.	H. $\frac{1}{2}$.	Ram. phil. t. 9. f. 1. 2.		
16	hirsuta. R.S.	hairy creeping.	S. Europe.	1820.	—	H. $\frac{1}{2}$.			
repens. Brot.									
17	incana. R.S.	hoary.	Crete.	1823.	6. 7.	H. $\frac{1}{2}$.	Flor. græc. t. 119.		
18	galioides. s.s.	glaucous.	S. Europe.	1710.	6. 9.	H. $\frac{1}{2}$.	Jacq. aust. 1. t. 81.		
Galium glaucum. L.									
19	humifusa. s.s.	spreading.	Caucasus.	1825.	—	H. $\frac{1}{2}$.			
20	longifolia. R.S.	long-leaved.	Greece.	1823.	—	H. $\frac{1}{2}$.	Flor. græc. t. 118.		
21	Aparine. R.S.	marsh.	Crete.	—	—	H. $\frac{1}{2}$.	— t. 117.		
rivalis. Sm.									
22	odorata. R.S.	sweet-scented.	Britain.	5. 6.	H. $\frac{1}{2}$.	Eng. bot. 755.		
VALANTIA. S.S. VALANTIA. Tetrandria Monogynia. S.S.									
1	muralis. s.s.	wall.	S. Europe.	1739.	5. 7.	H. \odot .	Colum. Ecphr. t. 297.		
2	hispida. s.s.	bristly.	—	1768.	—	H. \odot .	Gært. fr. C. 2. t. 24. f. 1.		
3	filiformis. s.s.	least.	Canaries.	1780.	7. 9.	H. \odot .			
GALIAM. S.S. BEDSTRAW. Tetrandria Monogynia. L.									
1	cruciatum. s.s.	Crosswort.	Britain.	5. 6.	H. $\frac{1}{2}$.	Eng. bot. 143.		
Valantia cruciata. w.									

2	pedemontanum. s.s.	Piedmont.	Hungary.	1799.	7.	H.⊙.	W. et K. hung. 1. t. 33.
3	Bauhini. s.s.	Bauhin's.	Europe.	1731.	7. 8.	H. 4.	1. t. 32.
	<i>Valantia glabra.</i> w.						
4	vernum. s.s.	Haller's.	Switzerland.	1823.	5. 6.	H. 4.	
	<i>Halleri.</i> R.S.						
5	articulatum. s.s.	jointed.	Egypt.	1752.	7. 8.	H.⊙.	
6	rubroides. s.s.	Madder-leav'd.	S. Europe.	1775.	7.	H. 4.	Buxb. cent. 2. t. 29.
7	diffusum. s.s.	spreading.	—	1820.	—	H. 4.	
8	valantioides. s.s.	Valantia-like.	Caucasus.	1823.	—	H. 4.	
9	palustre. s.s.	water.	Britain.	—	H.w. 4.	Eng. bot. 1857.
10	satureiæfolium. s.s.	Savory-leaved.	Caucasus.	1818.	—	H.w. 4.	
11	trifidum. s.s.	3-fid-flowered.	N. Europe.	—	—	H.w. 4.	
12	fruticosum. s.s.	frutescent.	Crete.	1823.	7. 8.	F. ½.	
13	Witheringii. s.s.	rough.	England.	6. 7.	H. 4.	Eng. bot. 2206.
14	glabrum. s.s.	smooth.	C. B. S.	1816.	—	G. 4.	
15	uliginosum. s.s.	marsh.	Britain.	7. 8.	H.w. 4.	Eng. bot. 1972.
16	divaricatum. s.s.	divaricate.	S. France.	1820.	—	H.⊙.	DC. ic. gal. rar. t. 24.
17	campestre. s.s.	field.	Barbary.	1818.	8. 9.	H.⊙.	
18	austriacum. R.S.	Austrian.	Europe.	1804.	6. 7.	H. 4.	Jacq. aust. t. 80.
19	Bocconi. R.S.	Boccone's.	—	1801.	5. 6.	H. 4.	Bocc. mus. t. 101.
20	obliquum. R.S.	oblique-leaved.	S. France.	—	H. 4.	Vill. delph. 2. n. 9. t. 8.
21	pusillum. E.B.	least.	England.	7. 8.	H. 4.	Eng. bot. 74.
22	alpestre. R.S.	smooth-leaved.	S. Europe.	1824.	—	H. 4.	Vill. delph. 2. t. 7. bis.
23	tenuifolium. R.S.	slender-leav'd.	—	1820.	6. 7.	H. 4.	
24	rubrum. s.s.	red.	Italy.	1597.	—	H. 4.	Ger. herb. 967. f. 3.
25	tenuissimum. s.s.	slenderest.	Caucasus.	1818.	7. 9.	H.⊙.	
26	verum. s.s.	cheese-rennet.	Britain.	—	H. 4.	Eng. bot. 660.
27	tyrolense. R.S.	Tyrolese.	Tyrol.	1801.	7.	H. 4.	
28	Mollugo. R.S.	great hedge.	Britain.	7. 8.	H. 4.	Eng. bot. 1673.
29	campanulatum. s.s.	bell-flowered.	Europe.	1710.	6. 9.	H. 4.	Jacq. aust. t. 81.
	<i>glaucum.</i> Jacq.						
30	erectum. s.s.	upright.	Britain.	6. 7.	H. 4.	Eng. bot. 2067.
31	lucidum. R.S.	glossy.	S. Europe.	1820.	—	H. 4.	All. ped. 1. t. 77. f. 2.
32	linifolium. s.s.	Flax-leaved.	—	1759.	—	H. 4.	Barr. ic. t. 356 et 583.
33	rigidum. s.s.	rigid.	1778.	—	H. 4.	
34	sylvaticum. s.s.	wood.	S. Europe.	1658.	7. 8.	H. 4.	
35	cinereum. s.s.	cinereous.	Scotland.	8.	H. 4.	All. ped. t. 77. f. 4.
36	aristatum. s.s.	awned.	—	7. 8.	H. 4.	Barr. ic. t. 356.
37	purpureum. s.s.	purple.	Switzerland.	1731.	6. 7.	H. 4.	
38	saxatile. s.s.	smooth heath.	Britain.	7. 8.	H. 4.	Eng. bot. 815.
39	helveticum. s.s.	Swiss.	Switzerland.	1823.	—	H. 4.	J.m.ac.p.1714.t.15.f.1.
40	tricorne. E.B.	three-flowered.	Britain.	7.	H.⊙.	Eng. bot. 1641.
41	spurium. E.B.	spurious.	—	6. 7.	H. 4.	— 1871.
42	verrucosum. E.B.	warted.	—	6. 8.	H.⊙.	— 2173.
	<i>saccharatum.</i> R.S.	<i>Valantia Aparine.</i> w.					
43	Cucullaria. s.s.	hooded.	Levant.	1780.	5. 6.	H.⊙.	Buxb. cent. 1. t. 19. f. 2.
44	boreale. E.B.	cross-leaved.	Britain.	7.	H. 4.	Eng. bot. 105.
45	rotundifolium. s.s.	round-leaved.	Europe.	6. 7.	H. 4.	Jacq. aust. t. 94.
46	ellipticum. s.s.	elliptic-leaved.	Sicily.	1820.	—	H. 4.	Barr. ic. t. 21. f. 4.
47	pilosum. R.S.	hairy.	N. America.	1778.	—	H. 4.	
48	reflexum. s.s.	reflexed.	Tauria.	1818.	—	H. 4.	
	<i>tauricum.</i> R.S.	<i>Valantia taurica.</i> w.					
49	maritimum. s.s.	sea-side.	S. Europe.	—	7. 8.	H. 4.	
50	anglicum. E.B.	English.	England.	6. 7.	H.⊙.	Eng. bot. 384.
51	parisiense. R.S.	Paris.	France.	1818.	—	H.⊙.	
52	murale. s.s.	wall.	Italy.	1805.	6. 8.	H.⊙.	All. ped. 34. t. 77. f. 11.
	<i>Sherardia muralis.</i> w.						
53	græcum. s.s.	Candian.	Candia.	1798.	6. 7.	H. 4.	Flor. græc. t. 136.
54	Aparine. E.B.	Cleavers.	Britain.	5. 9.	H.⊙.	Eng. bot. 316.
55	infestum. R.S.	infesting.	Europe.	1818.	—	H.⊙.	W. et K. hung. 3. t. 202.
56	scaberrimum. R.S.	roughest.	Egypt.	—	6. 9.	H.⊙.	

ORDO XCVII.

OPERCULARIÆ. *Juss. ann. mus. 4. p. 418.*

OPERCULARIA. J.	OPERCULARIA.	Tetrandria Monogynia. W.	
1 umbellata. R.S.	umbel-flower'd.	N.Holland. 1818.	6. 7. G. $\frac{1}{2}$. Lam. ill. t. 58. f. 1.
2 aspera. s.s.	rough.	N.Zealand. 1790.	6. 7. G. $\frac{1}{2}$. Gært. fr. 1. t. 24. f. 4.
3 hispida. s.s.	hispid.	N. S. W. ———	—— G. $\frac{1}{2}$. Juss.an.mus.4.t.70.f.1.
<i>aspera. J.</i>			
4 sessiliflora. R.S.	sessile-flow'r'd.	———— 1816.	—— G. $\frac{1}{2}$. ——— 4. t.70. f.2.
5 ocymifolia. R.S.	Basil-leaved.	———— 1820.	—— G. $\frac{1}{2}$.
CRYPTOSPERMUM. P.S.	CRYPTOSPERMUM.	Monandria Monogynia. P.S.	
Youngii. P.S.	Young's.	N. S. W. 1793.	7. 8. G. $\frac{1}{2}$. Linn. trans. 3. t. 5.
<i>Opercularia paleata. R.S.</i>			

ORDO XCVIII.

VALERIANEÆ. *DC. fl. fr. ed. 3. v. 4. p. 418.*

CENTRANTHUS. DC.	CENTRANTHUS.	Monandria Monogynia. R.S.	
1 ruber. DC.	common.	England.	6. 10. H. $\frac{1}{2}$. Eng. bot. 1531.
<i>Valeriana rubra. E.B.</i>			
β albus.	white-flowered.	————	—— H. $\frac{1}{2}$.
γ carneus.	flesh-coloured.	————	—— H. $\frac{1}{2}$.
2 angustifolius. DC.	narrow-leaved.	Europe. 1731.	5. 7. H. $\frac{1}{2}$. Flor. græc. 1. t. 29.
3 Calcitrapa. R.S.	cut-leaved.	Portugal. 1570.	—— H. \odot . ——— 1. t. 30.
VALERIANA. DC.	VALERIAN.	Triandria Monogynia. L.	
1 dioica. E.B.	diœcious.	Britain.	5. 7. H. $\frac{1}{2}$. Eng. bot. 628.
2 Phu. R.S.	garden.	Germany. 1597.	—— H. $\frac{1}{2}$. Plenck. t. 28.
3 officinalis. E.B.	great wild.	Britain.	6. 7. H. $\frac{1}{2}$. Eng. bot. 698.
4 sambucifolia. R.S.	Elder-leaved.	Sweden. 1818.	—— H. $\frac{1}{2}$.
5 sisymbriifolia. R.S.	water-rocket-ld.	Levant. 1820.	—— H. $\frac{1}{2}$.
6 cardamines. M.B.	Ladies-smock-ld.	Caucasus. 1823.	—— H. $\frac{1}{2}$.
7 montana. R.S.	mountain.	Switzerland. 1748.	—— H. $\frac{1}{2}$. Lodd. bot. cab. 317.
8 tripteris. R.S.	three-leaved.	—— 1752.	3. 5. H. $\frac{1}{2}$. Jacq. aust. 3. t. 268.
9 pyrenaica. E.B.	heart-leaved.	Scotland.	5. 6. H. $\frac{1}{2}$. Eng. bot. 1591.
10 tuberosa. R.S.	tuberous-root'd.	S. Europe. 1629.	—— H. $\frac{1}{2}$. Lapeyr. pyr. t. 53.
11 elongata. R.S.	elongated.	Austria. 1812.	6. 7. H. $\frac{1}{2}$. Jacq. ic. 3. t. 219.
12 supina. R.S.	creeping-root'd.	Germany. 1818.	—— H. $\frac{1}{2}$. Jacq. misc. 2. t. 17. f. 2.
13 saxatilis. R.S.	rock.	—— 1748.	7. H. $\frac{1}{2}$. Jacq. aust. 3. t. 267.
14 salicifolia. R.S.	headed-flow'rd.	Italy. 1824.	6. 7. H. $\frac{1}{2}$. All. ped. 1. t. 70. f. 1.
15 celtica. R.S.	raceme-flow'rd.	Switzerland. 1748.	—— H. $\frac{1}{2}$. Jacq. coll. 1. t. 1.
16 capensis. R.S.	Cape.	C. B. S. 1816.	—— F. $\frac{1}{2}$.
PATRINIA. J.	PATRINIA.	Tetrandria Monogynia. R.S.	
1 sibirica. J.	Siberian.	Siberia. 1759.	5. 6. H. $\frac{1}{2}$. Botan. magaz. 2325.
<i>Valeriana sibirica. L.</i>	<i>ruthenica. B.M.</i>		
2 rupestris. J.	rock.	—— 1801.	—— H. $\frac{1}{2}$. Botan. magaz. 714.
<i>Valeriana sibirica. B.M.</i>			
3 intermedia. R.S.	intermediate.	—— 1823.	—— H. $\frac{1}{2}$.
4 scabiosæfolia. s.s.	Scabious-ld.	Dahuria. ———	6. 8. H. $\frac{1}{2}$. Swt. br. fl. gar. 154.
FEDIA. DC.	FEDIA.	Diandria Monogynia.	
Cornucopiæ. R.S.	purple.	S. Europe. 1596.	5. 8. H. \odot . Botan. regist. 155.
<i>Valeriana cornucopiæ. B.R.</i>			
VALERIANELLA. DC.	VALERIANELLA.	Triandria Monogynia.	
1 echinata. DC.	prickly-capsul'd.	S. Europe. 1807.	7. 8. H. $\frac{1}{2}$. Du Fresn. Val. t. 3. f. 10.
2 olitoria. DC.	Lamb's Lettuce.	Britain.	4. 8. H. \odot . Eng. bot. 811.
<i>Valeriana locusta. E.B.</i>	<i>Fedia olitoria. R.S.</i>		

3	carinata. DC.	keeled.	France.	—	H.⊙.	Dufres. val. t. 2.
4	dentata. DC.	oval-fruited.	Britain.	—	H.⊙.	Eng. bot. 1370.
<i>Valeriana dentata.</i> E.B. <i>Fedia dentata.</i> R.S.							
5	discoidea. DF.	discoid.	Italy.	1731.	4. 7.	H. ½.	Dufres. val. t. 3. n. 3.
6	vesicaria. DF.	bladdered.	Candia.	1739.	—	H.⊙.	Flor. græc. 1. t. 34.
7	coronata. DC.	prickly seeded.	Portugal.	1731.	—	H.⊙.	Dufres. val. t. 3. f. 2.
8	radiata. DF.	rayed.	N.America.	1818.	—	H.⊙.	— t. 3. n. 7.
9	auricula. DC.	eared.	Montpelier.	—	—	H.⊙.	—
10	pumila. DC.	small.	S. Europe.	1823.	—	H.⊙.	Moris. sect. 7. f. 37.
11	eriocarpa. DC.	woolly-capsul'd.	France.	—	—	H.⊙.	— 7. t. 16. f. 33.
12	uncinata. DF.	hooked.	Tauria.	1818.	—	H.⊙.	—
13	dasycarpa. L.en.	thick-capsuled.	—	—	—	H.⊙.	—
14	tridentata. L.en.	three-toothed.	—	1823.	—	H.⊙.	—

ORDO XCIX.

DIPSACEÆ. *Juss. gen.* 194.

MORINA. R.S.	MORINA. Diandria Monogynia. L.						
persica. R.S.	Persian.	Persia.	1740.	7. 8.	G. ¼.	Flor. græc. 1. t. 28.	
DIPSACUS. S.S.	TEASEL. Tetrandria Monogynia. L.						
1 fullonum. s.s.	manured.	Britain.	7.	H. ♂.	Eng. bot. 2080.	
2 sylvestris. s.s.	wild.	—	—	H. ♂.	— 1032.	
3 laciniatus. s.s.	cut-leaved.	Germany.	1683.	7. 8.	H. ♂.	Jacq. aust. 5. t. 403.	
4 Gmelini. s.s.	Gmelin's.	Caucasus.	1820.	—	H. ♂.	—	
5 ferox. s.s.	fierce.	Corsica.	—	—	H. ♂.	Tratt. tab. t. 235.	
6 pilosus. s.s.	small.	Britain.	8.	H. ♂.	Eng. bot. 877.	
SCABIOSA. S.S.	SCABIOUS. Tetrandria Monogynia. L.						
1 arvensis. s.s.	field.	Britain.	7. 10.	H. ¼.	Eng. bot. 659.	
<i>Trichera arvensis.</i> R.S.							
2 sylvatica. s.s.	broad-leaved.	Austria.	1633.	7.	H. ¼.	Jacq. aust. 4. t. 362.	
3 montana. s.s.	mountain.	Caucasus.	1823.	—	H. ¼.	Jacq. f. eclog. t. 60.	
4 longifolia. s.s.	long-leaved.	Hungary.	1802.	7. 8.	H. ¼.	W. et K. hung. 1. t. 5.	
5 pubescens. s.s.	pubescent.	—	1820.	—	H. ¼.	—	
6 ciliata. s.s.	ciliated.	—	—	—	H. ¼.	—	
7 hybrida. s.s.	hybrid.	S. Europe.	—	6. 9.	H.⊙.	—	
8 integrifolia. s.s.	entire-leaved.	—	1748.	6. 8.	H.⊙.	—	
9 australis. s.s.	creeping-root'd.	Italy.	1823.	—	H. ¼.	—	
SUCCISA. S.S.	SUCCISA. Tetrandria Monogynia. S.S.						
1 pratensis. s.s.	Devil's-bit.	Britain.	8. 10.	H. ¼.	Eng. bot. 878.	
<i>Scabiosa Succisa.</i> L.							
2 glabrata.	smooth-leaved.	Austria.	1823.	7. 9.	H. ¼.	—	
<i>Scabiosa glabrata.</i> R.S.							
3 syriaca. s.s.	Syrian.	Syria.	1633.	7.	H. ¼.	Flor. græc. t. 105.	
4 transylvanica. s.s.	Transylvanian.	Hungary.	1699.	—	H.⊙.	Jacq. vind. 2. t. 111.	
5 uralensis. s.s.	Uralian.	Siberia.	1789.	7. 8.	H.⊙.	Murr. c. got. 1782. t. 4.	
6 tatarica. s.s.	Tartarian.	Russia.	1759.	6. 8.	H. ♂.	Lin. act. ups. 1744. t. 1.	
7 alpina. s.s.	Alpine.	Switzerland.	1570.	6. 7.	H. ¼.	Moris. s. 6. t. 13. f. 10.	
<i>Cephalaria alpina.</i> R.S. <i>Scabiosa alpina.</i> W.							
8 leucantha. s.s.	white-flowered.	France.	1633.	9. 10.	H. ¼.	Ger. emac. f. 8.	
9 centauroides. s.s.	Centaury-like.	S. Europe.	1816.	7. 8.	H. ¼.	—	
10 lævigata. s.s.	smooth.	Hungary.	1823.	—	H. ¼.	W. et K. hung. 3. t. 230.	
11 corniculata.	horned.	—	1801.	—	H. ¼.	— 1. t. 13.	
<i>Cephalaria corniculata.</i> R.S. <i>Scabiosa corniculata.</i> W.K.							
12 rigida. s.s.	rough-leaved.	C. B. S.	1731.	7.	G. ½.	—	
13 attenuata.	narrow-leaved.	—	1774.	7. 9.	G. ½.	—	
<i>trifida.</i> s.s. <i>Scabiosa attenuata.</i> L.							
ASTEROCEPHALUS. S.S.	ASTEROCEPHALUS. Tetrandria Monogynia. S.S.						
1 prolifer. s.s.	prolific.	Egypt.	1683.	7. 9.	H.⊙.	Flor. græc. t. 107.	
<i>Scabiosa prolifera.</i> L.							
2 graminifolius. s.s.	grass-leaved.	Switzerland.	—	6.	H. ¼.	Botan. regist. 935.	
<i>Scabiosa graminifolia.</i> B.R.							
3 creticus. s.s.	Cretan.	Crete.	1596.	6. 10.	G. ½.	Moris. s. 6. t. 15. f. 31.	

4	Massoni.	Masson's.	Azores.	1779.	6. 8.	H. 4.	
	<i>lucidus</i> . s.s.	<i>Scabiosa lucida</i> . H.K.	<i>Massoni</i> . H.S.L.	<i>nitens</i> . R.S.			
5	dichotomus. s.s.	forked.	Sicily.	1804.	6. 8.	H. ☉.	
6	africanus. s.s.	African.	Africa.	1690.	7. 10.	G. ½.	Herm. parad. t. 219.
7	palæstinus. s.s.	Palestine.	Palestine.	1771.	7. 8.	H. ☉.	Jacq. vind. 1. t. 96.
8	lucidus.	shining.	France.	1800.	6. 9.	H. 4.	
	<i>Scabiosa lucida</i> . R.S.						
9	silenifolius. s.s.	Silene-leaved.	Hungary.	1823.	7. 8.	H. 4.	W. et K. hung. 2. t. 157.
10	canescens. s.s.	canescent.	—————	1802.	——	H. 4.	————— 1. t. 53.
11	setifer. s.s.	setiferous.	France.	1820.	——	H. 4.	
12	lyratus. s.s.	lyrate-leaved.	Turkey.	1799.	——	G. ½.	
13	micranthus. s.s.	small-flowered.	Armenia.	1823.	——	H. 4.	Desf. an. mus. 11. t. 25.
14	Biebersteinii.	Bieberstein's.	Caucasus.	——	——	H. ☉.	
	<i>Scabiosa Biebersteinii</i> . R.S.	<i>sicula</i> . M.B.					
15	siculus. s.s.	Sicilian.	Sicily.	1783.	——	H. ☉.	Jacq. vind. 1. t. 15.
16	amœnus. s.s.	glossy.	—————	1823.	——	H. 4.	
17	stellatus. s.s.	starry.	Spain.	1596.	——	H. ☉.	Moris. s. 6. t. 15. f. 39.
18	atropurpureus. s.s.	sweet.	E. Indies.	1629.	7. 9.	H. ½.	Botan. magaz. 247.
	<i>Scabiosa atropurpurea</i> . B.M.						
	β <i>carneus</i> .	<i>flesh-coloured</i> .	—————	——	——	H. ½.	
	γ <i>roseus</i> .	<i>rose-coloured</i> .	—————	——	——	H. ½.	
	δ <i>variegatus</i> .	<i>variegated</i> .	—————	——	——	H. ½.	
	ε <i>albus</i> .	<i>white-flowered</i> .	—————	——	——	H. ½.	
	ζ <i>prolifer</i> .	<i>large-flowered</i> .	—————	1814.	——	H. ½.	Moris. s. 6. t. 14. f. 2.
19	caucasicus. s.s.	Caucasean.	Caucasus.	1803.	7. 8.	H. 4.	Botan. magaz. 886.
	β <i>elegans</i> . s.s.	<i>elegant</i> .	—————	1820.	——	H. 4.	
20	holosericeus. s.s.	silky.	Pyrenees.	——	——	H. 4.	
21	pyrenaicus.	Pyrenean.	—————	1823.	——	H. 4.	Barrel. ic. 223.
22	Webbianus. s.s.	Webb's.	Levant.	1820.	——	H. 4.	Botan. regist. 717.
	<i>Scabiosa Webbiana</i> . B.R.						
23	crenatus. s.s.	crenated.	Sicily.	1824.	7. 8.	H. 4.	Cyril. pl. rar. 1. t. 3.
	<i>Scabiosa coronopifolia</i> . Flor. græc. t. 114.						
24	rutæfolius.	Rue-leaved.	—————	1804.	6. 8.	H. 4.	Bocc. sic. t. 40. f. 3.
25	urceolatus. s.s.	jagged.	Barbary.	——	7. 8.	H. 4.	————— t. 52.
26	argenteus. s.s.	silvery.	Levant.	1713.	6. 10.	H. 4.	Flor. græc. t. 108.
27	maritimus. s.s.	sea-side.	S. Europe.	1818.	7. 9.	H. ☉.	Bauh. hist. 3. f. 2.
28	ucranicus. s.s.	Ukraine.	Ukraine.	1795.	9.	H. 4.	Gmel. sib. 2. t. 87.
29	Columbaria. s.s.	fine-leaved.	Britain.	7. 8.	H. 4.	Eng. bot. 1311.
30	grandiflorus.	great-flowered.	Barbary.	1804.	6. 9.	H. 4.	Scop. del. ins. 3. t. 14.
31	altissimus. s.s.	tall.	C. B. S.	1816.	——	G. ½.	Jacq. vind. 2. t. 185.
32	mollissimus. s.s.	soft.	S. Europe.	——	7. 8.	H. 4.	
33	ochroleucus. s.s.	pale-flowered.	Germany.	1597.	——	H. 4.	Jacq. aust. 5. t. 439.
34	gramuntius. s.s.	cut-leaved.	S. Europe.	——	——	H. 4.	Gerard herb. f. 2.
35	isetensis. s.s.	Siberian.	Siberia.	1801.	——	H. 4.	Gmel. sib. 2. t. 88. f. 1.
36	bannaticus. s.s.	Hungarian.	Hungary.	1800.	——	H. 4.	W. et K. hung. 1. t. 12.
37	Columnæ. Ten.	Columna's.	Italy.	1823.	——	H. 4.	
38	agrestis. s.s.	field.	Hungary.	——	——	H. 4.	W. et K. hung. 3. t. 204.
39	incanus. R.S.	hoary.	—————	——	——	H. 4.	
PTEROCEPHALUS. S.S. PTEROCEPHALUS. Tetrandria Monogynia. S.S.							
1	plumosus. s.s.	feathered.	Greece.	1824.	7. 8.	H. ☉.	Flor. græc. t. 3.
	<i>Scabiosa plumosa</i> . Sm.	<i>Knaulia plumosa</i> . L.					
2	Vaillantii. s.s.	Vaillant's.	S. Europe.	1739.	——	H. ☉.	
	<i>Scabiosa papposa</i> . L.						
KNAUTIA. R.S. KNAUTIA. Tetrandria Monogynia. L.							
1	orientalis. R.S.	red-flowered.	Levant.	1713.	6. 9.	H. ☉.	Schk. handb. 1. t. 22.
2	propontica. R.S.	purple-flow'r'd.	—————	1768.	——	H. ½.	Lam. ill. t. 58.

ORDO C.

CALYCEREÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICARPHA. L.T.	ACICARPHA. Syngenesia Necessaria. P.S.
spatulata. L.T.	spatulata-ld. Brazil. 1816. 6. 9. G. 4.

ORDO CI.

COMPOSITÆ. *Adanson fam. 2. 103.*SUBORDO I. CICHORACEÆ. *Kth. synops. 2. p. 352.*

GEROPOGON. W.		OLD MAN'S-BEARD. Syngenesia Polygamia Æqualis.				
1 glaber. w.	smooth.	Italy.	1704.	7. 8. H. ☉.	Botan. magaz. 479.	
2 hirsutus. w.	hirsute.	—	1759.	— H. ☉.	Col. ecphr. 1. t. 231.	
3 calyculatus. w.	perennial.	—	1774.	6. 8. H. 4.	Jacq. vind. 2. t. 106.	
TRAGOPOGON. W.		GOAT'S-BEARD. Syngenesia Polygamia Æqualis.				
1 pratensis. w.	yellow.	Britain.	5. 6. H. ♂.	Eng. bot. 434.	
2 mutabilis. w.	changeable.	Siberia.	1816.	— H. ♂.	Jacq. ic. 1. t. 157.	
3 undulatus. w.	wave-leaved.	Crimea.	1790.	— H. ♂.	— 1. t. 158.	
4 parviflorus. L.en.	small-flowered.	1822.	— H. ♂.		
5 orientalis. w.	oriental.	Levant.	1787.	6. 7. H. ♂.		
6 canus. W.K.	hoary.	Hungary.	1822.	— H. ♂.		
7 major. w.	great.	Austria.	1788.	5. 6. H. ♂.	Jacq. aust. 1. t. 29.	
8 porrifolius. w.	purple.	England.	— H. ♂.	Eng. bot. 638.	
9 floccosus. W.K.	woolly.	Hungary.	1816.	— H. ♂.	W. et K. hung. 2. t. 112.	
10 dubius. L.en.	doubtful.	1822.	— H. ♂.		
11 crocifolius. w.	Crocus-leaved.	Italy.	1739.	6. 7. H. ♂.	Flor. græc. 779.	
12 angustifolius. w.	narrow-leaved.	—	1816.	— H. ♂.		
13 villosus. w.	hairy.	Spain.	1794.	5. 6. H. ♂.		
14 roseus. D.P.	rose-coloured.	Hungary.	1807.	7. H. 4.	W. et K. hung. 2. t. 121.	
<i>Scorzonera rosea. W.K.</i>						
TROXIMON. P.S.		TROXIMON. Syngenesia Polygamia Æqualis.				
1 glaucum. Ph.	glaucous-ld.	Missouri.	1811.	7. 8. H. 4.	Botan. magaz. 1667.	
2 cuspidatum. P.S.	cuspidate.	N.America.	1811.	4. 6. H. 4.		
<i>marginatum. N.</i>						
ARNOPOGON. W.		SHEEP'S-BEARD. Syngenesia Polygamia Æqualis.				
1 Dalechampii. w.	great-flowered.	S. Europe.	1739.	6. 10. H. 4.	Botan. magaz. 1623.	
2 picroides. w.	prickly-cupp'd.	—	1683.	7. 8. H. ☉.	Flor. græc. t. 781.	
3 asper. w.	rough.	Montpelier.	1774.	— H. ☉.	— t. 782.	
4 capense. w.	Cape.	C. B. S.	1824.	6. 8. G. ♂.	Jacq. ic. 3. t. 577.	
SCORZONERA. W.		VIPER'S-GRASS. Syngenesia Polygamia Æqualis.				
1 tomentosa. w.	white.	Armenia.	1789.	6. 7. H. 4.		
2 humilis. w.	dwarf.	Europe.	1597.	8. H. 4.		
<i>nervosa. P.S.</i>						
3 austriaca. w.en.	Austrian.	Austria.	— H. 4.	Jacq. aust. 1. t. 36.	
<i>humilis. Jacq. non W.</i>						
4 plantaginifolia. Sch.	Plantain-ld.	Switzerland.	1816.	— H. 4.		
5 hispanica. w.	garden.	Spain.	1576.	6. 9. H. 4.	Lam. ill. t. 647. f. 5.	
6 glastifolia. w.	Woad-leaved.	Germany.	1816.	— H. 4.		
7 taurica. M.B.	Taurian.	Tauria.	1823.	— H. 4.		
8 rumicifolia. L.en.	Dock-leaved.	1822.	— H. 4.		
9 caricifolia. w.	Carex-leaved.	Siberia.	1805.	— H. 4.	Pall. it. 3. ap. t. J. 1. f. 1.	
10 parviflora. w.	small-flowered.	Austria.	1816.	— H. 4.	Jacq. aust. 4. t. 305.	
11 lanata. M.B.	woolly.	Iberia.	1823.	6. 7. H. 4.		
12 purpurea. w.	purple-flow'r'd.	Austria.	1759.	5. 6. H. 4.	Jacq. aust. 1. t. 35.	
13 angustifolia. w.	narrow-leaved.	S. Europe.	1759.	6. 8. H. 4.	W. et K. hung. 2. t. 122.	
14 eriosperma. M.B.	woolly-seeded.	Siberia.	1805.	— H. 4.		
15 ensifolia. M.B.	sword-leaved.	Caucasus.	1823.	— H. 4.		
16 hirsuta. w.	hairy.	S. Europe.	—	— H. 4.	All. ped. t. 31. f. 33.	
PODOSPERMUM. DC.		PODOSPERMUM. Syngenesia Polygamia Æqualis.				
1 calcitrapifolium. DC.	Calcitropa-ld.	Levant.	1823.	6. 8. H. 4.	Barr. ic. 800.	
2 resedifolium. DC.	spreading.	Spain.	1729.	6. 7. H. ♂.	Bocc. sic. 13. t. 7. f. 4.	
3 laciniatum. DC.	cut-leaved.	S. Europe.	1640.	— H. ♂.	Jacq. aust. 4. t. 356.	
4 octangulare. DC.	8-angled.	—	1820.	— H. ♂.		
5 pumilum.	small.	Spain.	1822.	7. 9. H. ☉.	Cav. ic. 2. t. 121. f. 2.	
<i>Scorzonera pumila. w.</i>						
6 asperrimum.	roughest.	Galatia.	—	8. 9. H. 4.		
<i>Scorzonera asperrima. w.</i>						

7	<i>asperum</i> .	rough.	Levant.	—	7. 8. H. 4.	Desf. an. mus. 1. t. 9.
	<i>Scorzonera aspera</i> .	Desf. <i>stylosa</i> . P.S.				
8	<i>subulatum</i> . DC.	grass-leaved.	Portugal.	1759.	— H. 4.	Jacq. obs. 4. t. 100.
	<i>Scorzonera graminifolia</i> .	F.G. 784.				
9	<i>muricatum</i> . DC.	bristly.	Piedmont.	1818.	— H. 4.	
10	<i>taraxacifolium</i> .	Dandelion-ld.	Bohemia.	1801.	6. 8. H. 4.	Jacq. ic. 1. t. 106.
	<i>Scorzonera taraxacifolia</i> .	W.				
PICRIDIIUM. P.S. PICRIDIIUM. Syngenesia Polygamia Æqualis.						
1	<i>vulgare</i> . P.S.	various-leaved.	France.	1773.	6. 8. H. ☉.	All. ped. 1. t. 16. f. 1.
	<i>Scorzonera picroides</i> .	L. <i>Sonchus picroides</i> . W.				
2	<i>tingitanum</i> . P.S.	Tangier.	Barbary.	1713.	6. 9. H. ☉.	Botan. magaz. 142.
	<i>Scorzonera tingitana</i> .	B.M. <i>Sonchus tingitanus</i> . W.				
3	<i>hispanicum</i> . V.	Spanish.	Spain.	1816.	— H. ☉.	Jacq. schœnb. 2. t. 143.
4	<i>albidum</i> . P.S.	pale-flowered.	France.	1781.	7. 10. H. 4.	Jacq. ic. 1. t. 164.
	<i>Crepis albida</i> .	W.				
SONCHUS. W. SOW-THISTLE. Syngenesia Polygamia Æqualis.						
1	<i>maritimus</i> . W.	sea-side.	S. Europe.	1748.	7. 9. H. 4.	All. ped. 1. t. 16. f. 2.
2	<i>fruticosus</i> . W.	shrubby.	Madeira.	1777.	4. 7. G. ½.	Jacq. ic. 1. t. 161.
3	<i>lævigatus</i> . W.en.	smooth.	—	1816.	— G. ½.	
4	<i>lyratus</i> . W.en.	lyre-leaved.	—	—	— G. ½.	
5	<i>hyoseridifolius</i> . W.en.	Hyoseris-ld.	—	1818.	— G. ½.	
6	<i>pinnatus</i> . W.	wing-leaved.	—	1777.	— G. ½.	
7	<i>radicatus</i> . W.	long-rooted.	Canaries.	1780.	7. G. ½.	
8	<i>palustris</i> . W.	tall marsh.	England.	7. 9. H. 4.	Eng. bot. 935.
9	<i>uliginosus</i> . M.B.	annual marsh.	Caucasus.	1823.	— H. ☉.	
10	<i>arvensis</i> . W.	corn.	Britain.	— H. 4.	Eng. bot. 674.
11	<i>lacerus</i> . W.	torn-leaved.	1823.	— H. ☉.	
12	<i>oleraceus</i> . W.	common smooth.	Britain.	6. 8. H. ☉.	Eng. bot. 843.
	<i>oleraceus α. lævis</i> . L.					
13	<i>asper</i> . L.en.	rough.	—	— H. ☉.	Blackw. ic. t. 30.
	<i>oleraceus β. asper</i> . L.					
14	<i>tenerrimus</i> . W.	clammy.	S. Europe.	1691.	7. 8. H. ☉.	Flor. græc. 790.
15	<i>flexuosus</i> . Led.	flexuose.	1822.	— H. 4.	
16	<i>caucasicus</i> . Spr.	Caucasean.	Caucasus.	1820.	— H. 4.	
17	<i>Plumieri</i> . W.	Plumier's.	Pyrenees.	1794.	— H. 4.	
18	<i>alpinus</i> . W.	Alpine.	Scotland.	— H. 4.	Eng. bot. 2425.
	<i>cæruleus</i> . E.B.					
19	<i>lapponicus</i> . W.	Lapland.	Lapland.	1804.	— H. 4.	Smith ic. ined. t. 21.
	<i>alpinus</i> . L.					
20	<i>leucophæus</i> . W.	whitish fld.	N.America.	1820.	— H. ♂.	
21	<i>macrophyllus</i> . W.	large-leaved.	—	—	— H. 4.	
	<i>canadensis</i> . P.S.					
22	<i>floridanus</i> . W.	small-flowered.	N.America.	1713.	7. H. ♂.	
23	<i>acuminatus</i> . W.	acuminate.	—	1812.	8. 9. H. ♂.	
LACTUCA. D.P. LETTUCE. Syngenesia Polygamia Æqualis.						
1	<i>pallida</i> . D.P.	Canadian.	Canada.	1704.	7. 9. H. 4.	Rob. ic. 143 et 151.
	<i>Sonchus pallidus</i> . W.					
2	<i>sibirica</i> . D.P.	Siberian.	Siberia.	1759.	— H. 4.	Gmel. sib. 2. f. 3.
	<i>Sonchus sibiricus</i> . W.					
3	<i>tatarica</i> . D.P.	Tartarian.	Tartary.	1784.	6. 7. H. 4.	
	<i>Sonchus tataricus</i> . W.					
4	<i>integrifolia</i> . N.	entire-leaved.	Missouri.	1812.	— H. 4.	
5	<i>sonchifolia</i> . W.	Sonchus-leav'd.	Levant.	1824.	— H. 4.	
6	<i>perennis</i> . W.	perennial.	Germany.	1596.	6. 8. H. 4.	Mill. ic. 2. t. 157.
7	<i>tenerrima</i> . W.	purple-flow'r'd.	S. Europe.	1815.	7. 8. H. 4.	
8	<i>segusiana</i> . P.S.	various-leaved.	Piedmont.	1823.	— H. ☉.	
9	<i>indica</i> . W.	Indian.	E. Indies.	1784.	8. 10. H. ☉.	
10	<i>viminea</i> . L.en.	rushy-twigg'd.	Austria.	1789.	7. 8. H. ♂.	Jacq. aust. 1. t. 9.
	<i>Prenanthes viminea</i> . W.					
11	<i>muralis</i> . D.P.	wall.	Britain.	7. H. 4.	Eng. bot. 457.
	<i>Prenanthes muralis</i> . E.B.					
12	<i>saligna</i> . W.	least.	England.	7. 8. H. ♂.	Eng. bot. 707.
13	<i>sagittata</i> . W.	arrow-leaved.	Hungary.	1805.	— H. ♂.	W. et K. hung. 1. t. 1.
14	<i>altissima</i> . M.B.	tall.	Caucasus.	1818.	— H. 4.	
15	<i>augustana</i> . W.	entire-leaved.	Italy.	1791.	— H. ☉.	All. ped. 1. t. 52. f. 1.
16	<i>maculata</i> . L.en.	spot-leaved.	Europe.	— H. ♂.	
17	<i>virosa</i> . W.	strong-scented.	Britain.	7. 9. H. ♂.	Eng. bot. 1957.
18	<i>Scariola</i> . W.	prickly.	England.	7. 8. H. ♂.	— 268.
19	<i>elongata</i> . W.	elongated.	Pensylvania.	1805.	6. 7. H. ♂.	

20	cichoriifolia. DC.	Succory-leaved.	France.	1818.	—	H. ♀.	
21	stricta. w.	upright.	Hungary.	1805.	—	H. ♂.	W. et K. hung. 1. t. 48.
22	quercina. w.	Oak-leaved.	Sweden.	1686.	5. 7.	H. ♂.	
23	intybacea. w.	Endive-leaved.	S. America.	1781.	6. 8.	H. ♂.	Jacq. ic. 1. t. 162.
24	palmata. w.	Savoy.	1683.	6. 7.	H. ♂.	
25	crispa. w.	curled.	1570.	—	H. ♂.	
26	sativa. w.	garden.	1562.	—	H. ♂.	
CHONDRILLA. W.		GUM-SUCCORY.	Syngenesia	Polygamia	Æqualis.		
1	junceae. w.	common.	France.	1633.	9. 10.	H. ♀.	Jacq. aust. 5. t. 427.
2	Decandollei. Spr.	Decandolle's.	—	1824.	7. 9.	H. ♂.	
3	graminea. M.B.	grass-leaved.	Caucasus.	—	—	H. ♀.	
4	latifolia. M.B.	broad-leaved.	—	—	—	H. ♂.	
PRENANTHES. W.		PRENANTHES.	Syngenesia	Polygamia	Æqualis.		
1	hispidae. w.	hispid.	Siberia.	1823.	6. 8.	H. ♀.	
2	purpurea. w.	purple-flow'r'd.	Germany.	1658.	7. 9.	H. ♀.	Jacq. aust. 4. t. 317.
3	altissima. w.	tallest.	N. America.	1696.	7. 8.	H. ♀.	Pluk. alm. t. 317. f. 2.
4	cordata. w.	heart-leaved.	—	1816.	—	H. ♀.	
5	virgata. Ph.	tall slender.	—	1823.	8. 9.	H. ♀.	
6	alba. w.	white-flowered.	—	1762.	7. 8.	H. ♀.	Botan. magaz. 1079.
7	serpentaria. Ph.	Lion's-foot.	N. America.	1823.	8. 10.	H. ♀.	Pursh. am. sept. 2. t. 24.
8	rubicunda. Ph.	rubicund.	—	—	—	H. ♀.	
9	racemosa. M.	racemed.	Canada.	1822.	—	H. ♀.	
10	spinosa. w.	prickly.	Barbary.	1640.	3. 5.	F. ♀.	Park. theatr. 804. f. 7.
11	arborea. w. en.	arborescent.	Canaries.	1823.	F. ♀.	
12	pinnata. w.	pinnated.	—	—	F. ♀.	
13	hieracifolia. w.	hawkweed-ld.	Scotland.	6. 9.	H. ♂.	Eng. bot. 2325.
	<i>pulchra</i> . DC. <i>Crepis pulchra</i> . E.B.						
LEONTODON. W.		DANDELION.	Syngenesia	Polygamia	Æqualis.		
1	Taraxacum. w.	common.	Britain.	4. 7.	H. ♀.	Eng. bot. 510.
2	glaucescens. M.B.	glaucous.	Russia.	1820.	—	H. ♀.	
3	serotinum. w.	late-flowering.	Hungary.	1816.	7. 9.	H. ♀.	W. et K. hung. 2. t. 114.
4	palustre. E.B.	marsh.	Britain.	6. 7.	H. ♀.	Eng. bot. 553.
	<i>lividus</i> . W.K. <i>Taraxacum palustre</i> . DC.						
5	obovatum. w.	obovate-leaved.	Spain.	1805.	7.	H. ♀.	
6	nigricans. W.K.	black.	Hungary.	1823.	—	H. ♀.	
7	bessarabicum. L. en.	small-flowered.	Bessarabia.	—	—	H. ♀.	
8	lævigatum. w.	smooth.	Spain.	—	—	H. ♀.	
APARGIA. W.		APARGIA.	Syngenesia	Polygamia	Æqualis.		
1	aurantiaca. w.	orange-color'd.	Hungary.	1816.	5. 6.	H. ♀.	
2	alpina. w.	Alpine.	Austria.	—	—	H. ♀.	Jacq. aust. 1. t. 93.
3	crocea. w.	saffron-color'd.	Hungary.	1820.	—	H. ♀.	
4	hastilis. w.	shining-leaved.	S. Europe.	1796.	7. 8.	H. ♀.	Jacq. aust. 2. t. 164.
5	dubia. w.	tooth-leaved.	Germany.	8.	H. ♀.	
6	caucasica. M.B.	Caucasean.	Caucasus.	1823.	7. 8.	H. ♀.	
7	tuberosa. w.	tuberous-root'd.	France.	1683.	5. 7.	H. ♀.	Flor. græc. t. 797.
	<i>Thrinia tuberosa</i> . DC.						
8	incana. w.	hoary.	S. Europe.	1784.	5. 6.	H. ♀.	Jacq. aust. 3. t. 287.
9	Taraxaci. w.	Dandelion-ld.	Britain.	8.	H. ♀.	Eng. bot. 1109.
10	autumnalis. w.	autumnal.	—	—	H. ♀.	— 830.
11	hispidae. w.	rough.	—	7. 9.	H. ♀.	— 554.
	<i>Hedypnois hispidae</i> . E.B.						
12	crispa. w.	curled.	France.	1803.	7. 8.	H. ♀.	Vill. dauph. 3. p. 84. t. 25.
13	Villarsii. w.	Villars's.	—	1818.	—	H. ♀.	— 3. p. 82. t. 25.
14	coronopifolia. w.	bucks-horn-ld.	Barbary.	1820.	—	H. ♀.	Desf. atl. 2. t. 214.
15	aspera. w.	hairy.	Hungary.	1805.	6. 7.	H. ♀.	W. et K. hung. 2. t. 110.
THRINIA. W.		THRINIA.	Syngenesia	Polygamia	Æqualis.		
1	glabra. Schl.	smooth.	Switzerland.	1823.	7. 8.	H. ♀.	
2	hirta. w.	simple-haired.	Britain.	—	H. ♀.	Eng. bot. 555.
	<i>Hedypnois hirta</i> . E.B.						
3	hispidae. w.	hispid.	S. Europe.	1815.	6. 8.	H. ♂.	Vill. dauph. 3. p. 166. t. 25.
4	maroccana. P.S.	Morocco.	Morocco.	1799.	7. 8.	H. ♂.	
5	pygmæa. P.S.	pigmy.	Madeira.	—	H. ♂.	
	<i>Hyoseris pygmæa</i> . w.						
PICRIS. W.		OX-TONGUE.	Syngenesia	Polygamia	Æqualis.		
1	hieracioides. w.	Hawkweed like.	England.	7. 8.	H. ♂.	Eng. bot. 196.
2	dahurica. F.	Daurian.	Dahuria.	1820.	7. 8.	H. ♂.	
3	sprengeriana. P.S.	branched.	Portugal.	1783.	6. 7.	H. ♂.	Moris. s. 7. t. 5. f. 17.
	<i>Hieracium Sprengerianum</i> . L. <i>Crepis Sprengeriana</i> . w. en.						
4	pauciflora. w.	few-flowered.	S. France.	1818.	—	H. ♂.	Gært. fr. 2. t. 158. f. 2.

5	Rhagadiolus. P.S.	Spanish.	Spain.	—	—	H. ☉.	Jacq. schœnb. 2. t. 144.
	<i>Crepis Rhagadiolus.</i>	Jacq.					
6	asplenioides. w.	Spleenwort-ld.	Barbary.	1805.	7. 8.	H. 4.	L'Herit. stirp. t. 82.
7	hispid. H.K.	hispid.	Levant.	1789.	—	H. 4.	
8	strigosa. M.B.	strigose.	Caucasus.	1823.	—	H. 4.	
9	kamtschatica. Led.	Kamtschatka.	Kamtschatka.	—	—	H. ☉.	
HIERACIUM. W.		HAWKWEED.	Syngenesia Polygamia Æqualis.				
1	aureum. w.	golden.	Italy.	1769.	5. 7.	H. 4.	Jacq. aust. 3. t. 297.
2	alpestre. w.	smooth-leaved.	Austria.	1823.	—	H. 4.	— t. 191.
3	rupestre. w.	rock.	Switzerland.	—	—	H. 4.	All. auct. t. 1. f. 2.
4	alpinum. w.	Alpine.	Britain.	7. 8.	H. 4.	Eng. bot. 1110.
5	pumilum. w.	small.	Germany.	1804.	—	H. 4.	
6	glabratum. w.	smooth.	Switzerland.	1823.	6. 8.	H. 4.	
7	bulbosum. w.	bulbous-rooted.	S. Europe.	—	—	H. 4.	
8	Pilosella. w.	Mouse-ear.	Britain.	5. 7.	H. 4.	Eng. bot. 1093.
9	dubium. w.	branching.	—	7. 8.	H. 4.	— 2332.
10	Auricula. w.	umbell'd mouse-ear.	England.	—	H. 4.	— 2368.
11	fallax. w.en.	hairy spear-ld.	1816.	—	H. 4.	
12	angustifolium. w.	narrow-leaved.	Mt. Cenis.	1822.	—	H. 4.	
13	florentinum. w.	Florentine.	Germany.	1796.	—	H. 4.	
	<i>præaltum.</i> DC.						
14	cymosum. w.	small-flowered.	Europe.	1739.	5. 6.	H. 4.	Moris. s. 7. t. 8. f. 10.
15	piloselloides. P.S.	Mouse-ear like.	France.	1823.	5. 7.	H. 4.	Vill. delph. 3. p. 100. t. 27.
16	staticifolium. w.	thrift-leaved.	Europe.	1804.	6. 7.	H. 4.	— 3. p. 116. t. 27.
17	præmorsum. w.	præmorse.	Siberia.	1820.	—	H. 4.	Gmel. sib. 2. t. 13.
18	succisæfolium. P.S.	Succisa-leaved.	Piedmont.	1822.	—	H. 4.	
19	flagellare. w.en.	creeping.	1816.	5. 7.	H. 4.	
20	bifurcum. M.B.	two-forked.	S. Europe.	1822.	—	H. 4.	
21	bifidum. w.en.	bifid.	Hungary.	—	6. 7.	H. 4.	
22	incarnatum. w.	flesh-coloured.	Carniola.	1815.	—	H. 4.	Jacq. ic. t. 578.
23	aurantiacum. w.	orange-color'd.	Scotland.	—	H. 4.	Eng. bot. 1469.
24	venosum. w.	veined.	N. America.	1790.	—	H. 4.	
25	Gronovii. w.	Gronovius's.	—	1798.	—	H. 4.	
26	Gmelini. w.	Gmelin's.	Siberia.	—	—	H. 4.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhini. Schult.	Bauhin's.	Switzerland.	1820.	—	H. 4.	
28	Lawsoni. w.	Lawson's.	Britain.	—	H. 4.	Eng. bot. 2083.
29	paniculatum. w.	panicled.	Canada.	1800.	—	H. 4.	
30	chondrilloides. w.	Gum-succory.	Austria.	1640.	—	H. 4.	Jacq. aust. 5. t. 429.
31	humile. w.	low.	S. Europe.	1816.	—	H. 4.	— t. 189.
	<i>pumilum.</i> Jacq. <i>Jacquini.</i> Vill. delph. 3. t. 28.						
32	pictum. P.S.	painted-leaved.	Switzerland.	1823.	—	H. 4.	
33	nigrescens. w.	dark-coloured.	1801.	7. 8.	H. 4.	Willd. hort. ber. t. 10.
34	prunellæfolium. w.	Prunella-ld.	Switzerland.	1823.	6. 7.	H. 4.	All. ped. t. 15. f. 2.
35	montanum. w.	mountain.	S. Europe.	1775.	—	H. 4.	Jacq. aust. 2. t. 190.
36	porrifolium. w.	Leek-leaved.	Austria.	1640.	7. 8.	H. 4.	— 3. t. 286.
37	saxatile. w.	rock.	—	1801.	—	H. 4.	Jacq. ic. 1. t. 163.
38	glaucum. w.	glaucous.	S. Europe.	1807.	6. 7.	H. 4.	All. ped. t. 81. f. 1.
39	molle. w.	soft-leaved.	Scotland.	7. 8.	H. 4.	Eng. bot. 2210.
40	croaticum. W.K.	Hungarian.	Hungary.	1820.	—	H. 4.	
41	Sternbergii. L.en.	Sternberg's.	—	—	—	H. 4.	
42	pallescent. w.en.	pale.	—	1815.	6. 7.	H. 4.	W. et K. hung. 3. t. 217.
43	murorum. E.B.	wall.	Britain.	7.	H. 4.	Eng. bot. 2082.
44	maculatum. E.B.	stained-leaved.	England.	7. 8.	H. 4.	— 2121.
45	ramosum. w.	branching.	Hungary.	1805.	—	H. 4.	
46	sylvaticum. E.B.	wood.	Britain.	8.	H. 4.	Eng. bot. 2031.
47	pulmonarium. E.B.	lungwort.	Scotland.	7. 8.	H. 4.	— 2307.
48	lapsanoides. w.	Lapsana-like.	Pyrenees.	1812.	—	H. 4.	Gouan. ill. t. 21. f. 3.
49	lyratum. w.	lyre-leaved.	Siberia.	1777.	—	H. 4.	Gmel. sib. 2. t. 9.
50	cerinthoides. E.B.	honeywort.	Scotland.	8.	H. 4.	Eng. bot. 2378.
51	flexuosum. w.	bending-stalk'd.	Hungary.	1804.	7. 8.	H. 4.	
52	amplexicaule. w.	heart-leaved.	Pyrenees.	1739.	—	H. 4.	All. ped. 1. t. 15. f. 1.
53	grandiflorum. w.	great-flowered.	Europe.	1791.	—	H. 4.	W. et K. hung. 1. t. 99.
54	intybaceum. w.	endive-leaved.	—	1794.	—	H. 4.	Jacq. aust. ap. t. 43.
55	Halleri. w.	Haller's.	—	1802.	—	H. 4.	Vill. dauph. 3. t. 26.
56	eriophyllum. L.en.	villous.	—	1816.	—	H. 4.	
57	villosum. E.B.	shaggy alpine.	Scotland.	—	H. 4.	Eng. bot. 2379.
58	pilocephalum. L.en.	hairy-headed.	Europe.	1816.	—	H. 4.	
59	trichocephalum. w.en.	three-headed.	—	1823.	—	H. 4.	
60	prostratum. w.en.	prostrate.	S. Europe.	—	—	H. 4.	

61	speciosissimum. W.en.	handsome.	—	—	—	H. 4.	
62	ciliatum. w.	fringed.	Crete.	1823.	—	H. 4.	
63	Milleri. L.en.	Miller's.	—	H. 4.	
64	Schraderi. P.s.	Schrader's.	Switzerland.	1823.	—	H. 4.	
65	lanatum. w.	woolly.	Hungary.	—	—	H. 4.	W. et K. hung. 2. t. 127.
66	andryaloides. P.s.	Andryala-like.	France.	1818.	—	H. 4.	Vill. delph. 3. t. 29.
67	verbascifolium. P.s.	Mullein-leaved.	S. Europe.	1732.	5. 6.	H. 4.	Mill. ic. 1. t. 146. f. 1.
	<i>Andryala lanata. W.</i>						
68	echioides. w.	viper's-bugloss.	Hungary.	1802.	7. 8.	H. 4.	W. et K. hung. 1. t. 85.
69	verruculatum. L.en.	warted.	1823.	—	H. 4.
70	undulatum. w.	wave-leaved.	Spain.	1778.	—	H. 4.	
71	glutinosum. w.	clammy.	S. Europe.	1796.	—	H. 4.	
72	Kalmii. w.	Kalm's.	Pensylvania.	1794.	8.	H. 4.	
73	fasciculatum.	bundled.	Canada.	7. 8.	H. 4.	
74	racemosum. w.	racemed.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 193.
75	foliosum. w.	leafy.	—	1805.	—	H. 4.	— 2. t. 145.
76	corymbosum. P.s.	corymbose.	1820.	—	H. 4.	
77	sabaudum. w.	frutescent.	Britain.	—	H. 4.	Eng. bot. 349.
78	umbellatum. w.	umbel-flow'r'd.	—	8. 9.	H. 4.	— 1771.
79	prenanthoides. E.B.	rough-border'd.	Scotland.	6. 9.	H. 4.	— 2235.
80	latifolium. L.en.	broad-leaved.	Pyrenees.	1823.	—	H. 4.	
81	denticulatum. E.B.	small-toothed.	Scotland.	7. 8.	H. 4.	Eng. bot. 2122.
82	cydoniæfolium. W.en.	Quince-leaved.	France.	1816.	—	H. 4.	
83	lævigatum. w.	smooth.	1804.	8. 9.	H. 4.	Willd. hort. ber. t. 16.
84	canescens. L.en.	canescent.	1820.	7. 8.	H. 4.	
85	bracteolatum. L.en.	bracted.	S. Europe.	1823.	—	H. 4.	
86	coronopifolium. L.en.	Buckshorn-ld.	—	—	H. 4.	
87	longifolium. L.en.	long-leaved.	—	—	H. 4.	
88	parviflorum. Schl.	small-flowered.	Switzerland.	—	—	H. 4.	
89	ochroleucum. Schl.	sulphur-color'd.	—	1821.	—	H. 4.	
90	ovatum. Schl.	oval-leaved.	—	1820.	—	H. 4.	
91	calcareum. Horn.	spurred.	1823.	—	H. 4.	
92	compositum. Lap.	compound.	Pyrenees.	—	—	H. 4.	
93	crassifolium. Schu.	thick-leaved.	—	—	H. 4.	
94	incisum. Hop.	cut-leaved.	Germany.	—	—	H. 4.	
95	rotundatum. Horn.	rounded.	—	—	H. 4.	
96	sudeticum. St.	Swedish.	Sweden.	—	—	H. 4.	
97	virgatum. Ph.	twiggy.	N. America.	1816.	—	H. 4.	
98	virescens. Schl.	greenish.	Switzerland.	1820.	—	H. 4.	
99	fruticosum. w.	shrubby.	Madeira.	1785.	6. 7.	G. 4.	
HAPALOSTEPHIUM. D.P. HAPALOSTEPHIUM. Syngenesia Polygamia Æqualis.							
1	paludosum. D.P.	Succory-leaved.	Britain.	7. 8.	H. 4.	Eng. bot. 1094.
	<i>Hieracium paludosum. E.B.</i>						
2	pyrenaicum. D.P.	Pyrenean.	Pyrenees.	1723.	—	H. 4.	
	<i>Hieracium blattarioides. P.s.</i>						
3	pilosum. D.P.	hairy.	—	—	—	H. 4.	Herm. parad. t. 184.
4	austriacum.	Austrian.	Austria.	—	—	H. 4.	Jacq. aust. t. 441.
	<i>Crepis austriaca. Jacq.</i>						
5	sibiricum. D.P.	Siberian.	Siberia.	1755.	—	H. 4.	Gmel. sib. 2. t. 10.
	<i>Crepis sibirica. L. Hieracium sibiricum. w.</i>						
LAGOSERIS. L.en. LAGOSERIS. Syngenesia Polygamia Æqualis.							
1	bursifolia. L.en.	pinnatifid.	Sicily.	1823.	7. 8.	H. 4.	Bocc.m. 2. t. 106 et 112.
	<i>Crepis bursifolia. L.</i>						
2	versicolor. L.en.	various-color'd.	Dauria.	—	—	H. 4.	
3	cernua. L.en.	nodding.	Calabria.	—	6. 8.	H. 4.	
4	nemausensis.	Palestine.	S. Europe.	1794.	6. 7.	H. 4.	Vill. delph. 3. t. 26.
	<i>Crepis nemausensis. w.</i>						
5	leontodontoides. L.en.	Dandelion-like.	Italy.	1804.	7. 8.	H. 4.	
6	raphanifolia. L.en.	Radish-leaved.	1816.	6. 7.	H. 4.	
7	taurinensis. L.en.	bladdered.	S. Europe.	1823.	5. 7.	H. 4.	
8	intybacea. L.en.	Succory-leaved.	Portugal.	1816.	6. 7.	H. 4.	
BORKHAUSIA. L.en. BORKHAUSIA. Syngenesia Polygamia Æqualis.							
1	alpina. L.en.	Alpine.	Italy.	1739.	7.	H. 4.	Gmel. sib. 2. t. 5.
	<i>Crepis alpina. w.</i>						
2	rubra. L.en.	purple.	—	1632.	6. 7.	H. 4.	Flor. græc. 801.
3	fœtida. L.en.	fetid.	Britain.	—	H. 4.	Eng. bot. 406.
	<i>Crepis fœtida. E.B.</i>						
4	graveolens. L.en.	strong-scent'd.	1824.	7. 9.	H. 4.	
5	aspera. L.en.	rough.	Sicily.	1797.	7. 8.	H. 4.	Flor. græc. 804.
	<i>Crepis aspera. w.</i>						

6 hispida. L.en.	hispid.	S. Europe.	1798.	—	H.⊙.	W. et K. hung. 1. t. 43.
7 nicaeensis. L.en.	glandular-haired	—	1824.	—	H.⊙.	
CREPIS. L.en.	CREPIS.	Syngenesia Polygamia Æqualis.				
1 rigida. w.	rigid.	Hungary.	1805.	5. 7.	H. 4.	W. et K. hung. 1. t. 19.
2 rigens. w.	bristle-leaved.	Azores.	1778.	7. 8.	G. 4.	
3 hieracioides. w.	hawkweed-like.	Hungary.	1816.	—	H. 4.	W. et K. hung. 1. t. 70.
4 tectorum. E.B.	smooth.	Britain.	6. 9.	H.⊙.	Eng. bot. 1111.
5 cinerea. P.S.	red-stalked.	—	—	H. ♂.	
6 Dioscoridis. w.	Dioscorides'.	France.	1772.	6. 7.	H.⊙.	Flor. græc. 808.
7 biennis. w.	biennial.	England.	6. 8.	H. ♂.	Eng. bot. 149.
8 agrestis. w.	field.	Hungary.	1801.	7. 8.	H.⊙.	
9 bannatica. w.en.	Hungarian.	—	1823.	—	H.⊙.	
10 virens. w.	green.	Switzerland.	1796.	6. 7.	H.⊙.	Lobel. ic. 229. f. 2.
11 pinnatifida. w.	pinnatifid.	S. Europe.	1820.	—	H.⊙.	
12 coronopifolia. w.	fleshy-leaved.	Canaries.	1777.	8. 9.	H.⊙.	Desf. act. par. 38. t. 9.
13 filiformis. w.	fine-leaved.	Madeira.	—	6. 7.	G. ♂.	
14 latifolia. P.S.	broad-leaved.	Europe.	1816.	—	H.⊙.	
15 Gmelini. Schu.	Gmelin's.	Bavaria.	1823.	—	H.⊙.	
16 rhœadifolia. M.B.	Poppy-leaved.	Caucasus.	—	—	H.⊙.	
17 pulcherrima. F.	elegant.	Siberia.	—	—	H.⊙.	
MYOSERIS. L.en.	MYOSERIS.	Syngenesia Polygamia Æqualis.				
purpurea. L.en.	purple.	Tauria.	1823.	6. 7.	H.⊙.	
Lagoseris purpurea. M.B.						
HELMINTHIA. J.	HELMINTHIA.	Syngenesia Polygamia Æqualis.				
echioides. w.	bristly.	Britain.	6. 7.	H.⊙.	Eng. bot. 972.
Picris echioides. E.B.						
TOLPIS. G.	TOLPIS.	Syngenesia Polygamia Æqualis.				
1 barbata. w.	purple-eyed.	France.	1620.	6. 7.	H.⊙.	Botan. magaz. 35.
Crepis barbata. L.	Drepania barbata. DC.					
2 umbellata. P.S.	umbelled.	Genoa.	1818.	—	H.⊙.	
Drepania umbellata. DC.						
3 altissima. P.S.	tall.	Piedmont.	—	—	H.⊙.	Balb. diss. p. 4. t. 1.
ANDRYALA. P.S.	ANDRYALA.	Syngenesia Polygamia Æqualis.				
1 cheiranthifolia. w.	various-leaved.	Madeira.	1777.	5. 10.	G. 4.	L'Herit. stirp. 35. t. 18.
2 pinnatifida. w.	wing-leaved.	—	1778.	7. 8.	G. ♂.	
3 crithmifolia. w.	Samphire-ld.	—	—	6. 8.	G. ♂.	
4 nigricans. w.	dark-flowered.	Barbary.	1804.	—	H.⊙.	
5 ragusina. w.	downy.	Archipelago.	1753.	—	G. 4.	Mill. ic. 1. t. 146. f. 1.
6 Rothia. P.S.	Spanish.	Spain.	1810.	8.	H.⊙.	Gært. sem. 2. t. 174.
Rothia andryaloides. w.						
7 sinuata. P.S.	Stock-leaved.	—	1768.	7. 8.	H.⊙.	
Rothia cheiranthifolia. w.						
8 runcinata. P.S.	hoary.	S. Europe.	1711.	7. 8.	H. ♂.	
KRIGIA. W.	KRIGIA.	Syngenesia Polygamia Æqualis.				
1 virginica. w.	Virginian.	N. America.	1811.	5. 7.	H.⊙.	
2 amplexicaulis. N.	stem-clasping.	—	1799.	7. 8.	H. 4.	
Troximon virginicum. Ph.	Hyoseris amplexicaulis. M.					
HYOSERIS. W.	SWINE'S SUCCORY.	Syngenesia Polygamia Æqualis.				
1 radiata. w.	starry.	S. Europe.	1640.	6. 7.	H. 4.	Pluk. alm. t. 37. f. 2.
2 lucida. w.	shining.	Levant.	1770.	6. 8.	H. 4.	Schm. ic. t. 39. 41.
3 scabra. w.	rugged.	Sicily.	1789.	7. 8.	H.⊙.	Lam. ill. t. 654. f. 1.
4 hispida. w.	hispid.	Morocco.	1779.	—	H.⊙.	
5 arenaria. w.	sand.	—	1800.	—	H.⊙.	
HEDYPNOIS. W.	HEDYPNOIS.	Syngenesia Polygamia Æqualis.				
1 monspeliensis. w.	branching.	S. Europe.	1683.	6. 7.	H.⊙.	
2 cretica. w.	Cretan.	Crete.	1731.	6. 7.	H.⊙.	Flor. græc. 813.
3 coronopifolia. T.C.	buckshorn-ld.	Italy.	1823.	—	H.⊙.	
4 tubæformis. T.C.	thick-tubed.	—	—	—	H.⊙.	
5 mauritanica. w.	Barbary.	Barbary.	—	—	H.⊙.	
6 rhagadioloides. w.	Nipple-wort.	S. Europe.	1773.	7. 8.	H.⊙.	Cav. ic. 1. t. 43.
7 pendula. w.	pendulous.	—	1818.	—	H.⊙.	
ARNOSERIS. G.	ARNOSERIS.	Syngenesia Polygamia Æqualis.				
1 fœtida. L.en.	stinking.	Italy.	1722.	7. 8.	H. 4.	W. et K. hung. 1. t. 49.
Lapsana fœtida. w.	Hyoseris fœtida. P.S.					
2 minima. L.en.	least.	Britain.	5. 6.	H.⊙.	Eng. bot. 95.
Hyoseris minima. E.B.	Lapsana pusilla. w.					
SERIOLOLA. W.	SERIOLOLA.	Syngenesia Polygamia Æqualis.				
1 lævigata. w.	smooth.	Candia.	1772.	7. 8.	H.⊙.	Desf. atl. 2. t. 216.
2 æthnensis. w.	rough.	Italy.	1763.	—	H.⊙.	Jacq. obs. 4. t. 79.

3 cretensis. w.	Cretan.	Crete.	1820.	—	H.⊙.	
4 Alliatæ. L.en.	wood.	Ætna.	1823.	—	H.⊙.	Biv. cent. pl. 2. t. 7.
5 urens. w.	stinging.	S. Europe.	1773.	—	H.⊙.	Schmid. ic. t. 32.
ROBERTIA. DC.	ROBERTIA.	Syngenesia Polygamia	Æqualis.			
taraxacoides. DC.	Dandelion-like.	Corsica.	1824.	7. 8.	H. 4.	Loisel. gal. 530. t. 28.
<i>Seriola taraxacoides.</i>	Lois.					
HYPOCHÆRIS. W.	CATS-EAR.	Syngenesia Polygamia	Æqualis.			
1 helvetica. w.	one-flowered.	Switzerland.	1799.	6. 7.	H. 4.	Jacq. ic. 1. t. 165.
2 maculata. w.	spotted.	England.	—	H. 4.	Eng. bot. 225.
3 minima. w.	least.	Barbary.	1797.	7. 8.	H.⊙.	Flor. græc. 816.
4 hispida. w.en.	bristly.	S. Europe.	1804.	—	H. 4.	Willd. hort. ber. 1. t. 46.
5 Balbisii. w.en.	Balbis's.	—	1822.	—	H. 4.	
6 glabra. w.	smooth.	Britain.	—	H.⊙.	Eng. bot. 575.
7 radicata. w.	long-rooted.	—	6. 9.	H. 4.	— 831.
<i>Achyrophorus radicans.</i>	G.					
LAPSANA. W.	NIPPLEWORT.	Syngenesia Polygamia	Æqualis.			
1 communis. w.	common.	Britain.	6. 7.	H.⊙.	Eng. bot. 844.
2 crispa. w.	curled.	1799.	7. 8.	H.⊙.	
3 pubescens. Zey.	pubescent.	Europe.	1820.	7. 8.	H.⊙.	
4 lyrata. w.en.	lyrate.	Caucasus.	1816.	—	H. 4.	
<i>grandiflora.</i>	M.B.					
5 intermedia. M.B.	intermediate.	—	1823.	—	H.⊙.	
ZACINTHA. W.	ZACINTHA.	Syngenesia Polygamia	Æqualis.			
verrucosa. w.	warted.	S. Europe.	1633.	6. 7.	H.⊙.	Gært. sem. 2. t. 157. f. 7.
RHAGADIOLUS. W.	RHAGADIOLUS.	Syngenesia Polygamia	Æqualis.			
1 stellatus. w.	starry.	S. Europe.	1633.	6. 7.	H.⊙.	Flor. græc. 817.
2 edulis. w.	heart-leaved.	Levant.	—	—	H.⊙.	— 818.
<i>Lapsana Rhagadiolus.</i>	L.					
KÆLPINIA. Pall.	KÆLPINIA.	Syngenesia Polygamia	Æqualis.			
linearis. Pall.	linear-leaved.	Levant.	1788.	7.	H.⊙.	Flor. græc. 819.
<i>Rhagadiolus Kælpinia.</i>	w.	<i>Lapsana Kælpinia.</i>	L.			
CATANANCHE. W.	CATANANCHE.	Syngenesia Polygamia	Æqualis.			
1 cœrulea. w.	blue.	S. Europe.	1596.	7. 10.	H. 4.	Botan. magaz. 293.
2 lutea. w.	yellow.	Candia.	1640.	6. 7.	H.⊙.	Flor. græc. 821.
CICHORIUM. W.	SUCCORY.	Syngenesia Polygamia	Æqualis.			
1 Intybus. w.	common.	Britain.	6. 8.	H. 4.	Eng. bot. 539.
2 pumilum. w.	dwarf.	1799.	7. 8.	H.⊙.	Jacq. obs. 4. t. 80.
3 Endivia. w.	Endive.	E. Indies.	1548.	—	H.⊙.	
<i>α latifolia.</i>	broad-leaved.	—	—	—	H.⊙.	
<i>β crispa.</i>	curled-leaved.	—	—	—	H.⊙.	
<i>γ leucophylla.</i>	white-leaved.	—	—	H.⊙.	
4 divaricatum. w.	branching.	Barbary.	1798.	—	H.⊙.	
5 spinosum. w.	prickly.	Candia.	1633.	—	F. ♂.	Bauh. prodr. t. 62.
SCOLYMUS. W.	GOLDEN-THISTLE.	Syngenesia Polygamia	Æqualis.			
1 maculatus. w.	annual.	S. Europe.	1633.	7. 8.	H.⊙.	Flor. græc. 824.
2 hispanicus. w.	Spanish.	—	1658.	7. 9.	H. 4.	— 825.
3 grandiflorus. w.	great-flowered.	Barbary.	1820.	—	H. 4.	Desf. atl. 2. t. 218.

SUBORDO II. LABIATIFLORÆ. Lagasca et DC. in ann. mus.

LERIA. DC.	LERIA.	Syngenesia Polygamia	Superflua.			
1 nutans. DC.	drooping-fl.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.
<i>Tussilago nutans.</i>	w.					
2 albicans. DC.	woolly-leaved.	Jamaica.	1821.	—	S.⊙.	
CHAPTALIA. V.	CHAPTALIA.	Syngenesia Polygamia	Necessaria.			
tomentosa. v.	woolly.	N. America.	1806.	5. 6.	H. 4.	Botan. magaz. 2257.
<i>Tussilago integrifolia.</i>	M.					
CHUQUIRAGA. J.	CHUQUIRAGA.	Syngenesia Polygamia	Æqualis.			
insignis. Kth.	large-flowered.	S. America.	1824.	G. h.	Lam. ill. t. 691.
<i>Johannia insignis.</i>	w.					
TRIPTILION. R.P.	TRIPTILION.	Syngenesia Polygamia	Æqualis.			
cordifolium. B.R.	heart-leaved.	Peru.	1823.	6. 8.	H.⊙.	Botan. regist. 853.
PERDICIUM. DC.	PERDICIUM.	Syngenesia Polygamia	Superflua.			
Anandria. DC.	Siberian.	Siberia.	1759.	8.	H. 4.	Gmel. sib. 2. t. 68. f. 1.
TRIXIS. DC.	TRIXIS.	Syngenesia Polygamia	Superflua.			
senecioides. H.E.F.	Groundsel-like.	Chili.	1822.	8. 10.	F. 4.	Hook. ex. flor. 101.

SUBORDO III. *CARDUACEÆ*. *Don prodr. p. 166.*Div. I. *CARDUACEÆ VERÆ*. *Kth. synops. 2. p. 363.*

ARCTIUM. L.		BURDOCK. Syngenesia Polygamia Æqualis.			
1	Lappa. w.	smooth-headed.	Britain. 7. 8. H. ♂.	Eng. bot. 1228.
2	minus. M.B.	smaller.	Europe. — H. ♂.	
	<i>Lappa minor</i> . DC.				
3	Bardana. w.	woolly-headed.	Britain. — H. ♂.	Eng. bot. 2478.
	<i>tomentosum</i> . P.S.				
SERRATULA. D.P.		SAWWORT. Syngenesia Polygamia Æqualis.			
1	pulchella. B.M.	purple-scaled.	Siberia.	1823. 6. 7. H. ♀.	Botan. magaz. 2589.
2	depressa. L.T.	depressed.	Caucasus.	1820. — H. ♀.	Linn. trans. v. 11. t. 38.
3	elegans. L.T.	elegant.	———	—— H. ♀.	——— v. 11. t. 37.
4	alpina. E.B.	Alpine.	Britain. 7. 8. H. ♀.	Eng. bot. 599.
	<i>Saussurea alpina</i> . DC.				
5	angustifolia. w.	narrow-leaved.	Siberia.	1816. — H. ♀.	Gmel. sib. 2. t. 33.
6	discolor. w.	two-coloured.	Europe.	—— — H. ♀.	Moris. s. 7. t. 22. f. 1.
	<i>Saussurea discolor</i> . DC.				
	β <i>lapathifolia</i> . DC.	<i>Dock-leaved.</i>	———	—— — H. ♀.	
7	serrata.	saw-leaved.	———	—— — H. ♀.	
	<i>Saussurea serrata</i> . DC.				
8	salicifolia. w.	Willow-leaved.	Siberia.	1796. — H. ♀.	Gmel. sib. 2. t. 27.
9	alata.	winged.	Europe.	1823. — H. ♀.	
	<i>Saussurea alata</i> . DC.	<i>non Serratula alata</i> . w.en.			
10	salsa. M.B.	salt.	Caucasus.	1824. — H. ♀.	
CARDUUS. D.P.		THISTLE. Syngenesia Polygamia Æqualis.			
1	alatus. B.F.G.	winged-stalked.	1812. 6. 8. H. ♂.	Swt. br. fl. gar. 103.
2	tinctorius. D.P.	common.	Britain. 7. 10. H. ♀.	Eng. bot. 38.
	<i>Serratula tinctoria</i> . E.B.				
3	quinquefolius. D.P.	five-leaved.	Persia.	1804. 7. 8. H. ♀.	Botan. magaz. 1871.
	<i>Serratula quinquefolia</i> . B.M.				
4	coronatus. D.P.	lyre-leaved.	Italy.	1739. 7. 8. H. ♀.	Gmel. sib. 2. t. 20.
	<i>Serratula coronata</i> . w.				
5	centauroides. D.P.	Centaury-like.	Siberia.	1804. — H. ♀.	——— 1. t. 40.
6	radiatus. W.K.	rayed.	Hungary.	1800. — H. ♂.	W. et K. hung. 1. t. 11.
7	polyclonos. w.	Siberian.	Siberia.	1823. — H. ♀.	
8	argutus.	sharply-tooth'd.	———	1823. — H. ♀.	
	<i>Serratula arguta</i> . L.en.				
9	cyanooides. w.	blue-bottle-ld.	Siberia.	1778. — H. ♀.	Gmel. sib. 2. t. 15.
10	simplex.	one-flowered.	Caucasus.	1817. — H. ♀.	Botan. magaz. 2482.
	<i>mollis</i> . w. <i>Serratula simplex</i> . DC.				
11	xeranthemoides.	everlasting-fl'd.	———	1804. — H. ♀.	Gmel. sib. 2. t. 47. f. 1.
	<i>Serratula xeranthemoides</i> . M.B. <i>Centaurea radiata</i> . w.				
12	lycopiifolius. w.	various-leaved.	France.	1823. — H. ♀.	Vill. delph. 3. t. 19.
	<i>Serratula heterophylla</i> . DC.				
13	leucographus. w.	white-spotted.	Italy.	1752. 6. 7. H. ⊙.	Jacq. vind. 3. t. 23.
14	arabicus. w.	Arabian.	Arabia.	1789. 7. 8. H. ⊙.	Jacq. ic. 1. t. 166.
15	nutans. w.	musk.	Britain. — H. ⊙.	Eng. bot. 1112.
16	carlinoides. w.en.	Pyrenean.	Pyreness.	1784. — H. ♂.	Gouan. ill. t. 23.
	<i>Carlina pyrenaica</i> . L.				
17	carlinæfolius. w.	Carlina-leaved.	———	1804. — H. ♂.	
18	acanthoides. w.	welted.	Britain. 6. 7. H. ⊙.	Eng. bot. 973.
19	hamulosus. w.	hooked.	Hungary.	1802. — H. ⊙.	
20	tenuiflorus. E.B.	slender-flow'r'd.	Britain. — H. ⊙.	Eng. bot. 412.
21	crispus. w.	curled.	Europe.	1804. 7. 8. H. ♂.	Flor. dan. t. 621.
22	candicans. w.	hoary.	Hungary.	1805. — H. ♂.	W. et K. hung. 1. t. 83.
23	personatus. w.	cut-leaved.	Austria.	1776. — H. ♂.	Jacq. aust. 4. t. 348.
24	polyanthemus. w.	many-flowered.	Rome.	1739. 6. 7. H. ♂.	Triumf. obs. t. 103.
25	paniculatus. w.	panicked.	S. Europe.	1781. — H. ♀.	
26	pycnocephalus. w.	Italian.	———	1739. 7. 9. H. ♀.	Jacq. vind. 1. t. 34.
27	onopordioides. M.B.	Onopordum-like.	Iberia.	1824. 7. 8. H. ♀.	
28	argentatus. w.	white Egyptian.	Egypt.	1789. 6. 8. H. ⊙.	Jacq. vind. 2. t. 192.
29	arctioides. w.	pinnated.	Hungary.	1804. 7. 8. H. ♀.	

30	alpestris. w.	alpine.	———	1805.	——	H. 4.	
31	defloratus. w.	different-leav'd.	Austria.	1570.	7. 9.	H. 4.	Jacq. aust. 1. t. 89.
32	Argemone. DC.	Argemone-ld.	Pyrenees.	1816.	——	H. 4.	
33	parviflorus. w.	small-flowered.	S. Europe.	1781.	6. 7.	H. 4.	
34	crassifolius. W.en.	thick-leaved.	1805.	7.	H. 4.	
35	sumanus. L.en.	Pollini's.	Italy.	1823.	7. 8.	H. 4.	
36	atriplicifolius. L.en.	Orach-leaved.	Russia.	——	——	H. 4.	
37	nitidus. w.	glossy.	Hungary.	1806.	——	H. 4.	W. et K. hung. 1. t. 52.
38	nudicaulis. P.s.	naked-stalked.	S. Europe.	1739.	——	H. 4.	Cav. ic. 3. t. 226.
	<i>cerinthoides. w. glaucus. Cav. Centaurea nudicaulis. L. Serratula nudicaulis. DC.</i>						
39	cichoraceus. Ræu.	Succory-leav'd.	Europe.	1824.	——	H. 4.	
40	orientalis. M.B.	oriental.	Iberia.	1804.	7.	H. 4.	
41	salinus. M.B.	narrow-leaved.	Siberia.	——	——	H. 4.	
SILYBUM. G.		SILYBUM.	Syngenesia Polygamia	Æqualis.			
1	marianum. G.	milk.	Britain.	7.	H. 8.	Eng. bot. 976.
	<i>Carduus marianus. E.B.</i>						
2	cernuum. G.	nodding.	Siberia.	1755.	6. 7.	H. 4.	Mill. ic. 2. t. 248.
	<i>Cnicus cernuus. w.</i>						
CIRSIIUM. G.		HORSE-THISTLE.	Syngenesia Polygamia	Æqualis.			
1	palustre. DC.	marsh.	Britain.	7. 8.	H. 8.	Eng. bot. 974.
	<i>Carduus palustris. E.B. Cnicus palustris. w.</i>						
2	elatum. L.en.	tall.	1823.	——	H. 4.	
3	uliginosum. M.B.	swamp.	Narzana.	1820.	——	H. 4.	
4	canum. L.en.	hoary.	Austria.	1633.	——	H. 4.	Jacq. aust. 1. t. 42-3.
5	Acarna. DC.	yellow.	Spain.	1683.	7. 9.	H. 4.	Cavan. ic. 1. t. 53.
6	pyrenaicum. DC.	Pyrenean.	Pyrenees.	1818.	7. 8.	H. 4.	Jacq. obs. 4. t. 95.
7	monspessulanum. DC.	Montpelier.	Montpelier.	1596.	6. 7.	H. 4.	
8	pannonicum. L.en.	Hungarian.	Hungary.	1816.	7. 9.	H. 4.	Jacq. aust. 3. t. 5.
9	strictum. L.en.	straight.	Naples.	1820.	——	H. 4.	
10	lanceolatum. DC.	common.	Britain.	6. 9.	H. 8.	Eng. bot. 107.
	<i>Carduus lanceolatus. E.B. Cnicus lanceolatus. w.</i>						
11	desertorum. L.en.	desert.	Siberia.	1823.	7. 8.	H. 4.	
12	ciliatum. L.en.	fringed.	———	1787.	8.	H. 4.	Murr. com. got. 6. t. 5.
13	serrulatum. M.B.	serrulate.	Tauria.	1820.	7. 8.	H. 4.	
14	laniflorum. M.B.	woolly-flow'r'd.	———	1823.	——	H. 4.	
15	arachnoideum. M.B.	cobweb.	———	——	——	H. 4.	
16	strigosum. M.B.	strigose.	Caucasus.	1818.	——	H. 8.	
17	horridum. M.B.	very spiny.	———	1820.	——	H. 4.	
18	munitum. M.B.	armed.	———	1816.	——	H. 4.	
19	obvallatum. M.B.	crowded-fl'd.	———	——	——	H. 4.	
20	scleranthum. M.B.	Carlina-like.	———	1824.	——	H. 8.	
	<i>carlinoides. F. Carlina Echinus. M.B.</i>						
21	echinatum. L.en.	hedgehog.	Barbary.	——	——	H. 4.	
22	eriphorum. DC.	woolly-headed.	Britain.	——	H. 8.	Eng. bot. 386.
	<i>Carduus eriphorus. E.B. Cnicus eriphorus. w.</i>						
23	ferox. DC.	fierce.	S. Europe.	1683.	——	H. 8.	All. ped. 1. t. 50.
24	discolor. L.en.	two-coloured.	N. America.	1803.	——	H. 8.	
25	inermis. L.en.	unarmed.	Pyrenees.	1818.	——	H. 4.	
26	altissimum. L.en.	giant.	N. America.	1726.	8. 9.	H. 4.	Dill. elth. t. 69. f. 80.
27	pratense.	meadow.	Britain.	6. 7.	H. 4.	Eng. bot. 177.
	<i>anglicum. DC. Carduus pratensis. E.B. Cnicus pratensis. w.</i>						
28	heterophyllum. DC.	melancholy.	———	7. 8.	H. 4.	——— 675.
29	helenioides. L.en.	Elecampane-ld.	Siberia.	1804.	——	H. 4.	
30	serratuloides. L.en.	sawwort-like.	———	1752.	6. 10.	H. 4.	Jacq. aust. 2. t. 127.
31	heteromallum.	Nepaul.	Nepaul.	1820.	——	H. 8.	
	<i>Cnicus heteromallus. D.P. Carduus candicans. Wal.</i>						
32	arvensis. DC.	corn or way.	Britain.	7.	H. 4.	Eng. bot. 975.
	<i>Serratula arvensis. w. Carduus arvensis. E.B. Cnicus arvensis. Ph.</i>						
33	rivulare. L.en.	river.	Hungary.	1804.	7. 8.	H. 4.	Jacq. aust. 1. t. 91.
	<i>tricephalodes. DC. Cnicus rivularis. w.</i>						
	<i>β salisburgense.</i>	smaller.	———	——	——	H. 4.	
34	ambiguum. DC.	ambiguous.	S. Europe.	1823.	——	H. 4.	
35	orgyale. L.en.	tall.	——	——	H. 4.	
36	carniolicum. Scop.	Carniola.	Carniola.	1792.	——	H. 4.	Scop. carn. 1005. t. 54.
37	pauciflorum.	few-flowered.	Hungary.	1816.	——	H. 8.	W. et K. hung. 2. t. 161.
38	tataricum. All.	Tartarian.	Siberia.	1775.	7. 8.	H. 4.	Jacq. aust. 1. t. 90.
39	rigens. L.en.	upright alpine.	Switzerland.	——	——	H. 4.	LaChenal. act. h. 4. t. 16.
40	oleraceum. DC.	pale-flowered.	Europe.	1570.	——	H. 4.	Flor. dan. 860.
41	Erisithales. L.en.	clammy.	France.	1752.	6. 8.	H. 4.	Jacq. aust. 4. t. 310.
	<i>glutinosum. DC. Cnicus Erisithales. w.</i>						

42	mite. L.en.	soft.	Russia.	1818.	—	H.⊙.	
43	ochroleucum. DC.	pale yellow.	Switzerland.	1801.	7.	H.⊙.	
44	bulbosum. DC.	tuberous.	England.	8. 10.	H.⊙.	Eng. bot. 2562.
	<i>Cnicus tuberosus.</i> E.B.	<i>Carduus tuberosus.</i> L.					
45	setosum. M.B.	setose.	Tauria.	1823.	7. 8.	H.⊙.	
46	acaule. DC.	dwarf.	Britain.	—	H.⊙.	Eng. bot. 161.
	<i>Carduus acaulis.</i> E.B.	<i>Cnicus acaulis.</i> W.					
	<i>β caulescens.</i> P.S.	stalked.	—	—	H.⊙.	
47	Casabonæ. DC.	fish-bone.	S. Europe.	1714.	6. 8.	F.♂.	Schmidt ic. t. 51-52.
48	stellatum. DC.	starry.	Italy.	1665.	6. 7.	H.⊙.	Flor. græc. 830.
49	Diacantha. L.en.	two-spined.	Barbary.	1800.	—	F.♂.	Lab. ic. pl. syr. 1. t. 3.
	<i>Cnicus afer.</i> W. Jacq.	schœnb. 2. t. 145.					
50	syriacum. L.en.	Syrian.	Levant.	1771.	7. 8.	H.⊙.	Flor. græc. 831.
51	spinosissimum. Scop.	feathery-headed.	Switzerland.	1759.	6. 8.	H.⊙.	Botan. magaz. 1366.
52	echinocephalum.	prickly-headed.	Levant.	1823.	—	H.⊙.	
	<i>Cnicus echinocephalus.</i> W.						
53	carthamoides. L.en.	Carthamus-like.	—	1823.	—	H.⊙.	
54	pygmæum. DC.	pigmy.	Austria.	1816.	—	H.⊙.	Jacq. aust. t. 440.
	<i>Serratula pygmæa.</i> W.						
ERYTHROLÆNA. ERYTHROLÆNA. Syngenesia Polygamia Æqualis.							
	conspicua. B.F.G.	conspicuous.	Mexico.	1824.	9. 10.	F.♂.	Swt. br. fl. gar. 134.
ONOPORDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.							
1	Acanthium. E.B.	woolly.	Britain.	7. 8.	H.♂.	Eng. bot. 977.
2	tauricum. W.	Taurian.	Tauria.	1800.	—	H.♂.	
3	virens. DC.	green.	S. Europe.	1822.	—	H.♂.	
4	macrocanthum. W.	long-spined.	Barbary.	1798.	—	H.♂.	Schousb. maroc. t. 5.
5	illyricum. W.	Illyrian.	S. Europe.	1648.	—	H.♂.	Jacq. vind. 2. t. 148.
6	arabicum. W.	Arabian.	—	1686.	7.	H.♂.	— 2. t. 149.
7	elatum. Sm.	tall.	Greece.	1818.	7. 8.	H.♂.	
8	deltoides. W.	Siberian.	Siberia.	1784.	8.	H.⊙.	
9	græcum. W.	Grecian.	Greece.	1799.	6. 7.	H.⊙.	Gouan. ill. t. 25.
10	cynaroides. L.en.	Cynara-like.	Caucasus.	1823.	7. 8.	H.⊙.	
	<i>Carthamus cynaroides.</i> M.B.						
11	viscosum. Schr.	viscous.	Europe.	—	—	H.♂.	
12	pyrenaicum. DC.	Pyrenean.	Pyrenees.	1818.	—	H.⊙.	
13	acaulon. W.	dwarf.	1739.	—	H.♂.	Jacq. ic. 1. t. 167.
BERARDIA. P.S. BERARDIA. Syngenesia Polygamia Æqualis.							
	subacaulis. P.S.	round-leaved.	Italy.	1791.	7. 8.	H.⊙.	Vill. dauph. 3. t. 22.
	<i>Arctium lanuginosum.</i> DC.	<i>Onopordum rotundifolium.</i> W.					
CYNARA. W. ARTICHOKE. Syngenesia Polygamia Æqualis.							
1	Cardunculus. W.	Cardoon.	Candia.	1658.	8. 9.	H.⊙.	Tabern. ic. 696.
2	Scolymus. W.	common.	S. Europe.	1548.	—	H.⊙.	Blackw. t. 458.
3	horrida. W.	very prickly.	Madeira.	1778.	—	G.⊙.	Flor. græc. 834.
4	humilis. W.	dwarf.	Spain.	1613.	7. 8.	H.⊙.	Pluk. alm. t. 81. f. 2.
5	glomerata. W.	Cape.	C. B. S.	1816.	—	G.⊙.	
6	pygmæa. W.	small.	Spain.	1824.	—	H.⊙.	
CESTRINUS. Cass. CESTRINUS. Syngenesia Polygamia Æqualis.							
	carthamoides. Cass.	Carthamus-like.	Barbary.	1799.	7.	H.⊙.	Desf. atl. 2. t. 223.
	<i>Cynara acaulis.</i> W.	<i>Serratula acaulis.</i> DC.					
CARLINA. W. CARLINE-THISTLE. Syngenesia Polygamia Æqualis.							
1	acaulis. W.	dwarf.	Italy.	1640.	6.	H.⊙.	Knorr. thes. 2. t. c. 1.
	<i>β caulescens.</i> P.S.	stalked.	—	—	—	H.⊙.	
2	acanthifolia. W.	Acanthus-ld.	Pyrenees.	1818.	6. 7.	H.⊙.	Allion. ped. t. 51.
3	simplex. P.S.	single-flow'r'd.	Hungary.	1816.	—	H.⊙.	W. et K. hung. 2. t. 152.
4	aggregata. W.	clustered.	—	1804.	6. 9.	H.⊙.	
5	lyrata. W.	lyre-leaved.	C. B. S.	1816.	—	G.♂.	
6	lanata. W.	woolly.	S. Europe.	1683.	6. 7.	H.⊙.	Garid. aix. t. 21.
7	corymbosa. W.	corymbed.	—	1640.	7. 8.	H.⊙.	Flor. græc. 837.
8	vulgaris. W.	common.	Britain.	5. 9.	H.♂.	Eng. bot. 1141.
9	racemosa. W.	racemed.	Spain.	1658.	6. 8.	H.⊙.	
STOBÆA. W. STOBÆA. Syngenesia Polygamia Æqualis.							
	pinnata. W.	Carthamus-like.	C. B. S.	1812.	1. 12	G.♀.	Botan. magaz. 1788.
CARTHAMUS. BASTARD SAFFRON. Syngenesia Polygamia Æqualis.							
	tinctorius. W.	common.	Egypt.	1551.	6. 7.	H.⊙.	Botan. regist. 170.
HERACANTHA. L.en. HERACANTHA. Syngenesia Polygamia Æqualis.							
1	lanata. L.en.	woolly.	S. Europe.	1596.	7. 8.	H.⊙.	Botan. magaz. 2143.
	<i>Carthamus lanatus.</i> B.M.	<i>Centaurea lanata.</i> DC.					
2	cretica. L.en.	Cretan.	Candia.	1781.	6. 7.	H.⊙.	
	<i>Carthamus creticus.</i> W.						

- 3 *taurica*. L.en. Taurian. Tauria. 1818. — H.⊙.
 4 *glauca*. glaucous. Iberia. — — H.⊙.
Carthamus glaucus. M.B.
- ONOBROMA. G. ONOBROMA. Syngenesia Polygamia Æqualis.
 1 *tingitana*. Tangier. Barbary. 1759. 6. 7. H. 2. Cavan. ic. 2. t. 128.
Carthamus tingitanus. w.
- 2 *cœrulea*. L.en. blue-flowered. Spain. 1640. — H. 2. Botan. magaz. 2293.
Carthamus cœruleus. w.
- CARDUNCELLUS. DC. CARDUNCELLUS. Syngenesia Polygamia Æqualis.
 1 *vulgaris*. DC. common. France. 1776. 5. 6. H. 2. Lob. ic. 2. p. 20.
Carthamus Carduncellus. w.
- 2 *mitissimus*. DC. small. ——— 1734. 6. 7. H. 2.
 3? *arborescens*. tree. Spain. 1731. 7. 8. G. 2.
- Carthamus arborescens*. w.
- CARLOWIZIA. DC. CARLOWIZIA. Syngenesia Polygamia Æqualis.
salicifolia. DC. Willow-leaved. Madeira. 1784. 8. G. 2.
Carthamus salicifolius. w. *Onobroma salicifolium*. L.en.
- ATRACTYLIS. W. ATRACTYLIS. Syngenesia Polygamia Æqualis.
humilis. w. dwarf. Spain. 1759. 6. 7. H. 2. Cav. ic. 1. t. 54.
- ACARNA. W. ACARNA. Syngenesia Polygamia Æqualis.
 1 *gummifera*. w. gummy-rooted. S. Europe. 1640. 6. 8. H. 2. Cavan. ic. 3. t. 228.
 2 *cancellata*. w. netted. ——— 6. 7. H.⊙. Lam. ill. t. 662. f. 1.
Atractylis cancellata. P.S.
- STOKESIA. W. STOKESIA. Syngenesia Polygamia Æqualis.
cyanea. w. blue-flowered. Carolina. 1766. 8. G. 2. L'Herit. sert. 27. t. 38.
- STÆHELINA. W. STÆHELINA. Syngenesia Polygamia Æqualis.
 1 *dubia*. w. Rosemary-ld. S. Europe. 1640. 6. 7. H. 2. Lam. ill. t. 666. f. 4.
 2 *arborescens*. w. Storax-leaved. Candia. 1739. 7. 9. F. 2. Flor. græc. t. 345.
 3 *chamæpeuce*. w. Pine-leaved. ——— 1640. 7. 11. F. 2. ——— t. 347.
- PTERONIA. W. PTERONIA. Syngenesia Polygamia Æqualis.
 1 *camphorata*. w. aromatic. C. B. S. 1774. 6. 7. G. 2. Pluk. mant. t. 345. f. 2.
 2 *stricta*. w. cluster-flow'r'd. ——— 4. 6. G. 2.
 3 *echinata*. w. prickly-cupp'd. ——— 1820. — G. 2.
 4 *flexicaulis*. w. bending-stalk'd. ——— 1812. 6. 8. G. 2.
 5 *fasciculata*. w. cluster-flow'r'd. ——— 1816. — G. 2.
 6 *pallens*. w. pale. ——— — G. 2.
 7 *oppositifolia*. w. opposite-leav'd. ——— 1774. 7. G. 2. Lam. ill. t. 667. f. 2.
 8 *glomerata*. w. crowded. ——— 1823. 6. 8. G. 2.
 9 *scariosa*. w. window-cupp'd. ——— 1815. — G. 2.
- ZŒGEA. W. ZŒGEA. Syngenesia Polygamia Frustranea.
Leptaurea. w. yellow-flow'r'd. Levant. 1779. 7. 8. H.⊙. Jacq. ic. 1. t. 177.
- LEUZEA. DC. LEUZEA. Syngenesia Polygamia Frustranea.
 1 *conifera*. DC. cone. S. Europe. 1683. 6. 9. H. 2. DC. ann. mus. 16. t. 14.
Centaurea conifera. w.
- 2 *altaica*. L.en. large-flowered. Altay. 1818. — H. 2.
 3 *australis*. New Holland. N. Holland. 1821. 8. 9. H. 2. Swt. br. fl. gar. ic.
- GALACTITES. DC. GALACTITES. Syngenesia Polygamia Frustranea.
tomentosa. DC. woolly. S. Europe. 1738. 7. H.⊙. DC. ann. mus. 16. t. 16.
Centaurea galactites. w.
- CRUPINA. Cas. CRUPINA. Syngenesia Polygamia Frustranea.
 1 *vulgaris*. Cas. black-seeded. Italy. 1596. 6. 7. H.⊙. Colum. ecph. 1. t. 34.
Centaurea Crupina. w.
- 2 *Lippii*. P.S. Lippi's. Egypt. 1739. — H.⊙. Isn. act. par. 1719. t. 10.
Centaurea Lippii. w.
- CENTAUREA. J. CENTAURY. Syngenesia Polygamia Frustranea.
 1 *moschata*. w. sweet sultan. Persia. 1629. 7. 10. H.⊙. Knor. thes. 2. t. C. 4.
 2 *glauca*. w. glaucous. Caucasus. 1805. 6. 7. H.⊙.
 3 *suaveolens*. w. yellow sultan. Levant. 1683. 7. 10. H.⊙. Swt. brit. fl. gar. 1. t. 51.
 4 *alpina*. w. Alpine. Italy. 1640. 7. 8. H. 2. Cornut. can. 69. t. 70.
 5 *Centaureum*. w. great. ——— 1596. — H. 2.
 6 *ruthenica*. w. Russian. Russia. 1806. — H. 2. Gmel. sib. 2. t. 41.
 7 *phrygia*. w. feathery-cupp'd. Switzerland. 1633. 6. 10. H. 2. Flor. dan. 520.
 8 *rivularis*. P.S. river-side. Portugal. 1812. 7. 9. H. 2.
 9 *salicifolia*. w. Willow-leaved. Caucasus. 1816. — H. 2.
 10 *austriaca*. w. Austrian. Austria. 1815. 6. 10. H. 2.
 11 *pectinata*. w. pectinated. France. 1727. 7. 10. H. 2.
 12 *uniflora*. w. one-flowered. S. Europe. 1824. 6. 8. H. 2. Bocc. mus. 2. t. 2.
 13 *flosculosa*. w. flosculose. Italy. 1817. — H. 2.
 14 *nervosa*. W.en. nerved. S. Europe. 1815. 6. 9. H. 2.

15	tricocephala. w.	downy-cupped.	Siberia.	1805.	7. 8.	H. 4.	Gmel. sib. 2. t. 45. f. 1. 2.
16	hyssopifolia. w.	Hyssop-leaved.	Spain.	1812.	—	F. 7.	Barrel. ic. 306.
17	coronopifolia. w.	Buck's-horn-la.	Levant.	1739.	6. 7.	H. 7.	
18	procumbens. P.S.	procumbent.	Italy.	1821.	—	H. 4.	
19	nigra. w.	black knapweed.	Britain.	5. 8.	H. 4.	Eng. bot. 278.
20	pratensis. P.S.	field.	France.	1824.	—	H. 4.	
21	nigrescens. w.	dark.	Hungary.	1805.	6. 8.	H. 4.	
22	Triumfetti. w.	Cenisian.	Mt. Cenis.	—	—	H. 4.	
23	montana. w.	mountain.	Austria.	1596.	—	H. 4.	Botan. magaz. 77.
24	seusana. P.S.	silvery-fringed.	S. Europe.	1816.	—	H. 4.	Barrel. ic. 389.
	<i>axillaris. w. variegata.</i> Lam.						
25	Cyanus. w.	blue-bottle.	Britain.	—	H. 7.	Eng. bot. 277.
	<i>Cyanus segetum.</i> Mœn.						
26	americana. N.	American.	N. America.	1823.	7. 10.	H. 7.	Swt. br. fl. gar. ic.
27	ochroleuca. w.	Caucasean.	Caucasus.	1801.	7. 8.	H. 4.	Botan. magaz. 1175.
28	ovina. w.	small-flowered.	Caucasus.	1802.	7. 11.	H. 4.	
29	paniculata. w.	panicked.	Europe.	1640.	7. 8.	H. 7.	Jacq. aust. 4. t. 320.
30	intybacea. Lam.	Succory-leaved.	S. Europe.	1778.	7. 9.	H. 4.	
31	spinosa. w.	prickly-branch'd.	Candia.	1640.	—	F. 4.	Botan. magaz. 2493.
32	ragusina. w.	white-leaved.	—	1710.	6. 7.	G. 7.	— 494.
33	argentea. w.	silver-leaved.	—	1739.	7. 8.	F. 7.	Barrel. ic. t. 218.
34	Cineraria. w.	hoary-leaved.	Italy.	1710.	—	H. 4.	Moris. s. 7. t. 26. f. 20.
35	cinerea. w.	gray.	—	—	6. 7.	H. 4.	Jacq. vind. 1. t. 92.
36	dealbata. M.B.	mealy.	Caucasus.	1804.	7. 8.	H. 4.	
37	cicutæfolia. Horn.	Cicuta-leaved.	Europe.	1824.	—	H. 4.	
38	maculosa. P.S.	spotted-cupp'd.	Siberia.	1816.	—	H. 4.	Gmel. sib. 2. t. 44. f. 1. 2.
39	sempervirens. w.	evergreen.	Spain.	1683.	—	H. 4.	Bocc. sic. t. 39. f. 3.
40	coriacea. w.	leathery-leav'd.	Hungary.	1804.	6. 7.	H. 4.	W. et K. hung. 2. t. 195.
41	Scabiosa. w.	greater-knapweed.	Britain.	6. 8.	H. 4.	Eng. bot. 56.
42	tatarica. w.	Tartarian.	Tartary.	1801.	7. 8.	H. 4.	
43	Stœbe. w.	wing-leaved.	Austria?	1759.	6. 7.	H. 4.	
44	Fischeri. w. en.	Fischer's.	Siberia.	1816.	—	H. 4.	
45	macrocephala. w.	large-headed.	Caucasus.	1805.	6. 8.	H. 4.	Botan. magaz. 1248.
46	atropurpurea. w.	dark purple.	Hungary.	1802.	—	H. 4.	W. et K. hung. 2. t. 116.
47	calocephala. w. en.	smooth-stalked.	Levant.	1816.	—	H. 4.	
48	canariensis. w. en.	Canary.	Teneriffe.	1815.	—	G. 7.	
49	orientalis. w.	oriental.	Levant.	1759.	7. 8.	H. 4.	
50	arachnoidea. P.S.	cobweb.	Italy.	1823.	—	H. 4.	
51	sibirica. w.	Siberian.	Siberia.	1782.	—	H. 4.	Gmel. sib. 2. t. 42. f. 2.
52	diluta. w.	pale-flowered.	S. Europe.	1781.	—	H. 4.	
53	alata. w.	winged-stalk'd.	Tartary.	—	8. 9.	H. 4.	Venten. cels. 80.
54	elongata. Desf.	elongated.	Barbary.	1822.	—	H. 4.	
55	Behen. w.	saw-leaved.	Levant.	1797.	7. 8.	H. 7.	
56	repens. w.	creeping.	—	1739.	6. 8.	H. 4.	
57	Jacea. w.	brown knapweed.	England.	7. 9.	H. 4.	Eng. bot. 1678.
58	decumbens. P.S.	decumbent.	France.	1815.	—	H. 4.	
59	amara. w.	bitter.	Italy.	7. 8.	H. 4.	Bocc. mus. 31. t. 17.
60	alba. w.	white-flowered.	Spain.	1597.	6. 9.	H. 4.	
61	splendens. w.	shining.	—	—	7. 8.	H. 7.	
62	nitens. w.	glittering.	Caucasus.	1823.	—	H. 7.	Buxb. cent. 2. t. 15. f. 1.
63	tagana. w.	Portugal.	Portugal.	1640.	—	H. 4.	Brot. phyt. lus. t. 3.
64	babylonica. w.	Babylonian.	Levant.	1710.	6. 9.	H. 4.	Alp. exot. t. 282.
65	glastifolia. w.	wood-leaved.	Siberia.	1731.	—	H. 4.	Botan. magaz. 62.
RHAPONTICUM. D.C. RHAPONTICUM. Syngenesia Polygamia Frustranea.							
1	scariosum. Lam.	common.	Switzerland.	1640.	7. 8.	H. 4.	Botan. magaz. 1752.
	<i>Centaurea Rhapontica.</i> B.M.						
	<i>β lyratum.</i> DC.	lyrate.	—	—	H. 4.	
2	uniflorum. DC.	one-flowered.	Siberia.	1796.	—	H. 4.	Gmel. sib. 2. t. 38.
	<i>Cnicus uniflorus.</i> w.						
CROCODILIUM. J. CROCODILIUM. Syngenesia Polygamia Frustranea.							
1	cucullatum.	blush-flowered.	Levant.	1777.	7. 8.	H. 7.	Barrel. rar. t. 503.
	<i>Centaurea Crocodylium.</i> w. <i>Calcitrapa cucullata.</i> Mœn.						
2	peregrinum.	soft-leaved.	S. Europe.	1749.	—	H. 7.	
	<i>Centaurea peregrina.</i> w.						
3	muricatum.	muricated.	Spain.	1621.	—	H. 7.	
4	aureum.	great golden.	S. Europe.	1758.	7. 9.	H. 4.	Botan. magaz. 421.
	<i>Centaurea aurea.</i> B.M.						
5	salmanticum. sp.	ragwort-leav'd.	—	1596.	7. 8.	H. 7.	Jacq. vind. 1. t. 64.
6	verutum. sp.	dwarf.	Levant.	1780.	8. 9.	H. 7.	Jacq. ic. 1. t. 178.

CALCITRAPA. J.		STAR-THISTLE. Syngenesia Polygamia Frustranea.			
1	sordida. P.S.	sordid.	1817.	7. 8. H. 4.
	<i>Centaurea sordida.</i> w.				
2	pubescens. P.S.	downy.	1804.	— H. 4.
3	rupestris. P.S.	rock.	Italy.	—	H. 4. Column. ecph. 1. t. etf. 2.
4	collina. P.S.	hill.	S. Europe.	1596.	6. 7. H. 4.
5	centauroides. L.en.	lyre-leaved.	—	1739.	5. 7. H. 4. Column. ecph. 1. t. 35.
6	reflexa. L.en.	crook-spined.	Iberia.	1801.	7. 8. H. 4.
7	parviflora. L.en.	small-flowered.	—	1823.	— H. 4.
8	hybrida. L.en.	hybrid.	Italy.	1821.	— H. ♂.
9	eriophora. P.S.	woolly-headed.	Portugal.	1714.	6. 10. H. ⊙.
10	balsamita. L.en.	bristle-spined.	Armenia.	1824.	7. 8. H. 4.
11	rigida. L.en.	rigid.	—	H. 4.
12	stellata. Lam.	common.	England.	— H. ⊙. Eng. bot. 125.
	<i>Centaurea Calcitrapa.</i> E.B.				
13	phœnicea.	Phœnician.	Levant.	1683.	6. 7. H. ⊙.
	<i>Centaurea calcitrapoides.</i> w.				
14	ægyptiaca.	Egyptian.	Egypt.	1790.	6. 9. F. 4.
15 ?	benedicta.	blessed thistle.	Spain.	1548.	6. 10. H. ⊙. Zorn. ic. 122.
SERIDIA. J.		SERIDIA. Syngenesia Polygamia Frustranea.			
1	aspera.	rough.	S. Europe.	1772.	6. 10. H. ⊙. Bocc. mus. 35. t. 26.
	<i>Centaurea aspera.</i> w.				
2	napifolia.	Turnep-leaved.	Candia.	1691.	7. 9. H. ⊙. Herm. parad. t. 189.
3	straminea.	straw-coloured.	Egypt.	1801.	7. 8. H. ⊙. Willd. hort. ber. 26.
4	polyacantha.	many-spined.	Portugal.	1804.	— H. ⊙.
5	prolifera.	proliferous.	Egypt.	1816.	— H. ⊙. Vent. hort. cels. t. 16.
6	auriculata.	eared.	—	H. ⊙.
	<i>Centaurea auriculata.</i> P.S.				
7	Isnardi.	Jersey.	Jersey.	— H. 4. Eng. bot. 2256.
	<i>Centaurea Isnardi.</i> E.B.				
8	sphærocephala.	globe-headed.	S. Europe.	1683.	— H. 4. Botan. magaz. 2551.
	<i>Centaurea sphærocephala.</i> B.M.				
9	sicula.	Sicilian.	Sicily.	1710.	— H. 4. Bocc. sic. t. 8. f. 1.
10	Adami.	Adam's.	Siberia.	1804.	— H. ⊙.
11	melitensis.	cluster-headed.	Malta.	1710.	— H. ⊙. Bocc. sic. t. 35.
12	sulphurea.	sulphur-color'd.	1815.	— H. ⊙.
13	solstitialis.	St. Barnaby's.	England.	— H. ⊙. Eng. bot. 243.
	<i>Centaurea solstitialis.</i> E.B.				
14	pullata.	sad-coloured.	S. Europe.	1714.	6. 7. H. ♂. Mill. ic. 2. t. 152. f. 2.
15	ferox.	hedgehog.	Barbary.	1790.	7. 9. F. 4. Desf. atl. 2. t. 242.
16	romana.	Roman.	Rome.	1739.	— H. ♂. Barrel. rar. t. 504.
17	cruenta.	obovate-leaved.	1816.	6. 8. H. 4.
18	sonchifolia.	Sow-thistle-l'd.	S. Europe.	1780.	8. 10. H. 4. Pluk. phyt. 39. f. 1.
19	latifolia.	purple-flower'd.	Spain.	1686.	6. 8. H. 4. Pluk. alm. t. 38. f. 1.
	<i>Centaurea seridis.</i> w.				
CARDOPATUM. J.		CARDOPATUM. Syngenesia Polygamia Segregata.			
	corymbosum. P.S.	umbelled.	S. Europe.	1640.	6. 7. H. 4. Moris. s. 7. t. 33. f. 17.
	<i>Brotera corymbosa.</i> w.				

Div. II. ECHINOPSIDÆ. *Kth. synops. 2. p. 364.*

ROLANDRA. W.		ROLANDRA. Syngenesia Polygamia Segregata. L.			
	argentea. w.	silver-leaved.	W. Indies.	1714.	7. S. h. Sloan. jam. 1. t. 7. f. 33.
ECHINOPS. W.		GLOBE-THISTLE. Syngenesia Polygamia Segregata. L.			
1	sphærocephalus. w.	great.	Austria.	1596.	7. 8. H. 4. Flor. græc. 923.
	<i>β exaltatus.</i> Schr.	tall.	—	1820. H. 4.
2	spinousus. w.	thorny-headed.	Egypt.	1597.	— H. 4. Flor. græc. 924.
3	paniculatus. B.R.	paniced.	Spain.	1815.	— H. ♂. Botan. regist. 356.
4	horridus. P.S.	horrid.	Persia.	1817.	— H. 4.
5	viscosus. M.B.	viscous.	Caucasus.	1823.	— H. ♂.
6	tauricus. w.en.	Taurian.	Tauria.	1816.	— H. 4.
7	ruthenicus. M.B.	Russian.	Russia.	1819.	— H. 4.
8	Ritro. w.	small.	Europe.	1570.	7. 9. H. 4. Botan. magaz. 932.
9	tenuifolius. F.	slender-leaved.	Russia.	1823.	— H. 4.
10	strictus. B.M.	upright.	—	1822.	8. 10. H. ♂ ? Botan. magaz. 2457.

11 strigosus. w.	annual.	Spain.	1729.	7. 9.	H. ☉.	Botan. magaz. 2109.
12 lanuginosus. w.	woolly.	Levant.	1736.	6. 7.	H. ♀.	Flor. græc. 926.
GUNDELIA. W.	GUNDELIA.	Syngenesia Polygamia Segregata. L.				
Tournefortii. w.	Tournefort's.	Levant.	1739.	6. 8.	H. ♀.	Mill. ic. t. 287.
SPHÆRANTHUS.	SPHÆRANTHUS.	Syngenesia Polygamia Segregata. L.				
1 mollis. H.B.	soft.	E. Indies.	1818.	7. 9.	S. ☉.	
2 indicus.	Indian.	————	1699.	8. 12.	S. ♀.	Burm. zeyl. t. 94. f. 3.
3 africanus. w.	African.	C. B. S.	1759.	7. 8.	G. ☉.	Pluk. mant. t. 108. f. 7.
ANGIANTHUS. W.C.	ANGIANTHUS.	Syngenesia Polygamia Segregata.				
tomentosus. w.c.	woolly.	N. Holland.	1803.	7. 8.	G. ♀.	Wend. coll. 2. t. 48.
Cassinia aurea. H.K.	non L.T.					
BROTERA. P.S.	BROTERA.	Syngenesia Polygamia Segregata. P.S.				
trinervata. P.S.	three-nerved.	S. America.	1799.	7. 8.	H. ☉.	Schr.b.jour.180. 2. t.5.
Contrayerva. Spr.	Nauenburgia trinervata. w.					
CEDERA. W.	CEDERA.	Syngenesia Polygamia Segregata. L.				
prolifera. w.	proliferous.	C. B. S.	1789.	5. 6.	G. ♀.	Botan. magaz. 1637.
ELEPHANTOPUS. W.	ELEPHANT'S-FOOT.	Syngenesia Polygamia Segregata. L.				
1 scaber. W.	rough-leaved.	E. Indies.	1695.	6. 9.	S. ♀.	Rheed. mal. 10. t. 7.
2 carolinianus. w.	Carolina.	America.	1732.	7. 9.	G. ♀.	Dill. elth. t. 106. f. 126.
3 tomentosus. w.	woolly.	W. Indies.	1733.	7. 8.	S. ♀.	
4 mollis. K.S.	soft-leaved.	Caracas.	1825.	—	S. ♀.	
5 nudiflorus. w.	naked-flow'r'd.	W. Indies.	1822.	—	S. ♀.	
6 spicatus. w.	spiked.	————	—	—	S. ♀.	Sloan.hist.1.t.150.f.3.4
7 angustifolius. w.	narrow-leaved.	————	1823.	—	S. ♀.	———— t. 148. f. 4.
STÆBE. W.	STÆBE.	Syngenesia Polygamia Segregata. L.				
1 æthiopica. w.	Juniper-leaved.	C. B. S.	1759.	8.	G. ♀.	
Seriphium æthiopicum. P.S.						
2 ericoides. w.	Heath-like.	————	1816.	7. 9.	G. ♀.	Moris. s. 7. t. 18. f. 12.
3 cinerea. w.	Heath-leaved.	————	1774.	—	G. ♀.	Pluk. mant. t. 297. f. 1.
Seriphium cinereum. P.S.						
4 reflexa. w.	reflex-leaved.	————	1816.	—	G. ♀.	
CÆSULIA. Roxb.	CÆSULIA.	Syngenesia Polygamia Segregata. L.T.				
axillaris. w.	axillary-flow'r'd.	E. Indies.	1804.	7. 9.	S. ♀.	Andr. reposit. 431.
LAGASCA. Cav.	LAGASCA.	Syngenesia Polygamia Segregata. L.T.				
mollis. w.	soft.	S. America.	1815.	6. 9.	S. ☉.	Botan. magaz. 1804.
Nocca. W.	Nocca.	Syngenesia Polygamia Segregata.				
1 rubra.	red-flowered.	Mexico.	1823.	S. ♀.	Hum.etBondp.4.t.311.
Lagascea rubra. K.S.						
2 suaveolens.	sweet-scented.	————	—	S. ♀.	
Lagascea suaveolens. K.S.						
3 latifolia. L.H.	broad-leaved.	————	—	S. ♀.	

Div. III. VERNONIACEÆ. *Kth. synops. 2. p. 367. et ASTEREÆ. l. c. p. 399.*

AMPHEREPHIS. K.S.	AMPHEREPHIS.	Syngenesia Polygamia Æqualis.				
intermedia. L.en.	intermediate.	Brazil.	1822.	7. 9.	G. ♀.	Pl. sel. hrt. ber. t. 5.
ASCARICIDA. Cass.	ASCARICIDA.	Syngenesia Polygamia Æqualis.				
anthelmintica.	Indian.	E. Indies.	1770.	8. 9.	S. ♂.	Rheed. mal. 2. t. 24.
indica. Cass.	Vernonia anthelmintica. w.	Conyza anthelmintica. L.				
VERNONIA. W.	VERNONIA.	Syngenesia Polygamia Æqualis. W.				
1 noveboracensis. w.	long-leaved.	N. America.	1710.	9. 11.	H. ♀.	Dill. elt. t. 263. f. 342.
2 præalta. w.	tall.	————	1732.	—	H. ♀.	———— t. 264. f. 343.
3 angustifolia. Ph.	narrow-leaved.	————	1817.	—	H. ♀.	
4 glauca. w.	glaucous-leav'd.	————	1710.	—	H. ♀.	Dill. elt. t. 262. f. 341.
oligophylla. M.						
5 altissima. N.	tallest.	————	1823.	—	H. ♀.	
6 pandurata. L.en.	fiddle form.	————	—	—	H. ♀.	
7 sericea. B.R.	silky.	Brazil.	1818.	9. 1.	S. ♀.	Botan. regist. 522.
8 arborescens. P.S.	tree.	Jamaica.	1733.	11. 12.	S. ♀.	
9 fruticosa. P.S.	shrubby.	S. America.	1818.	—	S. ♀.	Plum. ic. 95. f. 1.
Conyza fruticosa. L.						
10 flexuosa. B.M.	flexuose-branch'd.	Brazil.	1823.	9. 10.	S. ♀.	Botan. magaz. 2477.
LIATRIS. W.	LIATRIS.	Syngenesia Polygamia Æqualis. W.				
1 spicata. w.	long-spiked.	N. America.	1732.	8. 10.	H. ♀.	Swt. br. fl. gar. 49.
β pumila. B.C.	dwarf.	————	—	H. ♀.	Lodd. bot. cab. 147.
2 pycnostachya. M.	pubescent.	————	1732.	—	H. ♀.	Dill. elt. t. 72. f. 83.

3	heterophylla. Ph.	various-leaved.	N.America.	1790.	7. 8.	H. 4.	
4	intermedia. B.R.	intermediate.	————	1823.	8. 9.	H. 4.	Botan. regist. 948.
5	cylindræa. M.	cylindrical-cup'd.	————	1811.	10.	H. 4.	
6	pilosa. Ph.	hairy-leaved.	————	1783.	—	H. 4.	Botan. regist. 595.
7	gracilis. Ph.	smooth-leaved.	————	1812.	—	H. 4.	
8	turbinata. B.F.G.	turbinate-cup'd.	————	1823.	—	H. 4.	Swt. br. fl. gar. ic.
9	elegans. w.	hairy-cup'd.	————	1787.	9. 10.	H. 4.	Botan. regist. 267.
10	sphæroidea. M.	globular-cup'd.	————	1817.	8. 10.	H. 4.	Swt. br. fl. gar. 87.
11	scariosa. w.	scariose-cup'd.	————	1739.	9. 10.	H. 4.	Botan. regist. 590.
12	squarrosa. w.	rough-cup'd.	————	1732.	9. 10.	H. 4.	Swt. br. fl. gar. 44.
13	paniculata. w.	panicked.	————	1826.	8. 10.	H. 4.	
14	odoratissima. w.	sweet-scented.	Carolina.	1786.	—	F. 4.	Andr. reposit. 633.
15	corymbosa. w.	corymbose.	N.America.	1825.	—	F. 4.	
BRACHYLÆNA. L.T. BRACHYLÆNA. Syngenesia Polygamia Superflua.							
	neriifolia.	Oleander-ld.	C. B. S.	1752.	8. 11.	G. ½.	
<i>Baccharis neriifolia.</i> w.							
BACCHARIS. W. PLOWMAN'S-SPIKENARD. Syngenesia Polygamia Superflua.							
1	ivæfolia. w.	Peruvian.	America.	1696.	7. 8.	G. ½.	Schk. handb. 3. t. 244.
2	angustifolia. M.	narrow-leaved.	N.America.	1812.	7. 9.	G. ½.	
3	glomeruliflora. M.	close-flowered.	————	1817.	8. 10.	H. ½.	
4	halimifolia. w.	Groundsel-tree.	————	1683.	10. 11.	H. ½.	Schmidt arb. t. 82.
5	Dioscoridis. w.	Dioscorides'.	Levant.	1822.	7. 9.	G. ½.	Rauw. it. 4. t. 54.
6	scoparia. P.S.	broom.	Jamaica.	—	—	S. ½.	Brown. jam. t. 34. f. 4.
<i>Calea scoparia.</i> L.							
7	parviflora. P.S.	small-flowered.	Peru.	—	S. ½.	
8	fœtida. w.	Camphor-scent'd.	N.America.	1704.	8. 10.	G. 4.	Dill. elt. t. 89. f. 105.
<i>Conyza camphorata.</i> Ph.							
CONYZA. W. FLEA-BANE. Syngenesia Polygamia Superflua. L.							
1	squarrosa. w.	great.	Britain.	7. 8.	H. ♂.	Eng. bot. 1195.
2	marylandica. Ph.	Maryland.	N. America.	8. 10.	H. ⊙.	Dill. elt. t. 88. f. 104.
3	patula. w.	spreading.	China.	1758.	7. 9.	H. ⊙.	Mill. ic. 2. t. 247.
4	axillaris. w.	axillary.	1824.	—	H. ⊙.	
5	bifrons. w.	oval-leaved.	N.America.	1739.	8. 9.	H. 4.	Pluk. alm. t. 87. f. 4.
6	purpurascens. w.	purplish.	Jamaica.	1822.	—	S. ⊙.	Sloan. hist. 1. t. 159. f. 1.
7	candida. L.	woolly.	Candia.	1714.	6. 7.	F. ½.	Flor. græc. 865.
<i>verbascifolia.</i> w.							
8	limonifolia. F.G.	white-leaved.	————	—	F. ½.	Barr. ic. t. 217.
<i>candida.</i> w. non L.							
9	balsamifera. w.	balsamiferous.	China.	1818.	—	S. 4.	Rumph. amb. 6. t. 24. f. 1.
10	chinensis. w.	Chinese.	————	1796.	7. 8.	S. ♂.	———— 6. t. 14. f. 2.
11	cinerea. w.	grey.	E. Indies.	—	S. ⊙.	———— 6. t. 14. f. 1.
12	fastigiata. w.en.	clustered.	1820.	—	H. ⊙.	
13	prolifera. w.	proliferous.	Java.	1819.	7. 9.	S. ½.	Rumph. am. 5. t. 104. f. 1.
14	hirsuta. w.	shaggy.	China.	1767.	8. 9.	G. ♂.	
15	ægyptiaca. w.	Egyptian.	Egypt.	1778.	7. 9.	H. ⊙.	Jacq. vind. 3. t. 19.
16	pinnatifida. R.	pinnatifid.	E. Indies.	1816.	—	S. ½.	
17	Gouani. w.	Gouan's.	Canaries.	1772.	7. 8.	G. ♂.	Jacq. vind. 3. t. 79.
18	sicula. w.	red-stalked.	Sicily.	1779.	8. 9.	H. ⊙.	Bocc. sic. t. 31. f. 4.
19	aurita. w.	eared.	E. Indies.	1818.	—	S. ⊙.	
20	fœtida. w.	stinking.	Africa.	1724.	—	G. 4.	Mill. ic. 2. t. 233.
21	amœna. L.en.	pretty.	————	1816.	—	S. 4.	
22	glomerata. L.en.	crowded.	1824.	—	S. 4.	
23	spatulata. L.en.	spatulate.	1824.	7. 9.	S. 4.	
24	adnata. K.S.	decurent.	Mexico.	—	—	S. ½.	
<i>Baccharis adnata.</i> w.en.							
25	thapsoides. M.B.	Thapsus-leav'd.	Caspian Sea.	1806.	—	H. 4.	
26	sordida. w.	small-flowered.	S. Europe.	1570.	—	F. ½.	Barr. ic. t. 368.
27	saxatilis. w.	stone.	————	1640.	7. 8.	F. ½.	Schk. handb. 3. t. 241.
28	rupestris. w.	rock.	Arabia.	1790.	—	G. ½.	Schmidel ic. t. 36.
29	Tenorii. L.en.	Tenore's.	S. Europe.	1824.	F. ½.	
30	sericea. w.	snowy.	Canaries.	1779.	G. ½.	
31	geminiflora. L.en.	twin-flowered.	S. Europe.	1824.	F. ½.	
32	inuloides. w.	cluster-flow'r'd.	Teneriffe.	1780.	7. 8.	G. ½.	Jacq. ic. 1. t. 171.
33	odorata. w.	sweet-scented.	India.	1759.	6. 8.	S. ½.	Plum. ic. t. 97.
34	incisa. w.	cut-leaved.	C. B. S.	1774.	—	G. ½.	
35	carolinensis. w.	Carolina.	Carolina.	1823.	—	G. ½.	Jacq. ic. 3. t. 185.
36	virgata. w.	wing-stalked.	America.	1783.	8. 9.	G. 4.	Sloan. hist. 1. t. 152. f. 5.
37	rugosa. H.K.	St. Helena.	St. Helena.	1772.	11.	G. ½.	

CARPESIMUM. W.		CARPESIMUM. Syngenesia Polygamia Superflua. L.			
1 cernuum. w.	drooping.	Austria.	1739.	7. 8. H. 4.	Jacq. aust. 3. t. 204.
2 abrotanoides. w.	Southernwood like.	China.	1768.	— H. 4.	Osbeck it. t. 10.
INULA. W.		INULA. Syngenesia Polygamia Superflua. L.			
1 Helenium. w.	Elecampane.	Britain.	7. 8. H. 4.	Eng. bot. 1546.
2 Oculus-Christi. w.	hoary.	Austria.	1759.	7. 9. H. 4.	Jacq. aust. 3. t. 223.
3 britannica. w.	creeping-root'd.	Germany.	—	— H. 4.	Flor. dan. 413.
4 dysenterica. w.	meadow.	England.	8. 9. H. 4.	Eng. bot. 1115.
5 undulata. w.	wave-leaved.	Egypt.	1739.	7. 10. H. 4.	—
6 indica. w.	Indian.	E. Indies.	—	— S. 4.	Burm. zeyl. t. 55. f. 2.
7 Pulicaria. w.	small fleawort.	England.	8. 9. H. 4.	Eng. bot. 1196.
<i>Pulicaria vulgaris. G.</i>					
8 arabica. w.	Arabian.	Arabia.	1823.	— H. 4.	Pluk. alm. t. 149. f. 4.
9 squarrosa. w.	net-leaved.	S. Europe.	1768.	7. 9. H. 4.	Flor. græc. 875.
10 viscosa. w.	clammy.	Barbary.	1633.	7. 8. G. 4.	Jacq. vind. 2. t. 165.
<i>Erigeron viscosum. Jacq.</i>					
11 tuberosa. p.s.	tuberous-root'd.	S. Europe.	1640.	— H. 4.	Moris. s. 7. t. 19. f. 20.
<i>Erigeron tuberosum. W.</i>					
12 salicina. w.	willow-leaved.	N. Europe.	1648.	8. 9. H. 4.	Flor. dan. t. 786.
13 Bubonium. w.	Austrian.	Austria.	1801.	7. 9. H. 4.	Jacq. aust. 5. ap. t. 19.
14 hirta. w.	hairy.	—	1759.	6. 9. H. 4.	— 4. t. 358.
15 glandulosa. w.	glandular.	Georgia.	1804.	7. 8. H. 4.	Botan. magaz. 1907.
16 mollis. L.en.	soft.	1823.	— H. 4.	—
17 suaveolens. w.	woolly-leaved.	S. Europe.	1758.	6. 8. H. 4.	Jacq. vind. 3. t. 51.
18 Vaillantii. w.	Vaillant's.	France.	1739.	— H. 4.	Hall. helv. n. 73. t. 2.
19 mariana. w.	American.	N. America.	1742.	7. 8. H. 4.	Mill. ic. 1. t. 57. f. 1.
20 germanica. w.	German.	Germany.	1759.	6. 7. H. 4.	Jacq. aust. 2. t. 134.
21 ensifolia. w.	sword-leaved.	Austria.	1793.	7. 9. H. 4.	— 2. t. 162.
22 crithmifolia. w.	Samphire-ld.	England.	8. 9. H. 4.	Eng. bot. 68.
23 provincialis. w.	oval-leaved.	France.	1778.	7. 8. H. 4.	—
24 montana. w.	mountain.	S. Europe.	1759.	— H. 4.	Garid. aix. t. 10.
25 bifrons. w.	Italian.	—	1713.	6. 8. H. 4.	Herm. parad. t. 127.
26 thapsoides. L.en.	Mullein-like.	1823.	— H. 4.	—
27 gossypina. M.	cottony.	N. America.	—	— H. 4.	—
28 saturejoides. w.	Savory-leaved.	Vera Cruz.	1733. S. 4.	Reliq. houst. 8. t. 19.
29 foetida. w.	stinking.	Malta.	1688.	6. 8. H. 4.	Bocc. sic. 26. t. 13.
30 odora. w.	sweet-scented.	S. Europe.	1824.	— H. 4.	Moris. s. 7. t. 21. f. 6.
31 villosa. L.	villous.	—	— H. 4.	—
<i>Pulicaria villosa. L.en.</i>					
IXODIA. H.K.		IXODIA. Syngenesia Polygamia Æqualis.			
achillæoides. H.K.	Milfoil-like.	N. Holland.	1803.	3. 9. G. 4.	Botan. magaz. 1534.
HUMEA. Sm.		HUMEA. Syngenesia Polygamia Æqualis.			
elegans. H.K.	elegant.	N. S. W.	1800.	6. 10. G. 4.	Exot. bot. 1. t. 1.
CASSINIA. L.T.		CASSINIA. Syngenesia Polygamia Æqualis.			
1 spectabilis. L.T.	Humea-like.	N. Holland.	1821.	5. 10. G. 4.	Botan. regist. 678.
2 affinis. L.T.	related.	N. S. W.	1823.	4. 6. G. 4.	—
3 aurea. L.T.	golden.	—	1821.	— G. 4.	Botan. regist. 764.
4 longifolia. L.T.	long-leaved.	—	—	— G. 4.	—
5 leptophylla. L.T.	narrow-leaved.	N. Zealand.	—	— G. 4.	—
OZOTHAMNUS. L.T.		OZOTHAMNUS. Syngenesia Polygamia Æqualis.			
1 cinereus. L.T.	rusty.	V. Diem. Isl.	1820.	4. 8. G. 4.	Lab. nov. hol. 2. t. 182.
<i>Chrysocoma cinerea. Lab.</i>					
2 rosmarinifolius. L.T.	Rosemary-ld.	—	1822.	— G. 4.	— 2. t. 181.
<i>Eupatorium rosmarinifolium. Lab.</i>					
3 ferrugineus. L.T.	ferruginous.	—	—	— G. 4.	— 2. t. 180.
<i>Eupatorium ferrugineum. Lab.</i>					
AMMOBIUM. Br.		AMMOBIUM. Syngenesia Polygamia Æqualis.			
alatum. B.M.	winged-stalk'd.	N. S. W.	1823.	8. 9. F. 4.	Swt. br. fl. gar. 48.
ANTENNARIA. L.T.		ANTENNARIA. Syngenesia Polygamia Superflua. L.			
1 dioica. L.T.	red-flowered.	Britain.	5. 7. H. 4.	Eng. bot. 267.
<i>Gnaphalium dioicum. E.B.</i>					
2 alpina. L.T.	Alpine.	Alps Europ.	1775.	6. 7. H. 4.	—
3 carpatica. L.T.	Carpathian.	Carp. mount.	—	— H. 4.	Flor. dan. t. 332.
<i>Gnaphalium alpinum. w. non. L.</i>					
4 plantaginea. L.T.	Plantain-ld.	Virginia.	1759.	6. 7. H. 4.	Pluk. alm. t. 348. f. 9.
<i>Gnaphalium plantaginifolium. w.</i>					
5 margaritacea. L.T.	pearly.	England.	7. 9. H. 4.	Eng. bot. 2018.
6 triplinervis. D.P.	triple-nerved.	Nepaul.	1823.	6. 9. F. 4.	Botan. magaz. 2468.
7 contorta. D.P.	twisted-leaved.	—	1818.	— F. 4.	Botan. regist. 605.

- LEONTOPODIUM. L.T.** Lion's-foot. Syngenesia Polygamia Superflua. L.
helveticum. D.D. Swiss. Switzerland. 1776. 6. 7. H. 4. Botan. magaz. 1958.
Gnaphalium Leontopodium. B.M.
- GNAPHALIUM. L.T.** EVERLASTING. Syngenesia Polygamia Superflua. L.
 1 *luteo-album.* w. Jersey. Jersey. 7. 8. H. ☉. Eng. bot. 1002.
 2 *albescens.* w. white Jamaica. Jamaica. 1793. S. ½.
 3 *sanguineum.* w. bloody. Egypt. 1768. 5. 7. H. 4. Rauw. it. 285. t. 37.
 4 *undulatum.* w. wave-leaved. Africa. 1732. 6. 9. H. ☉. Dill. elth. t. 108. f. 130.
 5 *obtusifolium.* w. blunt-leaved. N. America. 1699. 7. 9. H. ☉. ——— t. 108. f. 131.
 6 *purpureum.* w. purple-flow'r'd. S. America. 1732. 6. 9. G. ♂. ——— t. 109. f. 132.
 7 *involucratum.* w. involucred. N. Zealand. 1823. 7. 8. G. 4. Botan. magaz. 2582.
 8 *americanum.* w.en. Jamaica. Jamaica. 1815. S. 4.
 9 *pensylvanicum.* w.en. American. N. America. — 7. 9. H. ☉.
 10 *sylvaticum.* w. highland. Britain. 8. 9. H. 4. Eng. bot. 913.
 11 *rectum.* w. upright wood. ——— — H. 4. ——— 124.
 12 *coarctatum.* w. crowded. Chili. 1820. — H. ☉.
 13 *supinum.* w. dwarf. Scotland. 6. 7. H. 4. Eng. bot. 1193.
 14 *pusillum.* w. small. Sweden. 1818. — H. 4. Krock. siles. t. 41.
 15 *sphæricum.* w.en. sphærical. S. Europe. — — H. 4.
 16 *cephaloideum.* w.en. headed. ——— — H. ☉.
 17 *uliginosum.* w. marsh. Britain. 8. 9. H. ☉. Eng. bot. 1194.
 18 *germanicum.* w. common. ——— 6. 8. H. ☉. ——— 948.
 19 *gallicum.* w. narrow-leaved. England. — H. ☉. ——— 2369.
 20 *pyramidatum.* w. pyramidal. S. Europe. 1779. — H. ☉.
 21 *minimum.* w. least. Britain. 7. 8. H. ☉. Eng. bot. 1157.
 22 *arvense.* w. corn. Europe. 1804. — H. ☉.
 23 *australe.* F. southern. S. Europe. 1823. — H. ☉.
- METALASIA. L.T.** METALASIA. Syngenesia Polygamia Superflua.
 1 *muricata.* L.T. muricate. C. B. S. 1816. 6. 9. G. ½.
 2 *divergens.* spreading. ——— — G. ½. Burm. afr. t. 72. f. 2.
Gnaphalium divergens. w.
 3 *fastigiata.* close-flowered. ——— 1812. 5. 8. G. ½. Petiv. gaz. 12. t. 7. f. 3.
Gnaphalium fastigiatum. w.
 4 *mucronata.* L.T. mucronate. ——— 1824. — G. ½. Burm. afr. t. 66. f. 3.
- SPIRALEPIS. D.D.** SPIRALEPIS. Syngenesia Polygamia Superflua.
 1 *squarrosa.* D.D. squarrose. C. B. S. 1816. 7. 10. G. ½. Jacq. frag. t. 3. f. 4.
Gnaphalium squarrosus. Jacq.
 2 *glomerata.* D.D. cluster-flow'r'd. ——— 1774. 3. 9. G. 4.
 3 *declinata.* D.D. creeping. ——— 1787. 7. 9. G. 4.
Gnaphalium declinatum. w.
- ASTELMA. Br.** ASTELMA. Syngenesia Polygamia Superflua.
 1 *eximium.* B.R. giant. C. B. S. 1793. 6. 9. G. ½. Botan. regist. 532.
Gnaphalium eximium. A.R. 654.
 2 *milleflorum.* D.D. many-flowered. ——— 1802. 6. 9. G. ½.
Gnaphalium milleflorum. w.
 3 *spiralis.* D.D. spiral-leaved. ——— 1801. 7. 10. G. ½. Andr. reposit. 262.
Elichrysium spirale. w.
 4 *variegatum.* D.D. large globular-fl'd. ——— 5. 6. G. ½.
 5 *speciosissimum.* D.D. showy. ——— 1691. 7. 9. G. ½. Andr. reposit. 51.
Elichrysium speciosissimum. w.
 6 *imbricatum.* D.D. imbricated. ——— 1816. — G. ½.
Elichrysium imbricatum. w.
 7 *canescens.* D.D. elegant. ——— 1794. 8. 4. G. ½. Botan. magaz. 420.
 8 *retortum.* D.D. trailing. ——— 1732. 7. 8. G. ½. Dill. elth. t. 322. f. 415.
 9 *Stæhelina.* D.D. keel-leaved. ——— 1801. 12. 1. G. ½. Andr. reposit. 428.
 10 *fragens.* fragrant. ——— 1803. 7. 9. G. ½. ——— 313.
Elichrysium fragrans. A.R.
- HELICHRYSUM. P.S.** HELICHRYSUM. Syngenesia Polygamia Superflua.
 1 *grandiflorum.* D.D. great-flowered. C. B. S. 1731. 6. 8. G. ½. Burm. afr. t. 76. f. 1.
Gnaphalium grandiflorum. w.
 2 *fruticans.* D.D. frutescent. ——— 1779. — G. ½. Botan. magaz. 1802.
Astelma fruticans. B.R. 726. *Gnaphalium fruticans.* B.M. *grandiflorum.* A.R. 489.
 3 *crispum.* D.D. curled. ——— 1809. — G. ½.
 4 *arborescens.* D.D. shrubby. ——— 1770. 2. 8. G. ½.
 5 *congestum.* D.D. close-headed. ——— 1791. 5. 6. G. ½. Botan. regist. 243.
Gnaphalium congestum. B.R.
 6 *patulum.* D.D. spreading. ——— 1771. 8. 1. G. ½.
 7 *discolorum.* D.D. two-coloured. ——— 1815. 5. 8. G. ½. Burm. afr. t. 97. f. 4.
 8 *cephalotes.* D.D. large-headed. ——— 1789. 11. 1. G. ½. Pluk. phyt. t. 410. f. 2.

- 9? *diosmæfolium*. Diosma-leaved. ——— 1812. 3. 8. G. $\frac{1}{2}$. Vent. malm. t. 74.
Gnaphalium diosmæfolium. v.
- 10 *ericoides*. D.D. Heath-leaved. ——— 1774. — G. $\frac{1}{2}$. Botan. magaz. 435.
Gnaphalium ericoides. B.M. non *Helichrysum ericoides*. P.S.
- 11 *teretifolium*. D.D. round-leaved. ——— 1812. — G. $\frac{1}{2}$. Burm. afr. t. 77. f. 2.
- 12? *tephrodes*. slender-leaved. ——— 1816. — G. $\frac{1}{2}$.
Gnaphalium tephrodes. L.en.
- 13? *acuminatum*. taper-pointed. ——— — G. $\frac{1}{2}$.
Gnaphalium acuminatum. L.en.
- 14? *lasiocaulon*. woolly-stalked. ——— 1823. 6. 9. G. $\frac{1}{2}$.
Gnaphalium lasiocaulon. L.en.
- 15 *Stœchas*. D.D. common shrubby. S.Europe. 1629. 6. 10. H. $\frac{1}{2}$. Barrel. ic. 410.
- 16 *angustifolium*. narrow-leaved. ——— 1818. — H. $\frac{1}{2}$.
Gnaphalium angustifolium. P.S.
- 17 *conicum*. conical. ——— 1824. — H. $\frac{1}{2}$.
Gnaphalium conicum. L.en.
- 18 *ignescens*. D.D. red-flowered. C. B. S. 1731. 6. 10. G. $\frac{1}{2}$.
- 19 *microphyllum*. D.D. small-leaved. Crete. 1823. — G. $\frac{1}{2}$.
- 20? *dasyanthum*. hairy-flowered. C. B. S. 1812. — G. $\frac{1}{2}$.
Gnaphalium dasyanthum. W.en.
- 21 *crassifolium*. D.D. thick-leaved. S. Europe. 1774. 7. 9. G. $\frac{1}{2}$.
- 22 *maritimum*. D.D. sea-side. C. B. S. 1772. 6. 8. G. $\frac{1}{2}$. Burm. afr. t. 77. f. 2.
- 23 *apiculatum*. D.D. New Holland. V.Diem.Isl. 1804. 1. 12. G. $\frac{1}{2}$. Botan. regist. 240.
Gnaphalium apiculatum. B.R.
- 24 *foetidum*. D.D. strong-scented. C. B. S. 1692. 6. 9. G. ♂. Botan. magaz. 1987.
Gnaphalium foetidum. B.M.
- 25 *cylindricum*. D.D. cylindrical. C. B. S. 1780. 6. 8. G. $\frac{1}{4}$. Pluk. plyt. 298. f. 4.
- 26 *orientale*. D.D. eastern. Africa. 1629. 4. 8. G. $\frac{1}{2}$. Comm. hort. 2. t. 55.
- 27 *arenarium*. D.D. sand. Europe. 1739. 7. 9. H. $\frac{1}{4}$. Botan. magaz. 2159.
- 28 *graveolens*. strong-smelling. Tauria. 1819. — H. $\frac{1}{4}$.
Gnaphalium graveolens. M.B.
- 29 *odoratissimum*. sweet-scented. C. B. S. 1691. 4. 8. G. $\frac{1}{2}$. Mill. ic. 1. t. 131. f. 2.
- 30 *candidissimum*. D.D. white-leaved. Caucasus. 1819. 7. 9. H. $\frac{1}{4}$.
- 31 *rutilans*. D.D. shining-flow'r'd. C. B. S. 1731. 6. 7. G. $\frac{1}{4}$. Dill. elt. t. 107. f. 127.
- 32 *cymosum*. D.D. branching. Africa. — 4. 8. G. $\frac{1}{2}$. ——— t. 107. f. 128.
- 33 *helianthemifolium*. D.D. Sun-rose-ld. C. B. S. 1774. 7. 10. G. $\frac{1}{2}$. Volck. norib. t. 194.
- 34 *bracteatum*. D.D. wave-leaved. N.Holland. 1799. 7. 10. H. ☉. Andr. reposit. 375.
chrysanthum. P.S. *Xeranthemum bracteatum*. V.M. t. 2.
- 35 *fulgidum*. P.S. great yellow. C. B. S. 1774. 2. 10. G. $\frac{1}{4}$. Botan. magaz. 414.
- 36 *dealbatum*. P.S. herbaceous. V.Diem.Isl. 1812. 1. 12. G. $\frac{1}{4}$. Lab. nov. hol. 2. t. 190.
- 37 *paniculatum*. P.S. corymb-fld. C. B. S. 1800. 6. 9. G. $\frac{1}{2}$. Burm. afr. t. 67. f. 1.
argenteum. A.R. 552. nec aliorum.
- 38 *argenteum*. P.S. silvery. ——— — G. $\frac{1}{2}$.
- 39 *rigidum*. A.R. rigid-leaved. ——— 1801. 5. 6. G. $\frac{1}{2}$. Andr. reposit. 387.
- 40 *herbaceum*. A.R. shining-flow'r'd. ——— 1802. 7. 9. G. $\frac{1}{4}$. ——— 487.
splendens. B.M. 1773.
- LEUCOSTEMMA**. D.D. **LEUCOSTEMMA**. Syngenesia Polygamia Superflua.
vestitum. D.D. upright. C. B. S. 1774. 7. 9. G. $\frac{1}{2}$. Burm. afr. t. 66. f. 1.
Elichrysum vestitum. W.
- PHÆNOCOMA**. D.D. **PHÆNOCOMA**. Syngenesia Polygamia Superflua.
prolifera. D.D. proliferous. C. B. S. 1789. 5. 11. G. $\frac{1}{2}$. Botan. regist. 21.
Elichrysum proliferum. B.R. *Xeranthemum proliferum*. L.
- APHELEXIS**. D.D. **APHELEXIS**. Syngenesia Polygamia Superflua.
1 *humilis*. D.D. dwarf. C. B. S. 1812. 6. 9. G. $\frac{1}{2}$. Andr. reposit. ic.
Elichrysum spectabile. B.C. 59. *pinifolium*. P.S.?
2 *sesamoides*. D.D. superb. ——— 1739. 4. 6. G. $\frac{1}{2}$. Botan. magaz. 425.
Elichrysum sesamoides. W. *Xeranthemum sesamoides*. B.M.
- 3 *fasciculata*. D.D. bundle-leaved. ——— 1799. 3. 9. G. $\frac{1}{2}$. Andr. reposit. 242.
a lutescens. yellowish. ——— G. $\frac{1}{2}$.
β versicolor. variegated-fld. ——— G. $\frac{1}{2}$. Breyn. ic. t. 16. f. 2.
γ alba. white-flowered. ——— G. $\frac{1}{2}$. Andr. reposit. 279.
δ rubra. red-flowered. ——— G. $\frac{1}{2}$. ——— 650.
- 4 *ericoides*. filiform. ——— 1796. — G. $\frac{1}{2}$. Lam. ill. t. 693. f. 2.
Helichrysum ericoides. P.S.
- FILAGO**. W. **COTTON-ROSE**. Syngenesia Polygamia Necessaria. W.
pygmæa. w. pigmy. S. Europe. 1629. 7. 8. H. ☉. Cavan. ic. 1. t. 36.
Evax pygmæa. G.
- MICROPUS**. W. **MICROPUS**. Syngenesia Polygamia Necessaria. W.
1 *supinus*. w. trailing. S. Europe. 1710. 6. 9. H. ☉. Schk. hand. 3. t. 267.
2 *erectus*. w. upright. ——— 1683. — H. ☉. Lœfl. hisp. t. 1. f. 3.

ERIGERON. W.

1	graveolens. w.	strong-smelling. S. Europe. 1633.	7. 8. H. ☉.	Ger. emac. 481. f. 2.
2	compositum. Ph.	daisy-flowered. N. America. 1811.	— H. 2.	
3	carolinianum. w.	Hyssop-leaved. ——— 1727.	— H. 2.	Dill. elt. t. 306. f. 394.
4	canadense. w.	Canada. England.	8. 9. H. ☉.	Eng. bot. 2019.
5	nudicaule. M.	naked-stalked. N. America. 1812.	7. H. 2.	
6	bonariense. w.	buck's-horn. S. America. 1732.	7. 8. H. ☉.	Dill. elt. t. 257. f. 334.
7	linifolium. w.	flax-leaved. ———	— H. ☉.	
8	lævigatum. L.en.	smooth. Cayenne. 1823.	— S. ♂.	
9	delphinifolium. w.en.	Larkspur-ld. S. America. 1816.	— S. ♂.	
10	strigosum. w.	strigose. N. America. 1818.	— H. ♂.	
11	heterophyllum. w.	various-leaved. ——— 1640.	7. 9. H. ♂.	Flor. græc. t. 486.
	<i>Aster annuus. L. Diplopappus dubius. Cas.</i>			
12	chinense. w.	Chinese. China. 1818.	— H. ☉.	Jacq. schœnb. 3. t. 303.
13	jamaicense. w.	Jamaica. Jamaica. 1820.	— S. ☉.	Swartz obs. t. 8. f. 2.
14	philadelphicum. w.	spreading. N. America. 1778.	7. 8. H. 2.	
15	purpureum. w.	purple. Hudson's Bay. 1776.	— H. 2.	
16	bellidifolium. w.	Plantain-leav'd. N. America. 1790.	— H. 2.	
	<i>serpentarium. Hort.</i>			
17	glaucum. B.R.	glaucous-leav'd. S. America. 1812.	1. 12. G. ♀.	Botan. regist. 10.
18	chilense. D.P.	Chili. Chili. 1816.	7. 9. H. ☉.	
	<i>Conyza chilensis. L.en.</i>			
19	Villarsii. w.	Villars's. Piedmont. 1804.	7. 8. H. 2.	Botan. regist. 583.
	<i>atticum. Vil.</i>			
20	rupestre. Schl.	rock. Switzerland. 1818.	— H. 2.	
21	grandiflorum. Hop.	large-flowered. ——— 1825.	— H. 2.	
22	acre. w.	common. Britain.	— H. ♂.	Eng. bot. 1158.
23	alpinum. w.	Alpine. Scotland.	7. H. 2.	——— 464.
24	uniflorum. w.	dwarf. ———	8. 9. H. 2.	——— 2416.
25	gramineum. w.	grass-leaved. Siberia. 1824.	— H. 2.	Gmel. sib. 2. t. 76. f. 2.
26	caucasicum. M.B.	Caucasean. Caucasus. ———	7. 8. H. 2.	
27	asteroides. L.en.	Starwort-like. 1812.	— H. 2.	
JASONIA. Cas.	JASONIA. Syngenesia Polygamia Superflua.			
	<i>longifolia. Cas.</i>	long-leaved. N. America. 1818.	7. 8. H. 2.	
	<i>Erigeron longifolium. P.S.</i>			
CALOTIS. B.R.	CALOTIS. Syngenesia Polygamia Superflua.			
	<i>cuneifolia. B.R.</i>	wedge-leaved. N. Holland. 1819.	7. 8. G. ♀.	Botan. regist. 504.
ASTER. W.	STARWORT. Syngenesia Polygamia Superflua. L.			
1	reflexus. w.	reflexed-leav'd. C. B. S. 1759.	2. 9. G. ♀.	Botan. magaz. 884.
2	tomentosus. w.	tooth-leaved. N. S. W. 1793.	5. 7. G. ♀.	Wend. s. han. p. 8. t. 24.
	<i>dentatus. Andr. rep. 61.</i>			
3	stellulatus. P.S.	starry-haired. V. Diem. Isl. 1823.	— G. ♀.	Lab. nov. hol. 2. t. 195.
4	exasperatus. L.en.	rough-leaved. N. Holland. 1816.	— G. ♀.	
5	argophyllus. P.S.	musk-scented. V. Diem. Isl. 1804.	— G. ♀.	Botan. magaz. 1563.
6	liratus. B.M.	fluted-stemm'd. N. S. W. 1812.	— G. ♀.	——— 1509.
7	sericeus. w.	silky-leaved. Missouri. 1802.	5. 11. G. ♀.	Venten. cels. 33.
8	Cymbalariae. w.	Ivy-leaved. C. B. S. 1786.	5. 11. G. ♀.	Venten. malm. 95.
9	angustifolius. w.	narrow-leaved. ——— 1804.	5. 7. G. ♀.	Jacq. schœnb. 3. t. 370.
10	villosus. w.	villous. ——— 1812.	— G. ♀.	
11	obtusatus. w.	obtuse-leaved. ——— 1793.	— G. ♀.	
12	fruticulosus. w.	shrubby. ——— 1759.	3. 7. G. ♀.	Jacq. frag. 9. t. 5. f. 4.
13	filifolius. v.	thread-leaved. ——— 1812.	— G. ♀.	Venten. malm. t. 82.
14	aculeatus. P.S.	prickly-leaved. V. Diem. Isl. 1818.	— G. ♀.	Lab. nov. hol. 2. t. 200.
15	tenellus. w.	slender. C. B. S. 1769.	4. 10. G. ♀.	Botan. magaz. 33.
16	alpinus. w.	Alpine. Alps Europe. 1658.	5. 8. H. 2.	——— 199.
17	pulchellus. w.	narrow-rayed. Armenia. 1818.	— H. 2.	
18	caucasicus. w.	Caucasean. Caucasus. 1804.	7. 8. H. 2.	
19	alwartensis. B.M.	large-flowered. ———	— H. 2.	Botan. magaz. 2321.
20	heterophyllum. w.en.	various-leaved. N. America. 1811.	7. 9. H. 2.	
21	macrophyllum. w.	large-leaved. ——— 1739.	— H. 2.	
22	corymbosus. w.	corymbed. ——— 1765.	9. H. 2.	
23	cordifolius. w.	heart-leaved. ——— 1759.	7. 8. H. 2.	
24	paniculatus. w.	panicked. ——— 1640.	9. 10. H. 2.	Corn. canad. t. 65.
25	sagittifolius. w.	arrow-leaved. ——— 1818.	7. 9. H. 2.	
26	undulatus. w.	wave-leaved. ——— 1699.	8. 10. H. 2.	Herm. parad. 96.
27	præcox. w.en.	early-flowering. ——— 1800.	7. 8. H. 2.	
28	pallens. w.en.	pale-flowered. ———	9. 10. H. 2.	
29	conyzoides. w.	Conyza-like. ——— 1778.	8. 9. H. 2.	
30	amygdalinus. Ph.	Almond-leav'd. ——— 1759.	7. 9. H. 2.	
	<i>umbellatus. w.</i>			

31	humilis. w.	low.	————	1699.	8. 10.	H. 4.	Willd. hort. ber. 67.
32	altaicus. w.en.	dwarf.	Siberia.	1804.	5. 8.	H. 4.	
33	memoralis. H.K. ledifolius. Ph.	wood.	N.America.	1778.	8. 9.	H. 4.	
34	hyssopifolius. w.	Hyssop-leaved.	————	1683.	9. 10.	H. 4.	Dodart. mem. t. 60.
35	punctatus. w.	dotted.	Hungary.	1815.	8. 9.	H. 4.	W. et K. hung. 2. t. 109.
36	acris. w.	acid.	S. Europe.	1731.	—	H. 4.	Pluk. alm. t. 271. f. 3.
37	canus. w.	hoary-leaved.	Hungary.	1816.	—	H. 4.	W. et K. hung. 1. t. 30.
38	solidaginoides. w.	Solidago-like.	N.America.	1699.	—	H. 4.	Pluk. alm. t. 79. f. 2.
39	rigidus. Ph. nemoralis. w.	stiff-leaved.	————	1759.	8. 10.	H. 4.	———— t. 14. f. 7.
40	linifolius. w.	flax-leaved.	————	1739.	7. 8.	H. 4.	
41	linariifolius. Ph.	Toad-flax-ld.	————	1699.	9. 10.	H. 4.	
42	subulatus. M.	awl-leaved.	————	1823.	8. 10.	H. 4.	
43	pilosus. w.	hairy.	————	1812.	—	H. 4.	
44	foliolosus. w.	leafy.	————	1732.	10.	H. 4.	Dill. elth. t. 35. f. 39.
45	tenuifolius. w.	slender-leaved.	————	1725.	9. 10.	H. 4.	Pluk. alm. t. 78. f. 5.
46	dumosus. w.	bushy.	————	1734.	—	H. 4.	Herm. parad. 95.
47	ericoides. w.	heath-leaved.	————	1758.	9.	H. 4.	
48	multiflorus. w.	many-flowered.	————	1732.	9. 10.	H. 4.	Dill. elth. t. 36. f. 40.
49	ciliatus. w.	ciliated.	————	—	H. 4.	
50	canescens. Ph. biennis. N.	canescent.	N.America.	1812.	9. 10.	H. 4.	
51	sparsiflorus. Ph.	scattered-fl.	————	1798.	9. 11.	H. 4.	
52	coridifolius. w.	Coris-leaved.	————	8. 11.	H. 4.	
53	squarrosus. w.	ragged.	————	1801.	6. 7.	H. 4.	
54	argenteus. H.K.	silver-leaved.	————	—	7. 9.	H. 4.	
55	concolor. w.	self-coloured.	————	1759.	8. 11.	H. 4.	
56	reticulatus. Ph.	netted-leaved.	————	1812.	—	H. 4.	
57	cornifolius. w.	Dogwood-ld.	————	1811.	—	H. 4.	
58	salicifolius. w.	Willow-leaved.	————	1760.	9. 10.	H. 4.	Rob. ic. 307.
59	æstivus. w.	summer.	————	1776.	7. 8.	H. 4.	
60	pannonicus. w.	Hungarian.	Hungary.	1815.	—	H. 4.	Jacq. vind. 1. t. 8.
61	Amellus. w. a latifolius. β angustifolius.	Italian. broad-leaved. narrow-leaved.	Italy.	1596.	8. 9.	H. 4.	Botan. regist. 340.
62	novæ angliae. w. β rubra.	New England. red-flowered.	N.America.	1710.	9. 10.	H. 4.	Botan. regist. 183. — 183. f. inf.
63	cyaneus. N.	bright-blue.	————	1789.	—	H. 4.	Hoff. phyt. 1. t. B. f. 1.
64	paludosus. w.	marsh.	————	1784.	—	H. 4.	
65	grandiflorus. w.	great-flowered.	————	1720.	10. 11.	H. 4.	Botan. regist. 273.
66	carolinianus. w.	tall.	Carolina.	...	8. 9.	H. 4.	
67	oblongifolius. N.	oblong-leaved.	Missouri.	1823.	—	H. 4.	
68	phlogifolius. w.	Phlox-leaved.	N.America.	1797.	7. 10.	H. 4.	
69	patens. w.	spreading.	————	1773.	9. 11.	H. 4.	Swt. brit. fl. gar. ic.
70	Tripolium. w.	sea-side.	Britain.	8. 9.	H. 4.	Eng. bot. 87.
71	salignus. w.	Sallow-leaved.	Germany.	1815.	—	H. 4.	
72	puniceus. w.	red-stalked.	N.America.	1710.	7. 10.	H. 4.	Herm. ludgb. t. 651.
73	hispidus. w.	rough-stalked.	China.	1804.	9. 10.	H. 4.	Kæmpf. ic. t. 29.
74	tataricus. w.	Tartarian.	Siberia.	1818.	7. 9.	H. 4.	
75	sibiricus. w. Grindelia sibirica. Spr.	Siberian.	————	1768.	—	H. 4.	Gmel. sib. 2. t. 80. f. 1.
76	incisus. F.	cut-leaved.	————	1816.	6. 9.	H. 4.	
77	elegans. w.	elegant.	1790.	8. 10.	H. 4.	
78	amplexicaulis. w.	stem-clasping.	N.America.	9. 11.	H. 4.	
79	adulterinus. w.en.	bastard.	————	8. 10.	H. 4.	
80	lævigatus. w.	smooth-stem'd.	————	1794.	9. 11.	H. 4.	
81	longifolius. P.s.	long-leaved.	————	1798.	10.	H. 4.	Moris. s. 7. t. 22. f. 26.
82	versicolor. w.	various-color'd.	————	1790.	8. 9.	H. 4.	
83	mutabilis. w.	changeable.	————	1710.	9. 10.	H. 4.	Herm. lugd. t. 67
84	lævis. w.	smooth.	————	1753.	—	H. 4.	
85	concinus. w.en.	neat.	————	1800.	—	H. 4.	
86	floribundus. w.	abundant-fl.	————	—	H. 4.	
87	novi belgii. w.	New-York.	————	1710.	—	H. 4.	Herm. lugd. t. 69.
88	firmus. L.en.	firm.	————	1818.	—	H. 4.	
89	bellidiflorus. w.en.	daisy-flowered.	————	—	H. 4.	
90	spectabilis. w.	showy.	————	1777.	8. 9.	H. 4.	
91	serotinus. w.	late-flowering.	————	9. 11.	H. 4.	
92	tardiflorus. w.	spear-leaved.	————	1775.	7. 9.	H. 4.	

93	blandus. Ph.	charming.	————	1800.	10.	11.	H. 4.	
94	acuminatus. Ph.	acuminate.	————	1806.	8.	10.	H. 4.	
95	eminens. W.en.	eminent.	————	9.	11.	H. 4.	
96	Radula. W.	rasp-leaved.	————	1785.	—	—	H. 4.	
97	glaucus. W.en.	glaucous-leav'd.	1823.	—	—	H. 4.	
98	prenanthoides. W.	hairy-branch'd. N.America.	1817.	—	—	—	H. 4.	
99	strictus. Ph.	upright dwarf.	————	1806.	—	—	H. 4.	
100	Tradescanti. W.	Michaelmas daisy.	————	1633.	7.	9.	H. 4.	Moris. s. 7. t. 21. f. 42.
101	vimineus. W.	slender.	————	1818.	—	—	H. 4.	
102	recurvatus. W.	recurved.	————	1800.	8.	9.	H. 4.	
103	laxus. W.en.	loose-stalked.	————	9.	11.	H. 4.	
104	simplex. W.en.	simple-stalked.	————	8.	10.	H. 4.	
105	polyphyllus. W.en.	many-leaved.	————	—	—	H. 4.	
106	juncus. W.	slender-stalk'd.	————	1758.	9.	10.	H. 4.	
107	lanceolatus. W.	lanceolate.	————	1811.	8.	11.	H. 4.	
108	dracunculoides. W.	Tarragon-like.	————	—	9.	11.	H. 4.	
109	fragilis. W.	brittle.	————	1800.	9.	—	H. 4.	
110	pinifolius. L.en.	Pine-leaved.	————	1823.	—	—	H. 4.	
111	laxiflorus. L.en.	loose-flowered.	————	8.	10.	H. 4.	
112	miser. W.	meagre-fl'd.	————	1759.	9.	10.	H. 4.	
113	divergens. W.	spreading downy	————	1758.	—	—	H. 4.	
114	diffusus. W.	diffuse.	————	1777.	—	—	H. 4.	
115	pendulus. W.	pendulous.	————	1758.	—	—	H. 4.	
116	parviflorus. L.en.	small-flowered.	————	1822.	—	—	H. 4.	
117	rigidulus. L.en.	stiffish.	————	—	—	—	H. 4.	
118	myrtifolius. L.en.	Myrtle-leaved.	————	1819.	8.	9.	H. 4.	
119	pulcherrimus. B.C.	beautiful.	————	1811.	9.	10.	H. 4.	Lodd. bot. cab. 6.
CALLISTEMA. Cas.		CHINA ASTER.	Syngenesia	Polygamia	Superflua.			
	hortensis. Cas.	garden.	China.	1731.	7.	9.	H. 4.	Dill. elth. t. 34. f. 38.
	α caerulea.	blue-flowered.	————	—	—	—	H. 4.	
	β rubra.	red-flowered.	————	—	—	—	H. 4.	
	γ alba.	white-flowered.	————	—	—	—	H. 4.	
	δ variegata.	variegated.	————	—	—	—	H. 4.	
	ε multiplex.	double-flowered.	————	—	—	—	H. 4.	
	ζ brachyantha.	bonnet.	————	—	—	—	H. 4.	
SOLIDAGO. W.		GOLDEN-ROD.	Syngenesia	Polygamia	Superflua.	L.		
1	canadensis. W.	Canadian.	N.America.	1648.	7.	9.	H. 4.	Schk. hand. 3. f. 216.
2	procera. W.	great.	————	1758.	9.	10.	H. 4.	
3	serotina. W.	upright smooth.	————	—	7.	8.	H. 4.	
4	gigantea. W.	gigantic.	————	—	8.	9.	H. 4.	
5	ciliaris. W.	ciliated.	————	1811.	—	—	H. 4.	
6	reflexa. W.	hanging-leav'd.	————	1758.	8.	9.	H. 4.	
7	fragrans. W.en.	fragrant.	————	7.	9.	H. 4.	
8	lateriflora. W.	lateral-flow'r'd.	————	1758.	8.	9.	H. 4.	
9	aspera. W.	rough-leaved.	————	1732.	9.	—	H. 4.	Dill. elth. t. 305. f. 392.
10	altissima. W.	tall.	————	1686.	8.	9.	H. 4.	Mart. cent. 14.
11	recurvata. W.en.	recurved.	————	1814.	—	—	H. 4.	
12	rugosa. Ph.	wrinkle-leaved.	————	1732.	—	—	H. 4.	Dill. elth. t. 308. f. 396.
13	villosa. Ph.	villous.	————	—	—	—	H. 4.	
14	scabra. W.	rough.	————	1811.	—	—	H. 4.	
15	nemoralis. W.	woolly-stalked.	————	1769.	9.	—	H. 4.	
16	patula. W.	spreading.	————	1805.	9.	10.	H. 4.	
17	ulmifolia. W.	Elm-leaved.	————	—	8.	10.	H. 4.	
18	arguta. W.	sharp-notched.	————	1758.	7.	8.	H. 4.	
19	juncus. W.	rush-stalked.	————	1769.	8.	9.	H. 4.	
20	elliptica. W.	oval-leaved.	————	1759.	—	—	H. 4.	
21	odora. W.	sweet smelling.	————	1699.	7.	8.	H. 4.	Pluk. alm. t. 116. f. 60.
22	lævigata. N.	fleshy-leaved.	————	—	10.	11.	H. 4.	
23	pyramidata. Ph.	pyramidal.	————	1812.	8.	9.	H. 4.	
24	mexicana. W.	Mexican.	America.	1683.	7.	10.	H. 4.	Dodart. act. 4. t. 219.
25	sempervirens. N.	evergreen.	N.America.	1699.	9.	10.	H. 4.	Corn. canad. t. 169.
26	speciosa. N.	handsome.	————	1812.	—	—	H. 4.	
27	pauciflosculosa. M.	slender-fl'd.	————	1811.	8.	10.	H. 4.	
28	bicolor. W.	two-coloured.	————	1759.	8.	9.	H. 4.	Pluk. alm. t. 114. f. 80.
Aster bicolor. Nees.								
29	petiolaris. W.	late-flowered.	————	1758.	10.	12.	H. 4.	
30	stricta. W.	Willow-leaved.	————	—	9.	—	H. 4.	
31	humilis. Ph.	dwarf.	————	1811.	7.	8.	H. 4.	
32	livida. W.en.	livid.	————	—	—	H. 4.	

33	<i>hirta</i> . W.en.	hairy.	-----	9. 10.	H. 4.	
34	<i>lithospermifolia</i> . Ph.	Gromwell-ld.	-----	1811.	8. 10.	H. 4.	
35	<i>hispida</i> . W.	hispid.	-----	1820.	—	H. 4.	
36	<i>cæsia</i> . W.	Maryland.	-----	1732.	9. 10.	H. 4.	
37	<i>flexicaulis</i> . W.	crook-stalked.	-----	1725.	9.	H. 4.	Pluk. alm. t. 235. f. 3.
38	<i>latifolia</i> . L.	broad-leaved.	-----	—	—	H. 4.	— t. 235. f. 4.
39	<i>ambigua</i> . W.	angular-stalked.	1759.	7. 8.	H. 4.	
40	<i>macrophylla</i> . Ph.	large-leaved.	N.America.	8. 10.	H. 4.	
41	<i>glomerata</i> . M.	close-flowered.	-----	1820.	—	H. 4.	
42	<i>alpestris</i> . W.K.	Alpine.	Europe.	—	7. 9.	H. 4.	
43	<i>Virgaurea</i> . W.	common.	Britain.	—	H. 4.	Eng. bot. 301.
44	<i>cambrica</i> . W.	Welsh.	Wales.	7. 8.	H. 4.	Dill. elth. t.306. f.393.
45	<i>axillaris</i> . Ph.	axillary.	N.America.	1811.	8. 10.	H. 4.	
46	<i>erecta</i> . Ph.	upright.	-----	—	H. 4.	
47	<i>viminea</i> . W.	twiggy.	-----	1759.	9.	H. 4.	
48	<i>angustifolia</i> . N.	narrow-leaved.	-----	1824.	—	H. 4.	
49	<i>decurrens</i> . Lour.	decurrent.	China.	1823.	8. 10.	H. 4.	
50	<i>puberula</i> . N.	pubescent.	N.America.	—	—	H. 4.	
51	<i>minuta</i> . W.	least.	Pyrenees.	1772.	7. 8.	H. 4.	Lodd. bot. cab. 189.
52	<i>multiradiata</i> . W.	Labrador.	Labrador.	1776.	—	H. 4.	
53	<i>elata</i> . Ph.	tall hairy.	N.America.	1811.	8. 10.	H. 4.	
54	<i>rigida</i> . W.	hard-leaved.	-----	1710.	9.	H. 4.	Herm. parad. 243.
EUTHAMIA. N.		EUTHAMIA.	Syngenesia Polygamia Superflua.				
1	<i>graminifolia</i> . N.	grass-leaved.	N.America.	1758.	8. 10.	H. 4.	Botan. magaz. 2546.
		<i>Chrysocoma graminifolia</i> . L. <i>Solidago lanceolata</i> . W.					
2	<i>tenuifolia</i> . N.	slender-leaved.	-----	—	9. 10.	H. 4.	
CHRYSOCOMA. W.		GOLDY-LOCKS.	Syngenesia Polygamia Æqualis.			L.	
1	<i>comaurea</i> . W.	great shrubby.	C. B. S.	1731.	6. 8.	G. ½.	Botan. magaz. 1972.
2	<i>patula</i> . W.	spreading.	-----	1816.	—	G. ½.	
3	<i>cernua</i> . W.	small shrubby.	-----	1712.	5. 9.	G. ½.	Comm. hort. 2. t. 45.
4	<i>ciliaris</i> . W.	Heath-leaved.	-----	1759.	7. 10.	G. ½.	— 2. t. 48.
5	<i>nivea</i> . W.	woolly-leaved.	-----	1820.	5. 9.	G. ½.	Jacq. schœn. 2. t. 147.
		<i>tomentosa</i> . Jacq. non L.					
6	<i>scabra</i> . W.	rugged.	-----	1732.	8. 9.	G. ½.	Dill. elth. t. 88. f. 103.
7	<i>denticulata</i> . W.	toothed.	—	G. ½.	Jacq. schœn. 3. t. 368.
8	<i>linosyris</i> . W.	flax-leaved.	Europe.	9. 10.	H. 4.	Eng. bot. 2505.
9	<i>dracunculoides</i> . W.	Siberian.	Siberia.	—	H. 4.	
10	<i>biflora</i> . W.	two-flowered.	-----	1741.	8. 9.	H. 4.	Gmel. sib. 2. t. 82. f. 1.
11	<i>graveolens</i> . N.	Rue-scented.	Missouri.	1822.	—	H. 4.	
12	<i>nudata</i> . N.	naked.	N.America.	1819.	—	H. 4.	
13	<i>virgata</i> . N.	slender.	-----	—	—	H. 4.	
14	<i>villosa</i> . W.	villous.	Hungary.	1799.	—	H. 4.	W. et K. hung. 1. t. 58.
BOLTONIA. W.		BOLTONIA.	Syngenesia Polygamia Superflua.			L.	
1	<i>asteroides</i> . W.	Starwort-fl'd.	N.America.	1758.	8. 10.	H. 4.	Botan. magaz. 2554.
2	<i>glastifolia</i> . W.	glaucous-ld.	-----	—	9.	H. 4.	— 2381.
AMELLUS. W.		AMELLUS.	Syngenesia Polygamia Superflua.				
		<i>Lychnitis</i> . W.	Cape.	C. B. S.	1768.	6. 7.	G. ½.
							Botan. regist. 586.
SIDERANTHUS. Fras.		SIDERANTHUS.	Syngenesia Polygamia Superflua.				
1	<i>villosus</i> .	villous.	Missouri.	1811.	8. 9.	H. 4.	
		<i>Sideranthus integrifolius</i> . Fras. <i>Amellus villosus</i> . Ph.					
2	<i>spinulosus</i> .	spiny.	-----	—	—	H. 4.	
		<i>Amellus spinulosus</i> . Ph. <i>Sideranthus pinnatifidus</i> . Fras.					
STARKEA. W.		STARKEA.	Syngenesia Polygamia Superflua.				
		<i>umbellata</i> . W.	umbel-flower'd.	Jamaica.	1768.	6. 7.	S. 4.
							Lam. ill. t. 682. f. 2.
ANDROMACHIA. K.S.		ANDROMACHIA.	Syngenesia Polygamia Superflua.				
		<i>igniaria</i> . K.S.	close-flowered.	S. America.	1823.	6. 8.	G. 4.
		<i>Hierba de Santa Maria</i> . incolarum.					
GRINDELIA. W.en.		GRINDELIA.	Syngenesia Polygamia Superflua.			W.	
1	<i>glutinosa</i> . Dun.	glutinosa.	Mexico.	1803.	1. 12.	G. ½.	Botan. regist. 187.
		<i>Donia glutinosa</i> . B.R. <i>Doronicum glutinosum</i> . W.					
2	<i>inuloides</i> . W.en.	Inula-like.	-----	1815.	6. 9.	G. ½.	— 248.
3	<i>angustifolia</i> . B.R.	narrow-leaved.	-----	1822.	—	G. ½.	— 781.
4	<i>spatulata</i> . L.en.	spatulate-ld.	-----	—	—	G. ½.	
5	<i>squarrosa</i> . Dun.	Snake-headed.	Missouri.	1811.	7. 9.	G. 4.	Botan. magaz. 1706.
6	<i>ciliata</i> .	ciliated.	Arkansa.	1821.	9. 10.	H. 4.	Hook. ex. flor. 45.
		<i>Donia ciliata</i> . H.E.F.					
PODOLEPIS. Lab.		PODOLEPIS.	Syngenesia Polygamia Superflua.				
1	<i>rugata</i> . H.K.	wrinkle-scaled.	N.Holland.	1803.	7. 8.	G. 4.	Lab. nov. holl. 2. t. 208.
2	<i>acuminata</i> . H.K.	sharp-scaled.	N. S. W.	—	5. 8.	G. 4.	Botan. magaz. 956.
		<i>Scalia jaceoides</i> . B.M.					
		2 G 2					

GERBERIA. B.R.	GERBERIA.	Syngenesia Polygamia Superflua.			
crenata. B.R.	crenated.	C. B. S.	1820.	4. 8. G. 2.	Botan. regist. 855.
ARNICA. W.	ARNICA.	Syngenesia Polygamia Superflua.			
1 montana. w.	mountain.	Europe.	1731.	7. 8. H. 2.	Botan. magaz. 1749.
2 scorpioides. w.	alternate-ld.	Austria.	1710.	— H. 2.	Jacq. aust. 4. t. 349.
3 Doronicum. w.	Clusius's.	—	1816.	— H. 2.	— 1. t. 92.
<i>Clusii.</i> All. t. 17. f. 1. 2.					
4 glacialis. w.	Alpine.	Germany.	—	— H. 2.	Jacq. ic. 3. t. 586.
BELLIDIASTRUM. Cas.	BELLIDIASTRUM.	Syngenesia Polygamia Superflua.			
Michelii. Cas.	Micheli's.	Austria.	1570.	6. 8. H. 2.	Botan. magaz. 1196.
<i>Arnica Bellidiastrum.</i>	B.M. <i>Doronicum Bellidiastrum.</i>	L.			
DORONICUM. W.	LEOPARD'S-BANE.	Syngenesia Polygamia Superflua. W.			
1 Pardalianchès. w.	great.	Britain.	5. H. 2.	Eng. bot. 630.
2 macrophyllum. L.en.	large-leaved.	Europe.	— H. 2.	
3 scorpioides. w.	mountain.	Germany.	4. 6. H. 2.	
4 caucasicum. M.B.	Caucasean.	Caucasus.	1815.	— H. 2.	
<i>orientale.</i> w.en.					
5 altaicum. w.	Siberian.	Siberia.	1783.	6. 8. H. 2.	Pall. a. pet. 1779. t. 16.
6 dentatum. L.en.	toothed.	5. 6. H. 2.	
7 plantagineum. L.	Plantain-ld.	S. Europe.	1570.	— H. 2.	
8 austriacum. w.	Austrian.	Austria.	1816.	— H. 2.	Jacq. aust. t. 130.
BELLIS. W.	DAISY.	Syngenesia Polygamia Superflua. L.			
1 sylvestris. w.	large Portugal.	Portugal.	1797.	5. 7. H. 2.	Botan. magaz. 2511.
2 perennis. w.	common.	Britain.	3. 8. H. 2.	Eng. bot. 424.
<i>β hortensis.</i>	large double.	— H. 2.	Botan. magaz. 228.
<i>γ fistulosa.</i>	red quilled.	— H. 2.	
<i>δ tubulosa.</i>	white quilled.	— H. 2.	
<i>ε prolifera.</i>	Hen & Chicken.	— H. 2.	
3 hybrida. Ten.	Italian.	Italy.	1824.	4. 8. H. 2.	
4 annua. w.	annual.	S. Europe.	1759.	3. 7. H. 2.	Botan. magaz. 2174.
BELLIUM. W.	BELLIUM.	Syngenesia Polygamia Superflua. L.			
1 bellidioides. w.	small.	Italy.	1796.	6. 9. H. 2.	Lam. ill. t. 684.
2 minutum. w.	dwarf.	Levant.	1772.	6. 10. H. 2.	Schreb. a. ups. 1. t. 5. f. 2.
PSIADIA. W.	PSIADIA.	Syngenesia Polygamia Necessaria. W.			
glutinosa. w.	glutinous.	Mauritius.	1796.	6. 8. S. h.	Jacq. schœn. 2. t. 152.

* Omitted at page 223, where it should follow APHELEXIS.

XERANTHEMUM. W.	XERANTHEMUM.	Syngenesia Polygamia Superflua. L.			
1 annuum. w.	annual.	S. Europe.	1570.	7. 8. H. 2.	Jacq. aust. 4. t. 388.
2 inapertum. w.	small-flowered.	—	1620.	— H. 2.	Moris. s. 6. t. 12. f. 1.
3 orientale. w.	oriental.	Levant.	1713.	— H. 2.	

SUBORDO IV. EUPATOREÆ. *Kth. synops. 2. p. 408.*

KUHNIA. W.	KUHNIA.	Syngenesia Polygamia Æqualis.			
1 eupatorioides. v.	Eupatorium-like.	N. America.	1812.	6. 8. H. 2.	Linn. fil. dec. t. 11.
<i>Critonia eupatorioides.</i> G.					
2 Critonia. w.	glandular-ld.	—	1816.	— H. 2.	Gært. carp. 2. t. 174. f. 7.
<i>Critonia Kuhnii.</i> G.					
EUPATORIUM. W.	EUPATORIUM.	Syngenesia Polygamia Æqualis. L.			
1 Dalea. w.	shrubby.	Jamaica.	1773.	8. S. h.	Jacq. schœn. 2. t. 146.
2 parviflorum. w.	small-flowered.	—	1823.	— S. h.	
3 triflorum. w.	three-flowered.	Trinidad.	1821.	7. 8. S. h.	Aub. gui. 2. t. 314.
4 macrophyllum. w.	large-leaved.	S. America.	1824. S. 2.	Plum. spec. 10. t. 129.
5 populifolium. K.S.	Poplar-leaved.	Mexico.	— S. h.	
6 canescens. w.	canescent.	S. America.	1822.	6. 8. S. h.	Vahl symb. 3. t. 73.
7 veronicæfolium. K.S.	Speedwell-ld.	Mexico.	1825. S. h.	H. et B. v. 4. t. 341.
8 fœniculaceum. w.	Fennel-leaved.	N. America.	1807.	6. 9. H. 2.	
9 coronopifolium. w.	Buck's-horn-ld.	—	1819.	8. 9. H. 2.	
10 hyssopifolium. w.	Hyssop-leaved.	—	1699.	— H. 2.	Dill. elth. t. 115. f. 140.
11 sessilifolium. w.	sessile-leaved.	—	1777.	9. 10. H. 2.	
12 truncatum. w.	truncate-leav'd.	—	1822.	8. 10. H. 2.	
13 album. w.	white-flowered.	—	—	— H. 2.	
14 lanceolatum. w.	spear-leaved.	—	1819.	8. 11. H. 2.	
15 teucrifolium. w.	Teucrium-ld.	—	1816.	— H. 2.	Willd. hort. ber. 32.

16	rotundifolium. w.	round-leaved.	————	1699.	7. 8. H. 4.	Pluk. alm. t. 88. f. 4.
17	pubescens. w.	pubescent.	————	1816.	8. 10. H. 4.	
18	ceanothifolium. w.	Ceanothus-like.	————	1812.	8. 11. H. 4.	
19	altissimum. w.	tall.	————	1699.	9. 10. H. 4.	Jacq. vind. 2. t. 164.
20	trifoliatum. w.	three-leaved.	————	1768.	8. 10. H. 4.	
21	cannabinum. w.	Hemp agrimony.	Britain.	7. 10. H. 4.	Eng. bot. 428.
22	syriacum. w.	Syrian.	Syria.	1807.	7. 9. H. 4.	Jacq. ic. 1. t. 170.
23	purpureum. w.	purple-stalked.	N. America.	1640.	9. 10. H. 4.	Corn. canad. t. 72.
24	maculatum. w.	spotted-stalked.	————	1656.	8. 9. H. 4.	Herm. parad. t. 158.
25	punctatum. Ph.	punctated.	————	1815.	— H. 4.	
26	verticillatum. w.	whorl-leaved.	————	1811.	— H. 4.	
27	perfoliatum. w.	Feverwort.	————	1699.	8. 10. H. 4.	Pluk. alm. t. 87. f. 6.
28	salviæfolium. B.M.	Sage-leaved.	————	1812.	— H. 4.	Botan. magaz. 2010.
29	lamiifolium. L.en.	Lamium-leav'd.	————	1818.	— H. 4.	
30	paniculatum. Mil.	panicked.	————	— H. 4.	
31	melissoides. w.	Balm-leaved.	————	1821.	8. 10. H. 4.	
32	aromaticum. w.	aromatic.	————	1739.	7. 8. H. 4.	Pluk. alm. t. 88. f. 3.
33	urticæfolium. w.	Nettle-leaved.	S. America.	1803.	— G. 4.	Smith ined. t. 68.
34	ageratoides. w.	Ageratum-like.	N. America.	1640.	8. 10. H. 4.	Corn. canad. t. 21.
35	deltoidæum. w.	deltoid-leaved.	1818.	— S. 4.	Jacq. schœn. 3. t. 369.
36	scandens. L.en.	climbing.	S. America.	1822. S. 4.	
37	squarrosus. w.	squarrose.	Mexico.	1824. S. 4.	Cavan. ic. 1. t. 98.
38	atriplicifolium. w.	Orache-leaved.	W. Indies.	1820. S. 4.	
39	odoratum. w.	sweet-scented.	Jamaica.	1752.	8. 10. S. 4.	Pluk. alm. t. 177. f. 3.
40	ivæfolium. w.	Iva-leaved.	————	1794.	6. 7. S. 4.	
41	iresinoides. K.s.	Iresine-like.	S. America.	1824. S. 4.	H. et B. v. 4. t. 340.
42	pulchellum. K.s.	pretty.	Mexico.	— S. 4.	— v. 4. t. 345.
43	xalapense. K.s.	six-angled.	————	— S. 4.	
44	repandum. w.	repand-leaved.	Antilles.	1822. S. 4.	Plum. ic. 130. f. 1.
MIKANIA. W.		MIKANIA.	Syngenesia Polygamia	Æqualis. W.		
1	Houstoni. w.	Houstoun's.	Jamaica.	1733.	7. 8. S. 4.	
2	hastata. w.	halbert-leaved.	————	— S. 4.	Brown jam. t. 34. f. 3.
3	scandens. w.	climbing.	N. America.	1714.	8. 9. H. 4.	Jacq. ic. 1. t. 169.
4	Guaco. K.s.	medicinal.	S. America.	1823. S. 4.	H. et B. pl. 2. t. 105.
5	amara. w.	bitter.	Trinidad.	1824. S. 4.	Aubl. gui. 2. t. 315.
6	opifera. Mart.	snakewort.	Brazil.	1822. S. 4.	
STEVIA. W.		STEVIA.	Syngenesia Polygamia	Æqualis. W.		
1	Eupatoria. w.	entire-leaved.	Mexico.	1798.	7. 9. H. 4.	Botan. magaz. 1849.
2	purpurea. w.en.	purple-flow'r'd.	————	1812.	8. 9. H. 4.	Botan. regist. 93.
	<i>Eupatoria. B.R. nec aliorum.</i>					
3	hyssopifolia. B.M.	Hyssop-leaved.	————	— H. 4.	Botan. magaz. 1861.
4	lanceolata. Lag.	spear-leaved.	————	1824.	— H. 4.	
5	ivæfolia. w.en.	Iva-leaved.	————	1816.	7. 9. H. 4.	
6	serrata. w.	saw-leaved.	————	1799.	— H. 4.	Jacq. schœn. 3. t. 300.
7	salicifolia. w.	Willow-leaved.	————	1803.	— H. 4.	Cavan. ic. 4. t. 354.
8	ovata. w.en.	oval-leaved.	————	1816.	8. 9. H. 4.	
9	pubescens. Lag.	pubescent.	————	1823.	— H. 4.	
10	viscida. K.s.	rose-coloured.	————	1824.	9. 10. H. 4.	
11	virgata. K.s.	slender.	————	—	— H. 4.	
12	tomentosa. K.s.	tomentose.	————	1825.	— H. 4.	
13	monardæfolia. K.s.	Monarda-ld.	————	—	8. 9. H. 4.	
14	angustifolia. K.s.	narrow-leaved.	————	—	— H. 4.	
PALAFOXIA. Lag.		PALAFOXIA.	Syngenesia Polygamia	Æqualis.		
	linearis. Lag.	linear-leaved.	Mexico.	1816.	8. 10. G. 4.	Botan. magaz. 2132.
	<i>Stevia linearis. w. Ageratum lineare.</i>		Cav. ic. 3. t. 205.			
AGERATUM. W.		AGERATUM.	Syngenesia Polygamia	Æqualis. L.		
1	strictum. B.M.	upright.	Nepaul.	1820.	9. 11. H. 4.	Botan. magaz. 2410.
2	conyzoides. w.	hairy.	America.	1714.	7. 8. H. 4.	Schk. hand. 3. t. 238.
3	cœruleum. P.s.	blue-flowered.	S. America.	1820.	7. 8. H. 4.	
4	mexicanum. B.M.	Mexican.	Mexico.	1823.	8. 10. H. 4.	Swt. br. fl. gar. 89.
5	latifolium. w.	broad-leaved.	Peru.	1800.	7. 8. H. 4.	Cavan. ic. 4. t. 357.
CÆLESTINA. Cas.		CÆLESTINA.	Syngenesia Polygamia	Æqualis.		
1	suffruticosa.	suffruticose.	S. America.	7. 10. G. 4.	Botan. magaz. 1730.
	<i>Ageratum cælestinum. B.M.</i>					
2	ageratoides. K.s.	Ageratum-like.	New Spain.	1824.	— G. 4.	
3	cœrulea. Cas.	blue-flowered.	N. America.	1732.	7. 11. H. 4.	Dill. elth. t. 114. f. 139.
	<i>Eupatorium cælestinum. w.</i>					
ALOMIA. K.S.		ALOMIA.	Syngenesia Polygamia	Æqualis.		
	ageratoides. K.s.	white-flowered.	New Spain.	1823.	7. 9. G. 4.	H. et B. 4. t. 354.

PIQUERIA. W.	PIQUERIA. Syngenesia Polygamia Æqualis. W.	
1 trinervia. w.	three-nerved. Mexico. 1798. 7. 8. G. 4.	Cavan. ic. 3. t. 235.
2 pilosa. K.S.	hairy. ——— 1824. — G. 4.	
3 latifolia.	smooth-broad-ld. ——— 8. 12. G. 4.	
SELLOA. Spr.	SELLOA. Syngenesia Polygamia Æqualis.	
glutinosa. B.R.	clammy. Brazil. 1815. 1. 5. G. 4.	Botan. regist. 462.
LEYSERA. W.	LEYSERA. Syngenesia Polygamia Superflua. W.	
1 ciliata. w.	ciliated. C. B. S. 1816. 7. 8. G. 4.	
2 gnaphalodes. w.	woolly. ——— 1774. 7. 9. G. 4.	Jacq. ic. 3. t. 588.
3 squarrosa. w.	squarrose. ——— 1815. — G. 4.	Pluk. alm. t. 302. f. 3.

SUBORDO. V. *JACOBÆÆ*. *Kth. synopsis. 2. p. 440.*

KLEINIA. W.	KLEINIA. Syngenesia Polygamia Æqualis. W.	
1 ruderalis. w.	glaucous-leav'd. S. America. 1824. 7. 10. S. 4.	Jacq. amer. t. 127.
2 Porophyllum. w.	perforated. ——— 1699. 6. 10. S. 4.	Cavan. ic. 3. t. 222.
3 viridiflora. K.S.	green-flowered. Mexico. 1823. — S. 4.	
4 tagetoides. K.S.	Tagetes-like. ——— — H. 4.	
5 suffruticosa. w.	suffruticose. S. America. 1825. — S. 4.	Cavan. ic. 3. t. 257.
6 colorata. K.S.	violet-colour'd. Mexico. ——— H. 4.	
CACALIA. W.	CACALIA. Syngenesia Polygamia Æqualis. L.	
1 papillaris. w.	rough-stalked. C. B. S. 1727. G. 4.	Dill. elth. t. 55. f. 63.
2 Anteuphorbium. w.	oval-leaved. ——— 1596. 2. 3. G. 4.	——— t. 55. f. 2. 3.
3 Kleinia. w.	Oleander-ld. Canaries. 1732. 9. 10. G. 4.	DC. plant. gras. 12.
4 Ficoides. w.	flat-leaved. C. B. S. 1710. 6. 11. G. 4.	——— t. 90.
5 repens. w.	glaucous-leav'd. ——— 1759. 6. 10. G. 4.	——— t. 42.
6 cylindrica. DC.	cylindrical. Africa. 1818. — G. 4.	——— t. ic.
7 carnososa. w.	narrow-leaved. C. B. S. 1757. 6. G. 4.	
8 Haworthii. H.S.L.	woolly-leaved. ——— 1795. G. 4.	
<i>Kleinia tomentosa</i> . H.S. non <i>C. tomentosa</i> . L.		
9 longifolia. H.R.	long-leaved. 1820. S. 4.	
<i>pugioniformis</i> . L.en.		
10 articulata. w.	jointed. C. B. S. 1775. 9. 11. G. 4.	DC. plant. gras. 18.
11 tomentosa. w.	tomentose. ——— 1795. — G. 4.	
12 reticulata. w.en.	netted. Bourbon. 1823. G. 4.	
13 appendiculata. w.	appendaged. Teneriffe. 1815. 6. 9. G. 4.	
14 salicina. Lab.	willow-leaved. V. Diem. Isl. 1820. 4. 6. G. 4.	Botan. regist. 923.
15 bicolor. w.	two-coloured. E. Indies. 1804. 9. 5. S. 4.	——— 110.
16 ovalis. B.R.	oval-leaved. ——— — S. 4.	——— 102.
17 sonchifolia. w.	Sonchus-leav'd. ——— 1768. 7. S. 4.	Rheed. mal. 10. t. 68.
18 coccinea. B.M.	scarlet-flow'r'd. S. America. 1799. 6. 7. H. 4.	Botan. magaz. 564.
19 sagittata. w.	arrow-leaved. Java. 1824. — S. 4.	
<i>Emilea flammea</i> . Cas.		
20 sarracenica. w.	creeping-root'd. France. 1772. 8. 10. H. 4.	
21 runcinata. K.S.	runcinate. Mexico. 1825. H. 4.	
22 hastata. w.	spear-leaved. Siberia. 1780. 8. 10. H. 4.	Gmel. sib. 2. t. 66.
23 rhombifolia. w.en.	rhomb-leaved. ——— 1816. — H. 4.	
24 suaveolens. w.	sweet-scented. N. America. 1752. — H. 4.	
25 atriplicifolia. w.	Orache-leaved. ——— 1699. 8. H. 4.	Pluk. alm. t. 101. f. 2.
26 cordifolia. K.S.	heart-leaved. Mexico. 1825. — H. 4.	
27 reniformis. w.	kidney-leaved. N. America. 1801. 7. 8. H. 4.	
28 tuberosa. N.	tuberous-root'd. ——— 1812. — H. 4.	
29 alpina. w.	Alpine. Austria. 1739. — H. 4.	Jacq. aust. 3. t. 234.
<i>Adenostyles viridis</i> . Cas.		
30 albifrons. w.	white-leaved. ——— — H. 4.	——— 3. t. 235.
<i>Adenostyles albida</i> . Cas.		
31 pinnata. w.en.	pinnate-leav'd. Iberia. 1816. — H. 4.	
32 peltata. K.S.	peltated. Mexico. 1825. — G. 4.	H. et Bondp. 4. t. 361.
33 scandens. w.	climbing. C. B. S. 1774. 4. G. 4.	
TUSSILAGO. W.	COLTSFOOT. Syngenesia Polygamia Superflua. L.	
1 alpina. w.	Alpine. Austria. 1710. 3. 5. H. 4.	Botan. magaz. 84.
2 discolor. w.	two-coloured. ——— 1633. 4. 5. H. 4.	Jacq. aust. 3. t. 247.
3 sylvestris. w.	wood. ——— 1816. — H. 4.	—— 5. app. t. 12.
4 Farfara. w.	common. Britain. 3. 4. H. 4.	Eng. bot. 429.
<i>β variegata</i> .	<i>variegated-leav'd</i> . ——— H. 4.	
5 frigida. w.	Lapland. Lapland. 1710. 5. H. 4.	Flor. dan. t. 61.

6	fragrans. w.	fragrant.	Italy.	1806.	1. 3.	H. 4.	Botan. magaz. 1388.
7	alba. w.	white butter-bur.	Europe.	1683.	1. 4.	H. 4.	Flor. dan. 524.
8	nivea. w.	downy-leaved.	Switzerland.	1713.	4.	H. 4.	Retz. obs. 2. t. 3.
	<i>paradoxa</i> . Retz.						
9	Petasites. E.B.	common butter bur.	Britain.	3. 4.	H. 4.	Eng. bot. 431.
10	hybrida. E.B.	large-leaved.	— — —	—	H. 4.	— — — 430.
11	spuria. w.	lobe-leaved.	Germany.	1790.	—	H. 4.	Retz. obs. 1. t. 2.
	<i>paradoxa</i> . Roth.						
12	palmata. w.	cut-leaved.	Labrador.	1778.	4.	H. 4.	Hort. Kew. v. 3. t. 11.
SENECIO. W.		GROUNDSEL.	Syngenesia	Polygamia	Superflua.	W.	
1	reclinatus. w.	grass-leaved.	C. B. S.	1774.	6. 8.	G. ♂.	Jacq. ic. 1. t. 174.
2	hieracifolius. w.	hawkweed-ld.	N. America.	1699.	8.	H. ⊙.	Herm. parad. t. 226.
3	purpureus. w.	purple.	C. B. S.	1774.	7. 9.	G. 4.	Jacq. ic. 3. t. 580.
4	cernuus. w.	drooping.	E. Indies.	1780.	7. 8.	H. ⊙.	Jacq. vind. 3. t. 98.
5	erubescens. w.	blush-coloured.	C. B. S.	1774.	6. 10.	G. ♂.	
	<i>hæmatophyllus</i> . w. en.	purple-leaved.	— — —	1789.	—	G. h.	
7	divaricatus. w.	straddling.	China.	1801.	7.	G. ♂.	
8	croaticus. w.	Croatian.	Hungary.	1805.	7. 8.	H. 4.	W. et K. hung. 2. t. 143.
9	Pseudo-China. w.	Chinese.	China.	1732.	6. 8.	S. 4.	Dill. elth. t. 258. f. 335.
10	japonicus. w.	jagged-leaved.	Japan.	1774.	8.	H. 4.	
11	vulgaris. w.	common.	Britain.	1. 12.	H. 4.	Eng. bot. 747.
12	peucedanifolius. w.	Peucedanum-ld.	C. B. S.	1816.	6. 8.	G. h.	Jacq. ic. 3. t. 581.
	<i>Cacalia peucedanifolia</i> . Jacq.						
13	arabicus. w.	Arabian.	Egypt.	1804.	7. 8.	H. ♂.	
14	verbenæfolius. w.	Vervain-leav'd.	— — —	1803.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 3.
15	glomeratus. L. en.	close-flowered.	N. Holland.	1816.	8. 10.	H. ⊙.	
16	calalioides. L. en.	Cacalia-like.	Brazil.	1820.	—	H. ⊙.	
17	triflorus. w.	three-flowered.	Egypt.	1776.	7. 9.	H. ⊙.	
18	ægyptius. w.	Egyptian.	— — —	1771.	7. 8.	H. ⊙.	
19	crassifolius. w.	thick-leaved.	S. Europe.	1815.	—	H. ⊙.	
20	lividus. w.	livid.	Britain.	—	H. ⊙.	Eng. bot. 2515.
21	telephifolius. w.	Telephium-ld.	C. B. S.	1823.	—	H. ⊙.	Jacq. frag. 1. t. 1. f. 3.
22	trilobus. w.	three-lobed.	Spain.	1728.	6. 8.	H. ⊙.	
23	cinerascens. w.	gray.	C. B. S.	1774.	5. 7.	G. h.	Jacq. schœn. 2. t. 150.
24	viscosus. w.	stinking.	Britain.	6. 10.	H. ⊙.	Eng. bot. 32.
25	sylvaticus. w.	mountain.	— — —	7. 8.	H. ⊙.	— — — 748.
26	coronopifolius. w.	Buck'shorn-ld.	Spain.	1821.	—	H. ⊙.	
27	nebrodensis. w.	Nebrodes.	S. Europe.	1704.	6. 8.	H. ⊙.	Barrel. rar. 401.
28	glaucus. w.	sea-green.	Egypt.	1739.	—	H. ⊙.	
29	hastatus. w.	halberd-ld.	C. B. S.	1722.	5. 8.	G. 4.	Dill. elth. t. 152. f. 184.
30	pubigerus. w.	runcinate-ld.	— — —	1816.	—	G. h.	Moris. s. 7. t. 18. f. 32.
31	vernalis. w.	spring.	Hungary.	1803.	4. 6.	H. ⊙.	W. et K. hung. 1. t. 24.
32	montanus. w.	smooth mountain.	Germany.	1819.	—	H. ⊙.	
33	rupestris. w.	rock.	Hungary.	1805.	6. 7.	H. 4.	W. et K. hung. 2. t. 128.
34	dentatus. w.	toothed-leaved.	C. B. S.	1823.	—	G. 4.	
35	squamosus. w.	scaly.	— — —	1816.	—	G. 4.	
36	venustus. w.	wing-leaved.	— — —	1774.	5. 11.	G. h.	Botan. regist. 901.
37	elegans. w.	elegant.	— — —	1700.	6. 8.	H. ⊙.	
	<i>α ruber</i> .	red-flowered.	— — —	—	—	H. ⊙.	
	<i>β albus</i> .	white-flowered.	— — —	—	—	H. ⊙.	
	<i>γ pleno-albus</i> .	double-white.	— — —	—	4. 11.	G. h.	
	<i>δ pleno-ruber</i> .	double red.	— — —	—	—	G. h.	
38	speciosus. w.	red-flowered.	China.	1789.	7. 8.	G. 4.	Botan. magaz. 238.
39	squalidus. w.	inelegant.	England.	6. 10.	H. ⊙.	Botan. regist. 41.
40	erucæfolius. w.	Eruca-leaved.	Europe.	1816.	7. 8.	H. 4.	Eng. bot. 600.
41	chrysanthemifolius.	Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H. 4.	Bocc. sic. t. 67.
42	uniflorus. w.	one-flowered.	S. Europe.	1799.	7. 8.	H. 4.	All. ped. t. 17. f. 8.
43	incanus. w.	downy.	— — —	1759.	—	H. 4.	Pluk. alm. t. 39. f. 6.
44	abrotanifolius.	Southernwood-ld.	— — —	1640.	7. 10.	H. 4.	Jacq. aust. 1. t. 79.
45	artemisæfolius. p.s.	Wormwood-ld.	France.	1820.	—	H. 4.	
46	canadensis. w.	Canadian.	N. America.	1818.	—	H. 4.	
47	delphinifolius. w.	Larkspur-ld.	Sicily.	1823.	—	H. 4.	Vahl symb. 2. t. 43.
48	tenuifolius. w.	slender-leaved.	Britain.	7. 8.	H. 4.	Eng. bot. 574.
49	Jacobæa. w.	common ragwort.	— — —	—	H. 4.	— — — 1130.
50	aquaticus. w.	marsh.	— — —	5. 7.	H. 4.	— — — 1131.
51	aureus. w.	golden.	N. America.	1758.	7. 8.	H. 4.	
52	Balsamitæ. w.	various-leaved.	— — —	1819.	6. 8.	H. 4.	
53	obovatus. w.	obovate-leaved.	— — —	—	—	H. 4.	
54	leucophyllus. DC.	white-leaved.	S. Europe.	1821.	—	H. 4.	

55	rosmarinifolius. w.	Rosemary-ld.	C. B. S.	1774.	7. 8. G. h.	Jacq. ic. 3. t. 587.
56	asper. w.	rough.	—	1817.	— G. h.	—
57	linifolius. w.	Flax-leaved.	Spain.	1815.	— H. 4.	Barrel. rar. t. 802.
58	rigescens. w.	stiff-leaved.	C. B. S.	—	— G. h.	Jacq. coll. 5. t. 6. f. 1.
59	paludosus. w.	Bird's-tongue.	England.	6. 8. H. 4.	Eng. bot. 650.
60	persicæfolius. DC.	peach-leaved.	Pyrenees.	1817.	— H. 4.	Ram. bul. phil. t. 11. f. 3.
61	nemorensis. w.	branching.	Austria.	1785.	7. 8. H. 4.	Jacq. aust. 2. t. 184.
62	sarracenicus. w.	creeping-root'd.	Britain.	7. 10. H. 4.	Eng. bot. 2211.
63	ovatus. w.	oval-leaved.	Germany.	1817.	— H. 4.	—
64	coriaceus. w.	leathery-leav'd.	Levant.	1728.	7. 8. H. 4.	Dill. elth. t. 105. f. 125.
65	Doria. w.	broad-leaved.	Austria.	1570.	7. 9. H. 4.	Jacq. aust. 2. t. 185.
66	macrophyllus. M.B.	large-leaved.	Caucasus.	1817.	— H. 4.	—
67	Doronicum. w.	Leopard's-bane.	S. Europe.	1705.	— H. 4.	Jacq. aust. 5. t. ap. 45.
68	umbrosus. W.K.	ear-leaved.	Hungary.	1815.	— H. 4.	—
69	Barrelieri. w.	Barrelier's.	Pyrenees.	1824.	— H. 4.	Barrel. ic. 146.
70	lanceus. w.	spear-leaved.	C. B. S.	1774.	7. 10. G. h.	—
71	oporinus. w.	Jacquin's.	—	— G. 4.	Jacq. schœn. 3. t. 304.
72	longifolius. w.	long-leaved.	—	1775.	8. 11. G. h.	Comm. hort. 2. t. 71.
73	halimifolius. w.	succulent-ld.	—	1723.	7. G. h.	Dill. elth. t. 104. f. 124.
74	ilicifolius. w.	Ilex-leaved.	—	1731.	6. 7. G. h.	Comm. rar. t. 42.
75	rigidus. w.	hard-leaved.	—	1704.	6. 9. G. h.	Comm. hort. 2. t. 75.
76	solidaginoides. w.	Golden-rod-like.	—	1819.	— G. h.	Hout. syst. 4. t. 32. f. 1.
77	vernus. Biv.	vernal.	Italy.	—	— H. 4.	—
CINERARIA. W. CINERARIA. Syngenesia Polygamia Superflua. L.						
1	americana. w.	American.	S. America.	1823. S. h.	—
2	incana. P.S.	hoary.	Jamaica.	—	6. 8. S. h.	—
3	discolor. P.S.	two-coloured.	—	1822.	— S. h.	—
4	lucida. P.S.	glossy.	W. Indies.	—	— S. h.	Plum. 2. ic. 154.
5	geifolia. w.	kidney-leaved.	C. B. S.	1710.	4. 8. G. h.	Comm. hort. 2. t. 73.
6	canescens L.en.	small-flowered.	—	1790.	— G. h.	Botan. magaz. 1990.
7	aurita. w.	purple-flower'd.	Madeira.	1777.	6. 7. G. h.	— 1786.
8	lactea. W.en.	milk-coloured.	1816.	— G. h.	—
9	lanata. w.	woolly.	Canaries.	1780.	5. 9. G. h.	Botan. magaz. 53.
10	hybrida. W.en.	hybrid.	Hybrid.	2. 5. G. h.	—
11	elator. L.en.	tall.	— G. h.	—
12	cruenta. w.	purple-leaved.	Canaries.	1777.	— G. h.	Botan. magaz. 406.
	aurita. A.R. 24.	—	—	—	—	—
13	pulchella.	bright red-fl'd.	—	1818.	— G. h.	—
14	populifolia. H.K.	Poplar-leaved.	—	1780.	6. 9. G. h.	Venten. malm. 100.
15	lobata. w.	lobed.	C. B. S.	1774.	6. 8. G. h.	—
16	malvæfolia. w.	Mallow-leaved.	Azores.	1777.	8. G. 4.	—
17	petasites. B.M.	butter-bur-ld.	Mexico.	1812.	12. 2. G. h.	Botan. magaz. 1536.
18	præcox. w.	early-flow'ring.	—	1824.	2. 4. G. h.	Cavan. ic. 3. t. 244.
19	sibirica. w.	Siberian.	Siberia.	1784.	6. 8. H. 4.	Botan. magaz. 1869.
20	speciosa. L.en.	large-flowered.	—	1818.	— H. 4.	Botan. regist. 812.
21	caucasica. M.B.	Caucasean.	Caucasus.	1820.	— H. 4.	—
22	gigantea. H.K.	gigantic.	Cape Horn.	1801.	7. 8. H. 4.	Sm. exot. bot. 2. t. 65.
23	glaucæ. w.	glaucous-leav'd.	Siberia.	1790.	6. 7. H. 4.	Gmel. sib. 2. t. 74.
24	palustris. w.	marsh.	England.	...	— H. 4.	Eng. bot. 151.
25	aurantiaca. w.	orange-colour'd.	Switzerland.	1818.	5. 7. H. 4.	Botan. magaz. 2262.
26	campestris. w.	mountain.	N. Europe.	— H. 4.	Jacq. aust. t. 180.
27	integrifolia. E.B.	entire-leaved.	England.	— H. 4.	Eng. bot. 152.
28	longifolia. w.	long-leaved.	Austria.	1792.	6. 8. H. 4.	Jacq. aust. 2. t. 181.
29	crispa. w.	curled.	—	1818.	— H. 4.	— 2. t. 178.
30	cordifolia. w.	heart-leaved.	—	1739.	7. 8. H. 4.	— 2. t. 176.
31	media. W.K.	intermediate.	Hungary.	1818.	— H. 4.	—
32	alpina. w.	Alpine.	Austria.	1683.	6. 8. H. 4.	Jacq. aust. 2. t. 177.
33	aurea. w.	golden.	Siberia.	1825.	— H. 4.	—
34	maritima. w.	sea ragwort.	S. Europe.	1633.	7. 9. F. h.	Flor. græc. 871.
35	bicolor. w.	shining-leaved.	1820.	— F. h.	—
36	canadensis.	Canadian.	Canada.	1739.	6. 8. H. 4.	—
37	linifolia. w.	flax-leaved.	C. B. S.	— G. h.	Jacq. schœn. 3. t. 308.
38	angustifolia. K.S.	narrow-leaved.	Mexico.	1825. G. h.	—
39	humifusa. w.	trailing.	C. B. S.	1704.	7. 8. G. 4.	—
40	viscosa. w.	clammy.	—	1774.	6. 8. G. 4.	Jacq. frag. 12. t. 7. f. 22.
AGATHÆA. Cas. AGATHÆA. Syngenesia Polygamia Superflua.						
	cœlestis. Cas.	Cape-Aster.	C. B. S.	1753.	2. 9. G. h.	Botan. magaz. 249.
	Cineraria amelloides. w.	—	—	—	—	—

KAULFUSSIA. Nees.		KAULFUSSIA. Syngenesia Polygamia Superflua.	
amelloides. Nees.	blue-flowered.	C. B. S.	1819. 6. 7. H.⊙. Botan. regist. 490.
TAGETES. W.	TAGETES. Syngenesia Polygamia Superflua. L.		
1 lucida. w.	sweet-scented.	S. America.	1798. 7. 11. G. 4. Botan. magaz. 740.
2 patula. w.	French Marygold.	Mexico.	1573. 7. 10. H.⊙. ——— 150.
3 corymbosa. B.F.G.	corymbus-fl'd.	————	1825. 9. 11. H.⊙. Swt. br. fl. gar. 151.
α purpurea.	purple-flowered.	————	———— H.⊙.
β lutea.	yellow-flowered.	————	———— H.⊙.
4 erecta. w.	African Marygold.	————	1596. 6. 9. H.⊙. Lam. ill. t. 684.
5 tenuifolia. w.	fine-leaved.	————	1797. 7. 10. H.⊙. Swt. br. fl. gar. 141.
6 minuta. w.	small-flowered.	Chili.	1728. 8. 10. H.⊙. Dill. elth. t. 280. f. 362.
7 clandestina. Lag.	small-rayed.	Mexico.	1822. — H.⊙.
coronopifolia. W.en.			
8 micrantha. w.	solitary-fl'd.	————	———— H.⊙. Cavan. ic. 4. t. 352.
9 glandulosa. L.en.	glandular.	S. America.	1825. — H.⊙.
BÆBERA. W.	BÆBERA. Syngenesia Polygamia Superflua.		
1 glandulosa. N.	glandular.	N. America.	1823. 8. 9. H.⊙. Venten. cels. t. 36.
chrysanthemoides. W.en.	Tagetes papposa. v. <i>Dyssodia glandulosa.</i> Cav.		
2 Porophyllum. K.S.	Mexican.	Mexico.	———— H.⊙.
<i>Dyssodia Porophyllum.</i> W.en.			
OTHONNA. W.	RAGWORT. Syngenesia Polygamia Necessaria. L.		
1 flabellifolia. B.C.	fan-leaved.	C. B. S.	1822. 7. 9. G. 4. Lodd. bot. cab. 728.
2 pinnatifida. P.S.	pinnatifid.	————	1823. — G. 4.
3 pinnata. w.	wing-leaved.	————	1759. 4. 6. G. 4. Botan. magaz. 768.
4 Tagetes. w.	slender-stalked.	————	1823. 7. 9. H.⊙.
5 pectinata. w.	Wormwood-ld.	————	1731. 4. 6. G. 4. Botan. magaz. 306.
6 Athanasia. w.	Athanasia-like.	————	1795. 11. 12. G. 4. Jacq. schœn. 2. t. 242.
7 abrotanifolia. w.	Southernwood-ld.	————	1692. 1. 5. G. 4. Botan. regist. 108.
8 digitata. w.	finger-leaved.	————	1822. 6. 9. G. 4.
9 retrofracta. w.	axillary-fl'd.	————	1812. — G. 4. Jacq. schœn. 3. t. 376.
10 coronopifolia. w.	Buckshorn-ld.	————	1731. 7. 9. G. 4. Comm. hort. 2. t. 70.
11 cheirifolia. w.	Stock-leaved.	Barbary.	1752. 4. 6. F. 4. Botan. regist. 266.
12 crassifolia. w.	thick-leaved.	C. B. S.	1710. 9. 10. G. 4. Mill. ic. 2. t. 245. f. 2.
13 denticulata. w.	tooth-leaved.	————	1774. 4. 7. G. 4. Botan. magaz. 1979.
14 heterophylla. w.	various-leaved.	————	1812. — G. 4.
15 Lingua. w.	tongue-leaved.	————	1787. 5. 9. G. 4. Jacq. schœn. 2. t. 238.
16 filicaulis. w.	Yam-rooted.	————	1791. 4. 5. G. 4. ——— 2. t. 241.
17 bulbosa. w.	bulbous.	————	1774. 5. 6. G. 4. Breyn. cent. t. 66.
18 parviflora. w.	small-flowered.	————	1704. 7. 8. G. 4. Volk. norib. t. 226.
19 perfoliata. H.K.	perfoliate.	————	1789. 5. 7. G. 4. Jacq. schœn. t. 240.
amplexicaulis. B.M.	1812. non Thunb.		
20 ericoides. w.	Heath-leaved.	————	1815. 7. 8. G. 4.
21 linifolia. w.	Flax-leaved.	————	1825. — G. 4.
22 tenuissima. w.	fine-leaved.	————	1759. 4. 7. G. 4. Jacq. schœn. 2. t. 239.
23 frutescens. w.	frutescent.	————	1816. 7. 8. G. 4. Comm. hort. 2. t. 70.
24 arborescens. w.	tree.	————	1723. — G. 4. Dill. elth. t. 103. f. 123.
25 cacalioides. w.	tuberous.	————	1774. 5. 9. G. 4.

SUBORDO VI. *HELIANTHÆ.* Kth. synops. 2. p. 463.

HYMENOPAPPUS. J. HYMENOPAPPUS. Syngenesia Polygamia Æqualis.		
1 pedatus. Lag.	pedate-leaved.	Mexico. 1803. 7. 9. G.⊙. Cavan. ic. 4. t. 356.
<i>Stevia pedata.</i> B.M.	2040. <i>Florestina pedata.</i> Cas.	
2 scabiosæus. Ph.	Scabious-like.	Missouri. 1812. 6. 8. H.⊙. Jour. de hist. nat. n. 1. ic.
3 tenuifolius. Ph.	slender-leaved.	———— 1811. — F. 4.
CHKUHRIA. W.	SCHKUHRIA. Syngenesia Polygamia Superflua. L.	
abrotanoides. w.	Wormwood-ld.	Mexico. 1798. 7. 9. H.⊙. Schk. hand. 3. t. 250. b.
PECTIS. W.	PECTIS. Syngenesia Polygamia Superflua. L.	
1 humifusa. w.	trailing.	W. Indies. 1822. 7. 9. S.⊙. Plum. ic. t. 95. f. 2.
2 prostrata. w.	prostrate.	New Spain. 1824. — S.⊙. Cavan. ic. 4. t. 324.
3 ciliaris. w.	ciliated.	Hispaniola. 1793. 7. S.⊙. Plum. ic. 151. f. 2.
4 linifolia. w.	Flax-leaved.	Jamaica. 1732. 7. 8. S.⊙. Sloan. hist. 1. t. 149. f. 3.
HETEROSPERMUM. W. HETEROSPERMUM. Syngenesia Polygamia Superflua. W.		
pinnatum. w.	wing-leaved.	New Spain. 1799. 8. 9. H.⊙. Cavan. ic. 3. t. 267.
MELANANTHERA. M. MELANANTHERA. Syngenesia Polygamia Æqualis. P.S.		
1 Linnæi. K.S.	Linnæus's.	S. America. 1799. 6. 8. S. 4. Jacq. ic. 3. t. 583.
<i>Bidens nivea.</i> L. <i>Calea aspera.</i> Jacq.		2 H

- 2 hastata. M. hastate-leaved. N. America. 1732. — G. 4. Dill. elth. t. 47. f. 55.
 3 pandurata. Ph. fiddle-leaved. — — — — — G. 4. — — — — — t. 46. f. 54.
MARSHALLIA. W. **MARSHALLIA.** Syngenesia Polygamia Æqualis. W.
 1 lanceolata. Ph. spear-leaved. Carolina. 1812. 6. 7. F. 4.
 2 latifolia. Ph. broad-leaved. — — — — — 1806. — F. 4. Mich. amer. 2. t. 43.
Persoonia latifolia. M. Trattenickia latifolia. P.S.
PLATYPTERIS. K.S. PLATYPTERIS. Syngenesia Polygamia Æqualis.
 crocata. K.S. saffron-colour'd. Mexico. 1812. 1. 3. S. 4. Botan. magaz. 1627.
Spilanthes crocata. B.M.
SPILANTHES. W. SPILANTHES. Syngenesia Polygamia Æqualis. L.
 1 tenella. K.S. slender. Caracas. 1823. 8. 10. G. 4.
 2 Pseudo-Acmella. w. spear-leaved. Ceylon. 1768. 7. S. 4. Pluk. alm. t. 159. f. 4.
 3 uliginosa. w. marsh. Jamaica. 1820. 7. 9. S. 4.
 4 alba. w. white-flower'd. Peru. 1783. 6. 7. H. 4. L'Herit. stirp. 7. t. 4.
 5 oleracea. w. esculent. E. Indies. 1770. 7. 9. S. 4. Jacq. vind. 2. t. 135.
ACMELLA. P.S. ACMELLA. Syngenesia Polygamia Superflua. P.S.
 1 mauritiana. P.S. Balm-leaved. Mauritius. 1768. 7. 8. S. 4. Rumph. amb. 6. t. 65.
Spilanthes Acmella. w.
 2 repens. P.S. creeping. N. America. 1819. — H. 4.
 3 occidentalis. P.S. oval-leaved. S. America. 1825. — H. 4.
 4 buphthalmoides. P.S. Ox-eye-leaved. — — — — — 1798. 7. 9. H. 4. Jacq. schön. 2. t. 151.
LAVENIA. W. LAVENIA. Syngenesia Polygamia Æqualis.
 erecta. w. upright. E. Indies. 1739. 7. 9. S. 4. Burm. zeyl. t. 42.
SALMEA. DC. SALMEA. Syngenesia Polygamia Æqualis.
 1 scandens. DC. climbing. S. America. 1815. 4. 6. S. 4. Botan. magaz. 2062.
Calea Amellus. L.
 2 hirsuta. DC. hairy. — — — — — S. 4.
PETROBIUM. L.T. PETROBIUM. Syngenesia Polygamia Æqualis.
 arboreum. tree. St. Helena. 1816. S. 4.
Spilanthus arboreus. Forst.
CALEA. L.T. CALEA. Syngenesia Polygamia Æqualis. L.
 1 jamaicensis. L.T. purple-flow'r'd. W. Indies. 1739. 6. 7. S. 4. Sloan. jam. 1. t. 151. f. 3.
 2 cordifolia. L.T. heart-leaved. Jamaica. 1822. — S. 4.
CALEACTE. L.T. CALEACTE. Syngenesia Polygamia Æqualis.
 1 urticifolia. L.T. Nettle-leaved. Vera Cruz. S. 4.
Solidago urticæfolia. Mill.
 2 pinnatifida. L.T. pinnatifid. Brazil. 1816. 6. 8. S. 4.
ISOCARPHA. L.T. ISOCARPHA. Syngenesia Polygamia Æqualis.
 oppositifolia. opposite-leav'd. W. Indies. 1739. 7. 8. S. 4.
Calea oppositifolia. w.
NEUROLÆNA. L.T. NEUROLÆNA. Syngenesia Polygamia Æqualis.
 lobata. halberd-weed. W. Indies. 1733. 6. 7. S. 4. Botan. magaz. 1734.
Calea lobata. B.M.
MADIA. W. MADIA. Syngenesia Polygamia Superflua. W.
 1 viscosa. w. viscous. Chili. 1794. 7. 8. H. 4. Botan. magaz. 2574.
 2 mellosa. w. stem-clasping. — — — — — 1824. — H. 4.
TETRAGONOTHECA. TETRAGONOTHECA. Syngenesia Polygamia Superflua. W.
 helianthoides. w. Sunflower-like. Virginia. 1726. 8. 10. H. 4. Schk. hand. 3. t. 263.
XIMENESIA. W. XIMENESIA. Syngenesia Polygamia Superflua. W.
 1 encelioides. w. oval-leaved. Mexico. 1795. 6. 11. G. 4. Cavan. ic. 2. t. 178.
 2 foetida. K.S. foetid. — — — — — 1799. 7. 8. H. 4. — — — — — 1. t. 77.
Coreopsis foetida. Cav. Simsia ficifolia. P.S.
 3 cordata. K.S. heart-leaved. — — — — — H. 4.
HELENIIUM. W. HELENIIUM. Syngenesia Polygamia Superflua. W.
 1 autumnale. w. smooth. N. America. 1729. 8. 10. H. 4. Schk. hand. 3. t. 250.
 2 pubescens. w. downy. — — — — — 1776. 8. 9. H. 4.
 3 quadripartitum. L. en. four-parted. 1825. — G. 4.
 4 quadridentatum. w. four-toothed. Louisiana. 1790. 5. 10. H. 4. Botan. regist. 598.
 5 pumilum. w. en. dwarf. N. America. 1819. — H. 4.
 6 mexicanum. K.S. Mexican. Mexico. 1823. 8. 10. H. 4.
ZINNIA. W. ZINNIA. Syngenesia Polygamia Superflua. W.
 1 pauciflora. w. yellow-flow'r'd. Peru. 1753. 7. 8. H. 4. Mill. ic. 1. t. 64.
 2 multiflora. w. red-flowered. N. America. 1770. 6. 10. H. 4. Botan. magaz. 149.
 3 verticillata. w. whorl-leaved. Mexico. 1789. 7. 8. H. 4. Andr. repos. 189.
 4 elegans. w. purple-flow'r'd. — — — — — 1796. 7. 10. H. 4. Botan. magaz. 527.
violacea. A.R. 55.
 5 tenuiflora. w. slender-fl'd. — — — — — 1799. 7. 8. H. 4. — — — — — 555.
 6 angustifolia. K.S. narrow-leaved. — — — — — 1825. — H. 4.
RELHANIA. W. RELHANIA. Syngenesia Polygamia Superflua. W.
 1 squarrosa. w. cross-leaved. C. B. S. 1774. 5. 6. G. 4.

- 2 genistifolia. w. Genista-leav'd. ——— 1823. — G. h.
 3 lateriflora. w. side-flowering. ——— ——— G. h.
 4 pungens. w. pungent-leav'd. ——— 1820. 6. 8. G. h. Botan. regist. 587.
ATHRIXIA. B.R. **ATHRIXIA.** Syngenesia Polygamia Superflua.
 capensis. B.R. Cape. C. B. S. 1823. 6. 8. G. 4. Botan. regist. 681.
LONGCHAMPIA. W. **LONGCHAMPIA.** Syngenesia Polygamia Superflua. W.
 capillifolia. w. Leysera-like. Africa. 1824. 6. 8. H. ☉.
 Gnaphalium leyseroides. Desf.
SANVITALIA. W. **SANVITALIA.** Syngenesia Polygamia Superflua. W.
 procumbens. w. trailing. Mexico. 1798. 7. 8. H. ☉. Botan. regist. 707.
TRIDAX. L. **TRIDAX.** Syngenesia Polygamia Superflua. L.
 procumbens. L. procumbent. Mexico. 1804. 7. 8. H. ☉.
 Balbisia elongata. w.
COLUMELLIA. W. **COLUMELLIA.** Syngenesia Polygamia Superflua. W.
 biennis. w. biennial. C. B. S. 1820. 7. 9. G. ♂. Jacq. schœn. 3. t. 301.
 Nestlera biennis. Spr.
ECLIPTA. W. **ECLIPTA.** Syngenesia Polygamia Superflua. L.
 1 erecta. w. upright. S. America. 1690. 7. 9. H. ☉. Dill. elth. t. 113. f. 137.
 2 punctata. w. dotted. W. Indies. 1822. — S. ☉. Jacq. amer. pict. t. 197.
 3 prostrata. w. trailing. E. Indies. 1732. — S. ☉. Dill. elth. t. 113. f. 138.
 4 procumbens. M. procumbent. Carolina. 1819. — H. ☉.
CHRYSANTHELLUM. **CHRYSANTHELLUM.** Syngenesia Polygamia Superflua. P.S.
 procumbens. P.S. procumbent. W. Indies. 1768. 6. 7. S. ☉. Swartz obs. 314. t. 8. f. 1.
 Verbesina mutica. w.
SIEGESBECKIA. W. **SIEGESBECKIA.** Syngenesia Polygamia Superflua. L.
 1 orientalis. w. oriental. E. Indies. 1730. 8. 10. H. ☉. Schk. hand. 3. t. 256.
 2 triangularis. Cav. triangular-ld. Mexico. — H. ☉. Cav. ic. 3. t. 253.
 3 iberica. w. Iberian. Iberia. 1823. — H. ☉. Buxb. cent. 3. t. 52.
 4 droseroides. B.F.G. Sundew-like. Mexico. 1825. — H. 4. ? Swt. br. fl. gar. ic.
 5 flosculosa. w. small-flower'd. Peru. 1784. 6. 7. H. ☉. L'Herit. stirp. t. 19.
VERBESINA. W. **VERBESINA.** Syngenesia Polygamia Superflua. L.
 1 alata. w. wing-stalked. S. America. 1699. 5. 10. G. 4. Botan. magaz. 1716.
 2 virginica. w. white-flowered. N. America. 1812. 7. 9. H. 4.
 3 virgata. w. slender. Mexico. 1825. — H. 4. Cav. ic. 3. t. 275.
 4 gigantea. w. tree. W. Indies. 1758. — S. h. Jacq. ic. 1. t. 175.
 5 Boswellia. L. eatable. E. Indies. 1818. — S. ☉.
 6 serrata. w. saw-leaved. Mexico. 1803. 7. 10. G. 4. Cav. ic. 3. t. 214.
 7 Siegesbeckia. w. American. Virginia. 1731. 10. 11. H. 4.
 8 salicifolia. K.S. Willow-leaved. Mexico. 1824. — H. 4.
 9 dichotoma. w. forked. E. Indies. 1789. 6. 7. S. ☉. Murr. c. got. 1779. t. 4.
 10 biflora. w. two-flowered. ——— 1818. 7. 9. S. ☉. Rheed. mal. 19. t. 40.
 11 calendulacea. w. Marygold-fl'd. Ceylon. 1739. — S. ☉. Burm. zeyl. t. 22. f. 1.
 12 fruticosa. w. shrubby. W. Indies. 1759. 6. 8. S. h. Plum. ic. t. 52.
SYNEDRELLA. P.S. **SYNEDRELLA.** Syngenesia Polygamia Superflua. P.S.
 nodiflora. P.S. sessile-flow'r'd. W. Indies. 1726. 6. 7. S. ☉. Dill. elth. t. 45. f. 53.
ENCELIA. J. **ENCELIA.** Syngenesia Polygamia Superflua. P.S.
 1 canescens. P.S. canescent. Mexico. 1786. 7. 9. G. h. Botan. regist. 909.
 Pallasia halimifolia. w. *Coreopsis limensis.* Jacq. ic. 3. t. 594.
 2 halimifolia. P.S. great-flowered. ——— 1825. — G. h. Cavan. ic. 3. t. 216.
 Pallasia grandiflora. w.
GALINSOGEA. K.S. **GALINSOGEA.** Syngenesia Polygamia Superflua. W.
 1 trilobata. w. three-lobed. Peru. 1797. 8. 11. H. ☉. Swt. br. fl. gar. 56.
 2 balbisoides. K.S. Mexican. Mexico. 1825. — H. ☉. H. et B. 4. t. 386.
 3 parviflora. w. small-flowered. S. America. 1796. 6. 8. H. ☉. Cavan. ic. 3. t. 281.
 Wiborgia parviflora. K.S.
PTILOSTEPHIUM. K.S. **PTILOSTEPHIUM.** Syngenesia Polygamia Superflua.
 1 coronopifolium. K.S. Buckshorn-ld. Mexico. 1823. 8. 10. H. ☉. H. et B. 4. t. 387.
 2 trifidum. K.S. trifid-leaved. ——— ——— H. ☉. ——— 4. t. 388.
ZALUZANIA. P.S. **ZALUZANIA.** Syngenesia Polygamia Superflua. P.S.
 triloba. P.S. three-lobed. Mexico. 1798. 7. 9. F. 4.
PASCALIA. W. **PASCALIA.** Syngenesia Polygamia Superflua. W.
 glauc. w. glaucous-leav'd. Chili. 1799. 6. 8. H. 4. Andr. reposit. 549.
HELIOPSIS. P.S. **HELIOPSIS.** Syngenesia Polygamia Superflua. P.S.
 1 canescens. K.S. hoary-leaved. S. America. 1820. 8. 10. H. 4. Botan. regist. 592.
 2 lævis. P.S. smooth. N. America. 1714. 7. 10. H. 4. L'Herit. stirp. t. 45.
 Bupththalmum helianthoides. w. *Helianthus lævis.* L.
DIOMEDEA. Cas. **DIOMEDEA.** Syngenesia Polygamia Superflua.
 1 glabrata. K.S. smooth. S. America. 1699. 5. 9. G. h. Dill. elth. t. 38. f. 43.
 Bupththalmum arborescens. w.

2 bidentata. Cas.	two-toothed.	————	1696.	6. 8. G. h.	Dill. elth. t. 28. f. 44.
3 argentea. K.S.	silvery-leaved.	————	1823.	—— G. h.	
BUPHTHALMUM.	Ox-EYE.	Syngenesia Polygamia Superflua. L.			
1 sericeum. w.	silky.	Canaries.	1779.	5. 7. G. h.	Botan. magaz. 1836.
2 spinosum. w.	prickly.	Spain.	1570.	6. 9. H. ☉.	
3 aquaticum. w.	sweet-scented.	S. Europe.	1731.	7. 8. H. ☉.	Breyn. cent. t. 77.
4 maritimum. w.	sea.	Sicily.	1640.	7. 9. H. 4.	Bocc. mus. t. 129.
5 salicifolium. w.	Willow-leaved.	Austria.	1759.	6. 10. H. 4.	Jacq. aust. 4. t. 370.
6 grandiflorum. w.	great-flowered.	————	1722.	—— H. 4.	Moris. s. 6. t. 7. f. 52.
7 cordifolium. w.	heart-leaved.	Hungary.	1739.	6. 8. H. 4.	W. et K. hung. 2. t. 113.
8 procumbens. Desf.	procumbent.	1820.	—— H. 4.	
WEDELIA. K.S.	WEDELIA.	Syngenesia Polygamia Necessaria. W.			
1 acapulcensis. K.S.	Acapulco.	S. America.	1823.	6. 8. S. h.	
2 hispida. K.S.	hispid.	New Spain.	1819.	—— S. h.	Botan. regist. 543.
3 radiosa. B.R.	rayed.	S. America.	1822.	—— S. h.	———— 610.
GYMNOLOMA. K.S.	GYMNOLOMA.	Syngenesia Polygamia Necessaria.			
1 triplinerve. K.S.	triple-nerved.	S. America.	1825.	6. 9. S. h.	
2 maculatum. B.R.	spotted-stalk'd.	————	1822.	—— S. h.	Botan. regist. 662.
ACTINOMERIS. N.	ACTINOMERIS.	Syngenesia Polygamia Frustranea.			
1 squarrosa. N.	squarrose.	N. America.	1640.	9. 11. H. 4.	Jacq. vind. 2. t. 110.
	<i>Coreopsis alternifolia.</i>	Jacq. <i>Verbesina</i>	<i>Coreopsis.</i>	Ph.	
2 procera. N.	tall.	————	1765.	9. 10. H. 4.	
	<i>Coreopsis procera.</i>	H. K.			
3 helianthoides. N.	Sunflower-like.	Louisiana.	1825.	—— H. 4.	
4 alata.	wing-stalked.	Mexico.	1803.	7. 8. H. 4.	Cavan. ic. 3. t. 260.
	<i>Coreopsis alata.</i>	W.			
HELIANTHUS. W.	SUNFLOWER.	Syngenesia Polygamia Frustranea. L.			
1 annuus. w.	annual.	S. America.	1596.	6. 10. H. ☉.	
2 indicus. w.	dwarf annual.	Egypt.	1785.	—— H. ☉.	Tabern. ic. 764.
3 tubæformis. w.	tube-flowered.	Mexico.	1799.	7. 8. H. ☉.	Jacq. schœn. 3. t. 375.
4 dentatus. w.	tooth-leaved.	————	1798.	9. 11. G. 4.	Cavan. ic. 3. t. 220.
5 multiflorus. w.	many-flowered.	N. America.	1597.	8. 10. H. 4.	Botan. magaz. 227.
	<i>β plenus.</i>	<i>double-flowered.</i>	————	—— H. 4.	
6 tuberosus. w.	Jerusalem Artichoke.	Brazil.	1617.	9. 10. H. 4.	Jacq. vind. 2. t. 161.
7 pubescens. B.R.	pubescent.	N. America.	1795.	7. 10. H. 4.	Botan. regist. 524.
8 atrorubens. B.R.	dark-eyed.	————	1732.	—— H. 4.	———— 508.
	<i>diffusus.</i>	B. M. 2020. <i>missuricus.</i>	Spr.		
9 lætiflorus. P.S.	pale-flowered.	————	—— H. 4.	
10 divaricatus. w.	divaricate.	————	1759.	8. 10. H. 4.	Moris. s. 6. t. 7. f. 66.
11 trachelifolius. w.	Trachelium-ld.	————	1818.	—— H. 4.	
12 longifolius. Ph.	long-leaved.	Georgia.	1812.	—— H. 4.	
13 pauciflorus. N.	few-flowered.	Louisiana.	1823.	—— H. 4.	
14 giganteus. w.	gigantic.	N. America.	1714.	9. 10. H. 4.	
15 altissimus. w.	tall.	————	1731.	7. 9. H. 4.	Jacq. vind. 2. t. 160.
16 strumosus. w.	Carrot-rooted.	————	1710.	—— H. 4.	Bocc. sic. t. 27. f. 4.
17 prostratus. w.	rough.	————	1800.	—— H. 4.	
18 decapetalus. w.	ten-rayed.	————	1759.	8. 11. H. 4.	Rob. ic. 235.
19 mollis. w.	soft.	————	1805.	7. 10. H. 4.	
20 macrophyllus. w.	large-leaved.	————	1800.	8. 10. H. 4.	Willd. hort. ber. t. 70.
21 angustifolius. w.	narrow-leaved.	————	1789.	9. 10. H. 4.	Mill. ic. t. 224. f. 2.
22 excelsus. w.	lofty.	Mexico.	1824.	—— H. 4.	Cav. ic. 3. t. 219.
	<i>giganteus.</i>	Cav. non w.			
23 linearis. w.	linear-leaved.	————	1818.	8. 10. H. 4.	Botan. regist. 523.
24 parviflorus. K.S.	small-flowered.	————	1824.	—— H. 4.	H. et B. 4. t. 378.
25 cornifolius. K.S.	Dogwood-ld.	————	——	—— H. 4.	
26 trilobatus. L. en.	three-lobed.	————	1823.	—— H. 4.	
VIGUIERA. K.S.	VIGUIERA.	Syngenesia Polygamia Frustranea.			
	helianthoides. K.S.	Sunflower-like.	Cuba.	1825.	6. 9. S. 4.
GALARDIA. W.	GALARDIA.	Syngenesia Polygamia Frustranea.			
1 bicolor. w.	two-coloured.	Carolina.	1787.	7. 10. H. 4.	H. et B. 4. t. 379.
2 aristata. Ph.	long-awned.	N. America.	1812.	—— H. 4.	Botan. magaz. 1602.
RUDBECKIA. W.	RUDBECKIA.	Syngenesia Polygamia Frustranea. L.			
1 pinnata. Ph.	fragrant.	N. America.	1803.	8. 9. H. 4.	Swt. br. fl. gar. 146.
2 digitata. Ph.	narrow-jagged-ld.	————	1759.	—— H. 4.	Moris. s. 6. t. 6. f. 54.
3 laciniata. Ph.	broad jagged-ld.	————	1640.	7. 9. H. 4.	—— s. 6. t. 6. f. 53.
4 columnaris. Ph.	high-crowned.	————	1811.	8. 9. H. 4.	Botan. magaz. 1601.
5 subtomentosa. Ph.	downy-lobed.	————	1802.	—— H. 4.	
6 triloba. Ph.	three-lobed.	————	1699.	—— H. 4.	Botan. regist. 525.

7 hirta. Ph.	great hairy.	— — —	1714.	6. 11. H. 4.	Swt. br. fl. gar. 82.
8 fulgida. Ph.	small hairy.	— — —	1760.	7. 8. H. 4.	Botan. magaz. 1996.
9 lævigata. Ph.	smooth.	Carolina.	1812.	— F. 4.	
10 amplexifolia. Ph.	stem-clasping.	Louisiana.	1793.	— H. 4.	Jacq. ic. 3. t. 592.
11 serotina. B.F.G.	hispid-stalked.	— — —	1816.	8. 10. H. 4.	Swt. br. fl. gar. t. 4.
12 purpurea. Ph.	purple.	N.America.	1699.	7. 10. H. 4.	Botan. magaz. 2.
13 napifolia. K.S.	Rape-leaved.	New Spain.	1824.	— G. 4.	
COSMEA. W.	COSMEA. Syngenesia Polygamia Frustranea. W.				
1 sulphurea. w.	Southernwood-ld.	Mexico.	1799.	7. 8. H. 4.	Jacq. ic. 3. t. 595.
2 tenella. K.S.	slender.	— — —	1825.	10. 11. G. 4.	
3 bipinnata. w.	purple-flow'r'd.	— — —	1799.	— G. 4.	Botan. magaz. 1535.
4 crithmifolia. K.S.	Samphire-ld.	— — —	1825.	— G. 4.	
5 parviflora. w.	white-flowered.	— — —	1800.	— H. 4.	Jacq. schœn. 3. t. 374.
DAHLIA. Cav.	DAHLIA. Syngenesia Polygamia Superflua. W.				
1 superflua. H.K.	fertile-rayed.	Mexico.	1789.	7. 11. H. 4.	Cavan. ic. 1. t. 80.
Georgina pinnata. w.					
α purpurea.	purple-flowered.	— — —	—	H. 4.	Ann. mus. 3. t. 37. f. 1.
β lilacina.	rose-coloured.	— — —	—	H. 4.	Sal. par. lond. 16.
γ pallida.	pale-flowered.	— — —	—	H. 4.	
δ alba.	white-flowered.	— — —	—	H. 4.	
ε flava.	yellow-flowered.	— — —	—	H. 4.	
ζ cuprea.	copper-coloured.	— — —	—	H. 4.	
η rubra.	red-flowered.	— — —	—	H. 4.	Botan. magaz. 1885. A.
θ punicea.	Pomegranate.	— — —	—	H. 4.	Botan. regist. 55.
ι atropurpurea.	dark-purple.	— — —	—	H. 4.	
κ nigra.	very dark.	— — —	—	H. 4.	
λ variegata.	variegated-fl'd.	— — —	—	H. 4.	
μ nana.	double dwarf lilac.	— — —	—	H. 4.	Andr. reposit. 483.
ν superba.	double purple.	— — —	—	H. 4.	Botan. magaz. 1885. B.
ξ ranunculiflora.	Ranunculus-fl'd.	— — —	—	H. 4.	
ο pœoniæflora.	double Pœony-fl'd.	— — —	—	H. 4.	
π coccineo-aurantiaca.	scarlet orange.	— — —	—	H. 4.	
ρ sulphurea.	sulphur-coloured.	— — —	—	H. 4.	
σ sulphureo-nana.	dwarf-sulphur.	— — —	—	H. 4.	
τ camelliæflora.	Camellia-fl'd.	— — —	—	H. 4.	
2 frustranea. H.K.	barren-rayed.	— — —	1802.	H. 4.	Cavan. ic. t. 266.
α coccinea.	scarlet.	— — —	—	H. 4.	Botan. magaz. 762.
β fulgens.	bright scarlet.	— — —	—	H. 4.	
γ aurantia.	orange-coloured.	— — —	—	H. 4.	
δ crocea.	saffron-coloured.	— — —	—	H. 4.	
ε lutea.	yellow.	— — —	—	H. 4.	
COREOPSIS. W.	COREOPSIS. Syngenesia Polygamia Frustranea. L.				
1 ferulæfolia. w.	Fennel-leaved.	Mexico.	1799.	10. 11. F. 4.	Jacq. schœn. 3. t. 373.
2 verticillata. w.	whorl-leaved.	N.America.	1759.	7. 10. H. 4.	Botan. magaz. 156.
3 tenuifolia. w.	slender-leaved.	— — —	1780.	7. 8. H. 4.	Pluk. man. t. 344. f. 4.
4 trichosperma. M.	pinnate-leaved.	Carolina.	1822.	8. 10. G. 4.	
5 chrysantha. w.	Angelica-ld.	W. Indies.	1752.	7. 9. S. 4.	Plum. ic. 53. f. 1.
6 aurea. w.	Hemp-leaved.	N.America.	1785.	8. 9. H. 4.	
7 tripteris. Ph.	three-leaved.	— — —	1737.	8. 10. H. 4.	Moris. s. 6. t. 3. f. 44.
8 discolor. L.en.	two-coloured.	— — —	1818.	— H. 4.	
9 senifolia. Ph.	sessile-leaved.	— — —	1812.	— H. 4.	
10 amplexicaulis. Cav.	stem-clasping.	1806.	7. 8. H. 4.	
11 alba. w.	climbing.	Jamaica.	1699.	6. 7. S. 4.	Herm. parad. 124.
12 incisa. B. reg.	jagged-leaved.	W. Indies.	9. 12. S. 4.	Botan. regist. 7.
13 reptans. w.	trailing.	— — —	1792.	7. 9. S. 4.	Smith spic. t. 22.
14 tinctoria. N.	dyeing.	Arkansa.	1823.	6. 10. H. 4.	Swt. brit. fl. gar. 72.
15 palmata. N.	palmate-leav'd.	Louisiana.	—	8. 10. H. 4.	
16 auriculata. w.	ear-leaved.	N.America.	1699.	8. 10. H. 4.	Schk. han. 3. t. 260.
17 latifolia. w.	broad-leaved.	— — —	1786.	8. 9. H. 4.	
18 arguta. Ph.	sharp-notched.	Carolina.	— H. 4.	
19 lanceolata. w.	spear-leaved.	— — —	1724.	7. 9. H. 4.	Swt. br. fl. gar. 10.
20 crassifolia. w.	thick-leaved.	— — —	1786.	8. 10. H. 4.	
21 angustifolia. w.	narrow-leaved.	N.America.	1778.	6. 8. H. 4.	
22 rosea. N.	rose-coloured.	— — —	—	H. 4.	
BIDENS. K.S.	BIDENS. Syngenesia Polygamia Frustranea.				
1 nodiflora. w.	sessile-flower'd.	E. Indies.	1732.	7. 8. S. 4.	Dill. elth. t. 44. f. 52.
2 tripartita. w.	trifid.	Britain.	7. 9. H. 4.	Eng. bot. 1113.
3 cernua. w.	nodding.	— — —	7. 9. H. 4.	1114.
4 heterophylla. w.	various-leaved.	Mexico.	1803.	8. 9. G. 4.	Orteg. dec. 8. t. 12.

5 luxurians. w.en.	luxuriant.	1823.	—	G. 4.	
6 frondosa. w.	smooth-stalk'd.	N. America. 1710.	7. 8.	H. ☉.	Moris. s. 6. t. 5. f. 21.
7 foliosa. w.en.	leafy. 1823.	—	H. ☉.	
8 connata. w.	connate.	N. America. —	—	H. ☉.	
9 leucantha. w.	white-flower'd.	S. America.	—	H. ☉.	
10 chinensis. w.	Chinese.	China. 1801.	6. 7.	H. ☉.	Rumph. amb. 6. t. 15. f. 2.
11 diversifolia. w.	different-ld.	S. America. 1811.	9. 10.	H. ☉.	Botan. magaz. 1689.
<i>Cosmea lutea</i> . B.M. <i>Coreopsis diversifolia</i> . Jacq.					
12 pilosa. w.	hairy.	N. America. 1732.	7.	H. ☉.	Dill. elth. t. 43. f. 51.
13 sambucifolia. w.	Elder-leaved.	S. America. 1801.	7. 8.	H. 4.	Cavan. ic. 3. t. 229.
14 odorata. w.	sweet-scented.	Mexico. 1823.	—	H. ☉.	—— 1. t. 13.
15 bipinnata. w.	Hemlock-ld.	N. America. 1687.	—	H. ☉.	Herm. parad. t. 123.
16 parviflora. w.en.	small-flowered. 1823.	—	H. ☉.	
17 bullata. w.	rough-leaved.	N. America. 1759.	—	H. ☉.	Arduin. spec. 2. t. 18.
18 reflexa. L.en.	reflexed.	Mexico. 1824.	—	G. 4.	
19 crithmifolia. K.s.	Samphire-ld.	S. America. —	9. 10.	G. 4.	
20 angustifolia. K.s.	narrow-leaved.	New Spain. —	—	H. 4.	
21 procera. B.R.	tall.	S. America. 1818.	—	H. 4.	Botan. regist. 684.
OSMITES. W.	OSMITES.	Syngenesia Polygamia Frustranea. W.			
1 bellidiastrum. w.	Daisy-like.	C. B. S. 1816.	4. 8.	G. h.	
2 camphorina. w.	Camphire-scent'd.	—— 1794.	4. 7.	G. h.	Seb. mus. 1. t. 90. f. 2.
SCLEROCARPUS. W.	SCLEROCARPUS.	Syngenesia Polygamia Frustranea. W.			
africanus. w.	African.	Guinea. 1812.	7. 8.	G. ☉.	Jacq. ic. 1. t. 176.
CULLUMIA. H.K.	CULLUMIA.	Syngenesia Polygamia Frustranea. H.K.			
1 ciliaris. H.K.	ciliated.	C. B. S. 1774.	5. 6.	G. h.	Burm. afr. t. 54. f. 1.
2 setosa. H.K.	recurved smooth-ld.	—— 1780.	6. 8.	G. h.	
3 squarrosa. H.K.	recurv'd-awl-ld.	—— 1786.	—	G. h.	Th. act. hafn. 3. t. 5.
BERCKHEYA. H.K.	BERCKHEYA.	Syngenesia Polygamia Frustranea. H.K.			
1 cynaroides. w.	Artichoke-cup'd.	C. B. S. 1789.	6.	G. 4.	
2 obovata. w.	smooth shrubby.	—— 1794.	6. 8.	G. h.	Hout. n. h. 6. t. 34. f. 2.
3 incana. w.	hoary.	—— 1739.	7. 8.	G. h.	Jacq. ic. 3. t. 591.
4 cuneata. w.	wedge-leaved.	—— 1812.	6. 8.	G. h.	Th. act. hafn. 3. t. 10.
5 palmata. w.	palmated.	—— 1800.	—	G. h.	—— 3. t. 13.
6 grandiflora. w.	large-flowered.	—— 1812.	—	G. h.	Botan. magaz. 1844.
7 uniflora. w.	single-flowered.	—— 1815.	—	G. h.	Th. act. hafn. 3. t. 7.
8 cernua. H.K.	drooping-fl'd.	—— 1774.	5. 7.	G. ♂.	Meerb. ic. 1. t. 40.
DIDELTA. H.K.	DIDELTA.	Syngenesia Polygamia Frustranea. H.K.			
1 carnosum. H.K.	alternate-ld.	C. B. S. 1774.	6. 7.	G. h.	L'Her. stirp. t. 28.
2 spinosum. H.K.	opposite-leav'd.	—— —	—	G. h.	Wendl. obs. t. 4. f. 32.
GORTERIA. H.K.	GORTERIA.	Syngenesia Polygamia Frustranea. H.K.			
personata. H.K.	procumbent.	C. B. S. 1774.	7. 8.	G. ☉.	Jacq. coll. 4. t. 21. f. 1.
GAZANIA. H.K.	GAZANIA.	Syngenesia Polygamia Frustranea. H.K.			
1 uniflora. B.M.	golden.	C. B. S. 1816.	7. 8.	G. h.	Botan. magaz. 2270.
2 rigens. H.K.	great-flowered.	—— 1755.	5. 9.	G. h.	—— 90.
3 heterophylla. w.	various-leaved.	—— 1812.	—	G. 4.	Willd. hort. ber. t. 97.
4 Pavonia. H.K.	Peacock.	—— 1804.	6. 7.	G. 4.	Botan. regist. 35.
5 subulata. H.K.	awl-leaved.	—— 1792.	7. 8.	G. 4.	
CRYPTOSTEMMA. H.K.	CRYPTOSTEMMA.	Syngenesia Polygamia Frustranea.			
1 calendulaceum. H.K.	Marygold-fl'd.	C. B. S. 1752.	6. 8.	H. ☉.	Botan. magaz. 2252.
2 hypochondriacum. H.K.	divided-rayed	—— 1731.	7. 8.	H. ☉.	
3 runcinatum. H.K.	Dandelion-ld.	—— 1794.	—	H. ☉.	
ARCTOTHECA. W.	ARCTOTHECA.	Syngenesia Polygamia Frustranea. H.K.			
1 repens. w.	creeping.	C. B. S. 1793.	7. 8.	G. 4.	Jacq. schœn. 3. t. 306.
2 hirta. L.en.	hairy.	—— 1818.	7. 9.	G. 4.	
SPHENOGYNE. H.K.	SPHENOGYNE.	Syngenesia Polygamia Frustranea. H.K.			
1 anthemoides. H.K.	white-crowned.	C. B. S. 1774.	7. 9.	H. ☉.	Botan. magaz. 544.
2 crithmifolia. H.K.	Samphire-ld.	—— 1768.	4. 8.	G. h.	Burm. afr. t. 65. f. 1.
3 scariosa. H.K.	scaly-cupped.	—— 1774.	—	G. h.	
4 abrotanifolia. H.K.	Southernwood-ld.	—— 1789.	5. 8.	G. h.	
5 dentata. H.K.	small-leaved.	—— 1787.	6. 7.	G. h.	Burm. afr. t. 64.
6 pilifera. B.R.	hair toothed.	—— 1820.	—	G. h.	Botan. regist. 604.
7 fœniculacea.	Fennel-leaved.	—— 1825.	5. 9.	G. ☉.	Jacq. schœn. 2. t. 156.
<i>Arctotis fœniculacea</i> . Jacq.					
8 leucanthemoides.	Ox-eye Daisy-ld.	—— —	—	G. ☉.	—— 2. t. 164.
<i>Arctotis leucanthemoides</i> . Jacq.					
9 odorata. H.K.	smooth-seeded.	—— 1774.	4. 6.	G. h.	
TITHONIA. W.	TITHONIA.	Syngenesia Polygamia Frustranea. W.			
tagetiflora. w.	Tagetes-fl'd.	W. Indies. 1821.	8. 9.	S. 4.	Botan. regist. 591.

ARCTOTIS. H.K.		ARCTOTIS. Syngenesia Polygamia Necessaria.		L.	
1 acaulis. w.	dwarf.	C. B. S.	1759.	4. 7. G. 2.	Botan. regist. 122.
2 tricolor. w.	three-coloured.	—	1794.	5. 7. G. 2.	— 131.
3 undulata. w.	wave-leaved.	—	1795.	4. 6. G. 2.	Jacq. schœn. 2. t. 160.
4 grandiflora. H.K.	great-flowered.	—	1774.	3. 5. G. 2.	—
5 speciosa. w.	showy.	—	1812.	6. 8. G. 2.	Botan. magaz. 2182.
6 glaucophylla. w.	Sea-green-ld.	—	1794.	5. 8. G. 2.	Jacq. schœn. 2. t. 170.
7 plantaginea. w.	Plantain-ld.	—	1768.	6. 8. G. 2.	—
8 argentea. w.	silver-leaved.	—	1774.	8. G. 2.	—
9 rosea. w.	Rose.	—	1793.	7. 9. G. 2.	Jacq. schœn. 2. t. 162.
10 decumbens. w.	decumbent.	—	1790.	— G. 2.	— 3. t. 381.
11 angustifolia. w.	narrow-leaved.	—	1739.	— G. 2.	—
12 flaccida. w.	bending-stalk'd.	—	1794.	5. 7. G. 2.	Jacq. schœn. 2. t. 163.
13 virgata. w.	slender-twigg'd.	—	1816.	7. 9. H. 2.	— 3. t. 307.
14 paniculata. w.	panicled.	—	—	— G. 2.	— 3. t. 380.
15 decurrens. w.	decurrent.	—	—	6. 7. G. 2.	— 2. t. 165.
16 melanocicla. w.en.	various-colour'd.	—	1812.	— G. 2.	—
17 reptans. w.	creeping.	—	1795.	7. 9. G. 2.	Jacq. schœn. 3. t. 382.
18 auriculata. w.	ear-leaved.	—	—	6. 8. G. 2.	— 2. t. 169.
19 fastuosa. w.	Orange-ld.	—	—	5. 7. G. 2.	— 2. t. 166.
10 spinulosa. w.	thorny-leaved.	—	—	5. 8. G. 2.	— 2. t. 167.
21 maculata. w.	spotted.	—	1812.	— G. 2.	Botan. regist. 130.
22 aspera. B. reg.	broad rough-ld.	—	1710.	7. 9. G. 2.	— 34.
23 elatior. w.	tall.	—	1816.	— G. 2.	Jacq. schœn. 2. t. 172.
24 arborescens. w.	arborescent.	—	—	— G. 2.	— 2. t. 171.
25 aureola. B. reg.	narrow rough-ld.	—	—	— G. 2.	Botan. regist. 32.
26 revoluta. w.	revolute-leav'd.	—	1824.	8. 10. H. 2.	Jacq. schœn. 2. t. 173.
27 cuprea. w.	copper-colour'd.	—	—	7. 8. G. 2.	— 2. t. 176.
28 squarrosa. w.	squarrose.	—	1825.	— G. 2.	— 2. t. 177.
29 Cineraria. w.	black-eyed.	—	—	— G. 2.	— 2. t. 174.
30 bicolor. w.en.	two-coloured.	—	1812.	— G. 2.	—
31 glabrata. w.	smooth-leaved.	—	1816.	7. 9. G. 2.	Jacq. schœn. 2. t. 175.
CALENDULA. W.		MARYGOLD. Syngenesia Polygamia Necessaria.		L.	
1 arvensis. w.	field.	Europe.	1597.	6. 9. H. 2.	—
2 sicula. w.en.	Sicilian.	Sicily.	1816.	— H. 2.	—
3 stellata. w.	starry.	Barbary.	1795.	6. 9. H. 2.	Schk. hand. 3. t. 265.
4 officinalis. w.	common.	S. Europe.	1573.	— H. 2.	—
β plena.	double-flowered.	—	—	— H. 2.	—
5 ægyptiaca. P.S.	Egyptian.	Egypt.	1820.	— H. 2.	—
6 suffruticosa. w.	suffrutescent.	S. Europe.	1823.	— G. 2.	—
7 sancta. w.	pale-flowered.	Levant.	1731.	5. 9. H. 2.	—
8 incana. w.	hoary.	Barbary.	1796.	6. 8. H. 2.	Desf. alt. 2. t. 245.
9 pluvialis. w.	small Cape.	C. B. S.	1699.	— H. 2.	Mill. ic. t. 75. f. 2.
10 hybrida. w.	great Cape.	—	1752.	6. 7. H. 2.	Swt. br. fl. gar. 39.
11 nudicaulis. w.	naked-stalked.	—	1731.	6. 8. H. 2.	Comm. hort. 2. t. 33.
12 denticulata. w.en.	toothed.	S. Europe.	1821.	— H. 2.	—
13 graminifolia. w.	Grass-leaved.	—	1731.	5. 9. G. 2.	Botan. regist. 289.
14 Tragus. w.	bending-stalk'd.	—	1774.	5. 6. G. 2.	Botan. magaz. 408.
β flaccida. v.	flaccid.	—	—	— G. 2.	Botan. regist. 28.
15 viscosa. H.K.	viscous.	—	1790.	6. 9. G. 2.	Andr. reposit. 412.
Arctotis glutinosa. B.M.	1343.	—	—	—	—
16 dentata. B.R.	tooth-leaved.	—	1790.	5. 6. G. 2.	Andr. reposit. c. ic.
17 oppositifolia. w.	glaucous-ld.	—	1774.	8. G. 2.	—
18 fruticosa. w.	shrubby.	—	1752.	6. 7. G. 2.	Mill. ic. 2. t. 283.
19 chrysanthemifolia. v.	large-flowered.	—	1790.	3. 8. G. 2.	Botan. regist. 40.
20 arborescens. w.	rough-leaved.	—	1774.	12. G. 2.	Jacq. ic. 3. t. 596.
21 muricata. w.	muricate.	—	1816.	— G. 2.	—
POLYMNIA. W.		POLYMNIA. Syngenesia Polygamia Necessaria.		L.	
1 canadensis. w.	Canadian.	N. America.	1768.	7. 8. H. 2.	Lin. am. ac. 3. t. 1. f. 5.
2 Uvedalia. w.	broad-leaved.	—	1699.	8. 10. H. 2.	Moris. s. 6. t. 7. f. 55.
3 maculata. Cav.	spotted-stalked.	Mexico.	1823.	9. 11. H. 2.	Cav. ic. 3. t. 227.
4 abyssinica. w.	upright.	Africa.	1775.	4. 5. S. 2.	—
MELAMPODIUM. W.		MELAMPODIUM. Syngenesia Polygamia Necessaria.		W.	
1 americanum. w.	American.	Vera Cruz.	1733.	8. 10. S. 2.	Reliq. Houst. 9. t. 21.
2 humile. w.	dwarf.	Jamaica.	1782.	6. 10. S. 2.	—
3 hispidum. K.S.	hispid.	New Spain.	1825.	9. 11. H. 2.	H. et B. 4. t. 399.
4 perfoliatum. K.S.	perfoliate.	—	1796.	8. 10. H. 2.	Cavan. ic. 1. t. 15.
Alcina perfoliata. Cav.	—	—	—	—	—
5 longifolium. w.en.	long-leaved.	Canaries.	1820.	— H. 2.	—

MILLERIA. L.	MILLERIA. Syngenesia Polygamia Necessaria. L.		
1 quinqueflora. w.	five-flowered. Vera Cruz. 1731. 7. 10. H. ☉.	Cavan. ic. 1. t. 82.	
2 biflora. w.	two-flowered. S. America. 1730. — H. ☉.	Mart. dec. 47. f. 1.	
FLAVERIA. J.	FLAVERIA. Syngenesia Polygamia Necessaria. P.S.		
1 Contrayerba. K.S.	Peruvian. Peru. 1794. 8. 10. S. ♂.	Cavan. ic. 1. t. 4.	
2 angustifolia. K.S.	narrow-leaved. Mexico. 1825. — H. ☉.	— 3. t. 223.	
3 maritima. K.S.	sea-side. Cuba. 1822. — S. ☉.		
BALTIMORA. W.	BALTIMORA. Syngenesia Polygamia Necessaria. L.		
recta. w.	upright. Vera Cruz. 1699. 6. 7. H. ☉.	Schk. ha. 3. t. 261. C.	
SILPHIUM. W.	SILPHIUM. Syngenesia Polygamia Necessaria. L.		
1 laciniatum. w.	jagged-leaved. N. America. 1781. 7. 9. H. ☉.	Lin. fil. fas. 1. t. 3.	
2 compositum. w.	scollop-leaved. — 1789. — H. ♀.		
3 therebinthinaceum.	broad-leaved. — 1765. 8. 9. H. ♀.	Jacq. vind. 1. t. 43.	
4 perfoliatum. w.	perfoliate. — 1766. 7. 10. H. ♀.		
5 conjunctum. w.en.	conjoined. — — H. ♀.		
6 connatum. w.	round-stalked. — 1765. — H. ♀.		
7 Asteriscus. w.	hairy-stalked. — 1732. 7. 9. H. ♀.	Dill. elth. t. 37. f. 42.	
8 scabrum. N.	rough-leaved. — 1823. — H. ♀.		
9 pumilum. w.	dwarf woolly. — — H. ♀.		
10 trifoliatum. w.	three-leaved. — 1755. 7. 10. H. ♀.	Moris. s. 6. t. 3. f. 68.	
11 ternatum. w.	various-leaved. — 1806. — H. ♀.		
12 atropurpureum. w.	purple-stalked. — 1812. — H. ♀.		
OSTEOSPERMUM.	OSTEOSPERMUM. Syngenesia Polygamia Necessaria. L.		
1 spinosum. H.K.	rough-leaved. C. B. S. 1700. 2. 10. G. h.	Com. hort. 2. t. 43.	
2 spinescens. H.K.	smooth-leaved. — 1793. 3. 6. G. h.	Jacq. schœn. 3. t. 377.	
3 pisiferum. w.	smooth. — 1757. 3. 5. G. h.	Mill. ic. 2. t. 194. f. 1.	
4 moniliferum. w.	Poplar-leaved. — 1714. 7. 8. G. h.	Dill. elth. t. 68. f. 79.	
5 ilicifolium. w.	Holly-leaved. — 1816. — G. h.	Burm. afr. 172. t. 62.	
6 rigidum. w.	rigid. — 1774. 4. 7. G. h.		
7 cœruleum. w.	blue-flowered. — 6. 9. G. h.	Jacq. ic. 1. t. 179.	
8 perfoliatum. w.	perfoliate. — 1816. 5. 8. G. h.		
9 niveum. w.	white-leaved. — 1820. — G. h.		
10 corymbosum. w.	corymbed. — — G. h.		
11 incanum. w.	hoary-leaved. — 1816. 7. 8. G. h.		
12 polygaloides. w.	Milkwort-ld. — 1759. — G. h.	Pluk. mant. t. 382.	

SUBORDO VII. *AMBROSIACEÆ.* Link enum. 2. p. 366.

PARTHENIUM. W.	PARTHENIUM. Syngenesia Polygamia Necessaria. L.		
1 integrifolium. w.	entire-leaved. Virginia. 1661. 6. 10. H. ♀.	Willd. hort. ber. 4.	
2 incanum. K.S.	hoary. Mexico. 1824. — H. ☉.	H. et B. 4. t. 391.	
3 Hysterophorus. w.	cut-leaved. W. Indies. 1728. 7. 10. H. ☉.	Botan. magaz. 2275.	
IVA. W.	IVA. Syngenesia Polygamia Necessaria. L.		
1 ciliata. w.	ciliated. N. America. 1820. 7. 8. H. ☉.		
2 annua. w.	annual. S. America. 1768. — H. ☉.	Schmidel ic. t. 16.	
3 frutescens. w.	shrubby. N. America. 1711. 8. H. h.	Pluk. alm. t. 27. f. 1.	
AMBROSIA. W.	AMBROSIA. Monœcia Pentandria. L.		
1 integrifolia. w.	entire-leaved. N. America. 1816. 7. 9. H. ☉.		
2 trifida. w.	trifid-leaved. — 1699. — H. ☉.	Moris. s. 6. t. 1. f. 4.	
3 elatior. w.	tall. — 1696. 7. 8. H. ☉.	Herm. lugdb. t. 35.	
4 artemisiæfolia. w.	Mugwort-leav'd. — 1759. — H. ☉.		
5 paniculata. w.	panicked. — 1811. 7. 9. H. ☉.	Pluk. alm. t. 10. f. 5.	
6 maritima. w.	sea. Italy. 1570. 7. 8. H. ☉.	Schk. hand. 3. t. 292.	
7 cumanensis. K.S.	Cumana. S. America. 1823. 9. 11. G. ♀.		
8 peruviana. w.	Peruvian. Peru. 1821. — G. ♀.		
XANTHIUM. W.	XANTHIUM. Monœcia Pentandria. L.		
1 Strumarium. w.	small burdock. England. 7. 9. H. ☉.	Eng. bot. 2544.	
2 orientale. w.	oriental. China. 1685. — H. ☉.	Schk. hand. 3. t. 291.	
3 echinatum. w.	hedgohog. 1818. — H. ☉.		
4 catharticum. K.S.	divided-leaved. S. America. 1825. 9. 10. H. ☉.		
5 spinosum. w.	spiny. S. Europe. 1713. 7. 9. H. ☉.	Herm. parad. 246.	
NEPHELIUM. W.	NEPHELIUM. Monœcia Pentandria. L.		
lappaceum. w.	Bur-seeded. E. Indies. 1809. S. h.	Lam. ill. t. 764.	
FRANSERIA. W.	FRANSERIA. Monœcia Pentandria. W.		
1 artemisioides. w.	Mugwort-ld. Peru. 1759. 7. 9. G. h.	Willd. hort. ber. t. 2.	
2 ambrosioides. w.	Ambrosia-ld. Mexico. 1796. — G. h.	Cavan. ic. 2. t. 200.	

SUBORDO VIII. *ANTHEMIDEÆ*. *Kth. synops. 2. p. 513.*

CEPHALOPHORA. W. CEPHALOPHORA. Syngenesia Polygamia Æqualis. W.									
glauc. w.	glaucous.	Chili.	1798.	7. 8.	H. ☉.	Cavan. ic. 6. t. 599.			
<i>Græmia aromatica</i> . Hook. ex. flor. 189.									
ETHULIA. W. ETHULIA. Syngenesia Polygamia Æqualis. W.									
1 conyzoides. w.	panicled.	India.	1776.	7. 8.	S. ☉.	Linn. fil. dec. t. 1.			
2 divaricata. w.	spreading.	—	1815.	—	S. ☉.	Lam. ill. t. 699.			
<i>Epaltes divaricata</i> . Cas.									
3 ramosa. H.B.	branching.	—	1818.	—	S. ☉.				
4 brasiliensis. L.en.	Brazilian.	Brazil.	1822.	—	S. 4.				
TARCHONANTHUS. W. AFRICAN FLEABANE. Syngenesia Polygamia Æqualis. L.									
1 camphoratus. w.	strong-scented.	C. B. S.	1690.	6. 10.	G. h.	Lam. ill. t. 671.			
2 dentatus. P.S.	scentless.	—	1816.	—	G. h.				
OTANTHUS. L.en. OTANTHUS. Syngenesia Polygamia Æqualis.									
maritimus. L.en.	sea-side.	England.	—	7. 9.	H. h.	Eng. bot. 141.			
<i>Santolina maritima</i> . E.B.									
SANTOLINA. W. LAVENDER-COTTON. Syngenesia Polygamia Æqualis. L.									
1 Chamæ-Cyparissus. w.	common.	S. Europe.	1573.	7.	H. h.	Lam. ill. t. 671. f. 3.			
2 squarrosa. w.	hoary.	—	1570.	7. 8.	H. h.	Moris. s. 6. t. 3. f. 17.			
3 viridis. w.	dark-green.	—	1727.	7.	H. h.				
4 rosmarinifolia. w.	Rosemary-ld.	—	1683.	7. 9.	H. h.	Sm. exot. bot. 2. t. 62.			
5 alpina. w.	Alpine.	Italy.	1798.	—	H. 4.	Barr. rar. t. 522.			
6 eriosperma. P.S.	woolly-seeded.	—	1818.	—	H. h.				
7 crithmifolia. W.en.	Samphire-ld.	S. Europe.	1823.	—	H. 4.				
8 pinnata. viv.	wing-leaved.	—	1791.	—	G. h.				
9 anthemoides. w.	Chamomile-ld.	—	1727.	7. 8.	H. 4.	Flor. græc. t. 854.			
ATHANASIA. W. ATHANASIA. Syngenesia Polygamia Æqualis. L.									
1 crenata. w.	crenated.	C. B. S.	1816.	6. 8.	G. h.				
2 punctata. w.	punctated.	—	1822.	5. 7.	G. h.	Petiv. gaz. t. 81. f. 6.			
3 capitata. w.	hairy.	—	1774.	1. 3.	G. h.	Moris. s. 6. t. 3. f. 48.			
4 pubescens. w.	villous-leaved.	—	1768.	6. 8.	G. h.	Comm. hort. 2. t. 47.			
5 canescens. w.	canescent.	—	1822.	—	G. h.	Cavan. ic. 1. t. 3.			
<i>lanuginosa</i> . Cav.									
6 cuneifolia. P.S.	wedge-leaved.	—	1816.	7. 9.	G. h.	Lam. ill. t. 670. f. 3.			
7 annua. w.	annual.	Barbary.	1686.	7. 8.	H. ☉.	Botan. magaz. 2276.			
8 dentata. w.	tooth-leaved.	C. B. S.	1759.	—	G. h.	Comm. rar. t. 41.			
9 trifurcata. w.	trifid-leaved.	—	1710.	—	G. h.	Comm. hort. 2. t. 49.			
10 virgata. w.	twiggy.	—	1815.	—	G. h.	Jacq. schœn. 2. t. 148.			
11 tomentosa. w.	Lavender-ld.	—	1774.	5. 6.	G. h.	Lam. ill. t. 670. f. 1.			
<i>cinerea</i> . L.									
12 filiformis. w.	fine-leaved.	—	1787.	8.	G. h.				
13 crithmifolia. w.	Samphire-ld.	—	1723.	7. 8.	G. h.	Comm. hort. 2. t. 50.			
14 parviflora. w.	small-flow'r'd.	—	1731.	4.	G. h.	Jacq. schœn. 2. t. 149.			
15 tricuspis. P.S.	three-pointed.	—	1816.	—	G. h.				
16 pectinata. w.	pectinated.	—	1774.	5. 6.	G. h.				
17 pinnata. w.	pinnated.	—	1824.	6. 8.	G. h.	Lam. ill. t. 670. f. 4.			
BALSAMITA. W. COSTMARY. Syngenesia Polygamia Æqualis. W.									
1 virgata. w.	twiggy.	Italy.	1791.	6. 7.	H. 4.	Jacq. obs. 4. t. 81.			
2 ageratifolia. w.	Ageratum-ld.	Candia.	1605.	6. 10.	G. h.	Alp. exot. t. 326.			
2 vulgaris. w.	common.	Italy.	1568.	8. 9.	H. 4.	Schk. hand. 3. t. 240.			
4 annua. DC.	annual.	S. Europe.	1629.	7. 8.	H. ☉.	Mill. ic. 2. t. 227. f. 1.			
<i>Tanacetum annuum</i> . W.									
PENTZIA. Th. PENTZIA. Syngenesia Polygamia Æqualis. W.									
flabelliformis. w.	fan-leaved.	C. B. S.	1774.	5. 8.	G. h.	Botan. magaz. 212.			
<i>Tanacetum flabelliforme</i> . B.M.									
TANACETUM. W. TANSY. Syngenesia Polygamia Superflua. L.									
1 vestitum. w.	imbricated.	C. B. S.	1816.	8. 9.	G. h.				
2 linifolium. w.	Flax-leaved.	—	1774.	8.	G. h.				
3 suffruticosum. w.	shrubby.	—	1751.	5. 9.	G. h.	Comm. hort. 2. t. 100.			
4 sibiricum. w.	Siberian.	Siberia.	1823.	—	H. 4.	Gmel. sib. 2. t. 65. f. 2.			
5 argenteum. w.	silvery.	Levant.	1812.	—	H. 4.				
6 grandiflorum. w.	great-flowered.	C. B. S.	1825.	—	G. 4.				
7 myriophyllum. w.	many-leaved.	Levant.	1818.	—	H. 4.				
<i>Achillea bipinnata</i> . L.									

8	angulatum. w.	angular-cupp'd. Levant.	—	—	H. 4.	
	<i>Achillea filipendulina.</i> P.S.					
9	canariense. DC.	Canary.	Canaries.	1816.	—	G. h.
10	vulgare. w.	common.	Britain.	—	H. 4.
	<i>β crispum.</i>	curled.				Eng. bot. 1229.
ARTEMISIA. W. WORMWOOD. Syngenesia Polygamia Superflua. L.						
1	judaica. w.	Judean.	Levant.	1688.	8.	G. h.
2	valentina. w.	Spanish.	Spain.	1739.	7. 8.	F. h.
3	arragonensis. w.	snowy white.	—	1816.	—	F. h.
4	subcanescens. w.en.	hoary-leaved.	S. Europe.	—	F. h.
5	Abrotanum. w.	Southernwood.	—	1548.	8. 10.	H. h.
6	procera. w.	tall.	S. Europe.	1816.	—	F. h.
	<i>paniculata.</i> Lam.					
7	tenuifolia. w.	slender-leaved.	1732.	9. 12.	G. h.
8	afra. w.	Cape.	C. B. S.	1816.	—	G. h.
9	arborescens. w.	tree.	Levant.	1640.	6. 8.	H. h.
10	argentea. w.	silvery.	Madeira.	1777.	6. 7.	G. h.
11	pauciflora. M.B.	few-flowered.	Russia.	1824.	—	H. h.
12	glacialis. w.	silky.	Switzerland.	1739.	7. 8.	H. 4.
13	rupestris. w.	stone.	N. Europe.	—	H. h.
14	mutellina. w.	Alpine.	Alps of Eur.	1815.	—	H. 4.
15	pedemontana. L.en.	Swiss.	Switzerland.	1823.	—	H. 4.
16	caucasica. w.	Caucasian.	Caucasus.	1804.	6. 7.	H. 4.
17	spicata. w.	spiked.	Switzerland.	1790.	—	H. 4.
18	pectinata. w.	comb-leaved.	Dauria.	1806.	—	H. 4.
19	tanacetifolia. w.	Tansy-leaved.	Siberia.	1768.	7. 8.	H. 4.
20	laciniata. w.	jagged.	Dauria.	1823.	—	H. 4.
21	insipida. w.	insipid.	S. Europe.	—	—	H. 4.
22	Santonica. w.	Tartarian.	Siberia.	1596.	9. 11.	H. h.
23	scoparia. w.	besom.	Hungary.	1796.	7. 9.	H. 4.
24	campestris. w.	field.	England.	8.	H. 4.
25	herbacea. w.	herbaceous.	Siberia.	1817.	—	H. 4.
26	desertorum. W.en.	desert.	—	—	—	H. 4.
27	inodora. M.B.	few-flowered.	Siberia.	1800.	—	H. 4.
	<i>pauciflora.</i> w.					
28	palustris. w.	marsh.	—	1804.	7. 8.	H. 4.
29	neglecta. w.en.	neglected.	—	1815.	—	H. 4.
30	camphorata. w.	Camphor-scent'd.	S. Europe.	1820.	—	H. 4.
31	albida. w.en.	white-leaved.	—	—	H. 4.
32	humilis. w.en.	dwarfish.	Carniola.	8. 10.	H. 4.
33	crithmifolia. w.	Samphire-ld.	Portugal.	1739.	8. 10.	H. h.
34	saxatilis. w.	rock.	Hungary.	1816.	6. 8.	H. 4.
35	glaucæ. w.	glaucous.	Siberia.	1806.	—	H. 4.
36	nutans. w.	nodding.	Tartary.	1819.	7. 9.	H. 4.
37	monogyna. w.	one-styled.	Hungary.	1816.	—	H. 4.
38	palmata. w.	palmated.	S. Europe.	1739.	6. 7.	G. h.
39	nivea. w.en.	snowy.	Siberia.	1815.	—	H. 4.
40	maritima. w.	drooping-fl'd.	Britain.	8. 9.	H. 4.
41	gallica. w.	upright-flow'r'd.	—	—	H. 4.
42	salina. w.	sea-side.	Germany.	1817.	—	H. 4.
43	fragrans. w.	Lavender-ld.	Armenia.	1739.	6. 7.	H. 4.
44	austriaca. w.	Austrian.	Austria.	1597.	8. 10.	H. 4.
45	vallesiaca. w.	downy.	Italy.	1739.	7. 8.	H. 4.
46	taurica. w.	Taurian.	Tauria.	1824.	—	H. 4.
47	orientalis. w.	oriental.	Armenia.	8. 10.	H. 4.
48	sericea. w.	silky-leaved.	—	1796.	6. 7.	H. 4.
49	repens. w.	creeping.	—	1805.	6. 7.	H. 4.
50	balsamita. w.en.	Balsam-scent'd.	1816.	—	H. 4.
51	pontica. w.	Roman.	Austria.	1570.	9.	H. 4.
52	chamæmelifolia. w.	Chamomile-ld.	S. Europe.	1739.	7. 8.	F. 4.
53	annua. w.	annual.	Siberia.	1741.	—	H. 4.
54	biennis. Ph.	biennial.	Missouri.	1804.	—	H. 4.
55	Absinthium. w.	common.	Britain.	7. 10.	H. 4.
56	Siversiana. w.	Sivers's.	Siberia.	1800.	7. 8.	H. 4.
57	vulgaris. w.	Mugwort.	Britain.	8. 9.	H. 4.
58	procumbens. DC.	procumbent.	Siberia.	1823.	—	H. 4.
59	incisa. w.en.	cut-leaved.	—	—	H. 4.
60	fasciculata. M.B.	fascicled.	Iberia.	1820.	—	H. 4.
61	indica. w.	Indian.	E. Indies.	1796.	9. 10.	F. 4.

Eng. bot. 1229.

L.

Pluk. alm. t. 73. f. 2.

Barr. ic. t. 485.

Asso arrag. t. 8. f. 1.

Blackw. t. 555.

Lobel. ic. 768.

Dill. elth. t. 33. f. 37.

Flor. græc. 856.

Jacq. aust. 5. t. ap. 35.

All. ped. t. 9. f. 1.

Vill. daup. 3. t. 35.

Jacq. aust. 5. t. ap. 34.

Pall. it. 3. t. Hh. f. 2.

All. ped. 1. t. 10. f. 3.

Vill. delph. 3. t. 35.

Gmel. sib. 2. t. 51.

W. et K. hung. 1. t. 65.

Eng. bot. 338.

Gmel. sib. 2. t. 55.

Lob. ic. t. 769. f. 1.

W. et K. hung. 1. t. 75.

Eng. bot. 1706.

— 1001.

Spreng. halens. t. 12.

Jacq. aust. 1. t. 100.

Gmel. sib. t. 64. f. 1.

Jacq. aust. 1. t. 99.

Vill. dauph. 3. t. 35.

Am. ruth. t. 196. f. 23.

Botan. magaz. 2472.

Eng. bot. 1230.

Eng. bot. 978.

Rheed. mal. 10. t. 45.

62	integrifolia. W.	entire-leaved.	Siberia.	1759.	7. 8.	H. 4.	Gm. sib. 2. t. 48. f. 1. 2.
63	japonica. w.	Japanese.	Japan.	1804.	10. 11.	H. 4.	
64	cærulescens. w.	blueish.	England.	8. 10.	H. 4.	Eng. bot. 2426.
65	Redowskii. Led.	inodorous.	Siberia.	1548.	7. 8.	H. 4.	Gm. sib. 2. t. 59 & 60. f. 1.
	<i>inodora. W. en. non M.B.</i>						
66	Dracunculus. w.	Tarragon.	S. Europe.	—	—	H. 4.	
67	chinensis. w.	Chinese.	China.	1816.	—	H. 4.	Gmel. sib. 2. t. 61. f. 1. 2.
ERIOCEPHALUS. W. WOOLHEAD. Syngenesia Polygamia Necessaria. L.							
1	africanus. w.	cluster-leaved.	C. B. S.	1732.	1. 4.	G. 4.	Botan. magaz. 833.
	<i>frutescens. H.K.</i>						
2	decussatus. B.T.	cross-leaved.	—	1816.	3. 6.	G. 4.	
3	purpureus. B.T.	purple.	—	—	—	G. 4.	
4	racemosus. w.	silver-leaved.	—	1739.	3. 4.	G. 4.	
5	spinescens. B.T.	spiny.	—	1816.	—	G. 4.	
HIPPIA. W. HIPPIA. Syngenesia Polygamia Necessaria. L.							
1	frutescens. w.	shrubby.	C. B. S.	1710.	2. 8.	G. 4.	Botan. magaz. 1855.
2	integrifolia. w.	annual.	E. Indies.	1777.	7. 8.	S. 4.	Hout. n. hist. t. 67. f. 2.
SOLIVA. L.T. SOLIVA. Syngenesia Polygamia Necessaria.							
1	anthemifolia.	Chamomile-l'd.	S. America.	1812.	4. 12.	H. 4.	J. ann. mus. t. 61. f. 1.
	<i>Gymnostyles anthemifolia. P.S.</i>						
2	stolonifera. L.T.	stoloniferous.	Portugal?	1818.	—	H. 4.	
	<i>Hippia stolonifera. P.S.</i>						
3	pedicellata. P.S.	pedicelled.	S. America.	—	—	H. 4.	
LIDBECKIA. W. LIDBECKIA. Syngenesia Polygamia Superflua. W.							
1	lobata. w.	lobe-leaved.	C. B. S.	1816.	5. 6.	G. 4.	Lam. ill. t. 701. f. 3.
	<i>Lancisia lobata. P.S.</i>	<i>Cotula quinqueloba. L.</i>					
2	pectinata. w.	silver-leaved.	C. B. S.	1774.	5. 6.	G. 4.	Ber. cap. 306. t. 5. f. 9.
CENIA. J. CENIA. Syngenesia Polygamia Superflua.							
	turbinata. P.S.	turbinated.	C. B. S.	1713.	7. 8.	H. 4.	Lam. ill. t. 701. f. 1.
	<i>Lidbeckia turbinata. w.</i>	<i>Cotula turbinata. L.</i>					
COTULA. W. COTULA. Syngenesia Polygamia Superflua. W.							
1	anthemoides. w.	Anthemis-like.	St. Helena.	1696.	7. 8.	S. 4.	Dill. elth. t. 23. f. 25.
2	aurea. w.	golden.	S. Europe.	1823.	7. 9.	H. 4.	
3	nudicaulis. w.	naked-stalked.	C. B. S.	1816.	—	G. 4.	Houtt. syst. t. 69. f. 4.
4	coronopifolia. w.	Buck's Horn.	—	1683.	—	G. 4.	Lam. ill. t. 700. f. 1.
5	viscosa. w.	clammy.	Vera Cruz.	1739.	8.	S. 4.	
6	tanacetifolia. w.	Tansy-leaved.	C. B. S.	1780.	6. 8.	H. 4.	Pluk. man. t. 430. f. 7.
7	sericea. w.	silky.	—	1816.	—	G. 4.	
GRANGEA. J. GRANGEA. Syngenesia Polygamia Superflua.							
1	cuneifolia. Lam.	wedge-leaved.	China.	1816.	7. 9.	H. 4.	Lam. ill. t. 699. f. 2.
2	minima. w.	least.	—	1768.	—	H. 4.	Burm. ind. t. 58. f. 3.
3	decumbens. Des.	decumbent.	N. Holland.	1815.	—	H. 4.	
4	maderaspata. Lam.	Madras.	E. Indies.	1780.	7. 8.	S. 4.	Lam. ill. t. 699. f. 3.
	<i>Cotula maderaspata. w.</i>						
5	bicolor. Len.	two-coloured.	—	1804.	—	S. 4.	— t. 699. f. 1.
	<i>Cotula bicolor. w. latifolia. P.S.</i>						
6	cinerea. Len.	grey.	Egypt.	1825.	—	H. 4.	
ANACYCLUS. W. ANACYCLUS. Syngenesia Polygamia Superflua. W.							
1	creticus. w.	trailing.	Candia.	1759.	6. 8.	H. 4.	Ann. mus. 11. t. 22.
2	orientalis. w.	oriental.	Levant.	1731.	—	H. 4.	Boer. lugd. 1. t. 110.
3	aureus. w.	golden-flow'r'd.	—	1570.	—	H. 4.	Lam. ill. t. 700. f. 2.
4	radiatus. L.en.	rayed.	—	1823.	—	H. 4.	
5	clavatus. L.en.	clavate.	Barbary.	—	—	H. 4.	
6	Pyrethrum. L.en.	Pellitory of Spain.	S. Europe.	1570.	6. 7.	H. 4.	Botan. magaz. 462.
	<i>Anthemis Pyrethrum. w.</i>						
7	valentinus. w.	fine-leaved.	Spain.	1656.	6. 7.	H. 4.	Schk. han. 3. t. 254. b.
8	divaricatus. cav.	spreading.	—	1824.	—	H. 4.	
ANTHEMIS. W. CHAMOMILE. Syngenesia Polygamia Superflua. L.							
1	rigescens. w.en.	rigid.	Caucasus.	1805.	7. 9.	H. 4.	W. hort. ber. 1. t. 62.
	<i>nigricans. Hort.</i>						
2	Côta. w.	Venetian.	Italy.	1714.	7. 8.	H. 4.	Pluk. alm. t. 17. f. 5.
3	altissima. w.	tall.	S. Europe.	1731.	8.	H. 4.	Flor. græc. 881.
4	punctata. w.	dotted.	Levant.	1825.	7. 9.	G. 4.	Desf. atl. 2. t. 139.
5	maritima. w.	sea.	England.	...	7. 8.	H. 4.	Eng. bot. 2370.
6	tomentosa. w.	downy.	Levant.	1795.	7. 10.	H. 4.	
7	ruthenica. M.B.	Russian.	Tauria.	1823.	—	H. 4.	
8	fruticulosa. M.B.	frutescent.	—	—	—	H. 4.	Barrel. ic. 451.
9	pubescens. w.	pubescent.	S. Europe.	1803.	7. 8.	H. 4.	
10	mixta. w.	simple-leaved.	France.	1731.	—	H. 4.	Mich. gen. t. 30. f. 1.

11 saxatilis. w.en.	rock.	Hungary.	1807.	—	H. 2.	
12 coronopifolia. w.	Buckshorn-ld.	Spain.	—	—	H. 2.	
13 australis. w.	procumbent.	S. France.	1818.	—	H. 2.	
14 alpina. w.	Alpine.	Europe.	—	—	H. 2.	Jacq. aust. 6. ap. t. 30.
15 carpatica. w.	Carpathian.	Carpathian-m.	—	—	H. 2.	
16 corymbosa. w.	corymböse.	Austria.	1821.	—	H. 2.	
17 Chamomilla. w.en.	various-leaved.	S. Europe.	—	—	H. 2.	
18 chia. w.	cut-leaved.	Chio.	1731.	6. 10.	H. 2.	
19 nobilis. w.	common.	Britain.	7. 9.	H. 2.	Eng. bot. 980.
20 arvensis. w.	corn.	—	6. 8.	H. 2.	— 602.
21 austriaca. w.	Austrian.	Austria.	1759.	5. 8.	H. 2.	Jacq. aust. 5. t. 444.
22 Cotula. w.	stinking.	Britain.	6. 9.	H. 2.	Eng. bot. 1772.
23 fallax. w.en.	false Chamomile.	—	—	—	H. 2.	
24 fuscata. w.	brown-scaled.	Portugal.	1805.	7. 8.	H. 2.	
25 peregrina. w.	close-branched.	Piedmont.	1817.	—	H. 2.	
26 montana. w.	mountain.	Italy.	1759.	7. 10.	H. 2.	Ger. prov. t. 8.
27 incrassata. L.en.	thick-stalked.	S. Europe.	1823.	—	H. 2.	
28 petræa. L.en.	long-stalked.	Naples.	—	—	H. 2.	
29 globosa. w.	globe.	—	—	8. 9.	G. 2.	Jacq. schœn. 3. t. 371.
30 valentina. w.	purple-stalked.	S. Europe.	1596.	7. 8.	H. 2.	Breyn. cent. t. 75.
31 tinctoria. w.	Ox Eye.	Britain.	6. 11.	H. 2.	Eng. bot. 1472.
32 discoidea. w.	saw-leaved.	Italy.	1800.	7. 8.	H. 2.	
33 apiifolia. B.R.	Parsley-leav'd.	1764.	8. 9.	H. 2.	Botan. regist. 527.
CLADANTHUS. Cas.	CLADANTHUS.	Syngenesia	Polygamia	Superflua.		
arabicus. Cas.	Arabian.	Barbary.	1759.	7. 8.	H. 2.	Smith spic. 9. t. 10.
<i>Anthemis arabica. w.</i>						
MATRICARIA. W.	MATRICARIA.	Syngenesia	Polygamia	Superflua.	L.	
1 suaveolens. w.	sweet.	Europe.	1781.	6. 8.	H. 2.	
2 Chamomilla. w.	Wild Chamomile.	Britain.	5. 7.	H. 2.	Eng. bot. 1232.
3 capensis. w.	Cape.	C. B. S.	1699.	7. 9.	G. 2.	Seb. thes. 1. t. 16. f. 2.
4 pusilla. w.en.	small.	—	H. 2.	
ACHILLEA. W.	MILFOIL.	Syngenesia	Polygamia	Superflua.	L.	
1 lingulata. w.	tongue-leaved.	Hungary.	1815.	7. 8.	H. 2.	W. et K. hung. 1. t. 2.
2 Herba-rota. w.	Herbarota.	France.	1640.	6. 7.	H. 2.	All. ped. 1. t. 9. f. 3.
3 grandiflora. M.B.	great-flowered.	Caucasus.	1815.	7. 8.	H. 2.	
4 Ptarmica. w.	Sneezewort.	Britain.	7. 11.	H. 2.	Eng. bot. 757.
β flore pleno.	double-flowered.					
5 cristata. w.	slender-branch'd.	Italy.	1784.	7. 8.	H. 2.	
6 Ageratum. w.	Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. 2.	
7 decolorans. w.en.	pale yellow.	1798.	6. 8.	H. 2.	
8 speciosa. w.en.	spear-leaved.	1804.	7. 9.	H. 2.	
9 biserrata. M.B.	two-toothed.	Iberia.	1825.	—	H. 2.	
10 alpina. w.	Alpine.	Siberia.	1731.	7. 11.	H. 2.	Bocc. mus. 144. t. 101.
11 serrata. w.	saw-leaved.	Switzerland.	1686.	8. 9.	H. 2.	
12 coronopifolia. w.	buckshorn-la.	Levant.	1816.	—	H. 2.	
13 Clavennæ. w.	silver-leaved.	Austria.	1656.	6. 7.	H. 2.	Botan. magaz. 1287.
14 impatiens. w.	impatient.	Siberia.	1759.	6. 9.	H. 2.	Gmel. sib. 2. t. 83. f. 1.
15 pectinata. w.	comb-leaved.	Hungary.	1801.	8. 9.	H. 2.	W. et K. hung. 1. t. 34.
<i>ochroleuca. w.K. non w.</i>						
16 Gerberi. w.	various-leaved.	Siberia.	1816.	—	H. 2.	Gmel. sib. 2. t. 83. f. 2.
17 squarrosa. w.	rough-headed.	1775.	7. 8.	H. 2.	
18 falcata. w.	sickle-leaved.	Levant.	1739.	6. 9.	H. 2.	Lam. ill. t. 883. f. 3.
19 tenuifolia. w.	slender-leaved.	—	1733.	6. 8.	H. 2.	
20 Santolina. w.	Lavender-cotton-ld.	—	1759.	—	H. 2.	Flor. græc. 891.
21 anthemoides. w.	Chamomile-like.	—	H. 2.	
22 atrata. w.	black-cupped.	Austria.	1596.	7. 9.	H. 2.	Jacq. aust. 1. t. 77.
23 moschata. w.	musk.	Italy.	1775.	6. 7.	H. 2.	— 5. t. ap. 33.
24 nana. w.	dwarf.	—	1759.	6. 8.	H. 2.	All. ped. 1. t. 9. f. 3.
25 cretica. w.	Cretan.	Candia.	1739.	7. 8.	H. 2.	Bocc. mus. t. 34.
26 ægyptiaca. w.	Egyptian.	Levant.	1640.	7. 9.	G. 2.	Flor. græc. 892.
27 macrophylla. w.	large-leaved.	Italy.	1710.	7. 8.	H. 2.	Triumf. obs. t. 23.
28 aurea. w.	golden-flow'r'd.	Levant.	1739.	6. 9.	H. 2.	
29 Eupatorium. w.	Caspian.	Caspian Shres.	1803.	7. 8.	H. 2.	
30 compacta. w.	compact.	—	—	H. 2.	
31 pubescens. w.	downy.	Levant.	1739.	6. 9.	H. 2.	
32 crithmifolia. w.	Samphire-ld.	Hungary.	1804.	7. 8.	H. 2.	W. et K. hung. 1. t. 66.
33 tanacetifolia. w.	Tansy-leaved.	Switzerland.	1658.	—	H. 2.	Moris. s. 6. t. 11. f. 14.
34 distans. w.	branching.	Italy.	1804.	7. 8.	H. 2.	All. ped. t. 53. f. 1.
35 lanata. w.en.	woolly.	—	—	H. 2.	

36 magna. w.	great.	S. Europe. 1683.	6. 11. H. 4.	Flor. græc. 896.
37 Millefolium. w.	Yarrow.	Britain.	6. 10. H. 4.	Eng. bot. 758.
β rubra.	red-flowered.	-----	----- H. 4.	
38 albida. w.en.	white woolly. 1819.	----- H. 4.	
39 asplenifolia. P.S.	Rose-coloured.	N.America. 1803.	6. 8. H. 4.	Vent. cels. t. 93.
40 micrantha. w.	small-flower'd.	Levant. 1805.	6. 10. H. 4.	
41 tomentosa. w.	tomentose.	S. Europe. 1648.	5. 10. H. 4.	Botan. magaz. 498.
42 ochroleuca. w.	cream-colour'd. 1804.	7. 9. H. 4.	
43 montana. Sch.	mountain.	Switzerland. 1798.	----- H. 4.	
44 bannatica. W.K.	Hungarian.	Hungary. 1823.	----- H. 4.	
45 microphylla. w.	small-leaved.	Spain. 1800.	----- H. 4.	Barr. ic. 1114.
46 ligustica. w.	Ligurian.	Italy. 1791.	6. 8. H. 4.	Flor. græc. 897.
47 nobilis. w.	showy.	Germany. 1640.	----- H. 4.	Schk. hand. 3. t. 255.
48 myriophylla. w.en.	many-leaved. 1798.	7. 9. H. 4.	
49 odorata. w.	sweet-scented.	Spain. 1729.	6. 8. H. 4.	Jacq. col. 1. t. 21.
50 setacea. w.	bristly.	Hungary. 1805.	----- H. 4.	W. et K. hung. 1. t. 80.
51 abrotanifolia. w.	Southernwood-ld.	Levant. 1739.	----- H. 4.	
52 chamæmelifolia. DC.	Chamomile-ld.	Pyrenees. 1820.	----- H. 4.	
53 mongolica. F.	Mongolic.	Tartary. 1823.	----- H. 4.	
54 sibirica. Desf.	Siberian.	Siberia. 1800.	----- H. 4.	
55 rosea. W.K.	rosy.	Hungary. 1803.	----- H. 4.	
56 decumbens. Lam.	decumbent.	Spain. 1800.	----- H. 4.	
57 dubia. F.	doubtful.	Siberia. -----	----- H. 4.	
58 heterophylla. Spr.	different-ld. 1804.	7. 9. H. 4.	
59 leptophylla. M.B.	narrow-leaved	Tauria. 1823.	----- H. 4.	
60 holosericea. F.G.	silky-leaved.	Greece. -----	----- H. 4.	
CHRYSANthemum. W. CHRYsanthemum. Syngenesia Polygamia Superflua. L.				
1 atratum. w.	fleshy-leaved.	Austria. 1731.	7. 8. H. 4.	
2 Leucanthemum. w.	Ox-eye Daisy.	Britain.	6. 7. H. 4.	Eng. bot. 601.
3 montanum. w.	mountain.	France. 1759.	----- H. 4.	Jacq. obs. 4. t. 91.
4 heterophyllum. w.	various-leaved.	Switzerland. 1806.	7. 8. H. 4.	
5 paludosum. w.	marsh.	Barbary. 1817.	8. 9. H. 4.	Desf. atl. 2. t. 238.
6 rotundifolium. w.	round-leaved.	Hungary. 1819.	7. 8. H. 4.	
7 graminifolium. w.	Grass-leaved.	Montpelier. 1739.	5. 7. H. 4.	Jacq. obs. 4. t. 92.
8 pulverulentum. P.S.	powdered.	Spain. -----	8. 10. H. 4.	Barrel. ic. 421.
9 anomalum. P.S.	anomalous.	----- 1824.	7. 9. H. 4.	
10 daucifolium. P.S.	carrot-leaved.	----- H. 4.	
11 monspeliense. w.	Montpelier.	----- 1739.	6. 9. H. 4.	Jacq. obs. 4. t. 93.
12 Achilleæ. w.	Milfoil-leaved.	Italy. 1775.	6. 8. H. 4.	Mich. gen. 34. t. 29.
13 argenteum. w.	silver-leaved.	Levant. 1731.	7. 8. H. 4.	
14 arcticum. w.	northern.	Kamtschatka. 1801.	6. 8. H. 4.	Willd. hort. ber. 33.
15 carinatum. w.	three-coloured.	Barbary. 1796.	7. 10. H. 4.	Botan. magaz. 508.
16 pumilum. W.en.	small. 1806.	----- H. 4.	
17 sylvestre. w.en.	field. 1804.	6. 7. H. 4.	
18 segetum. w.	corn.	Britain.	6. 8. H. 4.	Eng. bot. 540.
19 Myconis. w.	tongue-leaved.	Italy. 1775.	7. 8. H. 4.	Jacq. obs. 4. t. 94.
20 italicum. w.	Italian.	----- 1796.	6. 7. H. 4.	
21 coronarium. w.	garden.	Sicily. 1629.	7. 9. H. 4.	Lam. ill. t. 678. f. 6.
22 indicum. P.S.	Indian.	China. 1819.	10. 12. G. 4.	Hort. trans. v. 4. pl. 12.
23 sinense. L.T.	variable chinese.	----- 1790.	----- H. 4.	
Anthemis artemisiæfolia. w. Chrysanthemum indicum. B.M. non L.				
β purpureum.	old purple.	-----	----- H. 4.	Botan. magaz. 327.
γ variabile.	changeable white.	----- 1802?	----- H. 4.	----- 2042.
δ tubulosum album.	quilled white.	----- 1808.	----- H. 4.	Botan. regist. 4.
ε superbum.	superb white.	----- 1817.	----- H. 4.	----- 455.
ζ tessellatum.	tasselled white.	----- 1816.	----- H. 4.	
η tubulosum luteum.	quilled yellow.	----- 1802.	----- H. 4.	
θ sulphureum.	straw-coloured.	-----	----- H. 4.	
ι aureum.	golden yellow.	-----	----- H. 4.	Botan. regist. 4. f. sup.
κ discolor.	large lilac.	----- 1808.	----- H. 4.	
λ lilacinum.	pink or lilac.	----- 1798.	----- H. 4.	
μ cupreum.	buff or copper-col'd.	-----	----- H. 4.	
ν fulvum.	Spanish brown.	----- 1806.	----- H. 4.	
ξ flammeum.	quilled flame yellow.	----- 1819.	----- H. 4.	Hort. trans. v. 4. pl. 14.
ο tubulosum roseum.	quilled pink.	-----	----- H. 4.	Botan. regist. 616.
π atropurpureum.	early crimson.	----- 1820.	----- H. 4.	Hort. trans. v. 5. pl. 3. inf.
ρ aurantiacum.	large quilled orange.	-----	----- H. 4.	----- v. 5. pl. 3. f. sup.
σ expansum.	expanded light purple.	-----	----- H. 4.	Botan. magaz. 2556.
τ purpurascens.	quilled light purple.	-----	----- H. 4.	

<i>v involutum.</i>	<i>curled lilac.</i>	China.	—	—	H. ½.	Swt. br. fl. gar. 7.
<i>φ fasciculatum.</i>	<i>superb clustered yellow.</i>	—	—	—	H. ½.	— 14.
<i>χ tubulosum carneum.</i>	<i>semidouble quilled pink.</i>	—	—	—	H. ½.	Hort. tr. v. 5. pl. 17*. inf.
<i>ψ album semiduplex.</i>	<i>semidouble quilled white.</i>	—	—	—	H. ½.	—
<i>ω tubulosum aurantium.</i>	<i>semidouble quilled orange.</i>	—	—	—	H. ½.	Hort. tr. v. 5. pl. 17** inf.
<i>αα serotinum.</i>	<i>late pale purple.</i>	—	—	—	H. ½.	—
<i>ββ salmoneum.</i>	<i>quilled salmon-col'd.</i>	—	—	—	H. ½.	Hort. tr. v. 5. pl. 17*. sup.
<i>γγ parvulum.</i>	<i>small yellow.</i>	—	—	—	H. ½.	Hort. t. 5. pl. 17** f. sup.
<i>δδ papyraceum.</i>	<i>paper white.</i>	—	1821.	—	H. ½.	—
<i>εε pallidum.</i>	<i>pale pink.</i>	—	1822.	—	H. ½.	—

CENTROSPERMUM. Sp. CENTROSPERMUM. Syngenesia Polygamia Superflua.

chrysanthemum. sp. yellow-flower'd. Spain. 1821. 8. 10. H. ☉.

Heteranthemis hirta. Schot.

PYRETHRUM. W.	FEVERFEW.	Syngenesia Polygamia Superflua. W.				
1 fœniculaceum. w.en.	Fennel-leaved.	Teneriffe.	1815.	1. 12.	G. ½.	Botan. regist. 272.
2 crithmifolium. w.en.	Samphire-ld.	—	—	—	G. ½.	—
3 anethifolium. w.en.	Dill-leaved.	—	—	—	G. ½.	—
4 frutescens. w.en.	shrubby.	Canaries.	1699.	—	G. ½.	—
5 coronopifolium. w.en.	Buckshorn-ld.	—	—	G. ½.	—
6 grandiflorum. w.en.	great-flowered.	—	1815.	—	G. ½.	—
7 speciosum. w.en.	large-flowered.	—	—	—	G. ½.	—
8 ptarmicæfolium. w.	Sneezewort-ld.	Caucasus.	1803.	7. 8.	H. ¼.	—
9 serotinum. w.	creeping-root'd.	N. America.	1731.	9. 10.	H. ¼.	Jacq. obs. 4. t. 90.
10 uliginosum. w.	marsh.	Hungary.	1816.	7. 9.	H. ¼.	—
11 alpinum. w.	Alpine.	Switzerland.	1759.	7. 8.	H. ¼.	—
12 Halleri. w.en.	Haller's.	—	1820.	—	H. ¼.	Barrel. ic. 458. f. 2.
13 ceratophylloides. w.en.	Stags-horn-ld.	Piedmont.	1808.	6. 7.	H. ¼.	All. ped. t. 37. f. 1.
<i>Chrysanthemum ceratophylloides.</i> All.						
14 pinnatifidum. w.en.	cut-leaved.	Madeira.	1777.	5. 8.	G. ½.	—
15 maximum. DC.	broad-leaved.	Pyrenees.	1816.	—	H. ¼.	—
<i>latifolium.</i> w.						
16 Balsamita. w.	various-leaved.	Levant.	1779.	—	H. ¼.	Jacq. obs. 4. t. 89.
17 macrophyllum. w.	large-leaved.	Hungary.	1803.	—	H. ¼.	W. et K. hung. 1. t. 94.
18 roseum. w.en.	scarlet-flow'r'd.	Caucasus.	1804.	8. 9.	H. ¼.	Botan. magaz. 1080.
<i>Chrysanthemum coccineum.</i> B.M.						
19 corymbosum. w.	mountain.	Germany.	1596.	6. 8.	H. ¼.	Jacq. aust. 4. t. 379.
20 pulverulentum. w.en.	powdered.	Iberia.	1806.	6. 8.	H. ¼.	—
21 Parthenium. w.	common.	Britain.	6. 9.	H. ¼.	Eng. bot. 1231.
<i>β flore pleno.</i> double-flowered.						
22 parthenifolium. w.	Parthenium-ld.	Caucasus.	1804.	6. 7.	H. ¼.	Vent. cels. t. 43.
23 caucasicum. w.	Caucasian.	—	—	7. 8.	H. ¼.	—
24 tenuifolium. w.en.	slender-leaved.	—	1806.	—	H. ¼.	—
25 sericeum. M.B.	silky.	Iberia.	1824.	—	H. ¼.	—
26 inodorum. w.	scentless.	Britain.	8. 9.	H. ☉.	Eng. bot. 676.
27 maritimum. w.	sea.	—	6. 10.	H. ¼.	— 979.
28 parviflorum. w.	small-flow'r'd.	—	—	H. ☉.	—
29 achillæfolium. M.B.	Milfoil-like.	Cumana.	—	—	H. ☉.	—
30 millefoliatum. w.	Milfoil-leaved.	Siberia.	1731.	5. 9.	H. ¼.	Mill. ic. 1. t. 9.
31 bipinnatum. w.	wing-leaved.	—	1796.	6. 7.	H. ¼.	Gmel. sib. 2. t. 85. f. 1.
32 indicum. H.K.	Indian.	E. Indies.	1810.	6. 9.	H. ☉.	Botan. magaz. 1521.

ORDO CII.

LOBELIACEÆ. *Juss. ann. mus. 18. p. 1.*

LOBELIA. R.S.	LOBELIA. Pentandria Monogynia. R.S.					
1 linearis. R.S.	linear-leaved.	C. B. S.	1791.	5. 8.	G. ½.	—
2 setacea. R.S.	bristle-leaved.	—	1816.	—	G. ¼.	Act. Gorenk. 1811. f. 11.
3 simplex. R.S.	simple-stalked.	—	1794.	—	G. ♂.	—
4 unidentata. R.S.	single-toothed.	—	—	—	G. ¼.	Botan. magaz. 1484.
5 pinifolia. R.S.	Pine-leaved.	—	1752.	—	G. ¼.	Andr. reposit. 240.
6 Dortmanna. R.S.	water.	Britain.	7. 8.	H. w. ¼.	Eng. bot. 140.

7	paludosa. R.S.	marsh.	N. America.	1823.	—	H. w. 2.	
8	Tupa. R.S.	Mullein-leav'd.	Peru.	1824.	8. 10.	G. h.	Botan. magaz. 2550.
9	salicifolia. H.S.L.	Willow-leaved.	Chili.	1794.	6. 8.	G. h.	— 1325.
	<i>Tupa</i> , H.K. non <i>L. gigantea</i> . B.M. non Cav.						
10	Kalmii. R.S.	Kalm's.	N. America.	1820.	7. 9.	H. 2.	— 2238.
11	Nuttalli. R.S.	Nuttall's.	—	—	—	H. 2.	
	<i>gracilis</i> , N. nec <i>aliorum</i> .						
12	pauciflora. K.S.	few-flowered.	Mexico.	1824.	—	G. 2.	
	<i>commutata</i> . R.S.						
13	chinensis. R.S.	Chinese.	China.	1822.	—	H. ☉.	
14	bellidifolia. R.S.	Daisy-leaved.	C. B. S.	1790.	5. 8.	G. 2.	
15	rhizophyta. R.S.	rooting branch'd.	—	1814.	—	G. 2.	Botan. magaz. 2519.
	<i>decumbens</i> . B.M. 2277 ?						
16	triquetra. R.S.	triangular.	—	1774.	—	G. 2.	
17	longiflora. R.S.	long-flowered.	Jamaica.	1752.	—	S. 2.	Botan. magaz. 2563.
18	tomentosa. R.S.	tomentose.	C. B. S.	1816.	—	G. 2.	
19	secunda. R.S.	side-flowering.	—	1790.	—	G. 2.	
20	trialata. D.P.	three-winged.	Nepaul.	1820.	—	G. 2.	Hook. ex. flor. t. 44.
	<i>micrantha</i> . H.E.F. non K.S.						
21	alata. B.P.	winged-stalked.	N. S. W.	1804.	—	G. 2.	Lab. nov. hol. 1. t. 72.
22	acuminata. R.S.	taper-pointed.	Jamaica.	1822.	6. 9.	S. 2.	Sloan. his. 1. t. 95. f. 2.
23	nicotianæfolia. R.S.	Tobacco-ld.	E. Indies.	—	—	S. 2.	
24	persicifolia. R.S.	Peach-leaved.	W. Indies.	1818.	—	S. 2.	
25	Cavanillesiana. R.S.	Cavanille's.	New Spain.	1825.	—	S. 2.	Cavan. ic. 6. t. 518.
	<i>persicifolia</i> . Cav. non Lam.						
26	Claytoniana. R.S.	Clayton's.	N. America.	1799.	6. 8.	H. 2.	Willd. hort. ber. 30.
	<i>goodenioides</i> . W. pallida. Roth.						
27	assurgens. R.S.	purple.	W. Indies.	1787.	6. 10.	S. 2.	Andr. reposit. 553.
28	pyramidalis. D.P.	pyramidal.	Nepaul.	1819.	7. 10.	G. 2.	Botan. magaz. 2387.
29	fulgens. R.S.	fulgent.	Mexico.	1809.	5. 9.	F. 2.	Botan. regist. 165.
30	splendens. R.S.	splendid.	—	1814.	—	F. 2.	— 60.
31	cardinalis. R.S.	Cardinal flow'r.	Virginia.	1629.	—	F. 2.	Botan. magaz. 320.
32	syphilitica. R.S.	blue cardinal.	—	1665.	8. 10.	H. 2.	Botan. regist. 537.
33	debilis. R.S.	feeble.	C. B. S.	1774.	4. 8.	H. ☉.	
34	gracilis. B.P.	slender.	N. S. W.	1801.	7. 10.	G. ☉.	Botan. magaz. 741.
35	purpurascens. B.P.	purplish.	—	1809.	6. 8.	G. 2.	
36	surinamensis. R.S.	Surinam.	W. Indies.	1786.	1. 7.	S. 2.	Botan. magaz. 225.
37	Cliffortiana. S.S.	purple-flow'r'd.	S. America.	1733.	7. 8.	H. ☉.	Lin. h. clif. 426. t. 26.
38	Michauxii. N.	Michaux's.	—	—	H. ☉.	
	<i>Cliffortiana</i> . M. non L.						
39	inflata. R.S.	bladder-podded	N. America.	1759.	—	H. ☉.	Swt. br. fl. gar. t. 99.
40	urens. R.S.	acid.	England.	6. 7.	H. 2.	Eng. bot. 953.
41	puberula. R.S.	downy.	N. America.	1819.	—	H. 2.	
42	amœna. R.S.	bright blue.	—	1812.	6. 8.	H. 2.	Ann. mus. 18. t. 1. n. 1.
43	minuta. R.S.	small.	C. B. S.	1772.	6. 9.	H. 2.	Botan. magaz. 2590.
44	minima. B.M.	least.	—	6. 10.	G. 2.	— 2077.
45	Laurentia. R.S.	Italian.	Italy.	1778.	7.	H. ☉.	Mich. gen. 18. t. 14.
46	campanuloides. R.S.	campanulate.	Japan.	1819.	7. 9.	G. 2.	Botan. regist. 733.
47	Erinus. R.S.	ascending.	C. B. S.	1752.	6. 9.	H. 2.	Botan. magaz. 901.
48	erinoides. R.S.	trailing.	—	1759.	6. 8.	G. 2.	Herm. lugd. t. 109.
49	bicolor. R.S.	spotted.	—	1795.	—	H. ☉.	Botan. magaz. 514.
50	ilicifolia. B.M.	Holly-leaved.	—	1815.	5. 9.	G. 2.	— 1896.
51	pubescens. R.S.	downy-leaved.	—	1780.	6. 8.	G. 2.	Jacq. schœn. 2. t. 178.
52	hirsuta. R.S.	blue-fld. hairy.	—	1759.	5. 9.	G. 2.	Burm. afr. t. 40. f. 2.
53	zeylanica. R.S.	Ceylon.	E. Indies.	1824.	—	S. 2.	
54	lutea. R.S.	yellow.	C. B. S.	1774.	6. 7.	G. 2.	Botan. magaz. 1319.
55	variifolia. B.M.	various-leaved.	—	1812.	—	G. 2.	— 1692.
56	coronopifolia. R.S.	Buckshorn-ld.	—	1752.	7. 8.	G. 2.	— 644.
57	Thunbergii.	upright-raceme-fld.	—	1812.	7. 10.	G. 2.	
	<i>coronopifolia</i> . Th. non B.M.						
58	crenata. R.S.	notched-leav'd.	—	1794.	4. 5.	G. 2.	
59	Simsii.	long-peduncul'd.	—	1819.	8. 11.	G. 2.	Botan. magaz. 2251.
	<i>pedunculata</i> . B.M. non B.P.						
60	concolor. B.P.	self-coloured.	N. S. W.	—	5. 6.	G. 2.	
61	inundata. B.P.	inundated.	—	1822.	5. 8.	G. w. 2.	
62	pedunculata. B.P.	long-stalked.	—	—	—	G. 2.	
63	dentata. B.P.	toothed.	—	1819.	—	G. 2.	Cavan. ic. 6. t. 522.
64	gibbosa. B.P.	gibbous.	—	1824.	—	G. 2.	Lab. nov. hol. 1. t. 71.
65	racemosa. B.M.	racemed.	Caribees.	1818.	7. 9.	S. 2.	Botan. magaz. 2137.

MONOPSIS. Sal.	MONOPSIS. Pentandria Monogynia.				
1 conspicua. H.T.	conspicuous. C. B. S.	1812.	7. 8.	H. ☉.	Botan. magaz. 1499.
<i>Lobelia speculum.</i> B.M.					
2 inconspicua. H.T.	inconspicuous. ————	—	H. ☉.	
ISOTOMA. B.R.	ISOTOMA. Pentandria Monogynia.				
axillaris. B.R.	axillary-fl'd. N. Holland.	1824.	7. 10.	H. ☉.	Botan. regist. 964.
CYPHIA. R.S.	CYPHIA. Pentandria Monogynia. W.				
1 volubilis. R.S.	climbing. C. B. S.	1795.	6. 8.	S. 2.	
2 bulbosa. R.S.	bulb-bearing. ————	1791.	8. 9.	S. 2.	Burm. afr. t. 38. f. 2.
3 Phyteuma. R.S.	Phyteuma-ld. ————	1820.	2. 5.	S. 2.	Botan. regist. 625.
4 Cardamines. R.S.	Cardamine-ld. ————	—	—	S. 2.	

ORDO CIII.

STYLIDEÆ. *Brown prodr. 1. p. 565.*

STYLIDIUM. B.P.	STYLIDIUM. Gynandria Diandria.				
1 graminifolium. B.P.	grass-leaved. N. S. W.	1803.	4. 8.	G. 2.	Botan. regist. 90.
2 lineare. B.P.	linear-leaved. ————	1820.	—	G. 2.	Sm. exot. bot. 2. t. 67.
<i>Ventenatia minor.</i> Ex. b.					
3 scandens. B.P.	climbing. N. Holland.	1803.	7. 8.	G. 2.	
4 fruticosum. B.P.	frutescent. ————	—	5. 10.	G. 2.	Sal. par. lond. 77.
<i>glandulosum.</i> P.L.					
5 laricifolium. B.R.	Larch-leaved. N. S. W.	1818.	—	G. 2.	Botan. regist. 550.
<i>tenuifolium.</i> B.M. 2249.					
6 adnatum. B.P.	adnate. N. Holland.	1824.	—	G. 2.	— 914.

ORDO CIV.

GOODENOVIEÆ. *Brown prodr. 1. p. 573.*

GOODENIA. B.P.	GOODENIA. Pentandria Monogynia. W.				
1 bellidifolia. B.P.	Daisy-leaved. N. S. W.	1823.	6. 9.	G. 2.	
2 paniculata. B.P.	panicked. ————	—	—	G. 2.	Cavan. ic. 6. t. 507.
3 ovata. B.P.	oval-leaved. ————	1793.	6. 10.	G. 2.	Andr. reposit. 68.
4 grandiflora. B.P.	large-flowered. ————	1802.	6. 8.	G. 2.	Botan. magaz. 890.
5 hederacea. B.P.	Ivy-leaved. ————	1823.	—	G. 2.	
EUTHALES. B.P.	EUTHALES. Pentandria Monogynia. R.S.				
trinervis. B.P.	three-nerved. N. Holland.	1803.	5. 9.	G. 2.	Botan. magaz. 1137.
<i>Goodenia tenella.</i> A.R. 466.					
VELLEIA. B.P.	VELLEIA. Pentandria Monogynia. R.S.				
1 paradoxa. B.P.	paradoxical. N. S. W.	1823.	6. 8.	G. 2.	
2 lyrata. B.P.	lyrate-leaved. ————	1819.	4. 6.	G. 2.	Botan. regist. 551.
3 spathulata. B.P.	spathulate. ————	1823.	—	G. 2.	
LECHENAULTIA. B.P.	LECHENAULTIA. Pentandria Monogynia. R.S.				
formosa. B.P.	handsome. N. Holland.	1823.	6. 9.	G. 2.	Botan. regist. 916.
SCÆVOLA. B.P.	SCÆVOLA. Pentandria Monogynia. R.S.				
1 Kœnigii. R.S.	Konig's. E. Indies.	1818.	S. 2.	
2 Plumieri. R.S.	Plumier's. W. Indies.	1724.	S. 2.	Jacq. amer. t. 179. f. 88.
<i>Lobelia Plumieri.</i> Jacq.					
3 Taccada. F.I.	Indian. E. Indies.	1818.	S. 2.	Gært. fruct. 1. t. 25.
4 crassifolia. B.P.	thick-leaved. N. Holland.	1805.	8. 10.	G. 2.	Lab. nov. hol. 1. t. 79.
5 cuneiformis. B.P.	wedge-leaved. V. Diem. Isl.	1823.	—	G. 2.	— 1. t. 80.
6 microcarpa. B.P.	small-fruited. N. S. W.	1790.	5. 9.	G. 2.	Botan. magaz. 287.
<i>Goodenia lævigata.</i> B.M.					
7 suaveolens. B.P.	sweet-scented. ————	1798.	—	G. 2.	Andr. reposit. 22.
<i>Goodenia calendulacea.</i> A.R.					

8 hispida. B.P.	branching.	N. S. W.	1820.	5. 8. G. 4.	Sm. new. hol. 15. t. 5.
<i>Goodenia ramosissima.</i> Sm.					
DAMPIERA. B.P.	DAMPIERA.	Pentandria Monogynia. R.S.			
stricta. B.P.	upright.	N. S. W.	1814.	6. 8. G. 4.	

ORDO CV.

CAMPANULACEÆ. *Juss. gen. 163.*

CANARINA. W.	CANARINA. Hexandria Monogynia. W.				
Campanula. w.	Canary.	Canaries.	1696.	1. 3. G. 4.	Botan. magaz. 444.
MICHAUXIA. W.	MICHAUXIA. Octandria Monogynia. W.				
campanuloides. w.	rough-leaved.	Levant.	1787.	6. 8. G. ♂.	Botan. magaz. 219.
LIGHTFOOTIA. R.S.	LIGHTFOOTIA. Pentandria Monogynia. R.S.				
1 oxycoccoides. R.S.	lance-leaved.	C. B. S.	1787.	7. G. ♀.	Sm. exot. bot. 2. t. 69.
2 subulata. R.S.	awl-leaved.	————	————	———— G. 4.	L'Herit. s. angl. 4. t. 5.
ADENOPHORA. F.	ADENOPHORA. Pentandria Monogynia.				
1 marsupiiflora. F.	bellied.	Dahuria.	1815.	7. 8. H. 4.	Botan. regist. 149.
Campanula coronata. B.R.					
2 Gmelini. F.	Gmelin's.	————	1823.	5. 8. H. 4.	Gmel. sib. 3. t. 33.
3 coronopifolia. F.	buck's-horn-ld.	————	1822.	———— H. 4.	Swt. br. fl. gar. 104.
4 denticulata. F.	toothed.	————	————	5. 7. H. 4.	———— 116.
Campanula tricuspidata. R.S.					
5 communis. F.	common.	Siberia.	1784.	5. 9. H. 4.	Botan. regist. 236.
Campanula liliifolia. B.R.					
β suaveolens. R.S.	sweet-scented.	Hungary.	1818.	———— H. 4.	
γ hybrida. R.S.	upright-flow'r'd.	————	————	———— H. 4.	
6 intermedia.	intermediate.	Siberia.	1820.	———— H. 4.	
Campanula intermedia. R.S.					
7 stylosa. F.	long-styled.	————	————	———— H. 4.	Gmel. sib. 3. t. 27.
8 verticillata. F.	whorl-leaved.	————	1783.	6. H. 4.	Pall. it. 3. t. G. f. 1.
WAHLENBERGIA. Sc.	WAHLENBERGIA. Pentandria Monogynia.				
1 grandiflora. Sc.	great-flowered.	Siberia.	1782.	6. 8. H. 4.	Botan. magaz. 252.
Campanula grandiflora. B.M.					
2 pendula. Sc.	pendulous.	Madeira.	1777.	7. 8. H. ⊙.	
Campanula lobelioides. R.S.					
3 elongata. Sc.	elongated.	————	1816.	———— H. ⊙.	
CAMPANULA. R.S.	CAMPANULA. Pentandria Monogynia. L.				
1 cenisia. R.S.	ciliated.	Switzerland.	1775.	6. 7. H. 4.	All. ped. 1. t. 6. f. 2.
2 Bellardi. R.S.	Bellardi's.	Italy.	1813.	———— H. 4.	———— t. 85. f. 5.
3 pulla. R.S.	dark-flowered.	Austria.	1779.	———— H. 4.	Botan. magaz. 2492.
4 Zoysii. R.S.	blunt-leaved.	Carniola.	1813.	6. 8. H. 4.	Jacq. ic. 2. t. 334.
5 diffusa. R.S.	diffuse.	Italy.	1818.	———— H. 4.	
β fragilis. L.en.	brittle.	————	————	———— H. 4.	Cyr. pl. rar. n. t. 11. f. 2.
6 carpathica. R.S.	Carpathian.	Carp. Alps.	1774.	———— H. 4.	Botan. magaz. 117.
7 rotundifolia. R.S.	round-leaved.	Britain.	————	———— H. 4.	Eng. bot. 866.
8 excisa. R.S.	cut-flowered.	Switzerland.	1816.	———— H. 4.	Lodd. bot. cab. 561.
9 pusilla. R.S.	small.	Europe Alps.	————	———— H. 4.	Scheuch. it. 4. f. 4.
10 pumila. R.S.	dwarf.	Switzerland.	————	6. 8. H. 4.	Botan. magaz. 512.
11 cæspitosa. R.S.	tufted.	Carniola.	1818.	———— H. 4.	Scop. carn. ed. 2. t. 4.
12 pubescens. R.S.	pubescent.	Bohemia.	1813.	———— H. 4.	
13 gracilis. B.M.	slender.	N. S. W.	1794.	4. 8. G. ♂.	Botan. magaz. 691.
14 stricta. Sm.	upright.	————	————	———— G. ♂.	Sm. exot. bot. 45.
15 littoralis. Lab.	sea-side.	————	1820.	———— G. ♂.	Lab. nov. hol. 1. t. 70.
16 quadrifida. B.P.	quadrifid.	————	1822.	———— G. ♂.	
17 Waldsteiniana. R.S.	Waldstein's.	Hungary.	————	6. 8. H. 4.	W. et K. hung. t. 136.
18 virgata. R.S.	twiggy.	N. America.	1823.	———— H. 4.	
19 linifolia. R.S.	Flax-leaved.	Sweden.	1816.	———— H. 4.	Vill. delph. 1. t. 10.
20 Scheuchzeri. s.s.	Scheuchzer's.	Alps Europe.	1813.	———— H. 4.	Lodd. bot. cab. 485.
21 patula. R.S.	spreading.	Britain.	————	7. 8. H. 4.	Eng. bot. 42.
22 neglecta. R.S.	neglected.	Europe.	1818.	———— H. 4.	
23 Rapunculus. R.S.	Rampion.	Britain.	————	———— H. 4.	Eng. bot. 283.

24	<i>persicifolia</i> . R.S.	Peach-leaved.	Europe.	1596.	7. 9.	H. 4.	Flor. dan. t. 1087.
	<i>α cœrulea</i> .	blue-flowered.	————	—	H. 4.	
	<i>β alba</i> .	white-flowered.	————	—	H. 4.	
	<i>γ maxima</i> . B.M.	large-flowered.	————	—	H. 4.	Botan. magaz. 397.
	<i>δ albo-plena</i> .	double white.	————	—	H. 4.	
	<i>ε cœrulco-plena</i> .	double blue.	————	—	H. 4.	
25	<i>pyramidalis</i> . R.S.	pyramidal.	Carniola.	1596.	—	H. 4.	
26	<i>versicolor</i> . R.S.	various-color'd.	Greece.	1788.	—	H. 4.	Andr. reposit. 396.
	<i>planiflora</i> . W.en. non	Lam. <i>Willdenowiana</i> .	R.S.				
27	<i>obliqua</i> . R.S.	oblique-fl'd.	N. Europe.	1813.	6. 7.	H. 3.	Jacq. schœn. 3. t. 336.
28	<i>americana</i> . R.S.	American.	N. America.	1763.	7.	H. 3.	
29	<i>nitida</i> . H.K.	glossy.	————	1731.	7. 8.	H. 4.	Dodart. mem. 4. t. 113.
	<i>α cœrulea</i> .	blue-flowered.	————	—	—	H. 4.	
	<i>β alba</i> .	white-flowered.	————	—	—	H. 4.	
30	<i>aurea</i> . R.S.	golden-flow'r'd.	Madeira.	1777.	7. 9.	G. h.	Botan. regist. 57.
	<i>α latifolia</i> . R.S.	broad-leaved.	————	—	—	G. h.	Duham. ed. nov. t. 41.
	<i>β angustifolia</i> . R.S.	narrow-leaved.	————	—	—	G. h.	Jacq. schœn. 4. t. 472.
31	<i>rhomboidea</i> . R.S.	Germander-l'd.	Switzerland.	1775.	7.	H. 4.	Barrel. ic. 567.
32	<i>Alpini</i> . R.S.	Alpinus'.	Italy.	1823.	7. 9.	H. 4.	
33	<i>latifolia</i> . R.S.	giant.	Britain.	7.	H. 4.	Eng. bot. 302.
	<i>alba</i> .	white-flowered.	————	—	H. 4.	Flor. dan. t. 85.
34	<i>macrantha</i> . L.en.	great-flowered.	Russia.	1822.	6. 7.	H. 4.	Botan. magaz. 2553.
35	<i>eriocarpa</i> . R.S.	woolly-capsul'd.	Caucasus.	1824.	—	H. 4.	
36	<i>urticifolia</i> . R.S.	Nettle-leaved.	Germany.	1800.	8.	H. 4.	
37	<i>Trachelium</i> . R.S.	throatwort.	Britain.	6. 8.	H. 4.	Eng. bot. 12.
38	<i>rapunculoides</i> . R.S.	creeping.	England.	6. 7.	H. 4.	———— 1369.
39	<i>infundibuliformis</i> . B.M.	funnel-shap'd.	1817.	—	H. 4.	Botan. magaz. 2632.
40	<i>ucranica</i> . R.S.	Ukraine.	Ukraine.	1819.	—	H. 4.	
41	<i>trachelioides</i> . R.S.	throatwort-like.	Caucasus.	1818.	—	H. 4.	
42	<i>bononiensis</i> . R.S.	panicled.	Italy.	1773.	8. 9.	H. 4.	Moris. s. 5. t. 4. f. 38.
43	<i>simplex</i> . DC.	simple-stalk'd.	————	1823.	7. 8.	H. 4.	
44	<i>obliquifolia</i> . R.S.	oblique-leaved.	————	1820.	—	H. 4.	Ten. fl. neap. t. 17.
45	<i>trichocalycina</i> . R.S.	long-pointed-calyx'd.	Italy.	1824.	7. 8.	H. 4.	———— t. 16.
46	<i>ruthenica</i> . R.S.	Russian.	Russia.	1815.	6. 8.	H. 4.	Buxb. cent. 5. t. 19.
47	<i>graminifolia</i> . R.S.	grass-leaved.	Hungary.	1823.	—	H. 4.	W. et K. hung. 2. t. 154.
48	<i>glomerata</i> . R.S.	clustered.	Britain.	5. 9.	H. 4.	Eng. bot. 90.
49	<i>elliptica</i> . R.S.	elliptic-leaved.	Hungary.	1819.	—	H. 4.	Bocc. mus. 70. t. 58.
50	<i>aggregata</i> . R.S.	crowded-fl'd.	Bavaria.	—	—	H. 4.	
51	<i>speciosa</i> . R.S.	specious.	Siberia.	—	—	H. 4.	Botan. regist. 620.
	<i>glomerata β dahurica</i>	B.R.					
52	<i>foliosa</i> . R.S.	leafy.	Italy.	—	6. 9.	H. 4.	Ten. fl. neap. t. 18.
53	<i>Cervicaria</i> . R.S.	wave-leaved.	Germany.	1768.	7.	H. 3.	Flor. dan. t. 787.
54	<i>multiflora</i> . R.S.	many-flowered.	Hungary.	1814.	6. 7.	H. 3.	W. et K. hung. t. 263.
	<i>macrostachya</i> . W.en.						
55	<i>collina</i> . R.S.	Sage-leaved.	Caucasus.	1803.	7. 8.	H. 4.	Botan. magaz. 927.
56	<i>azurea</i> . R.S.	azure.	Switzerland.	1778.	6. 7.	H. 4.	———— 551.
57	<i>Lorei</i> . R.S.	Pollini's.	Mt. Baldo.	1819.	6. 9.	H. 4.	———— 2581.
58	<i>lactiflora</i> . R.S.	milk-coloured.	Caucasus.	1814.	7. 9.	H. 4.	Botan. regist. 241.
59	<i>thyrsoides</i> . R.S.	long-spiked.	Switzerland.	1785.	6. 8.	H. 3.	Botan. magaz. 1290.
60	<i>peregrina</i> . R.S.	rough-leaved.	C. B. S.	1794.	—	G. 3.	———— 1257.
61	<i>cernua</i> . R.S.	nodding-fl'd.	————	1804.	—	G. 3.	
62	<i>capensis</i> . R.S.	Cape.	————	1803.	—	G. 4.	Botan. magaz. 782.
	<i>Roella decurrens</i> . A.R.	238.					
63	<i>Allioni</i> . R.S.	Allioni's.	S. Europe.	1818.	—	H. 4.	All. ped. n. 418. t. 6. f. 3.
64	<i>barbata</i> . R.S.	bearded.	Italy.	1752.	—	H. 4.	Botan. magaz. 1258.
65	<i>punctata</i> . R.S.	dotted-flower'd.	Siberia.	1813.	5. 6.	H. 4.	———— 1723.
66	<i>Medium</i> . R.S.	Canterbury.	Germany.	1597.	6. 9.	H. 3.	Knor. delic. 1. t. 9.
67	<i>betonicifolia</i> . R.S.	Betony-leaved.	Olympus.	1823.	—	H. 3.	Flor. græc. t. 210.
68	<i>spicata</i> . R.S.	spiked.	Switzerland.	1786.	7.	H. 3.	All. ped. 1. t. 46. f. 2.
69	<i>alpina</i> . R.S.	Alpine.	————	1779.	—	H. 4.	Botan. magaz. 957.
70	<i>mollis</i> . R.S.	soft.	Syria.	1788.	5. 8.	G. 4.	———— 404.
71	<i>saxatilis</i> . R.S.	rock.	Candia.	1768.	—	G. 4.	Barrel. ic. t. 813.
72	<i>alliarifolia</i> . R.S.	Alliaria-leav'd.	Caucasus.	1803.	8. 9.	H. 4.	Sal. par. lond. 26.
	<i>macrophylla</i> . B.M.						
73	<i>sarmatica</i> . B.R.	gum-bearing.	Siberia.	—	6. 8.	H. 4.	Botan. regist. 237.
	<i>gummifera</i> . R.S. <i>betonicaefolia</i> . M.B.						
74	<i>lamiifolia</i> . R.S.	Lamium-l'd.	Caucasus.	1818.	—	H. 4.	Buxb. cent. 5. t. 18.
75	<i>pendula</i> . R.S.	pendulous.	————	1824.	—	H. 4.	
76	<i>sibirica</i> . R.S.	Siberian.	Siberia.	1783.	7. 9.	H. 4.	Botan. magaz. 659.

77	<i>divergens</i> . R.S. <i>spathulata</i> . W.K.	divergent.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 258.
78	<i>lingulata</i> . R.S.	tongue-leaved.	—	1804.	7. 8.	H. ♀.	— — — 1. t. 64.
79	<i>caucasica</i> . R.S.	Caucasian.	Caucasus.	—	—	H. ♀.	—
80	<i>laciniata</i> . R.S.	jagged-leaved.	Greece.	1788.	5. 8.	G. ♀.	Andr. reposit. 385.
81	<i>capitata</i> . R.S.	headed.	—	1768.	6. 7.	H. ♀.	Botan. magaz. 811.
82	<i>lanuginosa</i> . R.S.	woolly.	1824.	—	H. ♂.	—
83	<i>Erinus</i> . R.S.	forked.	S. Europe.	1768.	7. 8.	H. ♂.	Moris. s. 5. t. 3. f. 25.
84	<i>drabifolia</i> . R.S.	Draba-leaved.	Athens.	1823.	—	H. ♂.	Flor. græc. t. 215.
85	<i>erinoides</i> . R.S.	Erinus-like.	Africa.	—	—	H. ♂.	Herm. lugd. t. 111 ?
86	<i>Elatines</i> . R.S.	trailing-stalk'd.	S. Europe.	—	7. 9.	H. ♀.	All. ped. n. 422. t. 7. f. 1.
87	<i>hederacea</i> . R.S.	Ivy-leaved.	England.	5. 6.	H. ♀.	Eng. bot. 73.
88	<i>hispidula</i> . R.S.	hispid-calyxed.	C. B. S.	1816.	7. 9.	H. ♂.	Comm. hort. 2. t. 37.
PRISMATOCARPUS. L'H. VENUS-LOOKING-GLASS. Pentandria Monogynia.							
1	<i>fruticosus</i> . L'H.	shrubby.	C. B. S.	1787.	8.	G. ♀.	—
2	<i>nitidus</i> . L'H. <i>Campanula Prismaticarpus</i> . W.	shining.	—	—	6. 8.	H. ♂.	L'Her. sert. ang. 2. t. 3.
3	<i>Speculum</i> . L'H. <i>β albus</i> .	common. <i>white-flowered</i> .	S. Europe.	1596.	5. 8.	H. ♂.	Botan. magaz. 102.
4	<i>hirsutus</i> . T.N.	hairy.	Italy.	1822.	—	H. ♂.	Ten. fl. neap. t. 19.
5	<i>falcatus</i> . T.N.	falcate.	—	—	—	H. ♂.	— t. 20.
6	<i>hybridus</i> . L'H.	corn.	England.	—	H. ♂.	Eng. bot. 375.
7	<i>pentagonius</i> . L'H.	five-angled.	Turkey.	1686.	—	H. ♂.	Botan. regist. 56.
8	<i>perfoliatus</i> . <i>Campanula perfoliata</i> . R.S. <i>amplexicaulis</i> . M.	perfoliate.	N. America.	1680.	—	H. ♂.	Moris. s. 5. t. 2. f. 23.
ROELLA. R.S. ROELLA. Pentandria Monogynia. L.							
1	<i>ciliata</i> . R.S.	ciliate.	C. B. S.	1774.	6. 9.	G. ♀.	Botan. magaz. 378.
2	<i>filiformis</i> . R.S.	filiform.	—	1816.	—	G. ♀.	Lam. ill. t. 123. f. 2.
3	<i>decurrens</i> . R.S.	decurrent.	—	1787.	7. 9.	H. ♂.	L'Her. sert. ang. 4. t. 6.
4	<i>squarrosa</i> . R.S.	trailing.	—	—	7. 8.	G. ♀.	—
5	<i>muscosa</i> . R.S.	moss-like.	—	1802.	8. 10.	H. ♂.	—
PHYTEUMA. R.S. PHYTEUMA. Pentandria Monogynia. L.							
1	<i>pauciflorum</i> . R.S.	few-flowered.	Germany.	1823.	6. 8.	H. ♀.	—
2	<i>globulariæfolium</i> . R.S. <i>Globularia</i> -ld.	—	S. Europe.	—	—	H. ♀.	—
3	<i>Scheuchzeri</i> . R.S.	Scheuchzer's.	Switzerland.	1813.	5. 6.	H. ♀.	Botan. magaz. 1797.
4	<i>scorzonerifolium</i> . R.S. <i>Scorzonera</i> -ld.	—	Europe.	1817.	—	H. ♀.	— 2271.
5	<i>hemisphæricum</i> . R.S.	linear-leaved.	Switzerland.	1752.	7.	H. ♀.	Jacq. ic. 2. t. 333.
6	<i>comosum</i> . R.S.	tufted.	Austria.	—	6. 7.	H. ♀.	Jacq. aust. ap. t. 50.
7	<i>orbiculare</i> . R.S.	round-headed.	England.	6. 8.	H. ♀.	Eng. bot. 142.
8	<i>Charmelii</i> . R.S.	long-bracted.	Pyrenees.	1819.	—	H. ♀.	Vill. delph. 2. t. 11. f. 3. A
9	<i>cordatum</i> . B.M.	heart-leaved.	S. Europe.	1804.	7. 8.	H. ♀.	Botan. magaz. 1466.
10	<i>ellipticum</i> . R.S.	elliptic-leaved.	Switzerland.	1820.	—	H. ♀.	Vill. delph. 2. t. 11. f. 2.
11	<i>nigrum</i> . R.S.	black-flowered.	Bohemia.	—	—	H. ♀.	—
12	<i>betonicifolium</i> . R.S.	Betony-leaved.	Switzerland.	1816.	6. 8.	H. ♀.	Botan. magaz. 2066.
13	<i>spicatum</i> . R.S.	spiked.	Europe.	1597.	—	H. ♀.	Flor. dan. 362.
14	<i>Halleri</i> . R.S. <i>β ovatum</i> . W.	Haller's. <i>oval-spiked</i> .	Switzerland.	1819. 1814.	— —	H. ♀. H. ♀.	—
15	<i>strictum</i> . B.M.	upright.	S. Europe.	1819.	—	H. ♀.	Botan. magaz. 2145.
16	<i>virgatum</i> . R.S.	slender-branch'd.	Levant.	1823.	7. 9.	H. ♀.	Lab. syr. 2. p. 11. t. 6.
17	<i>campanuloides</i> . R.S.	Campanula-like.	Caucasus.	1804.	6. 8.	H. ♀.	Botan. magaz. 1015.
18	<i>canescens</i> . R.S.	canescent.	Hungary.	1804.	6. 8.	H. ♀.	W. et K. hung. 1. t. 14.
19	<i>pinnatum</i> . R.S.	winged-leav'd.	Candia.	1640.	—	G. ♀.	Venten. cels. 52.
TRACHELIUM. R.S. THROATWORT. Pentandria Monogynia. L.							
1	<i>cœruleum</i> . R.S.	blue.	Italy.	1640.	7. 9.	H. ♂.	Botan. regist. 72.
2	<i>diffusum</i> . R.S.	shrubby.	C. B. S.	1787.	—	G. ♀.	—
JASIONE. R.S. SHEEP'S SCABIOUS. Pentandria Monogynia. W.							
1	<i>montana</i> . R.S.	mountain.	Britain.	6. 7.	H. ♀.	Eng. bot. 882.
2	<i>perennis</i> . R.S.	perennial.	France.	1787.	—	H. ♀.	Botan. regist. 505.

ORDO CVI.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GESNERIA. L.		GESNERIA. Didynamia Angiospermia. L.		
1 tomentosa. s.s.	woolly.	S. America. 1752.	11. 6. S. h.	Botan. magaz. 1023.
2 scabra. s.s.	rough.	Jamaica. 1822.	6. 8. S. h.	
3 corymbosa. s.s.	corymbose.	—	— S. h.	
4 prasinata. s.s.	green-flowered.	Brazil. 1816.	5. 6. S. h.	Botan. regist. 428.
5 aggregata. s.s.	clustered.	—	6. 10. S. h.	— 329.
6 bulbosa. s.s.	bulbous-rooted.	—	5. 8. S. 2.	— 343.
7 acaulis. s.s.	stemless.	Jamaica. 1793.	— S. 2.	Sloan.jam.1. t.102. f.1.
BESLERIA. L.		BESLERIA. Didynamia Angiospermia. L.		
1 cristata. s.s.	crested.	W. Indies. 1739.	6. 8. S. h.	Jacq. amer. t. 119.
2 coccinea. s.s.	scarlet.	Guiana. 1824.	5. 8. S. h.	Aub. gui. 2. t. 255.
3 dichrus. s.s.	two-coloured.	Brazil. 1823.	— S. h.	
4 pulchella. s.s.	large-flowered.	W. Indies. 1806.	— S. h.	Botan. magaz. 1146.
5 melittifolia. s.s.	Balm-leaved.	Guiana. 1739.	6. 7. S. h.	Sm. exot. bot. 1. t. 54.
6 serrulata. s.s.	saw-leaved.	W. Indies. 1806.	— S. h.	Jacq. schœn. 3. t. 290.
7 lutea. s.s.	yellow-flow'r'd.	Guiana. 1739.	7. 8. S. h.	Plum. ic. 49. f. 1.
8 grandifolia. s.s.	large-leaved.	Brazil. 1823.	— S. h.	
9 hirtella. s.s.	hairy-leaved.	—	— S. h.	
10 incarnata. s.s.	flesh-coloured.	Guiana. —	— S. h.	Aub. gui. 2. t. 256.
GLOXINIA. S.S.		GLOXINIA. Didynamia Angiospermia. W.		
1 maculata. s.s.	spotted-stalk'd.	S. America. 1739.	7. 10. S. 2.	Botan. magaz. 1191.
2 speciosa. s.s.	many-flow'r'd.	Brazil. 1815.	6. 11. S. 2.	Botan. regist. 213.
β alba.	white-flowered.	—	— S. 2.	

ORDO CVII.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

VACCINIUM. W.		WHORTLE-BERRY. Oct-Decandria Monogynia.		
1 Myrtillus. w.	Blea-berry.	Britain.	4. 6. H. h.	Eng. bot. 456.
2 stamineum. Ph.	long-stamen'd.	N.America. 1772.	5. 6. H. h.	Pluk. alm. t. 339. f. 3.
3 album. Ph.	white-flowered.	—	— H. h.	Andr. reposit. 263.
stamineum. A.R. non Ph.				
4 pallidum. w.	pale.	—	— H. h.	
5 uliginosum. w.	great Bilberry.	Britain.	4. 5. H. h.	Eng. bot. 581.
6 diffusum. w.	tree.	N.America. 1765.	5. 11. H. h.	Botan. magaz. 1607.
arborescens. M.				
7 dumosum. B.M.	bushy.	— 1774.	5. 6. H. 2.	— 1106.
hirtellum. H.K.				
β humile. W.D.	dwarf.	—	— H. h.	Wats. dend. brit. 32.
8 frondosum. w.	blunt-leaved.	— 1761.	— H. h.	Andr. reposit. 140.
9 venustum. H.K.	red-twigged.	— 1770.	— H. h.	
10 resinosum. w.	clammy.	— 1772.	— H. h.	Wang. am. t. 30. f. 69.
β rubescens.	red-flowered.	—	— H. h.	Botan. magaz. 1288.
11 parviflorum. A.R.	small-flower'd.	— 1804.	— H. h.	Andr. reposit. 125.
12 corymbosum. w.	corymbose.	— 1806.	6. 7. H. h.	Wats. dend. brit. 123.
13 amœnum. w.	broad-leaved.	— 1765.	5. 6. H. h.	Botan. regist. 400.
14 virgatum. w.	twiggy.	— 1767.	4. 5. H. h.	Andr. reposit. 181.
β angustifolium. W.D.	narrow-leaved.	—	— H. h.	Wats. dend. brit. 34.
15 marianum. W.D.	Maryland.	— 1812.	5. 6. H. h.	— 124.
16 grandiflorum. W.D.	great-flower'd.	—	7. 8. H. h.	— 125. A.
17 elongatum. W.D.	elongated.	—	— H. h.	— 125. B.
18 minutiflorum. W.D.	minute-flow'r'd.	—	— H. h.	— 125. C.

19	glabrum. w.D.	smooth.	N. America.	—	—	H. h.	Wats.dend.brit.125.D.
20	mucronatum. L.	mucronate.	—	5. 6.	H. h.	
21	fuscatum. w.	cluster-flow'r'd.	—	1770.	—	H. h.	Botan. regist. 302.
	<i>formosum</i> . A.R. 97.						
	<i>β angustifolium</i> . Ph.	narrow-leaved.	—	—	—	H. h.	
22	galezans. M.	Gale-leaved.	—	1806.	—	H. h.	
23	ligustrinum. w.	Privet-leaved.	—	—	H. h.	
24	tenellum. w.	Pensylvanian.	—	1772.	—	H. h.	Wats. dend. brit. 35.
	<i>pensylvanicum</i> . M.						
25	angustifolium. w.	narrow-leaved.	—	1776.	4. 5.	H. h.	
	<i>myrtilloides</i> . M.						
26	Arctostaphylos. w.	oriental.	Levant.	1777.	6. 8.	H. h.	Botan. magaz. 974.
27	maderense. s.s.	Madeira.	Madeira.	1810.	7. 9.	H. h.	Andr. reposit. 30.
	<i>Arctostaphylos</i> . A.R.						
28	meridionale. w.	Jamaica.	Jamaica.	1778.	3. 6.	G. h.	
29	crassifolium. s.s.	thick-leaved.	Carolina.	1787.	6. 7.	F. h.	Botan. magaz. 1152.
30	myrtifolium. M.	Myrtle-leaved.	—	1812.	5. 7.	F. h.	
31	nitidum. s.s.	glossy-leaved.	—	1794.	5. 6.	F. h.	Botan. regist. 480.
	<i>β decumbens</i> . B.M.	decumbent.	—	—	—	F. h.	Botan. magaz. 1550.
32	myrsinites. M.	Myrsine-leav'd.	—	—	F. h.	
33	buxifolium. s.s.	Box-leaved.	N.America.	1794.	—	H. h.	Botan. magaz. 928.
34	Vitis Idæa. w.	Cow-berry.	Britain.	4. 6.	H. h.	Eng. bot. 598.
	<i>α minor</i> .	smaller.	—	—	H. h.	Lodd. bot. cab. 1023.
	<i>β major</i> .	larger.	N. America.	—	H. h.	— 616.
35	halleriæfolium. Lod.	Halleria-leav'd.	—	5. 6.	H. h.	
OXYCOCCUS. P.S. CRANBERRY. Octandria Monogynia.							
1	palustris. P.S.	common.	Britain.	5. 6.	H. h.	Eng. bot. 319.
	<i>Vaccinium Oxycoccus</i> . E.B. Schollera	<i>Oxycoccus</i> . Roth.					
2	macrocarpus. Ph.	large-fruited.	N.America.	1760.	5. 8.	H. h.	Wats. dend. brit. 122.
3	erectus. Ph.	upright.	—	1806.	6. 8.	H. h.	— 31.
	<i>Vaccinium erythrocarpum</i> . M.						
4	hispidulus. P.S.	Thyme-leaved.	—	1776.	5. 7.	H. h.	Mich. amer. 1. t. 23.
	<i>Vaccinium hispidulum</i> . w.	<i>Arbutus thymifolia</i> . Ait.	<i>Gualtheria serpyllifolia</i> . Ph.				

ORDO CVIII.

ERICEÆ. *Don Prodr. p. 148.*

Sect. I. ERICEÆ VERÆ.

ARCTOSTAPHYLOS. K.S. ARCTOSTAPHYLOS. Decandria Monogynia.							
1	Uva-ursi. s.s.	Bear-berry.	Britain.	4. 6.	H. h.	Eng. bot. 714.
	<i>Arbutus Uva-ursi</i> . E.B. Mairania	<i>Uva-ursi</i> . Desv.					
2	alpina. s.s.	Alpine.	Scotland.	4. 5.	H. h.	— 2030.
ARBUTUS. K.S. STRAWBERRY-TREE. Decandria Monogynia. L.							
1	Unedo. s.s.	common.	Ireland.	9. 12.	H. h.	Eng. bot. 2377.
	<i>β rubra</i> .	red-flowered.	—	—	H. h.	Lodd. bot. cab. 123.
	<i>γ flore pleno</i> .	double-flowered.	—	—	H. h.	
	<i>δ schizopetala</i> .	jagged-petaled.	—	—	H. h.	
	<i>ε integrifolia</i> .	entire-leaved.	—	—	H. h.	
	<i>ζ crispa</i> .	curled-leaved.	—	—	H. h.	
	<i>η salicifolia</i> .	Willow-leaved.	—	—	H. h.	
2	canariensis. s.s.	long-leaved.	Canaries.	1796.	5. 6.	G. h.	Botan. magaz. 1577.
3	hybrida. s.s.	hybrid.	Hybrid.	—	H. h.	Botan. regist. 619.
	<i>serratifolia</i> . B.C. 580.	<i>andrachnoides</i> . L.en.					
4	Andrachne. s.s.	oriental.	Levant.	1724.	3. 4.	G. h.	— 113.
5	laurifolia. s.s.	Laurel-leaved.	Mexico.	1825.	G. h.	
6	phillyræfolia. s.s.	Phillyrea-ld.	Peru.	1812.	G. h.	
7	? pumila. s.s.	dwarf.	Magellan.	1824.	G. h.	
GUALTHERIA. S.S. GUALTHERIA. Decandria Monogynia. L.							
1	procumbens. s.s.	trailing.	N.America.	1762.	7. 9.	H. h.	Andr. reposit. 116.
2	fragens. D.P.	fragrant.	Nepaul.	1824.	H. h.	Wal.as.res.13.p.297.ic.

ENKIANTHUS. B.M.		ENKIANTHUS.		Decandria Monogynia.			
1	quinqueflorus. B.R.	Canton.	China.	1812.	10. 2.	G. h.	Botan. regist. 884.
2	reticulatus. B.R.	netted-leaved.	—	1820.	—	G. h.	— 885.
ANDROMEDA. N.		ANDROMEDA.		Decandria Monogynia. L.			
1	hypnoides. W.	Moss-like.	Lapland.	1798.	6. 7.	H. h.	Flor. dan. 10.
2	mariana. W.	Maryland.	N.America.	1736.	—	H. h.	Pluk. mant. t. 448. f. 6.
	<i>a ovalis.</i>	oval-leaved.	—	—	—	H. h.	Botan. magaz. 1579.
	<i>β oblonga.</i>	oblong-leaved.	—	—	—	H. h.	—
3	jamaicensis. W.	Jamaica.	Jamaica.	1793.	—	S. h.	—
4	speciosa. Ph.	large-flowered.	Carolina.	1800.	6. 9.	H. h.	—
	<i>a nitida. Ph.</i>	smooth leaved.	—	—	—	H. h.	Botan. magaz. 970.
	<i>cassinæfolia. B.M.</i>	—	—	—	—	—	—
	<i>β glauca. W.D.</i>	glaucous-leaved.	—	—	—	H. h.	Wats. dend. brit. 26.
	<i>γ pulverulenta. Ph.</i>	mealy-leaved.	—	—	—	H. h.	Botan. magaz. 667.
5	rosmarinifolia. s.s.	Rosemary-ld.	N.America.	5. 9.	H. h.	Pall. ros. 2. t. 70. f. B.
6	glaucophylla. L.en.	glaucous-leav'd.	—	—	H. h.	Lodd. bot. cab. 546.
	<i>polifolia β latifolia. B.C.</i>	—	—	—	—	—	—
7	polifolia. W.	marsh.	Europe.	—	H. h.	—
	<i>a media. H.K.</i>	wild Rosemary.	Britain.	—	H. h.	Eng. bot. 713.
	<i>β oleifolia.</i>	Olive-leaved.	Europe.	—	H. h.	—
	<i>γ? subulata. P.S.</i>	awl-leaved.	—	—	H. h.	—
8	calyculata. Ph.	Box-leaved.	—	1748.	2. 4.	H. h.	—
	<i>a ventricosa. H.K.</i>	globe-flowered.	Russia.	—	—	H. h.	Botan. magaz. 1286.
	<i>β nana. B.C.</i>	dwarf.	—	—	H. h.	Lodd. bot. cab. 862.
	<i>γ latifolia. H.K.</i>	broad-leaved.	Newfoundland.	—	—	H. h.	— 530.
9	angustifolia. Ph.	narrow-leaved.	N. America.	—	H. h.	—
	<i>crispa. L.en.</i>	—	—	—	—	—	—
10	fasciculata. W.	bundled-fl'd.	Jamaica.	1822.	S. h.	—
11	buxifolia. P.S.	Box-leaved.	Mauritius.	—	S. h.	Sm. ic. ined. 1. t. 59.
12	coriacea. W.	thick-leaved.	N.America.	1765.	6. 8.	H. h.	Botan. magaz. 1095.
	<i>nitida. M. lucida. Lam.</i>	<i>mariana. Jacq.</i>	ic. 3. t. 465.	<i>nec aliorum.</i>			
13	acuminata. W.	acute-leaved.	—	—	8.	H. h.	Sm. exot. bot. 2. t. 89.
14	Catesbæi. W.	spiny-leaved.	—	1793.	6. 7.	H. h.	Botan. magaz. 1955.
	<i>spinulosa. Ph.</i>	—	—	—	—	—	—
15	axillaris. W.	axil-flowering.	—	1765.	5. 8.	H. h.	Duham. ar. ed. nov. t. 39.
	<i>β longifolia.</i>	long-leaved.	—	—	—	H. h.	Botan. magaz. 2357.
16	floribunda. Ph.	many-flowered.	Georgia.	1812.	5. 6.	H. h.	— 1566.
17	racemosa. W.	branching.	N.America.	1736.	7.	H. h.	—
18	spicata. W.D.	spiked.	—	6. 7.	H. h.	Wats. dend. brit. 36.
19	arborea. W.	Sorrel-tree.	—	1752.	7. 9.	H. h.	Botan. magaz. 905.
20	ovalifolia. D.P.	oval-leaved.	Nepaul.	1823.	G. h.	Wall. as. res. 13. p. 39. ic.
LYONIA. N.		LYONIA.		Decandria Monogynia. N.			
1	ferruginea. N.	rusty-leaved.	Georgia.	1784.	6. 7.	G. h.	Venten. malm. 80.
	<i>Andromeda ferruginea. W.</i>	—	—	—	—	—	—
2	rigida. N.	rigid.	—	1774.	4. 5.	G. h.	Lodd. bot. cab. 430.
3	salicifolia. W.D.	Willow-leaved.	N. America.	6. 7.	H. h.	Wats. dend. brit. 38.
4	paniculata. N.	paniced.	—	1748.	5. 6.	H. h.	— t. 37.
5	capreæfolia. W.D.	tendrill-leaved.	—	1812.	7.	H. h.	— t. 127.
6	multiflora. W.D.	many-flowered.	—	—	—	H. h.	— t. 128.
7	frondosa. N.	bristly-flow'r'd.	—	1806.	5. 6.	H. h.	—
MYLOCARYUM. W.en.		BUCKWHEAT-TREE.		Decandria Monogynia. W.			
	<i>ligustrinum. Ph.</i>	Privet-leaved.	Georgia.	1786.	5. 6.	G. h.	Botan. magaz. 1625.
	<i>Cliftonia ligustrina. s.s.</i>	—	—	—	—	—	—
CLETHRA. W.		CLETHRA.		Decandria Monogynia. W.			
1	alnifolia. s.s.	Alder-leaved.	N.America.	1731.	8. 10.	H. h.	Lam. ill. t. 369.
2	tomentosa. s.s.	woolly-leaved.	—	—	—	H. h.	Wats. dend. brit. t. 39.
3	scabra. s.s.	rough-leaved.	Georgia.	1806.	—	H. h.	—
4	acuminata. s.s.	acute-leaved.	Carolina.	—	—	H. h.	—
5	paniculata. s.s.	paniced.	N.America.	1770.	—	H. h.	—
6	arborea. s.s.	tree.	Madeira.	1784.	—	G. h.	Botan. magaz. 1057.
	<i>β variegata.</i>	variegated.	—	—	—	G. h.	—
	<i>γ minor.</i>	dwarf.	—	—	G. h.	—
7	ferruginea. s.s.	ferruginous.	S. America.	1818.	—	G. h.	—
CYRILLA. L.		CYRILLA.		Pentandria Monogynia. L.			
	<i>racemiflora. L.</i>	Carolina.	Carolina.	1765.	6. 8.	F. h.	Botan. magaz. 2456.
	<i>caroliniana. P.S.</i>	<i>Itea Cyrilla. W.</i>	—	—	—	—	—
BROSSÆA. L.		BROSSÆA.		Pentandria Monogynia. L.			
	<i>coccinea. L.</i>	scarlet.	S. America.	S. h.	Lam. ill. t. 111. f. 3.

LÆRIA. W.

- 1 ericoides. s.s.
2 muscosa. s.s.
3 fasciculata. s.s.
4 paucifolia. s.s.
5 articulata. s.s.
6 scabra. s.s.
7 depressa. R.S.
8 purpurea. s.s.
9 dumosa. s.s.
10 glabella. s.s.
11 ciliaris. s.s.

YMPIEZA. R.S.

- capitellata. R.S.
Blæria bracteata. Wendl.

CALLUNA. Sal.

- vulgaris. Wendl.
Erica vulgaris. E.B.
α carnea.
β alba.
γ multiplex.

ERICA. W.

- 1 absinthoides. H.K.
2 actæa. L.en.
3 acuminata. A.H.
β pallida.
4 acuta. A.H.
5 acutangularis. Lod.
6 adenophora. s.s.
7 aggregata. s.s.
8 Aitoniana. H.K.
9 albens. H.K.
10 albida. Lod.
11 alopecuroides. s.s.
12 ambigua. s.s.
cylindrica. A.H. non Th.
13 amœna. H.K.
plumosa. A.H.
14 ampullacea. H.K.
15 andromedæflora. H.K.
16 anthina. s.s.
17 aperta. s.s.
18 Aphanes. s.s.
19 arborea. s.s.
β stylosa. P.S.
20 arbuscula. B.C.
21 arctata. Lod.
22 Archeriana. H.K.
23 ardens. H.K.
24 argentiflora. s.s.
25 aristata. H.K.
26 armata. s.s.
27 assurgens. L.en.
28 aurea. H.K.
29 auricularis. L.T.
30 australis. H.K.
31 axillaris. w.
32 azaleæfolia. L.T.
33 baccans. H.K.
34 Bandoniæ. Lod.
35 Banksii. H.K.
36 barbata. H.K.
37 bella. s.s.
38 Bergiana. H.K.
quadriflora. A.H. v. 2.
39 bicolor. w.
calathiflora. L.T.
40 biflora. B.C.
41 blanda. H.K.

BLÆRIA. Tetrandria Monogynia. W.

- heath-leaved. C. B. S. 1774. 8. 10. G. h.
Moss-leaved. ———— 6. 8. G. h.
close-headed. ———— 1812. ———— G. h.
few-leaved. ———— ———— G. h.
jointed. ———— 1795. 5. 6. G. h.
rough. ———— 1806. ———— G. h.
depressed. ———— 1816. ———— G. h.
purple-flow'r'd. ———— 1791. ———— G. h.
bushy. ———— 1806. 6. 8. G. h.
smooth. ———— 1816. ———— G. h.
fringed. ———— 1795. ———— G. h.

SYMPIEZA. Tetrandria Monogynia. R.S.

- headed. C. B. S. 1812. 6. 8. G. h.

Wendl. coll. 1. t. 25.

Wendl. coll. 2. t. 43.

——— 2. t. 44.

——— 1. t. 31.

Wendl. coll. 2. t. 38.

Seb. thes. 1. t. 20. f. 2.

Wendl. coll. 2. t. 49.

Wendl. coll. 2. t. 37.

CALLUNA. Octandria Monogynia.

- common. Britain. 6. 8. H. h.

Eng. bot. 1013.

- flesh-coloured*. ———— H. h.
white-flowered. ———— H. h.
double-flowered. ———— H. h.

HEATH. Octandria Monogynia. L.

- Wormwood-like. C. B. S. 1792. 3. 6. G. h.
cluster-leaved. ———— 1810. ———— G. h.
pointed-leaved. ———— 1798. 5. 6. G. h.
pale-flowered. ———— ———— G. h.
pointed-cupp'd. ———— 1799. 5. 8. G. h.
acute-angled. ———— 1823. ———— G. h.
gland-haired. ———— 1810. ———— G. h.
clustered. ———— ———— G. h.
Aiton's. ———— 1790. 6. 9. G. h.
pallid. ———— 1789. 3. 8. G. h.
white-flowered. ———— 1823. 5. 8. G. h.
fox-tail. ———— 1812. ———— G. h.
ambiguous. ———— 1798. ———— G. h.

Andr. heaths. v. 3.

Andr. heaths. v. 2.

Wendl. er. f. 13. n. 5.

Botan. magaz. 429.

——— 440.

Lodd. bot. cab. 874.

Andr. heath. c. ic.

Wendl. eric. 17. p. 73. ic.

Botan. magaz. 303.

——— 1250.

Lodd. bot. cab. 843.

Andr. heath. v. 2. ic.

Botan. regist. 115.

Andr. heath. c. ic.

Botan. magaz. 1249.

Andr. heath. v. 2.

Andr. heath. v. 3.

Botan. magaz. 358.

Andr. heath. v. 1.

——— v. 2.

Lodd. bot. cab. 939.

- feathery. ———— 1795. 3. 7. G. h.
flask. ———— 1790. 6. 8. G. h.
K. Andromeda-fl'd ———— 1803. 3. 6. G. h.
full-flowering. ———— 1811. ———— G. h.
open-flowered. ———— ———— G. h.
Parsley-piert. ———— 1820. ———— G. h.
tree. S. Europe. 1658. 2. 6. G. h.
long-styled. ———— ———— G. h.
little-tree. C. B. S. 1818. 4. 8. G. h.
arched. ———— ———— G. h.
Lady Archer's. ———— 1796. 8. 11. G. h.
ardent. ———— 1800. 4. 6. G. h.
silvery-flow'r'd. ———— 1816. ———— G. h.
awned. ———— 1801. 3. 8. G. h.
spiny-cupped. ———— 1816. ———— G. h.
assurgent. ———— 5. 8. G. h.
golden. ———— 1799. 7. 9. G. h.
eared. ———— 3. 7. G. h.
Spanish. Spain. 1769. 4. 7. H. h.
axillary. C. B. S. 1798. 5. 7. G. h.
Azalea-leaved. ———— 5. 8. G. h.
Arbutus-fl'd. ———— 1774. 4. 7. G. h.
Lady Bandon's. ———— 1816. 5. 8. G. h.
Banks's. ———— 1787. 2. 7. G. h.
bearded. ———— 1799. 5. 8. G. h.
pretty. ———— ———— G. h.
Bergius's. ———— 1787. 4. 8. G. h.
two-coloured. ———— 1790. 8. 3. G. h.
two-flowered. ———— 1820. 5. 8. G. h.
charming. ———— 1800. 4. 9. G. h.

42	Blandfordiana. H.K.	Blandford's.	C. B. S.	1803.	3. 6.	G. h.	Botan. magaz. 1793.
43	Bonplandiana. B.M.	Bonpland's.	————	1816.	—	G. h.	———— 2126.
44	borboniæfolia. L.T.	Borbonia-ld.	————	—	—	G. h.	—
45	Bowieana. B.C.	Bowie's.	————	—	3. 9.	G. h.	Lodd. bot. cab. 842.
46	brachialis. L.T.	armed.	————	1792.	—	G. h.	—
47	bracteata. W.	red-bracted.	————	1800.	5. 7.	G. h.	—
48	bracteolaris. P.S.	bracteate.	————	—	3. 7.	G. h.	—
49	brevifolia. L.T.	short-leaved.	————	8. 1.	G. h.	—
50	bruniades. W.	Brunia-like.	————	1790.	4. 7.	G. h.	—
51	buccinæformis. L.T.	Buccinium-fl'd.	————	—	G. h.	—
52	cæsia. L.T.	grey.	————	1795.	2. 5.	G. h.	—
53	caffra. A.H.	sweet-scented.	————	1774.	8. 10.	G. h.	Lodd. bot. cab. 196.
54	callosa. S.S.	callous-leaved.	————	1799.	6. 9.	G. h.	Andr. heath. ic.
	<i>canaliculata</i> β <i>minor</i> . A.H.	—	—	—	—	G. h.	—
55	calycina. W.	calycine.	————	—	—	G. h.	—
56	calyculata. P.S.	rusty-flowered.	————	1800.	5. 7.	G. h.	—
57	campanulata. H.K.	bell-flowered.	————	1791.	4. 8.	G. h.	Andr. heath. v. 1.
58	campylophylla. S.S.	hook-leaved.	————	1802.	3. 5.	G. h.	—
	<i>incurva</i> . A.H.	—	—	—	—	G. h.	—
59	canaliculata. H.K.	channelled.	————	1799.	8. 2.	G. h.	Andr. heath. v. 3.
60	canescens. H.K.	canescent.	————	1790.	5. 8.	G. h.	———— v. 2.
	<i>eriocephala</i> . A.H. <i>non</i> Lam.	—	—	—	—	G. h.	—
61	capax. L.T.	capacious.	————	1806.	—	G. h.	—
62	capitata. H.K.	downy-headed.	————	1774.	3. 7.	G. h.	Andr. heath. v. 1.
63	carduifolia. L.T.	Carduus-leav'd.	————	1806.	5. 7.	G. h.	—
64	carinata. B.C.	keeled.	————	—	6. 9.	G. h.	Lodd. bot. cab. 1071.
65	carnea. H.K.	early dwarf.	Germany.	1763.	1. 8.	H. h.	Botan. magaz. 471.
	<i>herbacea</i> . B.M.	—	—	—	—	G. h.	—
66	carniula. B.C.	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. 926.
67	catervæfolia. L.T.	huddled-leav'd.	————	1790.	4. 7.	G. h.	—
68	Celsiana. Lod.	Cels's.	————	—	G. h.	—
69	cephalotes. W.	purple-headed.	————	1812.	3. 7.	G. h.	—
70	cerinthoides. H.K.	honeywort-fl'd.	————	1774.	5. 9.	G. h.	Botan. magaz. 220.
	<i>α glabriuscula</i> .	<i>smoothish</i> .	————	—	—	G. h.	—
	<i>β hispida</i> .	<i>bristly</i> .	————	—	—	G. h.	—
71	cernua. H.K.	drooping-fl'd.	————	1791.	8. 12.	G. h.	—
72	cerviciflora. L.T.	Stag's-horn-fl'd.	————	3. 7.	G. h.	—
	<i>inaperta</i> . Hort.	—	—	—	—	G. h.	—
73	chlamydiflora. L.T.	cloak'd-fl'd.	————	1801.	5. 9.	G. h.	—
74	ciliaris. W.	ciliated.	Portugal.	1759.	7. 9.	H. h.	Botan. magaz. 484.
75	ciliciflora. L.T.	fringe-flower'd.	C. B. S.	5. 8.	G. h.	—
76	cinerascens. W.	greyish.	————	—	G. h.	—
77	cinerea. W.	fine-leaved.	Britain.	6. 9.	H. h.	Eng. bot. 1015.
	<i>α atropurpurea</i> .	<i>dark-purple</i> .	————	—	H. h.	—
	<i>β rubra</i> .	<i>red-flowered</i> .	————	—	H. h.	—
	<i>γ carnea</i> .	<i>flesh-coloured</i> .	————	—	H. h.	—
	<i>δ alba</i> .	<i>white-flowered</i> .	————	—	H. h.	—
78	cistifolia. L.en.	Cistus-leaved.	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. ic.
	<i>barbata</i> β <i>minor</i> . A.H.	—	—	—	—	G. h.	—
79	clavæflora. H.K.	club-flowered.	————	1779.	8. 10.	G. h.	Andr. heath. v. 2.
	<i>sessiliflora</i> . A.H. <i>non</i> L.	—	—	—	—	G. h.	—
80	clavata. S.S.	clubbed.	————	1812.	—	G. h.	Andr. heath. ic.
81	Clintoniæ. Lee.	Lady Clinton's.	————	1816.	5. 8.	G. h.	—
82	coarctata. S.S.	close.	————	—	G. h.	Wendl. eric. f. 19. n. 7.
83	coccinea. H.K.	scarlet-flow'r'd.	————	1783.	1. 12.	G. h.	Andr. heath. v. 1.
84	colorans. B.R.	changing-col'd.	————	1812.	1. 6.	G. h.	Botan. regist. 601.
85	comosa. H.K.	tufted.	————	1787.	4. 8.	G. h.	Ic. hort. kew. 18.
	<i>α rubra</i> .	<i>red-flowered</i> .	————	—	—	G. h.	Wendl. eric. 12. p. 7. ic.
	<i>β alba</i> .	<i>white-flowered</i> .	————	—	—	G. h.	Andr. heath. v. 2.
86	complanata. S.S.	flattened.	————	—	G. h.	—
87	Comptoniana. S.S.	Ly Northampton's.	————	1820.	—	G. h.	Andr. heath. ic.
88	concava. B.C.	concave-fl'd.	————	1808.	2. 5.	G. h.	Lodd. bot. cab. 134.
89	concinna. H.K.	blush.	————	1773.	7. 10.	G. h.	Andr. heath. v. 2.
90	concolor. Lod.	self-coloured.	————	3. 6.	G. h.	—
91	conferta. H.K.	crowded-fl'd.	————	1800.	10. 2.	G. h.	Andr. heath. v. 2.
92	confertifolia. S.S.	crowded-leav'd	————	5. 8.	G. h.	—
93	congesta. S.S.	close-headed.	————	1812.	—	G. h.	Wendl. eric. f. 17. n. 5.
94	conica. Lod.	conical.	————	1820.	—	G. h.	—
95	conspicua. H.K.	conspicuous.	————	1774.	—	G. h.	Andr. heath. v. 2.

96	constantia. Lee.	constant-fls.	C. B. S.	—	G. h.	
97	cordata. H.K.	heart-leaved.	—	1799.	4. 7.	G. h.	Andr. heath. v. 3.
98	corifolia. H.K.	Coris-leaved.	—	1774.	8. 12.	G. h.	Botan. magaz. 422.
	<i>articularis</i> . B.M. <i>calycina</i> . A.H.						
99	corydalis. L.T.	winged anther'd.	—	2. 5.	G. h.	
100	costata. H.K.	ribbed-flow'r'd.	—	1795.	2. 6.	G. h.	Andr. heath. v. 1.
101	Coventryana. B.C.	Lord Coventry's.	—	1808.	5. 6.	G. h.	Lodd. bot. cab. 423.
102	cristæflora. L.T.	crested.	—	1803.	—	G. h.	
103	crossota. s.s.	fringed-calyx'd.	—	—	G. h.	
104	cruciformis. s.s.	cross-like.	—	1818.	—	G. h.	Andr. heath. ic.
105	cruenta. H.K.	bloody-flow'r'd.	—	1774.	9. 5.	G. h.	— v. 1.
106	cubica. H.K.	cube-flowered.	—	1790.	4. 7.	G. h.	— v. 1.
	<i>β minor</i> . B.C.	<i>lesser cube-fl'd.</i>	—	—	—	G. h.	Lodd. bot. cab. 972.
107	cumuliflora. L.T.	heap-flowered.	—	1801.	5. 9.	G. h.	
108	curviflora. H.K.	curve-flowered.	—	1774.	7. 10.	G. h.	Andr. heath. v. 1.
109	curvirostris. L.T.	declining.	—	1790.	—	G. h.	
	<i>declinata</i> . Hort.						
110	Cushiniana. Lee.	Cushin's.	—	1816.	—	G. h.	
111	cuspidigera. L.T.	cuspidate.	—	2. 5.	G. h.	
112	cyrillæflora. L.T.	Cyrilla-flow'r'd.	—	1800.	2. 8.	G. h.	
113	daphnæflora. B.C.	Daphne-fl'd.	—	1791.	4. 5.	G. h.	Lodd. bot. cab. 543.
114	daphnoides. B.C.	Daphne-like.	—	—	—	G. h.	— 154.
115	decolorans. w.	discoloured.	—	—	G. h.	
116	decora. H.K.	graceful.	—	1790.	11. 1.	G. h.	Andr. heath. v. 3.
117	deflexa. Lod.	deflexed.	—	5. 8.	G. h.	
118	demissa. Lod.	low.	—	1810.	—	G. h.	
119	densa. s.s.	dense.	—	—	—	G. h.	Andr. heath. ic.
120	densifolia. w.	dense-leaved.	—	1811.	3. 8.	G. h.	
121	denticulata. w.	tooth-calyxed.	—	—	—	G. h.	Lodd. bot. cab. 1090.
122	depressa. H.K.	depressed.	—	1789.	6. 8.	G. h.	Andr. heath. v. 2.
	<i>rupestris</i> . A.H.						
123	dianthifolia. L.T.	pink-leaved.	—	1796.	3. 8.	G. h.	
124	diaphana. s.s.	transparent.	—	1800.	5. 8.	G. h.	Andr. heath. c. ic.
	<i>transparens</i> . B.C. 177. <i>non</i> Th.						
125	dichrus. s.s.	Andrew's 2-color'd.	—	1790.	8. 5.	G. h.	Andr. heath. ic.
	<i>bicolor</i> . A.H. <i>non</i> W.						
126	Dickensoni. Lod.	Mr. Dickenson's.	—	1809.	—	G. h.	
	<i>α alba</i> .	<i>white-flowered.</i>	—	—	—	G. h.	
	<i>β rubra</i> .	<i>red-flowered.</i>	—	—	—	G. h.	
127	diosmæfolia. L.T.	Diosma-leaved.	—	1792.	3. 7.	G. h.	
128	diotæflora. L.T.	Diotis-flower'd.	—	1795.	3. 8.	G. h.	
129	discolor. H.K.	different-col'd.	—	1788.	10. 3.	G. h.	Andr. heath. v. 1.
130	doliiformis. L.T.	tun-bellied.	—	1798.	5. 9.	G. h.	
131	Donniana. Lee.	Donn's.	—	1812.	—	G. h.	
132	dumosa. A.H.	bushy.	—	—	—	G. h.	Andr. heath. ic.
133	echiiflora. H.K.	Echium-fl'd.	—	1798.	2. 7.	G. h.	— v. 3.
134	elata. H.K.	tall.	—	1790.	7. 9.	G. h.	— v. 2.
135	elegans. H.K.	elegant.	—	1799.	11. 5.	G. h.	Botan. magaz. 960.
136	elongata. B.C.	elongated.	—	1820.	3. 6.	G. h.	Lodd. bot. cab. 738.
137	emarginata. A.H.	hairy cupped.	—	1800.	6. 10.	G. h.	Andr. heath. ic.
138	embothriifolia. L.T.	Embothrium-l'd.	—	2. 5.	G. h.	
139	empetrifolia. H.K.	crowberry-l'd.	—	1774.	4. 7.	G. h.	Botan. magaz. 447.
140	empetroides. H.K.	close-flowered.	—	1788.	5. 8.	G. h.	Andr. heath. v. 2.
141	epistomia. Lod.	spiggot.	—	1800.	—	G. h.	
142	equisetifolia. L.T.	Equisetum-l'd.	—	—	—	G. h.	
	<i>articularis</i> . Hort.						
143	erosa. B.C.	gnawed-petal'd.	—	1816.	—	G. h.	Lodd. bot. cab. 133.
144	erubescens. H.K.	reddish-fl'd.	—	1800.	3. 8.	G. h.	Andr. heath. v. 3.
145	Ewerana. H.K.	Ewer's.	—	1793.	7. 11.	G. h.	— v. 2.
	<i>α glabra</i> .	<i>smooth-leaved.</i>	—	—	—	G. h.	
	<i>β longiflora</i> .	<i>long-flowered.</i>	—	—	—	G. h.	
	<i>γ pilosa</i> .	<i>hairy-leaved.</i>	—	—	—	G. h.	
146	exigua. L.T.	small downy.	—	1790.	3. 9.	G. h.	
147	eximia. Lod.	choice.	—	1811.	—	G. h.	
148	exserta. Lod.	exserted.	—	1820.	—	G. h.	
149	expansa. Lod.	expanded.	—	1811.	—	G. h.	
150	expromta. s.s.	woolly-branch'd.	—	—	—	G. h.	
151	exsudans. B.C.	sweating.	—	1810.	8. 10.	G. h.	Lodd. bot. cab. 287.
152	exurgens. H.K.	quiver-formed.	—	1792.	1. 12.	G. h.	Andr. heath. v. 1.

153	<i>fabriliis</i> . L.T.	tilled-leaved.	C. B. S.	1791.	4. 8.	G. h.	
154	<i>fallax</i> . L.T.	viscous-flow'r'd.	—	11. 3.	G. h.	
155	<i>fascicularis</i> . H.K.	cluster-flow'r'd.	—	1787.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>coronata</i> . A.H. <i>radiiflora</i> . L.T.						
156	<i>fastigiata</i> . W.	Walker's.	—	1792.	2. 7.	G. h.	— v. 1.
	<i>Walkeri</i> . A.H.						
157	<i>fausta</i> . L.T.	bristly-leaved.	—	1795.	4. 6.	G. h.	
158	<i>ferruginea</i> . H.K.	rusty.	—	1798.	5. 7.	G. h.	Andr. heath. v. 3.
159	<i>festa</i> . L.T.	angular-stalk'd.	—	3. 5.	G. h.	
160	<i>fibula</i> . L.en.	button.	—	1812.	5. 6.	G. h.	
161	<i>filamentosa</i> . H.K.	long-peduncul'd.	—	1800.	1. 12.	G. h.	Botan. regist. 6.
162	<i>filiformis</i> . L.T.	filiform.	—	2. 5.	G. h.	
163	<i>fimbriata</i> . A.H.	fringed.	—	1800.	3. 7.	G. h.	Andr. heath. ic.
164	<i>finitima</i> . Lod.	related.	—	—	G. h.	
165	<i>fistulæflora</i> . L.T.	white slender-fl'd.	—	1800.	7. 11.	G. h.	Andr. heath. v. 3.
	<i>tenuiflora</i> β <i>alba</i> . A.H. <i>Cliffordiana</i> . B.C. 34.						
166	<i>flaccida</i> . L.en.	flaccid.	—	1810.	—	G. h.	
167	<i>flagellaris</i> . L.en.	whipcord.	—	—	—	G. h.	
168	<i>flammea</i> . H.K.	flame-flow'r'd.	—	1798.	10. 5.	G. h.	Andr. heath. v. 2.
	<i>bibax</i> . L.T.						
169	<i>flava</i> . H.K.	3-leaved yellow.	—	1795.	9. 4.	G. h.	— v. 2.
	β <i>imbricata</i> . B.M.	imbricated.	—	—	—	G. h.	Botan. magaz. 1815.
170	<i>flexicaulis</i> . H.K.	crook-stalked.	—	1800.	5. 1.	G. h.	Andr. heath. v. 2.
	<i>glandulosa</i> . A.R. <i>nec aliorum</i> .						
171	<i>flexuosa</i> . H.K.	zigzag.	—	1792.	4. 7.	G. h.	Andr. heath. v. 1.
172	<i>floribunda</i> . B.C.	many-flowered.	—	1800.	11. 3.	G. h.	Lodd. bot. cab. 176.
173	<i>florida</i> . H.K.	florid.	—	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.
174	<i>follicularis</i> . H.K.	yellow pencill'd.	—	1794.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>Petiveriana</i> . A.H.						
175	<i>formosa</i> . W.	handsome.	—	1795.	3. 8.	G. h.	Thunb. eric. n. 82. t. 3.
	α <i>alba</i> .	white-flowered.					
	β <i>rubra</i> .	red-flowered.					
176	<i>fragrans</i> . H.K.	fragrant.	—	1803.	3. 7.	G. h.	Botan. magaz. 2181.
177	<i>fucata</i> . Wend.	painted.	—	1811.	—	G. h.	
178	<i>fugax</i> . L.T.	fugacious.	—	1800.	3. 5.	G. h.	
179	<i>furfurosa</i> . H.K.	columnar-threaded.	—	1789.	8. 12.	G. h.	Andr. heath. v. 1.
	<i>monadelpha</i> . A.H. <i>non</i> B.M.						
180	<i>gelida</i> . H.K.	green verticillate.	—	1790.	4. 7.	G. h.	— v. 2.
	<i>gilva</i> . W. <i>alveiflora</i> . L.T.						
181	<i>gemmafera</i> . B.M.	jewel.	—	1802.	7. 10.	G. h.	Botan. magaz. 2266.
182	<i>genistæfolia</i> . L.T.	Genista-leaved.	—	10. 5.	G. h.	
183	<i>glabra</i> . L.en.	glabrous.	—	1802.	5. 8.	G. h.	
184	<i>glandulosa</i> . Th.	glandular-haired.	—	1801.	—	G. h.	
185	<i>glaucæ</i> . H.K.	glaucous-leaved.	—	1792.	—	G. h.	Botan. magaz. 580.
186	<i>globosa</i> . W.	globular-fl'd.	—	1789.	7. 9.	G. h.	Andr. heath. ic.
187	<i>glomerata</i> . s.s.	glomerate.	—	1812.	—	G. h.	Andr. heath. ic.
188	<i>glomiflora</i> . L.T.	round-flower'd.	—	4. 9.	G. h.	
189	<i>glutinosa</i> . H.K.	glutinous.	—	1787.	7. 10.	G. h.	Icon. hort. kew. 17.
	<i>droseroides</i> . A.H.						
190	<i>gnaphalodes</i> . W.	cudweed-like.	—	1812.	2. 4.	G. h.	Pluk. m. 68. t. 346. f. 11.
191	<i>gracilis</i> . H.K.	gracile.	—	1794.	2. 6.	G. h.	Wend. eric. 8. p. 9. ic.
192	<i>grandiflora</i> . H.K.	great-flowered.	—	1775.	5. 9.	G. h.	Botan. magaz. 189.
193	<i>grandinosa</i> . B.C.	hail-flowered.	—	1820.	—	G. h.	Lodd. bot. cab. 627.
194	<i>halicacaba</i> . H.K.	bladder-fl'd.	—	1780.	5. 8.	G. h.	Andr. heath. v. 2.
195	<i>helianthemifolia</i> . L.T.	plain-leaved.	—	1796.	6. 9.	G. h.	
196	<i>Hibbertiana</i> . H.K.	Hibbert's.	—	1800.	—	G. h.	Andr. heath. v. 3.
197	<i>hirsuta</i> . B.C.	hairy.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. 754.
198	<i>hirta</i> . W.	hairy-leaved.	—	1795.	4. 7.	G. h.	Thunb. eric. n. 56. t. 2.
199	<i>hirtiflora</i> . B.M.	hairy-flowered.	—	1790.	—	G. h.	Botan. magaz. 481.
200	<i>hispidæ</i> . s.s.	hispid.	—	1791.	7. 9.	G. h.	Andr. heath. ic.
201	<i>hispidula</i> . W.	bristly-stemm'd.	—	—	6. 8.	G. h.	
202	<i>holosericea</i> . L.T.	velvetty.	—	2. 7.	G. h.	
203	<i>horizontalis</i> . H.K.	horizontal-l'd.	—	1800.	7. 9.	G. h.	Andr. heath. v. 2.
204	<i>Humeana</i> . B.C.	Sir A. Hume's.	—	1808.	5. 7.	G. h.	Lodd. bot. cab. 389.
205	<i>humifusa</i> . L.T.	low.	—	6. 7.	G. h.	
206	<i>hyacinthoides</i> . H.K.	Hyacinth-fl'd.	—	1798.	6. 8.	G. h.	Andr. heath. v. 3.
207	<i>hyssopifolia</i> . L.T.	Hyssop-leaved.	—	1800.	5. 9.	G. h.	
208	<i>ignescens</i> . H.K.	fiery.	—	1792.	3. 7.	G. h.	Andr. heath. v. 2.
209	<i>imbecilla</i> .	feeble.	—	1793.	6. 7.	G. h.	
	<i>gracilis</i> . L.T. <i>nec aliorum</i> .						

210	<i>imbricata</i> . w.	imbricated.	C. B. S.	1786.	5. 8.	G. h.	
211	<i>imperialis</i> . s.s.	imperial.	—	1816.	—	G. h.	Andr. heath. ic.
212	<i>incana</i> . s.s.	hoary.	—	—	—	G. h.	Wend. er. f. 18. n. 4. ic.
213	<i>incarnata</i> . w.	flesh-coloured.	—	1791.	—	G. h.	Andr. heath. ic.
214	<i>incurva</i> . w.	incurved.	—	—	—	G. h.	
215	<i>inflata</i> . w.	inflated.	—	1800.	5. 9.	G. h.	
216	<i>infundibuliformis</i> .	funnel-flow'r'd.	—	1812.	—	G. h.	Lodd. bot. cab. 589.
217	<i>intertexta</i> . B.C.	interwoven.	—	1810.	—	G. h.	— 1034.
218	<i>intervallaris</i> . L.T.	distant-leaved.	—	—	5. 11.	G. h.	
219	<i>Irbyana</i> . A.H.	Irby's.	—	1800.	6. 10.	G. h.	Andr. heath. v. 3.
220	<i>jasminiflora</i> . H.K.	Jasmine-fl'd.	—	1794.	—	G. h.	— v. 1.
221	<i>jubata</i> . s.s.	crest-flowered.	—	1816.	—	G. h.	
222	<i>Juliana</i> . s.s.	Julian's.	—	1812.	5. 10.	G. h.	Lodd. bot. cab. 799.
223	<i>labialis</i> . L.T.	lipped.	—	—	—	G. h.	
224	<i>lachneæfolia</i> . H.K.	Lachnea-leav'd.	—	1793.	5. 7.	G. h.	Andr. heath. v. 3.
225	<i>lactiflora</i> . B.C.	milk-coloured.	—	1816.	—	G. h.	Lodd. bot. cab. 901.
226	<i>lævis</i> . A.H.	smooth.	—	1790.	3. 6.	G. h.	Andr. heath. v. 3.
227	<i>Lambertiana</i> . H.K.	Lambert's.	—	1800.	5. 8.	G. h.	— v. 2.
228	<i>lanata</i> . w.	woolly.	—	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
229	<i>lanceolata</i> . P.S.	spear-leaved.	—	1791.	6. 12.	G. h.	
230	<i>lanuginosa</i> . H.K.	large brown-fl'd.	—	1803.	9. 1.	G. h.	Andr. heath. v. 3.
231	<i>lasciva</i> . L.T.	imbricate-calyx'd.	—	1800.	1. 8.	G. h.	
232	<i>lasiophylla</i> . s.s.	downy-leaved.	—	1816.	5. 8.	G. h.	
233	<i>lateralis</i> . H.K.	side-flowered.	—	1791.	3. 7.	G. h.	Andr. heath. v. 1.
234	<i>latifolia</i> . H.K.	broad-leaved.	—	1800.	5. 8.	G. h.	— v. 2.
235	<i>lavandulæfolia</i> . L.T.	Lavender-ld.	—	1795.	—	G. h.	
236	<i>Lawsoni</i> . B.M.	red slender-fl'd.	—	1802.	4. 7.	G. h.	Botan. magaz. 1720.
237	<i>laxa</i> . H.K.	loose-flowered.	—	1800.	9. 2.	G. h.	Andr. heath. v. 3.
238	<i>Leeana</i> . H.K.	Lee's.	—	1788.	8. 1.	G. h.	— v. 1.
239	<i>leucantha</i> . L.en.	white-blossom'd.	—	1803.	1. 5.	G. h.	— v. 2.
	<i>leucanthera</i> . A.H. non L.						
240	<i>leucanthera</i> . w.	white-tipped.	—	1803.	2. 6.	G. h.	
241	<i>Linnæana</i> . H.K.	Linnæus's.	—	1790.	1. 5.	G. h.	Andr. heath. v. 2.
	<i>Linnæoides</i> . A.H.						
242	<i>longiflora</i> . B.C.	long-flowered.	—	—	4. 8.	G. h.	Lodd. bot. cab. 983.
243	<i>longifolia</i> . w.	long-leaved.	—	1787.	2. 7.	G. h.	Wend. eric. t. 3.
	<i>pinea</i> . Wend.						
244	<i>longipedunculata</i> .	long-stalked.	—	1818.	3. 8.	G. h.	Lodd. bot. cab. 103.
245	<i>lucida</i> . H.K.	lucid.	—	1800.	4. 1.	G. h.	Andr. heath. v. 2.
246	<i>lutea</i> . H.K.	yellow.	—	1774.	2. 5.	G. h.	— v. 1.
247	<i>lyrigera</i> . L.T.	lyre-bearing.	—	1790.	—	G. h.	
248	<i>magnifica</i> . s.s.	magnificent.	—	1816.	4. 8.	G. h.	Andr. heath. ic.
249	<i>mammosa</i> . w.	nipple.	—	1762.	7. 10.	G. h.	— v. 1.
	<i>α purpurea</i> .	purple-flowered.	—	—	—	G. h.	Lodd. bot. cab. 125.
	<i>β pallida</i> .	pale-flowered.	—	—	—	G. h.	— 951.
250	<i>margaritacea</i> . H.K.	pearl-flowered.	—	1775.	5. 9.	G. h.	Andr. heath. v. 1.
251	<i>marifolia</i> . H.K.	Marum-leaved.	—	1773.	5. 7.	G. h.	— v. 1.
252	<i>Massoni</i> . H.K.	Masson's.	—	1787.	7. 10.	G. h.	Botan. magaz. 336.
253	<i>mediterranea</i> . w.	Mediterranean.	Portugal.	1648.	3. 5.	H. h.	— 471.
254	<i>melanthera</i> . w.	dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. 867.
255	<i>melastoma</i> . A.H.	black-anthered.	—	1795.	4. 7.	G. h.	— 333.
256	<i>mellifera</i> . s.s.	honey-bearing.	—	1816.	—	G. h.	
257	<i>metulæflora</i> . H.K.	nine-pin.	—	1798.	6. 8.	G. h.	Botan. magaz. 612.
258	<i>microphylla</i> . Lod.	small-leaved.	—	—	—	G. h.	
259	<i>microstoma</i> . s.s.	aggregate-fl'd.	—	1816.	—	G. h.	
260	<i>mirabilis</i> . Lod.	wonderful.	—	—	3. 8.	G. h.	
261	<i>modesta</i> . L.T.	modest.	—	—	—	G. h.	
262	<i>mollearis</i> . P.S.	soft-leaved.	—	1803.	4. 10.	G. h.	
263	<i>mollis</i> . s.s.	soft.	—	1816.	—	G. h.	
264	<i>mollissima</i> . Lod.	softest.	—	—	—	G. h.	
265	<i>monadelpha</i> . B.M.	monadelphous.	—	1789.	5. 7.	G. h.	Botan. magaz. 1370.
	<i>Banksia β purpurea</i> . A.H.						
266	<i>Monsoniæ</i> . H.K.	Lady Monson's.	—	1787.	4. 9.	G. h.	— 1915.
267	<i>montana</i> . Lod.	mountain.	—	1816.	—	G. h.	
268	<i>moschata</i> . A.H.	musky.	—	1805.	5. 7.	G. h.	Andr. heath. ic.
269	<i>mucosa</i> . H.K.	mucous.	—	1787.	2. 4.	G. h.	— v. 1.
270	<i>mucronata</i> . s.s.	mucronate.	—	1812.	4. 8.	G. h.	Andr. heath. ic.
271	<i>multiflora</i> . H.K.	many-flow'r'd.	France.	1731.	6. 11.	G. h.	— v. 2.
272	<i>munda</i> . L.T.	neat-flowered.	C. B. S.	—	5. 7.	G. h.	

273	mundula. B.C.	neat.	C. B. S.	1816.	3. 8.	G. h.	Lodd. bot. cab. 114.
274	Muscari. H.K.	musk.	————	1790.	—	G. h.	Andr. heath. v. 1.
275	mutabilis. H.K.	mutable.	————	1798.	2. 10.	G. h.	———— v. 3.
276	nana. L.T.	dwarf.	————	1792.	5. 8.	G. h.	
	<i>depressa. A.H.</i>						
277	nidiflora. L.T.	nest-flowered.	————	10. 5.	G. h.	
278	nidularia. B.C.	nest-like.	————	1816.	5. 8.	G. h.	Lodd. bot. cab. 764.
279	nigricans. s.s.	black-stamen'd.	————	—	—	G. h.	
280	nigrita. H.K.	black-tipped.	————	1790.	3. 7.	G. h.	Andr. heath. v. 1.
281	nitida. H.K.	shining.	————	1800.	7. 10.	G. h.	———— v. 3.
282	nivea. s.s.	snowy.	————	1816.	5. 9.	G. h.	
283	Niveni. H.K.	Niven's.	————	1799.	2. 7.	G. h.	Andr. heath. v. 2.
284	nodiflora. L.T.	knot-flowered.	————	—	3. 8.	G. h.	
285	nolæflora. L.T.	bell-shaped.	————	2. 5.	G. h.	
286	notabilis. s.s.	notable.	————	1816.	3. 8.	G. h.	
287	nudiflora. W.	small-bracted.	————	1783.	7. 8.	G. h.	
288	obbatia. H.K.	bottle.	————	1796.	4. 7.	G. h.	Andr. heath. v. 2.
289	obcordata. s.s.	obcordate.	————	1812.	—	G. h.	
290	obliqua. H.K.	oblique-leaved.	————	1789.	8. 10.	G. h.	Andr. heath. v. 1.
291	obtusa. B.C.	obtuse.	————	1816.	5. 8.	G. h.	Lodd. bot. cab. 1027.
292	octogona. Lod.	eight-angled.	————	—	—	G. h.	
293	odorata. H.K.	perfumed.	————	1804.	4. 7.	G. h.	Andr. heath. v. 3.
294	ollula. s.s.	close-smooth-ld.	————	1812.	—	G. h.	———— c. ic.
295	onosmæflora. L.T.	Onosma-fl'd.	————	1789.	9. 5.	G. h.	Andr. heath. v. 1.
	<i>glutinosa. A.H. viscosa. Wend.</i>						
296	oppositifolia. A.H.	opposite-leav'd.	————	1804.	3. 5.	G. h.	Andr. heath. c. ic.
	<i>α alba.</i>	<i>white-flowered.</i>	————	—	—	G. h.	
	<i>β rubra. B.C.</i>	<i>red-flowered.</i>	————	—	—	G. h.	Lodd. bot. cab. 1060.
297	ovata. B.C.	ovate.	————	1791.	2. 5.	G. h.	———— 417.
298	oxycoccifolia. L.T.	Cranberry-ld.	————	—	—	G. h.	
299	pallens. s.s.	pale.	————	1812.	3. 8.	G. h.	Andr. heath. ic.
300	pallida. s.s.	pallid.	————	—	—	G. h.	
301	palliiflora. L.T.	pale-flowered.	————	2. 8.	G. h.	
302	palustris. H.K.	marsh.	————	1799.	5. 10.	G. h.	Andr. heath. v. 2.
303	paniculata. W.	panicked.	————	1774.	2. 8.	G. h.	
304	pannosa. L.T.	cloth-flowered.	————	2. 6.	G. h.	
305	parilis. L.T.	matched.	————	1789.	5. 8.	G. h.	
306	Parmentieri. B.C.	Parmentier's.	————	1816.	—	G. h.	Lodd. bot. cab. 197.
	<i>rosea. Lod.</i>	<i>rose-coloured.</i>	————	—	—	G. h.	
307	parviflora. L.T.	small-fl'd. downy.	————	1790.	3. 9.	G. h.	
308	Passerina. W.	sparrow-wort.	————	1800.	11. 5.	G. h.	Petiv. gaz. t. 3. f. 7.
309	patens. A.H.	spreading.	————	—	3. 6.	G. h.	Andr. heath. v. 3.
310	Patersoni. H.K.	Paterson's.	————	1791.	3. 8.	G. h.	———— v. 1.
311	pavettæflora. L.T.	Pavetta-fl'd.	————	5. 8.	G. h.	
312	pectinifolia. L.T.	pectinated.	————	1800.	11. 6.	G. h.	
313	pedunculata. s.s.	peduncled.	————	1810.	5. 9.	G. h.	
314	pellucida. A.H.	pellucid.	————	1800.	10. 6.	G. h.	Andr. heath. v. 3.
315	pendula. W.	pendulous.	————	1791.	7. 8.	G. h.	Lodd. bot. cab. 902.
316	penicillata. A.H.	pencilled.	————	1774.	4. 7.	G. h.	Andr. heath. v. 2.
317	penicilliflora. L.T.	white-pencill'd.	————	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5. ic.
318	periplocæfolia. L.T.	Periploca-ld.	————	8. 12.	G. h.	
319	persoluta. H.K.	garland.	————	1774.	2. 5.	G. h.	Botan. magaz. 342.
320	perspicua. H.K.	clear-flowered.	————	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7. ic.
	<i>β Linnæa. A.H. v. 2.</i>						
321	petiolata. H.K.	rosemary-ld.	————	1774.	3. 7.	G. h.	Andr. heath. v. 3.
322	Petiveriana. H.K.	Petiver's.	————	—	—	G. h.	Lam. ill. t. 288. f. 3.
323	Peziza. B.C.	button-flower'd.	————	5. 8.	G. h.	Lodd. bot. cab. 265.
324	phylicoides. W.	Phylica-like.	————	1800.	4. 7.	G. h.	
325	physodes. H.K.	sticky.	————	1788.	3. 7.	G. h.	Botan. magaz. 443.
326	picta. Lod.	painted.	————	1800.	—	G. h.	
327	pilosa. s.s.	pilose.	————	—	—	G. h.	Lodd. bot. cab. 606.
328	pilulifera. W.	ball-bearing.	————	1789.	4. 5.	G. h.	
329	pinea. s.s.	Pine-tree-ld.	————	1790.	8. 12.	G. h.	
330	pityophylla. s.s.	Pine-leaved.	————	—	6. 12.	G. h.	Andr. heath. ic.
	<i>pinifolia. A.H.</i>						
331	Plukenetiana. H.K.	Plukenet's.	————	1774.	4. 7.	G. h.	Andr. heath. v. 1.
	<i>β pallida.</i>	<i>pale-flowered.</i>	————	—	—	G. h.	
332	præcox. Lod.	early dwarf.	————	1805.	2. 5.	G. h.	

333	prægnans. A.H. <i>β coccinea.</i>	swelled. <i>scarlet-flowered.</i>	C. B. S.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
334	præstans. s.s.	excelling.	————	————	————	G. h.	Andr. heath. ic.
335	primuloides. A.H.	Cowslip-fl'd.	————	1802.	4. 7.	G. h.	Botan. magaz. 1548.
336	princeps. H.K.	fine red.	————	1800.	————	G. h.	Andr. heath. v. 2.
337	procera. s.s.	lofty.	————	1791.	————	G. h.	
338	procumbens. s.s.	procumbent.	————	1816.	————	G. h.	
339	propendens. H.K.	pendent.	————	1800.	7. 8.	G. h.	Botan. magaz. 2140.
340	protrudens. L.en.	protruding.	————	1816.	5. 8.	G. h.	
341	pubescens. H.K.	pale downy.	————	1790.	2. 12.	G. h.	
342	pubigera. L.T.	pubescent-fl'd.	————	1792.	1. 5.	G. h.	
343	pudibunda. L.T. <i>nutans.</i> Wend.	nodding.	————	1812.	3. 8.	G. h.	
344	pulchella. w.	neat.	————	————	————	G. h.	
345	pulverulenta. Lod.	powdered.	————	————	————	G. h.	
346	pulviniformis. L.T.	cushion.	————	2. 5.	G. h.	
347	pumila. s.s.	short.	————	1812.	3. 8.	G. h.	Andr. heath. ic.
348	pura. B.C.	clear.	————	5. 8.	G. h.	Lodd. bot. cab. 72.
349	purpurea. H.K.	purple-flow'r'd.	————	1789.	1. 12.	G. h.	Andr. heath. v. 2.
350	pusilla. L.T.	low.	————	6. 7.	G. h.	
351	pygmæa. s.s.	pigmy.	————	1812.	5. 8.	G. h.	Andr. heath. ic.
352	pyramidalis. H.K.	pyramidal.	————	1787.	2. 5.	G. h.	Botan. magaz. 366.
353	pyramidiformis. s.s.	pyramid-form'd.	————	1818.	————	G. h.	
354	quadræflora. L.T.	four-flowered.	————	3. 8.	G. h.	
355	radiata. H.K.	rayed.	————	1798.	8. 11.	G. h.	Andr. heath. v. 1.
356	racemosa. w.	racemed.	————	1795.	4. 5.	G. h.	
357	racemifera. H.K.	compact-flow'r'd.	————	1803.	4. 6.	G. h.	Andr. heath. v. 2.
358	ramentacea. H.K.	slender-branch'd.	————	1786.	7. 12.	G. h.	———— v. 1.
359	ramulosa. Viv.	Italian.	Italy.	1826.	5. 8.	H. h.	
360	recurvata. B.C.	recurved.	C. B. S.	————	G. h.	Lodd. bot. cab. 1093.
361	reflexa. s.s.	reflexed.	————	————	G. h.	
362	refulgens. A.H.	refulgent.	————	1816.	5. 9.	G. h.	Andr. heath. ic.
363	regerminans. w.	clustered-fl'd.	————	1791.	5. 8.	G. h.	
364	resinosa. H.K. <i>vernex.</i> A.H. v. 3.	varnished.	————	1803.	————	G. h.	Botan. magaz. 1139.
365	retorta. H.K.	recurved-ld.	————	1787.	————	G. h.	Botan. magaz. 362.
366	retroflexa. H.K. <i>pulchella.</i> A.H. non	jointed.	————	————	7. 9.	G. h.	Andr. heath. ic.
367	rigidifolia. s.s.	rigid-leaved.	Th. <i>articularis.</i> Th. non L.	1816.	6. 8.	G. h.	
368	rosea. H.K.	rose-coloured.	————	1798.	6. 10.	G. h.	Andr. heath. v. 2.
369	rubella. B.M.	reddish.	————	1812.	5. 8.	G. h.	Botan. magaz. 2165.
370	rubens. H.K.	red-flowered.	————	1798.	6. 9.	G. h.	
371	rugosa. s.s.	wrinkled.	————	1812.	————	G. h.	Andr. heath. ic.
372	Russeliana. B.C.	Duke of Bedford's.	————	————	G. h.	Lodd. bot. cab. 1013.
373	sacciflora. L.T.	sack-flowered.	————	3. 7.	G. h.	
374	Sainsburyana. s.s.	Sainsbury's.	————	1804.	7. 9.	G. h.	Andr. heath. ic.
375	salax. L.T.	broad-stigma'd.	————	1796.	5. 9.	G. h.	
376	Salisburyana. s.s.	Salisbury's.	————	————	G. h.	Andr. heath. ic.
377	sanguinea. B.C.	bloody.	————	3. 8.	G. h.	Lodd. bot. cab. 36.
378	sanguinolenta. B.M.	dark-flowered.	————	1812.	————	G. h.	Botan. magaz. 2263.
379	Savileana.	Savile's.	————	1800.	6. 7.	G. h.	Lodd. bot. cab. 96.
380	scabriuscula. B.C.	roughish.	————	1800.	————	G. h.	———— 517.
381	scariosa. B.C.	scariose.	————	————	————	G. h.	———— 477.
382	sceptriformis. L.T.	sceptre-like.	————	1790.	5. 9.	G. h.	
383	Schollii. B.C.	Scholl's.	————	————	————	G. h.	Lodd. bot. cab. 538.
384	scoparia. w.	small green-fl'd.	————	1770.	4. 5.	F. h.	Linn. eric. n. 14. f. fl.
385	Sebana. H.K. <i>α fusca.</i> Lod. <i>β lutea.</i> Lod. <i>γ minor.</i> Lod.	Seba's. <i>brown-flowered.</i> <i>yellow-flowered.</i> <i>smaller.</i>	———— ———— ———— ————	1774. ———— ———— ————	3. 6. ———— ———— ————	G. h. G. h. G. h. G. h.	Andr. heath. v. 1. Lodd. bot. cab. 266.
386	selaginifolia. L.T.	Selago-leaved.	————	1801.	2. 6.	G. h.	
387	serpyllifolia. B.C.	Serpyllum-ld.	————	1812.	5. 8.	G. h.	Lodd. bot. cab. 744.
388	serratifolia. H.K.	saw-leaved.	————	1790.	8. 12.	G. h.	Andr. heath. v. 1.
389	serrulata. Lod.	sawed.	————	1814.	6. 8.	G. h.	
390	setacea. A.H.	bristly-leaved.	————	1796.	2. 8.	G. h.	Andr. heath. v. 1.
391	sexfaria. H.K.	six-angled.	————	1774.	5. 8.	G. h.	———— v. 2.
392	Shannoniæ. A.H.	Lady Shannon's.	————	1800.	6. 7.	G. h.	Lodd. bot. cab. 168.
393	sicæfolia. L.T.	dagger-leaved.	————	1791.	2. 7.	G. h.	
394	simpliciflora. H.K.	single-flowered.	————	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.

395	Smithiana. Lod.	Smith's.	C. B. S.	1810.	—	G. h.	
396	socciflora. L.T.	green-pencill'd.	—	1799.	4. 5.	G. h.	Andr. heath. v. 1.
	<i>Sebana viridis</i> . A.H.						
397	Solandri. H.K.	Solander's.	—	1800.	3. 9.	G. h.	Andr. heath. v. 2.
398	sordida. H.K.	sordid.	—	1790.	8. 5.	G. h.	— v. 1.
	<i>laniflora</i> . Wend.						
399	Sparrmanni. H.K.	Sparrman's.	—	1794.	9. 3.	G. h.	Andr. heath. v. 3.
	<i>aspera</i> . A.H. <i>hystericiflora</i> . L.T.						
400	sparsa. Lod.	scattered.	—	1816.	3. 8.	G. h.	
401	speciosa. H.K.	specious.	—	1800.	6. 9.	G. h.	Andr. heath. v. 2.
402	spicata. H.K.	spiked.	—	1789.	1. 12.	G. h.	— v. 1.
403	spiralis. Lod.	spiral.	—	1816.	5. 8.	G. h.	
404	splendens. W.	splendid.	—	1792.	4. 9.	G. h.	Wend. eric. 8. p. 5. ic.
405	spumosa. H.K.	spumous.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. 566.
406	spuria. H.K.	spurious.	—	1796.	4. 8.	G. h.	Andr. heath. v. 1.
407	squamæflora. L.T.	scaly-flowered.	—	5. 11.	G. h.	
408	squamosa. H.K.	scaly-cupped.	—	1794.	4. 6.	G. h.	Andr. heath. v. 3.
409	squarrosa. L.T.	squarrose.	—	3. 8.	G. h.	
410	stagnalis. L.T.	stagnant.	—	1790.	3. 6.	G. h.	
411	staminea. A.H.	reflex-stamen'd.	—	1799.	6. 9.	G. h.	Andr. heath. v. 3.
412	stellata. B.C.	starry.	—	1806.	—	G. h.	Lodd. bot. cab. 893.
413	stellifera. s.s.	star-bearing.	—	—	4. 8.	G. h.	Andr. heath. ic.
414	stricta. H.K.	straight-branch'd.	S. Europe.	1765.	8. 11.	G. h.	— v. 2.
415	strigosa. H.K.	dwarf downy.	C. B. S.	1775.	3. 8.	G. h.	
416	struthiolæflora. Lod.	Struthiola-fl'd.	—	1812.	5. 8.	G. h.	
417	stylaris. s.s.	prominent-styl'd.	—	—	—	G. h.	
418	stylosa. L.T.	long-styled.	—	1789.	1. 8.	G. h.	
419	suaveolens. B.C.	sweet.	—	5. 11.	G. h.	Lodd. bot. cab. 24.
420	subulata. s.s.	awl-leaved.	—	1818.	6. 8.	G. h.	
421	sulphurea. B.M.	sulphur-color'd.	—	1812.	3. 5.	G. h.	Botan. magaz. 1984.
422	Swainsoniana. s.s.	Swainson's.	—	6. 7.	G. h.	Andr. heath. ic.
423	tardiflora. L.T.	pubescent.	—	1790.	3. 8.	G. h.	Botan. magaz. 480.
	<i>pubescens</i> . B.M. <i>non</i> L.						
424	taxifolia. H.K.	yew-leaved.	—	1788.	7. 11.	G. h.	Andr. heath. v. 1.
425	tegulæfolia. L.T.	tiled.	—	1. 5.	G. h.	
426	tenella. H.K.	delicate.	—	1791.	8. 5.	G. h.	Andr. heath. v. 2.
427	tenuiflora. A.H.	slender yellow-fl'd.	—	1800.	4. 6.	G. h.	— v. 3.
428	tenuifolia. H.K.	slender-leaved.	—	1794.	4. 8.	G. h.	Seb. mus. 1. t. 73. f. 6.
429	tenuis. L.T.	slender.	—	1790.	8. 2.	G. h.	
430	tenuissima. s.s.	very-slender.	—	1803.	2. 8.	G. h.	Wend. eric. 6. p. 9. ic.
431	tetragona. H.K.	square-flower'd.	—	1789.	7. 9.	G. h.	Andr. heath. v. 3.
432	Tetralix. H.K.	cross-leaved.	Britain.	6. 8.	H. h.	Eng. bot. 1014.
	<i>a rubra</i> .	red-flowered.	—	—	H. h.	
	<i>β carnea</i> .	flesh-coloured.	—	—	H. h.	
	<i>γ alba</i> .	white-flowered.	—	—	H. h.	
433	teucriifolia. s.s.	Teucrium-ld.	C. B. S.	1812.	5. 9.	G. h.	
434	thalictriflora. s.s.	meadow-rue-fl'd.	—	1810.	—	G. h.	
435	Thunbergii. H.K.	Thunberg's.	—	1794.	5. 8.	G. h.	Botan. magaz. 1214.
436	thymifolia. H.K.	Thyme-leaved.	—	1789.	—	G. h.	Andr. heath. v. 2.
437	tiaræflora. H.K.	turban-flow'r'd.	—	1800.	—	G. h.	— v. 3.
438	togata. B.M.	large-cupped.	—	1812.	6. 8.	G. h.	Botan. magaz. 1626.
439	tomentosa. L.T.	woolly-flow'r'd.	—	2. 8.	G. h.	
440	tortuosa. Lod.	twisted.	—	1816.	3. 6.	G. h.	
441	tragulifera. L.T.	broad-anther'd.	—	5. 8.	G. h.	
442	translucens. Lee.	translucent.	—	1797.	—	G. h.	
443	transparent. Th.	transparent.	—	1800.	—	G. h.	
444	triceps. B.C.	three-headed.	—	1809.	—	G. h.	Lodd. bot. cab. 962.
445	tricolor. H.S.L.	three-coloured.	—	1803.	6. 9.	G. h.	Andr. heath. v. 3.
	<i>aristata minor</i> . A.H. <i>non</i> tricolor. s.s.						
446	triflora. H.K.	three-flowered.	—	1774.	3. 6.	G. h.	Wend. eric. 12. p. 13.
447	triphylla. L.en.	three-leaved.	—	1812.	—	G. h.	
448	triumphans. B.C.	triumphant.	—	—	5. 10.	G. h.	Lodd. bot. cab. 257.
449	trossula. B.C.	dapper.	—	—	—	G. h.	— 668.
450	tubercularis. L.T.	tubercled.	—	1790.	2. 8.	G. h.	
451	tubiflora. H.K.	tube-flowered.	—	1775.	4. 7.	G. h.	Andr. heath. v. 1.
452	tumida. B.R.	tumid.	—	1812.	5. 9.	G. h.	Botan. regist. 65.
453	turbiniiflora. L.T.	top-flowered.	—	1793.	10. 2.	G. h.	
454	turgida. L.en.	turgid.	—	1800.	3. 6.	G. h.	
455	turrigera. L.T.	Cypress.	—	1796.	6. 9.	G. h.	
	<i>cupressina</i> . Hort.						

456	umbellata. H.K.	umbelled.	Portugal.	1782.	5. 7.	G. h.	Andr. heath. v. 2.
457	unica. s.s.	one-flowered.	C. B. S.	1812.	—	G. h.	
	<i>pedunculata</i> . A.H. <i>nec aliorum</i> .						
458	urceolaris. H.K.	pitcher-flow'r'd.	—	1778.	—	G. h.	Icon. hort. kew. 16.
459	ursina. Lee.	shaggy.	—	1812.	4. 8.	G. h.	
460	vagans. H.K.	Cornish.	Cornwall.	7. 8.	H. h.	Eng. bot. 3.
	<i>β alba</i> .	<i>white-flowering</i> .	—	—	H. h.	
461	velitaris. L.T.	javelin-flow'r'd.	C. B. S.	1790.	1. 6.	G. h.	
462	velleriflora. H.K.	woolly-flow'r'd.	—	1774.	2. 6.	G. h.	Andr. heath. v. 1.
	<i>bruniades</i> . A.H.						
463	ventricosa. H.K.	porcelain.	—	1787.	4. 9.	G. h.	Botan. magaz. 350.
464	verecunda. L.T.	blushing.	—	—	G. h.	Andr. heath. ic.
	<i>cernua</i> . A.H.						
465	verniciflua. L.T.	viscous-leaved.	—	1804.	3. 9.	G. h.	
466	versicolor. H.K.	various-color'd.	—	1790.	11. 5.	G. h.	Andr. heath. v. 1.
467	verticillata. A.H.	verticillate.	—	1774.	7. 10.	G. h.	— v. 1.
468	vesicularis. L.T.	bladdered.	—	1796.	2. 8.	G. h.	
469	vestiflua. L.T.	clothed.	—	3. 6.	G. h.	
470	vestita. H.K.	tremulous.	—	1789.	1. 12.	G. h.	
	<i>α alba</i> . H.K.	<i>white</i> .	—	—	—	G. h.	Andr. heath. v. 1.
	<i>β incarnata</i> . H.K.	<i>flesh-coloured</i> .	—	1789.	1. 12.	G. h.	— v. 2.
	<i>γ purpurea</i> . H.K.	<i>purple-flowered</i> .	—	—	—	G. h.	— v. 1.
	<i>δ rosea</i> . H.K.	<i>rose-coloured</i> .	—	—	—	G. h.	— v. 2.
	<i>ε fulgida</i> . H.K.	<i>bright red</i> .	—	—	—	G. h.	— v. 2.
	<i>ζ coccinea</i> . H.K.	<i>scarlet</i> .	—	—	—	G. h.	— v. 1.
	<i>η lutea</i> . H.K.	<i>yellow</i> .	—	—	—	G. h.	— v. 3.
471	villosa. H.K.	villous.	—	1800.	2. 6.	G. h.	— v. 3.
472	viridescens. B.C.	greenish.	—	1. 6.	G. h.	Lodd. bot. cab. 233.
473	viridipurpurea. W.	green & purple.	Portugal.	5. 8.	F. h.	Linn. eric. n. 9. f. fl.
474	viridis. H.K.	green-flowered.	C. B. S.	1800.	—	G. h.	Andr. heath. v. 2.
475	viscaria. H.K.	clammy-flow'r'd.	—	1774.	3. 7.	G. h.	Icon. hort. kew. 1.
476	xeranthemifolia. L.T.	Xeranthemum-ld.	—	1812.	5. 8.	G. h.	
MENZIESIA. Sm. MENZIESIA. Octandria Monogynia.							
1	ferruginea. s.s.	ferruginous.	N.America.	1811.	5. 6.	H. h.	Sm. ic. ined. 1. t. 56.
2	globularis. s.s.	globular-fl'd.	—	1806.	—	H. h.	Sal. par. lond. 44.
	<i>ferruginea β</i> . B.M. 1571.						
3	polifolia. s.s.	Irish.	Ireland.	6. 9.	H. h.	Eng. bot. 35.
	<i>Erica Daboecia</i> . E.B.						
	<i>β nana</i> .	<i>dwarf</i>	—	H. h.	
4	cœrulea. s.s.	yew-leaved.	Scotland.	6. 7.	H. h.	Eng. bot. 2169.
PYROLA. S.S. WINTER-GREEN. Decandria Monogynia. L.							
1	uniflora. s.s.	single-flower'd.	Britain.	6. 7.	H. h.	Eng. bot. 146.
2	secunda. s.s.	serrated.	—	—	H. h.	— 517.
3	minor. s.s.	lesser.	—	—	H. h.	— 158.
	<i>β rosea</i> . E.B.	<i>rose-coloured</i> .	England.	7. 8.	H. h.	— 2543.
4	media. s.s.	intermediate.	—	6. 7.	H. h.	— 945.
5	rotundifolia. s.s.	round-leaved.	Britain.	—	H. h.	— 213.
6	asarifolia. s.s.	Asarum-leaved.	N.America.	1822.	—	H. h.	
7	chlorantha. s.s.	cream-colour'd.	—	—	—	H. h.	
CHIMAPHILA. Ph. CHIMAPHILA. Decandria Monogynia.							
1	umbellata. s.s.	umbelled.	N.America.	1752.	6. 8.	H. h.	Botan. magaz. 778.
	<i>corymbosa</i> . Ph. <i>Pyrola umbellata</i> . L.						
2	maculata. s.s.	spotted-leaved.	—	—	—	H. h.	Botan. magaz. 897.
DIAPENSIA. W. DIAPENSIA. Pentandria Monogynia. L.							
	<i>lapponica</i> . w.	obtuse-leaved.	Lapland.	1801.	2. 3.	H. h.	Botan. magaz. 1108.
PYXIDANTHERA. M. PYXIDANTHERA. Pentandria Monogynia.							
	<i>barbulata</i> . M.	barbed.	Carolina.	1806.	7.	G. h.	Mich. amer. t. 17.
GALAX. W. GALAX. Pentandria Monogynia. W.							
	<i>aphylla</i> . w.	heart-leaved.	N.America.	1786.	6. 7.	H. h.	Botan. magaz. 754.
	<i>cordifolia</i> . H.K. <i>Blandfordia cordata</i> . A.R.						

Sect. II. MONOTROPEÆ. *Don prodr. p. 151.*

HYPOPITHYS. N. YELLOW BIRDS-NEST. Decandria Monogynia. L.							
	<i>europæa</i> . N.	common.	Britain.	6. 7.	H. h.	Eng. bot. 69.
	<i>Monotropa Hypopitys</i> . E.B.						

MONOTROPA. N. MONOTROPA. Decandria Monogynia. L.
 uniflora. N. one-flowered. N.America. 1822. 6. 8. H. 4. Hook. ex. flor. 85.

Sect. III. RHODORACEÆ. Don prodr. p. 152.

KALMIA. W.		KALMIA. Decandria Monogynia. L.				
1	latifolia. w.	broad-leaved.	N.America. 1734.	5. 7.	H. h.	Botan. magaz. 175.
2	angustifolia. w.	narrow-leaved.	1736.	—	H. h.	331.
	β variegata.	variegated.	—	—	H. h.	
	γ minima.	least.	—	—	H. h.	
	δ nana.	dwarf.	—	—	H. h.	
	ε pumila.	small.	—	—	H. h.	
	ζ rosea.	rose-coloured.	—	—	H. h.	
	η rubra. B.C.	red-flowered.	—	—	H. h.	Lodd. bot. cab. 502.
	θ ovata. Ph.	oval-leaved.	New Jersey.	—	H. h.	
3	glauca. w.	glaucous.	N.America. 1767.	4. 5.	H. h.	Botan. magaz. 177.
4	rosmarinifolia. Ph.	Rosemary-ld.	—	1812.	—	H. h.
5	hirsuta. w.	hairy.	—	1786.	8. 9.	H. h. Botan. magaz. 138.
EPIGÆA. W.		EPIGÆA. Decandria Monogynia. L.				
	repens. w.	creeping.	N.America. 1736.	7. 8.	H. h.	Botan. regist. 201.
RHODORA. W.		RHODORA. Decandria Monogynia. L.				
	canadensis. w.	Canadian.	N.America. 1767.	4. 5.	H. h.	Botan. magaz. 474.
RHODODENDRON. W.		RHODODENDRON. Decandria Monogynia. L.				
— 1	maximum. w.	large.	N.America. 1736.	6. 8.	H. h.	Botan. magaz. 951.
— 2	album. Ph.	white-flower'd.	—	1811.	—	H. h.
— 3	purpureum. Ph.	purple-flow'rd.	—	—	—	H. h.
— 4	ponticum. w.	common.	Gibraltar.	1763.	5. 6.	H. h. Botan. magaz. 650.
	β roseum.	rose-coloured.	—	—	—	H. h.
	γ album.	white.	—	—	—	H. h.
	δ variegatum.	variegated.	—	—	—	H. h.
	ε marginatum.	silver-edged.	—	—	—	H. h.
	ζ multiplex.	double-blossom'd.	—	—	—	H. h.
— 5	punctatum. w.	dotted-leaved.	N.America. 1786.	6. 8.	H. h.	Andr. reposit. 36.
	α minus. W.D.	smallest.	—	—	—	H. h. Wats. dend. brit. 1622.
	β major. B.R.	larger.	—	1812.	—	H. h. Botan. regist. 37.
6	obtusum. W.D.	blunt-leaved.	Hybrid.	6. 8.	H. h. Wats. dend. brit. 1622.
7	azaleoides. s.s.	Azalea-like.	—	—	H. h. Andr. reposit. 379.
	ponticum β subdeciduum. A.R.					
8	hybridum. B.R.	Herbert's hybrid.	—	—	H. h. Botan. regist. 195.
9	arboreum. Sm.	tree.	India.	1817.	4. 6.	G. h. 890.
	β roseum.	rose-coloured.	—	—	—	G. h.
	γ niveum.	snowy white.	—	—	—	G. h.
10	campanulatum. D.P.	bell-flowered.	Nepaul.	1824.	G. h.
11	anthopogon. D.P.	bearded-fl'd.	—	—	G. h.
12	setosum. D.P.	bristly.	—	1820.	G. h.
13	dauricum. w.	Daurian.	Siberia.	1780.	2. 4.	H. h. Botan. magaz. 636.
	β altaicum. F.	Altay.	—	1824.	—	H. h.
	γ atrovirens. B.R.	dark green.	—	—	H. h. Botan. regist. 194.
14	myrtifolium. B.C.	Myrtle-leaved.	Hybrid.	6. 8.	H. h. Lodd. bot. cab. 908.
15	ferrugineum. w.	rusty-leaved.	Switzerland.	1752.	5. 7.	H. h. Jacq. aust. 3. t. 255.
16	hirsutum. w.	hairy-leaved.	—	1656.	—	H. h. Botan. magaz. 1853.
17	chrysanthum. w.	yellow.	Siberia.	1796.	6. 7.	H. h. Sal. par. lond. 80.
	officinale. P.L.					
18	caucasicum. w.	Caucasean.	Caucasus.	1803.	5. 7.	H. h. Botan. magaz. 1145.
19	catawbiense. M.	Catawba.	N.America.	1809.	6. 8.	H. h. 1071.
20	Catesbæi. Lod.	Catesby's.	—	—	H. h.
21	camtschaticum. w.	Kamtschatka.	Kamtschatka.	1802.	H. h. Pall. ros. 1. t. 33.
22	chamæcistus. w.	Thyme-leaved.	Siberia.	1786.	5. 6.	H. h. Botan. magaz. 488.
AZALEA. W.		AZALEA. Pentandria Monogynia. L.				
1	indica. w.	Indian.	China.	1808.	3. 5.	G. h.
	α punicea.	red-flowered.	—	—	—	G. h. Botan. magaz. 1480.
	β alba.	white-flowered.	—	1819.	—	G. h. Botan. regist. 811.
	γ purpurea.	double-purple.	—	—	—	G. h. Botan. magaz. 2509.
	δ lutea.	double yellow.	—	1826.	—	G. h.
2	sinensis. B.C.	Chinese.	—	1824.	—	G. h. Lodd. bot. cab. 885.

3	pontica. w.	yellow.	Turkey.	1793.	5. 6.	H. h.	Botan. magaz. 433.
	β cupræa.	copper-coloured.	_____	—	H. h.	
	γ glauca.	glaucous.	_____	—	H. h.	
	δ pallida.	pale.	_____	—	H. h.	
	ε albiflora. B.M.	white-flowered.	_____	—	H. h.	Botan. magaz. 2383.
	ζ tricolor.	three-coloured.	_____	—	H. h.	
4	calendulacea. Ph.	yellow American.	N. America.	1806.	—	H. h.	
	α crocea.	saffron-coloured.	_____	—	—	H. h.	Botan. magaz. 1721.
	β chrysoclecta.	golden.	_____	—	H. h.	
	γ grandiflora.	large-flowered.	_____	—	H. h.	
	δ cupræa.	copper-coloured.	_____	—	H. h.	
	ε splendens.	shining.	_____	—	H. h.	
	ζ flammea.	flame-coloured.	_____	1812.	—	H. h.	Botan. regist. 145.
	η triumphans.	triumphant.	_____	—	—	H. h.	
	θ ignescens.	fiery-flowered.	_____	—	—	H. h.	
5	canescens. M.	canescent.	_____	1812.	5. 6.	H. h.	
6	speciosa. W.en.	large-calyxed.	_____	—	H. h.	Wats. dend. brit. 116.
	α major.	large scarlet.	_____	—	H. h.	Lodd. bot. cab. 624.
	β crispa.	curled.	_____	—	H. h.	
	γ aurantia.	orange.	_____	—	H. h.	
	δ obliqua.	oblique-leaved.	_____	—	H. h.	
	ε prunifolia.	Plum-leaved.	_____	—	H. h.	
	ζ cucullata.	hollow-leaved.	_____	—	H. h.	
	η revoluta.	revolute.	_____	—	H. h.	
	θ ciliata.	fringed.	_____	—	H. h.	
	ι acutifolia.	acute-leaved.	_____	—	H. h.	
	κ undulata.	wave-leaved.	_____	—	H. h.	
	λ tortulifolia.	twisted-leaved.	_____	—	H. h.	
7	nudiflora. W.	small calyxed.	_____	1734.	—	H. h.	
	α alba.	early white.	_____	—	—	H. h.	
	β albo-plena.	double white.	_____	—	H. h.	
	γ blanda.	blush-flowered.	_____	—	H. h.	
	δ carnea.	pale red.	_____	1734.	—	H. h.	Botan. regist. 120.
	ε caroliniana.	Carolina.	_____	—	H. h.	
	ζ coccinea.	scarlet.	_____	—	H. h.	Botan. magaz. 180.
	η corymbosa.	corymb-flower'd.	_____	—	H. h.	
	θ crispa.	curled.	_____	—	H. h.	
	ι cumulata.	bundled.	_____	—	H. h.	
	κ discolor.	two-coloured.	_____	—	H. h.	
	λ fastigiata.	crowded.	_____	—	H. h.	
	μ florida.	abundant-fl'd.	_____	—	H. h.	
	ν globosa.	globose.	_____	—	H. h.	
	ξ glomerata.	clustered.	_____	—	H. h.	
	ο incana.	hoary-leaved.	_____	—	H. h.	
	π incarnata.	flesh-coloured.	_____	—	H. h.	
	ρ mirabilis.	wonderful.	_____	—	H. h.	
	σ montana.	mountain.	_____	—	H. h.	
	τ pallida.	pale-flowered.	_____	—	H. h.	
	υ paludosa.	marsh.	_____	—	H. h.	
	φ papilionacea.	Butterfly.	_____	—	H. h.	
	χ partita.	five-parted.	_____	—	H. h.	
	ψ parviflora.	small-flowered.	_____	—	H. h.	
	ω prolifera.	proliferous.	_____	—	H. h.	
	αα pumila.	dwarf.	_____	—	H. h.	
	ββ purpurascens.	purplish.	_____	—	H. h.	
	γγ purpurea.	purple.	_____	—	H. h.	
	δδ purpureo-plena.	double purple.	_____	—	H. h.	
	εε rosea.	rosy.	_____	—	H. h.	
	ζζ ruberrima.	dark-red.	_____	—	H. h.	
	ηη rubescens.	reddish.	_____	—	H. h.	
	θθ rubicunda.	rubicund.	_____	—	H. h.	
	ιι rubra. B.C.	red-flowered.	_____	—	H. h.	Lodd. bot. cab. 51.
	κκ rubro-plena.	double-red.	_____	—	H. h.	
	λλ rufa.	rufous.	_____	—	H. h.	
	μμ rutilans.	deep red.	_____	—	H. h.	
	νν semiduplex.	semidouble.	_____	—	H. h.	
	ξξ staminea.	long-stamened.	_____	—	H. h.	
	οο stellata.	starry.	_____	—	H. h.	
	ππ tricolor.	three-coloured.	_____	—	H. h.	

<i>pp variabilis.</i>	<i>variable.</i>	N.America.	5. 6.	H. h.	
<i>σσ variegata.</i>	<i>variegated.</i>	_____	—	H. h.	
<i>ττ versicolor.</i>	<i>various-coloured.</i>	_____	—	H. h.	
<i>vv violacea.</i>	<i>violet.</i>	_____	...	—	H. h.	
8 <i>bicolor.</i> Ph.	<i>two-coloured.</i>	_____	1734.	—	H. h.	Trew. ehret. t. 48.
9 <i>viscosa.</i> Ph.	<i>viscid.</i>	_____	—	7. 8.	H. h.	Meerb. ic. 2. t. 9.
<i>α odorata.</i>	<i>common white.</i>	_____	—	—	H. h.	
<i>β crispa.</i>	<i>curled.</i>	_____	—	—	H. h.	
<i>γ dealbata.</i>	<i>powdered.</i>	_____	—	—	H. h.	
<i>δ vittata.</i>	<i>striped-flowered.</i>	_____	—	—	H. h.	
<i>ε penicillata.</i>	<i>pencilled.</i>	_____	—	—	H. h.	
<i>ζ variegata.</i>	<i>variegated.</i>	_____	—	—	H. h.	
<i>η rubescens.</i>	<i>reddish-flower'd.</i>	_____	—	—	H. h.	Lodd. bot. cab. 441.
<i>θ pubescens.</i>	<i>pubescent.</i>	_____	—	—	H. h.	
<i>ι fissa.</i>	<i>narrow-petaled.</i>	_____	—	—	H. h.	
10 <i>arborescens.</i> Ph.	<i>arborescent.</i>	_____	1818.	5. 7.	H. h.	
11 <i>nitida.</i> Ph.	<i>glossy-leaved.</i>	_____	1812.	6. 8.	H. h.	Botan. regist. 414.
12 <i>glauca.</i> Ph.	<i>glaucous dwarf.</i>	_____	1784.	6.	H. h.	Wats. dend. brit. 5.
13 <i>hispida.</i> Ph.	<i>tall glaucous.</i>	_____	—	6. 8.	H. h.	— 6.
LOISELEURIA. R.S.	LOISELEURIA.	Pentandria	Monogynia.	R.S.		
<i>procumbens.</i> R.S.	<i>trailing.</i>	Britain.	4. 5.	H. h.	Eng. bot. 865.
<i>Azalea procumbens.</i> L.	<i>Chamaledon procumbens.</i> L.en.					
AMMYRSINE. Ph.	AMMYRSINE.	Decandria	Monogynia.	Ph.		
<i>buxifolia.</i> Ph.	<i>box-leaved.</i>	N.America.	1736.	4. 5.	H. h.	Botan. regist. 531.
<i>Ledum buxifolium.</i> w.	<i>Leiophyllum thymifolium.</i> s.s.					
LEDUM. Ph.	LEDUM.	Decandria	Monogynia.	L.		
1 <i>palustre.</i> w.	<i>marsh.</i>	Europe.	1762.	4. 5.	H. h.	Flor. dan. 1031.
<i>β decumbens.</i>	<i>dwarf.</i>	Hudson's-bay.	—	—	H. h.	
2 <i>latifolium.</i> w.	<i>broad-leaved.</i>	N.America.	1763.	—	H. h.	
BEFARIA. L.	BEFARIA.	Dodecandria	Monogynia.	L.		
<i>racemosa.</i> s.s.	<i>sweet-scented.</i>	Florida.	1810.	6. 7.	G. h.	Vent. cels. t. 51.
<i>paniculata.</i> M.	<i>Bejaria racemosa.</i> Ph.					
? ITEA. L.	ITEA.	Pentandria	Monogynia.	L.		
<i>virginica.</i> L.	<i>Virginian.</i>	N.America.	1744.	6. 8.	H. h.	Wats. dend. brit. 12.

ORDO CIX.

EPACRIDEÆ. Brown prodr. 1. p. 535.

Sect. I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. B.P.	DRACOPHYLLUM.	Pentandria	Monogynia.			
<i>secundum.</i> B.P.	<i>side-flowering.</i>	N. S. W.	1824.	4. 6.	G. h.	
SPRENGELIA. Sm.	SPRENGELIA.	Pentandria	Monogynia.			
<i>incarnata.</i> B.P.	<i>flesh-coloured.</i>	N. S. W.	1793.	4. 6.	G. h.	Botan. magaz. 1719.
ANDERSONIA. B.P.	ANDERSONIA.	Pentandria	Monogynia.			
<i>sprengelioides.</i> B.P.	<i>Sprengelia-like.</i>	N. Holland.	1803.	3. 7.	G. h.	Botan. magaz. 1645.
LYSINEMA. B.P.	LYSINEMA.	Pentandria	Monogynia.			
1 <i>conspicuum.</i> B.P.	<i>conspicuous.</i>	N.Holland.	1824.	G. h.	
2 <i>pungens.</i> B.P.	<i>pungent.</i>	N. S. W.	1804.	3. 6.	G. h.	Cav. ic. 4. t. 346.
<i>α alba.</i>	<i>white-flowered.</i>	_____	—	—	G. h.	Lodd. bot. cab. 38.
<i>Epacris attenuata.</i> B.C.						
<i>β rubra.</i>	<i>red-flowered.</i>	_____	—	—	G. h.	Botan. magaz. 1199.
<i>Epacris rosea.</i> B.C.	<i>Epacris pungens.</i> B.M.					
EPACRIS. B.P.	EPACRIS.	Pentandria	Monogynia.			
1 <i>purpurascens.</i> B.P.	<i>rigid.</i>	N. S. W.	1803.	2. 6.	G. h.	Botan. magaz. 844.
<i>pungens.</i> B.M.						
<i>β rubra.</i>	<i>red-flowered.</i>	_____	—	—	G. h.	Lodd. bot. cab. 876.
2 <i>pulchella.</i> B.P.	<i>sweet-scented.</i>	_____	1804.	3. 6.	G. h.	— 170.
3 <i>microphylla.</i> B.P.	<i>small-leaved.</i>	_____	1817.	—	G. h.	
4 <i>grandiflora.</i> B.P.	<i>crimson.</i>	_____	1803.	1. 6.	G. h.	Botan. magaz. 982.
5 <i>impressa.</i> B.P.	<i>impressed.</i>	V.Diem.Isl.	1824.	2. 5.	G. h.	Lab. nov. hol. 1. t. 58.

6 obtusifolia. B.P.	blunt-leaved.	N. S. W.	1804.	4. 6.	G. h.	Sm. exot. bot. 1. t. 40.
7 paludosa. B.P.	marsh.	————	1824.	—	G. h.	
8 exserta. B.P.	exserted.	V. Diem. Isl.	1812.	—	G. h.	

Sect. II. *STYPHELIA*Æ.

TROCHOCARPA. B.P.	TROCHOCARPA.	Pentandria Monogynia.				
laurina. B.P.	Laurel-leaved.	N. S. W.	1820.	G. h.	Linn. trans. 8. t. 9.
<i>Styphelia cornifolia.</i>	L.T.					
MONOTOCA. B.P.	MONOTOCA.	Pentandria Monogynia.				
1 lineata. B.P.	lineated.	V. Diem. Isl.	1804.	5. 8.	G. h.	Lab. nov. hol. 1. t. 61.
2 elliptica. B.P.	elliptic-leaved.	N. S. W.	1802.	—	G. h.	
LEUCOPOGON. B.P.	LEUCOPOGON.	Pentandria Monogynia.				
1 lanceolatus. B.P.	small-flowered.	N. S. W.	1790.	5. 8.	G. h.	Andr. reposit. 287.
<i>Styphelia parviflora.</i>	A.R.					
2 Richei. B.P.	oblong-leaved.	————	1824.	—	G. h.	Lab. nov. hol. 1. t. 60.
3 virgatus. B.P.	twiggy.	————	—	—	G. h.	———— 1. t. 64.
4 amplexicaulis. B.P.	stem-clasping.	————	1815.	—	G. h.	Linn. trans. 8. t. 8.
5 microphyllus. B.P.	small-leaved.	————	1818.	—	G. h.	Cavan. ic. 4. t. 349. f. 2.
6 juniperinus. B.P.	Juniper-leaved.	————	1804.	4. 6.	G. h.	Lodd. bot. cab. 447.
LISSANTHE. B.P.	LISSANTHE.	Pentandria Monogynia.				
1 subulata. B.P.	awl-leaved.	N. S. W.	1823.	4. 7.	G. h.	
2 strigosa. B.P.	strigose.	————	—	—	G. h.	Sm. new holl. 48.
CYATHODES. B.P.	CYATHODES.	Pentandria Monogynia.				
glauc. B.P.	glaucous.	V. Diem. Isl.	1818.	4. 6.	G. h.	Lab. nov. holl. 1. t. 81.
STENANTHERA. B.P.	STENANTHERA.	Pentandria Monogynia.				
pinifolia. B.P.	Pine-leaved.	N. S. W.	1811.	5. 7.	G. h.	Botan. regist. 218.
ASTROLOMA. B.P.	ASTROLOMA.	Pentandria Monogynia.				
humifusum. B.P.	Juniper-leav'd.	N. S. W.	1807.	5. 10.	G. h.	Botan. magaz. 1439.
STYPHELIA. B.P.	STYPHELIA.	Pentandria Monogynia.				
1 tubiflora. B.P.	crimson.	N. S. W.	1802.	5. 8.	G. h.	Sm. new holl. 45. t. 14.
2 triflora. B.P.	three-flowered.	————	1796.	—	G. h.	Botan. magaz. 1297.
3 viridiflora. B.P.	green-flower'd.	————	1791.	4. 6.	G. h.	Andr. reposit. 312.
4 latifolia. B.P.	broad-leaved.	————	1823.	G. h.	
5 longifolia. B.P.	long-leaved.	————	1807.	4. 6.	G. h.	Botan. regist. 24.

*** *SUBCLASSIS III. COROLLIFLORÆ. DC.*

ORDO CX.

SYMPLOCINEÆ. Don Prodr. p. 144.

SYMPLOCOS. L'H.	SYMPLOCOS.	Polyadelphia Polyandria. L.				
1 coccinea. K.s.	scarlet.	Mexico.	1825.	S. h.	H. et B. pl. æq. 1. t. 52.
2 tinctoria. w.	Laurel-leaved.	Carolina.	1780.	G. h.	Catesb. car. 1. t. 54.
<i>Hopea tinctoria.</i>	Ph.					
3 sinica. B.R.	Chinese.	China.	1822.	4. 6.	G. h.	Botan. regist. 710.
4 cratægoides. D.P.	Hawthorn-like.	Nepaul.	1824.	G. h.	

ORDO CXI.

STYRACINEÆ. Kth. synops. 2. p. 315.

STYRAX. W.	STORAX.	Decandria Monogynia. L.				
1 officinale. w.	officinal.	Italy.	1597.	7.	H. h.	Andr. reposit. 631.
2 grandifolium. w.	great-leaved.	N. America.	1765.	—	H. h.	Wats. dend. brit. 129.

- 3 pulverulentum. M. powdered. N.America. 1794. 6. 7. H. h. Wats. dend. brit. t. 41.
 4 lævigatum. W. smooth. ——— 1765. 7. 8. H. h. Botan. magaz. 921.
glabrum. W.D. 40. non Sw.
HALESIA. W. SNOWDROP-TREE. Dodecandria Monogynia. L.
 1 tetraptera. W. four-winged. Carolina. 1756. 4. 5. H. h. Botan. magaz. 910.
 2 parviflora. B.R. small-flower'd. ——— 1812. 5. H. h. Botan. regist. 952.
 3 diptera. W. two-winged. N.America. 1758. 4. 5. H. h. Cavan. dis. 6. t. 187.

ORDO CXII.

MYRSINEÆ. *Brown prodr. 532.*

- MÆSA. J.** MÆSA. Pentandria Monogynia.
 1 indica. Indian. E. Indies. 1812. 2. 6. S. h. Botan. magaz. 2052.
Bæobotrys indica. F.I.
 2 tomentosa. D.P. tomentose. Nepaul. 1818. — S. h.
 3 argentea. F.I. silvery-leaved. E. Indies. — S. h.
 4 macrophylla. F.I. large-leaved. ——— 1823. — S. h.
JACQUINIA. W. JACQUINIA. Pentandria Monogynia. W.
 1 arborea. W. blunt-leaved. W. Indies. 1820. S. h.
 2 armillaris. W. armed-leaved. ——— 1768. S. h. Jacq. amer. pict. t. 56.
 3 aurantiaca. H.K. orange-color'd. Sandwich Isl. 1796. 4. 9. S. h. Botan. magaz. 1639.
 4 ruscifolia. W. Ruscus-leaved. S. America. 1729. S. h.
 5 macrocarpa. Cav. large capsuled. ——— 1820. S. h. Cavan. ic. 5. t. 483.
ARDISIA. W. ARDISIA. Pentandria Monogynia. W.
 1 acuminata. W. acuminate. Guiana. 1803. 7. 8. S. h. Botan. magaz. 1678.
Myrsine Icacorea. R.S.
 2 solanacea. W. Nightshade-like. E. Indies. 1798. 6. 9. S. h. Botan. magaz. 1677.
 3 paniculata. F.I. panicked. ——— 1818. 3. 8. S. h. Botan. regist. 638.
 4 colorata. F.I. red-flowered. ——— 1816. — S. h. Lodd. bot. cab. 465.
 5 umbellata. F.I. umbel-flower'd. ——— 1809. 6. 9. S. h. ——— 531.
littoralis. A.R. 630.
 6 lanceolata. F.I. leathery-leav'd. ——— 1818. — S. h.
 7 elegans. A.R. elegant. ——— 1809. 7. 9. S. h. Andr. reposit. 623.
crenata. F.I.
 8 punctata. B.R. spotted-fl'd. China. 1823. 6. 9. S. h. Botan. regist. 827.
 9 lentiginosa. B.R. freckled. ——— 1809. 3. 12. G. h. ——— 533.
crenulata. B.C. 2. non Vent. *crenata*. B.M. 1950.
 10 macrocarpa. F.I. large-fruited. Nepaul. 1824. S. h.
 11 complanata. F.I. pubescent. Pinang. — S. h.
 12 thyrsiflora. D.P. thyrs-flower'd. Nepaul. — S. h.
 13 pyramidalis. Cav. pyramidal. Santa Cruz. 1818. 4. 9. S. h. Lodd. bot. cab. 448.
 14 excelsa. W. Laurel-leaved. Madeira. 1784. 7. 8. G. h. Gært. sem. 1. t. 77. f. 1.
Myrsine Heberdenia. R.S.
 15 serrulata. W. saw-leaved. W. Indies. 1820. — S. h. Plum. ic. 80.
 16 crenulata. v. crenulated. Antilles. 1809. 6. 9. S. h. Venten. choix. t. 5.
 17 lateriflora. W. side-flowering. W. Indies. 1793. — S. h.
 18 canaliculata. W. channelled. E. Indies. 1824. 4. 8. S. h. Lodd. bot. cab. 1083.
EMBELIA. L. EMBELIA. Pentandria Monogynia. L.
 1 robusta. F.I. robust. E. Indies. 1823. S. h.
MYRSINE. B.P. MYRSINE. Polygamia Diœcia. L.
 1 africana. s.s. African. C. B. S. 1691. 3. 5. G. h. Comm. hort. 1. t. 64.
 2 retusa. s.s. round-leaved. Azores. 1778. 6. G. h. Venten. cels. 86.
 3 semiserrata. F.I. semiserrate. Nepaul. 1822. G. h.
 4 capitellata. F.I. axillary headed. ——— G. h.
 5 bifaria. F.I. bifarious. ——— G. h.
 6 subspinosa. D.P. spiny-leaved. ——— 1823. G. h.
 7 coriacea. B.P. leathery-ld. Jamaica. 1822. S. h.
Samara coriacea. Sw.
 8 Samara. s.s. oval-leaved. C. B. S. 1770. 11. 2. G. h.
Samara pentandra. W.
 9 melanophleos. s.s. Laurel-leaved. ——— 1783. 3. 6. G. h. Jacq. vind. 1. t. 71.
Sideroxylon melanophleum. W.

10 mitis. s.s.	pointed-leav'd. C. B. S.	6. 9.	G. h.	Botan. magaz. 1858.
<i>Sideroxylon mite.</i> B.M.	<i>Scleroxylum mite.</i> W.en.	<i>Manglilla Milleriana.</i> P.s.			
11 venulosa. s.s.	veined-leaved.	1816.	—	G. h.	
12 canariense. s.s.	Canary.	Canaries.	—	G. h.	
13 variabilis. B.P.	variable.	N. S. W.	1820.	—	G. h.

ORDO CXIII.

SAPOTÆ. *Brown prodr.* 1. p. 528.

INOCARPUS. W.	OTAHEITE-CHESTNUT.	Decandria Monogynia.	W.		
edulis. w.	eatable.	South-sea Isl. 1793.	S. h.	Lam. ill. t. 362.
BUMELIA. S.S.	BUMELIA.	Pentandria Monogynia.	W.		
1 lycioides. s.s.	Boxthorn-ld.	N.America. 1758.	8.	H. h.	Duham. arb. 2. t. 68.
2 oblongifolia. N.	oblong-leaved.	Missisipi. 1818.	7. 8.	H. h.	
3 tenax. R.s.	silvery-leaved.	Carolina. 1765.	—	H. h.	Wats. dend. brit. t. 10.
<i>chrysophylloides.</i> W.D.	<i>Sideroxylon tenax.</i> L.				
4 lanuginosa. R.S.	woolly-leaved.	—	—	H. h.	
5 reclinata. s.s.	reclined.	1806.	—	H. h.	Venten. choix. 22.
6 strigosa. s.s.	strigose.	G. h.	
<i>Sideroxylon strigosum.</i> W.en.					
7 nigra. s.s.	black.	W. Indies. 1806.	S. h.	
8 salicifolia. s.s.	Willow-leav'd.	S. America. 1758.	S. h.	Sloan.hist. 2. t. 206. f. 2.
9 foetidissima. s.s.	fetid.	W. Indies.	5. 7.	S. h.	
10 rotundifolia. s.s.	round-leaved.	1816.	—	S. h.	
SERSALISIA. B.P.	SERSALISIA.	Pentandria Monogynia.			
sericea. B.P.	silky-leaved.	N.Holland. 1772.	G. h.	
<i>Sideroxylon sericeum.</i> W.					
SIDEROXYLON. W.	IRON-WOOD.	Pentandria Monogynia.	L.		
1 inerme. w.	smooth.	C. B. S. 1692.	7.	G. h.	Lam. ill. 2. t. 120. f. 1.
2 tomentosum. w.	tomentose.	E. Indies. 1818.	S. h.	Roxb. corom. 1. t. 28.
ARGANIA. R.S.	ARGANIA.	Pentandria Monogynia.			
<i>Sideroxylum.</i> R.S.	spiny.	Morocco. 1711.	7.	H. h.	Comm. hort. 1. t. 83.
<i>Sideroxylum spinosum.</i> L.	<i>Elæodendron Argan.</i> W.				
CHRYSOPHYLLUM. W.	STAR-APPLE.	Pentandria Monogynia.	L.		
1 Cainito. w.	broad-leaved.	W. Indies. 1737.	5. 6.	S. h.	Jacq. amer. t. 37. f. 1.
β jamaicense.	purple-fruited.	—	—	S. h.	— t. 52.
γ cæruleum.	blue-fruited.	—	—	S. h.	— t. 37.
δ microphyllum.	small-leaved.	—	—	S. h.	Jacq. amer. pict. t. 53.
2 monopyrenum. w.	acute-leaved.	1816.	—	S. h.	Burm. amer. t. 69.
3 argenteum. w.	silvery.	Martinico. 1758.	S. h.	Jacq. amer. pict. t. 51.
4 macrophyllum. G.D.	large-leaved.	Sierra Leon. 1822.	S. h.	
5 glabrum. w.	smooth-leaved.	Martinico. 1818.	S. h.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P.	NYCTERISITION.	Pentandria Monogynia.			
ferrugineum. R.P.	ferruginous.	S. America. 1823.	S. h.	Flor. peruv. 2. t. 187.
ACHRAS. J.	SAPOTA.	Hexandria Monogynia.	S.S.		
1 Sapota. w.	common.	S. America. 1731.	4. 6.	S. h.	Jacq. amer. 57. t. 41.
β Zapotilla. Jacq.	Naseberry-tree.	—	—	S. h.	— 57. t. 41. b.
2 australis. B.P.	New Holland.	N. S. W. 1823.	G. h.	
LUCUMA. J.	LUCUMA.	Pentandria Monogynia.			
1 mammosum. K.S.	Mam mee.	S. America. 1739.	5. 8.	S. h.	Jacq. amer. t. 182. f. 19.
2 Bonplandii. K.S.	Bonpland's.	Havannah. 1822.	S. h.	
3 obovatum. K.S.	obovate-leaved.	Peru. —	S. h.	Flor. peruv. 3. t. 239.
4 salicifolium. K.S.	Willow-leaved.	Mexico. 1823.	S. h.	
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia.	L.		
1 Elengi. s.s.	pointed-leaved.	E. Indies. 1796.	5. 7.	S. h.	Roxb. cor. 1. t. 14.
2 dissecta. s.s.	oval-leaved.	South-sea Isl. 1804.	S. h.	
3 hexandra. s.s.	hexandrous.	E. Indies. 1816.	S. h.	
4 Kauki. s.s.	obtuse-leaved.	1796.	5. 8.	S. h.	Rumph. amb. 3. t. 8.
IMBRICARIA. J.	IMBRICARIA.	Octandria Monogynia.			
borbonica. G.	Bourbon.	Bourbon. 1820.	S. h.	
BASSIA. L.	BASSIA.	Dodecandria Monogynia.	L.		
1 longifolia. w.	long-leaved.	E. Indies. 1811.	S. h.	Lam. ill. t. 398.
2 latifolia. w.	broad-leaved.	1799.	S. h.	Roxb. cor. 1. t. 19.
3 butyracea. D.P.	butter-tree.	Nepaul. 1823.	S. h.	

ORDO CXIV.

EBENACEÆ. *Brown prodr.* 1. p. 524.

MABA. J.	MABA. Diœcia Hexandria. W.					
buxifolia. P.S.	Box-leaved. E. Indies.	1810.	S. h.	Roxb. cor. 1. t. 45.	
<i>Ferreola buxifolia.</i> Roxb.						
CARGILLIA. B.P.	CARGILLIA. Polygamia Diœcia.					
australis. B.P.	southern. N. S. W.	1816.	G. h.		
DIOSPYROS. S.S.	DATE PLUM. Polygamia Diœcia. W.					
1 virginiana. s.s.	Virginian. N. America.	1629.	6. 7.	H. h.	Wats. dend. brit. 146.	
2 pubescens. s.s.	pubescent. —	1812.	4.	H. h.		
3 reticulata. s.s.	netted. Mauritius.	1823.	S. h.		
4 Ebenaster. s.s.	Ebenus-like. E. Indies.	1792.	S. h.	Rumph. amb. 1. t. 6.	
5 melanoxydon. s.s.	black-wooded. —	1817.	S. h.	Roxb. cor. 1. t. 46.	
6 Ebenum. s.s.	smooth. —	1792.	S. h.	Rotb. act. hafn. 2. t. 5.	
7 montana. s.s.	mountain. —	1819.	S. h.		
8 obovata. s.s.	four-seeded. W. Indies.	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.	
9 sylvatica. s.s.	wood. E. Indies.	1812.	S. h.	Roxb. cor. 1. t. 47.	
10 Embryopteris. s.s.	glutiniferous. —	1796.	5. 8.	S. h.	Botan. regist. 499.	
<i>Embryopteris glutinifera.</i> B.C. 1. t. 70.						
11 lobata. s.s.	lobed-fruited. China.	1822.	—	G. h.		
12 vaccinioides. Lod.	Vaccinium-like. —	—	—	G. h.		
13 edulis. Lod.	eatable. E. Indies.	—	S. h.		
14 Lotus. s.s.	European. Italy.	1596.	6. 7.	H. h.	Mill. ic. t. 116.	
15 Kaki. s.s.	Japan. Japan.	1789.	—	G. h.	Kæmp. amœn. t. 806.	
16 hirsuta. s.s.	hairy. Ceylon.	1816.	S. h.		
17 chloroxydon. s.s.	cluster-flower'd. E. Indies.	1822.	S. h.		
18 cordifolia. s.s.	heart-leaved. —	1794.	S. h.	Roxb. cor. 1. t. 50.	
ROYENA. W.	ROYENA. Decandria Digynia. L.					
1 lucida. w.	shining-leaved. C. B. S.	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.	
2 villosa. w.	heart-leaved. —	1774.	6. 7.	G. h.		
3 pallens. w.	pale. —	1789.	—	G. h.		
4 myrtifolia. w.en.	Myrtle-leaved. —	1812.	—	G. h.		
5 glabra. w.	smooth. —	1731.	7. 9.	G. h.	Comm. hort. 1. t. 65.	
6 pubescens. w.en.	pubescent. —	1752.	—	G. h.	Botan. regist. 500.	
7 hirsuta. w.en.	hairy-leaved. —	—	—	G. h.	Lam. ill. t. 370. f. 2.	
8 angustifolia. w.	willow-leaved. —	1789.	6. 7.	G. h.		
9 latifolia. w.en.	broad-leaved. —	1816.	G. h.		
10 ambigua. v.	obovate-leaved. —	1815.	6. 7.	G. h.	Vent. malm. t. 17.	
11 polyandra. w.	oval-leaved. —	1774.	G. h.		

ORDO CXV.

OLEINÆ. *Brown prodr.* 1. p. 522.

FRAXINUS. W.	ASH-TREE. Polygamia Diœcia. L.					
1 excelsior. w.	common. Britain.	4. 5.	H. h.	Eng. bot. 1692.	
β argentea.	silver-striped. —	—	H. h.		
γ pendula.	weeping. —	—	H. h.		
δ horizontalis.	horizontal. —	—	H. h.		
ε jaspidea.	coloured branch'd. —	—	H. h.		
ζ erosa.	erose-leaved. —	—	H. h.		
2 aurea. w.en.	yellow barked.	H. h.		
3 atrovirens. P.S.	green curl'd-ld.	H. h.		
4 nana. w.en.	dwarf.	H. h.		

5	<i>verrucosa</i> . L.en.	warted.	4. 5.	H. h.	
6	<i>heterophylla</i> . s.s.	various-leaved.	England.	—	H. h.	Eng. bot. 2476.
	<i>simplicifolia</i> . E.B.						
7	<i>parvifolia</i> . s.s.	small-leaved.	Levant.	1816.	—	H. h.	
8	<i>lentiscifolia</i> . s.s.	Lentiscus-ld.	Aleppo.	1710.	5. 6.	H. h.	Pluk. alm. t. 182. f. 4.
9	<i>argentea</i> . s.s.	silver-leaved.	Corsica.	1825.	...	H. h.	
10	<i>sambucifolia</i> . s.s.	Elder-leaved.	N.America.	1800.	H. h.	
11	<i>oxycarpa</i> . s.s.	sharp-leaved.	Tauria.	1815.	5. 6.	H. h.	
	<i>oxyphylla</i> . M.B.						
12	<i>pallida</i> . s.s.	pale.	N.America.	1818.	H. h.	
13	<i>rufa</i> . s.s.	rufous.	—	1822.	H. h.	
14	<i>fusca</i> . s.s.	brown branch'd.	—	—	H. h.	
15	<i>nigra</i> . s.s.	black-twigged.	—	1818.	4. 6.	H. h.	
16	<i>elliptica</i> . s.s.	elliptic-leaved.	—	1824.	H. h.	
17	<i>ovata</i> . s.s.	oval-leaved.	—	—	H. h.	
18	<i>Richardi</i> . s.s.	Richard's.	—	—	H. h.	
19	<i>alba</i> . s.s.	grey branched.	—	1825.	H. h.	
20	<i>cinerea</i> . s.s.	cinereous.	—	1818.	H. h.	
21	<i>viridis</i> . s.s.	green-branch'd.	—	1816.	H. h.	
22	<i>longifolia</i> . s.s.	long-leaved.	—	1825.	H. h.	
23	<i>rubicunda</i> . s.s.	red-veined.	—	—	H. h.	
24	<i>pulverulenta</i> . s.s.	powdered.	—	—	H. h.	
25	<i>mixta</i> . s.s.	mixed.	—	—	H. h.	
26	<i>expansa</i> . s.s.	expanded.	—	—	H. h.	
27	<i>platycarpa</i> . s.s.	flat-seeded.	—	1816.	4. 6.	H. h.	Catesb. car. t. 80.
28	<i>quadrangulata</i> . s.s.	four-sided.	—	1811.	—	H. h.	Mich. f. arb. ic.
29	<i>epiptera</i> . s.s.	dotted-stalked.	—	—	—	H. h.	— t. 33.
	<i>discolor</i> . M.						
30	<i>lancea</i> . Bosc.	lance-leaved.	—	1823.	—	H. h.	
31	<i>pannosa</i> . s.s.	cloth-leaved.	—	1818.	—	H. h.	
32	<i>pubescens</i> . s.s.	pubescent.	—	1783.	5.	H. h.	Du Roi. ed. 2. t. 1.
33	<i>caroliniana</i> . s.s.	Carolina.	—	1811.	4. 6.	H. h.	
34	<i>juglandifolia</i> . s.s.	Walnut-leaved.	—	1783.	—	H. h.	
35	<i>acuminata</i> . s.s.	taper-pointed.	—	1723.	—	H. h.	
36	<i>americana</i> . s.s.	white.	—	—	—	H. h.	
ORNUS. P.S.		FLOWERING ASH.	Diandria Monogynia.	P.S.			
1	<i>americana</i> . ph.	American.	N.America.	1812.	5. 6.	H. h.	
2	<i>europæa</i> . P.S.	European.	Italy.	1710.	—	H. h.	Flor. græc. 1. t. 4.
	<i>Fraxinus Ornus</i> . W.						
3	<i>rotundifolia</i> . P.S.	manna.	—	1697.	4. 5.	H. h.	
4	<i>striata</i> .	streak-barked.	1818.	—	H. h.	
	<i>Fraxinus striata</i> . s.s.						
5	<i>floribunda</i> .	many-flowered.	Nepaul.	—	H. h.	
	<i>Fraxinus floribunda</i> . F.I.						
CHIONANTHUS. S.S.		FRINGE-TREE.	Diandria Monogynia.	L.			
1	<i>virginica</i> . w.	smooth-leaved.	N.America.	1736.	5. 7.	H. h.	Catesb. car. 1. t. 68.
2	<i>maritima</i> .	pubescent-ld.	—	—	—	H. h.	Wats. dend. brit. t. 1.
	<i>virginica</i> β <i>maritima</i> . Ph.	<i>virginica</i> β <i>angustifolia</i> . W.D.					
3	<i>axillaris</i> . B.P.	axil-flowering.	N. Holland.	1810.	S. h.	
LINOCIERA. S.S.		LINOCIERA.	Diandria Monogynia.	S.S.			
1	<i>ligustrina</i> . s.s.	Privet-like.	W. Indies.	1820.	S. h.	
2	<i>cotinifolia</i> . s.s.	Cotinus-leav'd.	Ceylon.	1818.	S. h.	
3	<i>compacta</i> . s.s.	Caribbean.	W. Indies.	1793.	S. h.	Jacq. coll. 2. t. 6. f. 1.
FONTANESIA. S.S.		FONTANESIA.	Diandria Monogynia.	W.			
	<i>phillyræoides</i> . s.s.	Phillyrea-ld.	Syria.	1787.	6. 8.	H. h.	Wats. dend. brit. t. 2.
NOTELÆA. B.P.		NOTELÆA.	Diandria Monogynia.	S.S.			
1	<i>longifolia</i> . B.P.	long-leaved.	N. S. W.	1790.	3. 6.	G. h.	Venten. choix. 25.
	<i>Olea apetala</i> . A.R. 316.						
2	<i>ovata</i> . B.P.	oval-leaved.	—	1818.	—	G. h.	
3	<i>ligustrina</i> . B.P.	Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. h.	
4	<i>rigida</i> . R.S.	rigid-leaved.	—	1820.	—	G. h.	
OLEA. B.P.		OLIVE.	Diandria Monogynia.	L.			
1	<i>europæa</i> . s.s.	European.	S. Europe.	1570.	6. 8.	G. h.	
	α <i>Oleaster</i> . R.S.	spiny-branched.	Portugal.	—	G. h.	Flor. græc. 1. t. 3.
	β <i>longifolia</i> . R.S.	long-leaved.	S. Europe.	—	G. h.	Lodd. bot. cab. 456.
	γ <i>ferruginea</i> . R.S.	ferruginous.	—	—	G. h.	
	δ <i>latifolia</i> . R.S.	broad-leaved.	—	—	G. h.	
	ε <i>obliqua</i> . R.S.	oblique-leaved.	—	—	G. h.	
	ζ <i>buxifolia</i> . R.S.	Box-leaved.	—	—	G. h.	

2 verrucosa. s.s.	warted.	C. B. S.	1814.	—	G. h.	
3 americana. s.s.	American.	N. America.	1758.	6.	G. h.	Catesb. car. 1. t. 61.
4 fragrans. s.s.	fragrant.	China.	1771.	6. 8.	G. h.	Botan. magaz. 1552.
5 lancea. s.s.	lance-leaved.	Mauritius.	1818.	—	S. h.	
6 dioica. F.I.	diœcious.	E. Indies.	—	S. h.	
7 capensis. s.s.	Cape.	C. B. S.	1730.	6. 9.	G. h.	Botan. regist. 613.
8 undulata. s.s.	wave-leaved.	—	—	—	G. h.	Lodd. bot. cab. 379.
9 emarginata. R.s.	emarginate.	Mauritius.	1816.	S. h.	
10 excelsa. s.s.	Laurel-leaved.	Madeira.	1784.	5. 6.	G. h.	Jacq. schœn. 3. t. 251.
11 cernua. s.s.	drooping-fl'd.	Mauritius.	1816.	S. h.	
12 angustifolia.	narrow-ld.	Phillyrea. S. Europe.	1597.	5. 6.	H. h.	Lam. ill. t. 8. f. 3.
<i>Phillyrea angustifolia. s.s.</i>						
α lanceolata.	spear-leaved.	—	—	—	H. h.	
β rosmarinifolia.	Rosemary-ld.	—	—	—	H. h.	
γ brachiata.	cross-branched.	—	—	—	H. h.	
13 media. R.s.	twiggy Phillyrea.	—	—	—	H. h.	
β buxifolia.	Box-leaved.	—	—	—	H. h.	
14 ligustrifolia. R.s.	Privet-leaved.	—	—	—	H. h.	
15 pendula. R.s.	pendulous.	—	—	—	H. h.	
16 oleæfolia. R.s.	Olive-ld. Phillyrea.	—	—	—	H. h.	Pluk. alm. t. 310. f. 5.
17 lævis. R.s.	smooth-leaved.	—	—	—	H. h.	Duham. arb. t. 125.
18 latifolia. R.s.	broad-leaved.	—	—	—	H. h.	Flor. græc. t. 2.
19 obliqua. R.s.	oblique-leaved.	—	—	—	H. h.	
20 spinosa. R.s.	Holly-leaved.	—	—	—	H. h.	
<i>Phillyrea ilicifolia. W.en.</i>						
LIGUSTRUM. W.	PRIVET. Diandria Monogynia. L.					
1 vulgare. R.s.	common.	Britain.	6. 7.	H. h.	Eng. bot. 764.
β variegatum.	striped-leaved.	—	—	H. h.	
γ angustifolium.	narrow-leaved.	—	—	H. h.	
δ leucocarpum.	white-berried.	—	—	H. h.	
ε italicum. Mill.	evergreen.	Italy.	—	H. h.	
2 lucidum. R.s.	Wax-tree.	China.	1794.	6. 9.	F. h.	Wats. dend. brit. 137.
SYRINGA. R.S.	LILAC. Diandria Monogynia. L.					
1 vulgaris. W.	common.	Persia.	1597.	5.	H. h.	Schk. hand. 1. t. 2.
α lilacina.	pale-flowered.	—	—	—	H. h.	Botan. magaz. 183.
β purpurea.	purple-flowered.	—	—	—	H. h.	
γ violacea.	violet.	—	—	—	H. h.	
δ alba.	white-flowered.	—	—	—	H. h.	
ε variegata.	variegated-ld.	—	—	—	H. h.	
2 chinensis. W.	Siberian.	China.	1795.	—	H. h.	
3 persica. W.	Persian.	Persia.	1640.	—	H. h.	Botan. magaz. 486.
α lilacina.	pale-flowered.	—	—	—	H. h.	
β alba.	white-flowered.	—	—	—	H. h.	
γ laciniata.	cut-leaved.	—	—	—	H. h.	Schmidt arb. 2. t. 79.

ORDO CXVI.

JASMINEÆ. *Brown prodr. 1. p. 520.*

NYCTANTHES. W.	NYCTANTHES. Diandria Monogynia. L.					
arbor tristis. W.	square-stalked.	E. Indies.	1781.	6. 9.	S. h.	Botan. regist. 399.
JASMINUM. W.	JASMINE. Diandria Monogynia. L.					
1 Sambac. s.s.	single Arabian.	E. Indies.	1665.	1. 12.	S. h. ∪	Botan. regist. 1.
β multiplex.	semidouble.	—	1700.	—	S. h. ∪	Andr. reposit. 497.
γ trifoliatum.	Tuscan.	—	1730.	—	S. h.	Botan. magaz. 1785.
2 undulatum. s.s.	wave-leaved.	—	1812.	2. 6.	S. h. ∪	Botan. regist. 436.
3 hirsutum. s.s.	hairy Indian.	—	1759.	5. 12.	S. h.	Sm. ex. bot. 2. t. 118.
<i>multiflorum. A.R. 496.</i>						
4 angustifolium. F.I.	narrow-leaved.	—	1816.	1. 12.	S. h. ∪	Rheed. mal. 6. t. 53.
5 laurifolium. F.I.	Laurel-leaved.	—	—	—	S. h. ∪	Botan. regist. 521.
6 trinerve. s.s.	three-nerved.	Java.	1804.	4. 6.	S. h. ∪	— 918.
7 glaucum. s.s.	glaucous.	C. B. S.	1774.	6. 8.	S. h. ∪	Sal. stirp. rar. t. 8.
8 bracteatum. s.s.	bracteate.	Sumatra.	1820.	—	S. h. ∪	

9	latifolium. s.s.	broad-leaved.	E. Indies.	1817.	—	S. h. ∪.	
10	arborescens. s.s.	arborescent.	—	1824.	S. h.	
11	scandens. s.s.	scandent.	—	—	S. h. ∪.	
12	simplicifolium. s.s.	simple-leaved.	Society Isl.	3. 6.	S. h. ∪.	Botan. magaz. 980.
13	elongatum. s.s.	long-branched.	E. Indies.	1823.	S. h. ∪.	
14	gracile. s.s.	slender.	Norfolk Isl.	1791.	1. 12.	G. h. ∪.	Andr. reposit. 127.
15	acuminatum. s.s.	acuminate.	N. Holland.	1820.	6. 9.	G. h. ∪.	
16	auriculatum. s.s.	auriculate.	E. Indies.	1790.	5. 9.	S. h. ∪.	Botan. regist. 264.
17	paniculatum. s.s.	variable-ld.	China.	1812.	2. 12.	S. h.	— 690.
18	flexile. s.s.	acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h. ∪.	
19	tortuosum. s.s.	twisting.	C. B. S.	—	—	S. h. ∪.	Jacq. schœn. 4. t. 490.
	<i>flexile.</i> Jacq. non W.						
20	campanulatum. s.s.	bell-shaped calyx'd.	—	—	S. h. ∪.	
21	capense. s.s.	Cape.	C. B. S.	1816.	—	G. h.	
22	azoricum. s.s.	white Azorian.	Madeira.	1724.	4. 11.	G. h.	Botan. regist. 89.
23	dispermum. s.s.	two-seeded.	Nepaul.	1825.	G. h. ∪.	
24	fruticans. s.s.	common yellow.	S. Europe.	1570.	4. 10.	H. h.	Botan. magaz. 461.
25	humile. s.s.	Italian.	1656.	6. 9.	H. h.	Botan. regist. 350.
26	odoratissimum. s.s.	yellow Azorian.	Madeira.	—	5. 11.	G. h.	Botan. magaz. 285.
27	revolutum. s.s.	yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h.	Botan. regist. 178.
	<i>chrysanthemum.</i> F.I.						
28	officinale. s.s.	common white.	E. Indies.	1548.	6. 10.	H. h. ∪.	Botan. magaz. 31.
	β <i>leucophyllum.</i>	white-edged.	—	—	H. h. ∪.	
	γ <i>chrysophyllum.</i>	yellow-edged.	—	—	H. h. ∪.	
	δ <i>multiplex.</i>	double-blossom'd.	—	1823.	—	H. h. ∪.	
29	grandiflorum. s.s.	Catalonian.	—	1629.	—	G. h. ∪.	Botan. regist. 91.

ORDO CXVII.

APOCINEÆ. *Brown prodr. 1. p. 465.*

ALYXIA. B.P.	ALYXIA. Pentandria Monogynia.						
Richardsoni.	Richardson's.	N. Holland.	1823.	4. 6.	S. h.	Botan. regist. ined.	
RAUWOLFIA. S.S.	RAUWOLFIA. Pentandria Monogynia.	W.					
1 nitida. s.s.	shining.	S. America.	1752.	6. 9.	S. h.	Lodd. bot. cab. 339.	
2 ternifolia. s.s.	three-leaved.	—	1822.	—	S. h.	Botan. magaz. 2440.	
3 canescens. s.s.	hoary.	Jamaica.	1739.	S. h.	Plum. ic. t. 236. f. 2.	
4 tomentosa. s.s.	woolly.	S. America.	1823.	S. h.	Jacq. amer. pict. t. 46.	
OPHIOXYLON. W.	OPHIOXYLON. Polygamia Monœcia.	W.					
serpentinum. w.	serpent-wood.	E. Indies.	1690.	5. 6.	S. h.	Botan. magaz. 784.	
STRYCHNOS. S.S.	STRYCHNOS. Pentandria Monogynia.	W.					
1 Nux vomica. s.s.	Poison-nut.	E. Indies.	1778.	S. h.	Roxb. cor. 1. t. 4.	
2 colubrina. s.s.	muricate-fruit'd.	—	1818.	S. h.	Rheed. mal. 7. t. 5.	
3 potatorum. s.s.	clearing-nut.	—	1794.	S. h.	Roxb. cor. 1. t. 5.	
4 madagascariensis. s.s.	Madagascar.	Madagascar.	1818.	S. h.		
5 spinosa. s.s.	spiny.	—	1824.	S. h.		
6 axillaris. s.s.	axillary-fld.	E. Indies.	1818.	S. h.		
CARISSA. L.	CARISSA. Pentandria Monogynia.	L.					
1 Carandas. s.s.	Jasmine-fld.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 77.	
2 spinarum. s.s.	Box-leaved.	—	1809.	8. 12.	S. h.	Lodd. bot. cab. 162.	
3 ovata. B.P.	oval-leaved.	N. Holland.	1817.	6. 9.	G. h.		
4 Xylopicron. s.s.	nerved-leaved.	Mauritius.	1820.	—	S. h.	Aub. Thou. obs. p. 24. ic.	
ARDUINA. L.	ARDUINA. Pentandria Monogynia.	L.					
bispinosa. s.s.	two-spined.	C. B. S.	1760.	3. 8.	G. h.	Mill. ic. 2. t. 300.	
	<i>Carissa Arduina.</i> F.S.						
THEOPHRASTA. S.S.	THEOPHRASTA. Pentandria Monogynia.						
Jussiei. s.s.	Jussieu's.	S. America.	1818.	S. h.	Lind. coll. t. 26.	
GELSEMIUM. J.	GELSEMIUM. Pentandria Monogynia.						
sempervirens. P.S.	evergreen.	N. America.	1640.	6. 7.	G. h. ∪.	Catesb. car. 1. t. 53.	
	<i>nitidum.</i> R.S. <i>Bignonia sempervirens.</i> W.						
VALLESIA. R.P.	VALLESIA. Pentandria Monogynia.						
cymbæfolia. R.S.	boat-leaved.	S. America.	1816.	6. 8.	S. h.	Cavan. ic. 3. t. 297.	
	<i>Rauwolfia glabra.</i> W.						

CERBERA. W.		CERBERA. Pentandria Monogynia. L.					
1	Ahouai. s.s.	oval-leaved.	Brazil.	1739.	6. 7.	S. h.	Botan. magaz. 737.
2	ovata. s.s.	ovate-leaved.	N. Spain.	—	S. h.	Cavan. ic. 3. t. 270.
3	fruticosa. s.s.	purple-flower'd.	Pegu.	1817.	3. 9.	S. h.	Botan. regist. 391.
4	Odallam. L.T.	spear-leaved.	E. Indies.	1759.	6. 9.	S. h.	Botan. magaz. 1845.
	<i>Manghas. B.M. non L.T.</i>						
5	lactaria. L.T.	Milk-tree.	—	—	S. h.	Rumph. amb. 2. t. 81.
	<i>Manghas. G. 2. t. 123 et 124. f. 1. non L.T.</i>						
6	laurifolia. B.C.	Laurel-leaved.	—	1819.	—	S. h.	Lodd. bot. cab. 989.
7	maculata. s.s.	waved-leaved.	Bourbon.	1782.	6. 7.	S. h.	Andr. reposit. 130.
	<i>undulata. A.R.</i>						
8	thevetioides. s.s.	revolute-margin'd.	N. Spain.	1820.	S. h.	
9	Thevetia. s.s.	linear-leaved.	S. America.	1735.	S. h.	Jacq. amer. 48. t. 34.
OCHROSIA. J.		OCHROSIA. Pentandria Monogynia. R.S.					
	borbonica. R.S.	Bourbon.	Bourbon.	1823.	S. h.	
	<i>Cerbera borbonica. s.s. Ophioxylon Ochrosia. P.S.</i>						
DISSOLENA. R.S.		DISSOLENA. Pentandria Monogynia. R.S.					
	verticillata. R.S.	whorl-leaved.	China.	1812.	S. h.	
ALLAMANDA. S.S.		ALLAMANDA. Pentandria Monogynia. L.					
1	cathartica. s.s.	Willow-leaved.	Guaiana.	1785.	6. 7.	S. h.	Botan. magaz. 338.
2?	verticillata. s.s.	whorl-leaved.	E. Indies.	1812.	S. h.	
	<i>Nerium tinctorium. Hort.</i>						
VINCA. R.S.		PERIWINKLE. Pentandria Monogynia. L.					
1	herbacea. R.S.	herbaceous.	Hungary.	1816.	6. 7.	H. 4.	Botan. regist. 301.
2	minor. R.S.	lesser.	Britain.	3. 9.	H. h.	Eng. bot. 917.
	<i>a cœrulea.</i>	<i>blue-flowered.</i>	—	—	H. h.	
	<i>β alba.</i>	<i>white-flowered.</i>	—	—	H. h.	
	<i>γ atropurpurea.</i>	<i>dark-purple.</i>	—	—	H. h.	
	<i>δ multiplex.</i>	<i>double-flowered.</i>	—	—	H. h.	
	<i>ε variegata.</i>	<i>variegated.</i>	—	—	H. h.	
3	major. R.S.	greater.	England.	—	H. h.	Eng. bot. 514.
4	pusilla. R.S.	small-flowered.	E. Indies.	1778.	8.	S. ⊙.	Rheed. mal. 9. t. 33.
	<i>parviflora. W.</i>						
5	rosea. R.S.	Madagascar.	—	1756.	3. 10.	S. h.	Botan. magaz. 248.
	<i>β alba.</i>	<i>white-flowered.</i>	—	—	—	S. h.	
	<i>γ ocellata.</i>	<i>red-eyed.</i>	—	—	—	S. h.	
WRIGHTIA. S.S.		WRIGHTIA. Pentandria Monogynia. S.S.					
1	antidysenterica. s.s.	oval-leaved.	E. Indies.	1778.	S. h.	Burm. zeyl. t. 77.
2	zeylanica. s.s.	spear-leaved.	—	S. h.	— t. 12. f. 2.
3	dubia. s.s.	doubtful.	—	5. 8.	S. h.	Botan. magaz. 1646.
	<i>Cameraria dubia. B.M.</i>						
4	coccinea.	scarlet.	—	1820.	6. 8.	S. h.	Lodd. bot. cab. 894.
	<i>Nerium coccineum. B.C.</i>						
5	tinctoria. s.s.	dyer's.	—	1812.	—	S. h.	Botan. regist. 933.
STROPHANTHUS. DC.		STROPHANTHUS. Pentandria Monogynia. P.S.					
1	dichotomus. DC.	forked.	China.	1816.	2. 10.	S. h.	Botan. regist. 469.
2	sarmentosus. DC.	sarmentose.	Sierra Leon.	1822.	S. h.	Desf. an. mus. 1. t. 27.
NERIUM. R.S.		OLEANDER. Pentandria Monogynia. L.					
1	Oleander. R.S.	common.	S. Europe.	1596.	6. 10.	G. h.	Flor. græc. t. 248.
	<i>β alba.</i>	<i>white-flowered.</i>	—	—	—	G. h.	Lodd. bot. cab. 700.
	<i>γ splendens.</i>	<i>double-hybrid.</i>	Hybrid.	1815.	—	G. h.	Botan. regist. 74.
2	odorum. R.S.	sweet-scented.	E. Indies.	1683.	6. 8.	S. h.	Rheed. mal. 9. t. 2.
	<i>β carneum.</i>	<i>flesh-coloured.</i>	—	1816.	—	S. h.	Botan. magaz. 2032.
	<i>γ flore pleno.</i>	<i>double-flowered.</i>	—	—	S. h.	Rheed. mal. 9. t. 1.
3	flavescens. R.S.	yellowish.	1816.	—	S. h.	
TABERNÆMONTANA.		TABERNÆMONTANA. Pentandria Monogynia. L.					
1	citrifolia. R.S.	Citron-leaved.	Jamaica.	1734.	5. 8.	S. h.	Plum. ic. t. 248. f. 2.
2	alba. R.S.	white-flow'r'd.	W. Indies.	1780.	—	S. h.	Jacq. amer. t. 175. f. 13.
	<i>citrifolia. Jacq. non L.</i>						
3	laurifolia. R.S.	Laurel-leaved.	—	1768.	—	S. h.	Botan. regist. 716.
4	cymosa. R.S.	cyme-flowered.	S. America.	1820.	S. h.	Jacq. amer. t. 181. f. 14.
5	amygdalifolia. R.S.	Peach-leaved.	—	1780.	4. 8.	S. h.	Botan. regist. 338.
6	discolor. R.S.	two-coloured.	Jamaica.	1822.	—	S. h.	
7	arcuata. R.S.	arch'd follicled.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 143.
8	crispa. L.T.	wave-leaved.	E. Indies.	1818.	5. 10.	S. h.	Rheed. mal. 1. t. 46.
9	coronaria. L.T.	broad-leaved.	—	1710.	6. 10.	S. h.	Lodd. bot. cab. 406.
	<i>β flore pleno.</i>	<i>double-flowered.</i>	—	—	—	S. h.	Botan. magaz. 1865.
	<i>Nerium coronarium. B.M.</i>						
10	undulata. R.S.	waved.	Trinidad.	1824.	... S. h.		

11 odorata. s.s.	yellow-flow'r'd. Cayenne.	1793.	10. 11.	S. h.	Aub. guian. 1. t. 102.
<i>Cameraria lutea</i> . W.	<i>Cameraria Tamaquarina</i> . Aub.				
CAMERARIA. S.S.	BASTARD MANGENEEL. Pentandria Monogynia. L.				
1 latifolia. s.s.	broad-leaved. Havannah.	1733.	8.	S. h.	Andr. reposit. 261.
2 angustifolia. s.s.	narrow-leaved. S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
AMSONIA. R.S.	AMSONIA. Pentandria Monogynia. P.S.				
1 latifolia. R.S.	broad-leaved. N. America.	1759.	5. 6.	H. 4.	Botan. regist. 151.
2 salicifolia. R.S.	Willow-leaved. ———	1812.	—	H. 4.	Botan. magaz. 1873.
3 angustifolia. R.S.	hairy-stalked. ———	1774.	—	H. 4.	Venten. choix. 29.
PLUMERIA. S.S.	PLUMERIA. Pentandria Monogynia. L.				
1 rubra. R.S.	red-flowered. Jamaica.	1690.	7. 8.	S. h.	Botan. regist. 780.
2 purpurea. R.S.	purple. Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 137.
3 acuminata. H.K.	acute-leaved. E. Indies.	1790.	6. 9.	S. h.	Botan. regist. 114.
<i>acutifolia</i> . R.S.					
4 obtusa. R.S.	blunt-leaved. W. Indies.	1733.	7. 8.	S. h.	Catesb. car. 1. t. 93.
5 alba. R.S.	white. Jamaica.	—	7. 8.	S. h.	Jacq. amer. t. 174. f. 2.
6 bicolor. R.P.	two-coloured. S. America.	1815.	6. 9.	S. h.	Botan. regist. 480.
7 tricolor. R.P.	three-coloured. ———	—	—	S. h.	— 510.
8 lutea. R.P.	yellow-flow'r'd. ———	—	—	S. h.	Flor. peruv. 2. t. 142.
9 pudica. R.S.	wax-flowered. ———	7. 8.	S. h.	
10 longifolia. R.S.	long-leaved. Madagascar.	1816.	S. h.	
11 tuberculata. B.C.	tubercled. S. America.	1820.	6. 8.	S. h.	Lodd. bot. cab. 681.
12 tenuifolia. Lod.	slender-leaved. ———	S. h.	
13 Northiana. Lod.	North's. ———	S. h.	
14 mexicana. B.C.	Mexican. Mexico.	6. 9.	S. h.	Lodd. bot. cab. 1024.
15 Blandfordiana. Lod.	Blandford's. S. America.	S. h.	
16 nivea. Lod.	snowy white. ———	6. 8.	S. h.	
17 conspicua. Lod.	conspicuous. ———	S. h.	
18 macrophylla. Lod.	large-leaved. ———	S. h.	
19 leucantha. Lod.	white-blossom'd. ———	S. h.	
PRESTONIA. S.S.	PRESTONIA. Pentandria Monogynia. S.S.				
1 tomentosa. s.s.	tomentose. Brazil.	1820.	5. 8.	S. h. ∞.	
2 glabrata. s.s.	smooth. S. America.	1823.	—	S. h. ∞.	
ALSTONIA. S.S.	ALSTONIA. Pentandria Monogynia. S.S.				
1 scholaris. s.s.	whorl-leaved. E. Indies.	1816.	S. h.	Rheed. mal. 1. t. 45.
2 venenata. s.s.	poisonous. ———	1823.	S. h.	
THENARDIA. K.S.	THENARDIA. Pentandria Monogynia.				
<i>floribunda</i> . K.S.	abundant-fl'd. Mexico.	1823.	S. h. ∞.	H. et B. 3. t. 240.
ECHITES. R.S.	ECHITES. Pentandria Monogynia. L.				
1 longiflora. s.s.	long-flowered. Brazil.	1816.	5. 8.	S. h. ∞.	
2 bispinosa. s.s.	two-spined. C. B. S.	1795.	7. 11.	S. h.	
3 succulenta. s.s.	succulent. ———	1820.	—	S. h.	Th. n. act. pet. 14. t. 9. f. 2.
4 tuberosa. H.S.S.	tuberous-root'd. ———	1813.	S. h. ∞.	
5 biflora. s.s.	twin-flowered. W. Indies.	1793.	7. 8.	S. h. ∞.	Jacq. amer. 30. t. 21.
6 umbellata. s.s.	umbelled. Jamaica.	1733.	7.	S. h. ∞.	— 30. t. 22.
7 torosa. s.s.	climbing. ———	1778.	6. 8.	S. h. ∞.	Jacq. amer. 33. t. 27.
8 suberecta. s.s.	Savanna-flr. ———	1759.	—	S. h. ∞.	Botan. magaz. 1064.
9 caryophyllata. s.s.	Clove-scented. E. Indies.	1812.	9. 11.	S. h. ∞.	— 1919.
10 difformis. s.s.	deformed. Carolina.	1806.	6. 7.	G. h. ∞.	
11 reticulata. s.s.	netted-leaved. E. Indies.	1818.	—	S. h. ∞.	
12 Heynii. s.s.	Heyne's. ———	—	—	S. h. ∞.	
13 frutescens. H.B.	frutescent. ———	1816.	—	S. h. ∞.	
14 paniculata. H.B.	panicled. ———	—	—	S. h. ∞.	
BEAUMONTIA. B.R.	BEAUMONTIA. Pentandria Monogynia.				
1 grandiflora. B.R.	oval-leaved. E. Indies.	1812.	5. 7.	S. h. ∞.	Botan. regist. 911.
2 longifolia. Lod.	long-leaved. ———	1818.	S. h. ∞.	
HÆMADICTYON. H.T.	HÆMADICTYON. Pentandria Monogynia.				
<i>venosum</i> . H.T.	red-veined. W. Indies.	1820.	4. 8.	S. h. ∞.	Botan. magaz. 2473.
<i>Echites nutans</i> . B.M.					
VALLARIS. S.S.	VALLARIS. Pentandria Monogynia. S.S.				
<i>Pergulanus</i> . s.s.	smooth-leaved. E. Indies.	1818.	S. h. ∞.	Rumph. amb. 5. t. 29.
<i>Pergularia glabra</i> . W.	<i>Emericia Pergularia</i> . R.S.				
ICHNOCARPUS. S.S.	ICHNOCARPUS. Pentandria Monogynia. S.S.				
<i>frutescens</i> . s.s.	shrubby. E. Indies.	1759.	7. 8.	S. h.	Burm. zeyl. t. 12. f. 1.
PARSONSIA. R.S.	PARSONSIA. Pentandria Monogynia. R.S.				
1 corymbosa. R.S.	corymb-flow'r'd. W. Indies.	1820.	6. 8.	S. h. ∞.	Jacq. amer. pict. t. 37.
<i>Echites corymbosa</i> . Jacq.					
2 floribunda. R.S.	many-flowered. Jamaica.	—	—	S. h.	
<i>Echites floribunda</i> . W.					

WILLUGHBEIA. S.S.	WILLUGHBEIA.	Pentandria Monogynia. S.S.			
edulis. s.s.	eatable.	E. Indies.	1818.	6. 8.	S. h. ∞.
LYONSIA. B.P.	LYONSIA.	Pentandria Monogynia. S.S.			
straminea. B.P.	climbing.	N. S. W.	1820.	6. 8.	S. h. ∞.
MELODINUS. R.S.	MELODINUS.	Pentandria Mono-Digynia.			
1 scandens. R.S.	climbing.	N. Caledonia.	1775.	S. h. ∞. Lam. ill. t. 179.
2 monogynus. B.R.	one-styled.	E. Indies.	1816.	4. 8.	S. h. ∞. Botan. regist. 834.
APOCYNUM. S.S.	DOG'S-BANE.	Pentandria Monogynia. R.S.			
1 androsæmifolium. s.s.	Tutsan-leaved.	N. America.	1688.	7. 9.	H. 2. Botan. magaz. 280.
2 cannabinum. s.s.	Hemp-like.	—————	1699.	7. 9.	H. 2. Moris. s. 15. t. 3. f. 14.
3 hypericifolium. s.s.	Hypericum-ld.	—————	1758.	6. 7.	H. 2. Jacq. vind. 3. t. 66.
4 venetum. s.s.	Venetian.	Adriatic Isl.	1690.	—	H. 2. Lob. ic. 372. f. 1. 2.

ORDO CXVIII.

ASCLEPIADEÆ. *Brown prodr. 1. p. 458.*

PERIPLOCA. R.S.	PERIPLOCA.	Pentandria Digynia. L.			
1 græca. R.S.	Virginian-silk.	Syria.	1597.	7. 8.	H. h. ∞. Botan. regist. 803.
2 mauritiana. R.S.	long-leaved.	Mauritius.	1823.	S. h. ∞. Rheed. mal. 9. t. 11.
3 lævigata. R.S.	smooth.	Canaries.	1779.	6. 8.	G. h. Cavan. ic. 3. t. 217.
HEMIDESMUS. R.S.	HEMIDESMUS.	Pentandria Digynia. R.S.			
indicus. R.S.	Indian.	Ceylon.	1796.	S. h. Burm. zeyl. t. 83. f. 1.
CRYPTOSTEGIA. B.R.	CRYPTOSTEGIA.	Pentandria Digynia. S.S.			
grandiflora. B.R.	large-flowered.	E. Indies.	1812.	6. 8.	S. h. ∞. Botan. regist. 435.
SECAMONE. R.S.	SECAMONE.	Pentandria Digynia. R.S.			
1 emetica. R.S.	narrow-leaved.	India.	1816.	S. h. Willd. phyt. 1. t. 5. f. 2.
2 ægyptiaca. H.K.	Egyptian.	Egypt.	1752.	7.	G. h. ∞. Alp. ægyp. t. 134.
Alpini. R.S.	Periploca Secamone. w.				
DUVALLIA. H.S.S.	DUVALLIA.	Pentandria Digynia. H.S.			
1 reclinata. H.S.	reclined.	C. B. S.	1795.	8. 10.	D.S. h. Botan. magaz. 1397.
2 elegans. H.S.	elegant.	—————	————	————	D.S. h. 1184.
Stapelia elegans. B.M.					
3 hirtella. s.s.	hairy.	—————	————	————	D.S. h.
Stapelia hirtella. Jacq.					
4 cæspitosa. H.S.	tufted.	—————	1790.	8. 11.	D.S. h. Mass. stap. 20. t. 29.
5 radiata. H.S.	radiated.	—————	1795.	9. 11.	D.S. h. Botan. magaz. 619.
6 replicata. s.s.	replicate.	—————	1806.	8. 10.	D.S. h.
Stapelia replicata. Jacq.					
7 mastodes. s.s.	teat.	—————	1821.	—	D.S. h.
8 Jacquiniana. R.S.	Jacquin's.	—————	1802.	7. 9.	D.S. h. Jacq. stap. t. 37.
Stapelia radiata. Jacq. non B.M.					
9 tuberculata. H.S.S.	tubercled.	—————	1774.	7. 11.	D.S. h.
10 lævigata. H.S.S.	smooth.	—————	1808.	—	D.S. h.
11 glomerata. H.S.S.	clustered.	—————	—	—	D.S. h.
12 compacta. H.S.S.	compact.	—————	1800.	8. 11.	D.S. h.
PECTINARIA. H.S.S.	PECTINARIA.	Pentandria Digynia. H.S.			
articulata. H.S.S.	jointed.	C. B. S.	1774.	8. 9.	D.S. h. Mass. stap. 20. t. 30.
Stapelia articulata. Mas.					
ORBEA. H.S.	ORBEA.	Pentandria Digynia. H.S.			
1 maculosa. H.S.	spotted.	C. B. S.	1804.	6. 9.	D.S. h. Botan. magaz. 1833.
2 mixta. H.S.	mixed.	—————	1795.	—	D.S. h. Mass. stap. 23. t. 38.
Stapelia mixta. Mas.					
3 mutabilis. s.s.	changeable.	—————	1823.	6. 9.	D.S. h. Jacq. stap. ic.
Stapelia mutabilis. Jacq.					
4 quinquenervia. H.S.	five-nerved.	—————	1810.	10. 12.	D.S. h.
5 bisulca. H.S.	bisulcate.	—————	1806.	—	D.S. h.
6 variegata. H.S.	variegated.	—————	1727.	6. 10.	D.S. h. Moris. s. 15. t. 3. f. 4.
Stapelia variegata. L. non B.M.					
7 Curtisii. H.S.	Curtis's.	—————	1787.	—	D.S. h. Botan. magaz. 26.
Stapelia variegata. B.M.					
8 lepida. H.S.S.	pretty.	—————	1805.	7. 8.	D.S. h. Jacq. stap. ic.
9 orbicularis. H.S.	large orb'd.	—————	1799.	7. 11.	D.S. h. Andr. reposit. 448.

10	bufonia. H.S.	toad-like.	C. B. S.	1806.	8. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1676.
	<i>Stapelia Bufonis.</i> B.M.						
11	clypeata. H.S.S.	shield-flower'd.	————	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
12	planiflora. H.S.S.	flat-flowered.	————	1805.	7. 11.	D.S. $\frac{1}{2}$.	———— c. ic.
13	inodora. H.S.S.	scentless.	————	1788.	6. 8.	D.S. $\frac{1}{2}$.	
14	rugosa. S.S.	rugged.	————	1805.	5. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
15	Wendlandiana. R.S.	Wendland's.	————	————	6. 9.	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 52.
	<i>Stapelia rugosa.</i> Wendl. non Jacq.						
16	marginata. R.S.	margin'd.	————	1805.	————	D.S. $\frac{1}{2}$.	
17	conspurcata. R.S.	dirtied.	————	1795.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
18	normalis. R.S.	sulphur-col'd.	————	1821.	————	D.S. $\frac{1}{2}$.	Botan. regist. 755.
19	marmorata. R.S.	marbled.	————	————	————	D.S. $\frac{1}{2}$.	
20	retusa. H.S.	retuse.	————	1808.	9. 10.	D.S. $\frac{1}{2}$.	
21	anguinea. H.S.	snake.	————	1806.	8. 9.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 328.
22	picta. H.S.	painted.	————	1799.	6. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 1169.
23	Woodfordiana. H.S.	Woodford's.	————	1805.	————	D.S. $\frac{1}{2}$.	
24?	arida. S.S.	dry.	————	1795.	8.	D.S. $\frac{1}{2}$.	Mass. stap. 21. t. 33.
	<i>Stapelia arida.</i> Mas.						
25?	aperta. S.S.	open-flower'd.	————	————	7. 8.	D.S. $\frac{1}{2}$.	———— 23. t. 37.
	<i>Stapelia aperta.</i> Mas.						
STAPELIA. H.S. CARRION-FLOWER. Pentandria Digynia. L.							
1	grandiflora. R.S.	great-flowered.	C. B. S.	1795.	9. 12.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 11.
2	spectabilis. H.S.	showy.	————	1802.	————	D.S. $\frac{1}{2}$.	Botan. magaz. 585.
	<i>grandiflora.</i> B.M. non Mas.						
3	ambigua. R.S.	ambiguous.	————	1795.	6. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 12.
4	sororia. R.S.	sister.	————	1797.	6. 8.	D.S. $\frac{1}{2}$.	———— 23. t. 39.
5	patula. R.S.	spreading.	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>sororia.</i> Jacq. non Mas.						
6	deflexa. B.M.	deflexed.	————	1806.	————	D.S. $\frac{1}{2}$.	Botan. magaz. 1890.
	<i>reflexa.</i> H.S.						
7	lucida. R.S.	glossy.	————	1821.	————	D.S. $\frac{1}{2}$.	
8	brevirostris. W.en.	short-beaked.	————	————	D.S. $\frac{1}{2}$.	
9	Massoni. H.S.	Masson's.	————	1808.	————	D.S. $\frac{1}{2}$.	
10	Asterias. R.S.	Starfish.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 536.
11	stellaris. H.S.S.	starry.	————	1804.	8. 10.	D.S. $\frac{1}{2}$.	
12	hirsuta. R.S.	hairy.	————	1710.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. misc. 1. t. 3.
	β atra. B.R.	dark-flowered.	————	————	————	D.S. $\frac{1}{2}$.	Botan. regist. 756.
13	lanifera. H.S.S.	woolly-flow'r'd.	————	1814.	6. 9.	D.S. $\frac{1}{2}$.	
14	flavicomata. H.S.S.	yellow-haired.	————	1810.	————	D.S. $\frac{1}{2}$.	
15	hamata. R.S.	hooked.	————	1805.	————	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 242.
16	comata. R.S.	very-hairy.	————	1821.	————	D.S. $\frac{1}{2}$.	
17	rufa. R.S.	rusty brown.	————	1795.	6. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 239.
18	pulvinata. R.S.	cushioned.	————	————	————	D.S. $\frac{1}{2}$.	Botan. magaz. 1240.
19	fissirostris. R.S.	cloven-beaked.	————	1821.	————	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
20	pilifera. R.S.	hairy-tubercled.	————	1790.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 17. t. 23.
21	concinna. R.S.	spruce.	————	1795.	————	D.S. $\frac{1}{2}$.	———— 15. t. 18.
22	glandulifera. R.S.	hairy-glanded.	————	————	————	D.S. $\frac{1}{2}$.	
23	hispidula. R.S.	hispid.	————	1821.	————	D.S. $\frac{1}{2}$.	
24	glanduliflora. R.S.	gland-flowered.	————	1795.	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 16. t. 19.
25	acuminata. R.S.	acuminated.	————	————	7. 9.	D.S. $\frac{1}{2}$.	———— 15. t. 17.
26?	ramosa. R.S.	branched.	————	————	6. 8.	D.S. $\frac{1}{2}$.	———— 21. t. 32.
27?	mammillaris. R.S.	mammillary.	————	1774.	————	D.S. $\frac{1}{2}$.	Burm. afr. 27. t. 11.
28?	cordata. H.S.	heart-shaped.	————	1805.	————	D.S. $\frac{1}{2}$.	
29?	canescens. H.S.	canescent.	————	1795.	————	D.S. $\frac{1}{2}$.	
30?	ophiuncula. H.S.	serpent-like.	————	1805.	————	D.S. $\frac{1}{2}$.	
TRIDENTEA. H.S. TRIDENTEA. Pentandria Digynia. H.S.							
1	gemmiflora. H.S.	gem-flowered.	C. B. S.	1795.	10. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 14. t. 15.
2	stygia. H.S.	Stygian.	————	1800.	8. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1839.
	<i>Stapelia gemmiflora.</i> β . B.M.						
3	moschata. H.S.S.	musk-scented.	————	1799.	9. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. 1051.
	<i>Stapelia hircosa.</i> Jacq.						
4	vetula. H.S.	purple smooth.	————	1793.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 16.
5	Simsii. H.S.	Sims's.	————	1800.	————	D.S. $\frac{1}{2}$.	Botan. magaz. 1234.
	<i>Stapelia vetula.</i> B.M.						
6?	paniculata. R.S.	panicled.	————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
7?	juvencula. S.S.	short-flowered.	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
8?	depressa. R.S.	depressed.	————	————	D.S. $\frac{1}{2}$.	———— c. ic.
TROMOTRICHE. H.S. TROMOTRICHE. Pentandria Digynia. H.S.							
1	fuscata. H.S.S.	brown-flow'r'd.	C. B. S.	1814.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
	<i>Stapelia fuscata.</i> Jacq.						

2	glauca. H.s.s.	large glaucous.	C. B. S.	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
3	revoluta. H.s.	revolute-fl'd.	————	1790.	6. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 724.
	<i>Stapelia revoluta</i> . B.M.						
4?	pruinosa. H.s.	frosted.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 41.
5	obliqua. R.s.	oblique-flow'r'd.	————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
PODANTHES. H.S. PODANTHES. Pentandria Digynia. H.S.							
1	pulchra. H.s.	beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S. $\frac{1}{2}$.	
	β major.	larger.	————	—	—	D.S. $\frac{1}{2}$.	Botan. magaz. 786.
	<i>Stapelia verrucosa</i> . B.M. nec aliorum.						
2	irrorata. H.s.	dewy.	————	1795.	7. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 12. t. 9.
3	verrucosa. H.s.	warted.	————	—	8. 10.	D.S. $\frac{1}{2}$.	— 11. t. 8.
4	roriflua. R.s.	dew-bearing.	————	1802.	—	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
	<i>Stapelia roriflua</i> . Jacq.						
5	pulchella. H.s.	beautiful.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 36.
6	incarnata. s.s.	flesh-coloured.	————	1793.	4. 8.	D.S. $\frac{1}{2}$.	— 22. t. 34.
7?	ciliata. H.s.	fringed.	————	1795.	10. 12.	D.S. $\frac{1}{2}$.	— 9. t. 1.
	<i>Stapelia ciliata</i> . Mas.						
OBESIA. H.S. OBESIA. Pentandria Digynia. H.S.							
1	serrulata. s.s.	sawed.	C. B. S.	1805.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
	<i>Stapelia serrulata</i> . Jacq.						
2	geminata. H.s.	twin-flowered.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 1326.
	<i>Stapelia geminata</i> . B.M.						
3	decora. H.s.	neat.	————	—	—	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 26.
GONOSTEMON. H.S. GONOSTEMON. Pentandria Digynia. H.S.							
1	divaricatum. H.s.	divaricated.	C. B. S.	1793.	6. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 1007.
	<i>Stapelia divaricata</i> . B.M.						
2	strictum. H.s.s.	upright.	————	1819.	10. 12.	D.S. $\frac{1}{2}$.	Botan. magaz. 2037.
	<i>Stapelia stricta</i> . B.M.						
3	pallidum. R.s.	pale-flowered.	————	—	—	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 51.
4?	Gordoni. s.s.	Gordon's.	————	1796.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 40.
	<i>Stapelia Gordoni</i> . Mas.						
CARUNCULARIA. H.S. CARUNCULARIA. Pentandria Digynia. H.S.							
	pedunculata. H.s.	long-peduncul'd.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 793.
	<i>Stapelia pedunculata</i> . B.M.						
PIARANTHUS. B. PIARANTHUS. Pentandria Digynia. H.S.							
1	punctatus. R.s.	purple dotted.	C. B. S.	1795.	7. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 18. t. 24.
2	pullus. R.s.	many-flowered.	————	1774.	8. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 1648.
	<i>Stapelia pulla</i> . B.M.						
3?	parviflorus. s.s.	small-flowered.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 35.
HUERNIA. B. HUERNIA. Pentandria Digynia. R.S.							
1	reticulata. H.s.	netted.	C. B. S.	1793.	7. 8.	D.S. $\frac{1}{2}$.	Botan. magaz. 1662.
	<i>Stapelia reticulata</i> . B.M.						
2	campanulata. H.s.	bell-shaped.	————	1795.	7. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1227.
3	clavigera. H.s.s.	club-haired.	————	—	—	D.S. $\frac{1}{2}$.	— 1661.
	<i>Stapelia campanulata</i> . B.M. nec aliorum.						
4	venusta. H.s.	showy.	————	—	6. 7.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 3.
5	lenticinosa. H.s.	freckled.	————	—	7. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 506.
6	guttata. H.s.	red-spotted.	————	—	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 4.
7	humilis. H.s.	humble.	————	—	—	D.S. $\frac{1}{2}$.	— 10. t. 5.
8	tubata. H.s.	tube-flowered.	————	1805.	—	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
9	crispa. H.s.	curled.	————	—	—	D.S. $\frac{1}{2}$.	
10	barbata. H.s.	bearded.	————	1795.	—	D.S. $\frac{1}{2}$.	Mass. stap. 11. t. 7.
BRACHYSTELMA. B.R. BRACHYSTELMA. Pentandria Digynia. S.S.							
	tuberosum. B.R.	tuberous-root'd.	C. B. S.	1820.	4. 10.	S. $\frac{1}{2}$.	Botan. regist. 722.
CARALLUMA. H.S. CARALLUMA. Pentandria Digynia. S.S.							
1	adscendens. H.s.	ascending.	E. Indies.	1804.	7.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 30.
2	umbellata. H.s.	umbelled.	————	—	—	D.S. $\frac{1}{2}$.	
HOYA. B.P. HOYA. Pentandria Digynia. R.S.							
1	crassifolia. H.s.s.	large-leaved.	China.	1817.	10. 1.	D.S. $\frac{1}{2}$.	
2	carnosa. H.K.	fleshy-leaved.	————	1802.	7. 10.	G. $\frac{1}{2}$.	Botan. magaz. 788.
3	pallida. B.R.	pale.	————	1820.	—	S. $\frac{1}{2}$.	Botan. regist. 951.
	<i>acuta</i> . H.R.						
4	Pottsii.	Potts's.	————	1822.	—	S. $\frac{1}{2}$.	
TYLOPHORA. B.P. TYLOPHORA. Pentandria Digynia. R.S.							
1	grandiflora. B.P.	great-flowered.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	
2	barbata. B.P.	bearded.	————	—	—	G. $\frac{1}{2}$.	
3	exilis. L.T.	slender.	E. Indies.	1823.	—	S. $\frac{1}{2}$.	Linn. trans. 12. t. 16.
CEROPEGIA. R.S. CEROPEGIA. Pentandria Digynia. R.S.							
1	aphylla. H.s.	leafless.	Canaries.	1808.	S. $\frac{1}{2}$.	

2	dichotoma. H.R.	forked.	E. Indies.	1806.	8.	S. h.	
3	junceæ. R.S.	rushy.	—	1820.	—	S. 4.	Roxb. cor. 1. t. 10.
4	africana. B.R.	African.	C. B. S.	1821.	4. 11.	S. 4.	Botan. regist. 626.
5	bulbosa. R.S.	bulbous-rooted.	E. Indies.	—	—	S. 4.	Roxb. cor. 1. t. 7.
6	tuberosa. R.S.	tuberous-root'd.	—	—	—	S. 4.	— 1. t. 9.
PERGULARIA. R.S.							
	PERGULARIA.	Pentandria Digynia.	R.S.				
1	odoratissima. R.S.	large.	E. Indies.	1784.	6. 7.	S. h.	Botan. regist. 412.
2	minor. R.S.	smaller.	—	1790.	5. 8.	S. h.	Botan. magaz. 755.
3	sanguinolenta. B.M.	bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. h.	— 2532.
MARSDENIA. B.P.							
	MARSDENIA.	Pentandria Digynia.	R.S.				
1	suaveolens. B.P.	sweet-scented.	N. S. W.	1816.	3. 8.	G. h.	Botan. regist. 489.
2	erecta. R.S.	upright.	Syria.	1597.	7. 8.	G. h.	Jacq. vind. 1. t. 38.
DISCHIDIA. B.P.							
	DISCHIDIA.	Pentandria Digynia.	S.S.				
	bengalensis. L.T.	Bengal.	E. Indies.	1818.	6. 8.	S. h.	Linn. trans. 12. t. 15.
GYMNEA. B.P.							
	GYMNEA.	Pentandria Digynia.	R.S.				
1	sylvestre. R.S.	netted-leaved.	Ceylon.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 5. f. 3.
2	tingens. s.s.	pointed-leaved.	E. Indies.	1823.	—	S. h.	—
3	tenacissimum. s.s.	tough.	—	1806.	—	S. h.	—
SARCOLOBUS. R.S.							
	SARCOLOBUS.	Pentandria Digynia.	R.S.				
1	globosus. R.S.	globular-fruit'd.	E. Indies.	1823.	—	S. h.	Wall. as. res. 12. t. 4.
2	carinatus. R.S.	keeled-fruited.	—	—	—	S. h.	— 12. t. 5.
GONOLOBUS. R.S.							
	GONOLOBUS.	Pentandria Digynia.	R.S.				
1	maritimus. R.S.	sea-side.	Caracas.	1823.	6. 10.	S. h.	Botan. regist. 931.
2	suberosus. R.S.	cork-barked.	America.	1732.	7. 9.	S. h.	Dill. elt. t. 229. f. 296.
3	crispiflorus. R.S.	curled-flower'd.	S. America.	1741.	7. 8.	S. h.	Plum. ic. t. 216. f. 1.
4	rostratus. R.S.	beaked-petal'd.	Trinidad.	1823.	—	S. h.	—
5	niger. R.S.	black-flower'd.	Mexico.	1825.	—	S. 4.	Cavan. ic. 2. t. 159.
	<i>Cynanchum nigrum.</i> Cav.						
6	uniflorus. K.S.	solitary-fl'd.	—	—	—	S. h.	H. et B. 3. t. 238.
7	carolinensis. N.	yellowish-fl'd.	N. America.	1820.	7. 9.	H. 4.	Lodd. bot. cab. 365.
	<i>hirsutus. B.C. nec aliorum.</i>						
8	hirsutus. R.S.	hairy.	—	1806.	6. 9.	H. 4.	Swt. br. fl. gar. 1.
9	macrophyllus. N.	large-leaved.	—	1822.	—	H. h.	—
10	discolor. R.S.	Virginian.	—	1809.	7. 9.	H. 4.	Botan. magaz. 1273.
	<i>Cynanchum discolor.</i> B.M.						
11	obliquus. R.S.	oblique-fl'd.	Carolina.	1818.	—	H. 4.	Jacq. ic. 2. t. 341.
12	Nuttallianus. s.s.	Nuttall's.	Mississippi.	1822.	—	H. 4.	—
	<i>viridiflorus. N. non</i> R.S.						
13	lævis. R.S.	smooth.	—	1806.	6. 7.	H. 4.	—
14	diadematus. B.R.	red-crowned.	Mexico.	1812.	9. 10.	S. h.	Botan. regist. 252.
ASCLEPIAS. R.S.							
	SWALLOW-WORT.	Pentandria Digynia.	R.S.				
1	syriaca. R.S.	Virginian.	N. America.	1629.	7. 8.	H. 4.	Blackw. t. 521.
2	exaltata. L.en.	tall.	—	—	—	H. 4.	—
3	phytolaccoides. R.S.	Phytolacca-like.	—	1812.	—	H. 4.	—
4	parviflora. R.S.	small-flowered.	—	1774.	7. 10.	H. 4.	—
5?	salicifolia. B.C.	Willow-leaved.	S. America.	1816.	6. 9.	G. 4.	Lodd. bot. cab. 272.
6	curassavica. R.S.	Curassavian.	—	1692.	6. 10.	S. 4.	Botan. regist. 81.
7	nivea. R.S.	Almond-leav'd.	N. America.	1730.	7. 9.	H. 4.	Botan. magaz. 1181.
8	incarnata. R.S.	flesh-coloured.	—	1710.	7. 8.	H. 4.	Botan. regist. 250.
9	pulchra. R.S.	hairy.	—	—	—	H. 4.	—
10	amœna. R.S.	oval-leaved.	—	1732.	—	H. 4.	Dill. elt. t. 27. f. 30.
11	purpurascens. R.S.	purple.	—	—	—	H. 4.	— t. 28. f. 31.
12	variegata. R.S.	variegated.	—	1597.	—	H. 4.	Botan. magaz. 1182.
13	obtusifolia. R.S.	blunt-leaved.	—	1823.	—	H. 4.	—
14	amplexicaulis. R.S.	stem-clasping.	—	—	—	H. 4.	—
15	laurifolia. M.	Laurel-leaved.	—	1823.	—	H. 4.	Pluk. amal. t. 358. f. 2.
	<i>periplocæfolia. N. acuminata.</i> Ph.						
16	quadrifolia. R.S.	four-leaved.	—	—	8. 9.	H. 4.	Jacq. obs. 2. t. 33.
17	verticillata. B.S.	whorl-leaved.	—	1759.	8. 10.	H. 4.	Swt. br. fl. gar. 144.
18	mexicana. R.S.	Mexican.	Mexico.	1823.	7. 9.	G. h.	Cavan. ic. 1. t. 58.
19	rosea. K.S.	rose-coloured.	—	1824.	—	G. 4.	—
20	linifolia. R.S.	Flax-leaved.	—	—	—	G. h.	—
21	Linaria. R.S.	toadflax-leav'd.	—	1802.	—	G. 4.	Cavan. ic. 1. t. 57.
22	rubra. R.S.	red-flowered.	N. America.	1820.	—	H. 4.	—
23	tuberosa. R.S.	tuberous-root'd.	—	1690.	7. 9.	H. 4.	Botan. regist. 76.
	<i>β decumbens.</i> Ph.	decumbent.	—	1731.	—	H. 4.	—
ACERATES. Ell.							
	ACERATES.	Pentandria Digynia.					
	longifolia. Ell.	long-leaved.	N. America.	1816.	7. 8.	H. 4.	—
	<i>Asclepias longifolia.</i> R.S.	<i>Gomphocarpus longifolius.</i> s.s.					

- ANANTHERIX. N. ANANTHERIX. Pentandria Digynia. N.
viridis. N. green-flower'd. N. America. 1812. 8. 10. H. 4.
- STYLANDRA. N. STYLANDRA. Pentandria Digynia. N.
pumila. N. dwarf. Carolina. 1812. 7. 8. G. 4.
Podostigma pubescens. s.s. *Asclepias pedicellata*. Ph.
- GOMPHOCARPUS. R.S. GOMPHOCARPUS. Pentandria Digynia. R.S.
1 arborescens. R.S. broad-leaved. C. B. S. 1714. 12. G. h. Jacq. schœnb. 1. t. 50.
2 crispus. R.S. curled-leaved. ——— 1774. 7. G. h. Moris. s. 15. t. 3. f. 37.
3 fruticosus. R.S. Willow-leaved. ——— 1714. 6. 9. G. h. Botan. magaz. 1628.
Asclepias fruticosa. W.
- OXYSTELMA. R.S. OXYSTELMA. Pentandria Digynia. R.S.
esculentum. R.S. esculent. E. Indies. 1816. S. 4. Roxb. corom. 1. t. 11.
- XYSMALOBIUM. R.S. XYSMALOBIIUM. Pentandria Digynia. R.S.
undulatum. R.S. waved-leaved. C. B. S. 1783. 7. 8. G. h. Comm. rar. t. 16.
- CALOTROPIS. R.S. CALOTROPIS. Pentandria Digynia. R.S.
1 procera. R.S. bell-flowered. Persia. 1714. 7. 9. S. h. Andr. reposit. 271.
Asclepias gigantea. A.R.
2 gigantea. R.S. curl'd-flower'd. E. Indies. 1690. — S. h. Botan. regist. 58.
- CYNANCHUM. R.S. CYNANCHUM. Pentandria Digynia. L.
1 acutum. R.S. acute-leaved. Europe. 1596. 7. H. 4. Flor. græc. 250.
2 monspeliacum. R.S. Montpelier. S. Europe. — 8. 9. H. 4. — 251.
3 pilosum. R.S. hairy. C. B. S. 1726. 6. 9. G. h. Botan. regist. 111.
Periploca africana. A.R. 557.
4 crassifolium. R.S. thick-leaved. ——— 1816. G. h.
5 capense. R.S. Cape. ——— 1820. G. h.
6 roseum. R.S. rosy. Dahuria. 1816. 7. 8. H. 4. Gmel. sib. 4. t. 42.
Asclepias davurica. W.
7 nigrum. R.S. black. S. Europe. 1596. 5. 8. H. 4. Botan. magaz. 2390.
8 medium. R.S. middle. — H. 4.
9 Vincetoxicum. R.S. officinal. Europe. 1596. — H. 4. Flor. dan. 849.
Asclepias Vincetoxicum. W.
10 fuscatum. s.s. yellow-flow'r'd. ——— — H. 4.
11 sibiricum. R.S. Siberian. Siberia. 1775. 7. 8. H. 4. Murr. gott. 2. t. 7.
12 fœtidum. R.S. fetid. Mexico. 1823. — G. h. Cavan. ic. 2. t. 158.
13 viridiflorum. B.M. green-flowered. E. Indies. 1814. 10. 12. S. h. Botan. magaz. 1929.
14 ? undatum. A.R. wave-leaved. ——— 1803. 7. 8. S. h. Andr. reposit. 410.
15 ? mucronatum. A.R. sharp-pointed. Trinidad. 1804. — S. h. — 515.
- DÆMIA. R.S. DÆMIA. Pentandria Digynia. R.S.
1 extensa. R.S. smooth-leaved. E. Indies. 1778. 7. 8. S. h. Jacq. ic. 1. t. 54.
2 bicolor. two-coloured. ——— 1806. — S. h. Andr. reposit. 562.
Cynanchum bicolor. A.R.
- DIPLOLEPIS. R.S. DIPLOLEPIS. Pentandria Digynia.
1 vomitoria. H.T. dull-leaved. China. 1820. 6. 9. S. h.
2 apiculata. H.T. glossy-leaved. ——— — S. h.
- SARCOSTEMMA. R.S. SARCOSTEMMA. Pentandria Digynia. R.S.
1 viminale. R.S. twisting. E. Indies. 1731. 7. S. h.
2 Swartzianum. R.S. Swartz's. W. Indies. S. h. Sloan. hist. 1. t. 131. f. 11.
- EUSTEGIA. R.S. EUSTEGIA. Pentandria Digynia. R.S.
hastata. R.S. halberd-leaved. C. B. S. 1816. 6. 8. G. h. Spr. n. ent. t. 1. f. 5-10.
Apocynum hastatum. W.
- MICROLOMA. R.S. MICROLOMA. Pentandria Digynia. R.S.
1 sagittatum. R.S. arrow-leaved. C. B. S. 1775. 7. 8. G. h. Jacq. schœn. 1. t. 38.
2 lineare. R.S. linear-leaved. ——— 1816. — G. h. Pluk. mant. 17. t. 335. f. 55.
- ASTEPHANUS. R.S. ASTEPHANUS. Pentandria Digynia. R.S.
1 triflorus. R.S. three-flowered. C. B. S. 1816. 7. 9. G. 4.
2 linearis. R.S. panicle. ——— — G. 4.

ORDO CXIX.

GENTIANEÆ. *Brown prodr.* 1. p. 449.

- GENTIANA. R.S. GENTIAN. Tetr-Pentandria Digynia.
— 1 lutea. R.S. yellow. Alps Europ. 1596. 6. 7. H. 4. Mill. ic. t. 139.
2 hybrida. R.S. hybrid. Switzerland, 1825. — H. 4.

3	<i>purpurea</i> . R.S.	purple.	Switzerland. 1768.	—	H. 4.	Andr. reposit. 117.
4	<i>annonica</i> . R.S.	round-petal'd.	—	H. 4.	Jacq. aust. 2. t. 136.
5	<i>punctata</i> . R.S.	dotted-flow'r'd.	—	1775.	H. 4.	— 5. t. ap. 28.
6	<i>septemfida</i> . R.S.	crested.	Levant.	1804.	H. 4.	Botan. magaz. 1229.
	<i>β guttata</i> .	spotted.	—	—	H. 4.	— 1410.
7	<i>asclepiadea</i> . R.S.	swallowwort-ld.	Austria.	1629.	7. 8. H. 4.	— 1078.
8	<i>cruciata</i> . R.S.	Crosswort.	—	1596.	6. 7. H. 4.	Jacq. aust. 4. t. 372.
9	<i>macrophylla</i> . R.S.	long-leaved.	Siberia.	1796.	7. 8. H. 4.	Botan. magaz. 1414.
10	<i>adscendens</i> . S.S.	ascending.	—	1799.	6. 7. H. 4.	— 705.
	<i>β decumbens</i> . R.S.	decumbent.	—	—	H. 4.	— 723.
11	<i>frigida</i> . R.S.	frigid.	Carpathian m.	1816.	—	Frœl. gent. n. 13. ic.
12	<i>algida</i> . R.S.	narrow-leaved.	Siberia.	1808.	—	Pall. ros. 2. t. 95.
13	<i>gelida</i> . R.S.	cream-colour'd.	Caucasus.	1816.	—	Eng. bot. 20.
14	<i>Pneumonanthæ</i> . R.S.	Calathian violet.	England.	8. 9. H. 4.	Botan. magaz. 1101.
	<i>β guttata</i> . B.M.	spotted-flowered.	—	—	—
15	<i>linearis</i> . R.S.	linear-leaved.	N. America.	1816.	—	Pall. ross. 1. t. 93. f. 1.
16	<i>triflora</i> . R.S.	three-flowered.	Siberia.	1807.	6. 7. H. 4.	Botan. magaz. 1039.
17	<i>Saponaria</i> . B.M.	barrel-flow'r'd.	N. America.	1776.	8. 9. H. 4.	Andr. reposit. 418.
18	<i>Catesbæi</i> . N.	Catesby's.	—	—	6. 8. H. 4.	Botan. magaz. 2303.
19	<i>intermedia</i> . B.M.	intermediate.	—	1820.	8. 9. H. 4.	— 1856.
20	<i>incarnata</i> . B.M.	flesh-coloured.	—	1812.	9. 11. H. 4.	— 1551.
21	<i>ochroleuca</i> . R.S.	pale-flowered.	—	1803.	8. 9. H. 4.	—
22	<i>quinqueflora</i> . R.S.	five-flowered.	—	1823.	7. 9. H. 4.	—
	<i>amarelloides</i> . M.	—	—	—	—	—
23	<i>aurea</i> . R.S.	large involucr'd.	Norway.	—	—	Flor. dan. t. 344.
	<i>quinquefolia</i> . F.D.	—	—	—	—	—
24	<i>umbellata</i> . M.B.	umbel-flow'r'd.	Caucasus.	—	8. 10. H. 4.	—
25	<i>acaulis</i> . R.S.	dwarf.	Wales.	3. 6. H. 4.	Eng. bot. 1594.
26	<i>alpina</i> . R.S.	Alpine.	Switzerland.	1818.	—	Lodd. bot. cab. 476.
27	<i>pyrenaica</i> . R.S.	Pyrenean.	Pyrenees.	1825.	—	W. et K. hung. t. 207.
28	<i>pumila</i> . R.S.	small.	Switzerland.	—	—	Jacq. obs. 2. t. 49.
29	<i>verna</i> . R.S.	spring.	England.	—	Eng. bot. 493.
30	<i>bavarica</i> . R.S.	Bavarian.	Germany.	1775.	7. H. 4.	Vill. delph. 2. t. 10.
31	<i>imbricata</i> . R.S.	imbricated.	Switzerland.	1825.	—	Barrel. ic. 101. f. 2.
32	<i>utriculosa</i> . R.S.	bladdered.	—	—	7. 9. H. 4.	W. et K. hung. t. 206.
33	<i>nivalis</i> . R.S.	small alpine.	Scotland.	8. 9. H. 4.	Eng. bot. 896.
34	<i>germanica</i> . R.S.	German.	Germany.	1825.	—	Mayrh. fl. mon. t. 278.
35	<i>Amarella</i> . R.S.	autumnal.	Britain.	8. 10. H. 4.	Eng. bot. 236.
36	<i>caucasica</i> . R.S.	Caucasean.	Caucasus.	1804.	7. 8. H. 4.	Botan. magaz. 1038.
37	<i>campestris</i> . R.S.	field.	Britain.	8. 10. H. 4.	Eng. bot. 237.
38	<i>angustifolia</i> . R.S.	slender-leav'd.	N. America.	1820.	8. 9. H. 4.	—
39	<i>glacialis</i> . R.S.	northern.	N. Europe.	1826.	Sch. rom. arc. 1. t. 2. f. 5.
40	<i>ciliata</i> . R.S.	fringe-flow'r'd.	S. Europe.	1759.	8. 9. H. 4.	Jacq. aust. t. 113.
41	<i>crinita</i> . R.S.	jagged-flow'r'd.	N. America.	1804.	7. 10. H. 4.	Swt. br. fl. gar. 139.
	<i>fimbriata</i> . A.R. 509.	—	—	—	—	—
42	<i>barbata</i> . R.S.	bearded.	Siberia.	8. 9. H. 4.	Botan. magaz. 639.
	<i>ciliata</i> . B.M.	—	—	—	—	—
SWERTIA. R.S.	FELWORT.	Tetr-Pentandria Digynia.	—	—	—	—
1	<i>perennis</i> . R.S.	marsh.	England.	7. 8. H. 4.	Eng. bot. 1441.
2	<i>Michauxiana</i> . R.S.	American.	N. America.	1824.	—	H. 4.
CHLORA. S.S.	YELLOW-WORT.	Octandria Monogynia. L.	—	—	—	—
1	<i>imperfoliata</i> . S.S.	sessile-leaved.	Italy.	1826.	H. 4.
2	<i>perfoliata</i> . S.S.	perfoliate.	Britain.	6. 7. H. 4.	Eng. bot. 60.
FRASERA. M.	FRASERA.	Tetrandria Monogynia. R.S.	—	—	—	—
	<i>Walteri</i> . M.	Walter's.	N. America.	1795.	7. 8. H. 4.	—
	<i>carolinensis</i> . Walt.	—	—	—	—	—
ERYTHRÆA. R.S.	ERYTHRÆA.	Pentandria Monogynia. P.S.	—	—	—	—
1	<i>Centaurium</i> . R.S.	common.	Britain.	7. 8. H. 4.	Eng. bot. 417.
2	<i>latifolia</i> . S.S.	broad-leaved.	Lancashire.	—	H. 4.
3	<i>pulchella</i> . R.S.	dwarf branching	England.	8. 9. H. 4.	Eng. bot. 458.
4	<i>littoralis</i> . R.S.	simple dwarf.	Britain.	6. 8. H. 4.	— 2305.
5	<i>conferta</i> . R.S.	close-flowered.	Spain.	1818.	5. 11. H. 4.	—
6	<i>aggregata</i> . B.F.G.	cluster-branch'd.	Nepaul.	1824.	3. 11. H. 4.	Swt. br. fl. gar. 137.
7	<i>maritima</i> . R.S.	sea-side.	S. Europe.	1777.	7. 8. H. 4.	Cavan. ic. 3. t. 296. f. 1.
8	<i>lutea</i> . R.S.	yellow-flow'r'd.	—	—	Barrel. ic. 468.
SABBATIA. R.S.	SABBATIA.	Pentandria Monogynia. R.S.	—	—	—	—
1	<i>gracilis</i> . R.S.	slender.	N. America.	7. H. 4.	Sal. par. lond. 32.
2	<i>angularis</i> . R.S.	angular-stalk'd.	—	1823.	7. 8. H. 4.	—
3	<i>calycosa</i> . R.S.	dichotomous.	—	1812.	6. 8. H. 4.	Botan. magaz. 1600.

4 chloroides. R.S.	Chlora-like.	N.America. 1817.	8. 9.	H. ♂.	
5 paniculata. R.S.	panicled.	—————	—————	H. ♀.	
EUSTOMA. P.L.	EUSTOMA.	Pentandria Monogynia.			
silenifolium. P.L.	Silene-leaved.	Providence Isl. 1804.	7.	S. ☉.	Sal. par. lond. 241.
CHIRONIA. R.S.	CHIRONIA.	Pentandria Monogynia. L.			
1 jasminoides. R.S.	Jasmine-like.	C. B. S.	1812.	4. 7.	G. ♀.
2 lychnoides. R.S.	Lychnis-fl'd.	—————	1816.	—————	G. ♀.
3 nudicaulis. R.S.	naked-stalked.	—————	—————	—————	G. ♀.
4 linoides. R.S.	flax-leaved.	—————	1787.	7. 9.	G. ♀.
5 baccifera. R.S.	berry-bearing.	—————	1759.	6. 7.	G. ♀.
6 angustifolia. B.M.	narrow-leaved.	—————	1800.	6. 8.	G. ♀.
7 frutescens. R.S.	frutescent.	—————	1756.	6. 9.	G. ♀.
β albiflora.	white-flowered.	—————	—————	G. ♀.
8 decussata. R.S.	cross-leaved.	—————	1789.	—————	G. ♀.
HIPPION. S.S.	HIPPION.	Pentandria Monogynia. S.S.			
viscosum. S.S.	clammy.	Canaries.	1781.	6. 7.	G. ♂.
<i>Exacum viscosum</i> . Sm.	<i>Gentiana viscosa</i> . H.K.				Sm. ic. fas. 3. t. 18.
SEBÆA. B.P.	SEBÆA.	Tetr-Pentandria Monogynia. S.S.			
1 ovata. B.P.	oval-leaved.	N. S. W.	1820.	8. 10.	G. ☉.
2 albens. B.P.	white-flowered.	C. B. S.	—————	—————	G. ☉.
3 cordata. B.P.	heart-leaved.	—————	1815.	7. 8.	H. ☉.
CICENDIA. Adans.	CICENDIA.	Tetrandria Monogynia.			
filiforme.	slender-stalk'd.	Britain.	7. 8.	H. ☉.
<i>Exacum filiforme</i> . E.B.	<i>Microcale filiforme</i> . Lk.				Eng. bot. 235.
EXACUM. B.P.	EXACUM.	Tetrandria Monogynia. L.			
tetragonum. D.P.	square-stalked.	Nepaul.	1820.	8. 10.	H. ☉.
MITRASACME. B.P.	MITRASACME.	Tetrandria Monogynia. R.S.			
1 polymorpha. B.P.	variable.	N. S. W.	1822.	6. 8.	G. ♀.
2 canescens. B.P.	canescent.	—————	1820.	—————	G. ♀.
HOUSTONIA. R.S.	HOUSTONIA.	Tetrandria Monogynia. L.			
1 cœrulea. R.S.	blue-flowered.	N.America.	1785.	5. 8.	H. ♀.
2 purpurea. R.S.	purple-flow'r'd.	—————	1800.	—————	H. ♀.
SPIGELIA. R.S.	WORM-GRASS.	Pentandria Monogynia. L.			
1 Anthelmia. R.S.	annual.	W. Indies.	1759.	7.	S. ☉.
2 marylandica. R.S.	perennial.	N.America.	1694.	7. 8.	H. ♀.
LISIANTHUS. R.S.	LISIANTHUS.	Pentandria Monogynia. L.			
1 longifolius. R.S.	long-leaved.	Jamaica.	1793.	7. 9.	S. ♀.
2 glaucifolius. R.S.	glaucous-leav'd.	W. Indies.	—————	S. ♀.
3 exsertus. R.S.	oval-leaved.	—————	1793.	7. 9.	S. ♀.
4 latifolius. R.S.	broad-leaved.	—————	1822.	S. ♀.
5 umbellatus. R.S.	umbel-flower'd.	—————	—————	S. ♀.
6 cordifolius. R.S.	heart-leaved.	—————	1816.	6. 8.	S. ♀.
7 acutangulus. R.S.	acute-angled.	Peru.	1820.	—————	S. ♀.
8 angustifolius. K.S.	narrow-leaved.	S.America.	1824.	7. 10.	S. ☉.
LOGANIA. B.P.	LOGANIA.	Pentandria Monogynia. R.S.			
1 latifolia. B.P.	broad-leaved.	N. Holland.	1816.	G. ♀.
<i>Exacum vaginale</i> . Lab.					Lab. nov. hol. 1. t. 61.
2 floribunda. B.P.	many-flowered.	N. S. W.	1797.	4. 5.	G. ♀.
<i>Euosma albiflora</i> . A.R.					Andr. reposit. 520.
3 revoluta. B.P.	revolute-leav'd.	—————	1822.	G. ♀.
VILLARSIA. R.S.	VILLARSIA.	Pentandria Monogynia. R.S.			
1 nymphoides. R.S.	common.	England.	6. 7.	H.w. ♀.
<i>Menyanthes nymphoides</i> . E.B.					Eng. bot. 217.
2 indica. R.S.	Indian.	E. Indies.	1790.	6. 8.	S.w. ♀.
3 sarmentosa. R.S.	sarmentose.	N. S. W.	1806.	—————	G.w. ♀.
<i>Menyanthes sarmentosa</i> . B.M.					Botan. magaz. 658.
4 lacunosa. V.	smooth-fl'd.	N.America.	1812.	6. 7.	G.w. ♀.
5 reniformis. B.P.	kidney-leaved.	N. S. W.	1820.	—————	G.w. ♀.
6 parnassiifolia. B.P.	tall.	—————	1805.	6. 10.	G.w. ♀.
<i>Menyanthes exaltata</i> . B.M.	<i>Swertia parnassiifolia</i> . Lab. n. hol. t. 97.				Botan. magaz. 1029.
7 ovata. R.S.	oval-leaved.	C. B. S.	1786.	5. 7.	G.w. ♀.
MENYANTHES. R.S.	BUCK-BEAN.	Pentandria Monogynia. L.			
1 trifoliata. E.B.	common.	Britain.	6. 7.	H.w. ♀.
2 americana.	American.	N. America.	4. 6.	H.w. ♀.
<i>trifoliata</i> β <i>minor</i> . P.S.					Eng. bot. 495.

ORDO CXX.

BIGNONIACEÆ. *Brown prodr. 1. p. 470.*

CHILOPSIS. D.D.	CHILOPSIS. Didynamia Angiospermia.				
linearis.	linear-leaved.	Mexico.	1825.	S. h.	Cavan. ic. 3. t. 269.
<i>Bignonia? linearis.</i> Cav.					
CATALPA. J.	CATALPA. Diandria Monogynia. S.S.				
1 syringifolia. s.s.	common.	N. America.	1726. 6. 8.	H. h.	Botan. magaz. 1094.
<i>Bignonia Catalpa.</i> L.					
2 longissima. s.s.	wave-leaved.	W. Indies.	1777.	S. h.	Plum. ic. t. 57.
3 microphylla. s.s.	small-leaved.	Hispaniola.	1820.	S. h.	——— t. 55.
BIGNONIA. S.S.	TRUMPET-FLOWER. Didynamia Angiospermia. L.				
1 Unguis. s.s.	Barbadoes.	W. Indies.	1759.	S. h. ∪	Plum. amer. t. 94.
2 staminea. s.s.	long-stamen'd.	Hispaniola.	1820. 6. 9.	S. h. ∪	Plum. ic. 56. f. 2.
3 capreolata. s.s.	four-leaved.	N. America.	1710. 6. 8.	H. h. ∪	Botan. magaz. 864.
4 pubescens. s.s.	downy.	New Spain.	1759. 6. 7.	S. h. ∪	
5 æquinoctialis. s.s.	equinoctial.	W. Indies.	1768. 6. 8.	S. h. ∪	Plum. ic. t. 55. f. 1.
6 Chamberlaynii. B.M.	Chamberlayne's.	S. America.	1818. ———	S. h. ∪	Botan. magaz. 2148.
7 chrysoleuca. s.s.	yellow & white.	———	1824. ———	S. h. ∪	
8 alliacea. s.s.	garlick-scent'd.	W. Indies.	1790.	S. h. ∪	
9 spectabilis. s.s.	showy.	S. America.	1824.	S. h. ∪	
10 picta. K.S.	flat-stemmed.	———	———	S. h. ∪	
11 laurifolia. s.s.	Laurel-leaved.	Guiana.	1804.	S. h. ∪	
12 rigescens. s.s.	rigid-leaved.	S. America.	1816. 6. 8.	S. h. ∪	Jacq. schœn. 2. t. 210.
13 grandifolia. B.R.	large-leaved.	———	———	4. 7. S. h. ∪	Botan. regist. 418.
14 latifolia. s.s.	broad-leaved.	Cayenne.	1824.	S. h. ∪	
15 elongata. s.s.	long-racemed.	S. America.	1820.	S. h. ∪	Vahl. ecl. 2. t. 16.
16 mollissima. K.S.	soft-leaved.	Caracas.	1812.	S. h. ∪	
17 diversifolia. K.S.	different-leav'd.	Mexico.	1824.	S. h. ∪	
18 floribunda. K.S.	abundant-fl'd.	———	———	S. h. ∪	
19 crucigera. s.s.	cross-bearing.	S. America.	1759. 6. 8.	S. h. ∪	Plum. ic. t. 58.
20 heterophylla. s.s.	various-leaved.	Guiana.	1820.	S. h. ∪	Aub. gui. 2. t. 260.
21 venusta. s.s.	comely.	S. America.	1816. 9. 12.	S. h. ∪	Botan. regist. 249.
22 incarnata. s.s.	flesh-coloured.	Guiana.	1818. 6. 9.	S. h. ∪	Aub. gui. 3. t. 261.
23 mollis. s.s.	soft.	———	———	S. h. ∪	Vahl. ecl. 2. t. 10.
<i>tomentosa.</i> Rich. non Th.					
24 littoralis. K.S.	sea-side.	Mexico.	1824.	S. h. ∪	
25 viridiflora. B.C.	green-flowered.	S. America.	1820. 6. 9.	S. h. ∪	Lodd. bot. cab. 1026.
26 triphylla. s.s.	three-leaved.	Mexico.	1733.	S. h.	
27 pallida. B.R.	pale.	S. America.	1823. 7. 8.	S. h.	Botan. regist. 965.
28 fluvialis. s.s.	marsh.	———	1818.	S. h.	Aub. gui. 2. t. 267.
29 Leucoxydon. s.s.	white-wooded.	W. Indies.	1759. 6. 7.	S. h.	Andr. reposit. 43.
30 chrysantha. s.s.	golden-flow'r'd.	Caracas.	1822.	S. h.	Jacq. schœnb. 2. t. 211.
31 æsculifolia. s.s.	Æsculus-leav'd.	Mexico.	1824.	S. h.	
32 serratifolia. s.s.	saw-leaved.	Trinidad.	1822.	S. h.	
33 bijuga. s.s.	Madagascar.	Madagascar.	———	S. h.	
34 Clematis. K.S.	Clematis-ld.	Caracas.	———	S. h.	
35 chelonoides. s.s.	tree.	E. Indies.	1808.	S. h.	Rheed. mal. 6. t. 26.
36 variabilis. s.s.	variable-leav'd.	Caracas.	1820. 6. 8.	S. h.	Jacq. schœnb. 2. t. 212.
37 indica. w.	Indian.	E. Indies.	1775.	S. h.	Rheed. mal. 1. t. 43.
38 jasminifolia. K.S.	Jasmine-leaved.	S. America.	1824.	S. h.	
39? alba. w.	white-flowered.	Guiana.	1823.	S. h. ∪	Aub. gui. 2. t. 266.
<i>Jacaranda alba.</i> s.s.					
40? echinata. w.	bristly-fruited.	———	1804.	S. h. ∪	Aub. gui. 2. t. 264.
<i>Jacaranda echinata.</i> s.s.					
41 purpurea. Lod.	purple.	S. America.	1822.	S. h.	
42? tomentosa. Th.	tomentose.	Japan.	1823.	S. h.	Kæmpf. amœn. t. 860.
<i>Incarvillea tomentosa.</i> s.s.					
MILLINGTONIA. L.	MILLINGTONIA. Didynamia Angiospermia. L.				
hortensis. L.	cork-barked.	E. Indies.	1818.	S. h.	
<i>Bignonia suberosa.</i> Roxb.					

- TECOMA. J.** **TECOMA.** Didynamia Angiospermia. S.S.
 1 pentaphylla. s.s. five-leaved. Jamaica. 1733. S. h. Marc. bras. t. 118.
 2 digitata. K.S. digitate-leaved. S. America. 1818. S. h.
 3 australis. B.P. broad-leaved. N. S. W. 1793. 4. 7. G. h. Botan. magaz. 865.
Bignonia Pandora. B.M.
 4 meonantha. narrow-leaved. ——— 1815. — G. h.
Bignonia meonantha. L.en.
 5 mollis. K.S. soft-leaved. Mexico. 1824. S. h.
 6 radicans. s.s. Ash-leaved. N. America. 1640. 7. 8. H. h.
a major. H.K. great. ——— — H. h. Botan. magaz. 485.
β minor. H.K. smaller. ——— — H. h. Catesb. car. 1. t. 65.
 7 grandiflora. large-flowered. China. 1800. 6. 9. G. h. Botan. magaz. 1398.
Bignonia grandiflora. B.M. *Incarvillea grandiflora*. s.s.
 8 stans. s.s. upright ash-ld. S. America. 1730. 7. 9. S. h. Plum. ic. t. 54.
 9 incisa. cut-leaved. Trinidad. 1824. S. h.
JACARANDA. S.S. **JACARANDA.** Didynamia Angiospermia. S.S.
 1 tomentosa. D.D. tomentose. Brazil. 1824. S. h.
 2 mimosifolia. B.R. Mimosa-leaved. ——— 1818. 4. 5. S. h. Botan. regist. 631.
ovalifolia. B.M. 2327.
 3 bahamensis. B.M. Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. 1. t. 42.
Bignonia cœrulea. W.
 4 copaia. D.D. Box-leaved. Guiana. 1793. S. h. Aub. gui. 2. t. 265.
Bignonia procera. W.
 5 rhombifolia. s.s. rhomb-leaved. Surinam. 1823. S. h.
filicifolia. D.D.
SPATHODEA. S.S. **SPATHODEA.** Didynamia Angiospermia. S.S.
 1 uncata. s.s. hooked. Guiana. 1804. 6. 9. S. h. Botan. magaz. 1511.
Bignonia uncata. B.M.
 2 corymbosa. s.s. corymb-fld. Trinidad. 1823. S. h.
 3 Rheedii. s.s. Rheede's. E. Indies. 1794. S. h. Roxb. cor. 2. t. 144.
Bignonia spathacea. W.
 4 Roxburghii. s.s. Roxburgh's. ——— 1820. S. h.
Bignonia quadrilocularis. Roxb.
 5 fraxinifolia. K.S. Ash-leaved. Caracas. 1821. S. h.
Bignonia fraxinifolia. s.s.
AMPHILOPHIUM. K.S. **AMPHILOPHIUM.** Didynamia Angiospermia. S.S.
 paniculatum. K.S. paniced. S. America. 1788. S. h. Jacq. amer. t. 116.
Bignonia paniculata. Jacq.
ECCREMOCARPUS. **ECCREMOCARPUS.** Didynamia Angiospermia. S.S.
 1 scaber. s.s. rough. Chili. 1823. 7. 9. G. h. Botan. regist. 939.
 2 longiflorus. K.S. long-flowered. Peru. 1824. G. h.
FIELDIA. Cun. **FIELDIA.** Didynamia Angiospermia.
 australis. Cun. New Holland. N. Holland. 1824. G. h. Ap. to B. Field's trav. ic.

ORDO CXXI.

COBÆACEÆ. *D. Don in Edinb. phil. journ.*

- COBÆA. Cav.** **COBÆA.** Pentandria Monogynia.
 scandens. Cav. climbing. Mexico. 1792. 5. 10. G. h. Botan. magaz. 851.

ORDO CXXII.

PEDALINÆ. *Brown prodr. 519.*

- PEDALIUM. S.S.** **PEDALIUM.** Didynamia Angiospermia. S.S.
 Murex. s.s. prickly-fruited. E. Indies. 1778. 8. 9. S. ☉. Lam. ill. t. 538.

ORDO CXXIII.

SESAMEÆ. *Brown.*

TOURRETTIA. S.S.	TOURRETTIA.	Didynamia Angiospermia. S.S.			
lappacea. s.s.	scarlet-flower'd.	Peru.	1788.	6. 8. S.⊙.	Sal. stirp. rar. 5. t. 3.
<i>Dombeya lappacea.</i>	Sal.				
MARTYNIA. J.	MARTYNIA.	Didynamia Angiospermia. L.			
1 diandra. s.s.	two-stamened.	New Spain.	1731.	7. 8. S.⊙.	Andr. reposit. 575.
2 proboscidea. s.s.	horn-capsuled.	America.	1738.	6. 8. G.⊙.	Botan. magaz. 1056.
<i>annua. L.</i>					
3 longiflora. s.s.	long-flowered.	C. B. S.	1781.	7. 8. G.⊙.	Meerb. ic. 1. t. 7.
CRANIOLARIA. J.	CRANIOLARIA.	Didynamia Angiospermia. L.			
<i>annua. K.S.</i>	annual.	S. America.	1733.	7. 8. S.⊙.	Jacq. amer. t. 110.
<i>Martynia Craniolaria.</i>	w.				
SESAMUM. S.S.	OILY-GRAIN.	Didynamia Angiospermia. L.			
1 orientale. s.s.	oriental.	E. Indies.	1731.	7. S.⊙.	Rheed. mal. 9. t. 54.
2 indicum. s.s.	Indian.	—————	—————	————— S.⊙.	Botan. magaz. 1788.

ORDO CXXIV.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S.	GREEK VALERIAN.	Pentandria Monogynia. L.			
1 cœruleum. s.s.	common.	Britain.	6. H. 4.	Eng. bot. 14.
<i>β album.</i>	white-flowered.	—————	— H. 4.	
<i>γ maculatum. s.s.</i>	spot-flowered.	—————	— H. 4.	
2 gracile. w.en.	slender.	Dahuria.	1818.	6. 7. H. 4.	
3 mexicanum. s.s.	Mexican.	Mexico.	1817.	4. 6. H. 4.	Botan. regist. 460.
4 reptans. s.s.	creeping.	N. America.	1758.	4. 5. H. 4.	Botan. magaz. 1887.
5 sibiricum. D.D.	bipinnate.	Siberia.	1800.	6. H. 4.	
PHLOX. R.S.	LYCHNIDEA.	Pentandria Monogynia. L.			
1 paniculata. R.S.	panicled.	N. America.	1732.	8. 9. H. 4.	Dill. elth. t. 166. f. 203.
<i>β alba.</i>	white-flowered.	—————	1813.	— H. 4.	
2 undulata. R.S.	wave-leaved.	—————	1759.	7. 8. H. 4.	
3 acuminata. R.S.	cross-leaved.	—————	1812.	6. 8. H. 4.	Botan. magaz. 1880.
<i>decussata. N.</i>					
4 virginica. Lod.	Virginian.	—————	—————	— H. 4.	
5 intermedia. Lod.	intermediate.	—————	7. 9. H. 4.	
6 maculata. R.S.	spotted-stalked.	—————	1740.	7. 8. H. 4.	Jacq. vind. 2. t. 147.
7 pyramidalis. R.S.	pyramidal.	—————	1800.	6. 8. H. 4.	Sm. ex. bot. 2. t. 87.
8 latifolia. R.S.	broad-leaved.	—————	1812.	— H. 4.	
9 carolina. R.S.	rough-stemm'd.	—————	1728.	7. 9. H. 4.	Botan. magaz. 1344.
10 glaberrima. R.S.	smooth-stalked.	—————	1725.	6. 8. H. 4.	Dill. elth. t. 166. f. 202.
11 triflora. R.S.	flesh-coloured.	—————	1816.	7. 9. H. 4.	Swt. br. fl. gar. 29.
<i>carnea. B.M. 2155.</i>					
12 suaveolens. R.S.	white-flowered.	—————	1766.	7. 8. H. 4.	
13 suffruticosa. B.R.	glossy-leaved.	—————	1790.	7. 9. H. 4.	Botan. regist. 68.
14 ovata. w.	ovate-leaved.	—————	1759.	5. 7. H. 4.	Botan. magaz. 528.
15 reptans. M.	creeping.	—————	1800.	6. 9. H. 4.	————— 563.
<i>stolonifera. B.M. prostrata. H.K.</i>					
16 pilosa. B.M.	hairy-leaved.	—————	1759.	5. 6. H. 4.	————— 1307.
<i>aristata. M.</i>					
17 amœna. B.M.	Fraser's hairy.	—————	1809.	6. 7. H. 4.	————— 1308.
<i>pilosa. β. R.S.</i>					
18 divaricata. R.S.	early-flowering.	—————	1746.	4. 6. H. 4.	————— 163.

19 subulata. R.S.	awl-leaved.	N.America. 1786.	—	H. h.	Botan. magaz. 411.
20 nivalis. B.C.	snowy white.	— 1820.	—	H. h.	Lodd. bot. cab. 780.
21 setacea. R.S.	bristle-leaved.	— 1786.	4. 5.	H. h.	Botan. magaz. 415.
GILIA. R.P.	GILIA. Pentandria Monogynia. S.S.				
1 coronopifolia. s.s.	elegant.	Carolina. 1726.	8. 9.	G. ♂.	Sm. exot. bot. 1. t. 13.
	<i>Cantua coronopifolia</i> . w. <i>Ipomopsis elegans</i> . Ex. B.				
2 inconspicua.	small blue.	America. 1793.	9. 11.	H. ☉.	— 1. t. 14.
	<i>Ipomopsis inconspicua</i> . Ex. bot.				
HOITZIA. J.	HOITZIA. Pentandria Monogynia. S.S.				
coccinea. K.S.	scarlet.	Mexico. 1826.	S. h.	Cavan. ic. 6. t. 365.
CALDASIA. S.S.	CALDASIA. Pentandria Monogynia.				
heterophylla. s.s.	various-leaved.	New Spain. 1813.	5. 12.	S. ☉.	Botan. regist. 92.
	<i>Bonplandia geminiflora</i> . Cav. ic. 6. t. 582.				

ORDO CXXV.

HYDROLEACEÆ. *Kth. synops. 2. p. 234.*

HYDROLEA. S.S.	HYDROLEA. Pentandria Digynia. L.				
1 spinosa. s.s.	thorny.	S. America. 1791.	7. 8.	S. h.	Botan. regist. 566.
2 quadrivalvis. s.s.	four-valved.	Carolina. 1824.	—	G. ♀.	
NAMA. S.S.	NAMA. Pentandria Digynia. L.				
jamaicensis. s.s.	Jamaica.	Jamaica. 1812.	6. 9.	S. ☉.	Lam. ill. t. 184.

ORDO CXXVI.

CONVOLVULACEÆ. *Brown prodr. 1. p. 481.*

? RETZIA. R.S.	RETZIA. Pentandria Monogynia. R.S.				
spicata. R.S.	spiked.	C. B. S.	5. 6.	G. h.	Lam. ill. t. 103.
CONVOLVULUS. B.P.	BINDWEED. Pentandria Monogynia. L.				
1 arvensis. R.S.	small.	Britain.	6. 9.	H. ♀. ∞.	Eng. bot. 312.
2 chinensis. B.R.	Chinese.	China. 1816.	—	H. ♀. ∞.	Botan. regist. 322.
3 emarginatus. s.s.	emarginate. 1824.	—	H. ♀. ∞.	
4 bicuspidatus. s.s.	two-pointed.	Davuria. —	—	H. ♀. ∞.	
5 Scammonia. R.S.	Scammony.	Levant. 1596.	7. 8.	H. ♀. ∞.	Mill. ic. 1. t. 102.
6 erubescens. R.S.	maiden blush.	N. S. W. 1803.	7. 9.	G. ♂. ∞.	Botan. magaz. 1067.
7 dentatus. R.S.	toothed-lobed.	E. Indies. 1820.	S. ♀. ∞.	
8 pannifolius. R.S.	cloth-leaved.	Canaries. 1805.	6. 9.	G. h. ∞.	Botan. regist. 222.
9 canariensis. R.S.	Canary.	— 1690.	—	G. h. ∞.	Botan. magaz. 1228.
10 Massoni. R.S.	Masson's.	— 1788.	—	G. h. ∞.	Botan. regist. 133.
	<i>Dryandri. s.s. suffruticosus</i> . B.R.				
11 bogotensis. K.S.	Bogota.	S. America. 1820.	S. h. ∞.	
12 tiliaceus. R.S.	Lime-tree-ld.	Brazil. —	6. 8.	H. ♀. ∞.	
13 guianensis. R.S.	Guiana.	Guiana. —	—	S. ♀. ∞.	Aub. gui. 1. t. 52.
14 ciliatus. R.S.	fringed-leav'd.	Cayenne. —	—	S. h. ∞.	
15 maximus. R.S.	great Ceylon.	Ceylon. 1799.	7.	S. ♀. ∞.	Rheed. mal. 11. t. 53.
16 pentanthus. R.S.	five-flowered.	W. Indies. 1808.	4. 10.	S. h. ∞.	Botan. regist. 439.
17 farinosus. R.S.	mealy-stalked.	Madeira. 1777.	5. 6.	G. h. ∞.	Sal. par. lond. 45.
18 Hermannia. s.s.	Peruvian.	Peru. 1799.	8. 9.	G. ♀. ∞.	Jacq. ic. 2. t. 315.
	<i>crenatus</i> . Jacq.				
19 tenuissimus. R.S.	slender-leaved.	Levant.	6. 10.	G. ♀. ∞.	Flor. græc. t. 195.
20 althæoides. R.S.	Althæa-leaved.	— 1597.	6. 9.	F. ♀. ∞.	— t. 194.
21 bryoniaefolius. R.S.	Bryony-leaved.	China. 1802.	7. 8.	G. ♀. ∞.	Botan. magaz. 943.
22 italicus. R.S.	Italian.	Italy.	—	F. ♀. ∞.	Ten. fl. neap. 1. t. 15.
	<i>hirsutus</i> . T.N. non M.B.				
23 hirsutus. M.B.	hairy.	Tauria. 1824.	—	H. ♀. ∞.	

24	alceifolius. R.S.	Hollyhock-ld.	C. B. S.	1823.	—	G. 4. ∞.	
25	macrocarpus. R.S.	long-fruited.	S. America.	1752.	—	S. ∞. ∞.	Burm. amer. t. 91. f. 1.
26	quinquefolius. R.S.	five-leaved.	Vera Cruz.	—	S. ∞. ∞.	Pluk. alm. t. 167. f. 6.
27	glaber. R.S.	smooth.	Cayenne.	1806.	S. h. ∞.	Aub. gui. 1. t. 53.
28	siculus. R.S.	small-flowered.	S. Europe.	1640.	6. 8.	H. ∞.	Botan. regist. 445.
29	elongatus. S.S.	long-peduncul'd.	Canaries.	1815.	7. 8.	H. ∞.	— 498.
	<i>pseudo-siculus. R.S.</i>						
30	Sibthorpii. R.S.	Sibthorp's.	Samos.	1823.	—	H. 4.	Flor. græc. t. 193.
	<i>sagittifolius. F.G. non M.</i>						
31	hirtus. R.S.	hairy-stalked.	E. Indies.	1806.	6. 8.	S. ∞.	
32	multifidus. R.S.	multifid.	C. B. S.	1822.	—	G. 4.	
33	tricolor. R.S.	three-coloured.	S. Europe.	1629.	7. 9.	H. ∞.	Botan. magaz. 27.
	<i>β albiflorus.</i>	<i>white-flowered.</i>	—	—	—	H. ∞.	
34	pentapetaloides. R.S.	Majorca.	Majorca.	1789.	6. 7.	H. ∞.	Jacq. col. 4. t. 22. f. 2.
35	lineatus. R.S.	dwarf.	S. Europe.	1714.	—	H. 4.	Flor. græc. t. 199.
36	Gerardi. R.S.	Gerard's.	—	—	H. 4.	Barrel ic. t. 311.
37	undulatus. R.S.	waved.	—	1816.	6. 10.	H. ∞.	Cavan. ic. 3. t. 277. f. 1.
	<i>humilis. Jacq. col. 4. t. 22. f. 3.</i>	<i>evolvuloides. F.G. 198.</i>	<i>ciliatus. P.S.</i>				
38	Cneorum. R.S.	silvery-leaved.	Levant.	1640.	5. 9.	G. h.	Botan. magaz. 459.
39	saxatilis. R.S.	rock.	S. Europe.	1796.	6. 8.	F. 4.	Bocc. mus. 138. t. 96.
40	floridus. R.S.	many-flowered.	Teneriffe.	1779.	8. 9.	G. h.	Jacq. ic. 1. t. 34.
41	Cantabrica. R.S.	flax-leaved.	S. Europe.	1680.	5. 9.	H. 4.	Jacq. aust. 3. t. 296.
42	salvifolius. L.en.	Sage-leaved.	Palestine.	1825.	—	H. 4.	
43	linearis. R.S.	narrow-leaved.	S. Europe.	1770.	G. h.	Botan. magaz. 289.
44	Dorycnium. R.S.	silky-leaved.	Levant.	1806.	6. 7.	H. h.	
45	holosericeus. R.S.	silky.	Tauria.	1824.	—	H. 4.	
46	scoparius. R.S.	broom.	Canaries.	1733.	8. 9.	G. h.	Venten. choix. t. 24.
47	arborescens. K.S.	arborescent.	Mexico.	1818.	S. h.	
CALYSTEGIA. B.P. BEARBIND. Pentandria Monogynia. R.S.							
1	sepium. R.S.	great-hedge.	Britain.	6. 9.	H. 4. ∞.	Eng. bot. 313.
	<i>β incarnata.</i>	<i>red-flowered.</i>	N. America.	—	H. 4. ∞.	Botan. magaz. 732.
2	sylvestris. R.S.	wood.	Hungary.	1815.	—	H. 4. ∞.	
	<i>Convolvulus sylvestris. W.en.</i>						
3	dahurica. B.M.	Dahurian.	Dahuria.	1820.	7. 8.	H. 4. ∞.	Botan. magaz. 2609.
4	tomentosa. R.S.	woolly.	N. America.	1818.	6. 7.	H. 4.	
	<i>Convolvulus stans. M.</i>						
5	spithamæa. R.S.	small upright.	—	1796.	7. 8.	H. 4.	Hook. ex. flor. 97.
6	Soldanella. R.S.	sea-side.	Britain.	6. 7.	H. 4.	Eng. bot. 314.
	<i>Convolvulus Soldanella. E.B.</i>						
7	reniformis. B.P.	kidney-leaved.	N. S. W.	1822.	6. 8.	F. 4.	Swt. br. fl. gar. v. 2.
8	Keriana.	Mr. Ker's.	Mauritius.	1818.	6. 8.	S. ∞.	Botan. regist. 318.
	<i>Convolvulus involucratus. B.R. non Beau.</i>	<i>Convolvulus bicolor. B.M. 2205. nec aliorum.</i>					
IPOMŒA. B.P. IPOMŒA. Pentandria Monogynia. R.S.							
1	Quamoclit. R.S.	wing-leaved.	E. Indies.	1629.	7. 9.	S. ∞. ∞.	Botan. magaz. 244.
	<i>β albiflora.</i>	<i>white-flowered.</i>	—	—	S. ∞. ∞.	
2	dissecta. R.S.	cut-leaved.	Tropic's.	1813.	6. 9.	S. 4. ∞.	Willd. phyt. 1. t. 2. f. 3.
3	tuberosa. R.S.	tuberous-root'd.	W. Indies.	1731.	8. 10.	S. 4. ∞.	Botan. regist. 768.
4	digitata. R.S.	fingered.	S. America.	—	S. 4. ∞.	Plum. ic. 92. f. 1.
5	sinuata. R.S.	sinuated.	N. America.	1813.	6. 9.	G. 4. ∞.	Jacq. vind. t. 159.
	<i>dissecta. Ph. non. W.</i>	<i>Convolvulus dissectus. M.</i>					
6	tuberculata. R.S.	tubercled.	Bourbon.	1818.	—	S. h. ∞.	Jacq. schœn. 2. t. 199.
	<i>stipulacea. Jacq.</i>						
7	pes-tigridis. R.S.	palmated.	E. Indies.	1732.	8. 10.	S. ∞.	Rheed. mal. 2. t. 59.
8	cairica.	jagged-leaved.	Egypt.	1680.	6. 9.	S. h. ∞.	Botan. magaz. 699.
	<i>Convolvulus cairicus. B.M.</i>						
9	pendula. B.P.	pendulous-fl'd.	N. S. W.	1808.	5. 10.	G. h. ∞.	Botan. regist. 632.
10	dasysperma. J.E.	warted.	E. Indies.	1815.	8. 9.	G. ∞. ∞.	— 86.
	<i>tuberculata. B.R.</i>						
11	platensis. B.R.	Plata.	S. America.	1817.	6. 9.	S. 4. ∞.	— 333.
12	setosa. B.R.	bristly-stalked.	Brazil.	—	8. 10.	S. h. ∞.	— 335.
13	paniculata. R.S.	paniced.	E. Indies.	1799.	6. 9.	S. h. ∞.	— 62.
14	insignis. A.R.	large purple.	—	1814.	—	S. h. ∞.	— 75.
	<i>gossypifolia. R.S.</i>						
15	splendens. G.D.	splendid.	Sierra Leon.	1822.	—	S. h. ∞.	
16	parviflora. R.S.	small-flowered.	Santa Cruz.	—	7. 10.	S. ∞. ∞.	Sloan. hist. 1. t. 97. f. 1.
17	heterophylla. R.S.	various-leaved.	S. America.	1817.	—	S. 4.	Jacq. frag. t. 42. f. 4.
18	macrorrhizos. R.S.	large-rooted.	W. Indies.	—	—	S. 4.	Plum. cat. mss. v. 2. t. 58.
19	umbellata. R.S.	umbelled.	S. America.	1739.	6. 7.	S. 4.	Burm. amer. t. 92. f. 2.
20	carolina. R.S.	Carolina.	Carolina.	1732.	7. 8.	G. 4. ∞.	Dill. elth. t. 84. f. 98.

- 21 *venosa*. R.S. veined-leaved. Mauritius. 1820. — S. h. .
 22 *pentaphylla*. R.S. five-leaved. W. Indies. 1739. 8. 9. S. ⊙. . Jacq. ic. 2. t. 319.
 23 *Cavanillesii*. R.S. Cavanille's. S. America. 1815. — S. h. . Cavan. ic. 3. t. 256.
pentaphylla. Cav. non Jacq.
 24 *armata*. R.S. armed-calyxed. Mexico. 1824. 7. 10. S. ⊙. . — 5. t. 478. f. 22.
muricata. Cav. non Jacq.
 25 *coccinea*. R.S. bright-scarlet. W. Indies. 1713. 6. 9. S. ⊙. . Andr. reposit. 99.
 26 *luteola*. R.S. common scarlet. Guatimala. 1759. — H. ⊙. . Botan. magaz. 221.
coccinea. B.M.
 27 *angularis*. R.S. angular-leaved. E. Indies. 1806. — S. ⊙. .
phœnicea. F.I.
 28 *lacunosa*. R.S. starry. N. America. 1640. 7. 8. H. ⊙. . Dill. elth. t. 87. f. 1022.
 29 *Batatas*. R.S. sweet potatoe. India. 1597. S. 4. . Rheed. mal. 7. t. 50.
Convolvulus Batatas. W.
 30 *Turpethum*. R.S. square-stalked. Ceylon. 1752. 3. 6. S. 4. . Botan. regist. 279.
 31 *chryseides*. B.R. golden. China. 1817. 6. 10. S. 4. . — 270.
 32 *Jalapa*. true Jalap. S. America. 1733. 8. 11. S. h. . Botan. magaz. 1572.
Jalapa. β rosea. B.R. 621. *Convolvulus Jalapa*. B.M.
 33 *Michauxii*. Michaux's. Georgia. 1815. — G. 4. . Botan. regist. 342.
Jalapa. α. B.R. macrorrhiza. M. non R.S.
 34 *sanguinea*. R.S. blood-flowered. W. Indies. 1812. 2. 11. S. h. . — 9.
 35 *repanda*. R.S. scalloped. — 1793. 5. 10. S. h. . Sal. par. lond. 81.
 36 *varia*. R.S. variable-leav'd. S. America. 1816. — S. 4. .
Convolvulus pubescens. S.S.
 37 *hederacea*. B.R. deep-lobed. N. America. 1729. 8. 10. H. ⊙. . Botan. regist. 85.
barbata. Roth.
 38 *cuspidata*. R.S. sharp-pointed. S. America. 1732. 6. 7. H. ⊙. . Flor. per. 2. t. 119. f. aa.
 39 *Dillenii*. R.S. Dillenius's. Guinea. — S. ⊙. . Dill. elth. t. 81. f. 93.
 40 *Nil*. P.S. blue. S. America. 1597. 7. 9. S. ⊙. . Botan. magaz. 188.
 41 *cœrulea*. B.R. East Indian. E. Indies. 1815. — S. ⊙. . Botan. regist. 276.
 42 *triloba*. R.S. three-lobed. W. Indies. 1752. 6. 7. S. ⊙. .
 43 *hederifolia*. R.S. Ivy-leaved. S. America. 1773. 7. H. ⊙. . Plum. ic. t. 93. f. 2.
 44 *hepaticifolia*. R.S. Hepatica-ld. E. Indies. 1759. 8. 9. S. ⊙. . Burm. ind. t. 20. f. 22.
 45 *punctata*. R.S. spotted-calyx'd. S. America. 7. 11. S. ⊙. . Dill. elth. t. 83. f. 96.
 46 *scabra*. R.S. white-flowered. — 1823. 7. 11. S. ⊙. .
 47 *mutabilis*. B.R. changeable. — 1812. 5. 9. S. h. . Botan. regist. 39.
 48 *commutata*. R.S. hairy-capsuled. N. America. — H. ⊙. . Dill. elth. t. 84. f. 98.
 49 *gangetica*. Ganges. E. Indies. 1812. — S. h. .
Convolvulus gangeticus. F.I.
 50 *muricata*. R.S. rough. E. Indies. 1777. 7. 8. S. ⊙. . Jacq. schœn. 3. t. 3233.
bona nox β purpurascens. B.R. 290. *Convolvulus muricatus*. W.
 51 *carnea*. R.S. flesh-coloured. S. America. 1799. 8. 9. S. ⊙. . Jacq. amer. 26. t. 18.
 52 *involucrata*. R.S. involucred. Sierra Leon. 1822. 8. 10. S. ⊙. . Beauv. fl. d'ow. 2. t. 88.
 53 *barbigera*. B.F.G. bearded-calyx'd. America. 1824. 7. 10. H. ⊙. . Swt. br. fl. gar. 86.
 54 *purpurea*. R.S. purple. — 1629. 6. 9. H. ⊙. . Botan. magaz. 113.
β incarnata. flesh-coloured. — — — H. ⊙. .
γ leucantha. white-flowered. — — — H. ⊙. .
δ varia. B.M. striped-flowered. — — — H. ⊙. . Botan. magaz. 1682.
ε elatior. B.M. spotted-flower'd. — — — H. ⊙. . — 1005.
discolor. Jacq.
 55 *violacea*. R.S. purple-flow'r'd. S. America. 1732. 8. 9. S. ⊙. . Plum. ic. t. 93. f. 1.
 56 *corymbosa*. R.S. corymbose. India. 1823. — S. h. . — t. 89. f. 2.
 57 *campanulata*. H.S. bell-flowered. E. Indies. 1800. — S. ⊙. . Rheed. mal. 2. t. 56.
 58 *polyanthes*. R.S. umbel-flow'r'd. W. Indies. 1739. 6. 7. S. 4. . Plum. amer. 88. t. 100.
Convolvulus umbellatus. W.
 59 *multiflora*. R.S. many-flowered. Jamaica. — S. 4. . Pluk. phyt. t. 167. f. 1.
 60 *malabarica*. R.S. Malabar. E. Indies. 1823. S. h. . Rheed. mal. 2. t. 51.
 61 *solanifolia*. R.S. Nightshade-ld. America. 1759. 7. 8. S. 3. . Plum. ic. 94. f. 1.
 62 *leucantha*. R.S. white-flowered. S. America. 1823. 8. 10. H. ⊙. . Jacq. ic. 2. t. 318.
 63 *obscura*. R.S. hairy. E. Indies. 1732. 6. 8. S. ⊙. . Botan. regist. 239.
 64 *fastigiata*. crowded. — 1816. — S. 4. .
Convolvulus fastigiatus. F.I.
 65 *blanda*. blush-flowered. — 1820. S. h. .
Convolvulus blandus. F.I.
 66 *laurifolia*. Laurel-leaved. — 1822. 5. 8. S. h. .
Convolvulus laurifolius. F.I.
 67 *sphærocephala*. round-headed. — 1816. 8. 10. S. ⊙. .
Convolvulus sphærocephalus. F.I.
 68 *sibirica*. R.S. Siberian. Siberia. 1779. 7. 8. H. ⊙. . Pall. it. 3. p. 723. t. 11.

69	tamnifolia. R.S.	Tamus-leaved.	Carolina.	1732.	7.	H.⊙.~.	Dill. elth. t.318. f. 410.
70	capitata. R.S.	headed.	E. Indies.	1823.	7. 10.	S. 4.~.	
71	triquetra. R.S.	triquetrous.	Santa Cruz.	—	S. ½.	
72	pilosa.	various-ld hairy.	E. Indies.	1815.	—	S.⊙.~.	
	<i>Convolvulus pilosus.</i> F.I.						
73	denticulata. B.P.	denticulate.	—	1778.	7. 8.	S.⊙.~.	Botan. regist. 317.
	<i>Convolvulus Medium.</i> w.						
74	bicolor.	two-coloured.	—	1815.	—	S. 4.~.	
	<i>Convolvulus bicolor.</i> F.I.						
75	grandiflora. R.S.	great-flowered.	E. Indies.	1802.	9.	S. ½.~.	Andr. reposit. 188.
76	latiflora. R.S.	broad-flower'd.	W. Indies.	9. 10.	S. ½.~.	Jacq. vind. 3. t. 69.
77	filiformis. R.S.	filiform.	—	1823.	—	S. ½.~.	Jacq. amer. pict. t.26.
78	salicifolia. F.I.	Willow-leaved.	E. Indies.	1816.	5. 7.	S. 3.~.	
79	Roxburghii.	Roxburgh's.	—	1817.	—	S. ½.~.	
	<i>multiflora.</i> F.I. nec aliorum.						
80	sepiaria. F.I.	hedge.	—	—	—	S. ½.~.	Rheed. mal. 11. t. 53.
81	pandurata. B.R.	Virginian.	N.America.	1732.	6. 9.	G. 4.~.	Botan. regist. 588.
	<i>Convolvulus panduratus.</i> B.M. 1939.						
82	candicans.	hoary.	—	6. 8.	G. 4.~.	Botan. magaz. 1603.
	<i>Convolvulus candicans.</i> B.M.						
83	glaucifolia. R.S.	glaucous-leav'd.	Mexico.	1732.	5. 7.	G. 4.~.	Dill. elth. t. 87. f. 101.
84	reptans. R.S.	creeping.	E. Indies.	1806.	—	S. 4.~.	Rumph.am.5.t.155.f.1.
85	longiflora. K.S.	long-flowered.	Cuba.	1803.	—	S. 4.~.	
86	hastigera. K.S.	halberd-leaved.	Mexico.	1824.	—	S.⊙.~.	
87	angustifolia. R.S.	narrow-leaved.	E. Indies.	1800.	7. 8.	S.⊙.~.	Jacq. ic. rar. t. 317.
88	tridentata. R.S.	trifid.	—	1778.	—	S.⊙.~.	Rheed. mal. 2. t. 65.
89	stans. R.S.	Mexican.	Mexico.	1824.	—	S. 4.~.	
90	bignonioides. B.M.	trumpet-fld.	Cayenne.	1823.	—	S. 4.~.	Botan. magaz. 2645.
91	sagittifolia. B.R.	arrow-leaved.	Carolina.	1819.	6. 9.	G. 4.~.	Botan. regist. 437.
	<i>Convolvulus sagittifolius.</i> R.S.						
92	cœrulescens. F.I.	pale blue.	E. Indies.	1820.	—	S. 4.~.	
93	vitifolia.	Vine-leaved.	—	—	—	S. ½.~.	Burm. ind. t. 18. f. 1.
	<i>Convolvulus vitifolius.</i> R.S.						
94	stipulacea.	stipuled.	—	1805.	8. 10.	S. 4.~.	
	<i>Convolvulus stipulaceus.</i> F.I.						
95	brasiliensis.	three-flowered.	Brazil.	1726.	6. 7.	S. 4.~.	Plum. amer. 89. t. 104.
	<i>Convolvulus brasiliensis.</i> w.						
96	pes-capræ.	single-flower'd.	E. Indies.	1770.	—	S. 4.~.	Botan. regist. 319.
	<i>maritima.</i> B.R. <i>Convolvulus pes-capræ.</i> F.I.						
ARGYREIA. S.S. ARGYREIA. Pentandria Monogynia. S.S.							
1	splendens.	glossy-leaved.	E. Indies.	1814.	11. 1.	S. ½.~.	Botan. magaz. 2628.
	<i>Ipomœa splendens.</i> B.M. <i>Lettsomia splendens.</i> F.I.						
2	speciosa.	broad-leaved.	—	1778.	7. 9.	S. ½.~.	— 2446.
	<i>Ipomœa speciosa.</i> B.M. <i>Convolvulus speciosus.</i> w. <i>Lettsomia nervosa.</i> F.I.						
3	cuneata. B.R.	wedge-leaved.	—	1817.	6. 9.	S. ½.~.	Botan. regist. 661.
	<i>Lettsomia cuneata.</i> F.I. <i>Ipomœa atrosanguinea.</i> B.M. 2170.						
4	cymosa.	cyme-flowered.	—	1823.	S. ½.~.	
	<i>Lettsomia cymosa.</i> F.I.						
5	bona-nox.	night-flow'ring.	—	1799.	6. 9.	S. ½.~.	
	<i>Lettsomia bona-nox.</i> F.I.						
6	uniflora.	kidney-leaved.	—	1817.	S. ½.~.	
	<i>Lettsomia uniflora.</i> F.I.						
7	ornata.	large white-fld.	—	1824.	S. ½.	
	<i>Lettsomia ornata.</i> F.I.						
DINETUS. B.F.G. DINETUS. Pentandria Monogynia.							
1	racemosus. B.F.G.	cluster-flow'r'd.	Nepaul.	1823.	7. 11.	H.⊙.~.	Swt. br. fl. gar. 127.
	<i>Porana racemosa.</i> F.I.						
2	paniculatus.	panicked.	E. Indies.	—	S. ½.~.	
	<i>Porana paniculata.</i> F.I.						
PORANA. W. PORANA. Pentandria Digynia.							
	volubilis. w.	climbing.	E. Indies.	1823.	S. ½.~.	Burm. ind. t. 21. f.1.
EVOLVULUS. S.S. EVOLVULUS. Pentandria Digynia. R.S.							
1	nummularius. R.S.	round-leaved.	Jamaica.	1816.	10.	S.⊙.	Jacq. amer. t.260. f.23.
2	gangeticus. R.S.	Ganges.	E. Indies.	1823.	—	S.⊙.	
3	emarginatus. R.S.	kidney-leaved.	—	1816.	—	S.⊙.	Burm. ind. t. 30. f. 1.
4	alsinoides. R.S.	chickweed-ld.	—	1733.	6. 7.	S. 4.~.	Rheed. mal. 11. t. 64.
5	linifolius. R.S.	flax-leaved.	Jamaica.	1782.	8. 9.	S.⊙.	Brown. jam. t. 10. f.2.
6	Nuttallianus. R.S.	Nuttall's.	Missouri.	1821.	5. 6.	H. 4.~.	
	<i>argenteus.</i> N.						

7 latifolius. B.R.	broad-leaved.	Brazil.	1819.	6. 7.	S. 4.	Botan. regist. 401.
CRESSA. R.S.	CRESSA. Pentandria Digynia. L.					
cretica. R.S.	Cretan.	Levant.	1822.	7. 9.	H. ☉.	Flor. græc. t. 256.
DICHONDRA. R.S.	DICHONDRA. Pentandria Digynia. L.					
1 repens. R.S.	creeping.	N. S. W.	1803.	6. 8.	G. 4.	Sm. ic. ined. 1. t. 8.
2 rotundifolia. L.en.	round-leaved.	Persia.	1816.	—	H. 4.	
3 caroliniana. R.S.	Carolina.	Carolina.	1812.	—	G. 4.	
4 sericea. s.s.	silky.	W. Indies.	1793.	—	S. 4.	Swartz. ic. t. 10.
5 argentea. R.S.	silvery.	New Spain.	1818.	—	S. 4.	Willd. hort. ber. t. 81.
FALKIA. R.S.	FALKIA. Pentandria Digynia. L.					
repens. R.S.	creeping.	C. B. S.	1774.	5. 8.	G. 7.	Andr. reposit. 257.
CUSCUTA. R.S.	DODDER. Pentandria Digynia. R.S.					
1 europæa. R.S.	great.	England.	8. 9.	H. ☉.	Eng. bot. 378.
2 Epithymum. R.S.	lesser.	Britain.	7. 10.	H. 4.	— 55.
3 chinensis. R.S.	Chinese.	China.	1803.	—	G. ☉.	
4 australis. B.P.	New Holland.	N. Holland.	1818.	—	G. 4.	
5 chilensis. B.R.	Chili.	Chili.	1821.	1. 12.	G. 4.	Botan. regist. 603.
6 verrucosa. B.F.G.	warted-calyx'd.	Nepaul.	1822.	9. 11.	H. 4.	Swt. br. fl. gar. 6.
7 Hookeri.	Hooker's.	E. Indies.	1823.	—	H. ☉.	Hook. ex. flor. 150.
<i>reflexa</i> , var. <i>verrucosa</i> . H.E.F. excl. <i>synon</i> .						

ORDO CXXVII.

BORAGINEÆ. *Brown prodr.* 1. p. 492.

TIARIDIUM. S.S.	TIARIDIUM. Pentandria Monogynia. S.S.					
indicum. s.s.	Indian.	W. Indies.	1713.	6. 8.	S. ☉.	Botan. magaz. 1837.
<i>Heliotropium indicum</i> . B.M.						
HELIOTROPIUM. S.S.	TURNSOLE. Pentandria Monogynia. L.					
1 peruvianum. s.s.	Peruvian.	Peru.	1757.	5. 9.	G. 7.	Botan. magaz. 141.
β hybridum.	More's hybrid.	Hybrid.	1815.	—	G. 7.	
2 corymbosum. s.s.	large-flowered.	—	1808.	—	G. 7.	Botan. magaz. 1609.
<i>grandiflorum</i> . L.en.						
3 maroccanum. s.s.	Morocco.	Morocco.	1821.	—	G. 7.	
4 parviflorum. s.s.	small-flowered.	India.	1732.	7. 9.	S. 7.	Dill. elth. t. 146. f. 175.
5 europæum. s.s.	European.	S. Europe.	1562.	6. 10.	H. ☉.	Jacq. aust. 3. t. 207.
6 commutatum. R.S.	smaller.	—	—	H. ☉.	
7 suaveolens. s.s.	sweet-scented.	Caucasus.	1823.	—	H. ☉.	
8 coromandelianum. s.s.	Coromandel.	E. Indies.	1812.	7. 10.	S. 7.	
9 curassavicum. s.s.	glaucous.	S. America.	1731.	6. 7.	S. 7.	Sloan. hist. 1. t. 132. f. 33.
10 anisophyllum. Bean.	unequal-leav'd.	Africa.	1822.	—	S. 7.	Beav. fl. d. ow. 2. t. 94.
11 chenopodioides. R.S.	smooth-leaved.	S. America.	1820.	—	S. 7.	
12 zeylanicum. R.S.	Ceylon.	Ceylon.	1815.	—	S. 7.	Burm. ind. t. 16. f. 2.
13 linifolium. R.S.	flax-leaved.	C. B. S.	—	—	G. 7.	
<i>Myosotis fruticosa</i> . W.						
14 demissum. R.S.	dwarf.	S. America.	1752.	5. 6.	S. 7.	Plum. ic. 227. f. 2.
<i>Tournefortia humilis</i> . W.						
15 supinum. s.s.	trailing.	S. Europe.	1640.	6. 7.	H. ☉.	Tourn. voy. 1. t. 23.
LITHOSPERMUM. S.S.	GROMWELL. Pentandria Monogynia. L.					
1 fruticosum. s.s.	shrubby.	S. Europe.	1683.	5. 6.	H. 7.	Flor. græc. t. 161.
2 prostratum. s.s.	prostrate.	—	1825.	—	H. 7.	Lois. fl. gall. add. 1. t. 4.
3 arvense. s.s.	corn.	Britain.	—	H. ☉.	Eng. bot. 123.
4 officinale. s.s.	officinal.	—	5. 8.	H. 4.	— 134.
5 latifolium. s.s.	broad-leaved.	America.	1816.	—	H. 4.	
6 distichum. s.s.	two-spiked.	Mexico.	1806.	—	G. 4.	
7 orientale. s.s.	yellow-flow'r'd.	Levant.	1713.	—	H. 4.	Botan. magaz. 515.
8 lineatum. s.s.	lined.	1816.	—	H. 4.	
9 apulum. s.s.	small.	S. Europe.	1768.	6. 7.	H. ☉.	Flor. græc. t. 158.
10 villosum. s.s.	villous.	—	1820.	—	H. 4.	
11 tinctorium. s.s.	dyer's.	—	1596.	6. 10.	H. 4.	
12 purpureo-cæruleum.	creeping.	England.	5. 6.	H. 4.	Eng. bot. 117.
13 tenuiflorum. s.s.	slender-fl'd.	Egypt.	1796.	—	H. ☉.	Jacq. ic. 2. t. 313.
14 dispernum. s.s.	two-seeded.	Spain.	1799.	6. 7.	H. ☉.	Linn. dec. 1. t. 7.

- 15 *davuricum*. s.s. Daurian. Davuria. 1812. 5. 6. H. 4. Swt. br. fl. gar. 121.
Pulmonaria davurica. B.M. 1743.
- 16 *denticulatum*. s.s. toothed. N.America. 1801. — H. 4.
- 17 *sibiricum*. s.s. Siberian. Siberia. — 6. 7. H. 4. Gmel. sib. 4. n. 15. t. 39.
- 18 *maritimum*. s.s. sea-side. Britain. — H. 4. Eng. bot. 368.
Pulmonaria maritima. E.B.
- 19 *pulchrum*. s.s. Virginian. N.America. 1699. 3. 5. H. 4. Botan. magaz. 160.
Pulmonaria virginica. B.M.
- 20 *paniculatum*. s.s. panicked. Hudson's Bay. 1778. 5. 6. H. 4. Botan. regist. 146.
Pulmonaria paniculata. B.R.
- 21 *marginatum*. s.s. margined. Louisiana. 1813. — H. 4.
Pulmonaria lanceolata. Ph. *marginata*. N.
- BATSCHIA. M.** **BATSCHIA.** Pentandria Monogynia.
- 1 *Gmelini*. M. Carolina. Carolina. 1812. 5. 7. H. 4.
caroliniana. R.S. *Lithospermum hirtum*. s.s.
- 2 *canescens*. M. canescent. N.America. — H. 4. Mich. amer. 1. t. 14.
- 3 *longiflora*. N. long-flowered. Missouri. 1812. — H. 4.
- PULMONARIA. S.S.** **LUNGWORT.** Pentandria Monogynia. L.
- 1 *azurea*. s.s. azure. Hungary. 1823. 5. H. 4.
- 2 *angustifolia*. s.s. narrow-leaved. Britain. 4. 5. H. 4. Eng. bot. 1628.
- 3 *tuberosa*. s.s. tuberous-root'd. Hungary. 1824. 5. H. 4.
- 4 *mollis*. s.s. soft-leaved. — 1816. — H. 4. Swt. br. fl. gar. ic.
- 5 *officinalis*. R.S. common. England. — H. 4. Eng. bot. 118.
- 6 *saccharata*. L.en. white-flowered. Germany. 1816. — H. 4. Moris. s. 11. t. 29.
- 7 *grandiflora*. R.S. large-flowered. — H. 4. DC. ic. ined. t. 64.
- 8 *oblongata*. Schr. oblong-leaved. Germany. 1820. — H. 4.
- ONOSMODIUM. M.** **ONOSMODIUM.** Pentandria Monogynia. R.S.
- 1 *hispidum*. R.S. hispid. N.America. 1759. 6. H. 4. Moris. s. 11. t. 28. f. 3.
- 2 *molle*. R.S. soft. — 1812. 6. 8. H. 4. Mich. amer. t. 15.
- ONOSMA. R.S.** **ONOSMA.** Pentandria Monogynia. L.
- 1 *echioides*. s.s. hairy. S. Europe. 1683. 3. 6. H. 4. Flor. græc. t. 172.
- 2 *giganteum*. s.s. gigantic. Tauria. 1818. — H. 4.
- 3 *arenarium*. R.S. sand. Hungary. 1804. 3. 7. H. 4. W. et K. hung. 3. t. 279.
- 4 *stellulatum*. W.K. starry-haired. — 1816. — H. 4. — 2. t. 173.
- 5 *tauricum*. B.M. golden-flow'r'd. Tauria. 1801. 4. 6. F. 4. Botan. magaz. 889.
- 6 *rupestre*. R.S. rock. Caucasus. 1823. — H. 4.
- 7 *orientale*. s.s. oriental. Levant. 1752. 5. 6. G. 4.
- 8 *divaricatum*. s.s. spreading. Caucasus. 1818. 4. 6. H. 4.
- 9 *simplicissimum*. R.S. linear-leaved. Siberia. 1763. — H. 4. Botan. magaz. 2248.
- 10 *trinervium*. s.s. three-nerved. Mexico. 1825. — G. 4.
- 11 *sericeum*. R.S. silky-leaved. Levant. 1752. 6. 7. F. 4.
- SYMPHYTUM. R.S.** **COMFREY.** Pentandria Monogynia. L.
- 1 *officinale*. R.S. common. Britain. 5. 7. H. 4. Eng. bot. 817.
β purpurascens. purplish. — H. 4.
- 2 *bohemicum*. P.S. red-flowered. Bohemia. — H. 4.
- 3 *caucasicum*. R.S. Caucasean. Caucasus. 1816. — H. 4.
- 4 *tuberosum*. R.S. tuberous-root'd. Scotland. 5. 10. H. 4. Eng. bot. 1502.
- 5 *orientale*. R.S. eastern. Turkey. 1752. 5. 7. H. 4. Botan. magaz. 1912.
- 6 *bullatum*. s.s. blistered. Tauria. 1806. — H. 4. — 1787.
tauricum. B.M.
- 7 *cordatum*. W.K. heart-leaved. Hungary. 1813. — H. 4. W. et K. hung. 6. t. 7.
- 8 *asperinum*. R.S. roughest. Caucasus. 1799. 5. 9. H. 4. Botan. magaz. 929.
- 9 *peregrinum*. s.s. oblique-leaved. Poland. 1816. 5. 7. H. 4.
- CERINTHE. R.S.** **HONEYWORT.** Pentandria Monogynia. L.
- 1 *major*. R.S. great. S. Europe. 1596. 7. 8. H. 4. Botan. magaz. 333.
- 2 *aspera*. R.S. rough. — 1633. — H. 4. Flor. græc. t. 170.
- 3 *minor*. R.S. small. Austria. 1570. 6. 10. H. 4. Jacq. aust. 2. t. 124.
- 4 *maculata*. R.S. spotted. Tauria. 1804. — H. 4.
- ECHIUM. R.S.** **VIPER'S-BUGLOSS.** Pentandria Monogynia. L.
- 1 *fruticosum*. R.S. frutescent. C. B. S. 1759. 5. 6. G. 4. Botan. regist. 86.
- 2 *hispidum*. R.S. hispid-leaved. — 1816. — G. 4.
- 3 *lævigatum*. R.S. smooth-stalked. — 1774. 6. 7. G. 4.
- 4 *glaucophyllum*. R.S. glaucous-leav'd. — 1792. 6. 8. G. 4. Jacq. ic. t. 312.
- 5 *glabrum*. R.S. smooth. — 1791. 5. 6. G. 4.
- 6 *paniculatum*. R.S. panicked. — 1815. — G. 4.
- 7 *grandiflorum*. R.S. great-flower'd. — 1787. 6. 7. G. 4. Botan. regist. 124.
formosum. P.S.
- 8 *ferocissimum*. A.R. prickly-stalked. — 1794. — G. 4. Andr. reposit. 39.
- 9 *spicatum*. R.S. spiked dwarf. — 1799. 3. 5. G. 4.

10	caudatum. R.S.	tailed.	C. B. S.	1815.	6. 9.	G. h.	
11	capitatum. R.S.	headed.	—	1822.	—	G. h.	
12	verrucosum. R.S.	warted.	—	1820.	5. 8.	G. h.	
13	argenteum. R.S.	silvery.	—	1789.	6. 7.	G. h.	Andr. reposit. 154.
14	lasiophyllum. L.en.	woolly-leaved.	1819.	—	G. h.	
15	strigosum. R.S.	strigose.	C. B. S.	—	—	G. h.	
16	giganteum. R.S.	gigantic.	Canaries.	1779.	7. 11.	G. h.	
17	aculeatum. R.S.	prickly.	—	1815.	5. 8.	G. h.	
18	molle. R.S.	soft-leaved.	—	—	—	G. h.	
19	nervosum. H.K.	sinewy-leaved.	Madeira.	1777.	6. 8.	G. h.	
20	bifrons. DC.	two-fronted.	Canaries.	1815.	—	G. h.	
21	ambiguum. DC.	ambiguous.	—	—	5. 7.	G. h.	DC. ic. mons. ined. t. 20.
22	virescens. DC.	green-leaved.	—	—	—	G. h.	
23	candicans. R.S.	hoary tree.	Madeira.	1777.	5. 6.	G. h.	Botan. regist. 43.
24	cynoglossoides. R.S.	hound's-tongue-ld.	Canaries.	1816.	—	G. h.	
25	densiflorum. DC.	dense-flowered.	—	—	—	G. h.	DC. ic. m. ined. t. 22.
26	fastuosum. H.K.	fastuous.	—	1779.	4. 8.	G. h.	Jacq. f. eclog. t. 41.
27	strictum. R.S.	upright.	—	—	5. 12.	G. ♂.	Jacq. schoen. 1. t. 35.
28	lineatum. R.S.	lined.	—	1815.	5. 6.	G. h.	Jacq. f. eclog. t. 42.
29	macrophyllum. R.S.	large-leaved.	1812.	—	G. h.	
30	foliosum. R.S.	leafy.	—	—	G. h.	
31	simplex. DC.	simple-stalked.	Canaries.	—	5. 12.	G. ♂.	DC. ic. m. ined. t. 21.
32	brachyanthum. R.S.	short-flowered.	Madeira.	1820.	5. 7.	G. h.	
33	scabrum. R.S.	rough.	C. B. S.	—	—	G. h.	
34	plantagineum. R.S.	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ⊙.	Flor. græc. t. 179.
35	lusitanicum. R.S.	Portugal.	S. Europe.	1731.	7. 8.	H. ⊙.	
36	plantaginoides. R.S.	Plantain-like.	—	1825.	—	H. ⊙.	Jacq. vind. 1. t. 45.
37	prostratum. R.S.	prostrate.	Egypt.	1824.	—	H. ♀.	
38	macranthum. R.S.	large-flowered.	Barbary.	—	7. 10.	H. ⊙.	Desf. atl. 1. t. 46.
39	australe. R.S.	oval-leaved.	S. Europe.	1824.	—	H. ⊙.	Swt. br. fl. gar. 101.
40	maritimum. R.S.	sea-side.	Italy.	1815.	—	H. ⊙.	Bocc. mus. 2. t. 78.
41	italicum. R.S.	white.	Jersey.	7. 8.	H. ♂.	Eng. bot. 2081.
42	pyrenaicum. R.S.	Pyrenean.	Pyrenees.	1815.	7. 8.	H. ♂.	
43	thyrsiodeum. R.S.	bunch-flowered.	1823.	—	H. ♂.	
44	rubrum. R.S.	red-flowered.	Hungary.	1791.	—	H. ♀.	Botan. magaz. 1822.
45	vulgare. R.S.	common.	Britain.	—	H. ♂.	Eng. bot. 181.
	β album.	white-flowered.	—	—	H. ♂.	
46	violaceum. R.S.	violet-flower'd.	Austria.	1658.	H. ⊙.	
47	parviflorum. H.K.	small-flowered.	Barbary.	1798.	—	H. ⊙.	
	micranthum. R.S.						
48	tenue. s.s.	slender.	—	1824.	—	H. ⊙.	
49	Sibthorpii. R.S.	Sibthorp's.	Naples.	—	—	H. ♂.	Flor. græc. t. 181.
	hispidum. F.G. nec aliorum.	elegans. Lehm.					
50	creticum. R.S.	Cretan.	Levant.	1683.	7. 9.	H. ⊙.	— t. 183.
51	orientale. R.S.	oriental.	—	1780.	7. 8.	H. ⊙.	Tourn. it. 2. f. 107.
52	salmanticum. R.S.	long-stamen'd.	Spain.	1824.	—	H. ⊙.	
53	longiflorum. Dum.	long-flowered.	C. B. S.	1806.	6. 7.	G. h.	
54	pyramidatum. Dum.	pyramidal.	1824.	G. h.	
NONEA. DC.		NONEA. Pentandria Monogynia.	R.S.				
1	violacea. DC.	violet-coloured.	S. Europe.	1686.	5. 7.	H. ⊙.	Moris. s. 11. t. 26. f. 11.
	Lycopsis vesicaria. W.						
2	nigricans. DC.	black-flowered.	—	—	H. ⊙.	Zanon. hist. 56. t. 38.
3	pulla. DC.	dark-flowered.	Germany.	1648.	6. 7.	H. ♀.	Jacq. aust. 2. t. 188.
4	ciliata. R.S.	fringed.	Levant.	1804.	—	H. ⊙.	
5	rosea. L.en.	rose-coloured.	Caucasus.	1824.	—	H. ⊙.	
	Anchusa rosea. M.B.	Lycopsis rosea. s.s.					
6	versicolor.	various-color'd.	—	1820.	—	H. ⊙.	
	Anchusa versicolor. R.S.						
7	lutea. DC.	pale yellow.	S. Europe.	1805.	—	H. ⊙.	Nocc. hort. tran. t. 3.
	Anchusa lutea. R.S.	Lycopsis lutea. s.s.					
8	picta.	painted.	Tauria.	1818.	—	H. ⊙.	
	Anchusa picta. M.B.	Lycopsis picta. s.s.					
LYCOPSIS. L.		WILD BUGLOSS. Pentandria Monogynia.	L.				
	arvensis. L.	common.	Britain.	5. 8.	H. ⊙.	Eng. bot. 938.
ASPERUGO. L.		GERMAN MADWORT. Pentandria Monogynia.	L.				
	procumbens. L.	procumbent.	Britain.	4. 5.	H. ⊙.	Eng. bot. 661.
ANCHUSA. R.S.		BUGLOSS. Pentandria Monogynia.	L.				
1	Barrelieri. s.s.	Barrelier's.	Hungary.	1815.	6. 7.	H. ♀.	W. et K. hung. 1. t. 100.
	Myosotis obtusa. W.K.						

2	paniculata. R.S. <i>italica</i> . B.R. 483.	panicled.	S. Europe.	1597.	6. 10. H. 4.	Flor. græc. t. 163.
3	Milleri. R.S.	Miller's.	— H. ☉.	
4	stylosa. R.S.	long-styled.	Tauria.	1824.	— H. ☉.	M.B. cent. pl. rar. t. 23.
5	procera. s.s.	tall.	Poland.	1822.	— H. 4.	
6	lycopsoides. L.en.	Lycopsis-like.	—	— H. 4.	
7	variegata. s.s. <i>Lycopsis variegata</i> . F.G.	variegated.	Levant.	1683.	6. 7. H. ☉.	Flor. græc. t. 178.
8	ovata. s.s. <i>Lycopsis orientalis</i> . R.S.	oval-leaved.	—	1796.	— H. ☉.	Buxb. cent. 5. t. 30.
9	tinctoria. R.S.	dyer's.	—	1596.	6. 10. H. 4.	Flor. græc. t. 166.
10	hispidia. R.S.	hispid.	Egypt.	1823.	— H. 4.	
11	tenella. R.S. <i>zeylanica</i> . Jacq.	slender.	China.	1816.	— H. ☉.	Jacq. f. ecl. t. 29.
12	officinalis. R.S.	common.	Britain.	— H. 4.	Eng. bot. 662.
13	incarnata. Schr.	flesh-coloured.	Europe.	— H. 4.	
14	undulata. R.S.	wave-leaved.	S. Europe.	1739.	6. 8. H. 4.	Botan. magaz. 2119.
15	ochroleuca. R.S.	pale-flowered.	Caucasus.	1810.	7. 8. H. 4.	— 1608.
16	angustifolia. R.S.	narrow-leaved.	Europe.	1640.	5. 6. H. 4.	Flor. græc. t. 164.
17	leptophylla. R.S. <i>angustifolia</i> . B.M.	blue-flowered.	—	—	— H. 4.	Botan. magaz. 1897.
18	capensis. R.S.	Cape.	C. B. S.	1800.	7. 8. G. ♂.	Andr. reposit. 336.
19	hybrida. R.S.	villous.	Naples.	1818.	7. 10. H. ☉.	Ten. fl. neap. t. 11.
20	Agardhii. R.S.	tubercle-leav'd.	Siberia.	1823.	7. 9. H. 4.	
21	verrucosa. R.S.	warted.	Egypt.	—	7. 10. H. ☉.	Jacq. vind. 3. t. 21.
22	rupestris. R.S.	rock.	Siberia.	1802.	7. H. 4.	Pall. it. 3. ap. t. E. f. 3.
23	sericea. R.S.	silky.	—	—	6. 8. H. 4.	
MYOSOTIS. R.S.		SCORPION-GRASS.	Pentandria Monogynia. L.			
1	palustris. E.B. <i>scorpioides</i> . W.	marsh.	Britain.	6. 9. H. w. 4.	Eng. bot. 1973.
2	cæspitosa. s.s.	tufted.	—	5. 7. H. w. 4.	
3	intermedia. s.s.	intermediate.	—	4. 6. H. ♂.	Fl. dan. 583. f. maj.
4	sylvatica. R.S.	wood.	—	6. 8. H. 4.	Raii syn. t. 9. f. 2.
5	alpestris. R.S. <i>rupicola</i> . E.B.	rock.	Scotland.	6. 8. H. 4.	Eng. bot. 2559.
6	lithospermifolia. R.S.	Gromwell-ld.	Caucasus.	1823.	— H. 4.	
7	suaveolens. R.S.	sweet-scented.	Europe.	—	— H. 4.	
8	arvensis. E.B.	corn.	Britain.	6. 9. H. ☉.	Eng. bot. 2558.
9	versicolor. E.B.	various-colour'd.	—	4. 6. H. ☉.	— 480. f. 1.
10	sparsiflora. R.S.	scattered-fl'd.	Europe.	1818.	— H. ☉.	
11	stricta. R.S.	upright.	—	—	— H. ☉.	
12	nana. R.S.	dwarf.	—	6. 8. H. 4.	Hacq. pl. alp. car. t. 2. f. 6
13	peduncularis. s.s.	peduncled.	Astracan.	1823.	— H. ☉.	
ECHINOSPERMUM. S.S.		ECHINOSPERMUM.	Pentandria Monogynia. S.S.			
1	virginianum. s.s. <i>Myosotis virginiana</i> . W.	Virginian.	Virginia.	1699.	6. 7. H. ♂.	Moris. s. 11. t. 30. f. 9.
2	deflexum. s.s.	deflexed.	Hungary.	1823.	— H. ♂.	Wahl. a. holm. 1810. t. 4.
3	Lappula. s.s.	common.	Europe.	1656.	4. 8. H. ☉.	Flor. dan. t. 692.
4	squarrosom. L.en. <i>patulum</i> . s.s.	squarrose.	Siberia.	1802.	— H. ☉.	
5	Redowskii. Lehm.	Redowski's.	Russia.	1821.	6. 7. H. ♂.	
6	barbatum. s.s.	bearded.	Tauria.	1819.	— H. ☉.	
7	marginatum. s.s.	margin'd.	Astracan.	—	— H. ☉.	
OMPHALODES. Lehm.		OMPHALODES.	Pentandria Monogynia. L.en.			
1	nitida. Lehm. <i>Cynoglossum nitidum</i> . B.M.	shining.	Portugal.	1812.	4. 6. H. 4.	Botan. magaz. 2529.
2	verna. L.en. <i>Cynoglossum Omphalodes</i> . B.M.	Comfrey-ld.	S. Europe.	1633.	3. 5. H. 4.	Botan. magaz. 7.
3	brassicæfolia. Lehm. <i>amplexicaulis</i> . Lehm.	stem clasping.	Spain.	1824.	6. 8. H. ☉.	Lehm. m. ber. 8. 2. t. 6.
4	linifolia. L.en.	Venus Navelwort.	Portugal.	1648.	— H. ☉.	Barrel. ic. 1234.
5	scorpioides. L.en.	variable-ld.	Bohemia.	1823.	— H. ☉.	Lehm. m. ber. 8. 2. t. 7.
6	sempervirens. D.P. <i>Anchusa sempervirens</i> . E.B.	evergreen.	Britain.	5. 6. H. 4.	Eng. bot. 45.
RINDERA. R.S.		RINDERA.	Pentandria Monogynia. R.S.			
	lævigata. R.S.	smooth.	Siberia.	1824.	6. 7. H. 4.	Pall. ross. 2. t. 88.
	tetraspis. Pall.	<i>Cynoglossum Rindera</i> . Pall.	<i>Cynoglossum lævigatum</i> . W.			
MATTIA. R.S.		MATTIA.	Pentandria Monogynia. R.S.			
1	umbellata. R.S.	umbel-flower'd.	Hungary.	1818.	6. 7. H. 4.	W. et K. hung. 2. t. 148.

2 lanata. R.S.	woolly.	Levant.	1800.	—	G. 4.	Tourn.an.mus.10. t.37.
<i>Cynoglossum lanatum. w.</i>						
CYNOGLOSSUM. R.S. HOUND'S-TONGUE. Pentandria Monogynia. L.						
1 officinale. R.S.	common.	Britain.	6. 7.	H. ♂.	Eng. bot. 921.
2 Hænkii. R.S.	rough-leaved.	Hungary.	1815.	—	H. ♂.	
3 sylvaticum. R.S.	green-leaved.	Britain.	—	H. ♂.	— 1642.
4 Dioscoridis. R.S.	Dioscoride's.	Dauphiny.	1818.	—	H. ♂.	
5 bicolor. R.S.	two-coloured.	Germany.	—	—	H. ♂.	
6 elongatum. R.S.	long-branched.	—	—	H. ♂.	
7 pictum. R.S.	Madeira.	Madeira.	1658.	8.	G. ♂.	Clus. hist. 2. f. 2.
8 hirsutum. R.S.	hairy.	C. B. S.	1806.	7. 8.	H. ⊙.	Jacq. schoen. 4. t. 489.
9 virginicum. s.s.	stem-clasping.	N.America.	1812.	6. 7.	H. 4.	
<i>amplexicaule. M.</i>						
10 clandestinum. R.S.	hidden-fl'd.	Barbary.	1823.	—	G. ♂.	Desf. atl. 1. t. 42.
11 canescens. R.S.	canescent.	E. Indies.	1815.	7. 10.	G. ⊙.	
12 apenninum. R.S.	Apennine.	Italy.	1731.	4. 7.	H. ♂.	Sabb.hort. rom.2. t.36.
13 magellense. R.S.	woolly.	—	1823.	5. 7.	H. 4.	
14 australe. B.P.	New Holland.	N. S. W.	1820.	—	G. 4.	
15 cheirifolium. s.s.	silvery-leaved.	Levant.	1596.	6. 7.	H. ♂.	
<i>Anchusa lanata. R.S.</i>						
TRICHODESMA. B.P. TRICHODESMA. Pentandria Monogynia. R.S.						
1 indicum. R.S.	Indian.	E. Indies.	1759.	6. 10.	H. ⊙.	Pluk. alm.30. t.76. f.3.
<i>Borago indica. L.</i>						
2 africanum. R.S.	African.	C. B. S.	—	7. 8.	H. ⊙.	Isn. act. par.1718.t.11.
3 zeylanicum. R.S.	Ceylon.	E. Indies.	1799.	—	S. ⊙.	Jacq. ic. 2. t. 314.
BORAGO. R.S. BORAGE. Pentandria Monogynia. L.						
1 officinalis. R.S.	common.	Britain.	6. 9.	H. ⊙.	Eng. bot. 36.
<i>β albiflora.</i>						
2 orientalis. R.S.	oriental.	Turkey.	1752.	3. 5.	H. 4.	Botan. regist. 288.
3 cretica. R.S.	Cretan.	Greece.	1823.	5. 6.	H. 4.	Flor. græc. t. 176.
4 laxiflora. R.S.	bell-flowered.	Corsica.	1813.	5. 8.	H. ♂.	Botan. magaz. 1798.
5 crassifolia. R.S.	thick-leaved.	Persia.	1824.	—	H. 4.	Venten. cels. t. 100.
TOURNEFORTIA. R.S. TOURNEFORTIA. Pentandria Monogynia. L.						
1 cymosa. R.S.	broad-leaved.	Jamaica.	1777.	7.	S. h.	Jacq. ic. t. 31.
2 fœtidissima. R.S.	Tobacco-leav'd.	—	1739.	9.	S. h.	Plum. ic. 226. t. 230.
3 bicolor. R.S.	two-coloured.	—	1812.	S. h.	
4 suffruticosa. R.S.	hoary-leaved.	—	1759.	6. 9.	S. h.	Sloan.hist.2. t.162. f.4.
5 mutabilis. R.S.	changeable.	Java.	1820.	—	S. h.	Venten. choix. t. 3.
6 gnaphalodes. R.S.	Gnaphalium-like.	W. Indies.	—	—	S. h.	Jacq. amer. t.173.f.11.
<i>Heliotropium gnaphalodes. w.</i>						
7 fruticosa. R.S.	shrubby.	Canaries.	1779.	6. 10.	G. h.	Botan. regist. 464.
<i>Messerschmidia fruticosa. w.</i>						
8 angustifolia. R.S.	narrow-leaved.	—	—	G. h.	
9 argentea. R.S.	silvery-leaved.	E. Indies.	1822.	—	S. h.	Rumph. amb. 4. t. 55.
10 Arguzia. R.S.	herbaceous.	Siberia.	1780.	—	H. 4.	Gmel. it. 2. t. 27.
MESSERSCHMIDIA. R.S. MESSERSCHMIDIA. Pentandria Monogynia. R.S.						
1 hirsutissima. R.S.	very hairy.	S. America.	1818.	5. 8.	S. h.	Sloan.hist.2. t.212. f.1.
<i>Tournefortia hirsutissima. w.</i>						
2 volubilis. R.S.	climbing.	Jamaica.	1752.	7. 8.	S. h. ∞.	— 1. t.143. f. 2.
<i>Tournefortia volubilis. w.</i>						
3 scandens. R.S.	scandent.	S. America.	1816.	—	S. h. ∞.	Flor. peruv. 2. t. 148.
4 laurifolia. R.S.	Laurel-leaved.	W. Indies.	1823.	S. h. ∞.	Venten. choix. t. 2.
BEURRERIA. G. BEURRERIA. Pentandria Monogynia. R.S.						
1 succulenta. s.s.	oval-leaved.	W. Indies.	1758.	5. 7.	S. h.	Jacq. obs. 2. t. 26.
2 exsucca. s.s.	dry-fruited.	—	1804.	—	S. h.	Jacq. amer. t.173. f.17.
EHRETIA. S.S. EHRETIA. Pentandria Monogynia. L.						
1 tinifolia. s.s.	Tinus-leaved.	Jamaica.	1734.	6. 7.	S. h.	Trew Ehret. t. 24.
2 acuminata. B.P.	acuminate.	N. S. W.	1820.	—	G. h.	
3 laxa. s.s.	loose-flowered.	Mauritius.	1821.	—	S. h.	Jacq. schoen. 1. t. 41.
4 internodis. s.s.	axillary-fl'd.	—	—	—	S. h.	L'Herit. stirp. 1. t. 24.
5 lævis. s.s.	smooth.	E. Indies.	1816.	S. h.	Roxb. corom. 1. t. 56.
6 buxifolia. s.s.	Box-leaved.	—	—	S. h.	— 1. t. 57.
7 microphylla. s.s.	small-leaved.	—	1818.	6. 8.	S. h.	Pluk. phyt. t. 31. f. 1.
8 aspera. s.s.	rough-leaved.	—	1795.	—	S. h.	Roxb. corom. 1. t. 55.
CORDIA. B.P. CORDIA. Pentandria Monogynia. L.						
1 Myxa. R.S.	smooth-leaved.	E. Indies.	1640.	S. h.	Rheed. mal. 4. t. 37.
2 monoica. R.S.	Birch-leaved.	—	1799.	3. 4.	S. h.	Roxb. corom. 1. t. 58.
3 Collococca. R.S.	long-leaved.	Jamaica.	1759.	S. h.	Sloan. hist.2. t.203. f.2.
4 micranthus. R.S.	small-flowered.	—	1822.	S. h.	

5	Geraschanthus. R.S.	Spanish Elm.	W. Indies.	1789.	5.	S. h.	Jacq. amer. t. 175. f. 16.
6	nodosa. R.S.	hairy.	Guiana.	1803.	6. 7.	S. h.	Aub. gui. 1. t. 86.
	<i>hirsuta</i> . W.	<i>Collococcus</i> . Aub. non. L.					
7	flavescens. R.S.	yellow-fruited.	————	1818.	S. h.	———— 1. t. 89.
8	spinescens. R.S.	spiny.	E. Indies.	————	S. h.	
9	macrophylla. R.S.	broad-leaved.	W. Indies.	1752.	S. h.	Sloan. hist. 2. t. 221. f. 1.
10	Sebestena. R.S.	rough-leaved.	————	1728.	7. 8.	S. h.	Botan. magaz. 794.
11	reticulata. R.S.	netted-leaved.	E. Indies.	1820.	—	S. h.	
	<i>angustifolia</i> . F.I.						
12	dentata. R.S.	toothed.	Caracas.	1823.	S. h.	
13	elliptica. R.S.	elliptic-leaved.	W. Indies.	1804.	S. h.	
14	dichotoma. R.S.	forked.	N. Holland.	1824.	S. h.	
15	angustifolia. R.S.	narrow-leaved.	Santa Cruz.	1808.	6. 8.	S. h.	
16	curassavica. R.S.	long-spiked.	S. America.	1759.	—	S. h.	Centur. amer. t. 56.
	<i>Varronia curassavica</i> . W.						
17	martinicensis. R.S.	Martinico.	Martinico.	1795.	8. 9.	S. h.	Jacq. amer. 41. t. 32.
18	bullata. R.S.	blister-leaved.	W. Indies.	1823.	S. h.	Jacq. amer. pict. t. 43.
19	monosperma. R.S.	single-seeded.	Caracas.	1820.	S. h.	Jacq. schœn. 1. t. 39.
20	lineata. R.S.	round-spiked.	W. Indies.	1793.	6. 9.	S. h.	Brown. jam. t. 13. f. 2.
	<i>Varronia lineata</i> . W.						
21	mirabiloides. R.S.	jointed.	Hispaniola.	1798.	9.	S. h.	Jacq. amer. 41. t. 33.
22	alba. R.S.	white-flowered.	Carthagena.	1818.	S. h.	Comm. hort. 1. t. 80.
23	bifurcata. R.S.	forked.	Peru.	—	S. h.	Flor. peruv. 2. t. 146. f. a.
	<i>Varronia dichotoma</i> . R.P. <i>parviflora</i> . P.S.						
PATAGONULA. R.S. PATAGONULA. Pentandria Monogynia. R.S.							
	<i>americana</i> . R.S.	spear-leaved.	S. America.	1732.	6. 8.	G. h.	Dill. elth. t. 226. f. 293.
	<i>Cordia Patagonula</i> . W.						

ORDO CXXVIII.

HYDROPHYLLEÆ. *Brown.*

HYDROPHYLLUM. L. WATER-LEAF. Pentandria Monogynia. L.							
1	virginicum. L.	Virginian.	N. America.	1739.	5. 6.	H. 2.	Botan. regist. 331.
2	canadense. L.	Canadian.	Canada.	1759.	—	H. 2.	— — — — 242.
PHACELIA. B.P. PHACELIA. Pentandria Monogynia. R.S.							
1	magellanica. B.P.	woolly.	Magellan.	1816.	6. 10.	H. 2.	Lam. j. hist. nat. t. 19.
	<i>Hydrophyllum magellanicum</i> . Lam.	<i>Aldea circinata</i> . W. en.					
2	Aldea. B.P.	various-leaved.	Peru.	1820.	—	G. 2.	Flor. peruv. 2. t. 14.
	<i>Aldea pinnata</i> . R.P.						
NEMOPHILA. N. NEMOPHILA. Pentandria Monogynia. S.S.							
1	phacelioides. N.	Phacelia-like.	N. America.	1822.	6. 9.	H. 2.	Swt. br. fl. gar. 32.
2	paniculata. s.s.	panicked.	————	1812.	5. 6.	H. 2.	
	<i>Hydrophyllum appendiculatum</i> . M.						
ELLISIA. R.S. ELLISIA. Pentandria Monogynia. W.							
	<i>Nyctelea</i> . R.S.	cut-leaved.	Virginia.	1755.	7. 8.	H. 2.	Lam. ill. t. 97.

ORDO CXXIX.

SOLANEÆ. *Brown prodr. 1. p. 443.*

Sect. I. PERICARPIUM CAPSULARE.

ANTHOCERCIS. B.P. ANTHOCERCIS. Didynamia Angiospermia. S.S.							
1	littorea. B.P.	yellow.	N. Holland.	1803.	5. 8.	G. h.	Botan. regist. 212.
2	albicans. Cun.	white-flowered.	————	1823.	4. 6.	G. h.	Ap. to B. Field trav. ic.
3	viscosa. B.P.	viscous.	————	—	—	G. h.	

- CELSIA. S.S.

- 1 orientalis. s.s.
- 2 Arcturus. w.
- 3 coromandelina. w.
- 4 cretica. s.s.
- 5 viscosa. s.s.
- 6 betonicaefolia. s.s.
- 7 sublanata. B.R.
- 8 lanceolata. s.s.

CELSIA. Pentandria Monogynia. L.

- | | | | | |
|-----------------|------------|-------|-------|-------|
| oriental. | Levant. | 1713. | 7. 8. | H. ⊙. |
| scollop-leaved. | Candia. | 1780. | 7. 9. | F. ♂. |
| Coromandel. | E. Indies. | 1783. | 7. 8. | S. ⊙. |
| great-flowered. | Crete. | 1752. | 7. 9. | F. ♂. |
| clammy. | | 1816. | — | F. ⊙. |
| Betony-leaved. | Barbary. | 1824. | — | F. ♂. |
| woolly. | | 1818. | — | H. ♀. |
| spear-leaved. | Levant. | 1816. | — | F. ♂. |

- Lam. ill. t. 532.
 Botan. magaz. 1962.
 Botan. magaz. 964.
 Botan. regist. 438.
 Venten. cels. t. 27.

- VERBASCUM. L.

MULLEIN. Pentandria Monogynia. L.

- | | | | | | |
|----------------------|------------------|------------|-------|-------|-------|
| 1 Thapsus. R.S. | Shepherd's club. | Britain. | | 7. 8. | H. ♂. |
| 2 elongatum. W.en. | long-spiked. | Europe. | 1813. | — | H. ♂. |
| 3 thapsoides. R.S. | branching. | Portugal. | | — | H. ♂. |
| 4 thapsiforme. R.S. | simple-stalked. | Europe. | | — | H. ♂. |
| 5 crassifolium. R.S. | thick-leaved. | S. Europe. | 1816. | — | H. ♂. |
| 6 cuspidatum. R.S. | sharp-pointed. | Austria. | — | — | H. ♂. |
| 7 gossypinum. M.B. | cottony. | Iberia. | 1824. | 6. 8. | H. ♂. |
| 8 niveum. R.S. | snowy. | Naples. | — | — | H. ♂. |
| 9 macranthum. R.S. | large-flowered. | Portugal. | 1823. | — | H. ♂. |
| 10 australe. R.S. | southern. | S. Europe. | 1816. | — | H. ♂. |
| 11 phlomoides. R.S. | woolly. | Italy. | 1739. | — | H. ♂. |

- Eng. bot. 549.
 Schrad. verb. t. 5. f. 2..
 H. et Lk. fl. port. 1. t. 26.
 Schrad. verb. t. 1. f. 1..
 Ten. fl. neap. t. 22.
 H. et Lk. fl. port. t. 27..
 Schrad. verb. t. 2.
 Mill. ic. t. 273.

- | | | | | | |
|----------------------|-----------------|------------|-------|-------|-------|
| 12 condensatum. R.S. | close-flowered. | Austria. | 1818. | — | H. ♂. |
| 13 nemorosum. R.S. | wood. | — | — | — | H. ♂. |
| 14 collinum. R.S. | hill. | Germany. | 1820. | — | H. ♂. |
| 15 versiflorum. R.S. | scattered-fl'd. | — | 1815. | 6. 8. | H. ♀. |
| 16 sinuatum. R.S. | scollop-leaved. | S. Europe. | 1570. | 7. 8. | H. ♂. |
| 17 undulatum. R.S. | plaited-leaved. | Levant. | 1816. | — | H. ♂. |

- Schrad. verb. t. 3.
 ——— t. 1. f. 2..
 ——— t. 5. f. 1..
 Flor. græc. t. 227.
 ——— t. 226.

- | | | | | | |
|-------------------------|-----------------|--------------|-------|-------|-------|
| 18 bipinnatifidum. B.M. | bipinnatifid. | Tauria. | 1813. | — | H. ♂. |
| 19 pinnatifidum. R.S. | pinnatifid. | Archipelago. | 1788. | 5. | G. ♀. |
| 20 Chaixi. R.S. | French. | France. | 1816. | 7. 8. | H. ♂. |
| 21 Boerhaavii. R.S. | annual. | S. Europe. | 1731. | — | H. ⊙. |
| 22 ovalifolium. B.M. | oval-leaved. | Caucasus. | 1804. | 7. 9. | H. ♀. |
| 23 formosum. B.R. | beautiful. | Russia. | 1814. | 7. 8. | H. ♂. |
| 24 Lychnitis. R.S. | white. | Britain. | | 6. 8. | H. ♂. |
| 25 austriacum. R.S. | Austrian. | Austria. | 1819. | — | H. ♂. |
| 26 pulverulentum. R.S. | powdered. | England. | | — | H. ♂. |
| 27 pyramidatum. R.S. | pyramidal. | Caucasus. | 1804. | 7. 8. | H. ♀. |
| 28 ovatum. R.S. | oval-leaved. | | — | — | H. ♂. |
| 29 rotundifolium. R.S. | round-leaved. | Naples. | 1826. | — | H. ♂. |
| 30 floccosum. R.S. | wool-bearing. | Hungary. | 1805. | 6. 7. | H. ♂. |
| 31 leptostachyum. R.S. | slender-spiked. | S. France. | 1824. | 7. 9. | H. ♂. |
| 32 angustifolium. R.S. | narrow-leaved. | Naples. | 1822. | — | H. ♂. |

- Botan. magaz. 1777.
 Vill. delph. 2. t. 13.
 Mill. ic. 2. t. 273.
 Botan. magaz. 1037.
 Botan. regist. 558.
 Eng. bot. 58.

- | | | | | | |
|-----------------------|-----------------|-----------|-------|-------|-------|
| 33 longifolium. R.S. | long-leaved. | — | — | — | H. ♂. |
| 34 nigrum. R.S. | black-rooted. | England. | | 6. 8. | H. ♀. |
| 35 orientale. R.S. | oriental. | Caucasus. | 1820. | — | H. ♀. |
| 36 Alopecurus. R.S. | fox-tail. | France. | 1818. | — | H. ♀. |
| 37 virgatum. R.S. | slender. | Britain. | | 8. | H. ♂. |
| 38 speciosum. R.S. | splendid. | Austria. | 1820. | 6. 8. | H. ♀. |
| 39 grandiflorum. R.S. | great-flowered. | | 1816. | — | H. ♀. |
| 40 Blattaria. R.S. | moth. | Britain. | | 7. 9. | H. ♂. |
| β album. | white-flowered. | | | — | H. ♂. |

- Eng. bot. 487.
 Swt. br. fl. gar. 31.
 Schrad. h. gott. t. 15.
 Ten. fl. neap. t. 23.
 W. et K. hung. 1. t. 79..
 Ten. fl. neap. t. 21.
 Eng. bot. 59.

- | | | | | | |
|------------------------|------------------|------------|-------|-------|-------|
| 41 repandum. R.S. | waved. | | 1813. | 7. 8. | H. ♂. |
| 42 glabrum. R.S. | smooth. | | 1805. | — | H. ♂. |
| 43 hæmorrhoidale. R.S. | Madeira. | Madeira. | 1777. | 6. 8. | G. ♂. |
| 44 cupreum. R.S. | copper-coloured. | Hybrid. | 1798. | 5. 9. | H. ♀. |
| 45 phoeniceum. R.S. | purple-flower'd. | S. Europe. | 1596. | 5. 8. | H. ♀. |
| 46 puniceum. R.S. | pink-flowered. | — | 1815. | — | H. ♀. |
| 47 rubiginosum. R.S. | brown-flower'd. | Hungary. | — | — | H. ♂. |
| 48 ferrugineum. R.S. | rusty. | S. Europe. | 1683. | — | H. ♀. |
| 49 triste. R.S. | dark-flowered. | Levant. | 1788. | — | H. ♀. |

- Eng. bot. 550.
 Schrad. h. gott. t. 16.
 ——— t. 15.
 Eng. bot. 293.

- | | | | | | |
|---------------------|-----------|---------|-------|-------|-------|
| 50 spectabile. M.B. | showy. | Tauria. | 1822. | 6. 8. | H. ♂. |
| 51 spinosum. R.S. | spiny. | Candia. | 1824. | 5. 8. | G. ♀. |
| 52 Osbeckii. | Osbeck's. | Spain. | 1752. | 7. 8. | H. ♂. |

- Botan. magaz. 1226.
 ——— 885.
 Schrad. h. gott. t. 14.
 W. et K. hung. 2. t. 197..
 Trew Ehret. t. 16. f. 1.
 Andr. reposit. t. 162.

- | | | | | | |
|-----------------|-------------------------------------|-----------|-------|----|-------|
| RAMONDA. P.S. | RAMONDA. Pentandria Monogynia. P.S. | — | — | — | — |
| pyrenaica. P.S. | Borage-leaved. | Pyrenees. | 1731. | 5. | H. ♀. |

- Moris. s. 5. t. 10. f. 8.
 Tourn. it. 2. t. 83.

Verbascum Myconi. B.M.

- Botan. magaz. 236.

HYOSCYAMUS. R.S. HENBANE.		Pentandria Monogynia. L.					
1	niger. R.S.	common.	Britain.	6. 7.	H. ♂.	Eng. bot. 591.
2	agrestis. R.S.	field.	Hungary.	1816.	6. 9.	H. ○.	Swt. br. fl. gar. 27.
3	pallidus. R.S.	pale-flowered.	—	1815.	—	H. ○.	
4	reticulatus. R.S.	Egyptian.	Egypt.	1640.	7. 9.	H. ○.	Comm. hort. 77. t. 22.
5	albus. R.S.	white.	S. Europe.	1570.	7. 8.	H. ○.	Flor. græc. t. 230.
6	aureus. R.S.	golden.	Levant.	1640.	3. 10.	G. ♀.	Botan. magaz. 87.
7	Senecionis. R.S.	yellow-flow'r'd.	Egypt.	1812.	—	G. ♀.	
8	canariensis. B.R.	various-leaved.	Canaries.	1816.	1. 12.	G. ♂.	Botan. regist. 180.
9	muticus. R.S.	three-coloured.	Egypt.	1818.	5. 8.	G. ♂.	
10	pusillus. R.S.	dwarf.	Persia.	1691.	7.	H. ○.	Pluk. alm. t. 37. f. 5.
11	physaloides. R.S.	purple-flow'r'd.	Siberia.	1777.	3. 4.	H. ♀.	Swt. br. fl. gar. 13.
12	orientalis. R.S.	oriental.	Iberia.	1815.	—	H. ♀.	— t. 12.
SCOPOLIA. Jacq.		SCOPOLIA. Pentandria Monogynia. R.S.					
	carniolica. Jacq.	Nightshade-ld.	Carniola.	1780.	4. 5.	H. ♀.	Botan. magaz. 1126.
	atropoides. R.S.	<i>Hyoscyamus Scopolia.</i> B.M.					
NICOTIANA. R.S.		TOBACCO. Pentandria Monogynia. L.					
1	chinensis. R.S.	Chinese.	China.	1815.	6. 8.	G. ♀.	
2	fruticosa. R.S.	frutescent.	C. B. S.	1699.	7. 9.	G. ♀.	
3	latissima. DC.	broad-leaved.	America.	—	H. ○.	
	macrophylla. R.S.						
4	Tabacum. R.S.	Virginian.	—	1570.	—	H. ○.	Blackw. t. 146.
	α attenuata.	slender.	—	—	H. ○.	
	β pallescens.	pale-flowered.	—	—	H. ○.	
	γ alipes.	winged.	—	—	H. ○.	
	δ serotina.	late-flowered.	—	—	H. ○.	
	ε gracilipes.	slender-stalked.	—	—	H. ○.	
	ζ Verdan.	Verdan.	—	—	H. ○.	
	η lingua.	tongue-leaved.	—	—	H. ○.	
5	angustifolia. R.S.	narrow-leaved.	Chili.	1822.	—	H. ○.	Flor. peruv. 2. t. 130. f. a.
6	viscosa. R.S.	viscous.	Buenos Ayres.	1824.	—	H. ○.	
7	pusilla. R.S.	Primrose-ld.	Vera Cruz.	1733.	8.	S. ♂.	Mill. ic. t. 185. f. 2.
8	glutinosa. R.S.	clammy.	Peru.	1759.	7. 9.	H. ○.	Swt. br. fl. gar. 107.
9	rustica. R.S.	common.	America.	1570.	—	H. ○.	Blackw. t. 437.
10	humilis. L.en.	lesser.	—	—	H. ○.	
11	paniculata. R.S.	panicked.	Peru.	1752.	—	H. ○.	Flor. peruv. 2. t. 129. f. b.
12	cerinthoides. R.S.	honeywort.	America.	1816.	—	H. ○.	Lehm. nicot. t. 2.
13	Langsdorffii. S.S.	Langsdorff's.	S. America.	1824.	—	H. ○.	Botan. magaz. 2555.
14	repanda. R.S.	stem-clasping.	Havannah.	1822.	8. 10.	H. ○.	— 2484.
	lyrata. K.S.						
15	plumbaginifolia. R.S.	curled-leaved.	America.	1816.	5. 10.	G. ♀.	Jacq. fragm. t. 84.
	crispa. Jacq.						
16	suaveolens. R.S.	sweet-scented.	N. S. W.	1800.	5. 9.	G. ♀.	Botan. magaz. 673.
	undulata. B.M.						
17	vincæflora. S.S.	Vinca-flower'd.	S. America.	1825.	8. 10.	H. ○.	
18	dilatata. L.en.	dilated-leaved.	—	—	—	H. ○.	
19	nana. B.R.	dwarf.	—	1822.	—	H. ○.	Botan. regist. 833.
20	quadrivalvis. R.S.	four-valved.	N. America.	1811.	7. 8.	H. ○.	Botan. magaz. 1778.
PETUNIA. J.		PETUNIA. Pentandria Monogynia. R.S.					
	nyctaginiflora. J.	large-flowered.	S. America.	1824.	4. 10.	G. ♀.	Swt. br. fl. gar. 119.
DATURA. R.S.		THORN-APPLE. Pentandria Monogynia. L.					
1	ferox. R.S.	Chinese.	China.	1731.	7. 10.	H. ○.	Zanon. hist. t. 162.
2	Stramonium. R.S.	common.	England.	—	H. ○.	Eng. bot. 1288.
3	Tatula. R.S.	light blue.	S. America.	1629.	—	H. ○.	Swt. br. fl. gar. 83.
4	muricata. S.S.	muricated.	1819.	—	H. ○.	
5	Metel. R.S.	downy.	Asia.	1596.	6. 10.	H. ○.	Botan. magaz. 1440.
6	quercifolia. K.S.	Oak-leaved.	Mexico.	1824.	—	H. ○.	
7	fastuosa. R.S.	purple.	Egypt.	1629.	—	H. ○.	Rumph. am. 5. t. 243. f. 2.
8	lævis. R.S.	smooth-fruited.	Africa.	1780.	—	H. ○.	Jacq. vind. 3. t. 82.
9	ceratocaula. R.S.	horn-stalked.	Cuba.	1805.	—	H. ○.	Jacq. schœn. 3. t. 339.
10	fruticosa. L.en.	frutescent.	1825.	—	S. ♀.	
BRUGMANSIA. P.S.		BRUGMANSIA. Pentandria Monogynia. R.S.					
1	candida. P.S.	downy-stalked.	Peru.	1818.	8. 9.	S. ♀.	Flor. peruv. 2. t. 128.
	Datura arborea. L.						
2	suaveolens.	smooth-stalked.	S. America.	1733.	—	S. ♀.	
	Datura arborea. Hort.						
VESTIA. W.		VESTIA. Pentandria Monogynia. W.					
	lycioides. W.en.	Box-thorn-like.	Chili.	1815.	1. 12.	G. ♀.	Botan. regist. 299.

Sect. II. *PERICARPIUM BACCATUM.*

ANISODUS. S.S.	ANISODUS. Pentandria Monogynia. S.S.				
luridus. s.s.	lurid. Nepaul.	1823.	8. 10.	H. 4.	
WHITLEYA. B.F.G.	WHITLEYA. Pentandria Monogynia.				
stramonifolia. B.F.G.	Stramonium-ld. Nepaul.	1818.	7. 9.	H. 4.	Swt. br. fl. gar. 125.
ATROPA. R.S.	ATROPA. Pentandria Monogynia. L.				
1 Belladonna. R.S.	deadly nightshade. Britain.	6. 7.	H. 4.	Eng. bot. 592.
2 arborescens. R.S.	shrubby. Peru.	1819.	—	G. 4.	Flor. peruv. 2. t. 182. f. a.
SARACHA. R.S.	SARACHA. Pentandria Monogynia.				
1 procumbens. R.P.	procumbent. Peru.	1822.	7. 9.	H. 4.	Cavan. ic. 1. t. 72.
<i>Atropa procumbens.</i>	<i>Cav. Bellinia procumbens.</i> R.S.				
2 umbellata. DC.	umbel-flower'd. Peru.	—	—	H. 4.	Swt. br. fl. gar. 85.
MANDRAGORA. J.	MANDRAKE. Pentandria Monogynia. R.S.				
1 præcox. B.F.G.	small-leaved. Switzerland.	1818.	3. 4.	H. 4.	Swt. br. fl. gar. ic.
2 vernalis. s.s.	large-leaved. S. Europe.	1562.	5. 6.	H. 4.	
3 autumnalis. s.s.	autumn-flow'r'd. Levant.	—	8. 9.	H. 4.	Flor. græc. t. 232.
NOLANA. R.S.	NOLANA. Pentandria Monogynia. L.				
1 prostrata. R.S.	trailing. Peru.	1761.	7. 9.	H. 4.	Botan. magaz. 731.
2 paradoxa. B.R.	violet-coloured. Chili.	1822.	—	H. 4.	— 2604.
NICANDRA. R.S.	NICANDRA. Pentandria Monogynia. R.S.				
1 physaloides. R.S.	American. America.	1759.	7. 9.	H. 4.	Botan. magaz. 2458.
2 indica. R.S.	Indian. Nepaul.	1823.	—	H. 4.	Rumph. amb. 6. t. 26. f. 1.
PHYSALIS. R.S.	WINTER CHERRY. Pentandria Monogynia. L.				
1 arborescens. W.	arborescent. Campeachy.	1733.	6. 8.	S. 4.	Mill. ic. 2. t. 206. f. 2.
2 frutescens. DC.	frutescent. Spain.	1737.	1. 3.	G. 4.	Cavan. ic. 2. t. 102.
<i>Atropa frutescens.</i> R.S.					
3 aristata. W.	bearded. Canaries.	1779.	5. 8.	G. 4.	
<i>Atropa aristata.</i> R.S.					
4 somnifera. R.S.	clustered. Mexico.	1596.	7. 8.	G. 4.	Cavan. ic. 2. t. 103.
5 flexuosa. R.S.	flexuose. E. Indies.	1759.	—	G. 4.	Jacq. f. ecl. t. 23.
6 curassavica. R.S.	Curassavian. S. America.	1699.	6. 9.	S. 4.	Pluk. alm. t. 111. f. 5.
7 viscosa. R.S.	clammy. America.	1732.	7.	H. 4.	Botan. magaz. 2625.
8 pensylvanica. R.S.	Pensylvanian. N. America.	1726.	7. 9.	H. 4.	
9 Jacquinii. L.en.	Jacquin's. —	—	H. 4.	Jacq. vind. 2. t. 136.
<i>viscosa.</i> Jacq. non L.					
10 Alkekengi. R.S.	common. S. Europe.	1548.	—	H. 4.	Flor. græc. t. 234.
11 tuberosa. R.S.	tuberous-root'd.	1816.	—	S. 4.	
12 chenopodifolia. R.S.	goose-foot-ld. S. America.	1798.	7. 8.	S. 4.	
13 peruviana. R.S.	Peruvian. Peru.	1773.	—	S. 4.	
14 edulis. B.M.	eatable. S. America.	—	—	S. 4.	Botan. magaz. 1068.
15 pubescens. R.S.	pubescent. America.	1640.	—	H. 4.	Feuil. per. 3. t. 1.
16 micrantha. L.en.	small-flowered. —	—	H. 4.	
17 nodosa. R.S.	knotted. —	—	H. 4.	
18 barbadensis. R.S.	Barbadoes. W. Indies.	1798.	—	H. 4.	Jacq. ic. 1. t. 39.
19 dubia. L.en.	dubious. Brazil.	1819.	—	H. 4.	
20 foetidissima. R.S.	stinking. New Spain.	—	—	H. 4.	
21 angulata. R.S.	angular-branch'd. India.	1732.	6. 9.	H. 4.	Dill. elth. t. 12. f. 12.
22 atriplicifolia. R.S.	Atriplex-ld.	1798.	7. 8.	H. 4.	Jacq. frag. t. 85. f. a.
<i>chenopodifolia.</i> W.					
23 minima. R.S.	least. E. Indies.	1759.	—	H. 4.	Rheed. mal. 10. t. 71.
24 pruinosa. R.S.	hairy annual. America.	1726.	7. 8.	H. 4.	Dill. elth. 10. t. 9. f. 9.
25 Lagascæ. R.S.	Lagascæ's. New Spain.	1824.	—	H. 4.	
26 prostrata. R.S.	trailing. Peru.	1782.	—	H. 4.	Andr. reposit. 75.
CAPSICUM. R.S.	CAPSICUM. Pentandria Monogynia. L.				
1 annuum. R.S.	annual. India.	1548.	6. 7.	G. 4.	Rheed. mal. 2. t. 35.
2 longum. R.S.	long-fruited.	—	—	G. 4.	Dodon. pemph. 716. f. 33.
3 cordiforme. R.S.	heart-shaped. India.	—	G. 4.	
4 tetragonum. R.S.	four-sided. —	—	G. 4.	
5 angulosum. R.S.	angular-fruit'd.	—	—	S. 4.	
6 sphæricum. R.S.	round-fruited.	1807.	4. 7.	S. 4.	
7 ovatum. R.S.	oval-fruited.	—	—	S. 4.	
8 pendulum. R.S.	pendulous.	1804.	—	S. 4.	
9 grossum. R.S.	various-fruited. India.	1759.	5. 8.	S. 4.	Besl. cyst. 2. t. 2. f. 1.
<i>a globosum.</i> R.S.	globular-fruited. —	—	—	S. 4.	
<i>β luteum.</i> R.S.	yellow oval-fruit'd. —	—	—	S. 4.	

10	conoides. R.S.	conical-fruited.	India.	5. 8.	S. h.	
11	pyramidale. R.S.	pyramidal.	Egypt.	—	S. h.	
12	cerasiforme. R.S.	Cherry-fruit'd.	W. Indies.	1759.	—	S. h.	
13	Milleri. R.S.	Miller's.	New Spain.	—	—	S. h.	
	<i>cerasiforme. Mil.</i>						
14	frutescens. R.S.	shrubby.	India.	1656.	6. 9.	S. h.	Rheed. mal. 2. t. 56.
	<i>β torulosum.</i>	twisted.	—	—	S. h.	
15	bicolor. R.S.	purple-flow'r'd.	W. Indies.	1804.	—	S. h.	Botan. magaz. 1835.
	<i>nigrum. W.en. violaceum. DC.</i>						
16	baccatum. R.S.	Bird pepper.	India.	1731.	—	S. h.	Sloan. j. 1. t. 146. f. 2.
17	sinense. R.S.	oval Chinese.	China.	1807.	—	S. h.	Jacq. vind. 3. t. 67.
18	microcarpum. R.S.	small-fruited.	S. America.	1824.	—	S. h.	
19	micranthum. R.S.	small-flowered.	Brazil.	—	—	S. h.	
LYCOPERSICUM. R.S. LOVE-APPLE. Pentandria Monogynia. R.S.							
1	pimpinellifolium. R.S.	Pimpinella-ld.	S. America.	6. 8.	S. 4.	
2	peruvianum. R.S.	Peruvian.	Peru.	—	G. 4.	Jacq. ic. t. 327.
	<i>Solanum peruvianum. w.</i>						
3	Humboldtii. R.S.	Humboldt's.	S. America.	1815.	—	H. ⊙.	Willd. hort. ber. 1. t. 27.
4	pyriforme. R.S.	Pear-fruited.	—	—	H. ⊙.	Dunal solan. t. 26.
5	cerasiforme. R.S.	Cherry-fruited.	Peru.	1800.	7. 9.	H. ⊙.	Jacq. vind. 1. t. 11.
	<i>Solanum pseudolycopersicum. Jacq.</i>						
	<i>α ruber.</i>	red-fruited.	—	—	—	H. ⊙.	
	<i>β luteum.</i>	yellow-fruited.	—	—	—	H. ⊙.	
6	esulentum. R.S.	Tomato.	S. America.	1596.	—	H. ⊙.	Dunal solan. t. 3. f. 3.
	<i>α erythrocarpum.</i>	red-fruited.	—	—	—	H. ⊙.	
	<i>β chrysocarpum.</i>	yellow-fruited.	—	—	—	H. ⊙.	
	<i>γ leucocarpum.</i>	white-fruited.	—	—	—	H. ⊙.	
7	procumbens. R.S.	procumbent.	—	—	H. ⊙.	
SOLANUM. R.S. NIGHTSHADE. Pentandria Monogynia. L.							
1	tuberosum. R.S.	Potatoe.	Peru.	1597.	6. 8.	H. 4.	Plenck off. t. 121.
2	appendiculatum. R.S.	appendaged.	Mexico.	1823.	—	S. h.	Dunal solan. ed. 2. t. 84.
3	Seaforthianum. R.S.	Seaforth's.	Barbadoes.	1804.	7. 9.	S. h.	Andr. reposit. 504.
4	betaceum. R.S.	Beet-leaved.	New Spain.	1803.	6. 7.	S. h.	— 511.
5	muricatum. R.S.	warted.	Peru.	1785.	7. 8.	S. h.	Feuil. peruv. 2. t. 26.
6	diversifolium. R.S.	different-leav'd.	Caracas.	1824.	—	S. h.	Dunal solan. ed. 2. t. 88.
7	oliganthum. R.S.	climbing.	Orinoco.	—	—	S. h.	— ed. 2. t. 90.
8	reclinatum. R.S.	reclining.	Peru.	—	S. h.	
9	laciniatum. B.P.	cut-leaved.	N. Holland.	1772.	—	G. h.	Botan. magaz. 349.
	<i>α fruticosum.</i>	frutescent.	N. S. W.	—	—	G. h.	
	<i>β herbaceum.</i>	herbaceous.	V. Diem. Isl.	—	—	G. 4.	
10	quercifolium. R.S.	Oak-leaved.	Peru.	1787.	6. 7.	H. 4.	Feull. per. 2. t. 15?
11	radicans. R.S.	rooting.	—	1771.	7. 8.	G. 4.	Linn. dec. 1. t. 10.
12	corymbosum. R.S.	corymb-flow'r'd.	—	1786.	—	S. 4.	Jacq. ic. 1. t. 40.
13	Dulcamara. R.S.	bitter-sweet.	Britain.	6. 8.	H. h.	Eng. bot. 565.
	<i>β album.</i>	white-flowered.	—	—	H. h.	
	<i>γ variegatum.</i>	variegated.	—	—	H. h.	
14	littorale. L.en	sea-side.	Europe.	—	H. h.	
15	Tegore. R.S.	hairy-stemmed.	Guiana.	1820.	—	S. h.	Aubl. guian. 1. t. 84.
16	quitense. s.s.	Lima.	Lima.	1825.	—	S. h.	Dun. sol. ed. 2. t. 92. f. b.
17	macrocarpon. s.s.	large-fruited.	Peru.	1759.	5. 9.	S. h.	Mill. ic. 2. t. 294.
18	calycinum. R.S.	large-calyxed.	Mexico.	1825.	—	S. h.	Dunal sol. ed. 2. t. 29.
19	racemiflorum. R.S.	racemed.	S. America.	1818.	7. 9.	H. ⊙.	Jacq. schœn. 3. t. 333.
20	æthiopicum. R.S.	Ethiopian.	Ethiopia.	1597.	—	H. ⊙.	Jacq. vind. 1. t. 12.
21	Zuccagnianum. R.S.	Zuccagni's.	1818.	—	H. ⊙.	Dunal solan. t. 11.
22	pseudo-capsicum.	Winter-cherry.	Madeira.	1596.	6. 9.	G. h.	Sabb. h. rom. t. 59.
23	Dillenii. R.S.	Dillenius's.	Hungary.	—	H. ⊙.	Dill. elth. t. 275. f. 355.
24	nodiflorum. R.S.	knot-flowered.	Guiana.	1815.	—	G. ⊙.	Jacq. ic. 2. t. 326.
25	guineense. R.S.	large-berried.	Guinea.	—	H. ⊙.	Dill. elth. t. 274. f. 354.
26	nigrum. R.S.	black-berried.	Britain.	—	H. ⊙.	Eng. bot. 566.
27	suffruticosum. R.S.	frutescent.	Barbary.	1804.	5. 9.	G. h.	
28	oleraceum. R.S.	cultivated.	W. Indies.	6. 9.	S. ⊙.	Piso lib. 4. c. 50. f. 3.
29	pterochaule. R.S.	wing-stalked.	America.	—	H. ⊙.	Dill. elth. t. 275. f. 256.
30	judaicum. R.S.	rough-stalked.	Europe.	—	H. ⊙.	
31	triangulare. R.S.	three-sided.	E. Indies.	—	S. ⊙.	
32	rubrum. R.S.	red-berried.	S. America.	—	H. ⊙.	
33	miniatum. R.S.	pubescent-stalk'd.	Europe.	—	H. ⊙.	
34	humile. R.S.	small.	S. Europe.	—	H. ⊙.	
35	flavum. R.S.	yellow-berried.	Hungary.	1816.	—	H. ⊙.	
	<i>ochroleucum. Dun.</i>						

36	<i>villosum</i> . R.S.	villous annual.	S. Europe.	—	H.⊙.	Dill. elth. t. 274. f. 353.
37	<i>hirsutum</i> . R.S.	hairy annual.	Egypt.	—	H.⊙.	
38	<i>longiflorum</i> . R.S. <i>longifolium</i> . Dun.	long-flowered.	Guiana.	1823.	6. 8.	S. h.	Dunal solan. t. 9.
39	<i>triquetrum</i> . R.S.	triquetrous.	New Spain.	1821.	—	S. h.	Cavan. ic. 3. t. 259.
40	<i>bombense</i> . R.S.	Bomba.	S. America.	1818.	—	S. h.	Jacq. f. eclog. t. 24.
41	<i>pubigerum</i> . R.S. <i>Cervantesii</i> . Lag.	downy.	Mexico.	1823.	—	S. h.	Dunal sol. t. 6.
42	<i>verbascifolium</i> . R.S.	Mullein-leaved.	W. Indies.	1749.	—	S. h.	Jacq. vind. 1. t. 13.
43	<i>auriculatum</i> . R.S.	ear-leaved.	Madagascar.	1773.	S. h.	Scop. del. 3. t. 8.
44	<i>pubescens</i> . R.S.	pubescent.	E. Indies.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 3.
45	<i>argenteum</i> . R.S.	silvery.	Brazil.	—	—	S. h.	Dunal sol. ed. 2. t. 39.
46	<i>diphyllum</i> . R.S.	two-leaved.	W. Indies.	1699.	6. 7.	S. h.	Jacq. ic. 2. t. 322.
47	<i>arborescens</i> . R.S.	tree.	Cumana.	1819.	—	S. h.	Dunal sol. ed. 2. t. 198.
48	<i>havanense</i> . R.S.	Havannah.	W. Indies.	1793.	7. 8.	S. h.	Jacq. amer. pict. t. 48.
49	<i>aggregatum</i> . R.S.	crowded.	Guinea.	—	—	S. h.	Jacq. ic. 2. t. 323.
50	<i>lycioides</i> . R.S.	spiny.	Peru.	1791.	5. 6.	S. h.	— 1. t. 46.
51	<i>monanthum</i> . R.S.	one-flowered.	New Spain.	1816.	—	S. h.	
52	<i>fugax</i> . R.S.	fugacious.	Caracas.	—	—	S. h.	Jacq. ic. 2. t. 324.
53	<i>stellatum</i> . R.S.	starry.	S. America.	—	—	S. h.	— 2. t. 325.
54	<i>virgatum</i> . R.S.	twiggy.	W. Indies.	1819.	—	S. h.	Dunal sol. ed. 2. t. 40.
55	<i>lentum</i> . R.S.	climbing woolly.	New Spain.	1823.	6. 8.	S. h.	Cavan. ic. 4. t. 308.
56	<i>elæagnifolium</i> . R.S.	Elæagnus-ld.	Chili.	—	—	S. h.	— 3. t. 243.
57	<i>stelligerum</i> . R.S.	starry-haired.	N. Holland.	1820.	—	S. h.	Sm. exot. bot. 2. t. 88.
58	<i>racemosum</i> . R.S.	wave-leaved.	W. Indies.	1781.	7. 8.	S. h.	Jacq. amer. pict. t. 50.
59	<i>igneum</i> . R.S.	red-spined.	S. America.	1714.	3. 11.	S. h.	Jacq. vind. 1. t. 14.
60	<i>subarmatum</i> . R.S.	partly armed.	—	1823.	—	S. h.	
61	<i>bahamense</i> . R.S.	Bahama.	Bahama.	1732.	6. 7.	S. h.	Dill. elth. t. 271. f. 350.
62	<i>hirtum</i> . R.S.	hairy-calyc'd.	Trinidad.	1823.	—	S. h.	Vahl. rar. d. 3. t. 21.
63	<i>tomentosum</i> . R.S.	tomentose.	S. America.	1662.	—	S. h.	Bocc. sic. 8. t. 5.
64	<i>hybridum</i> . R.S.	hybrid.	Guinea.	1815.	—	S. h.	Jacq. vind. 2. t. 113.
65	<i>coccineum</i> . R.S.	scarlet-fruited.	1820.	—	S. h.	Jacq. ic. 1. t. 43.
66	<i>jamaicense</i> . R.S.	Jamaica.	Jamaica.	—	—	S. h.	
67	<i>cuneifolium</i> . R.S.	wedge-leaved.	W. Indies.	—	S. h.	Dunal sol. t. 22.
68	<i>heterophyllum</i> . R.S.	variable-leav'd.	Guiana.	1823.	7. 9.	S. h.	— ed. 2. t. 62.
69	<i>volubile</i> . R.S.	twining.	Hispaniola.	—	—	S. h.	Plum. Mss. t. 4. f. 32.
70	<i>lanceæfolium</i> . R.S.	lance-leaved.	S. America.	—	S. h.	Jacq. ic. 2. t. 329.
71	<i>bonariense</i> . R.S.	Buenos Ayres.	Buenos Ayres.	1727.	6. 9.	H. h.	Dill. elth. t. 272. f. 351.
72	<i>fastigiatum</i> . R.S.	fastigate.	S. America.	1820.	—	S. h.	Jacq. f. eclog. t. 6.
73	<i>oporinum</i> . R.S. <i>macrophyllum</i> . Dun.	large-leaved.	—	—	—	S. h.	Dunal sol. t. 16.
74	<i>subinerme</i> . R.S.	spear-leaved.	W. Indies.	1752.	7. 8.	S. h.	Jacq. amer. t. 40. f. 3.
75	<i>lanceolatum</i> . R.S.	lanceolate.	New Spain.	6. 7.	S. h.	Cavan. ic. 3. t. 245.
76	<i>astroides</i> . Jacq.	Aster-like.	S. America.	1823.	—	S. h.	Jacq. f. eclog. t. 65.
77	<i>glutinosum</i> . R.S.	glutinous.	1818.	6. 8.	S. h.	Dunal sol. ed. 2. t. 54.
78	<i>Brownii</i> . R.S.	Brown's.	N. S. W.	1820.	—	S. h.	
	<i>violaceum</i> . B.P. non Jacq.						
79	<i>giganteum</i> . R.S.	tall.	C. B. S.	1792.	—	G. h.	Botan. magaz. 1921.
80	<i>torvum</i> . R.S.	curved-prick'd.	W. Indies.	1816.	—	S. h.	
81	<i>ferrugineum</i> . R.S.	ferruginous.	—	—	S. h.	Jacq. schœn. 3. t. 334.
82	<i>esculentum</i> . R.S.	eatable.	Tropics.	1597.	6. 9.	G.⊙.	Dunal sol. t. 3. f. E.
83	<i>ovigerum</i> . R.S. <i>α violaceum</i> . <i>β album</i> . <i>γ luteum</i> . <i>δ ruber</i> .	Egg-plant. violet-fruited. white-fruited. yellow-fruited. red-fruited.	Arabia.	G.⊙. G.⊙. G.⊙. G.⊙. G.⊙.	Blackw. t. 549.
84	<i>undatum</i> . R.S.	waved.	E. Indies.	1818.	—	S. h.	Rheed. mal. 2. t. 37.
85	<i>fuscatum</i> . R.S.	brown branch'd.	America.	7. 8.	G.⊙.	Jacq. ic. 1. t. 42.
86	<i>sodomeum</i> . R.S.	black-spined.	Africa.	1688.	6. 7.	G. h.	Flor. græc. t. 235.
87	<i>incanum</i> . R.S.	hoary.	Mauritius.	1823.	—	S. h.	Scop. del. 1. t. 1.
88	<i>indicum</i> . R.S.	Indian.	India.	1732.	7.	S. h.	Dill. elth. t. 270. f. 349.
89	<i>coagulans</i> . R.S.	scollop-leaved.	Arabia Felix.	1802.	—	S. h.	Jacq. schœn. 4. t. 469.
90	<i>sanctum</i> . R.S.	oblique-leaved.	Egypt.	—	—	S. h.	
91	<i>marginatum</i> . R.S.	white margin'd.	Africa.	1775.	6. 9.	G. h.	Botan. magaz. 1928.
92	<i>congenise</i> . Len.	Congo.	—	1815.	—	G. h.	
93	<i>campechiense</i> . R.S.	purple-spined.	America.	1732.	7.	G. h.	Dill. elth. t. 268. f. 347.
94	<i>platanifolium</i> . B.M.	Plane-leaved.	S. America.	1822.	7. 9.	S. h.	Botan. magaz. 2618.
95	<i>myriacanthum</i> . R.S.	many-spined.	—	—	—	S. h.	
96	<i>aculeatissimum</i> . R.S.	very-prickly.	—	1800.	—	S. h.	Jacq. ic. 1. t. 41.

97	mammosum. R.S.	nipple.	W. Indies.	1699.	7. 8.	H.⊙.	Merian. surin. t. 27.
98	ciliatum. R.S.	ciliated.	1816.	—	H.⊙.	Dunal sol. t. 18.
99	stramonifolium. R.S.	broad-leaved.	E. Indies.	1778.	6. 9.	S. h.	Jacq. ic. 1. t. 44.
100	flavescens. R.S.	yellowish.	Trinidad.	1822.	—	S. h.	
101	ferox. R.S.	Malabar.	Malabar.	1795.	8. 9.	S. 4.	Dunal sol. ed. 2. t. 68.
102	campanulatum. B.P.	bell-flowered.	N. S. W.	1818.	—	G.⊙.	
103	armatum. B.P.	armed.	—	1819.	—	S. 4.	Dunal sol. ed. 2. t. 69.
104	pungetium. B.P.	pungent.	—	1823.	—	G.⊙.	— ed. 2. t. 70.
105	cinereum. B.P.	grey.	—	—	—	G. 4.	
106	Milleri. R.S.	Miller's.	C. B. S.	1762.	7. 8.	G. h.	Jacq. ic. 2. t. 330.
107	trilobatum. R.S.	three-lobed.	W. Indies.	1759.	8.	S. h.	Pluk. alm. t. 316. f. 5.
108	acetosæfolium. R.S.	Sorrel-leaved.	E. Indies.	—	—	S. h.	Burm. ind. t. 22. f. 2.
109	rigescens. R.S.	rigid.	C. B. S.	1815.	6. 8.	G. h.	Jacq. schœn. 1. t. 42.
110	carolinense. R.S.	Carolina.	Carolina.	1732.	7. 9.	G. 4.	Jacq. ic. 2. t. 331.
111	pyracanthum. B.M.	orange-thorn'd.	Madagascar.	1789.	8. 9.	S. h.	Sm. exot. bot. 2. t. 64.
	<i>β inermis.</i>	<i>smooth-calyxed.</i>	—	—	—	S. h.	Botan. magaz. 2547.
112	virginianum. R.S.	Virginian.	Virginia.	1662.	5. 8.	H.⊙.	Dill. elth. t. 267. f. 346.
113	Jacquini. R.S.	Jacquin's.	E. Indies.	1804.	9. 11.	S.⊙.	Jacq. ic. 2. t. 332.
114	Balbisii. R.S.	Balbis's.	S. America.	1816.	4. 9.	S. h.	Botan. magaz. 2568.
	<i>decurrens. B.R. 140.</i>	<i>brancæfolium. Jacq.</i>	<i>f. ecl. t. 7. viscosum. DC.</i>	—	—	—	—
115	scandens. R.S.	scandent.	Surinam.	1822.	S. h.~.	
NYCTERIUM. V. NYCTERIUM. Pentandria Monogynia.							
1	cordifolium. v.	Canary.	Canaries.	1779.	3. 4.	G. h.	Venten. malm. 85.
	<i>Solanum vespertilio. R.S.</i>						
2	Amazonium. B.M.	Lambert's.	Brazil.	1814.	5. 9.	S. h.	Botan. magaz. 1801.
	<i>Solanum Amazonium. B.R. 71.</i>						
3	cornutum. L.en.	horned.	S. America.	1825.	—	S. h.	Juss. ann. mus. 3. t. 9.
4	lobatum.	Missouri.	Missouri.	1813.	7. 9.	H.⊙.	Pursh fl. amer. 1. t. 7.
	<i>Solanum heterandrum. Ph. Androcera lobata. N.</i>						
5	rostratum. L.en.	beaked.	Mexico.	1823.	—	H.⊙.	Dunal sol. t. 24.
6	Fontanesianum.	Desfontaine's.	Brazil.	1813.	—	H.⊙.	Botan. regist. 177.
7	heterodoxum. L.en.	very prickly.	Mexico.	1824.	—	H.⊙.	Dunal sol. t. 25.
WITHERINGIA. R.S. WITHERINGIA. Tetr-Pentandria Monogynia.							
1	solanacea. R.S.	yellow-flower'd.	S. America.	1742.	5. 9.	S. 4.	L'Herit. sert. angl. t. 1.
2	stramonifolia. K.S.	Stramonium-ld.	Mexico.	1823.	—	S. h.	
3	crassifolia. R.S.	thick-leaved.	C. B. S.	—	G. h.	Dill. elth. t. 273. f. 352.
4	montana. R.S.	mountain.	Peru.	1822.	—	G. 4.	Feuil. peruv. t. 46.
5	phyllantha. R.S.	annual.	—	—	7. 9.	H.⊙.	Cavan. ic. 4. t. 359. f. 1.
6	pinnatifida. R.S.	pinnatifid.	—	—	6. 8.	G. 4.	Flor. peruv. 2. t. 170. f. b.
CESTRUM. R.S. CESTRUM. Pentandria Monogynia. L.							
1	laurifolium. R.S.	Laurel-leaved.	W. Indies.	1691.	5. 8.	S. h.	Smith spicil. 2. t. 2.
2	citrifolium. R.S.	Citron-leaved.	1816.	—	S. h.	
3	macrophyllum. R.S.	large-leaved.	W. Indies.	1812.	—	S. h.	Venten. choix. 18.
4	venenatum. R.S.	poisonous.	C. B. S.	1787.	2. 4.	G. h.	
5	nocturnum. R.S.	night-smelling.	E. Indies.	1732.	11.	S. h.	Dill. elth. t. 153. f. 185.
6	hirtum. R.S.	hairy.	Jamaica.	1822.	5. 8.	S. h.	
7	Parqui. R.S.	Willow-leaved.	S. America.	1787.	6. 7.	G. h.	Botan. magaz. 1770.
8	suberosum. R.S.	cork-barked.	1815.	—	S. h.	Jacq. schœn. 4. t. 452.
9	auriculatum. W.	eared-leaved.	Peru.	1774.	—	S. h.	L'Herit. s. nov. 1. t. 35.
10	tinctorium. R.S.	dying.	Caracas.	1823.	5. 6.	S. h.	Jacq. schœn. 3. t. 332.
11	undulatum. R.S.	waved-leaved.	Peru.	—	—	S. h.	Flor. peruv. 2. t. 155.
12	latifolium. R.S.	broad-leaved.	Trinidad.	1822.	—	S. h.	
13	hirsutum. R.S.	hairy-stalked.	—	—	S. h.	Jacq. schœn. 3. t. 324.
14	cauliflorum. R.S.	stem-flowering.	Martinica.	1818.	—	S. h.	— 3. t. 325.
15	salicifolium. R.S.	Sallow-leaved.	Caracas.	3. 6.	S. h.	— 3. t. 326.
16	pendulinum. R.S.	pendulous.	—	1820.	—	S. h.	— 3. t. 327.
17	vespertinum. R.S.	cluster-flow'r'd.	W. Indies.	1759.	5. 7.	S. h.	— 3. t. 328.
18	fœtidissimum. R.S.	stinking.	—	5. 8.	S. h.	— 3. t. 329.
19	fastigiatum. R.S.	Honeysuckle.	—	10. 12.	S. h.	Botan. magaz. 1729.
20	odontospermum. R.S.	smooth.	1793.	7. 9.	S. h.	
21	diurnum. R.S.	day smelling.	W. Indies.	1732.	10. 11.	S. h.	Dill. elth. t. 154. f. 186.
22	tomentosum. R.S.	downy.	S. America.	1790.	6. 7.	S. h.	
23	angustifolium. B.C.	narrow-leaved.	—	1820.	—	S. h.	Lodd. bot. cab. 618.
LYCIUM. R.S. BOX-THORN. Pentandria Monogynia. L.							
1	afrum. R.S.	African.	C. B. S.	1712.	6. 7.	H. h.	Bot. reg. 354.
2	tenue. R.S.	slender.	—	—	—	H. h.	
3	rigidum. R.S.	rigid.	—	1795.	—	H. h.	Trew Ehret. t. 24. f. 1.
4	carnosum. P.S.	fleshy-leaved.	—	—	—	H. h.	
5	microphylla. R.S.	small-leaved.	—	—	—	H. h.	

6 ruthenicum. R.S.	Russian.	Siberia.	1804.	—	H. h.	Pall. ros. 1. t. 49.
7 tetrandrum. R.S.	tetrandrous.	C. B. S.	—	H. h.	
8 barbarum. R.S.	Willow-leaved.	Barbary.	1696.	5. 8.	H. h.	Wats. dend. brit. 9.
9 Shawii. R.S.	white-flowered.	—	—	H. h.	Shaw afric. f. 349.
10 Trewianum. R.S.	Trew's.	China.	—	H. h.	Trew Ehret t. 68.
11 chinense. R.S.	Chinese.	—	—	H. h.	Wats. dend. brit. 8.
12 lanceolatum. P.S.	spear-leaved.	S. Europe.	—	H. h.	Duham. arb. nov. t. 322.
13 turbinatum. P.S.	top-shaped.	China.	1709.	—	H. h.	— t. 311.
14 cinereum. R.S.	gray.	C. B. S.	1815.	6. 8.	H. h.	
15 europæum. R.S.	European.	S. Europe.	1730.	5. 8.	H. h.	Flor. græc. t. 236.
16 horridum. R.S.	succulent-ld.	C. B. S.	1791.	7. 8.	H. h.	
17 boerhaaviæfolium.	glaucons-ld.	Peru.	1780.	4. 5.	G. h.	L'Herit. stirp. t. 83.
18 carolinianum. R.S.	Carolina.	Carolina.	1806.	7. 9.	H. h.	
SOLANDRA. R.S.	SOLANDRA.	Pentandria Monogynia. R.S.				
1 grandiflora. R.S.	large-flower'd.	Jamaica.	1781.	3. 8.	S. h.	Botan. magaz. 1874.
2 nitida. R.S.	glossy-leaved.	—	S. h.	
3 viridiflora. s.s.	green-flower'd.	Brazil.	1816.	5. 6.	S. h.	Botan. magaz. 1948.

Sect. III. *GENERA SOLANEIS AFFINIA.*

BRUNFELSIA. W.	BRUNFELSIA.	Didynamia Angiospermia. L.				
1 undulata. w.	large-flowered.	Jamaica.	1780.	6. 7.	S. h.	Botan. regist. 228.
2 americana. w.	American.	W. Indies.	1735.	—	S. h.	Botan. magaz. 393.
<i>α latifolia.</i>	<i>broad-leaved.</i>	—	—	—	S. h.	
<i>β angustifolia.</i>	<i>narrow-leaved.</i>	—	—	—	S. h.	
3 violacea. B.C.	purple-stalked.	—	1820.	—	S. h.	Lod. bot. cab. 792.
CRESCENTIA. W.	CALABASH-TREE.	Didynamia Angiospermia. L.				
1 Cujete. w.	oval-fruited.	Jamaica.	1690.	S. h.	Jacq. amer. t. 111.
2 acuminata. K.S.	acuminate.	Cuba.	1822.	S. h.	
3 cucurbitina. w.	round-fruited.	W. Indies.	1733.	S. h.	Plum. ic. t. 109.
? TANÆCIUM. W.	TANÆCIUM.	Didynamia Angiospermia. W.				
pinnatum. w.	wing-leaved.	Mauritius.	1823.	S. h.	Jacq. coll. 3. t. 18.
<i>Crescentia pinnata.</i>	Jacq. <i>Tripinnaria africana.</i>	s.s.				

ORDO CXXX.

SCROPHULARINÆ. *Brown prodr. 1. p. 433.*Sect. I. *STAMINA (4) ANTHERIFERA.*

BUDDLEA. S.S.	BUDDLEA.	Tetrandria Monogynia. L.				
1 madagascariensis.	Madagascar.	Madagascar.	1824.	S. h.	Lam. enc. 1. t. 69. f. 3.
2 saligna. s.s.	Willow-like.	C. B. S.	1816.	8. 9.	G. h.	Jacq. schœn. 1. t. 29.
3 paniculata. s.s.	paniced.	Nepaul.	1823.	G. h.	
4 salvifolia. s.s.	Sage-leaved.	C. B. S.	1760.	8. 9.	G. h.	Jacq. schœn. 1. t. 28.
5 Neemda. s.s.	Nepaul.	Nepaul.	1822.	G. h.	
6 brasiliensis. s.s.	Brazilian.	Brazil.	—	G. h.	
7 globosa. s.s.	round-headed.	Chili.	1774.	5. 7.	H. h.	Botan. magaz. 174.
8 salicifolia. s.s.	Willow-leaved.	S. America.	1823.	S. h.	
9 diversifolia. R.S.	various-leaved.	Java.	—	S. h.	
SCOPARIA. L.	SCOPARIA.	Tetrandria Monogynia. L.				
dulcis. L.	sweet.	S. America.	1730.	6. 9.	S. ☉.	Herm. parad. t. 241.
CAPRARIA. S.S.	GOAT-WEED.	Didynamia Angiospermia. L.				
1 undulata. s.s.	wave-leaved.	C. B. S.	1774.	3. 7.	G. h.	Botan. magaz. 1556.
2 cuneata. s.s.	wedge-leaved.	S. America.	1759.	6. 8.	S. h.	
3 lanceolata. s.s.	spear-leaved.	C. B. S.	1774.	5. 7.	G. h.	Pl. sel. h. ber. t. 4.
4 biflora. s.s.	two-flowered.	S. America.	1752.	7. 8.	S. h.	Jacq. amer. t. 115.
5 humilis. w.	dwarf.	E. Indies.	1781.	—	S. ☉.	

TEEDIA. S.S.	TEEDIA. Didynamia Angiospermia. S.S.		
1 lucida. s.s.	shining. C. B. S.	1774. 4. 7. G. $\frac{1}{2}$.	Botan. regist. 210.
Capraria lucida. w.	Borkhausenia lucida. Roth.		
2 pubescens. s.s.	pubescent. ———	1816. 5. 10. G. $\frac{1}{2}$.	————— 214.
HALLERIA. S.S.	HALLERIA. Didynamia Angiospermia. L.		
1 lucida. s.s.	shining-leaved. C. B. S.	1752. 6. 8. G. $\frac{1}{2}$.	Botan. magaz. 1744.
2 elliptica. s.s.	elliptic-leaved. ———	1816. — G. $\frac{1}{2}$.	Burm. afr. t. 84. f. 1.
STEMODIA. S.S.	STEMODIA. Didynamia Angiospermia. W.		
1 suffruticosa. s.s.	suffrutescent. S. America.	1823. 5. 8. S. $\frac{1}{2}$.	
2 viscosa. s.s.	viscous. E. Indies.	1818. 7. 10. S. \odot .	
3 verticillaris. s.s.	whorled. Brazil.	1822. — H. \odot .	
4 parviflora. H.K.	small-flowered. S. America.	1759. 7. 8. S. $\frac{1}{4}$.	
5 maritima. s.s.	sea-side. Cuba.	1822. — S. \odot .	Jacq. amer. t. 174. f. 66.
RUSSELIA. S.S.	RUSSELIA. Didynamia Angiospermia. W.		
1 floribunda. K.S.	abundant-flow'g. Mexico.	1824. 6. 8. S. $\frac{1}{4}$.	
2 multiflora. s.s.	many-flowered. ———	1812. — S. $\frac{1}{4}$.	Botan. magaz. 1528.
TREVIRANIA. S.S.	TREVIRANIA. Didynamia Angiospermia. S.S.		
coccinea. s.s.	scarlet. Jamaica.	1778. 8. 10. S. $\frac{1}{4}$.	Botan. magaz. 374.
Cyrilla pulchella. B.M.	Achimenes coccinea. P.S.		
COLUMNÆA. S.S.	COLUMNÆA. Didynamia Angiospermia. L.		
1 scandens. s.s.	climbing. W. Indies.	1759. 8. 9. S. $\frac{1}{2}$.	Botan. regist. 805.
2 hirsuta. s.s.	hairy. ———	1780. 8. 11. S. $\frac{1}{2}$.	Brown. jam. t. 30. f. 3.
3 rutilans. s.s.	red-leaved. ———	1823. — S. $\frac{1}{2}$.	
MAURANDIA. S.S.	MAURANDIA. Didynamia Angiospermia. W.		
1 semperflorens. s.s.	red-flowered. Mexico.	1796. 1. 12. G. $\frac{1}{2}$.	Botan. magaz. 460.
2 antirrhiniflora. s.s.	blue-flowered. ———	1814. — G. $\frac{1}{2}$.	————— 1643.
DODARTIA. S.S.	DODARTIA. Didynamia Angiospermia. L.		
orientalis. s.s.	oriental. Levant.	1752. 7. 8. H. $\frac{1}{4}$.	Swt. br. fl. gar. 147.
CYMBARIA. S.S.	CYMBARIA. Didynamia Angiospermia. L.		
davurica. s.s.	Daurian. Davuria.	1796. 6. 7. H. $\frac{1}{4}$.	Amm. ruth. t. 1. f. 2.
NEMESIA. S.S.	NEMESIA. Didynamia Angiospermia. S.S.		
1 chamædryfolia. s.s.	Chamædry's-ld. C. B. S.	1787. 4. 9. G. $\frac{1}{4}$.	
Antirrhinum macrocarpum. w.			
2 bicornis. s.s.	horned. ———	1774. 7. 8. G. \odot .	Burm. afr. t. 75. f. 3.
3 foetens. s.s.	foetid. ———	1798. 4. 9. G. $\frac{1}{4}$.	Venten. malm. t. 41.
ANARRHINUM. S.S.	ANARRHINUM. Didynamia Angiospermia. S.S.		
bellidifolium. s.s.	Daisy-leaved. France.	1629. 6. 8. H. $\frac{1}{2}$.	Botan. magaz. 2056.
ANTIRRHINUM. S.S.	ANTIRRHINUM. Didynamia Angiospermia. L.		
1 majus. s.s.	great. England. 6. 8. H. $\frac{1}{4}$.	Eng. bot. 129.
β coccinea.	scarlet. ——— — H. $\frac{1}{4}$.	
β bicolor.	two-coloured. ——— — H. $\frac{1}{4}$.	
δ multiplex.	double-flowered. — H. $\frac{1}{4}$.	
2 meonanthum. L.en.	smaller-flow'r'd. S. Europe.	1820. — H. $\frac{1}{4}$.	Lk. fl. port. 1. t. 56.
3 angustifolium. Poir.	narrow-leaved. Italy.	1818. — H. $\frac{1}{4}$.	
4 siculum. s.s.	Sicilian. Sicily.	1804. 7. 8. H. $\frac{1}{4}$.	
5 Orontium. s.s.	Calf's-snout. Britain. 7. 9. H. \odot .	Eng. bot. 1155.
6 calycinum. L.en.	long-calyxed. S. Europe. — H. \odot .	
7 Asarina. s.s.	heart-leaved. Italy.	1699. 7. F. $\frac{1}{4}$.	Botan. magaz. 902.
8 molle. s.s.	soft-leaved. Spain.	1752. 7. 10. F. $\frac{1}{4}$.	
LINARIA. S.S.	TOAD-FLAX. Didynamia Angiospermia. S.S.		
1 frutescens. s.s.	frutescent. C. B. S.	1816. 5. 7. G. $\frac{1}{2}$.	
Antirrhinum frutescens. Th.			
2 dalmatica. s.s.	Dalmatian. Levant.	1731. 6. 7. G. $\frac{1}{2}$.	Buxb. cent. 1. t. 24.
3 scoparia. s.s.	broom-like. Teneriffe.	1815. — G. $\frac{1}{2}$.	
4 Cymbalaria. s.s.	Ivy-leaved. England. 5. 11. H. $\frac{1}{4}$.	Eng. bot. 502.
5 pubescens. s.s.	pubescent. Italy.	1824. — H. $\frac{1}{4}$.	
6 pilosa. s.s.	hairy-leaved. ———	1800. 6. 9. H. $\frac{1}{4}$.	Jacq. obs. 2. t. 48.
7 Elatine. s.s.	sharp-pointed. England. 7. 11. H. \odot .	Eng. bot. 692.
8 cirrhosa. s.s.	cirrhose. Egypt.	1777. 7. 8. H. \odot .	Jacq. vind. 1. t. 82.
9 spurium. s.s.	round-leaved. England. 7. 9. H. \odot .	Eng. bot. 691.
Antirrhinum spurium. E.B.			
10 lanigera. s.s.	woolly. S. Europe.	1820. — H. \odot .	
11 dealbata. s.s.	villous-leaved. Portugal.	1820. 7. 9. H. \odot .	
12 latifolia. s.s.	broad-leaved. Barbary.	1800. 6. 7. H. \odot .	Desf. atl. 2. t. 134.
13 triphylla. s.s.	three-leaved. Sicily.	1596. 6. 9. H. \odot .	Botan. magaz. 324.
14 reflexa. s.s.	reflex-flower'd. S. Europe.	1824. — H. \odot .	All. misc. taur. 2. t. 1.
15 organifolia. s.s.	Marjoram-ld. ———	1785. 6. 9. F. $\frac{1}{4}$.	Barrel. ic. 598.
16 virgata. s.s.	slender-stalked. Barbary.	1824. — H. \odot .	Desf. atl. 2. t. 135.
17 thymifolia. s.s.	Thyme-leaved. S. Europe.	— — H. \odot .	

18	<i>villosa</i> . s.s.	villous.	Spain.	1786.	7. 8.	F. 4.	Barrel. ic. 597.
19	<i>rubrifolia</i> . s.s.	red-leaved.	S. France.	1824.	—	F. 4.	
20	<i>hirta</i> . s.s.	shaggy-leaved.	Spain.	1759.	6. 9.	H. ☉.	Jacq. ic. 1. t. 117.
<i>Antirrhinum viscosum</i> . B.M. 368.							
21	<i>triornithophora</i> .	three bird's.	Portugal.	1710.	—	F. 4.	Botan. magaz. 523.
22	<i>bipartita</i> . s.s.	cloven-flower'd.	Barbary.	1801.	—	H. ☉.	Swt. br. fl. gar. 30.
<i>speciosa</i> . Donn.							
23	<i>minor</i> . s.s.	little erect.	England.	6. 11.	H. ☉.	Eng. bot. 2014.
24	<i>littoralis</i> . s.s.	shore.	Austria.	1824.	—	H. ☉.	
25	<i>chalepensis</i> . s.s.	white-flowered.	Levant.	1680.	6. 7.	H. ☉.	Moris. s. 5. t. 35. f. 9.
26	<i>tristis</i> . s.s.	melancholy.	Spain.	1727.	7. 8.	G. 4.	Botan. magaz. 74.
27	<i>versicolor</i> . s.s.	various-colour'd.	France.	1777.	7. 9.	H. ☉.	Jacq. ic. 1. t. 116.
28	<i>micrantha</i> . s.s.	small-flowered.	Spain.	1825.	5. 7.	H. ☉.	Cavan. ic. 1. t. 69. f. 33.
29	<i>viscosa</i> . s.s.	clammy.	—	1786.	7.	H. ☉.	
30	<i>purpurea</i> . s.s.	purple.	S. Europe.	1648.	7. 9.	H. 4.	Botan. magaz. 99.
31	<i>arenaria</i> . s.s.	sand.	Hungary.	1825.	—	H. ☉.	
32	<i>alpina</i> . s.s.	Alpine.	Austria.	1570.	7. 11.	H. 4.	Botan. magaz. 205.
33	<i>lusitanica</i> . s.s.	Portugal.	S. Europe.	1820.	6. 7.	H. 4.	
34	<i>Hælava</i> .	hairy calyxed.	Egypt.	1803.	7. 9.	H. ☉.	
35	<i>pelisseriana</i> . s.s.	violet-coloured.	S. Europe.	1640.	6. 9.	H. ☉.	Barrel. ic. 1162.
36	<i>repens</i> . H.K.	creeping rooted.	England.	7. 10.	H. 4.	Eng. bot. 1253.
37	<i>amethystina</i> . s.s.	bright blue.	S. Europe.	1816.	—	H. ☉.	Cavan. ic. 1. t. 33. f. 11.
<i>Antirrhinum bipunctatum</i> . Cav. nec aliorum.							
38	<i>supina</i> . s.s.	trailing.	Spain.	1728.	—	H. ☉.	
39	<i>bipunctata</i> . s.s.	two-spotted.	—	1749.	6. 8.	H. ☉.	
40	<i>spartea</i> . s.s.	branching.	—	1772.	6. 10.	H. ☉.	Botan. magaz. 200.
41	<i>simplex</i> . s.s.	upright.	S. Europe.	1816.	7. 8.	H. ☉.	Jacq. ic. 3. t. 499.
42	<i>arvensis</i> . s.s.	corn.	—	—	H. ☉.	
43	<i>multicaulis</i> . s.s.	many-stalked.	Levant.	1728.	5. 7.	H. ☉.	Bocc. sic. t. 19. f. 1.
44	<i>macroura</i> . L.en.	large-spurred.	Caucasus.	1823.	6. 9.	H. 4.	
45	<i>reticulata</i> . s.s.	netted-flower'd.	Algiers.	1788.	5. 7.	F. 4.	Smith ic. pict. 2.
46	<i>glauca</i> . s.s.	glaucous-leav'd.	S. Europe.	1800.	6. 8.	H. ☉.	Buxb. cent. 4. t. 37.
47	<i>ægyptiaca</i> . s.s.	Egyptian.	Egypt.	1771.	7.	H. ☉.	
48	<i>silenifolia</i> . Lk.	Silene-leaved.	Portugal.	1820.	7. 9.	H. ☉.	
49	<i>genistifolia</i> . s.s.	Broom-leaved.	Austria.	1704.	7. 8.	H. 4.	Jacq. aust. 3. t. 244.
50	<i>linifolia</i> . s.s.	flax-leaved.	Italy.	1824.	—	H. 4.	
51	<i>vulgaris</i> . s.s.	common.	Britain.	6. 9.	H. 4.	Eng. bot. 658.
<i>Antirrhinum Linaria</i> . E.B.							
<i>β Peloria</i> .		<i>regular-flower'd.</i>	—	—	H. 4.	— 260.
52	<i>Loeselii</i> . s.s.	Loesel's.	Russia.	1824.	—	H. ☉.	
53	<i>juncea</i> . s.s.	rush-stalked.	Spain.	1780.	7. 8.	H. ☉.	
54	<i>canadensis</i> . s.s.	Canadian.	N. America.	1812.	6. 8.	H. ☉.	Venten. cels. 49.
SCROPHULARIA. L. FIGWORT. Didynamia Angiospermia. L.							
1	<i>marilandica</i> . s.s.	Maryland.	N. America.	1759.	5. 7.	H. 4.	
2	<i>peregrina</i> . s.s.	Nettle-leaved.	Italy.	1640.	6. 8.	H. ♂.	Camer. hort. t. 43.
3	<i>nodosa</i> . s.s.	knotty-rooted.	Britain.	5. 7.	H. 4.	Eng. bot. 1544.
4	<i>aquatica</i> . s.s.	water.	—	—	H. 4.	— 854.
5	<i>glabrata</i> . s.s.	spear-leaved.	Canaries.	1779.	4. 5.	G. ♂.	Jacq. schœn. 2. t. 209.
6	<i>biserrata</i> . s.s.	double-serrate.	1816.	5. 7.	H. 4.	
7	<i>arguta</i> . s.s.	slender upright.	Canaries.	1778.	—	H. ☉.	
8	<i>vernalis</i> . s.s.	yellow.	Britain.	3. 5.	H. ♂.	Eng. bot. 567.
9	<i>Smithii</i> . L.en.	Smith's.	Canaries.	1815.	4. 8.	G. 4.	
10	<i>glandulosa</i> . s.s.	glandular.	Hungary.	1806.	6. 9.	H. 4.	W. et K. hung. t. 214.
11	<i>rugosa</i> . W.K.	rugged.	—	1816.	—	H. 4.	
12	<i>Scopolii</i> . P.s.	Scopoli's.	Germany.	—	—	H. 4.	Scop. carn. 2. t. 32.
13	<i>Scorodonia</i> . s.s.	balm-leaved.	Britain.	7. 8.	H. 4.	Eng. bot. 2209.
14	<i>altaica</i> . s.s.	white-flowered.	Siberia.	1786.	5. 6.	H. 4.	Mur. com. got. 4. t. 22.
15	<i>betonicæfolia</i> . s.s.	Betony-leaved.	Spain.	1752.	6. 8.	H. 4.	Barrel. ic. 274.
16	<i>hirsuta</i> . L.en.	hairy.	S. Europe.	1822.	—	H. 4.	
17	<i>appendiculata</i> . s.s.	heart-leaved.	Morocco.	1805.	7.	H. 4.	
18	<i>Balbisii</i> . s.s.	Balbis's.	Italy.	1823.	6. 8.	H. 4.	
19	<i>auriculata</i> . s.s.	ear-leaved.	Spain.	1772.	7. 8.	H. 4.	Lobel. ic. 533.
20	<i>trifoliata</i> . s.s.	three-leaved.	Africa.	1731.	5. 9.	H. ♂.	Jacq. schœn. 3. t. 286.
21	<i>laciniata</i> . W.K.	jag-leaved.	Hungary.	1806.	7.	H. 4.	W. et K. hung. 2. t. 170.
22	<i>verbenæfolia</i> . Poir.	Vervain-leav'd.	1816.	7. 8.	H. 4.	
23	<i>adscendens</i> . W.en.	ascending.	—	—	H. 4.	
24	<i>variegata</i> . s.s.	variegated.	Caucasus.	—	—	H. 4.	
25	<i>ebulifolia</i> . s.s.	Elder-leaved.	—	1824.	—	H. 4.	
26	<i>grandiflora</i> . DC.	large-flowered.	1816.	—	H. 4.	

27 frutescens. s.s.	shrubby.	Portugal.	1768.	6. 8.	F. ½.	Herm. lugd. t. 547.
28 orientalis. s.s.	oriental.	Levant.	1710.	7. 8.	H. ¼.	Schk. hand. 2. t. 173.
29 melissæfolia. s.s.	balm-like.	—	1823.	—	H. ¼.	—
30 lyrata. s.s.	lyrate-leaved.	Portugal.	1816.	—	H. ¼.	W. hort. ber. 1. t. 55.
31 mellifera. s.s.	honey-bearing.	Barbary.	1786.	—	H. ¼.	Desf. atl. 2. t. 143.
32 sambucifolia. s.s.	Elder-like.	Spain.	1640.	7. 9.	H. ¼.	Mill. ic. 2. t. 231.
33 hispida. s.s.	hispid.	Levant.	1820.	—	H. ¼.	—
34 tanacetifolia. s.s.	Tansy-leaved.	Tauria.	1804.	—	H. ¼.	W. hort. ber. 1. t. 56.
35 canina. s.s.	wing-leaved.	S. Europe.	1683.	6. 8.	H. ¼.	Lobel. ic. 2. p. 55.
36 chrysanthemifolia.	Chrysanthemum-ld.	Tauria.	1816.	—	H. ¼.	W. hort. ber. 1. t. 59.
37 lucida. s.s.	shining-leaved.	Levant.	1596.	—	H. ¼.	— 1. t. 57.
38 filicifolia. s.s.	Fern-leaved.	Crete.	—	H. ¼.	Tourn. it. t. 85.
39 multifida. s.s.	multifid-leaved.	1816.	—	H. ¼.	W. hort. ber. 1. t. 58.
DIGITALIS. S.S.	FOXGLOVE.	Didynamia Angiospermia. L.				
1 Sceptrum. s.s.	Madeira shrubby.	Madeira.	1777.	7. 8.	G. ½.	Sm. exot. bot. 2. t. 73.
2 canariensis. s.s.	Canary.	Canaries.	1698.	6. 7.	G. ½.	Botan. regist. 48.
3 lutea. s.s.	small yellow.	France.	1629.	7. 8.	H. ¼.	— 251.
4 parviflora. s.s.	small-flowered.	1798.	6. 8.	H. ¼.	— 257.
5 media. s.s.	middle yellow.	Germany.	1816.	7. 8.	H. ¼.	—
6 obscura. s.s.	Willow-leaved.	Spain.	1778.	—	H. ¼.	Lind. digit. t. 26.
7 micrantha. s.s.	small-blossom'd.	Switzerland.	1824.	—	H. ¼.	—
8 minor. s.s.	dwarf.	Spain.	1789.	6. 7.	H. ¼.	Lind. digit. 5. 6.
9 purpurascens. s.s.	blush-flowered.	Italy.	1776.	—	H. ¼.	— t. 20.
<i>erubescens. H.K.</i>						
10 orientalis. s.s.	oriental.	Levant.	1818.	7. 8.	H. ¼.	Botan. regist. 554.
11 lanata. s.s.	woolly.	Hungary.	1789.	6. 7.	H. ¼.	Botan. magaz. 1159.
12 leucophæa. s.s.	broad-lipped.	Greece.	1788.	6. 10.	H. ¼.	Lind. digit. t. 14.
13 aurea. s.s.	golden.	—	1815.	7. 8.	H. ¼.	— t. 13.
14 ferruginea. s.s.	iron-coloured.	Italy.	1597.	—	H. ¼.	— t. 12.
15 lævigata. s.s.	shining-leaved.	Hungary.	1810.	—	H. ¼.	— t. 10.
16 fulva. s.s.	tawny.	1820.	6. 8.	H. ¼.	— t. 9.
17 ambigua. w.	greater yellow.	Switzerland.	1596.	7. 8.	H. ¼.	Botan. regist. 64.
<i>grandiflora. s.s.</i>						
18 ochroleuca. s.s.	sulphur-color'd.	Germany.	1816.	—	H. ¼.	Lind. digit. t. 8.
19 fuscescens. s.s.	netted-flow'r'd.	Hungary.	1824.	—	H. ¼.	—
20 tomentosa. s.s.	tomentose.	Portugal.	1820.	6. 8.	H. ¼.	—
21 Thapsi. s.s.	Mullein.	Spain.	1752.	5. 8.	H. ¼.	Sm. exot. bot. 1. t. 43.
22 purpurea. s.s.	common.	Britain.	6. 9.	H. ½.	Eng. bot. 1297.
<i>β alba.</i>	<i>white-flowered.</i>	—	—	H. ½.	—
CHELONE. S.S.	CHELONE.	Didynamia Angiospermia. L.				
1 glabra. w.	white-flowered.	N. America.	1730.	8. 10.	H. ¼.	Trew Ehret. t. 83.
2 obliqua. w.	red-flowered.	—	1752.	—	H. ¼.	Botan. regist. 175.
3 Lyoni. s.s.	Lyon's.	—	1812.	7. 9.	H. ¼.	Botan. magaz. 1864.
<i>major. B.M.</i>						
4 rosea. Cerv.	rose-coloured.	Mexico.	1825.	G. ¼.	—
5 barbata. s.s.	scarlet.	—	1794.	6. 9.	H. ¼.	Botan. regist. 116.
6 campanulata. s.s.	bell-flowered.	—	—	3. 10.	F. ½.	Botan. magaz. 1878.
<i>Pentstemon campanulata.</i>	Jacq. schœn. 3. t. 362.					
7 angustifolia. K.s.	narrow-leaved.	—	1825.	G. ½.	H. et B. 2. t. 173.
8 lævigata. s.s.	smooth.	N. America.	1776.	8. 9.	H. ¼.	Botan. magaz. 1425.
9 hirsuta. s.s.	narrow-ld. hairy.	—	1758.	—	H. ¼.	Moris. s. 11. t. 21. f. 3.
10 pubescens.	broad-ld. hairy.	—	—	—	H. ¼.	Botan. magaz. 1424.
<i>Pentstemon pubescens. B.M.</i>						
11 digitalis. B.F.G.	foxglove-fld.	Arkansa.	1824.	6. 8.	H. ¼.	Swt. br. fl. gar. 120.
<i>Pentstemon digitalis. B.M. 2587.</i>						
12 erianthera. s.s.	blue-flowered.	Louisiana.	1811.	7. 9.	F. ¼.	Botan. magaz. 1672.
<i>Pentstemon glabra. B.M.</i>						
13 cristata. s.s.	crested.	—	—	—	F. ¼.	—
14 cœrulea. s.s.	slender blue.	—	—	—	F. ¼.	—
<i>Pentstemon angustifolium. Ph.</i>						
15 grandiflora. s.s.	great-flowered.	—	—	—	F. ¼.	—
16 albida. s.s.	dwarf.	—	—	—	F. ¼.	—
HERPESTIS. G.	HERPESTIS.	Didynamia Angiospermia. S.S.				
1 stricta. s.s.	upright.	Brazil.	1823.	6. 8.	S. ¼.	—
2 Monnieria. K.s.	thyme-leaved.	S. America.	1772.	7. 9.	S. ¼.	Ehret. pict. t. 14. f. 2.
3 portulacacea. B.M.	Purslane-ld.	—	1823.	—	S. ¼.	Botan. magaz. 2557.
4 cuneifolia. Ph.	wedge-leaved.	N. America.	1812.	8.	H. ¼.	—
5 amplexicaulis. s.s.	stem-clasping.	Carolina.	1822.	6. 8.	H. ¼.	—

MAZUS. B.P.	MAZUS. Didynamia Angiospermia. S.S.		
rugosus. B.P.	China. China. 1780. 5. 10. H.⊙.	Swt. br. fl. gar. 36.	
<i>Lindernia japonica</i> . Th.	<i>Hornemannia bicolor</i> . W.en.		
TORENIA. B.P.	TORENIA. Didynamia Angiospermia. S.S.		
1 ovata.	oval-leaved. Manila. 1823. 5. 10. H.⊙.	Pl. sel. hort. ber. t. 9.	
<i>Hornemannia ovata</i> . L.en.	<i>Tittmannia ovata</i> . s.s.		
2 viscosa.	viscous. E. Indies. — — S.⊙.		
<i>Hornemannia viscosa</i> . W.en.	<i>Tittmannia viscosa</i> . s.s.		
LINDERNIA. B.P.	LINDERNIA. Didynamia Angiospermia. L.		
Pyxidaria. w.	European. S. Europe. 1789. 6. 8. H.⊙.	Lam. ill. t. 522.	
MIMULUS. L.	MONKEY-FLOWER. Didynamia Angiospermia. L.		
1 glutinosus. s.s.	orange-colored. California. 1791. 1. 12. G. h.	Botan. magaz. 354.	
2 ringens. s.s.	gaping. N. America. 1759. 7. 8. H. ½.	————— 283.	
3 alatus. s.s.	oval-leaved. ——— 1783. — H. ½.		
4 guttatus. DC.	spotted-fl'd. America. 1812. 6. 9. F. ½.	Botan. magaz. 1501.	
<i>luteus</i> . B.M. non L.			
5 parviflorus. B.R.	small-flowered. Mexico. 1824. — H.⊙.	Botan. regist. 874.	
BROWALLIA. L.	BROWALLIA. Didynamia Angiospermia. L.		
1 elata. w.	upright. Peru. 1768. 6. 9. G.⊙.	Botan. magaz. 34.	
2 demissa. w.	spreading. S. America. 1735. — G.⊙.	————— 1136.	
ANGELONIA. K.S.	ANGELONIA. Didynamia Angiospermia. L.		
salicariæfolia. K.S.	Salicaria-ld. S. America. 1818. 7. 10. S. h.	Botan. regist. 415.	
ALONSOA. R.P.	ALONSOA. Didynamia Angiospermia. H.K.		
1 incisifolia. R.P.	Nettle-leaved. Chili. 1795. 5. 10. G. h.	Botan. magaz. 417.	
<i>Celsia urticæfolia</i> . B.M.	<i>Hemimeris urticæfolia</i> . w.		
2 acutifolia. R.P.	acute-leaved. Peru. 1790. — G. h.		
3 linearis. H.K.	linear-leaved. ——— — G. h.	Botan. magaz. 210.	
<i>Celsia linearis</i> . B.M.	<i>Hemimeris coccinea</i> . w.		
DIASCIA. L.en.	DIASCIA. Didynamia Angiospermia. S.S.		
1 Bergiana. L.en.	Bergius's. C. B. S. 1816. 7. 10. H.⊙.	Pluk. phyt. 320. f. 5.	
<i>Hemimeris diffusa</i> . w.			
VANDELLIA. S.S.	VANDELLIA. Didynamia Angiospermia. L.		
diffusa. s.s.	spreading. S. America. 1824. 7. 9. S.⊙.	Marc. bras. l. c. 15. f. 1.	
LIMOSELLA. L.	MUDWORT. Didynamia Angiospermia. L.		
aquatica. L.	water. Britain. 7. 9. H.⊙.	Eng. bot. 357.	
DISANDRA. L.	DISANDRA. Heptandria Monogynia. L.		
prostrata. L.	trailing. Madeira. 1771. 5. 8. G. ½.	Botan. magaz. 218.	
SIBTHORPIA. L.	SIBTHORPIA. Didynamia Angiospermia. L.		
europæa. L.	Cornish money-wort. England. 7. 8. H. ½.	Eng. bot. 619.	
ERINUS. S.S.	ERINUS. Didynamia Angiospermia. L.		
1 Lychnidea. s.s.	Phlox-flower'd. C. B. S. 1821. 3. 10. G. h.	Botan. regist. 748.	
2 fragrans. H.K.	fragrant. ——— 1776. 5. 6. G. h.	Burm. afr. t. 49. f. 4.	
3 alpinus. P.S.	smooth-leaved. Pyrenees. 1739. 3. 4. H. ½.	Botan. magaz. 310.	
4 hispanicus. P.S.	hairy-leaved. Spain. ——— H. ½.		
MANULEA. S.S.	MANULEA. Didynamia Angiospermia. L.		
1 viscosa. s.s.	clammy. C. B. S. 1774. 6. 11. G. h.	Botan. magaz. 217.	
<i>Buchnera viscosa</i> . B.M.			
2 tomentosa. s.s.	tomentose. ——— 1774. 5. 12. G. h.	————— 322.	
3 oppositifolia. v.	opposite-leav'd. ——— — G. h.		
4 villosa. P.S.	villous. ——— 1783. 6. 7. G.⊙.	Burm. afr. t. 50. f. 2.	
<i>Buchnera capensis</i> . w.			
5 rubra. s.s.	red. ——— 1790. 4. 9. G. h.		
6 Cheiranthus. s.s.	Wallflower-like. ——— 1795. 6. 8. G. ♂.	Comm. hort. 2. t. 42.	
7 argentea. s.s.	silvery. ——— 1801. 7. 11. G.⊙.		
8 pedunculata. P.S.	solitary-fl'd. ——— 1790. 6. 11. G. h.	Andr. reposit. 84.	
9 foetida. s.s.	stinking. ——— 1794. 6. 9. G.⊙.	————— 80.	
<i>Buchnera foetida</i> . A.R.			
10 rhynchantha. s.s.	wedge-leaved. ——— 1816. — G. h.		
11 violacea. s.s.	violet-flowered. ——— — G. h.		
12 cordata. s.s.	trailing heart-ld. ——— — G. ½.		
BUCHNERA. S.S.	BUCHNERA. Didynamia Angiospermia. L.		
americana. s.s.	American. N. America. 1733. 6. 8. H. ½.		
EUPHRASIA. W.	EYE-BRIGHT. Didynamia Angiospermia. L.		
1 linifolia. s.s.	flax-leaved. S. France. 1823. 7. 9. H.⊙.	Jacq. aust. t. 398.	
2 lutea. s.s.	yellow. S. Europe. 1816. — H.⊙.		
3 alpina. s.s.	Alpine. ——— 1823. — H.⊙.	Eng. bot. 1416.	
4 officinalis. s.s.	common. Britain. H.⊙.		
BARTSIA. S.S.	BARTSIA. Didynamia Angiospermia. L.		
1 viscosa. s.s.	yellow viscid. Britain. 7. 8. H.⊙.	Eng. bot. 1045.	

2 alpina. s.s.	Alpine.	Britain.	7. 8.	H. ⊙.	Eng. bot. 361.
3 Odontites. s.s.	red-flowered.	—	7. 9.	H. ⊙.	— 1415.
4 Trixago. s.s.	simple-stalked.	S. Europe.	1820.	—	H. ⊙.	Column. ecphr. 1. t. 197.
EUCHROMA. N.	PAINTED CUP.	Didynamia Angiospermia. N.				
1 coccinea. N.	scarlet.	N. America.	1787.	7.	H. 4.	Pluk. alm. t. 102. f. 5.
<i>Bartsia coccinea. L.</i>						
2 grandiflora. N.	large-flowered.	Louisiana.	1811.	7. 8.	H. 4.	
<i>Castilleja sessiliflora. Ph.</i>						
CASTILLEJA. S.S.	CASTILLEJA.	Didynamia Angiospermia. S.S.				
1 integrifolia. s.s.	entire-leaved.	S. America.	1825.	G. 7.	Sm. ic. ined. t. 39.
2 tolucensis. s.s.	procumbent.	Mexico.	—	G. 7.	
3 septentrionalis. B.R.	northern.	N. America.	1824.	7. 8.	H. ⊙.	Botan. regist. 925.
4 pallida. s.s.	pale-flowered.	Siberia.	1782.	6. 9.	H. 4.	Gmel. sib. 3. t. 42.
<i>Bartsia pallida. W.</i>						
RHINANTHUS. W.	YELLOW RATTLE.	Didynamia Angiospermia. L.				
1 Crista-galli. w.	Cock's-comb.	Britain.	6. 8.	H. ⊙.	Eng. bot. 657.
2 Alecterolophus. L. en.	villosus. P.S.	Germany.	1816.	—	H. ⊙.	Bull. herb. t. 125.
MELAMPYRUM. S.S.	COW-WHEAT.	Didynamia Angiospermia. L.				
1 cristatum. E.B.	crested.	England.	7. 8.	H. ⊙.	Eng. bot. 41.
2 arvense. E.B.	corn-field.	—	6. 7.	H. ⊙.	— 53.
3 nemorosum. s.s.	colour'd-bract'd.	Europe.	1823.	—	H. ⊙.	Flor. dan. t. 305.
4 pratense. E.B.	common.	Britain.	7. 8.	H. ⊙.	Eng. bot. 113.
5 sylvaticum. E.B.	wood.	—	—	H. ⊙.	— 804.
PEDICULARIS. S.S.	LOUSEWORT.	Didynamia Angiospermia. L.				
1 incarnata. s.s.	flesh-coloured.	Austria.	1796.	6. 7.	H. 4.	Jacq. aust. 2. t. 140.
2 rostrata. s.s.	beaked.	S. Europe.	1823.	—	H. 4.	— t. 205.
3 tuberosa. s.s.	tuberos.	Switzerland.	1799.	7. 8.	H. 4.	Hall. helv. n. 323. t. 10.
4 ascendens. Schl.	ascending.	—	1825.	—	H. 4.	
5 gyroflexa. s.s.	bending.	—	—	—	H. 4.	Vill. delph. 2. t. 9.
6 atrorubens. DC.	dark-red.	—	—	—	H. 4.	
7 uncinata. s.s.	hooked-fl'd.	Siberia.	1815.	—	H. 4.	Gmel. sib. 3. t. 45.
8 compacta. s.s.	close-headed.	—	—	—	H. 4.	
9 resupinata. s.s.	resupinate.	—	1816.	5. 7.	H. 4.	Gmel. sib. 3. t. 44.
10 palustris. E.B.	marsh.	Britain.	6. 7.	H. 4.	Eng. bot. 399.
11 euphrasioides. s.s.	eyebright-ld.	Siberia.	1816.	—	H. 4.	Gmel. sib. 3. t. 43.
12 canadensis. s.s.	Canadian.	N. America.	1800.	7. 8.	H. 4.	Swt. br. fl. gar. 37.
13 sylvatica. E.B.	common.	Britain.	5. 7.	H. 4.	Eng. bot. 400.
14 myriophylla. s.s.	Milfoil-leaved.	Dahuria.	1816.	—	H. 4.	Pall. it. 3. ap. t. 8. f. 1.
15 sudetica. s.s.	Swedish.	N. Europe.	—	—	H. 4.	
16 flammea. s.s.	upright.	—	1775.	7.	H. 4.	Hall. helv. t. 8. f. 3.
17 versicolor. s.s.	various-colour'd.	Switzerland.	1825.	7. 8.	H. 4.	
18 comosa. s.s.	spiked.	Italy.	1775.	—	H. 4.	All. ped. 1. t. 4. f. 1.
19 Sceptrum. s.s.	sceptred.	Sweden.	1793.	—	H. 4.	Flor. dan. t. 26.
20 recutita. s.s.	jagged-leaved.	Austria.	1787.	7. 8.	H. 4.	Jacq. aust. 3. t. 258.
21 foliosa. s.s.	leafy.	—	1786.	—	H. 4.	— 2. t. 139.
22 verticillata. s.s.	whorled.	—	1790.	5. 6.	H. 4.	— 3. t. 206.
23 rosea. s.s.	rose-coloured.	S. Europe.	1825.	7. 8.	H. 4.	Jacq. ic. 1. t. 115.
GERARDIA. S.S.	GERARDIA.	Didynamia Angiospermia.				
1 delphinifolia. s.s.	Larkspur-ld.	E. Indies.	1800.	6. 7.	S. 4.	Roxb. corom. 1. t. 90.
2 purpurea. s.s.	purple.	N. America.	1772.	7. 8.	H. 3.	Botan. magaz. 2048.
3 tenuifolia. s.s.	slender-leaved.	—	1812.	—	H. 3.	Pluk. alm. t. 12. f. 4.
4 maritima. s.s.	sea-side.	—	1823.	—	H. 3.	
5 flava. s.s.	yellow.	—	1796.	—	H. 4.	Pluk. amal. t. 389. f. 3.
6 quercifolia. s.s.	oak-leaved.	—	1812.	—	H. 4.	Pursh amer. 1. t. 19.
SEYMERIA. S.S.	SEYMERIA.	Didynamia Angiospermia. S.S.				
1 tenuifolia. s.s.	slender-leaved.	Carolina.	7. 9.	H. ⊙.	
<i>Azelia cassioides. Gmel.</i>	<i>Gerardia Azelia. M.</i>					
2 pectinata. s.s.	pectinated.	—	—	H. ⊙.	

Sect. II. STAMINA (2) ANTHERIFERA.

CALCEOLARIA. R.S.	SLIPPERWORT.	Diandria Monogynia. L.				
1 Fothergillii. R.S.	Fothergill's.	Falkland Isl.	1777.	5. 8.	G. 4.	Botan. magaz. 348.
2 corymbosa. R.S.	corymb-fl'd.	Chili.	1823.	4. 8.	G. 4.	Botan. regist. 723.

3	<i>rugosa</i> . R.P.	rugged-leaved.	Chili.	1823.	6. 8.	G. ♀.	Hook. ex. flor. 99.
	<i>crenata</i> . B.R. 790.						
4	<i>integrifolia</i> . R.P.	entire-leaved.	— — —	— — —	— — —	G. ♀.	Botan. regist. 744.
	<i>rugosa</i> . B.M. 2523.						
5	<i>pinnata</i> . R.S.	wing-leaved.	Peru.	1773.	7. 9.	H. ⊙.	Botan. magaz. 41.
6	<i>scabiosæfolia</i> . R.S.	Scabious-ld.	— — —	1823.	— — —	G. ♀.	— — — 2405.
SCHIZANTHUS. R.P. SCHIZANTHUS. Diandria Monogynia.							
1	<i>pinnatus</i> . H.E.F.	winged-leav'd.	Chili.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. 63.
2	<i>porrigens</i> . H.E.F.	spreading.	— — —	— — —	— — —	H. ⊙.	— — — 76.
SCHWENCKIA. R.S. SCHWENCKIA. Diandria Monogynia. W.							
	<i>americana</i> . R.S.	American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
BONNAYA. S.S. BONNAYA. Diandria Monogynia. S.S.							
1	<i>brachiata</i> . s.s.	brachiate.	E. Indies.	1825.	6. 9.	H. ⊙.	Pl. sel. h. ber. t. 11.
2	<i>veronicæfolia</i> . s.s.	Speedwell-ld.	— — —	1798.	— — —	S. ♂.	Rheed. mal. 9. t. 59.
	<i>Gratiola veronicæfolia</i> . w.						
3	<i>reptans</i> . s.s.	creeping.	— — —	1820.	— — —	S. ⊙.	
GRATIOLA. B.P. HEDGE-HYSSOP. Diandria Monogynia. L.							
1	<i>latifolia</i> . B.P.	broad-leaved.	N. S. W.	1822.	6. 8.	G. ♀.	
2	<i>officinalis</i> . R.S.	officinal.	Europe.	1568.	5. 8.	H. ♀.	Flor. dan. 363.
3	<i>virginica</i> . R.S.	Virginian.	Virginia.	1759.	8.	H. ♀.	
WULFENIA. R.S. WULFENIA. Diandria Monogynia. R.S.							
	<i>carinthiaca</i> . R.S.	blue-flowered.	Carinthia.	1817.	6. 9.	H. ♀.	Swt. br. fl. gar. 66.
PÆDEROTA. R.S. PÆDEROTA. Diandria Monogynia. L.							
	<i>Ageria</i> . R.S.	sulphur-col'd.	Italy.	1825.	6. 7.	H. ♀.	Jacq. vind. 2. t. 121.
LEPTANDRA. N. LEPTANDRA. Diandria Monogynia. N.							
1	<i>virginica</i> .	Virginian.	Virginia.	1714.	7. 9.	H. ♀.	Pluk. alm. t. 70. f. 2.
	<i>Veronica virginica</i> . w.						
	<i>β incarnata</i> .	flesh-coloured.	— — —	— — —	— — —	H. ♀.	
2	<i>sibirica</i> . N.	Siberian.	Siberia.	1779.	7. 8.	H. ♀.	Amm. ruth. 20. t. 4.
VERONICA. R.S. SPEEDWELL. Diandria Monogynia. L.							
1	<i>foliosa</i> . R.S.	leafy.	Hungary.	1805.	7. 9.	H. ♀.	W. et K. hung. 2. t. 102.
2	<i>crenulata</i> . R.S.	notch-flowered.	S. Europe.	1804.	— — —	H. ♀.	Hoff. phyt. p. 95. t. E. f. 3.
	<i>villosa</i> . Schr. V. t. 1. f. 3.						
3	<i>maritima</i> . R.S.	sea-side.	— — —	1570.	— — —	H. ♀.	Schrad. ver. t. 1. f. 1.
4	<i>Hostii</i> . R.S.	Host's.	Italy.	— — —	— — —	H. ♀.	Tabern. n. kreut. 2. f. 4.
5	<i>spuria</i> . R.S.	spurious.	Siberia.	1731.	— — —	H. ♀.	Gmel. it. 1. t. 39.
	<i>amethystina</i> . W. en.						
6	<i>paniculata</i> . R.S.	panicled.	Tartary.	1797.	6. 7.	H. ♀.	
7	<i>complicata</i> . R.S.	bundled.	S. Europe.	1812.	9. 10.	H. ♀.	Hoff. phyt. p. 98. t. E. f. 4.
8	<i>azurea</i> . R.S.	azure.	— — —	1818.	6. 9.	H. ♀.	
9	<i>glabra</i> . R.S.	smooth.	S. Europe.	1804.	7. 9.	H. ♀.	Schrad. ver. p. 25. t. 1. f. 4.
10	<i>brachyphylla</i> . R.S.	short-leaved.	— — —	1818.	— — —	H. ♀.	
	<i>brevifolia</i> . L. en.						
11	<i>elator</i> . R.S.	tall.	S. Europe.	1808.	— — —	H. ♀.	
12	<i>acuta</i> . R.S.	acute-leaved.	— — —	1820.	— — —	H. ♀.	
13	<i>arguta</i> . R.S.	sharp-notched.	S. Europe.	1812.	— — —	H. ♀.	Schrad. ver. n. 7. t. 2. f. 2.
14	<i>nitida</i> . L. en.	glossy-leaved.	— — —	1816.	— — —	H. ♀.	
15	<i>longibracteata</i> . L. en.	long-bracted.	— — —	— — —	— — —	H. ♀.	
	<i>β latifolia</i> .	broad-leaved.	— — —	— — —	— — —	H. ♀.	
16	<i>media</i> . R.S.	long-spiked.	Germany.	1804.	— — —	H. ♀.	Schrad. ver. n. 8. t. 1. f. 2.
17	<i>persicifolia</i> . R.S.	Peach-leaved.	— — —	1819.	— — —	H. ♀.	
18	<i>australis</i> . R.S.	pubescent.	S. Europe.	1812.	— — —	H. ♀.	— — — n. 9. t. 2. f. 3.
19	<i>longifolia</i> . R.S.	long-leaved.	— — —	1731.	— — —	H. ♀.	— — — p. 26. t. 2. f. 1.
20	<i>neglecta</i> . R.S.	canescent.	Siberia.	1797.	— — —	H. ♀.	Swt. br. fl. gar. 55.
21	<i>angustifolia</i> . s.s.	narrow-leaved.	— — —	1823.	— — —	H. ♀.	
22	<i>incana</i> . R.S.	hoary.	Russia.	1759.	7. 9.	H. ♀.	Hoff. c. gott. 15. t. 6.
23	<i>elegans</i> . R.S.	elegant.	— — —	— — —	— — —	H. ♀.	
24	<i>spicata</i> . R.S.	spiked.	England.	— — —	— — —	H. ♀.	Eng. bot. t. 2.
25	<i>Clusii</i> . R.S.	Clusius's.	N. Europe.	— — —	— — —	H. ♀.	Flor. dan. t. 52.
26	<i>menthæfolia</i> . R.S.	Mint-leaved.	Austria.	1818.	— — —	H. ♀.	
27	<i>Barrelieri</i> . R.S.	Barrelier's.	S. Europe.	— — —	— — —	H. ♀.	Barrel. ic. t. 682.
28	<i>orchidea</i> . R.S.	Orchis-like.	Europe.	— — —	— — —	H. ♀.	
29	<i>crassifolia</i> . R.S.	thick-leaved.	Hungary.	1818.	— — —	H. ♀.	
30	<i>hybrida</i> . R.S.	Welsh.	England.	— — —	— — —	H. ♀.	Eng. bot. 673.
31	<i>longiflora</i> . R.S.	long-flowered.	— — —	1823.	— — —	H. ♀.	
32	<i>ruthenica</i> . R.S.	Russian.	Russia.	— — —	— — —	H. ♀.	
33	<i>Ponæ</i> . R.S.	dwarf.	Pyrenees.	— — —	— — —	H. ♀.	Gouan. ill. t. 1. f. 1.
34	<i>polystachya</i> . L. en.	many-spiked.	— — —	1819.	— — —	H. ♀.	
35	<i>pinnata</i> . R.S.	wing-leaved.	Siberia.	1776.	6. 8.	H. ♀.	Hoff. c. gott. 15. t. 10.

36	<i>incisa</i> . R.S.	cut-leaved.	Siberia.	1779.	6. 8.	H. 2.	
37	<i>laciniata</i> . R.S.	jagged-leaved.	—	1780.	—	H. 2.	Jung. ic. rar. C. 1. f. 2.
38	<i>gentianoides</i> . R.S.	Gentian-leav'd.	Levant.	1748.	5. 6.	H. 2.	Botan. magaz. 1002?
39	<i>pallida</i> . R.S.	pale.	—	1816.	—	H. 2.	
40	<i>bellidioides</i> . R.S.	Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 2.	Hall. hist. t. 15. f. 1.
41	<i>fruticulosa</i> . R.S.	flesh-coloured.	Scotland.	6. 8.	H. 2.	Eng. bot. 1028.
42	<i>saxatilis</i> . R.S.	blue rock.	—	7.	H. 2.	— 1027.
43	<i>nummularia</i> . R.S.	moneywort.	Pyrenees.	1820.	6. 8.	H. 2.	Gouan. ill. 1. t. 1. f. 2.
44	<i>alpina</i> . R.S.	Alpine.	Scotland.	5. 6.	H. 2.	Eng. bot. 484.
	<i>α acutifolia</i> .	acute entire-ld.	Europe.	—	H. 2.	
	<i>β pumila</i> . All.	saw-leaved.	—	—	H. 2.	Allion. ped. t. 22. f. 5.
	<i>γ obtusifolia</i> .	blunt entire-ld.	Scotland.	—	H. 2.	Eng. bot. 484.
	<i>δ integrifolia</i> . W.	entire-leaved.	Europe.	—	H. 2.	Krocker siles. t. 3.
	<i>ε heterophylla</i> .	various-leaved.	—	—	H. 2.	
	<i>ζ rotundifolia</i> .	round-leaved.	—	—	H. 2.	Braun. salisb. n. 15. t. 2.
45	<i>depauperata</i> . R.S.	few-flowered.	Hungary.	1819.	—	H. 2.	W. et K. hung. 3. t. 245.
46	<i>serpyllifolia</i> . R.S.	smooth.	Britain.	4. 7.	H. 2.	Eng. bot. 1075.
	<i>α ovata</i> .	common.	—	—	H. 2.	
	<i>β tenella</i> . Schm.	roundish-leaved.	Europe.	—	H. 2.	
	<i>γ neglecta</i> . Schm.	neglected.	—	—	H. 2.	
	<i>δ quaternata</i> .	four-leaved.	—	—	H. 2.	
	<i>ε nummulariæfolia</i> .	moneywort-ld.	—	—	H. 2.	
	<i>ζ humifusa</i> . L.T.	trailing.	—	—	H. 2.	
47	<i>hirsuta</i> . R.S.	bristly.	Scotland.	—	H. 2.	
	<i>setigera</i> . S.S.	—	—	—	—	—	
48	<i>tenella</i> . R.S.	slender.	Pyrenees.	1820.	5. 6.	H. 2.	Allion. ped. t. 22. f. 1.
49	<i>parviflora</i> . R.S.	small-flowered.	N. Zealand.	1822.	6. 8.	H. 2.	
50	<i>decussata</i> . R.S.	cross-leaved.	Falkland Isl.	1776.	—	F. 2.	Botan. magaz. 242.
51	<i>aphylla</i> . R.S.	naked-stalked.	Italy.	1775.	5.	H. 2.	Seguier. ver. t. 3. f. 2.
52	<i>Beccabunga</i> . R.S.	brook-lime.	Britain.	5. 6.	H. w. 2.	Eng. bot. 655.
53	<i>Anagallis</i> . R.S.	long-ld. water.	—	6. 8.	H. w. 2.	— 781.
54	<i>scutellata</i> . R.S.	marsh.	—	—	H. w. 2.	— 782.
55	<i>Parmularia</i> . R.S.	tooth-ld. marsh.	Austria.	1816.	6. 8.	H. w. 2.	Trattin. fl. aust. b. 20.
56	<i>pectinata</i> . R.S.	pectinated.	Levant.	1820.	—	H. 2.	Buxb. C. 1. t. 39. f. 1.
57	<i>orientalis</i> . R.S.	various-leaved.	—	1748.	—	H. 2.	Sal. stirp. rar. 7. t. 4.
58	<i>trichocarpa</i> . R.S.	hairy-capsuled.	—	1820.	—	H. 2.	
	<i>pilocarpa</i> . L. en.	—	—	—	—	—	
59	<i>Jacquini</i> . R.S.	Jacquin's.	Austria.	1748.	—	H. 2.	Jacq. aust. 4. t. 329.
	<i>austriaca</i> . Jacq. non L.	—	—	—	—	—	
60	<i>austriaca</i> . R.S.	Austrian.	—	—	—	H. 2.	
	<i>polymorpha</i> . W. en.	—	—	—	—	—	
61	<i>multifida</i> . R.S.	multifid-leaved.	Siberia.	—	—	H. 2.	Botan. magaz. 1679.
62	<i>caucasica</i> . R.S.	Caucasean.	Caucasus.	1815.	—	H. 2.	
63	<i>taurica</i> . W.	Taurian.	Tauria.	—	—	H. 2.	Lodd. bot. cab. 911.
64	<i>Allionii</i> . R.S.	shining-leaved.	S. Europe.	1748.	—	H. 2.	Allion. ped. 1. t. 46. f. 3.
65	<i>officinalis</i> . R.S.	official.	Britain.	4. 7.	H. 2.	Eng. bot. 765.
66	<i>Mulleriana</i> . R.S.	Muller's.	Styria.	1825.	5. 7.	H. 2.	
67	<i>Chaixi</i> . R.S.	Chaix's.	S. Europe.	—	—	H. 2.	
68	<i>prostrata</i> . R.S.	trailing.	Germany.	1774.	5. 6.	H. 2.	Banh. hist. 3. p. 287. ic.
69	<i>plicata</i> . R.S.	plaited-leaved.	Bohemia.	1823.	—	H. 2.	Pohl tent. fl. b. p. 15. f. 1.
70	<i>micrantha</i> . R.S.	soft-leaved.	Portugal.	—	—	H. 2.	Hoff. f. port. t. 57.
	<i>mollis</i> . Zea.	—	—	—	—	—	
71	<i>latifolia</i> . R.S.	broad-leaved.	Austria.	1748.	6. 7.	H. 2.	Swt. br. fl. gar. 23.
72	<i>Teucrium</i> . R.S.	sawed-leaved.	Europe.	1596.	6. 8.	H. 2.	Lodd. bot. cab. 425.
73	<i>dentata</i> . R.S.	toothed-leaved.	S. Europe.	1816.	—	H. 2.	
74	<i>Schmidtii</i> . R.S.	Schmidt's.	Bohemia.	1797.	6. 7.	H. 2.	
	<i>paniculata</i> . W. non Pall.	—	—	—	—	—	
75	<i>Chamædrys</i> . R.S.	Germander.	Britain.	5. 8.	H. 2.	Eng. bot. 623.
76	<i>urticæfolia</i> . R.S.	Nettle-leaved.	Austria.	1776.	6. 7.	H. 2.	Jacq. aust. 1. t. 59.
77	<i>montana</i> . R.S.	mountain.	Britain.	7. 8.	H. 2.	Eng. bot. 766.
78	<i>peduncularis</i> . R.S.	peduncled.	Caucasus.	1825.	6. 8.	H. 2.	Buxb. C. 1. t. 41. f. 1.
79	<i>plebeia</i> . B.P.	plebeian.	N. S. W.	1822.	—	G. 2.	
	<i>arguta</i> . R.S.	—	—	—	—	—	
80	<i>Brownii</i> . B.P.	sharp-toothed.	—	—	—	G. 2.	
81	<i>gracilis</i> . B.P.	slender.	—	—	—	G. 2.	
82	<i>perfoliata</i> . B.P.	perfoliate.	—	1815.	7. 8.	G. 2.	Botan. magaz. 1936.
83	<i>labiata</i> . B.P.	labiated.	N. Holland.	1802.	4. 7.	F. 2.	— 1660.
	<i>Derwentia</i> . B. R. 531.	—	—	—	—	—	
84	<i>mollissima</i> . R.S.	softest.	1819.	6. 8.	H. 2.	

85	Waldsteiniana. R.S.	Waldstein's.	1819.	6. 8.	H. 4.	
86	verna. R.S.	vernal.	Britain.	4. 5.	H. ⊙.	Eng. bot. 25.
87	digitata. R.S.	fingered.	Spain.	1805.	6. 7.	H. ⊙.	
88	triphyllus. R.S.	variable-leav'd.	Britain.	4. 5.	H. ⊙.	Eng. bot. 26.
89	hederifolia. R.S.	Ivy-leaved.	3. 10.	H. ⊙.	784.
90	Cymbalaria. R.S.	fleshy-leaved.	Levant.	1823.	4. 8.	H. ⊙.	Flor. græc. t. 9.
91	peregrina. R.S.	knotgrass-ld.	N. Europe.	1680.	5. 6.	H. ⊙.	Flor. dan. 407.
92	amœna. R.S.	pretty.	Iberia.	1823.	—	H. ⊙.	M.B.cent. ros. t.1. f.188.
93	præcox. R.S.	early-flowered.	Europe.	—	3. 5.	H. ⊙.	Allion. ped. t. 1. f. 1.
94	acinifolia. R.S.	Basil-leaved.	S. Europe.	1788.	4. 5.	H. ⊙.	Poit.etTurp.par.1.t.23.
95	arvensis. R.S.	wall.	Britain.	4. 7.	H. ⊙.	Eng. bot. 734.
96	agrestis. R.S.	field.	1. 12.	H. ⊙.	783.
	<i>α polita.</i>	polished.	—	H. ⊙.	
	<i>β versicolor.</i>	various-coloured.	—	H. ⊙.	
	<i>γ opaca.</i>	dull-coloured.	—	H. ⊙.	
97	pulchella. R.S.	neat.	1823.	3. 6.	H. ⊙.	
98	Buxbaumii. s.s.	Buxbaum's.	S. Europe.	1820.	—	H. ⊙.	Ten. fl. nap. t. 1.
99	filiformis. s.s.	long-stalked.	Levant.	1780.	5.	H. ⊙.	Buxb. cent. 1. t.40.f.11.
100	persica. s.s.	Persian.	Persia.	1816.	1. 12.	H. ⊙.	
DIPLOPHYLLUM. S.S. DIPLOPHYLLUM. Diandria Monogynia. S.S.							
	veronicaforme. s.s.	Speedwell-like.	Caucasus.	1813.	4. 6.	H. ⊙.	Linn. trans. v. 11. t.311
	<i>Veronica cristu galli.</i>	L.T.					
HEMIMERIS. L. HEMIMERIS. Diandria Monogynia.							
	montana. L.	mountain.	C. B. S.	1816.	6. 8.	G. 4.	Lam. ill. t. 532.

ORDO CXXXI.

LABIATÆ. *Brown prodr. 1. p. 499.*

LYCOPUS. R.S. WATER-HOREHOUND. Diandria Monogynia. L.							
1	australis. B.P.	New Holland.	N. S. W.	1823.	5. 7.	G. 4.	
2	europæus. R.S.	Europæan.	Britain.	7. 8.	H. 4.	Eng. bot. 1105.
3	exaltatus. R.S.	tall.	Italy.	1739.	—	H. 4.	Flor. græc. 1. t. 12.
4	virginicus. R.S.	Virginian.	N.America.	1760.	8. 9.	H. 4.	
	<i>β quercifolius. Ph.</i>	Oak-leaved.	—	H. 4.	
5	intermedius.	intermediate.	Europe.	7. 8.	H. 4.	
AMETHYSTEA. R.S. AMETHYSTEA. Diandria Monogynia. L.							
	cœrulea. R.S.	blue-flowered.	Siberia.	1759.	6. 7.	H. ⊙.	Botan. magaz. 2448.
CUNILA. N. CUNILA. Diandria Monogynia. L.							
	mariana. N.	Mint-leaved.	N.America.	1759.	7. 9.	H. 4.	Moris. s. 11. t. 19. f. 71
HEDEOMA. N. HEDEOMA. Diandria Monogynia. P.S.							
1	pulegioides. N.	Pennyroyal-ld.	N.America.	1777.	6. 8.	H. ⊙.	
2	thymoides. P.S.	Thyme-leaved.	France.	1699.	—	H. ⊙.	Moris. s. 11. t. 19. f. 61
ZIZIPHORA. S.S. ZIZIPHORA. Diandria Monogynia. L.							
1	clinopodioides. R.S.	headed.	Siberia.	1799.	7. 8.	H. ⊙.	Rud.mem.p.1810.t.111
	<i>Cunila capitata. L.</i>						
2	acinoides. W.en.	Thyme-leaved.	1786.	—	H. ⊙.	
3	media. L.en.	middle.	1816.	—	H. 4.	
4	capitata. R.S.	oval-leaved.	Syria.	1752.	—	H. ⊙.	Flor. græc. 1. t. 13.
5	hispanica. R.S.	Spanish.	Spain.	1759.	6.	H. ⊙.	Lam. ill. t. 18. f. 1.
6	tenuior. R.S.	spear-leaved.	Levant.	1752.	6. 7.	H. ⊙.	— t. 18. f. 2.
7	taurica. R.S.	Taurian.	Tauria.	1816.	7. 9.	H. ⊙.	M.B.cent.pl.rar.2.t.822
8	serpyllacea. R.S.	sweet-scented.	Caucasus.	1803.	7. 8.	H. 4.	Botan. magaz. 906?
9	dasyantha. R.S.	hairy-flowered.	Siberia.	1803.	6. 8.	H. 4.	1093.
	<i>Pouschkini. B.M.</i>						
MONARDA. R.S. MONARDA. Diandria Monogynia. L.							
1	fistulosa. R.S.	fistulous.	N.America.	1656.	6. 8.	H. 4.	Mill. ic. t. 122. f. 2.
2	media. R.S.	purple-bracted.	6. 9.	H. 4.	Swt. br. fl. gar. 98.
3	mollis. R.S.	soft.	6. 7.	H. 4.	
4	oblongata. R.S.	long-leaved.	1761.	7. 9.	H. 4.	
5	altissima. R.S.	tallest.	1818.	—	H. 4.	
6	affinis. L.en.	affined.	—	—	H. 4.	
7	rugosa. R.S.	white-flowered.	1761.	—	H. 4.	

8	<i>purpurea</i> . R.S.	purple-flower'd.	N.America.	1789.	6. 8.	H. 4.	Botan. magaz. 145.
	<i>fistulosa</i> . var. <i>crimson</i> . B.M.						
9	<i>Kalmiana</i> . R.S.	pubescent-fl'd.	_____	1813.	_____	H. 4.	Pursh. amer. 1. t. 1.
10	<i>didyma</i> . R.S.	Oswego Tea.	_____	1752.	_____	H. 4.	Botan. magaz. 546.
11	<i>Russelliana</i> . N.	Russel's.	_____	1823.	_____	H. 4.	Swt. br. fl. gar. 160.
12	<i>clinopodia</i> . Ph.	wild basil-ld.	_____	1771.	7.	H. 4.	
13	<i>gracilis</i> . R.S.	slender.	_____	1824.	7. 8.	H. 4.	
14	<i>ciliata</i> . R.S.	blue-flowered.	_____	1798.	7.	H. 4.	Pluk. alm. t. 164. f. 3.
15	<i>hirsuta</i> . R.S.	hairy.	_____	_____	7. 9.	H. 4.	
16	<i>punctata</i> . R.S.	spotted.	_____	1714.	6. 10.	F. 4.	Botan. regist. 87.
17	<i>citriodora</i> . R.S.	Citron-scented.	New Spain.	1823.	_____	F. 4.	
ROSMARINUS. R.S. ROSEMARY. Diandria Monogynia. L.							
1	<i>officinalis</i> . R.S.	common.	S. Europe.	1548.	1. 4.	H. h.	Flor. græc. 1. t. 14.
	<i>α angustifolius</i> .	narrow-leaved.	_____	_____	_____	H. h.	
	<i>β latifolius</i> .	broad-leaved.	_____	_____	_____	H. h.	
	<i>γ argenteus</i> .	silver-striped.	_____	_____	_____	H. h.	
	<i>δ aureus</i> .	gold-striped.	_____	_____	_____	H. h.	
2	<i>chilensis</i> . R.S.	Chili.	Chili.	1795.	7.	G. h.	
SALVIA. R.S. SAGE. Diandria Monogynia. L.							
1	<i>promifera</i> . R.S.	Apple-bearing.	Candia.	1699.	7. 8.	H. 4.	Flor. græc. t. 15.
2	<i>calycina</i> . R.S.	broad-calyxed.	Greece.	1823.	_____	G. h.	_____ t. 16.
3	<i>canariensis</i> . R.S.	Canary.	Canaries.	1697.	6. 9.	G. h.	Trew. pl. rar. 2. t. 19.
4	<i>aurea</i> . R.S.	golden.	C. B. S.	1731.	4. 11.	G. h.	Botan. magaz. 182.
5	<i>dentata</i> . R.S.	tooth-leaved.	_____	1774.	12. 1.	G. h.	
6	<i>splendens</i> . S.S.	splendid.	Brazil.	1823.	8. 3.	S. h.	Botan. regist. 687.
7	<i>bracteata</i> . S.S.	long-bracted.	Syria.	1788.	6. 8.	G. h.	Pluk. alm. t. 194. f. 6.
8	<i>interrupta</i> . R.S.	interrupted.	Barbary.	1825.	5. 6.	H. h.	Swt. br. fl. gar. 169.
9	<i>pinnata</i> . R.S.	winged-leaved.	Levant.	1731.	7.	H. h.	Boer. lugd. 1. t. 167.
10	<i>Habliziana</i> . R.S.	Taurian.	Tauria.	1795.	8.	H. h.	Botan. magaz. 1429.
11	<i>lanceolata</i> . R.S.	lance-leaved.	S. America.	1818.	7. 9.	H. h.	Jacq. f. ecl. t. 12.
12	<i>hirsuta</i> . R.S.	hirsute.	Mexico.	1801.	5. 6.	H. h.	Jacq. schœn. 3. t. 252.
13	<i>leucantha</i> . R.S.	white-flowered.	_____	1825.	G. 4.	Cavan. ic. 1. t. 24.
14	<i>angustifolia</i> . R.S.	narrow-leaved.	_____	1806.	6. 7.	G. 4.	_____ 4. t. 317.
	<i>reptans</i> . Jacq. schœn. t. 319.						
15	<i>azurea</i> . R.S.	azure-flowered.	Carolina.	_____	8. 9.	H. 4.	Botan. magaz. 1728.
16	<i>occidentalis</i> . R.S.	West Indian.	W. Indies.	1820.	_____	S. 4.	
17	<i>pseudococcinea</i> .	pale scarlet.	S. America.	1797.	6. 8.	S. h.	Jacq. ic. 2. t. 209.
18	<i>amœna</i> . B.M.	fine blue.	W. Indies.	1793.	9. 12.	S. h.	Botan. magaz. 1294.
	<i>Boosiana</i> . Jacq. f. ecl. 1. t. 47.	<i>amœna</i> . B.R. 446.					
19	<i>rosea</i> . R.S.	rose-coloured.	E. Indies.	1816.	6. 9.	S. h.	
20	<i>tubifera</i> . R.S.	long-tubed.	Mexico.	1824.	_____	S. 4.	Cavan. ic. 1. t. 25.
21	<i>mexicana</i> . R.S.	Mexican.	_____	1724.	5. 7.	G. h.	_____ 1. t. 26.
22	<i>chamædryoides</i> . R.S.	Germander like.	_____	1795.	6. 9.	G. h.	Botan. magaz. 808.
23	<i>cæsia</i> . R.S.	grey.	S. America.	1813.	_____	G. h.	
24	<i>involucrata</i> . R.S.	large-bracted.	Mexico.	1825.	S. h.	Cavan. ic. 2. t. 105.
25	<i>purpurea</i> . R.S.	purple.	_____	_____	5. 7.	S. 4.	_____ 2. t. 166.
26	<i>hispanica</i> . R.S.	Spanish.	Spain.	1739.	6. 8.	H. h.	Botan. regist. 359.
27	<i>serotina</i> . R.S.	late-flowering.	Chio.	1803.	8.	G. h.	Jacq. ic. 1. t. 3.
28	<i>dominica</i> . R.S.	Dominican.	W. Indies.	1759.	7.	S. 4.	Swartz. obs. p. 18. t. 1. f. 1
29	<i>tiliæfolia</i> . R.S.	Lime-leaved.	S. America.	1793.	6. 8.	S. 4.	Jacq. schœn. 3. t. 254.
30	<i>micrantha</i> . R.S.	small-flowered.	_____	1818.	_____	S. 4.	
31	<i>leonnroides</i> . R.S.	shining-leaved.	Peru.	1783.	4. 10.	G. h.	Lam. ill. t. 20. f. 3.
	<i>formosa</i> . B.M. 376.						
32	<i>coccinea</i> . R.S.	scarlet-flow'r'd.	S. America.	1774.	_____	G. h.	
33	<i>pulchella</i> . R.S.	pretty.	_____	8. 12.	G. h.	Murr. c. gott. 1778. t. 1.
34	<i>amarissima</i> . R.S.	bitter.	Mexico.	1803.	7. 8.	G. 4.	Botan. regist. 347.
35	<i>glutinosa</i> . R.S.	glutinous.	Europe.	1596.	6. 9.	H. 4.	Sabb. hort. rom. t. 3.
36	<i>nubicola</i> . B.F.G.	Nepaul.	Nepaul.	1824.	8. 10.	H. 4.	Swt. br. fl. gar. 140.
37	<i>ægyptiaca</i> . R.S.	Egyptian.	Egypt.	1770.	6. 7.	H. h.	Jacq. vind. 2. t. 108.
38	<i>cretica</i> . R.S.	Cretan.	Crete.	1760.	6. 8.	F. h.	Rivin. monop. t. 128.
39	<i>paniculata</i> . R.S.	panicked.	C. B. S.	1758.	_____	G. h.	Mill. ic. t. 225. f. 1.
40	<i>africana</i> . R.S.	African.	_____	1731.	4. 6.	G. h.	Comm. hort. 2. t. 91.
41	<i>colorata</i> . R.S.	colour'd-calyxed.	_____	1758.	7. 8.	G. h.	Mill. ic. t. 225. f. 2.
42	<i>officinalis</i> . R.S.	garden.	S. Europe.	1597.	6. 7.	H. h.	Lam. ill. t. 20. f. 1.
	<i>β variegata</i> .	variegated.	_____	_____	_____	H. h.	
	<i>γ tenuior</i> .	narrow-leaved.	Spain.	_____	_____	H. h.	
43	<i>Spielmanni</i> . R.S.	Spielman's.	Caucasus.	1813.	_____	H. 4.	Jacq. f. ecl. 2. t. 15.
44	<i>phlomoides</i> . R.S.	Mullein-leav'd.	Spain.	1805.	5. 6.	H. 4.	Rœm. script. his. t. 1. f. 1.
45	<i>urticifolia</i> . R.S.	Nettle-leaved.	N. America.	1799.	6. 7.	H. 4.	Moris. his. 3. t. 13. f. 31.

46	<i>lusitanica</i> . R.S.	blistered.	Portugal.	1804.	7. 8. H. ½.	Jacq. f. ecl. t. 38.
	<i>bullata</i> . W.en. <i>elongata</i> . Spr.					
47	<i>rugosa</i> . R.S.	wrinkle-leaved.	C. B. S.	1775.	— H. ½.	
48	<i>verticillata</i> . R.S.	whorled.	Germany.	1658.	6. 11. H. ½.	Mirb.an.m.15.t.15.f.10
	<i>β parviflora</i> .	<i>small-flowered</i> .	—	—	— H. ½.	
49	<i>indica</i> . R.S.	Indian.	India.	1731.	5. 7. H. ½.	Botan. magaz. 395.
50	<i>Tenorii</i> . R.S.	Tenore's.	Italy.	1820.	5. 8. H. ½.	Swt. br. fl. gar. 26.
51	<i>candidissima</i> . R.S.	hoary-leaved.	Levant.	1804.	6. 7. G. ½.	Flor. græc. t. 26.
	<i>crassifolia</i> . F.G. non Cav.					
52	<i>verbascifolia</i> . R.S.	Verbascum-ld.	Iberia.	1825.	— H. ½.	
53	<i>odorata</i> . R.S.	sweet-scented.	Bagdad.	1804.	7. F. ½.	Jacq. f. ecl. t. 16.
54	<i>compressa</i> . R.S.	compressed.	Levant.	1816.	7. 8. H. ½.	Venten. cels. t. 59.
55	<i>mollis</i> . R.S.	soft.	Siberia.	1596.	6. 10. H. ½.	Jacq. f. ecl. t. 37.
56	<i>grandiflora</i> . R.S.	great-flower'd.	S. Europe.	1616.	6. 9. H. ½.	— t. 36.
57	<i>crassifolia</i> . R.S.	thick-leaved.	1804.	— H. ½.	
58	<i>pratensis</i> . R.S.	meadow.	England.	5. 11. H. ½.	Eng. bot. 153.
59	<i>variegata</i> . R.S.	variegated.	Hungary.	1814.	6. 8. H. ½.	
60	<i>hæmatodes</i> . R.S.	bloody-veined.	Italy.	1699.	7. 8. H. ½.	Barrel. ic. t. 185.
61	<i>nepetifolia</i> . R.S.	Catmint-leav'd.	1823.	— H. ½.	
62	<i>viscosa</i> . R.S.	clammy.	Italy.	1773.	5. 6. H. ½.	Jacq. ic. 1. t. 5.
63	<i>disermas</i> . R.S.	long-spiked.	Syria.	—	7. H. ½.	Barrel. ic. 187.
64	<i>nutans</i> . R.S.	nodding.	Russia.	1780.	6. 8. H. ½.	Botan. magaz. 2436.
65	<i>pendula</i> . R.S.	Betony-leaved.	—	1804.	— H. ½.	
	<i>betonicæfolia</i> . W.					
	<i>β grandiflora</i> .	<i>large-flowered</i> .	—	—	— H. ½.	
66	<i>amplexicaulis</i> . R.S.	stem-clasping.	Levant.	1813.	7. 9. H. ½.	
67	<i>austriaca</i> . R.S.	Austrian.	Austria.	1776.	6. 7. H. ½.	Jacq. aust. 2. t. 112.
68	<i>syriaca</i> . R.S.	Syrian.	Levant.	1759.	7. G. ½.	Arduin. spec. 1. t. 1.
69	<i>nubia</i> . R.S.	Nubian.	Africa.	1784.	6. 7. G. ½.	Murr. c. gott. 1778. t. 3.
70	<i>virgata</i> . R.S.	long-branched.	Armenia.	1758.	7. 11. H. ½.	Jacq. schœn. 1. t. 37.
71	<i>campestris</i> . R.S.	field.	Tauria.	1813.	6. 7. H. ½.	
72	<i>sylvestris</i> . R.S.	wood.	Germany.	1759.	6. 10. H. ½.	Jacq. aust. 3. t. 212.
73	<i>nemorosa</i> . R.S.	spear-leaved.	—	1728.	— H. ½.	
74	<i>patula</i> . R.S.	spreading.	Portugal.	1805.	5. 7. H. ½.	
75	<i>tingitana</i> . R.S.	Tangier.	Barbary.	1796.	7. G. ½.	Rivin. monop. 1. t. 52.
76	<i>Sclarea</i> . R.S.	common Clary.	Italy.	1562.	7. 9. H. ½.	Flor. græc. 1. t. 25.
77	<i>spinosa</i> . R.S.	thorny-calyxed.	Egypt.	1789.	6. G. ½.	Jacq. ic. 1. t. 7.
78	<i>Æthiopis</i> . R.S.	woolly.	Austria.	1570.	5. 6. H. ½.	Jacq. aust. 3. t. 211.
79	<i>argentea</i> . R.S.	silvery.	Crete.	1759.	5. 7. H. ½.	Flor. græc. 1. t. 27.
80	<i>applanata</i> . R.S.	short-spined.	1818.	6. 8. H. ½.	
81	<i>Horminum</i> . R.S.	annual Clary.	S. Europe.	1596.	— H. ½.	Flor. græc. 1. t. 20.
	<i>α violacea</i> .	<i>purple-topped</i> .	—	—	— H. ½.	
	<i>β rubra</i> .	<i>red-topped</i> .	—	—	— H. ½.	
82	<i>viridis</i> . R.S.	green topped.	Italy.	1759.	— H. ½.	Flor. græc. 1. t. 19.
83	<i>pyramidalis</i> . R.S.	pyramidal.	—	1825.	— H. ½.	
84	<i>verbenaca</i> . R.S.	wild clary.	Britain.	6. 10. H. ½.	Eng. bot. 154.
85	<i>triloba</i> . R.S.	three-lobed.	S. Europe.	1596.	6. 7. H. ½.	Flor. græc. 1. t. 17.
86	<i>lyrata</i> . R.S.	lyre-leaved.	N.America.	1728.	— H. ½.	Moris. s. 11. t. 13. f. 27.
87	<i>gigantea</i> . R.S.	giant.	1816.	— H. ½.	
88	<i>abyssinica</i> . R.S.	Abyssinian.	Abyssinia.	1775.	6. 7. G. ½.	Jacq. ic. 1. t. 6.
89	<i>nilotica</i> . R.S.	Nilotic.	Egypt.	1780.	6. 8. H. ½.	Jacq. vind. 3. t. 92.
90	<i>Forskohlii</i> . R.S.	Forskohl's.	Levant.	1800.	— H. ½.	Botan. magaz. 988.
91	<i>napifolia</i> . R.S.	Rape-leaved.	Italy.	1776.	6. 7. H. ½.	Jacq. vind. 2. t. 262.
92	<i>aurita</i> . R.S.	ear-leaved.	C. B. S.	1795.	5. 6. G. ½.	
93	<i>bicolor</i> . R.S.	two-coloured.	Barbary.	1793.	6. 7. H. ½.	Botan. magaz. 1774.
94	<i>laciniata</i> . R.S.	jagged-leaved.	1818.	— H. ½.	
95	<i>runcinata</i> . R.S.	runcinated.	C. B. S.	1795.	— G. ½.	Jacq. schœn. 1. t. 8.
96	<i>scabra</i> . R.S.	rough-leaved.	—	1774.	4. 9. G. ½.	
97	<i>erosa</i> . R.S.	erose-leaved.	1823.	6. 9. H. ½.	
98	<i>multifida</i> . L.en.	multifid.	S. Europe.	—	5. 6. H. ½.	Flor. græc. 1. t. 23.
	<i>polymorpha</i> . R.S.					
99	<i>clandestina</i> . R.S.	cut-leaved.	Italy.	1739.	4. 7. H. ½.	— 1. t. 24.
100	<i>ceratophylla</i> . R.S.	stag's-horn-ld.	Persia.	1699.	7. 8. H. ½.	Pluk. alm. t. 194. f. 5.
101	<i>ceratophylloides</i> .	branching.	Egypt.	1771.	6. 8. H. ½.	Arduin. spec. 2. t. 2.
102	<i>prismatica</i> . R.S.	slender-spiked.	Mexico.	1822.	— H. ½.	
COLLINSONIA. R.S.		COLLINSONIA.	Diandria Monogynia. L.			
1	<i>canadensis</i> . R.S.	Nettle-leaved.	N.America.	1735.	8. 10. H. ½.	Linn. hort. clif. t. 5.
2	<i>scabriuscula</i> . R.S.	rough-stalked.	Florida.	1776.	7. 9. H. ½.	
3	<i>ovalis</i> . R.S.	oval-leaved.	Carolina.	1812.	8. H. ½.	

4	tuberosa. M.	tuberous.	Carolina.	1806.	8.	H. 4.	
	<i>serotina</i> . R.S.						
5	anisata. R.S.	Anise-scented.	—	—	10.	H. 4.	Botan. magaz. 1213.
LUMNITZERA. S.S.							
1	ocymoides. s.s.	Basil-like.	—	1823.	6. 8.	S. ☉.	
2	polystachya. s.s.	many-spiked.	E. Indies.	1783.	7. 8.	S. ☉.	Murr. c. gott. 3. t. 3.
	<i>Ocymum polystachion</i> . w.						
3	tenuiflora. s.s.	slender-spiked.	—	1708.	—	S. ♂.	Rumph. amb. 5. t. 92. f. 2.
4	capitata. s.s.	small-headed.	China.	1806.	—	H. ☉.	
	<i>Ocymum capitellatum</i> . w.						
OCYUM. W.							
		BASIL.	Didynamia Gymnospermia. L.				
1	thyrsiflorum. s.s.	thyrses-flower'd.	E. Indies.	1806.	7. 8.	S. ♂.	Jacq. vind. 3. t. 72.
2	gratissimum. s.s.	shrubby.	—	1752.	—	S. ♀.	Jacq. ic. 3. t. 495.
3	Basilicum. w.	common sweet.	India.	1548.	—	H. ☉.	Blackw. t. 104.
4	pilosum. w. en.	hairy.	—	1816.	7. 9.	H. ☉.	
5	micranthum. s.s.	small-flowered.	—	—	—	S. ☉.	
6	viride. s.s.	green.	E. Indies.	—	—	S. ♀.	
7	suave. s.s.	sweet-scented.	—	—	—	S. ♀.	
8	canum. B.M.	hoary.	China.	1822.	—	H. ☉.	Botan. magaz. 2452.
9	sanctum. s.s.	purple-stalked.	E. Indies.	1758.	—	S. ☉.	Rheed. mal. 10. t. 92.
10	febrifugum. s.s.	Feverwort.	Sierra Leon.	1821.	—	S. ☉.	Botan. regist. 753.
11	album. s.s.	large white-fl'd.	E. Indies.	1816.	—	S. ☉.	
12	americanum. s.s.	American.	S. America.	1789.	7. 8.	S. ☉.	Jacq. vind. 3. t. 86.
13	caryophyllatum. H.B.	Clove-scented.	E. Indies.	1817.	—	S. 4.	
14	villosum. H.B.	villous.	—	—	—	S. 4.	
15	menthoides. s.s.	Mint-leaved.	—	1783.	—	S. ☉.	
16	inodorum. Lam.	scentless.	—	1823.	—	S. ☉.	
17	cristatum. H.B.	crested.	—	1812.	—	S. ☉.	
18	grandiflorum. s.s.	great-flower'd.	Abyssinia.	1802.	9. 10.	G. ♀.	L'Herit. s. nov. t. 43.
19	minimum. s.s.	bush.	—	1573.	—	H. ☉.	Schk. handb. 2. t. 166.
PLECTRANTHUS. S.S.							
		PLECTRANTHUS.	Didynamia Gymnospermia. S.S.				
1	fruticosus. s.s.	shrubby.	C. B. S.	1774.	6. 9.	G. ♀.	L'Herit. stirp. 85. t. 41.
2	scutellarioides. s.s.	Skullcap-like.	E. Indies.	1764.	7. 8.	S. ☉.	Botan. magaz. 1446.
	<i>Ocymum scutellarioides</i> . B.M.						
3	galeatus. s.s.	helmetted.	Nepaul.	1820.	—	S. ☉.	
4	graveolens. B.P.	strong-scented.	N. S. W.	—	—	G. ♀.	
5	australis. B.P.	New Holland.	—	1823.	—	G. ☉.	
6	incanus. s.s.	hoary.	Nepaul.	—	—	G. 4.	
7	monachorum. s.s.	monk's basil.	E. Indies.	1796.	—	S. ☉.	
	<i>Ocymum monachorum</i> . w.						
8	mollis. s.s.	heart-leaved.	—	1781.	9. 10.	S. ☉.	
9	Forskohlœi. s.s.	Forskohl's.	Abyssinia.	1806.	10. 11.	S. ♀.	Botan. magaz. 2036.
	<i>barbatus</i> . A.R. 594.						
10	strobiliferus. H.B.	thick-spiked.	E. Indies.	1804.	6. 9.	S. ☉.	Rheed. mal. 10. t. 90.
11	secundus. H.B.	side-flowering.	—	1816.	—	S. ☉.	
12	punctatus. s.s.	dotted.	Africa.	1775.	1. 5.	G. ♂.	L'Herit. stirp. 1. t. 41.
13	rotundifolius. s.s.	round-leaved.	Mauritius.	1823.	6. 8.	S. ☉.	
14	parviflorus. s.s.	small-flowered.	S. America.	1805.	6. 9.	G. ♀.	W. hort. ber. 1. t. 65.
15	cordifolius. D.P.	heart-leaved.	Nepaul.	1823.	—	G. ♀.	
16	comosus. B.M.	tufted.	—	1820.	—	S. ♀.	Botan. magaz. 2318.
17	coloratus. D.P.	coloured bracted.	—	1823.	—	G. ♀.	
18	Coetsa. D.P.	canescent.	—	—	—	G. 4.	
19	ternatus. B.M.	ternate-leaved.	Madagascar.	1820.	11.	S. 4.	Botan. magaz. 2460.
PRUNELLA. S.S.							
		SELF-HEAL.	Didynamia Gymnospermia. L.				
1	vulgaris. s.s.	common.	Britain.	—	7. 8.	H. 4.	Eng. bot. 961.
	<i>β alba</i> .	white-flowered.	—	—	—	H. 4.	
2	pensylvanica. s.s.	Pennsylvanian.	N. America.	1801.	7. 9.	H. ☉.	W. hort. ber. 1. t. 9.
3	grandiflora. s.s.	great-flowered.	Austria.	1596.	—	H. 4.	Botan. magaz. 2014.
4	intermedia. s.s.	intermediate.	S. Europe.	1790.	—	H. 4.	— 337.
	<i>grandiflora</i> . B.M.						
5	incisa. L. en.	cut-leaved.	—	—	—	H. 4.	
6	laciniata. L.	yellow-flow'r'd.	Austria.	1713.	—	H. ☉.	Lam. ill. t. 516. f. 2.
7	hastata. s.s.	halberd-leaved.	Portugal.	—	—	H. 4.	
8	longifolia. P.s.	long-leaved.	France.	—	—	H. 4.	
9	hyssopifolia. s.s.	hyssop-leaved.	S. Europe.	1731.	7. 9.	H. 4.	Moris. s. 11. t. 5. f. 7.
MELISSA. S.S.							
		BALM.	Didynamia Gymnospermia. L.				
1	officinalis. w.	common.	S. Europe.	1573.	6. 10.	H. 4.	
	<i>β hirsuta</i> .	hairy.	—	—	—	H. 4.	

2 cordifolia. P.S.	heart-leaved.	S. Europe.	6. 10. H. 2.	
3 altissima. s.s.	tall.	—	1823.	—	H. 2.
HORMINUM. P.S.	HORMINUM.	Didynamia Gymnospermia. P.S.			
pyrenaicum. P.S.	Pyrenean.	Pyrenees.	1820.	6. 7. H. 2.	Jacq. vind. 2. t. 183.
DRACOCEPHALUM.	DRAGON'S-HEAD.	Didynamia Gymnospermia. L.			
1 virginianum. s.s.	Virginian.	N. America.	1683.	7. 9. H. 2.	Botan. magaz. 467.
2 speciosum. B.F.G.	beautiful.	—	1820.	—	H. 2. Swt. br. fl. gar. 93.
3 denticulatum. s.s.	toothed.	Carolina.	1787.	8. 9. H. 2.	Botan. magaz. 214.
4 variegatum. s.s.	variegated.	—	1812.	—	H. 2. Venten. cels. t. 44.
5 Ruyschiana. s.s.	Hyssop-leaved.	N. Europe.	1699.	6. 9. H. 2.	Flor. dan. 121.
6 austriacum. s.s.	Austrian.	Austria.	1597.	6. 7. H. 2.	Jacq. ic. 1. t. 112.
7 botryoides. s.s.	woolly-leaved.	Caucasus.	1823.	—	H. 2.
8 palmatum. s.s.	palmated.	Siberia.	1815.	6. 8. H. 2.	
9 canariense. s.s.	Balm of Gilead.	Canaries.	1697.	7. 9. G. 2.	Comm. hort. 2. t. 41.
10 peregrinum. s.s.	prickly-leaved.	Siberia.	1759.	7. 8. H. 2.	Botan. magaz. 1084.
11 argunense. s.s.	Fischer's.	—	1822.	7. 9. H. 2.	Swt. br. fl. gar. 47.
12 grandiflorum. s.s.	great-flowered.	—	1759.	—	H. 2. Botan. magaz. 1009?
13 altaïense. s.s.	Betony-leaved.	Georgia.	1787.	—	H. 2. Nov. com. pet. t. 29. f. 3.
14 Moldavica. s.s.	Moldavian.	Moldavia.	1596.	7. 8. H. 2.	Lam. ill. t. 513. f. 1.
15 canescens. s.s.	hoary-leaved.	Levant.	1711.	—	H. 2. Swt. br. fl. gar. 38.
16 peltatum. s.s.	Willow-leaved.	—	—	—	H. 2. Lam. ill. t. 513. f. 2.
17 thymiflorum. s.s.	small-flowered.	Siberia.	1752.	6. 9. H. 2.	Gmel. sib. 3. t. 50.
18 nutans. s.s.	nodding.	—	1731.	7. 8. H. 2.	Botan. regist. 841.
19 sibiricum. s.s.	Siberian.	—	1760.	6. 8. H. 2.	Botan. magaz. 2185.
PRASIUM. S.S.	PRASIUM.	Didynamia Gymnospermia. L.			
1 majus. s.s.	great.	S. Europe.	1699.	6. 8. G. 2.	Flor. græc. 584.
2 minus. s.s.	smaller.	—	1752.	—	F. 2.
PHRYMA. S.S.	PHRYMA.	Didynamia Gymnospermia. L.			
leptostachya. s.s.	slender-spiked.	N. America.	1802.	8. 9. H. 2.	Lam. ill. t. 516.
CLEONIA. S.S.	CLEONIA.	Didynamia Gymnospermia. L.			
lusitanica. s.s.	sweet-scented.	Portugal.	1710.	6. 7. H. 2.	Mill. ic. 1. t. 70.
TRICHOSTEMMA. S.S.	S. TRICHOSTEMMA.	Didynamia Gymnospermia. L.			
1 dichotomum. s.s.	Marjoram-ld.	N. America.	1759.	6. 7. H. 2.	Lam. ill. t. 515.
2 linearis. s.s.	linear-leaved.	—	—	—	H. 2.
THYMUS. S.S.	THYME.	Didynamia Gymnospermia. L.			
1 villosus. s.s.	hairy.	Portugal.	1759.	6. 7. F. 2.	Hof. et Lk. fl. lus. t. 14.
2 cephalotus. s.s.	great headed.	—	—	7. 8. H. 2.	— t. 13.
3 capitatus. L.en.	headed.	—	1823.	—	H. 2.
4 odoratissimus. s.s.	very sweet.	Tauria.	—	—	H. 2.
5 acicularis. s.s.	needle-shaped.	Hungary.	1806.	6. 8. H. 2.	W. et K. hung. 2. t. 147.
6 hirsutus. s.s.	hairy.	—	1816.	—	H. 2.
7 Zygis. s.s.	Spanish.	Spain.	1771.	8. H. 2.	Barrel. ic. 777.
8 Marschallianus. s.s.	Marschall's.	Russia.	1815.	6. 8. H. 2.	
9 glabrescens. L.en.	smooth.	S. Europe.	1823.	—	H. 2. Hof. et Lk. fl. lus. t. 15.
10 angustifolius. s.s.	narrow-leaved.	Europe.	—	H. 2.
11 Serpyllum. s.s.	wild or mother of.	Britain.	—	H. 2. Eng. bot. 1514.
12 exserens. s.s.	exserted.	—	—	H. 2.
13 citriodorus. L.en.	Lemon.	Europe.	—	H. 2.
14 collinus. s.s.	hill.	Tauria.	1823.	—	H. 2.
15 montanus. W.K.	mountain.	Hungary.	1800.	6. 7. H. 2.	W. et K. hung. 1. t. 71.
16 nummularius. M.B.	moneywort.	Caucasus.	1818.	—	H. 2.
17 pannonicus. W.en.	Hungarian.	Hungary.	—	—	H. 2.
18 lanuginosus. s.s.	woolly.	Europe.	6. 8. H. 2.	
19 tomentosus. s.s.	tomentose.	Spain.	1816.	—	H. 2.
20 albicans. s.s.	white-leaved.	Portugal.	—	—	H. 2.
21 adscendens. L.en.	ascending.	S. Europe.	—	H. 2.
22 lucidus. s.s.	shining-leaved.	1816.	—	H. 2.
23 vulgaris. s.s.	common.	S. Europe.	1548.	5. 8. H. 2.	
β latifolius.	broad-leaved.	—	—	—	H. 2.
24 Mastichina. s.s.	Mastick.	Spain.	1596.	7. 9. F. 2.	Blackw. t. 134.
25 elongatus. L.en.	elongated.	1816.	—	F. 2.
26 Tragoriganum. s.s.	goat's.	Candia.	1640.	5. 6. F. 2.	Alp. exot. t. 78.
27 filiformis. s.s.	filiform.	Minorca.	1770.	6. 7. G. 2.	
28 fruticosus. s.s.	frutescent.	Sicily.	1823.	—	H. 2.
29 croaticus. P.S.	oval-leaved.	Hungary.	1802.	7. 8. H. 2.	W. et K. hung. 2. t. 1560.
Piperella. W.K. non L.					
30 ericæfolius. W.en.	Heath-leaved.	Spain.	1806.	6. 8. H. 2.	
CALAMINTHA. Ph.	CALAMINT.	Didynamia Gymnospermia.			
1 marifolia. P.S.	Marum-leaved.	Spain.	1788.	6. 7. H. 2.	Cavan. ic. 6. t. 576.
Nepeta marifolia. Cav.	Thymus marifolius. W.en.				

2 cretica. P.S.	Cretan.	S. Europe.	1596.	6. 7. F. $\frac{1}{2}$.	Barrel. ic. 1166.
3 fruticosa. P.S.	shrubby.	Spain.	1752.	7. 9. F. $\frac{1}{2}$.	
4 alba. L.en.	white.	Hungary.	1818.	— H. $\frac{1}{2}$.	
5 Nepeta. P.S.	lesser.	England.	7. 10. H. $\frac{1}{2}$.	Eng. bot. 1414.
<i>Melissa Nepeta</i> . L. <i>Thymus Nepeta</i> . E.B.					
6 vulgaris.	common.	—	7. 8. H. $\frac{1}{2}$.	— 1676.
<i>Melissa Calamintha</i> . L. <i>Thymus Calamintha</i> . E.B.					
7 grandiflora. P.S.	great-flowered.	Italy.	1596.	6. 9. H. $\frac{1}{2}$.	Botan. magaz. 208.
<i>Melissa grandiflora</i> . B.M.					
8 caroliniana. N.	Carolina.	Carolina.	1804.	6. 7. F. $\frac{1}{2}$.	— 997.
<i>Thymus grandiflorus</i> . B.M.					
ACINOS. P.S.	ACINOS.	Didymia Gymnospermia.	P.S.		
1 vulgaris. P.S.	Basil-leaved.	Britain.	6. 8. H. \odot .	Eng. bot. 411.
<i>Thymus Acinos</i> . E.B.					
2 graveolens. L.en.	strong-scented.	Tauria.	1823.	— H. $\frac{1}{2}$.	
3 villosus. P.S.	villous.	Germany.	1817.	— H. \odot .	
4 alpinus. P.S.	Alpine.	Austria.	1731.	6. 9. H. $\frac{1}{2}$.	Jacq. aust. 1. t. 97.
5 purpurascens. P.S.	purple.	Spain.	1820.	— H. $\frac{1}{2}$.	
6 patavinus. P.S.	Marjoram-ld.	S. Europe.	1776.	6. 8. H. $\frac{1}{2}$.	Jacq. obs. 4. t. 87.
7 rotundifolius. P.S.	round-leaved.	Spain.	1820.	— H. $\frac{1}{2}$.	
THYMBRA. S.S.	THYMBRA.	Didymia Gymnospermia.	L.		
1 spicata. L.	spiked-flow'r'd.	Levant.	1699.	6. 7. G. $\frac{1}{2}$.	Pluk. alm. t. 116. f. 5.
2 verticillata. L.	whorl-flowered.	Spain.	1702.	— G. $\frac{1}{2}$.	
LEPECHINIA. S.S.	LEPECHINIA.	Didymia Gymnospermia.	W.		
spicata. s.s.	spiked.	Mexico.	1800.	7. 8. H. $\frac{1}{2}$.	W. hort. ber. t. 21.
CLINOPODIUM. S.S.	WILD-BASIL.	Didymia Gymnospermia.	L.		
1 vulgare. s.s.	common.	Britain.	6. 8. H. $\frac{1}{2}$.	Eng. bot. 1401.
2 ægyptiacum. s.s.	Egyptian.	Egypt.	1759.	— H. $\frac{1}{2}$.	
MELITIS. S.S.	BASTARD-BALM.	Didymia Gymnospermia.	L.		
1 Melissophyllum. s.s.	common.	England.	6. 8. H. $\frac{1}{2}$.	Eng. bot. 577.
β alpina.					
	Alpine.	Switzerland.	— H. $\frac{1}{2}$.	
2 grandiflora. s.s.	great-flowered.	England.	5. H. $\frac{1}{2}$.	Eng. bot. 636.
SCUTELLARIA. S.S.	SKULLCAP.	Didymia Gymnospermia.	L.		
1 galericulata. s.s.	common.	Britain.	6. 9. H. $\frac{1}{2}$.	Eng. bot. 523.
2 hastifolia. s.s.	hastate-leaved.	Germany.	1798.	6. 7. H. $\frac{1}{2}$.	
3 minor. s.s.	lesser.	Britain.	7. 8. H. $\frac{1}{2}$.	Eng. bot. 524.
4 parvula. s.s.	slender.	N. America.	1823.	— H. $\frac{1}{2}$.	Hook. ex. flor. 106.
5 havanensis. s.s.	Havannah.	Havannah.	1793.	5. 6. S. $\frac{1}{2}$.	Jacq. obs. 2. t. 29.
6 humilis. B.P.	dwarf.	N. S. W.	1822.	6. 8. G. $\frac{1}{2}$.	
7 grandiflora. s.s.	large-flowered.	Siberia.	1804.	7. 8. H. $\frac{1}{2}$.	Botan. magaz. 635.
8 lateriflora. s.s.	Virginian.	N. America.	1752.	6. 9. H. $\frac{1}{2}$.	
9 orientalis. s.s.	yellow-flow'r'd.	Levant.	1729.	7. 9. H. $\frac{1}{2}$.	Swt. br. fl. gar. 45.
10 altaica. F.	Altay.	Siberia.	1816.	— H. $\frac{1}{2}$.	
11 alpina. s.s.	Alpine.	Hungary.	1752.	6. 10. H. $\frac{1}{2}$.	Swt. br. fl. gar. t. 90.
12 peregrina. s.s.	Florentine.	Italy.	1783.	— H. $\frac{1}{2}$.	W. et K. hung. 2. t. 125.
13 altissima. s.s.	tall.	Levant.	1731.	7. 8. H. $\frac{1}{2}$.	
14 pallida. s.s.	pale-flowered.	Tauria.	1824.	— H. $\frac{1}{2}$.	
15 Columnæ. s.s.	heart-leaved.	Italy.	1806.	6. 8. H. $\frac{1}{2}$.	Swt. br. fl. gar. 52.
16 rubicunda. s.s.	rubicund.	1815.	— H. $\frac{1}{2}$.	
17 albida. s.s.	hairy white.	Levant.	1771.	6. 7. H. $\frac{1}{2}$.	Flor. græc. 581.
18 lupulina. s.s.	Tartarian.	Tartary.	1739.	6. 9. H. $\frac{1}{2}$.	Schmidel ic. t. 73.
19 integrifolia. s.s.	entire-leaved.	N. America.	1731.	6. 9. H. $\frac{1}{2}$.	Pluk. alm. t. 441. f. 6.
20 hyssopifolia. w.	Hyssop-leaved.	—	—	— H. $\frac{1}{2}$.	
21 purpurascens. s.s.	purplish.	W. Indies.	1823.	— S. $\frac{1}{2}$.	
22 caroliniana. s.s.	Carolina.	Carolina.	1811.	— H. $\frac{1}{2}$.	Lam. ill. t. 515. f. 3.
23 pilosa. s.s.	pilose.	N. America.	—	— H. $\frac{1}{2}$.	
24 serrata. s.s.	saw-leaved.	—	1800.	— H. $\frac{1}{2}$.	Andr. reposit. 494.
25 scordifolia. F.	Scordium-ld.	Siberia.	1823.	— H. $\frac{1}{2}$.	
26 verna. Bess.	vernal.	—	5. 6. H. $\frac{1}{2}$.	
PROSTANTHERA. B.P.	PROSTANTHERA.	Didymia Gymnospermia.	S.S.		
1 lasianthos. B.P.	villous-flower'd.	N. S. W.	1808.	6. 7. G. $\frac{1}{2}$.	Botan. regist. 143.
2 linearis. B.P.	linear-leaved.	—	1823.	— G. $\frac{1}{2}$.	
3 denticulata. B.P.	tooth-leaved.	—	—	— G. $\frac{1}{2}$.	
4 violacea. B.P.	violet-coloured.	—	—	4. 6. G. $\frac{1}{2}$.	
AJUGA. S.S.	AJUGA.	Didymia Gymnospermia.	L.		
1 Iva. s.s.	musky.	S. Europe.	1759.	7. 8. H. \odot .	Cavan. ic. 2. t. 120.
2 reptans. s.s.	common.	Britain.	5. 6. H. $\frac{1}{2}$.	Eng. bot. 489.
α cærulea.					
	blue-flowered.	—	— H. $\frac{1}{2}$.	
β rubra.					
	red-flowered.	—	— H. $\frac{1}{2}$.	
γ alba.					
	white-flowered.	Britain.	5. 6. H. $\frac{1}{2}$.	

3 alpina. s.s.	Alpine.	England.	5. 7.	H. 4.	Eng. bot. 477.
4 genevensis. s.s.	Geneva.	Switzerland.	1656.	5. 6.	H. 4.	Bull. herb. t. 361.
5 pyramidalis. s.s.	pyramidal.	Britain.	—	H. 4.	Eng. bot. 1270.
6 orientalis. s.s.	oriental.	Levant.	1732.	—	H. 4.	Swt. br. fl. gar. ic.
7 Chamæpitys. s.s.	ground pine.	England.	4. 7.	H. ①.	Eng. bot. 77.
ANISOMELES. B.P.	ANISOMELES.	Didynamia Gymnospermia.	S.S.			
1 ovata. s.s.	broad-leaved.	E. Indies.	1783.	7. 8.	S. ①.	Burm. zeyl. t. 71. f. 1.
2 malabarica. s.s.	Malabar.	—	1817.	—	S. h.	Rheed. mal. 10. t. 93.
3 furcata.	forked.	Nepaul.	1823.	—	S. h.	
<i>nepalensis. s.s. Ajuga furcata. Len.</i>						
TEUCRIUM. S.S.	GERMANDER.	Didynamia Gymnospermia.	L.			
1 fruticans. w.	narrow-ld. shrubby.	Spain.	1640.	6. 9.	H. h.	Dill. elt. t. 284. f. 366.
2 latifolium. L.	broad-ld. shrubby.	—	—	—	H. h.	Botan. magaz. 245.
3 heterophyllum. s.s.	various-leaved.	Madeira.	1759.	6. 7.	G. h.	
4 Laxmanni. s.s.	Laxmann's.	Siberia.	1800.	6. 8.	H. 4.	
5 brevifolium. s.s.	short-leaved.	Crete.	1824.	—	H. h.	
6 asiaticum. s.s.	Asiatic.	1777.	6. 10.	G. h.	Jacq. vind. 3. t. 41.
7 cubense. s.s.	Cuba.	Cuba.	1733.	5.	S. 3.	Jacq. obs. 2. t. 30.
8 Nissolianum. s.s.	Nissolle's.	Spain.	1752.	6. 7.	F. 4.	Moris. s. t. 22. f. 19.
9 campanulatum. s.s.	bell-flowered.	Levant.	1728.	7. 8.	H. 4.	
10 regium. s.s.	royal.	Spain.	1699.	5. 10.	F. h.	Pluk. alm. t. 65. f. 1.
11 multiflorum. s.s.	many-flowered.	—	1731.	7. 9.	H. 4.	Bocc. mus. t. 117.
12 lucidum. s.s.	shining.	S. Europe.	1730.	6. 9.	H. 4.	Magn. hort. 52.
13 Chamædrys. s.s.	wall.	England.	5. 8.	H. 4.	Eng. bot. 680.
14 Scordium. s.s.	water.	—	7. 8.	H. w. 4.	— 828.
15 scordioides. s.s.	likened.	S. Europe.	1816.	—	H. 4.	
16 spinosum. s.s.	thorny.	Spain.	1640.	5. 6.	H. ①.	Cavan. ic. 1. t. 31.
17 Botrys. s.s.	cut-leaved.	S. Europe.	1633.	7. 9.	H. ①.	Ger. emac. 525. f. 2.
18 trifidum. s.s.	trifid-leaved.	C. B. S.	1791.	6. 8.	G. h.	
19 angustissimum. s.s.	narrow-leaved.	Spain.	1818.	—	H. h.	Barrel. rar. t. 1080.
20 pumilum. s.s.	small.	—	1816.	7. 8.	F. h.	— t. 1092.
21 thymifolium. s.s.	Thyme-leaved.	Spain.	—	6. 10.	F. h.	
22 supinum. s.s.	procumbent.	Austria.	1752.	—	H. h.	Jacq. aust. 5. t. 417.
23 montanum. s.s.	dwarf mountain.	S. Europe.	1710.	7. 10.	F. h.	
24 Polium. s.s.	Poley.	—	1562.	7. 9.	F. h.	Barrel. rar. t. 1074.
25 Pseudohyssopus. s.s.	Hyssop-leav'd.	Italy.	1804.	6. 7.	H. h.	Col. ecphr. 1. t. 67.
26 capitatum. s.s.	round-headed.	Spain.	1731.	7. 8.	F. h.	Cavan. ic. 2. t. 119.
27 lusitanicum. s.s.	Portugal.	Portugal.	1816.	—	F. h.	
28 pycnophyllum. s.s.	clustered.	Spain.	—	—	H. 4.	Barrel. rar. t. 1096.
29 gnaphalodes. s.s.	woolly-calyx'd.	—	—	7. 9.	F. h.	— t. 1083.
30 aureum. s.s.	golden Poley.	S. Europe.	1731.	6. 7.	F. h.	Cavan. ic. 2. t. 117.
31 flavescens. P.s.	yellow Poley.	—	7. 9.	F. h.	Barrel. rar. t. 1073.
32 hyrcanicum. s.s.	Betony-leaved.	Persia.	1763.	8. 10.	H. 4.	Botan. magaz. 2013.
33 inflatum. s.s.	thick-spiked.	Jamaica.	1778.	—	S. 4.	
34 virginicum. s.s.	Virginian.	N. America.	1768.	5. 6.	H. 4.	
35 canadense. s.s.	Canadian.	—	—	8. 9.	H. 4.	
36 abutiloides. s.s.	Mulberry-ld.	Madeira.	1777.	4. 5.	G. h.	Jacq. schœn. 3. t. 358.
37 Scorodonia. s.s.	wood sage.	Britain.	7.	H. 4.	Eng. bot. 1543.
38 betonicum. s.s.	hoary.	Madeira.	1775.	5. 8.	G. h.	Botan. magaz. 1114.
39 flavum. s.s.	yellow-flow'r'd.	S. Europe.	1640.	7. 9.	H. h.	Park. theat. 109. f. 1.
40 massiliense. s.s.	sweet-scented.	France.	1731.	6. 7.	H. h.	Jacq. vind. 1. t. 94.
41 resupinatum. s.s.	resupinate.	Barbary.	1801.	7. 8.	H. ①.	Desf. atl. 2. t. 117.
42 Marum. s.s.	Cat-thyme.	Spain.	1640.	7. 9.	F. h.	Park. theat. 17. f. 2.
43 subspinosum. s.s.	Minorca.	Minorca.	1816.	—	G. h.	
44 creticum. s.s.	Cretan.	Crete.	1825.	—	G. h.	
45 pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1731.	6. 8.	H. 4.	
46 orientale. s.s.	great-flower'd.	Levant.	1752.	7. 8.	H. 4.	Botan. magaz. 1279.
47 sibiricum. L.	Siberian.	Siberia.	1804.	7.	H. 4.	
WESTRINGIA. S.S.	WESTRINGIA.	Didynamia Gymnospermia.	S.S.			
1 rosmariniformis. B.P.	Rosemary like.	N. S. W.	1791.	5. 8.	G. h.	Andr. reposit. 214.
2 Dampieri. B.P.	Dampier's.	N. Holland.	1803.	5. 7.	G. h.	
3 angustifolia. B.P.	narrow-leaved.	V. Diem. Isl.	1823.	—	G. h.	
LAVANDULA. S.S.	LAVENDER.	Didynamia Gymnospermia.	L.			
1 Spica. s.s.	common.	S. Europe.	1568.	7. 9.	H. h.	Schk. hand. 2. t. 157.
β alba.	white-flowered.	—	—	—	H. h.	
2 latifolia. s.s.	broad-leaved.	—	—	—	H. h.	
3 Stœchas. s.s.	French.	S. Europe.	1562.	5. 7.	G. h.	Barrel. ic. t. 301.
4 viridis. s.s.	Madeira.	Madeira.	1777.	—	G. h.	Hoff. et Lk. lus. 1. t. 4.
5 dentata. s.s.	tooth-leaved.	Spain.	1597.	6. 9.	G. h.	Botan. magaz. 401.

6 pinnata. s.s.	pinnated.	Madeira.	1777.	4. 8.	G. h.	Botan. magaz. 400.
7 heterophylla. s.s.	various-leaved.	1816.	—	G. h.	
8 formosa. L.en.	handsome.	—	—	G. h.	
9 multifida. s.s.	cut-leaved.	Canaries.	1597.	7. 9.	G. ♂.	Lobel. ic. 432.
10 abrotanoides. s.s.	Southernwood-ld.	—	1699.	6. 9.	G. h.	Comm. rar. t. 27.
11? carnosa. w.	thick-leaved.	E. Indies.	1788.	6. 7.	S. ♂.	Linn. amœn. ac. 10. t. 3.
<i>Plectranthus dubius. s.s.</i>						
SIDERITIS. S.S.	IRONWORT.	Didynamia Gymnospermia. L.				
1 canariensis. s.s.	Canary.	Canaries.	1697.	5. 8.	G. h.	Jacq. vind. 3. t. 30.
2 candicans. s.s.	Mullein-leav'd.	Madeira.	1714.	4. 7.	G. h.	Comm. hort. 2. t. 99.
3 cretica. s.s.	Cretan.	Crete.	1823.	—	G. h.	
4 montana. s.s.	mountain.	Austria.	1752.	7. 8.	H. ⊙.	Jacq. aust. 5. t. 434.
5 elegans. s.s.	dark-flowered.	1787.	7.	H. ⊙.	Murr. com. got. 1. t. 4.
6 romana. s.s.	Roman.	Italy.	1759.	6. 8.	H. ⊙.	Cavan. ic. 2. t. 187.
7 syriaca. s.s.	Syrian.	Levant.	1597.	6. 9.	G. h.	Sabb. hort. 3. t. 40.
8 taurica. w.en.	Taurian.	Tauria.	1818.	—	H. h.	
9 perfoliata. s.s.	perfoliate.	Levant.	1731.	8. 11.	H. 4.	
10 incana. s.s.	Lavender-ld.	Spain.	1752.	7. 8.	H. h.	Cavan. ic. 2. t. 186.
11 angustifolia. s.s.	narrow-leaved.	—	1825.	—	H. h.	
12 spinosa. s.s.	spiny.	—	6. 9.	H. 4.	Cavan. ic. 3. t. 209.
13 ilicifolia. s.s.	Holly-leaved.	Levant.	—	H. 4.	
14 serrata. s.s.	saw-leaved.	Spain.	1818.	—	H. 4.	
15 hyssopifolia. s.s.	Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. 4.	Schk. hand. 2. t. 158.
16 foetida. L.en.	strong-scented.	—	H. 4.	
17 pyrenaica. s.s.	Pyrenean.	Pyrenees.	1816.	—	H. 4.	
18 chamædryfolia. s.s.	Germander-ld.	Spain.	—	—	H. 4.	
19 scordioides. s.s.	scollop-leaved.	France.	1597.	8. 11.	H. 4.	Barrel. ic. t. 343.
20 hirsuta. s.s.	hairy.	S. Europe.	1731.	6. 7.	H. 4.	Cavan. ic. 4. t. 302.
21 crispata. s.s.	curled-leaved.	Gibraltar.	1816.	6. 9.	F. 4.	
ORIGANUM. S.S.	MARJORAM.	Didynamia Gymnospermia. L.				
1 vulgare. s.s.	common.	Britain.	6. 10.	H. 4.	Eng. bot. 1143.
2 virens. s.s.	green.	Portugal.	1816.	—	H. 4.	Hoff. et Lk. fl. p. 1. t. 9.
3 heracleoticum. s.s.	winter, sweet.	S. Europe.	1640.	—	H. 4.	Lobel. ic. 492.
4 creticum. s.s.	Cretan.	—	1596.	—	H. 4.	Schk. hand. 2. t. 164.
5 macrostachyon. s.s.	long-spiked.	Portugal.	1820.	—	H. 4.	
6 hirtum. L.en.	hairy.	S. Europe.	—	—	H. 4.	
7 oblongatum. L.en.	oblong-spiked.	—	1823.	—	H. 4.	
8 smyrnæum. L.	Smyrna.	Smyrna.	1722.	6. 7.	G. h.	
9 Onites. s.s.	pot.	Sicily.	1759.	7. 11.	H. 4.	Bocc. mus. t. 38.
10 Maru. w.	Lavender-scent'd.	Crete.	1822.	—	F. 4.	Botan. magaz. 2605.
11 Majoranoides. w.	shrubby sweet.	—	F. h.	
12 Majorana. s.s.	knotted.	Portugal.	1573.	6. 7.	F. ♂.	Moris. s. 11. t. 3. f. 1.
13 indicum. s.s.	Indian knotted.	E. Indies.	1820.	—	S. ♂.	
14 salvifolium. Roth.	Sage-leaved.	—	F. h.	
15 Tournefortii. s.s.	Tournefort's.	Amorgos.	1788.	8. 9.	F. h.	Andr. reposit. 537.
16 sipyleum. s.s.	Mount Sipylus.	Levant.	1699.	6. 9.	F. h.	Herm. lugd. t. 463.
17 Dictamnus. s.s.	Dittany of Crete.	Candia.	1551.	—	F. h.	Botan. magaz. 298.
18 ægyptiacum. s.s.	Egyptian.	Egypt.	1731.	6. 8.	G. h.	Alp. ægypt. t. 95.
PYCNANTHEMUM. M.	PYCNANTHEMUM.	Didynamia Angiospermia. S.S.				
1 linifolium. s.s.	Flax-leaved.	N. America.	1739.	7. 8.	H. 4.	Herm. parad. t. 218.
2 lanceolatum. s.s.	spear-leaved.	—	1812.	—	H. 4.	
3 aristatum. s.s.	awned.	—	1752.	8.	H. 4.	Mich. amer. 2. t. 33.
4 verticillatum. s.s.	whorl-leaved.	—	1816.	7. 8.	H. 4.	
5 Monardella. s.s.	Monarda-like.	—	—	—	H. 4.	
6 incanum. s.s.	hoary.	—	1732.	7. 10.	H. 4.	Dill. elt. t. 74. f. 85.
ISANTHUS. M.	ISANTHUS.	Didynamia Gymnospermia. S.S.				
cœruleus. m.	blue.	N. America.	1732.	6. 8.	H. ♂.	Dill. elt. t. 285. f. 369.
<i>Trichostema brachiata. L.</i>						
SATUREJA. S.S.	SAVORY.	Didynamia Gymnospermia. L.				
1 approximata. s.s.	bundle-leaved.	Sicily.	1825.	5. 7.	F. h.	
2 viminea. s.s.	Pennyroyal tree.	Jamaica.	1783.	S. h.	
3 montana. s.s.	winter.	S. Europe.	1562.	6. 7.	H. h.	
4 rupestris. s.s.	rock.	Carniola.	1798.	—	H. 4.	Jacq. ic. 3. t. 494.
5 obovata. s.s.	obovate-leaved.	Spain.	1824.	—	H. h.	
6 tenuifolia. s.s.	slender-leaved.	Italy.	1820.	—	H. h.	
7 Juliana. s.s.	linear-leaved.	—	1596.	5. 9.	F. 4.	Lam. ill. t. 504. f. 1.
8 græca. s.s.	Grecian.	Greece.	1759.	6. 7.	F. 4.	Alp. exot. t. 264.
9 hirsuta. s.s.	hairy.	Sicily.	1824.	—	F. 4.	

10	Teneriffæ. s.s.	Teneriffe.	Teneriffe.	1815.	—	F. 2.	
11	hortensis. s.s.	summer.	Italy.	1652.	6. 8.	H. ☉.	Lam. ill. t. 504. f. 1.
12	capitata. w.	ciliated.	Levant.	1596.	6. 10.	H. 2.	Barrel. ic. t. 897.
13	nervosa. s.s.	nerved.	Sicily.	1824.	—	H. 2.	
14	Thymbra. s.s.	whorl-flower'd.	Candia.	1640.	5. 7.	G. 2.	Barrel. ic. t. 898.
15	congesta. s.s.	close-flowered.	1825.	—	G. 2.	
BYSTROPOGON. S.S. BYSTROPOGON. Didynamia Gymnospermia. S.S.							
1	organifolius. s.s.	Marjoram-ld.	Teneriffe.	1815.	7. 8.	G. 2.	
2	plumosus. s.s.	woolly-flow'r'd.	Canaries.	1779.	6. 7.	G. 2.	
3	canariensis. s.s.	Canary.	1714.	6. 8.	G. 2.	Comm. hort. 2. t. 65.
4	punctatus. s.s.	cluster-flow'r'd.	Madeira.	1775.	7. 9.	G. 2.	
POGOSTEMON. S.S. POGOSTEMON. Didynamia Gymnospermia. S.S.							
	plectranthoides. s.s.	Plectranthus-like.	1818.	6. 8.	S. 2.	Desf. m. mus. 2. t. 6.
HYSSOPUS. S.S. HYSSOP. Didynamia Gymnospermia.							
1	officinalis. s.s.	common.	S. Europe.	1548.	6. 9.	H. 2.	Jacq. aust. 3. t. 254.
2	orientalis. w.	narrow-leaved.	Caucasus.	—	H. 2.	Botan. magaz. 2299.
	angustifolius. M.B.						
3	Lophanthus. s.s.	Mint-leaved.	Siberia.	1752.	8. 9.	H. 2.	Jacq. vind. 2. t. 182.
4	nepetoides. s.s.	square-stalked.	N. America.	1692.	8. 10.	H. 2.	— — — 1. t. 68.
5	scrophularifolius.	Figwort-leav'd.	1800.	7. 8.	H. 2.	Herm. parad. t. 106.
ELSHOLTZIA. S.S. ELSHOLTZIA. Didynamia Gymnospermia. W.							
1	cristata. s.s.	crested.	Siberia.	1789.	5. 7.	H. ☉.	Botan. magaz. 2560.
2	ocymoides. s.s.	Basil-like.	E. Indies.	1823.	—	S. 2.	
PERILLA. W. PERILLA. Didynamia Gymnospermia. L.							
1	ocymoides. w.	Basil-leaved.	India.	1770.	7. 8.	H. ☉.	Arduin. spec. 2. t. 13.
2	fruticosa. D.P.	frutescent.	Nepaul.	1818.	—	S. 2.	
MENTHA. L. MINT. Didynamia Gymnospermia. L.							
1	quadrifolia. D.P.	four-leaved.	Nepaul.	1823.	6. 8.	G. 2.	
2	viridis. w.	spear.	Britain.	8.	H. 2.	Eng. bot. 2424.
3	lævigata. w.en.	smooth-leaved.	Germany.	6. 8.	H. 2.	
4	balsamea. w.en.	Balsam-scent'd.	Italy.	1804.	7. 8.	H. 2.	
5	crispata. w.en.	crumpled.	1807.	—	H. 2.	
6	piperita. E.B.	pepper.	England.	8. 9.	H. 2.	Eng. bot. 687.
7	niliaca. s.s.	Egyptian.	Egypt.	1796.	7. 8.	H. 2.	Jacq. vind. 3. t. 87.
8	sylvestris. E.B.	wild.	Britain.	—	H. 2.	Eng. bot. 686.
9	nemorosa. w.en.	wood.	—	H. 2.	Flor. dan. t. 484.
10	hirta. w.en.	hairy.	—	H. 2.	
11	pubescens. w.en.	pubescent.	—	H. 2.	
12	Auricularia. w.	Indian.	E. Indies.	1796.	—	S. 2.	Rumph. amb. 6. t. 16.
13	crispa. w.	curled.	Siberia.	1640.	—	H. 2.	
14	pyramidalis. T.N.	pyramidal.	Naples.	1824.	—	H. 2.	
15	undulata. w.en.	wave-leaved.	1816.	—	H. 2.	
16	incana. w.en.	hoary.	1790.	—	H. 2.	
17	lavandulacea. w.en.	Lavender-ld.	Spain.	1825.	—	H. 2.	
18	capensis. w.	Cape.	C. B. S.	1816.	—	G. 2.	
19	rotundifolia. E.B.	round-leaved.	Britain.	8. 9.	H. 2.	Eng. bot. 446.
	β variegata.	variegated.	—	H. 2.	
20	macrostachya. T.N.	long-spiked.	Naples.	1820.	—	H. 2.	
21	gratissima. w.	oblong-leaved.	Britain.	7. 8.	H. 2.	
22	citrata. s.s.	Bergamot.	England.	—	H. 2.	Eng. bot. 1025.
	odorata. E.B.						
23	hirsuta. E.B.	hairy water.	Britain.	7. 9.	H. w. 2.	Eng. bot. 447.
24	acutifolia. E.B.	acute-leaved.	England.	9.	H. w. 2.	— — — 2415.
25	sativa. E.B.	tall-red.	8. 9.	H. w. 2.	— — — 448.
26	rubra. E.B.	common red.	Britain.	9.	H. w. 2.	— — — 1413.
27	gentilis. E.B.	bushy red.	7. 8.	H. w. 2.	— — — 2118.
28	gracilis. H.K.	narrow-leaved.	—	H. w. 2.	— — — 449.
29	palustris. S.M.	marsh.	9.	H. w. 2.	
30	villosa. S.M.	horse.	7. 8.	H. w. 2.	
31	pratensis. S.M.	meadow.	—	H. w. 2.	Sole's Mints. t. 17.
32	rivalis. S.M.	river.	—	H. w. 2.	
33	paludosa. S.M.	brook.	9.	H. w. 2.	
34	arvensis. E.B.	corn.	7. 9.	H. 2.	Eng. bot. 2119.
35	præcox. S.M.	early-flow'ring.	6.	H. 2.	Sole's Mints ic.
36	agrestis. E.B.	field.	7. 8.	H. 2.	Eng. bot. 2120.
37	austriaca. s.s.	Austrian.	Austria.	1818.	—	H. 2.	
38	dentata. w.	toothed.	Germany.	1816.	—	H. 2.	
39	canadensis. w.	Canadian.	N. America.	1801.	—	H. 2.	
40	glabrata. s.s.	smooth.	Egypt.	1802.	—	H. 2.	

41	<i>Pulegium</i> . s.s.	Pennyroyal.	Britain.	8. 9.	H.w. 2.	Eng. bot. 1026.
42	<i>cervina</i> . s.s.	Hyssop-leaved.	S. France.	1648.	6. 8.	H. 2.	Moris. s. 3. t. 7. f. 7.
GALEOBDOLO. S.S.		DEAD-NETTLE.	Didynamia	Angiospermia.	S.S.		
	<i>luteum</i> . E.B.	yellow.	Britain.	...	5. 6.	H. 2.	Eng. bot. 787.
GALEOPSIS. S.S.		HEMP-NETTLE.	Didynamia	Gymnospermia.	L.		
1	<i>Ladanum</i> . E.B.	red.	Britain.	...	7. 9.	H. 2.	Eng. bot. 884.
2	<i>angustifolia</i> . P.S.	narrow-leaved.	Europe.	1820.	—	H. 2.	
3	<i>pubescens</i> . s.s.	pubescent.	Germany.	—	—	H. 2.	
4	<i>ochroleuca</i> . s.s.	downy.	Britain.	7. 8.	H. 2.	Eng. bot. 2353.
	<i>villosa</i> . E.B.						
5	<i>Tetrahit</i> . E.B.	common.	—	—	H. 2.	— 207.
6	<i>versicolor</i> . E.B.	various-colour'd.	—	—	H. 2.	— 667.
	<i>cannabinæ</i> . W.						
LAMIUM. S.S.		ARCHANGEL.	Didynamia	Gymnospermia.	L.		
1	<i>Orvala</i> . s.s.	Balm-leaved.	Italy.	1596.	5. 7.	H. 2.	Botan. magaz. 172.
2	<i>rugosum</i> . s.s.	rough.	—	1766.	7. 8.	H. 2.	Bocc. mus. 5. t. 23.
3	<i>maculatum</i> . E.B.	spotted.	Britain.	4. 5.	H. 2.	Eng. bot. 2550.
4	<i>album</i> . E.B.	white.	—	4. 9.	H. 2.	— 768.
5	<i>bifidum</i> . s.s.	bifid-helmetted.	Naples.	1825.	—	H. 2.	Cyr. rar. fasc. 1. t. 7.
6	<i>moschatum</i> . s.s.	musk-scented.	Levant.	1739.	7. 9.	H. 2.	
7	<i>molle</i> . s.s.	Pellitory-leav'd.	1683.	4. 5.	H. 2.	
8	<i>flexuosum</i> . T.N.	flexuose.	Naples.	1824.	4. 8.	H. 2.	
9	<i>garganicum</i> . s.s.	woolly.	Italy.	1729.	7. 8.	H. 2.	Sm. exot. bot. 1. t. 48.
10	<i>lævigatum</i> . s.s.	smooth.	—	1711.	3. 10.	H. 2.	Pluk. alm. t. 198. f. 1.
11	<i>purpureum</i> . s.s.	purple.	Britain.	2. 8.	H. 2.	Eng. bot. 769.
	<i>β albidum</i> .	white-flowered.	—	—	H. 2.	
12	<i>incisum</i> . s.s.	cut-leaved.	England.	5. 7.	H. 2.	— 1933.
13	<i>amplexicaule</i> . s.s.	Henbit.	Britain.	—	H. 2.	— 770.
14	<i>multifidum</i> . s.s.	multifid-leaved.	Levant.	1752.	4. 5.	H. 2.	Comm. rar. t. 26.
GLECHOMA. L.		GROUND-IVY.	Didynamia	Gymnospermia.	L.		
1	<i>hederacea</i> . E.B.	common.	Britain.	3. 5.	H. 2.	Eng. bot. 853.
2	<i>hirsuta</i> . P.S.	hairy.	Hungary.	—	H. 2.	W. et K. hung. t. 119.
NEPETA. L.		CATMINT.	Didynamia	Gymnospermia.	L.		
1	<i>croatica</i> . s.s.	Hungarian.	Hungary.	1820.	6. 8.	H. 2.	
2	<i>grandiflora</i> . s.s.	large-flowered.	Caucasus.	1806.	7. 8.	H. 2.	
3	<i>melissæfolia</i> . s.s.	Balm-leaved.	Candia.	1752.	—	H. 2.	
4	<i>longiflora</i> . H.K.	long-flowered.	Persia.	1802.	6. 8.	H. 2.	Venten. cels. 66.
5	<i>Mussini</i> . H.K.	scolloped-ld.	Siberia.	1804.	5. 8.	H. 2.	Botan. magaz. 923.
	<i>longiflora</i> . B.M. non v.						
6	<i>incana</i> . s.s.	hoary.	Levant.	1723.	8.	H. 2.	
7	<i>graveolens</i> . s.s.	strong-smelling.	S. Europe.	1804.	7. 8.	H. 2.	All. ped. t. 2. f. 1.
8	<i>amethystina</i> . Poir.	amethystine.	—	1820.	—	H. 2.	
9	<i>Nepetella</i> . s.s.	small.	—	1758.	—	H. 2.	
10	<i>teucriifolia</i> . s.s.	Teucrium-ld.	Armenia.	1816.	—	H. 2.	
11	<i>lamiifolia</i> . s.s.	Lamium-leav'd.	—	1806.	—	H. 2.	
12	<i>angustifolia</i> . s.s.	narrow-leaved.	Spain.	1798.	6. 7.	H. 2.	
13	<i>Cataria</i> . s.s.	common.	Britain.	7. 9.	H. 2.	Eng. bot. 137.
14	<i>ucranica</i> . s.s.	Ukranian.	Ukraine.	1789.	7. 8.	H. 2.	
15	<i>nuda</i> . L.	naked.	S. Europe.	1710.	—	H. 2.	Jacq. aust. 1. t. 24.
16	<i>pannonica</i> . L.	close-flowered.	Hungary.	1683.	8. 10.	H. 2.	— 2. t. 129.
17	<i>violacea</i> . s.s.	violet-coloured.	Spain.	1723.	7. 9.	H. 2.	Bocc. mus. t. 36.
18	<i>cœrulea</i> . s.s.	blue-flowered.	1777.	5. 6.	H. 2.	
19	<i>latifolia</i> . s.s.	broad-leaved.	Pyrenees.	1818.	7. 8.	H. 2.	
20	<i>macrura</i> . s.s.	long-tailed.	Siberia.	—	—	H. 2.	
21	<i>crispa</i> . s.s.	curl-leaved.	Levant.	1800.	—	H. 2.	
22	<i>diffusa</i> . s.s.	spreading.	Siberia.	1820.	—	H. 2.	
23	<i>imbricata</i> . s.s.	imbricated.	Spain.	1825.	—	H. 2.	
24	<i>teucrioides</i> . s.s.	Teucrium-like.	Levant.	1819.	—	H. 2.	
25	<i>italica</i> . w.	Italian.	Italy.	1640.	6. 8.	H. 2.	Jacq. vind. 2. t. 112.
26	<i>marrubioides</i> . w.en.	horehound-ld.	—	—	H. 2.	
27	<i>multibracteata</i> . s.s.	many-bracted.	Barbary.	1823.	—	H. 2.	
28	<i>lanata</i> . s.s.	woolly.	S. Europe.	1774.	5. 6.	H. 2.	Jacq. obs. 3. t. 75.
29	<i>tuberosa</i> . s.s.	tuberous-root'd.	Spain.	1683.	6. 8.	H. 2.	Barrel. ic. t. 602.
30	<i>reticulata</i> . s.s.	netted.	Morocco.	1801.	7. 8.	H. 2.	Desf. atl. 2. t. 124.
31	<i>Scordotis</i> . s.s.	sessile-spiked.	Crete.	1823.	—	G. 2.	Alp. exot. t. 283.
32	<i>suaveolens</i> . Rœm.	sweet-scented.	1804.	—	H. 2.	
33	<i>multifida</i> . w.	multifid.	Siberia.	1797.	7. 8.	H. 2.	Gmel. sib. 3. t. 55.
34	<i>botryoides</i> . w.	annual.	—	1779.	6. 7.	H. 2.	Cavan. ic. 1. t. 49.
	<i>bipinnata</i> . Cav.						

HYPTIS. S.S.		HYPTIS. Didynamia Gymnospermia. S.S.					
1 ebracteata. s.s.	small-headed.	W. Indies.	1778.	10. 1.	S. ☉.	Poit. an. mus. 7. t. 29. f. 2.	
2 radiata. s.s.	Carolina.	Carolina.	1690.	6. 7.	G. 4.	—— 7. t. 27. f. 2.	
3 capitata. s.s.	Jamaica.	W. Indies.	1714.	——	S. ♂.	—— 7. t. 27. f. 1.	
4 polyanthes. s.s.	many-flowered.	S. America.	1819.	——	S. ☉.		
5 brevipes. s.s.	short peduncul'd.	W. Indies.	1822.	——	S. ☉.		
6 recurvata. s.s.	recurved.	Cayenne.	——	——	S. 4.	Poit. an. mus. t. 4. f. 3.	
7 albida. s.s.	white-leaved.	Mexico.	1825.	——	S. ♀.		
8 persica. P.s.	Persian.	Persia.	1800.	7.	G. ♀.	Linn. trans. 6. t. 12.	
<i>Brotera persica. L.T.</i>							
9 spicata. s.s.	spiked.	S. America.	1819.	7. 9.	G. ☉.	Poit. an. mus. t. 28. f. 2.	
10 Plumieri. K.s.	Plumier's.	——	——	——	S. ☉.	Plum. ic. t. 163. f. 1.	
11 stachyodes. s.s.	whorl-spiked.	Brazil.	1820.	——	S. ☉.		
12 pectinata. s.s.	pectinated.	W. Indies.	1776.	12. 1.	S. 4.	Poit. an. mus. 7. t. 30.	
STACHYS. S.S.		HEDGE-NETTLE. Didynamia Gymnospermia. L.					
1 spinosa. s.s.	thorny.	Candia.	1640.	7.	F. ♀.	Moris. s. 11. t. 10. f. 9.	
2 glutinosa. s.s.	clammy.	——	1729.	6. 7.	H. 4.	—— 11. t. 4. f. 17.	
3 fruticulosa. s.s.	frutescent.	Caucasus.	1825.	——	H. ♀.		
4 æthiopica. s.s.	Ethiopian.	C. B. S.	1770.	4. 7.	G. 4.	Jacq. obs. 4. t. 77.	
5 corsica. s.s.	Corsican.	Corsica.	1825.	——	H. 4.		
6 angustifolia. s.s.	narrow-leaved.	Tauria.	1823.	6. 7.	H. 4.		
7 rugosa. s.s.	rough.	C. B. S.	1774.	7. 8.	G. ♀.	Jacq. ic. 3. t. 493.	
8 betonicaefolia. s.s.	Betony-leaved.	Crete.	1812.	6. 7.	H. 4.		
9 stenophylla. s.s.	linear-leaved.	S. Spain.	1819.	——	F. ♀.		
10 orientalis. s.s.	oriental.	Levant.	1768.	——	H. 4.		
11 maritima. s.s.	sea-side.	S. Europe.	1714.	7.	H. 4.	Jacq. vind. 1. t. 70.	
12 annua. s.s.	annual.	——	1713.	6. 8.	H. ☉.	Jacq. aust. 4. t. 360.	
13 hirta. s.s.	procumbent.	Spain.	1725.	——	H. 4.	All. ped. 1. t. 2. f. 3.	
14 arvensis. s.s.	corn.	Britain.	7. 8.	H. ☉.	Eng. bot. 1154.	
15 arenaria. s.s.	sand.	Barbary.	1824.	6. 8.	H. 4.	Desf. atl. 2. t. 126.	
16 diffusa. Schweig.	diffuse.	S. Europe.	1804.	——	H. 4.	Botan. magaz. 1915.	
<i>arenaria. B.M. non Desf. rubra. Donn.</i>							
17 iberica. M.B.	Iberian.	Iberia.	1823.	——	H. 4.		
18 scordifolia. W.en.	wedge-leaved.	1816.	7. 8.	H. 4.		
19 aspera. M.	harsh-leaved.	N. America.	——	——	H. 4.		
20 tenuifolia. M.B.	slender-leaved.	Tauria.	1819.	——	H. 4.		
21 Balbisii. L.en.	Balbis's.	Italy.	1823.	——	H. 4.		
22 nepetæfolia. s.s.	Catmint-leaved.	Levant.	1805.	6. 8.	H. 4.		
23 arabica. s.s.	Arabian.	Arabia.	1820.	——	H. ☉.		
24 ambigua. s.s.	ambiguous.	Britain.	6. 7.	H. 4.	Eng. bot. 2089.	
25 sylvatica. s.s.	common.	——	7. 8.	H. 4.	—— 416.	
26 Fœniculum. s.s.	Fennel-scent'd.	Missouri.	1820.	——	H. ☉.		
<i>Hyssopus anisatus. N?</i>							
27 circinata. s.s.	blunt-leaved.	Barbary.	1777.	5. 7.	H. 4.	L'Herit. s. nov. t. 26.	
<i>canariensis. Jacq. ic. 1. t. 108.</i>							
28 mollissima. W.en.	soft-leaved.	Corfu.	1806.	7. 8.	H. 4.	W. hort. ber. t. 60.	
29 decumbens. P.s.	decumbent.	1816.	5. 7.	H. 4.		
30 coccinea. s.s.	scarlet.	S. America.	1798.	6. 8.	F. 4.	Botan. magaz. 666.	
31 recta. s.s.	upright.	S. Europe.	1683.	6. 8.	H. 4.	Jacq. aust. 4. t. 359.	
32 heraclea. w.	Phlomis-leav'd.	Italy.	1816.	6. 7.	H. 4.	All. ped. t. 84. f. 1.	
<i>phlomoïdes. W.en.</i>							
33 obliqua. P.s.	oblique-leaved.	Hungary.	——	——	H. 4.	W. et K. hung. t. 133.	
34 palustris. s.s.	Clown's all-heal.	Britain.	8.	H. 4.	Eng. bot. 1675.	
35 germanica. s.s.	downy.	England.	7. 8.	H. 4.	—— 829.	
36 intermedia. w.	oblong-leaved.	Carolina.	1762.	6. 7.	H. 4.		
37 sibirica. L.en.	Siberian.	Siberia.	1822.	6. 8.	H. 4.	Swt. br. fl. gar. 100.	
38 polystachya. s.s.	many-spiked.	Naples.	1824.	——	H. 4.		
39 salviaefolia. s.s.	Sage-leaved.	——	——	——	H. 4.		
40 cretica. s.s.	Cretan.	Candia.	1640.	——	F. 4.	Walt. hort. 108. t. 19.	
41 alpina. s.s.	Alpine.	Germany.	1597.	——	H. 4.	Lap. pyr. 1. t. 8.	
42 lanata. s.s.	woolly.	Siberia.	1782.	6. 9.	H. 4.	Jacq. ic. 1. t. 107.	
43 latifolia. s.s.	broad-leaved.	1775.	6. 7.	H. ♀.		
44 biennis. Roth.	biennial.	Germany.	1801.	6. 8.	H. ♂.		
45 lusitanica.	Portugal.	Portugal.	1800.	——	H. 4.		
<i>Eriostemon lusitanicum. Lk.</i>							
ZIETENIA. P.S.		ZIETENIA. Didynamia Gymnospermia. P.S.					
orientalis. P.s.	Lavender-ld.	Levant.	1816.	5. 7.	H. ♀.		
<i>lavandulifolia. L.en.</i>		<i>Stachys lavandulifolia. w.</i>					

LEONURUS. S.S.		MOTHERWORT.	Didynamia Gymnospermia. L.	
1 Cardiacæ. s.s.	common.	Britain. 7. 8. H. 4.	Eng. bot. 286.
2 villosus. s.s.	villous.	Tauria.	1824. — H. 4.	
3 marrubiastrum.	small-flowered.	Austria.	1710. 6. 8. H. 4.	Jacq. aust. 5. t. 405.
4 crispus. s.s.	curl-leaved.	Siberia.	1658. 7. 8. H. 4.	Murr. c. gott. 8. t. 4.
5 supinus. s.s.	procumbent.	———	1816. 6. 8. H. 4.	
6 tataricus. s.s.	Tartarian.	Tartary.	1756. 8. 10. H. 3.	Mill. ic. 1. t. 80.
7 sibiricus. s.s.	Siberian.	Siberia.	1759. 6. 8. H. 3.	Sm. exot. bot. 2. t. 94.
8 condensatus. s.s.	condensed.	———	1824. — H. 4.	
9 heterophyllus. B.F.G.	various-leav'd.	S. America.	——— — H. 4.	Swt. br. fl. gar. ic.
10 multifidus. Desf.	multifid.	——— — H. 4.	
11 neglectus. Sch.	neglected.	——— — H. 4.	
12 lanatus. s.s.	woolly.	Siberia.	1752. — H. 4.	Gmel. sib. 3. t. 54.
<i>Ballota lanata. w.</i>				
BALLOTA. S.S.		STINKING HOREHOUND.	Didynamia Gymnospermia. L.	
1 vulgaris. s.s.	common.	Europe. 7. 9. H. 4.	
2 fœtida. L.en.	strong-scented.	Britain. — H. 4.	Eng. bot. 46.
<i>a nigra.</i>	purple-flowered.	——— — H. 4.	
<i>β alba.</i>	white-flowered.	——— — H. 4.	
BETONICA. S.S.		BETONY.	Didynamia Gymnospermia. L.	
1 officinalis. s.s.	wood.	Britain. 7. 8. H. 4.	Eng. bot. 1142.
2 stricta. s.s.	Danish.	Denmark.	1592. 6. 7. H. 4.	
3 incana. s.s.	hoary.	Italy.	1759. — H. 4.	Botan. magaz. 2125.
4 orientalis. s.s.	oriental.	Levant.	1737. — H. 4.	Lam. ill. t. 507. f. 2.
5 alopecuroides. s.s.	Foxtail.	S. Europe.	1759. 7. — H. 4.	Jacq. aust. 1. t. 78.
6 hirsuta. s.s.	hairy.	Italy.	1710. 6. 7. H. 4.	Mur. com. got. 2. t. 3.
7 grandiflora. s.s.	great-flower'd.	Siberia.	1800. — H. 4.	Botan. magaz. 700.
MARRUBIUM. S.S.		HOREHOUND.	Didynamia Gymnospermia. L.	
1 Alyssum. s.s.	plaited-leaved.	Spain.	1597. 7. 8. H. 4.	Ger. herb. 379. f. 1.
2 astracanicum. s.s.	Astracan.	Levant.	1816. — H. 4.	Jacq. ic. 1. t. 109.
3 peregrinum. w.	Sicilian.	Sicily.	1640. 7. 9. H. 4.	Jacq. aust. 2. t. 160.
4 candidissimum. s.s.	woolly white.	Levant.	1732. — H. 4.	Dill. elt. 274. f. 214.
5 creticum. w.	Cretan.	———	1596. — H. 4.	
6 affine. L.en.	related.	Siberia.	1816. — H. 4.	
7 supinum. s.s.	procumbent.	S. Europe.	1714. 8. 10. H. 4.	Bocc. mus. 2. t. 96.
8 catariæfolium. s.s.	Catmint-leav'd.	Levant.	1823. 7. 9. H. 4.	
9 vulgare. s.s.	common.	Britain. 6. 9. H. 4.	Eng. bot. 410.
10 africanum. s.s.	African.	C. B. S.	1710. 7. 9. G. 4.	Comm. hort. 2. t. 90.
11 crispum. s.s.	curled-leaved.	S. Europe.	1714. 7. 8. H. 4.	Herm. parad. t. 200.
12 apulum. T.N.	Italian.	Italy.	1824. 6. 9. H. 4.	
13 cinereum. s.s.	cinereous.	S. Europe.	——— — H. 4.	
14 hirsutum. w.	hairy.	——— 6. 7. H. 4.	
15 hispanicum. w.	Spanish.	Spain.	1714. 7. 8. H. 4.	Herm. parad. t. 201.
16 acetabulosum. s.s.	saucer-leaved.	Candia.	1676. 6. 8. F. 4.	Barrel. ic. 129.
17 Pseudo-Dictamnus.	shrubby white.	———	1596. 7. 8. F. 4.	Lam. ill. t. 508. f. 2.
PHLOMIS. S.S.		JERUSALEM-SAGE.	Didynamia Gymnospermia. L.	
1 fruticosa. s.s.	shrubby.	Spain.	1596. 6. 7. H. 4.	Botan. magaz. 1843.
2 ferruginea. s.s.	ferruginous.	Naples. — H. 4.	
3 lanata. s.s.	small shrubby.	S. Europe.	1596. — H. 4.	
4 cretica. s.s.	Cretan.	Crete.	1823. — G. 4.	
5 scariosa. s.s.	scariose-bract'd.	Italy.	——— — F. 4.	
6 virens. s.s.	green shrubby.	Levant. — F. 4.	
7 purpurea. s.s.	purple.	S. Europe.	1661. 6. 8. F. 4.	Smith spicil. 6. t. 3.
8 italica. s.s.	Italian.	Italy.	——— — F. 4.	
9 Nissolii. s.s.	Nissolle's.	Levant.	1757. 6. 7. F. 4.	Mill. ic. 2. t. 204.
10 Lychnites. s.s.	lamp-wick.	S. Europe.	1658. 6. 8. G. 4.	Botan. magaz. 999.
11 Samia. s.s.	Samian.	N. Africa.	1714. 6. 7. H. 4.	——— 1891.
12 Russelliana. Lag.	Russell's.	Levant.	1821. — H. 4.	Russ. alep. 2. t. 16.
<i>lunarifolia β Russeliana. B.M. 2542.</i>				
13 Herba-venti. s.s.	rough-leaved.	S. Europe.	1596. 7. 9. H. 4.	
14 pungens. s.s.	pungent.	Levant.	1818. 6. 8. H. 4.	Swt. br. fl. gar. 33.
15 alpina. s.s.	Alpine.	Siberia.	1802. 6. 9. H. 4.	Pall. act. pet. 2. t. 13.
16 tuberosa. s.s.	tuberous-root'd.	———	1759. 6. 10. H. 4.	Botan. magaz. 1555.
17 laciniata. s.s.	jagged-leaved.	Levant.	1731. 7. — H. 4.	Swt. br. fl. gar. 24.
EUCAS. B.P.		LEUCAS.	Didynamia Gymnospermia. S.S.	
1 chinensis. s.s.	Chinese.	China.	1822. 6. 8. S. 4.	
2 zeylanica. s.s.	Ceylon.	E. Indies.	1777. 6. 10. S. 4.	Jacq. ic. 1. t. 111.
3 linifolia. s.s.	Flax-leaved.	———	1816. — S. 4.	

4	cephalotes. s.s.	large-headed.	E. Indies.	1811.	—	S.⊙.	
5	aspera. s.s.	rough.	Persia.	1823.	—	S.⊙.	
6	indica. s.s.	Indian.	E. Indies.	1789.	7. 8.	S.⊙.	
7	urticæfolia. s.s.	Nettle-leaved.	—	1810.	—	S.⊙.	
8	martinicensis.	West-Indian.	W. Indies.	1781.	7. 8.	S.⊙.	Jacq. ic. 1. t. 110.
<i>Phlomis martinicensis.</i> W.							
9	biflora. s.s.	two-flowered.	E. Indies.	1820.	—	S.⊙.	Burm. zeyl. t. 63. f. 1.
LEONOTIS. S.S.		LION'S-EAR.	Didynamia	Gymnospermia.	S.S.		
1	Leonurus. s.s.	narrow-leaved.	C. B. S.	1712.	10. 12.	G. h.	Botan. magaz. 478.
<i>Phlomis Leonurus.</i> W.							
2	ovata. s.s.	dwarf shrubby.	—	1713.	6. 7.	G. h.	Mill. ic. 2. t. 162. f. 1.
3	intermedia. s.s.	intermediate.	S. Africa.	1823.	—	G. h.	Botan. regist. 850.
4	nepetifolia. s.s.	Catmint-leav'd.	E. Indies.	1778.	9. 10.	S.⊙.	— 281.
MOLUCELLA. S.S.		MOLUCCA-BALM.	Didynamia	Gymnospermia.	L.		
1	tuberosa. s.s.	tuberous-root'd.	Tartary.	1796.	7.	H. 4.	Pall. it. 3. app. t. T.
2	lævis. s.s.	smooth.	Syria.	1570.	7. 8.	H.⊙.	Botan. magaz. 1852.
3	spinosa. s.s.	prickly.	Levant.	1596.	—	H.⊙.	Lam. ill. t. 510.
PYCNOSTACHYS.		PYCNOSTACHYS.	Didynamia	Gymnospermia.			
	cærulea. H.E.F.	blue-flowered.	Madagascar.	1825.	8. 10.	F.⊙.	Hook. ex. flor. 202.

ORDO CXXXII.

VERBENACEÆ. *Brown prodr. 1. p. 510.*

CLERODENDRUM. B.P. CLERODENDRUM.		Didynamia	Angiospermia.	L.			
1	ligustrinum. s.s.	Privet-leaved.	Mauritius.	1789.	8. 11.	S. h.	Jacq. col. sup. t. 5. f. 11.
2	inermis. s.s.	smooth.	E. Indies.	1692.	—	S. h.	— t. 4. f. 1.
3	angustifolium. s.s.	narrow-leaved.	Jamaica.	1823.	—	S. h.	Lam. ill. t. 544. f. 2.
4	volubile. s.s.	climbing.	Guinea.	1822.	S. h.~.	
5	buxifolium. s.s.	Box-leaved.	1818.	7. 8.	S. h.	
<i>Volkameria buxifolia.</i> W.en.							
6	heterophyllum. s.s.	various-leaved.	Mauritius.	1805.	8. 9.	S. h.	Andr. reposit. 554.
<i>Volkameria angustifolia.</i> A.R.							
7	macrophyllum. B.M.	large-leaved.	—	1822.	—	S. h.	Botan. magaz. 2536.
8	serratum. s.s.	saw-leaved.	E. Indies.	—	—	S. h.	
9	lividum. B.R.	livid-bracted.	China.	1824.	9. 11.	S. h.	Botan. regist. 945.
10	cernuum. Wal.	drooping.	E. Indies.	1822.	S. h.	
11	Siphonanthus. s.s.	whorl-leaved.	—	1796.	S. h.	Burm. ind. t. 43. f. 1.
<i>Siphonanthus indica</i> et <i>Ovieda mitis.</i> L.							
12	verticillatus. D.P.	four-leaved.	Nepaul.	1818.	S. h.	
13	odoratum. D.P.	odoriferous.	—	1820.	S. h.	
14	fœtidum. D.P.	strong-scented.	—	—	S. h.	
15	nutans. D.P.	nodding.	—	—	S. h.	
16	scandens. s.s.	scandent.	Guinea.	1822.	S. h.~.	
17	trichotomum. s.s.	three-forked.	Japan.	1800.	G. h.	
18	fortunatum. s.s.	spear-leaved.	E. Indies.	1784.	7.	S. h.	Osborn. it. t. 11.
19	squamatum. s.s.	scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
20	tomentosum. s.s.	downy.	N. S. W.	1794.	3. 5.	G. h.	Botan. magaz. 1518.
21	infortunatum. s.s.	long-flowered.	E. Indies.	S. h.	
22	phlomoïdes. s.s.	Phlomis like.	—	1820.	5. 7.	S. h.	Burm. ind. t. 45. f. 1.
23	fragrans. s.s.	fragrant.	China.	1790.	12. 8.	S. h.	Venten. malm. 70.
<i>β multiplex.</i> double-flowered.							
24	viscosum. s.s.	clammy.	E. Indies.	1796.	5. 8.	S. h.	Botan. magaz. 1834.
25	paniculatum. s.s.	panicked.	Java.	1809.	7. 10.	S. h.	— 1805.
26	urticifolium. H.B.	Nettle-leaved.	E. Indies.	1822.	—	S. h.	Botan. regist. 406.
27	violaceum. L.en.	violet-coloured.	—	S. h.	
28	japonicum.	Japan.	Japan.	1823.	S. h.	
<i>Volkameria japonica.</i> Th.							
VOLKAMERIA. S.S. VOLKAMERIA.		Didynamia	Angiospermia.	L.			
	aculeata. s.s.	prickly.	W. Indies.	1739.	8. 10.	S. h.	Brown. jam. t. 20. f. 1.
ÆGIPHILA. R.S.		ÆGIPHILA.	Tetrandria	Monogynia.	L.		
1	martinicensis. R.S.	Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. 132.
2	arborescens. R.S.	arborescent.	Trinidad.	1823.	S. h.	Aub. gui. 1. t. 24.

3 elata. R.S.	tall.	W. Indies.	1823.	7. 11.	S. h.	Botan. regist. 946.
4 fetida R.S.	fetid.	—	1800.	6. 7.	S. h.	
5 diffusa. R.S.	diffuse.	—	1804.	7. 8.	S. h.	Andr. reposit. t. 578. f. 1.
6 obovata. R.S.	oval-leaved.	—	—	—	S. h.	— t. 578. f. 2.
CALLICARPA. R.S.	CALLICARPA.	Tetrandria Monogynia. L.				
1 americana. R.S.	American.	Carolina.	1724.	6. 7.	G. h.	Catesb. car. 2. t. 47.
2 cana. R.S.	hoary.	E. Indies.	1799.	—	S. h.	
3 lanata. R.S.	woolly.	—	1788.	—	S. h.	Gært. fruct. 1. t. 94.
4 incana. F.I.	white-leaved.	—	1816.	6. 10.	S. h.	
5 macrophylla. R.S.	large-leaved.	—	1808.	—	S. h.	
6 lanceolaria. F.I.	lance-leaved.	—	1816.	—	S. h.	
7 ferruginea. R.S.	rusty.	Jamaica.	1794.	6. 7.	S. h.	
8 reticulata. R.S.	netted-leaved.	—	1822.	—	S. h.	
9 longifolia. R.S.	long-leaved.	China.	—	—	S. h.	Hook. ex. flor. 133.
10 rubella. B.R.	red-flowered.	—	—	—	S. h.	Botan. regist. 883.
11 purpurea. F.I.	purple-flower'd.	—	—	7. 9.	S. h.	
12 arborea. F.I.	tree.	Nepaul.	—	—	S. h.	
VITEX. S.S.	CHASTE-TREE.	Didynamia Angiospermia. L.				
1 ovata. s.s.	oval-leaved.	China.	1796.	7. 8.	S. h.	
2 triflora. s.s.	three-flowered.	Cayenne.	1823.	—	S. h.	
3 altissima. s.s.	tall.	Ceylon.	1802.	—	S. h.	
4 alata. s.s.	winged.	E. Indies.	1818.	6. 8.	S. h.	
5 bicolor. s.s.	two-coloured.	—	1810.	—	S. h.	
6 trifolia. s.s.	three-leaved.	—	1759.	—	S. h.	Botan. magaz. 2187.
7 Negundo. s.s.	Ash-leaved.	—	—	—	S. h.	Rheed. mal. 2. t. 11.
8 Agnus-castus. W.	common.	Sicily.	1570.	9.	H. h.	
β latifolia.	broad-leaved.	—	—	—	H. h.	
9 incisa. s.s.	cut-leaved.	China.	1758.	7. 9.	G. h.	Botan. magaz. 364.
Negundo. B.M.	—	—	—	—	—	
10 saligna. H.B.	Willow-leaved.	E. Indies.	1823.	—	S. h.	
11 Doniana.	Don's.	Sierra Leon.	1824.	—	S. h.	
umbrosa. H.T. non Sw.	—	—	—	—	—	
WALLROTHIA. S.S.	WALLROTHIA.	Didynamia Angiospermia. S.S.				
Leucoxydon. s.s.	white-wooded.	Ceylon.	1793.	—	S. h.	
Vitex Leucoxydon. L.	—	—	—	—	—	
CHLOANTHES. B.P.	CHLOANTHES.	Didynamia Angiospermia. S.S.				
1 stœchadis. B.P.	white-leaved.	N. S. W.	1822.	6. 8.	G. h.	
2 glandulosa. B.P.	glandular-ld.	—	1824.	—	G. h.	
PREMNA. S.S.	PREMNA.	Didynamia Angiospermia. S.S.				
1 integrifolia. s.s.	entire-leaved.	E. Indies.	1822.	—	S. h.	Rumph. amb. 3. t. 133.
2 spinosa. H.B.	spiny.	—	—	—	S. h.	
3 esculenta. H.B.	esculent.	—	1824.	—	S. h.	
HOLMSKIOLDIA.	HOLMSKIOLDIA.	Didynamia Angiospermia. S.S.				
1 sanguinea. s.s.	scarlet.	E. Indies.	1796.	10. 4.	S. h.	Botan. regist. 692.
Hastingia coccinea. Sm. ex. bot. 80.	—	—	—	—	—	
2 scandens.	climbing.	—	1824.	—	S. h. ~.	
Hastingia scandens. H.B.	—	—	—	—	—	
PETRÆA. S.S.	PETRÆA.	Didynamia Angiospermia. L.				
1 volubilis. s.s.	climbing.	Vera Cruz.	1733.	7. 8.	S. h. ~.	Botan. magaz. 628.
2 rugosa. K.S.	rough-leaved.	Caracas.	1824.	—	S. h.	
HOSTA. Jacq.	HOSTA.	Diandria Monogynia.				
1 cœrulea. Jacq.	blue-flowered.	S. America.	1733.	6. 9.	S. h.	Jacq. schœnb. 1. t. 114.
Cornutia punctata. B.M. 2611.	—	—	—	—	—	
2 latifolia. K.S.	broad-leaved.	Mexico.	1824.	—	S. h.	
CORNUTIA. P.S.	CORNUTIA.	Diandria Monogynia. S.S.				
pyramidata. P.S.	pyramidal.	W. Indies.	1733.	—	S. h.	Lam. ill. t. 541.
GMELINA. S.S.	GMELINA.	Didynamia Angiospermia. L.				
1 arborea. s.s.	tree.	E. Indies.	1812.	—	S. h.	Rheed. mal. 1. t. 41.
2 villosa. H.B.	villous.	—	1818.	—	S. h.	
3 asiatica. s.s.	oval-leaved.	—	1792.	—	S. h.	Lam. ill. t. 542.
4 parviflora. P.S.	small-flowered.	—	1817.	—	S. h.	Roxb. corom. 1. t. 32.
parvifolia. s.s.	—	—	—	—	—	
CITHAREXYLUM. W.	FIDDLE-WOOD.	Didynamia Angiospermia. L.				
1 caudatum. s.s.	upright.	Jamaica.	1763.	—	S. h.	Jacq. ic. 3. t. 501.
erectum. Jacq.	—	—	—	—	—	
2 villosum. s.s.	hairy-leaved.	W. Indies.	1784.	—	S. h.	— 1. t. 118.
3 subserratum. s.s.	suberrate.	Hispaniola.	1819.	—	S. h.	
4 quadrangulare. s.s.	square-stalked.	Jamaica.	1759.	6. 8.	S. h.	Jacq. vind. 1. t. 22.
5 cinereum. s.s.	ash-coloured.	W. Indies.	1739.	—	S. h.	Jacq. amer. t. 118.

6 molle. s.s.	soft-leaved.	1822.	—	S. h.	
7 pentandrum. s.s.	pentandrous.	Portorico.	1815.	—	S. h.	Vent. cels. t. 47.
DURANTA. S.S.	DURANTA.	Didynamia Angiospermia. L.				
1 Plumieri. B.R.	smooth.	S. America.	1733.	6. 10.	S. h.	Botan. regist. 244.
2 Ellisia. B.M.	prickly.	W. Indies.	1739.	8.	S. h.	Botan. magaz. 1759.
3 inermis. Mill.	unarmed.	S. America.	—	S. h.	
4 xalapensis. K.S.	Mexican.	Mexico.	1822.	S. h.	
5 Mutisii. K.S.	Mutis's.	S. America.	—	6. 8.	S. h.	
AMASONIA. S.S.	AMASONIA.	Didynamia Angiospermia. S.S.				
punicea. s.s.	puniceous.	Trinidad.	1823.	S. h.	
LANTANA. S.S.	LANTANA.	Didynamia Angiospermia. L.				
1 aculeata. s.s.	changeable-col'd.	W. Indies.	1692.	4. 11.	S. h.	Botan. magaz. 96.
2 purpurea. s.s.	purple-flow'r'd.	S. America.	1822.	—	S. h.	
3 scabrida. s.s.	rough.	W. Indies.	1774.	7. 10.	S. h.	
4 mista. w.	Nettle-leaved.	—	1732.	8. 10.	S. h.	Lodd. bot. cab. 68.
5 melissæfolia. s.s.	Balm-leaved.	—	—	7. 9.	S. h.	Dill. elt. t. 57. f. 66.
6 nivea. s.s.	snowy white.	E. Indies.	—	S. h.	Botan. magaz. 1946.
7 stricta. s.s.	narrow-leaved.	Jamaica.	1733.	—	S. h.	Sloan. jam. 2. t. 195. f. 4.
8 Radula. w.	Rasp-leaved.	W. Indies.	1803.	—	S. h.	
9 salviæfolia. s.s.	Sage-leaved.	C. B. S.	1823.	—	G. h.	Jacq. schœnb. 3. t. 285.
10 recta. s.s.	upright.	Jamaica.	1758.	6. 8.	S. h.	— 3. t. 360.
11 involucrata. s.s.	round-leaved.	W. Indies.	1690.	5. 7.	S. h.	Pluk. alm. t. 114. f. 5.
12 odorata. s.s.	sweet-scented.	—	1758.	5. 11.	S. h.	Plum. ic. 71. f. 2.
13 Camara. s.s.	various-colour'd.	—	1691.	4. 9.	S. h.	Dill. elt. t. 56. f. 65.
14 trifolia. s.s.	three-leaved.	—	1733.	6. 9.	S. h.	Botan. magaz. 1449.
15 annua. s.s.	annual.	S. America.	—	7. 8.	S. ☉.	— 1022.
16 fucata. s.s.	painted.	Brazil.	1822.	—	S. h.	Botan. regist. 798.
17 lavandulacea. s.s.	Lavender-like.	—	—	S. h.	
18 crocea. L.en.	saffron-color'd.	Jamaica.	—	—	S. h.	Jacq. schœnb. t. 473.
19 violacea. Desf.	violet-coloured.	S. America.	1824.	S. h.	
20 brasiliensis. L.en.	Brazilian.	Brazil.	—	—	S. h.	
21 alba. L.en.	white-flowered.	S. America.	—	S. h.	
22 horrida. K.S.	horrid.	Mexico.	1825.	—	S. h.	
SPIELMANNIA. S.S.	SPIELMANNIA.	Didynamia Angiospermia. S.S.				
africana. s.s.	African.	C. B. S.	1710.	2. 11.	G. h.	Botan. magaz. 1899.
TECTONA. W.	TEAK-WOOD.	Pentandria Monogynia. L.				
grandis. w.	great.	E. Indies.	1777.	S. h.	Roxb. corom. 1. t. 6.
COLEBROOKIA. S.S.	COLEBROOKIA.	Didynamia Gymnospermia. S.S.				
1 oppositifolia. D.P.	opposite-leav'd.	Nepaul.	1816.	6. 9.	S. h.	Sm. exot. bot. t. 115.
2 ternifolia. s.s.	three-leaved.	E. Indies.	—	—	S. h.	
STREPTIUM. S.S.	STREPTIUM.	Didynamia Angiospermia. S.S.				
asperum. s.s.	rough.	E. Indies.	1799.	7. 8.	S. 4.	Roxb. corom. 2. t. 146.
<i>Tortula aspera. w.</i>	<i>Priva leptostachya. P.S.</i>					
PRIVA. S.S.	PRIVA.	Didynamia Angiospermia. S.S.				
1 lappulacea. P.S.	bristly-fruited.	S. America.	1822.	6. 8.	S. 4.	Jacq. obs. 1. t. 24.
<i>echinata. K.S.</i>						
2 mexicana. P.S.	Mexican.	Mexico.	1726.	8. 9.	S. 4.	Dill. elth. t. 302. f. 389.
<i>hispidæ. K.S. Verbena mexicana. L.</i>						
TAMONEA. S.S.	TAMONEA.	Diandria Monogynia.				
verbenacea. s.s.	thorny-fruited.	W. Indies.	1733.	8.	S. ☉.	Banks. vel. Hous. t. 2.
<i>curassavica. P.S. Ghinia spinosa. w.</i>						
STACHYTARPHETA. BASTARD Vervain.	Diandria Monogynia. S.S.					
1 angustifolia. R.S.	narrow-leaved.	S. America.	6. 9.	S. ☉.	Jacq. obs. 4. t. 86.
2 indica. R.S.	Indian.	Ceylon.	1732.	8. 9.	S. ☉.	
3 urticifolia. B.M.	Nettle-leaved.	S. America.	5. 9.	S. ♂.	Botan. magaz. 1848.
4 jamaicensis. R.S.	Jamaica.	W. Indies.	1714.	6. 9.	S. ♂.	— 1860.
5 cayennensis. s.s.	Cayenne.	Cayenne.	1819.	—	S. h.	
6 prismatica. R.S.	Germaner-ld.	W. Indies.	1699.	5. 6.	S. ♂.	Jacq. ic. 2. t. 208.
7 orubica. R.S.	Orubian.	S. America.	—	6. 8.	G. ♂.	Ehr. pict. t. 5. f. 1.
8 mutabilis. R.S.	changeable-fl'd.	—	1801.	3. 9.	S. h.	Botan. magaz. 976.
<i>Verbena mutabilis. w. Cymburus mutabilis. P.L. 49.</i>						
9 hirsutissima. L.en.	hairy.	Brazil.	1821.	6. 9.	S. 4.	
ZAPANIA. J.	ZAPANIA.	Didynamia Angiospermia. P.S.				
1 stœchadifolia. P.S.	oval-spiked.	W. Indies.	1732.	8. 9.	S. 4.	Brown. jam. t. 3. f. 1.
2 nodiflora. B.P.	knot-flowered.	America.	1664.	7. 8.	G. 4.	Flor. græc. 553.
<i>Verbena nodiflora. L. Lippia nodiflora. s.s.</i>						
ALOYSIA. P.S.	ALOYSIA.	Didynamia Angiospermia. P.S.				
citrodora. P.S.	Lemon-scent'd.	Chili.	1784.	5. 9.	G. h.	Botan. magaz. 367.
<i>Verbena triphylla. B.M. Lippia citrodora. K.S.</i>						

VERBENA. S.S.

- 1 angustifolia. s.s.
- 2 paniculata. s.s.
- 3 bonariensis. s.s.
- 4 caroliniana. s.s.
- 5 urticæfolia. s.s.
- 6 stricta. s.s.
- 7 lasiostachys. s.s.
- 8 bracteosa. s.s.
- 9 Aubletia. s.s.
- 10 Lamberti. B.M.
- 11 hastata. s.s.
- 12 scabra. s.s.
- 13 officinalis. E.B.
- 14 sororia. D.P.
- 15 spuria. s.s.
- 16 erinoides. s.s.

- multifida. R.P.
- 17 canescens. s.s.
- 18 supina. s.s.
- 19 prostrata. H.K.

LIPPIA. J.

- purpurea. s.s.

HEBENSTREITIA. S.S.

- 1 scabra. w.
- 2 integrifolia. w.
- aurea. A.R.
- 3 dentata. w.
- 4 ciliata. w.
- 5 spicata. P.S.
- 6 erinoides. s.s.
- 7 fruticosa. B.M.
- 8 cordata. s.s.

SELAGO. S.S.

- 1 canescens. s.s.
- 2 diffusa. s.s.
- 3 spinea. L.en.
- 4 ovata. s.s.
- 5 spicata. s.s.
- 6 ramulosa. s.s.
- 7 bracteata. s.s.
- 8 dentata. s.s.
- 9 polygaloides. s.s.
- 10 rapunculoides. s.s.
- 11 fasciculata. s.s.
- 12 lucida. v.
- 13 rotundifolia. s.s.
- 14 corymbosa. s.s.
- 15 spuria. s.s.

VERVAIN. Didynamia Angiospermia. S.S.

- narrow-leaved. N.America. 1802. 6. 8. H. 4.
- panicled. ——— 1800. 7. 8. H. 4.
- cluster-flow'r'd. BuenosAyres. 1732. 7. 10. H. 8.
- Carolina. N.America. ——— 6. 9. H. 4.
- Nettle-leaved. ——— 1683. 7. 9. H. 4.
- upright. ——— 1802. 7. 8. H. 4.
- woolly-spiked. California. 1823. ——— H. 4.
- long-bracted. N.America. 1812. 7. ——— H. 4.
- rose. ——— 1774. 6. 8. F. 8.
- Lambert's. Peru. 1816. ——— F. 4.
- halberd-leaved. Canada. 1710. ——— H. 4.
- rough. Mexico. 1825. ——— H. 4.
- common. Britain. 6. 9. H. 4.
- sister. Nepaul. 1823. 8. 10. H. 4.
- jagged-leaved. N.America. 1731. 7. 8. H. 8.
- Erinus-like. Peru. 1820. ——— H. 4.
- canescent. Mexico. ——— ——— H. 4.
- trailing. Spain. 1640. 6. 7. H. 4.
- prostrate. N.America. 1794. ——— H. 4.

LIPPIA. Didynamia Angiospermia. S.S.

- purple. Mexico. 1823. 6. 8. G. h.
- rough-leaved. C. B. S. 1816. 5. 9. G. h.
- entire-leaved. ——— 1792. 4. 6. G. h.
- dwarf-tooth'd-l'd. ——— 1739. 5. 9. G. 4.
- ciliated. ——— 1815. 5. 7. G. h.
- spiked. ——— ——— G. h.
- Erinus-leaved. ——— 1816. 5. 11. G. h.
- frutescent. ——— ——— G. h.
- heart-leaved. ——— 1774. 7. 8. G. h.

SELAGO. Didynamia Gymnospermia. L.

- canescent. C. B. S. 1812. 7. 11. G. h.
- spreading. ——— 1807. 7. 8. G. h.
- reflex-leaved. ——— 1816. ——— G. h.
- oval-headed. ——— 1774. 6. 7. G. h.
- spiked. ——— 1815. ——— G. h.
- branching. ——— 6. 9. G. h.
- imbricate-bract'd. ——— 1816. ——— G. h.
- round-leaved. ——— ——— G. h.
- Milkwort-like. ——— 1807. 7. 11. G. h.
- Rampion-like. ——— 1815. ——— G. h.
- cluster-flower'd. ——— 1774. 6. 7. G. h.
- shining-leaved. ——— 1812. ——— G. h.
- round-leaved. ——— 1816. 7. 9. G. h.
- fine-leaved. ——— 1699. ——— G. h.
- linear-leaved. ——— 1779. 7. 10. G. 8.

Dill. elt. t. 300. f. 387.
 ——— t. 301. f. 388.
 Rob. ic. 26.
 Botan. magaz. 1976.
 Botan. magaz. 308.
 ——— 2200.
 Herm. parad. t. 242.
 Eng. bot. 769.
 Swt. br. fl. gar. ic.
 Flor. peruv. l. t. 33. f. c.

H. et. B. 2. t. 136.
 Park. theat. 675. f. 2.
 Jacq. f. eclog. t. 85.

Andr. reposit. 252.
 Botan. magaz. 483.

Botan. magaz. 1970.

Botan. magaz. 186.

Botan. regist. 184.
 Venten. malm. t. 10.
 Comm. hort. 2. t. 40.

ORDO CXXXIII.

MYOPORINÆ. Brown prodr. p. 514.

MYOPORUM. B.P.

- 1 ellipticum. B.P.
- Pogonia glabra. A.R.
- 2 acuminatum. B.P.
- 3 montanum. B.P.
- 4 parvifolium. B.P.
- 5 debile. B.P.
- 6 diffusum. B.P.

MYOPORUM. Didynamia Angiospermia. S.S.

- smooth-leaved. N. S. W. 1789. 1. 3. G. h.
- acuminate. ——— 1812. G. h.
- mountain. ——— 1822. 2. 6. G. h.
- small-leaved. N. Holland. 1803. 3. 9. G. h.
- procumbent. N. S. W. 1793. 5. 8. G. h.
- diffuse. N. Holland. 8. 2. G. h.

Andr. reposit. 283.

Botan. magaz. 1691.
 ——— 1830.

7 tuberculatum. B.P.	tubercled.	N. Holland. 1803.	5. 8.	G. h.	
8 viscosum. B.P.	viscid.	— — — — —	— — — — —	G. h.	
9 crassifolium. s.s.	thick-leaved.	N. Zealand. 1822.	—	G. h.	
10 oppositifolium. s.s.	opposite-leav'd.	N. Holland. 1803.	1. 12.	G. h.	
STENOCHILUS. B.P.	STENOCHILUS.	Didynamia Angiospermia. S.S.			
1 glaber. B.P.	smooth-leaved.	N. Holland. 1803.	1. 12.	G. h.	Botan. magaz. 1942.
2 maculatus. B.R.	spott'd-flow'r'd.	— — — — — 1820.	4. 8.	G. h.	Botan. regist. 647.
BONTIA. S.S.	BONTIA.	Didynamia Angiospermia. L.			
daphnoides. s.s.	Barbadoes.	W. Indies. 1690.	6.	S. h.	Dill. elth. t. 49. f. 57.
AVICENNIA. B.P.	AVICENNIA.	Didynamia Angiospermia. L.			
tomentosa. B.P.	downy-leaved.	India. 1793.	S. h.	Palisot. d'Owar. t. 47.

ORDO CXXXIV.

ACANTHACEÆ. *Brown prodr. 1. p. 472.*

ACANTHUS. S.S.	BEARS-BREECH.	Didynamia Angiospermia. L.			
1 mollis. w.	soft-leaved.	Italy. 1548.	7. 9.	H. 4.	Lam. ill. t. 550.
2 niger. L.en.	shining-leaved.	Portugal. 1759.	—	H. 4.	
3 spinosus. B.M.	prickly-leaved.	S. Europe. 1629.	—	H. 4.	Botan. magaz. 1808.
4 spinosissimus. P.S.	white-spined.	— — — — —	—	H. 4.	
5 cardifolius. s.s.	Cape.	C. B. S. 1816.	—	G. 4.	
6 ilicifolius. s.s.	Holly-leaved.	E. Indies. 1759.	S. h.	Rheed. mal. 2. t. 48.
BLEPHARIS. J.	BLEPHARIS.	Didynamia Angiospermia. P.S.			
1 capensis. s.s.	simple-spined.	C. B. S. 1816.	5. 9.	G. h.	
2 furcata. s.s.	fork-spined.	— — — — —	—	6. 8.	G. h.
3 procumbens. s.s.	procumbent.	— — — — — 1825.	—	G. h.	
THUNBERGIA. S.S.	THUNBERGIA.	Didynamia Angiospermia. S.S.			
1 grandiflora. s.s.	large-flowered.	E. Indies. 1822.	3. 8.	S. h.	Botan. regist. 495.
2 fragrans. s.s.	white Indian.	— — — — — 1796.	5. 9.	S. h.	Botan. magaz. 1881.
3 cordata. C.R.	heart-leaved.	Brazil. 1823.	3. 8.	S. h.	Coll. h. rip. t. 21.
4 capensis. s.s.	Cape.	C. B. S. 1816.	—	G. h.	
5 alata. B.M.	winged.	Zanzebar. 1825.	1. 12.	S. h.	Botan. magaz. 2591.
6 angulata. H.E.F.	angular-stalk'd.	Mauritius. 1824.	5. 8.	S. h.	Hook. ex. flor. 166.
7 coccinea. D.P.	scarlet-flow'r'd.	Nepaul. — — — — —	6. 2.	S. h.	— — — — — 195.
BARLERIA. S.S.	BARLERIA.	Didynamia Angiospermia. L.			
1 buxifolia. s.s.	Box-leaved.	E. Indies. 1763.	6. 7.	S. h.	Rheed. mal. 2. t. 47.
2 Prionitis. s.s.	thorny.	— — — — — 1759.	7. 8.	S. h.	— — — — — 9. t. 41.
3 longifolia. s.s.	long-leaved.	— — — — — 1781.	7. 9.	S. 3.	Pluk. alm. t. 133. f. 4.
4 cristata. s.s.	crested.	— — — — — 1796.	4. 9.	S. h.	Botan. magaz. 1615.
5 alba. B.C.	white-flowered.	— — — — — 1818.	—	S. h.	Lodd. bot. cab. 360.
6 flava. s.s.	yellow-flow'r'd.	Arabia. 1816.	—	S. h.	Jacq. f. ecl. t. 46.
<i>mitis. B.R. 191. Justicia flava. w. Eranthemum flavum. w.en.</i>					
7 longiflora. s.s.	long-flowered.	E. Indies. — — — — —	6. 9.	S. h.	Vahl symb. 1. t. 16.
8 purpurea. B.C.	purple.	— — — — — 1817.	—	S. h.	Lodd. bot. cab. 344.
9 dichotoma. H.B.	forked.	— — — — — 1823.	—	S. h.	
10 cœrulea. H.B.	blue-flowered.	— — — — —	—	S. h.	
HYGROPHILA. B.P.	HYGROPHILA.	Didynamia Angiospermia. S.S.			
ringens. s.s.	gaping-flow'r'd.	E. Indies. 1807.	7. 8.	S. h.	
RUELLIA. S.S.	RUELLIA.	Didynamia Angiospermia. L.			
1 ocymoides. s.s.	Basil-like.	Mexico. 1815.	7. 8.	S. h.	Cavan. ic. 5. t. 456.
2 ciliata. s.s.	fringed.	E. Indies. 1806.	—	S. h.	
3 australis. s.s.	New Holland.	N. S. W. 1820.	6. 9.	G. h.	Cavan. ic. 6. t. 586. f. 11.
4 fœtida. s.s.	strong-scented.	Mexico. 1824.	—	G. h.	
5 biflora. s.s.	two-flowered.	Carolina. 1765.	7.	G. 4.	
6 violacea. s.s.	violet-flowered.	Guiana. 1822.	6. 9.	S. 4.	Aub. gui. 2. t. 271.
7 salicifolia. s.s.	Willow-leaved.	E. Indies. — — — — —	—	S. h.	
8 ovata. s.s.	oval-leaved.	Mexico. 1800.	7. 8.	S. 4.	Cavan. ic. 3. t. 254.
9 patula. s.s.	spreading.	E. Indies. 1774.	—	S. h.	Jacq. ic. 1. t. 119.

10	anisophylla. H.E.F.	unequal-leaved.	E. Indies.	1823.	9. 4.	S. h.	Hook. ex. flor. 191.
	<i>persicifolia</i> . B.R.			955.			
11	formosa. S.S.	splendid.	Brazil.	1808.	6. 9.	S. h.	Botan. magaz. 1400.
12	macrophylla. S.S.	large-leaved.	S. America.	1820.	—	S. h.	Vahl symb. 2. t. 39.
13	tuberosa. S.S.	tuberous-root'd.	Jamaica.	1752.	7. 8.	S. 4.	Sloan. jam. 1. t. 95. f. 1.
14	strepens. S.S.	whorl-flowered.	N. America.	1726.	—	G. 4.	Schk. hand. 2. t. 177.
15	lactea. S.S.	white.	Mexico.	1796.	6. 8.	G. 4.	Cavan. ic. 3. t. 255.
16	clandestina. S.S.	three-flowered.	Barbadoes.	1728.	7. 8.	S. 4.	Dill. elth. t. 248. f. 320.
17	paniculata. S.S.	panicked.	W. Indies.	1768.	8. 10.	S. 4.	Botan. regist. 585.
18	fulgida. S.S.	bright-flower'd.	—	1804.	7. 8.	S. h.	Andr. reposit. 527.
19	undulata. S.S.	wave-leaved.	E. Indies.	1817.	—	S. 4.	
20	hirta. S.S.	hairy.	—	—	—	S. 4.	Vahl symb. 3. t. 67.
21	pubescens. P.S.	pubescent.	C. B. S.	1816.	5. 7.	G. h.	
22	tetragona. S.S.	four-sided.	Brazil.	1818.	6. 9.	S. 4.	
23	longifolia. S.S.	long-leaved.	E. Indies.	1821.	—	S. h.	
24	cernua. H.B.	cernuous.	—	—	—	S. h.	Rumph. amb. 3. t. 23. f. 1.
BLECHUM. B.P. BLECHUM. Didynamia Angiospermia. S.S.							
1	Brownei. S.S.	dense-spiked.	W. Indies.	1780.	6.	S. 4.	Sloan. jam. 1. t. 109. f. 1.
2	laxiflorum. S.S.	loose-flowered.	—	1822.	6. 8.	S. 4.	
APHELANDRA. B.P. APHELANDRA. Didynamia Angiospermia. S.S.							
	<i>cristata</i> . S.S.	dense-spiked.	W. Indies.	1733.	6. 9.	S. h.	Botan. magaz. 1578.
	<i>Ruellia cristata</i> . A.R.			506.			<i>Justicia pulcherrima</i> . L.
CROSSANDRA. P.S. CROSSANDRA. Didynamia Angiospermia.							
	<i>undulæfolia</i> . P.L.	wave-leaved.	E. Indies.	1800.	6. 1.	S. h.	Botan. regist. 69.
	<i>Ruellia infundibuliformis</i> . A.R.			542.			<i>Harrachia speciosa</i> . Jacq. ecl. t. 21.
PHAYLOPSIS. W. PHAYLOPSIS. Didynamia Angiospermia. W.							
1	longifolia. B.M.	long-leaved.	Sierra Leon.	1822.	3. 5.	S. h.	Botan. magaz. 2433.
2	imbricata.	imbricated.	Mauritius.	—	—	S. h.	
	<i>Ætheilema imbricata</i> . S.S.						
LEPIDAGATHIS. W. LEPIDAGATHIS. Didynamia Angiospermia. W.							
	<i>cristata</i> . W.	crested.	E. Indies.	1817.	5. 8.	S. 4.	
ELYTRARIA. R.S. ELYTRARIA. Diandria Monogynia. S.S.							
1	crenata. R.S.	notched-leav'd.	E. Indies.	1819.	11. 2.	S. 4.	Roxb. corom. 2. t. 127.
2	lyrata. R.S.	lyrate-leaved.	—	1825.	S. 4.	
3	virgata. R.S.	twiggy.	Carolina.	1813.	7.	H. 4.	Mich. amer. 1. t. 1.
4	ramosa. K.S.	branching.	Mexico.	1825.	G. 4.	
JUSTICIA. R.S. JUSTICIA. Diandria Monogynia. L.							
1	bicalyculata. R.S.	Malabar.	E. Indies.	1785.	8. 10.	S. ⊙.	Cavan. ic. 1. t. 71.
2	hispida. R.S.	hispid.	Sierra Leon.	1824.	4. 8.	S. h.	
3	Ecbolium. R.S.	long-spiked.	E. Indies.	1759.	3. 8.	S. h.	Botan. magaz. 1847.
4	thyrsiflora. F.I.	thyrsé-flower'd.	—	1812.	5. 9.	S. h.	
5	vitellina. F.I.	reflex-leaved.	—	1818.	—	S. h.	
6	alba. F.I.	white-flowered.	—	1816.	4. 8.	S. h.	
7	coccinea. R.S.	scarlet.	S. America.	1770.	12. 4.	S. h.	Botan. magaz. 432.
8	echioides. R.S.	Echium-like.	E. Indies.	1812.	6. 9.	S. ⊙.	Rheed. mal. 9. t. 46.
9	quadrifida. R.S.	twiggy.	Mexico.	1795.	3. 9.	S. h.	Sal. par. lond. 50.
	<i>virgularis</i> . P.L.						
10	pumila. R.S.	dwarf.	S. America.	1820.	—	S. h.	
11	nigricans. R.S.	black-striped.	China.	1819.	6. 9.	G. h.	
12	nitida. R.S.	glossy.	W. Indies.	1790.	3. 9.	S. h.	Andr. reposit. 570.
13	bracteolata. R.S.	bracteolate.	Caracas.	1824.	6. 8.	S. h.	Jacq. ic. t. 205.
14	picta. R.S.	painted.	E. Indies.	1780.	7. 8.	S. h.	Rheed. mal. 6. t. 60.
	<i>a alba</i> .	white-marked.	—	—	—	S. h.	
	<i>β lurido-sanguinea</i> .	purple-leaved.	—	1815.	—	S. h.	Botan. magaz. 1870.
15	paniculata. R.S.	panicked.	—	1811.	—	S. h.	Jacq. f. eclog. t. 34.
16	salicina. R.S.	Willow-like.	Peru.	1819.	—	S. h.	
17	secunda. R.S.	side-flowering.	W. Indies.	1793.	5. 9.	S. h.	Botan. magaz. 2060.
18	geniculata. B.M.	jointed-stalked.	—	1822.	7. 10.	S. h.	— 2487.
19	ciliaris. R.S.	ciliated.	Cumana.	1780.	7. 8.	S. ⊙.	Jacq. vind. 2. t. 104.
20	lucida. R.S.	shining-leaved.	W. Indies.	1795.	—	S. h.	Botan. magaz. 1014.
21	salviæflora. R.S.	Sage-flowered.	Mexico.	1823.	—	S. h.	
22	Gandarussa. R.S.	Willow-leaved.	E. Indies.	1800.	6. 7.	S. h.	Botan. regist. 635.
23	carthaginensis. R.S.	Carthaginian.	Carthageria.	1792.	—	S. h.	— 797.
24	pedunculosa. R.S.	long-peduncled.	N. America.	1759.	7. 8.	H. 4.	Botan. magaz. 2367.
	<i>americana</i> . W.						
25	procumbens. R.S.	procumbent.	E. Indies.	1798.	—	S. 4.	Pluck. alm. t. 56. f. 3.
26	quinquangularis. F.I.	five-angled.	—	1820.	—	S. 4.	
27	comata. R.S.	Balsam-herb.	Jamaica.	1795.	—	S. 4.	Sloan. jam. 1. t. 103. f. 2.
28	eustachiana. R.S.	Eustachian.	St. Eustachia.	1799.	8. 9.	S. h.	Jacq. amer. pict. t. 5.

29	Keriana.	Ker's.	China.	1815.	6. 9.	S. h.	Botan. regist. 309.
	<i>eustachiana</i> . B.R.—B.M. 2076. non Jacq.						
30	nasuta. R.S.	white-flowering.	E. Indies.	1790.	2. 10.	S. h.	Botan. magaz. 325.
31	lanceolaria. F.I.	lance-leaved.	————	1818.	8. 12.	S. h.	
32	speciosa. F.I.	beautiful.	————	1823.	—	S. h.	
33	Roxburghiana. R.S.	Roxburgh's.	————	1815.	6. 9.	S. h.	Rumph. amb. 6. t. 22. f. 1.
	<i>tinctoria</i> . F.I. non Lour. <i>baphica</i> . S.S.						
34	pectoralis. R.S.	Garden Balsam.	W. Indies.	1787.	5. 6.	S. h.	Botan. regist. 796.
35	periplocæfolia. R.S.	Periploca-ld.	S. America.	1799.	6. 8.	S. h.	Jacq. coll. s. t. 7. f. 2.
36	furcata. R.S.	forked.	Peru.	1795.	4. 8.	S. h.	Botan. magaz. 430.
	<i>peruviana</i> . B.M. Cavan. ic. 1. t. 28.						
37	lithospermifolia.	Gromwell-ld.	————	1796.	—	S. h.	Jacq. schœn. 1. t. 4.
38	caracasana. R.S.	Caracas.	Caracas.	1818.	—	S. h.	Jacq. ic. 2. t. 206.
39	Adhatoda. R.S.	Malabar-nut.	Ceylon.	1699.	5. 7.	G. h.	Botan. magaz. 861.
40	Betonica. R.S.	Betony-leaved.	E. Indies.	1739.	—	S. h.	Rheed. mal. 2. t. 21.
41	ramosissima. F.I.	branching.	————	1812.	8. 12.	S. h.	
42	plumbaginifolia. R.S.	Plumbago-ld.	1819.	6. 9.	S. h.	Jacq. f. ecl. t. 12.
43	formosa. R.S.	handsome	—	—	S. h.	
44	maculata. B.C.	spotted-leaved.	W. Indies.	1823.	—	S. h.	Lodd. bot. cab. 626.
45	hyssopifolia. R.S.	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. h.	Mill. ic. 9. t. 13.
46	orchioides. R.S.	Broom-leaved.	C. B. S.	1774.	8.	G. h.	Vent. malm. t. 51.
47	retusa. B.C.	retuse.	1816.	7. 9.	S. h.	Lodd. bot. cab. 724.
48	calytricha. H.E.F.	yellow-flower'd.	1825.	1. 3.	S. h.	Hook. ex. flor. 212.
DICLIPTERA. J. DICLIPTERA. Diandria Monogynia. R.S.							
1	chinensis. R.S.	Chinese.	China.	1816.	8. 12.	S. h.	Burm. ind. t. 4. f. 1?
2	bivalvis. R.S.	two-valved.	E. Indies.	1820.	—	S. h.	
3	resupinata. R.S.	resupinate.	N. Spain.	1805.	5. 8.	S. h.	Cavan. ic. 3. t. 203.
	<i>Justicia sexangularis</i> . Cav. non L.						
4	pectinata. R.S.	pectinated.	E. Indies.	1801.	7. 9.	S. h.	Roxb. corom. 2. t. 153.
	<i>Justicia parviflora</i> . W.						
5	scorpioides. R.S.	Scorpion-grass-ld.	Vera Cruz.	—	—	S. h.	Reliqu. Houst. t. 1.
6	sexangularis. R.S.	chickweed-ld.	S. America.	1733.	7.	S. ⊙.	Pluk. alm. t. 279. f. 6.
HYPOESTES. R.S. HYPOESTES. Diandria Monogynia. R.S.							
1	purpurea. R.S.	purple-flower'd.	China.	1822.	6. 8.	S. h.	
	<i>Justicia purpurea</i> . L.						
2	serpens. R.S.	creeping-stalked.	Mauritius.	1823.	—	S. h.	
3	involutrata. R.S.	involucrated.	E. Indies.	1811.	7. 8.	S. h.	
ERANTHEMUM. R.S. ERANTHEMUM. Diandria Monogynia. R.S.							
1	variabile. B.P.	variable.	N. S. W.	1820.	6. 9.	G. h.	
2	pulchellum. F.I.	nervose.	E. Indies.	1796.	1. 10.	S. h.	Andr. reposit. 88.
	<i>Justicia nervosa</i> . B.M. 1358.						
3	strictum. F.I.	upright.	————	1822.	—	S. h.	Botan. regist. 867.
4	crenulatum. B.R.	crenulate.	————	1824.	—	S. h.	———— 879.
5	bicolor. S.S.	two-coloured.	Philippines.	1802.	5. 8.	S. h.	Botan. magaz. 1423.
	<i>Justicia bicolor</i> . B.M.						
6	spinsum. R.S.	thorny.	W. Indies.	1733.	7. 8.	S. h.	Jacq. amer. 2. t. 2. f. 1.

ORDO CXXXV.

OROBANCHEÆ. *Ventenat.*

LATHRÆA. S.S.	TOOTHWORT.	Didynamia Angiospermia. L.	
<i>squamaria</i> . S.S.	scaly.	Britain. 4. H. h.
OROBANCHE. S.S.	BROOM-RAPE.	Didynamia Angiospermia. L.	
1 major. E.B.	greater.	Britain. 6. 7. H. h.
2 elatior. E.B.	taller.	———— 7. 8. H. h.
3 minor. E.B.	smaller.	———— — H. h.
4 rubra. E.B.	red.	Ireland. 8. H. h.
5 cœrulea. E.B.	blue.	Britain. 7. H. h.
6 ramosa. E.B.	branching.	———— 8. 9. H. h.

Eng. bot. 50.

Eng. bot. 421.

— 568.

— 422.

— 1786.

— 423.

— 184.

ORDO CXXXVI.

LENTIBULARIÆ. *Brown prodr. 1. p. 429.*

PINGUICULA. L.		BUTTERWORT. Diandria Monogynia. L.	
1 vulgaris. s.s.	common.	Britain. 5. H.w. 4. Eng. bot. 70.
2 alpina. s.s.	Alpine.	Europe.	1794. 4. H.w. 4. Flor. dan. t. 453.
3 grandiflora. s.s.	great-flowered.	Ireland. 5. 6. H.w. 4. Eng. bot. 2184.
4 lusitanica. s.s.	pale.	Britain. 6. 7. H.w. 4. Eng. bot. 145.
5 lutea. B.R.	yellow.	Carolina.	1816. — H.w. 4. Botan. regist. 126.
6 edentula. H.E.F.	toothless.	N.America.	1821. 4. 5. H.w. 4. Hook. ex. flor. 16.
UTRICULARIA. L.		HOODED MILFOIL. Diandria Monogynia. L.	
1 vulgaris. E.B.	common.	Britain. 7. H. 4. Eng. bot. 253.
2 intermedia. E.B.	intermediate.	Ireland. — H. 4. — 2489.
3 minor. E.B.	lesser.	Britain. — H. 4. — 254.

ORDO CXXXVII.

PRIMULACEÆ. *Brown prodr. p. 427.*

CYCLAMEN. L.		CYCLAMEN. Pentandria Monogynia. L.	
1 coum. R.S.	green, round-ld.	S. Europe.	1596. 1. 4. H. 4. Botan. magaz. 4.
2 vernum. B.F.G.	spring.	—	1814. 2. 5. H. 4. Swt. br. fl. gar. 9.
3 europæum. R.S.	round-leaved.	Europe.	1596. 7. 8. H. 4. Jacq. aust. 5. t. 401.
4 persicum. R.S.	Persian.	Cyprus.	1731. 2. 4. G. 4. Botan. magaz. 44.
α inodorum.	scentless.	—	— G. 4. —
β odoratum.	sweet-scented.	—	— G. 4. —
γ albiflorum.	pure white.	—	— G. 4. —
5 hederæfolium. E.B.	Ivy-leaved.	Britain. 6. 8. H. 4. Eng. bot. 1001.
α purpurascens.	purplish-flower'd.	— — H. 4. —
β albidum.	white-flowered.	— — H. 4. —
6 neapolitanum. T.N.	Neapolitan.	Naples.	1826. — H. 4. Mat.med.veg.p.43.t.41
7 repandum. F.G.	angular-leaved.	Greece. 3. 4. F. 4. Swt. br. fl. gar. 117.
8 latifolium. F.G.	broad-leaved.	—	1823. F. 4. Flor. græc. t. 185.
9 linearifolium. R.S.	linear-leaved.	S. France.	1824. F. 4. DC.ic. gall. rar. 1. t.8.
DODECATHEON. L.		AMERICAN COWSLIP. Pentandria Monogynia. L.	
Meadia. R.S.	Mead's.	Virginia.	1744. 4. 6. H. 4. Botan. magaz. 12.
β albiflora.	white-flowered.	—	1820. — H. 4. —
SOLDANELLA. R.S.		SOLDANELLA. Pentandria Monogynia. L.	
1 montana. R.S.	mountain.	Bohemia.	1816. 4. H. 4. Swt. br. fl. gar. 11.
2 alpina. R.S.	Alpine.	Switzerland.	1656. — H. 4. Botan. magaz. 49.
3 minima. R.S.	small.	Carp.mount.	1820. — H. 4. Hop.in Sturm.fl.fas.20.
4 pusilla. Baum.	lesser.	S. Europe.	1824. — H. 4. —
CORTUSA. L.		BEARS-EAR SANICLE. Pentandria Monogynia. L.	
Mathioli. R.S.	short calyxed.	Austria.	1596. 4. 6. H. 4. Botan. magaz. 987.
PRIMULA. L.		PRIMROSE. Pentandria Monogynia. L.	
1 prænitens. B.R.	glossy.	China.	1820. 1. 12. F. 4. Botan. regist. 539.
sinensis. L.C. non Lour.	—	—	— — — —
2 cortusoides. R.S.	Cortusa-leaved.	Siberia.	1794. 5. 7. H. 4. Botan. magaz. 399.
3 dentiflora. A.R.	tooth-flowered.	— — H. 4. Andr. reposit. 451.
4 suaveolens. R.S.	sweet-scented.	Naples.	1826. — H. 4. Ten. fl. neap. 1. t. 13.
Columnæ. T.N.	—	—	— — — —
5 inflata. R.S.	bellied-calyxed.	Hungary.	1824. — H. 4. —
6 brevistyla. R.S.	short-styled.	France. — H. 4. —
β versicolor.	various-coloured.	— — H. 4. —
7 veris. R.S.	Cowslip.	Britain. 5. 6. H. 4. Eng. bot. 5.
β rubra.	red cowslip.	— — H. 4. —

8	acaulis. R.S.	common.	Britain.	3. 5.	H. 2.	Eng. bot. 4.
	<i>vulgaris</i> . E.B.						
	β <i>albo-plena</i> .	double-white.	—	H. 2.	
	γ <i>sulphureo-plena</i> .	double-sulphur.	—	H. 2.	
	δ <i>cupreo-plena</i> .	double-copper.	—	H. 2.	
	ε <i>salmoneo-plena</i> .	double-salmon.	—	H. 2.	
	ζ <i>lilacino-plena</i> .	double-lilac.	—	H. 2.	Botan. magaz. 229.
	η <i>rubro-plena</i> .	double Scotch.	—	H. 2.	
	θ <i>purpureo-plena</i> .	double dark purple.	—	H. 2.	
9	elator. R.S.	Oxlip.	Britain.	—	H. 2.	Eng. bot. 518.
	β <i>polyantha</i> .	<i>Polyanthus</i>	—	H. 2.	
	γ <i>calycantha</i> .	coloured-calyxed.	—	H. 2.	
10	Perreiniana. R.S.	Perrein's.	Spain.	—	H. 2.	Flugg. an. mus. 12. t. 37.
	<i>Fluggeana</i> . Lehm.						
11	Pallasii. R.S.	Pallas's.	Altay.	1820.	—	H. 2.	Botan. regist. 896.
12	Auricula. R.S.	Auricula.	Switzerland.	1596.	4. 5.	H. 2.	Jacq. aust. 5. t. 415.
	β <i>lutea</i> .	yellow-flowered.	—	—	—	H. 2.	
	γ <i>calycantha</i> .	yellow-calyxed.	—	—	H. 2.	
	δ <i>integerrima</i> .	entire-leaved.	—	—	H. 2.	Trattin. tabul. t. 431.
	ε <i>hortensis</i> .	garden.	—	H. 2.	— t. 432.
13	Palinuri. R.S.	unequal-bract'd.	Palinuri.	1816.	—	H. 2.	Swt. br. fl. gar. 8.
14	Balbisii. R.S.	Balbis's.	Italy.	1826.	—	H. 2.	Moret. fl. vicent. p. 7. ic.
15	marginata. B.M.	silver-edged.	Switzerland.	1777.	3. 4.	H. 2.	Botan. magaz. 191.
	<i>crenata</i> . R.S.						
16	longiflora. R.S.	long-flowered.	—	1818.	4. 6.	H. 2.	Jacq. aust. 5. t. 46.
17	longifolia. B.M.	long-leaved.	Levant.	1790.	4. 5.	H. 2.	Botan. magaz. 392.
	<i>auriculata</i> . R.S.						
18	farinosa. R.S.	Bird's-eye.	Britain.	4. 7.	H. 2.	Eng. bot. 6.
19	scotica. S.S.	Scotch bird's-eye.	Scotland.	7.	H. 2.	Hook. fl. lond. t. 133.
20	stricta. R.S.	Horneman's.	N. Europe.	1822.	6. 7.	H. 2.	Flor. dan. t. 1385.
	<i>Hornemanniana</i> . S.S.						
21	davurica. R.S.	Siberian bird's-eye.	Davuria.	1806.	5. 6.	H. 2.	Botan. magaz. 1219.
	<i>intermedia</i> . B.M.						
22	pusilla. S.S.	American bird's-eye.	N. America.	1819.	—	H. 2.	Hook. ex. flor. t. 68.
23	finmarchica. R.S.	Norwegian.	Norway.	1798.	—	H. 2.	Flor. dan. t. 188.
24	nivalis. R.S.	snowy mountain.	Davuria.	1790.	4. 5.	H. 2.	Pall. it. 3. app. t. 9. f. 22.
25	viscosa. R.S.	clammy.	Piedmont.	1792.	4.	H. 2.	Trattin. tabul. t. 434.
26	integrifolia. R.S.	entire-leaved.	Pyrenees.	—	6. 7.	H. 2.	Botan. magaz. 942.
27	Simsii.	Sims's.	Switzerland.	4. 6.	H. 2.	— 1161.
	<i>villosa</i> β <i>flore albo</i> . B.M.						
28	nivea. F.	snowy white.	Siberia.	—	H. 2.	
	<i>nivalis</i> . Hort. nec aliorum.						
29	helvetica. B.C.	Swiss.	Switzerland.	1790.	—	H. 2.	Lodd. bot. cab. 348.
30	pubescens. R.S.	pubescent.	Pyrenees.	1768.	—	H. 2.	Trattin. tabul. t. 427.
	<i>villosa</i> . B.M. 14. non Jacq.						
31	villosa. R.S.	villous.	S. Europe.	—	—	H. 2.	Jacq. aust. 5. t. 27.
32	ciliata. R.S.	ciliated.	Switzerland.	—	H. 2.	
	<i>decora</i> . B.M. 1922.						
33	glutinosa. R.S.	glutinous.	S. Europe.	1820.	—	H. 2.	Jacq. aust. t. 26.
34	minima. R.S.	smallest.	Switzerland.	1819.	4. 5.	H. 2.	Botan. regist. 581.
ANDROSACE. L.		ANDROSACE.	Pentandria Monogynia. L.				
1	maxima. R.S.	oval-leaved.	Austria.	1597.	3. 6.	H. ⊙.	Jacq. aust. 4. t. 331.
2	elongata. R.S.	cluster-flow'r'd.	—	1776.	4. 5.	H. ⊙.	— 4. t. 330.
3	nana. R.S.	dwarf.	S. Europe.	1825.	—	H. ⊙.	
4	septentrionalis. R.S.	tooth-leaved.	Russia.	1755.	—	H. ⊙.	Botan. magaz. 2021.
5	coronopifolia. A.R.	Buckshorn-l'd.	Siberia.	1806.	6. 9.	H. ♂.	Andr. reposit. 647.
	<i>lactiflora</i> . R.S.						
6	filiformis. R.S.	filiform.	—	1823.	—	H. ⊙.	Gmel. sib. 4. t. 44. f. 44.
7	villosa. R.S.	villous.	Pyrenees.	1790.	6. 7.	H. 2.	Botan. magaz. 743.
8	chamæjasme. R.S.	grass-leaved.	Austria.	1768.	6. 8.	H. 2.	Lodd. bot. cab. 232.
9	lactea. R.S.	white-flowered.	—	1752.	—	H. 2.	Botan. magaz. 868.
10	carnea. R.S.	awl-leaved.	Switzerland.	1768.	7. 8.	H. 2.	Lodd. bot. cab. 40.
11	obtusifolia. R.S.	blunt-leaved.	—	1820.	—	H. 2.	All. ped. 1. t. 46. f. 1.
ARETIA. W.		ARETIA.	Pentandria Monogynia. L.				
1	helvetica. w.	imbricated.	Switzerland.	1775.	5. 6.	H. 2.	Schk. hand. 1. t. 32.
2	argentea.	silvery.	—	1826.	—	H. 2.	Lap. pyr. ic. ined. t. 677.
	<i>Androsace argentea</i> . R.S.						
3	alpina. w.	linear-leaved.	—	1775.	—	H. 2.	Jacq. aust. 5. app. t. 188.
4	Vitaliana. w.	grass-leaved.	Pyrenees.	1787.	—	H. 2.	Lodd. bot. cab. 166.
	<i>Primula sedifolia</i> . P.L. 107. <i>Androsace Vitaliana</i> . R.S.						

GLAUX, L.	BLACK-SALTWORT. Pentandria Monogynia. L.				
maritima. R.S.	sea-side. Britain.	5. 6. H. 2.		Eng. bot. 13.	
TRIENTALIS. W.	WINTER-GREEN. Heptandria Monogynia. L.				
1 europæa. W.	oval-leaved. Britain.	5. 6. H. 2.		Eng. bot. 15.	
2 americana. Ph.	spear-leaved. N. America. 1816.	7. 8. H. 2.			
CORIS. L.	CORIS. Pentandria Monogynia. L.				
monspeliensis. L.	Montpelier. S. Europe. 1640.	6. 7. G. 3.		Botan. regist. 536.	
HOTTONIA. L.	WATER-VIOLET. Pentandria Monogynia. L.				
palustris. E.B.	marsh. England.	7. 8. H. w. 2.		Eng. bot. 364.	
LYSIMACHIA. L.	LOOSE-STRIFE. Pentandria Monogynia. L.				
1 vulgaris. R.S.	common. Britain.	7. 9. H. 2.		Eng. bot. 761.	
2 Ephemeron. R.S.	Willow-leaved. Spain. 1730.	— H. 2.		Murr. c. gott. 1782. t. 2.	
3 atropurpurea. R.S.	dark purple. Levant.	H. 2.		Hook. ex. flor. 180?	
4 dubia. R.S.	purple-flow'r'd. ————	1759. — H. 3.		Flor. græc. t. 188.	
5 stricta. R.S.	upright. N. America. 1781.	7. 8. H. 2.		Botan. magaz. 104.	
bulbifera. B.M. racemosa. M.					
6 capitata. R.S.	headed. ————	1813. 5. 7. H. 2.			
7 thyrsoflora. R.S.	tufted. England.	5. 7. H. 2.		Eng. bot. 176.	
8 quadrifolia. R.S.	four-leaved. N. America. 1798.	7. 8. H. 2.		Lam. ill. 1. t. 101. f. 2.	
hirsuta. M.					
9 longifolia. R.S.	long-leaved. ————	— H. 2.		Botan. magaz. 660.	
quadriflora. B.M.					
10 verticillata. R.S.	whorl-leaved. Hungary. 1818.	6. 8. H. 2.		Swt. br. fl. gar. 21.	
11 ciliata. R.S.	ciliated. N. America. 1732.	— H. 2.		Wachend. hort. t. 12.	
12 punctata. R.S.	punctated. S. Europe. 1658.	7. 8. H. 2.		Jacq. aust. 4. t. 366.	
13 angustifolia. R.S.	narrow-leaved. N. America. 1803.	7. 9. H. 2.			
14 hybrida. R.S.	hybrid. ————	1806. — H. 2.			
15 nemorum. R.S.	wood. Britain.	5. 7. H. 2.		Eng. bot. 527.	
16 maculata. B.P.	spotted. N. S. W. 1822.	— G. 2.			
17 Nummularia. R.S.	Moneywort. Britain.	6. 7. H. 2.		Eng. bot. 528.	
LUBINIA. S.S.	LUBINIA. Pentandria Monogynia. S.S.				
atropurpurea. s.s.	dark-purple. C. B. S. 1823.	7. 9. H. 2.		Link et Ot. h. ber. t. 27.	
ASTEROLINON. Lk.	ASTEROLINON. Pentandria Monogynia. L.en.				
stellatum. L.en.	starry. Italy. 1658.	6. H. 2.		Flor. græc. t. 189.	
Lysimachia Linum-stellatum. F.G.					
ANAGALLIS. L.	PIMPERNELL. Pentandria Monogynia. L.				
1 arvensis. E.B.	red-flowered. Britain.	6. 9. H. 2.		Eng. bot. 529.	
phœnicea. R.S.					
2 carnea. Schl.	flesh-coloured. Switzerland. ————	H. 2.			
3 indica. B.F.G.	Indian. E. Indies. 1824.	— H. 2.		Swt. br. fl. gar. 132.	
4 cœrulea. R.S.	blue-flowered. Britain.	— H. 2.		Eng. bot. 1823.	
5 collina. R.S.	large-flowered. Morocco. 1803.	5. 7. G. 3.		Botan. magaz. 331.	
fruticosa. B.M. grandiflora. A.R. 367.					
6 latifolia. R.S.	broad-leaved. Spain. 1759.	— G. 3.		— — — — — 2389.	
7 Monelli. R.S.	blue Italian. Italy. 1648.	5. 9. G. 2.		— — — — — 319.	
8 linifolia. R.S.	Flax-leaved. Portugal. 1796.	6. 7. G. 2.		Moris. s. 5. t. 26. f. 3.	
9 tenella. R.S.	bog. Britain.	7. 8. H. 2.		Eng. bot. 530.	
CENTUNCULUS. L.	BASTARD PIMPERNELL. Tetrandria Monogynia. L.				
minimus. E.B.	least. Britain.	6. 7. H. 2.		Eng. bot. 531.	
SAMOLUS. B.P.	BROOK-WEED. Pentandria Monogynia. L.				
1 Valerandi. E.B.	common. Britain.	6. 8. H. 2.		Eng. bot. 703.	
2 littoralis. B.P.	sea-side. N. S. W. 1806.	7. 9. G. 2.		Lab. n. holl. 1. t. 54.	
3 campanuloides. s.s.	Campanulalike. C. B. S. 1816.	— G. 2.			
Campanula porosa. w.					

ORDO CXXXVIII.

LOBULARIÆ. Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.

LOBULARIA. L.	LOBULARIA. Tetrandria Monogynia. L.				
1 longifolia. w.	Willow-leaved. Madeira. 1775.	7. 8. G. 2.		Botan. regist. 685.	
salicina. R.S.					
2 Alypum. R.S.	three-toothed. S. Europe. 1640.	8. 9. G. 2.		Garid. aix. t. 42.	
β integrifolia.	entire-leaved. ———— — G. 2.		Rœm. et Ust. b. m. 7. t. 5.	

3 linifolia. R.S.	Flax-leaved.	Spain.	1818.	5. 6.	H. 4.	
4 vulgaris. R.S.	common.	Europe.	1640.	—	H. 4.	Swt. br. fl. gar. 20.
5 spinosa. R.S.	prickly-leaved.	Spain.	—	—	F. 4.	
6 cordifolia. R.S.	wedge-leaved.	Germany.	1633.	6. 7.	H. 4.	Swt. br. fl. gar. 34.
7 nana. R.S.	dwarf.	S. France.	1818.	—	H. 4.	DC. ic. pl. gal. rar. 1. t. 3.
8 nudicaulis. R.S.	naked-stalked.	Germany.	1629.	—	H. 4.	Jacq. aust. 3. t. 230.
9 bellidifolia. R.S.	Daisy-leaved.	Italy.	1824.	—	H. 4.	

**** SUBCLASSIS IV. MONOCHLAMYDEÆ.

ORDO CXXXIX.

PLUMBAGINEÆ. *Brown prodr. 1. p. 425.*

STATICE. T.	THRIFT.	Pentandria	Pentagynia.	L.		
1 vulgaris.	common.	Europe.	6. 8.	H. 4.	Schk. handb. t. 87.
<i>Armeria vulgaris. R.S.</i>						
2 arenaria. P.S.	sand.	France.	5. 8.	H. 4.	
3 alpina.	flattish-stalked.	Carinthia.	—	H. 4.	
4 littoralis.	ciliate-leaved.	Portugal.	—	H. 4.	
<i>Armeria littoralis. R.S.</i>						
5 maritima. Mill.	sea-side.	Britain.	5. 7.	H. 4.	Eng. bot. 226.
<i>Armeria. E.B. Armeria maritima. R.S.</i>						
6 humilis. P.S.	dwarf.	Portugal.	—	H. 4.	
7 juniperifolia. W.	Juniper-leaved.	Spain.	1818.	—	H. 4.	Quer. hisp. 6. t. 15. f. 1.
8 pinifolia. Brot.	Pine-leaved.	Portugal.	—	H. 4.	
9 pungens. Brot.	pungent-leav'd.	—	—	H. 4.	
10 alliacea. W.	Garlic-leaved.	Spain.	1798.	5. 6.	H. 4.	Cavan. ic. 2. t. 109.
11 scorzonrifolia.	spear-leaved.	S. Europe.	1816.	—	H. 4.	
<i>Armeria scorzonrifolia. s.s.</i>						
12 denticulata. Bert.	tooth-leaved.	Italy.	—	—	H. 4.	
13 latifolia.	broad-leaved.	Portugal.	1740.	5. 7.	H. 4.	Jacq. vind. 1. t. 42.
<i>cephalotes. H.K. Armeria latifolia. R.S.</i>						
14 plantaginea.	Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. 4.	
15 dianthoides. B.F.G.	Pink-like.	—	1824.	5. 7.	H. 4.	Swt. br. fl. gar. ic.
<i>Armeria dianthoides. s.s.</i>						
16 hirta.	hairy.	Gibraltar.	1818.	—	H. 4.	
<i>Armeria hirta. R.S.</i>						
17 fasciculata. P.S.	bundle-leaved.	Portugal.	4. 8.	H. 4.	Venten. cels. t. 38.
TAXANTHEMA. B.P. SEA LAVENDER. Pentandria Pentagynia.						
1 graminifolia. R.S.	Grass-leaved.	Siberia.	1780.	6. 7.	H. 4.	
2 Limonium. R.S.	common.	England.	5. 8.	H. 4.	Eng. bot. 102.
<i>Statice Limonium. E.B.</i>						
3 elata. s.s.	tall.	Siberia.	1824.	—	H. 4.	
4 Gmelini. R.S.	Gmelin's.	—	1796.	6. 8.	H. 4.	Gmel. sib. 2. t. 90.
5 caroliniana. R.S.	Carolina.	N. America.	1824.	—	H. 4.	
6 scoparia. R.S.	Broom.	Siberia.	1796.	—	H. 4.	
7 latifolia. R.S.	broad-leaved.	—	1791.	5. 7.	H. 4.	Hoff. c. gott. 1796. t. 1.
8 purpurata. R.S.	purple.	C. B. S.	1800.	6. 7.	G. 4.	
9 bellidifolia. R.S.	Daisy-leaved.	Greece.	1823.	—	G. 4.	
10 globulariæfolia. R.S.	Globularia-ld.	S. Europe.	—	—	F. 4.	Flor. græc. t. 296.
11 oleæfolia. R.S.	Olive-leaved.	Italy.	1688.	5. 8.	H. 4.	Lobel. ic. p. 295. f. 2.
12 Willdenowiana.	Willdenow's.	S. France.	1804.	6. 8.	H. 4.	Willd. h. ber. t. 63.
<i>Statice spathulata. W. non Desf.</i>						
13 auriculæfolia. R.S.	Auricula-ld.	Barbary.	1781.	7. 8.	F. 4.	
14 incana. R.S.	hoary.	Levant.	1823.	—	H. 4.	Gmel. it. 2. t. 34.
15 spathulata. R.S.	spatula-leaved.	Barbary.	1804.	6. 8.	F. 4.	Botan. magaz. 1617.
16 cordata. R.S.	retuse-leaved.	S. Europe.	1752.	5. 7.	F. 4.	Barrel. ic. 805.
17 emarginata. R.S.	emarginate.	Gibraltar.	—	F. 4.	
18 caspia. R.S.	Caspian.	Siberia.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 2.
19 scabra. R.S.	rough-branch'd.	C. B. S.	1788.	5. 7.	G. 4.	
20 tetragona. R.S.	square-stalked.	—	1816.	—	G. 4.	

21	reticulata. R.S.	matted.	England.	7. 8.	H. 4.	Eng. bot. 328.
	<i>Statice reticulata</i> . E.B.						
22	dichotoma. R.S.	forked.	Spain.	1818.	—	H. 4.	Cavan. ic. 1. t. 50.
23	virgata. R.S.	twiggy.	—	—	H. 4.	
24	viminea. R.S.	slender.	1823.	—	H. 4.	
25	echioides. R.S.	rough-leaved.	S. Europe.	1752.	7. 8.	F. 4.	Flor. græc. t. 298.
26	speciosa. B.F.G.	Plantain-leav'd.	Russia.	1776.	—	H. 4.	Swt. br. fl. gar. 105.
	<i>Statice speciosa</i> . B.M. 656.						
27	conspicua. R.S.	conspicuous.	—	1804.	—	H. 4.	Botan. magaz. 1629.
	<i>Statice conspicua</i> . B.M.						
28	tatarica. B.F.G.	Tartarian.	—	1731.	6. 7.	H. 4.	Swt. br. fl. gar. 37.
29	flexuosa. R.S.	zigzag.	Siberia.	1791.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 1?
30	minuta. R.S.	small.	S. Europe.	1658.	6. 7.	H. 4.	Bocc. sic. t. 13. f. 3.
31	pectinata. R.S.	triangular-stalk'd.	Canaries.	1780.	9. 10.	F. 4.	
32	macrophylla. s.s.	large-leaved.	—	1816.	7. 9.	F. 4.	
33	suffruticosa. R.S.	narrow-leaved.	Siberia.	1779.	5. 9.	H. 4.	Gmel. sib. 2. t. 88. f. 2. 3.
34	monopetala. R.S.	Sicilian shrubby.	Sicily.	1731.	7. 8.	F. 4.	Bocc. sic. t. 16. 17.
35	ferulacea. R.S.	Fennel-like.	Siberia.	1796.	5.	H. 4.	Moris. s. 15. t. 1. f. 23.
36	sinuata. R.S.	scollop-leaved.	Levant.	1629.	5. 9.	F. 4.	Botan. magaz. 71.
37	Thouini. R.S.	Thouin's.	Africa.	6. 10.	F. 4.	Mart. cent. t. 84.
38	alata. R.S.	winged.	1806.	—	F. 4.	
39	ægyptiaca. R.S.	Egyptian.	Egypt.	1816.	—	F. 4.	Botan. magaz. 2363.
40	mucronata. R.S.	curled.	Barbary.	1784.	—	F. 4.	L'Herit. stirp. t. 13.
PLUMBAGO. L.		LEADWORT.	Pentandria Monogynia. L.				
1	europæa. R.S.	European.	S. Europe.	1596.	9. 10.	H. 4.	Botan. magaz. 2139.
2	lapathifolia. R.S.	Dock-leaved.	Iberia.	1824.	—	H. 4.	
3	capensis. R.S.	blue-flowered.	C. B. S.	1818.	9. 3.	S. 4.	Botan. regist. 417.
4	tristis. H.K.	dark-flowered.	—	1792.	5. 6.	G. 4.	
5	zeylanica. R.S.	Ceylon.	E. Indies.	1731.	4. 9.	S. 4.	Rheed. mal. 10. t. 8.
6	occidentalis.	West Indian.	W. Indies.	1817.	—	S. 4.	
	<i>zeylanica</i> β. R.S. <i>scandens</i> . Hort.						
7	rosea. R.S.	rose-coloured.	E. Indies.	1777.	3. 7.	S. 4.	Botan. magaz. 230.
8	scandens. R.S.	climbing.	W. Indies.	1699.	7. 8.	S. 4.	Jacq. amer. pict. t. 13.

ORDO CXL.

PLANTAGINEÆ. *Juss. gen. 89.*

PLANTAGO. L.		PLANTAIN. Tetrandria Monogynia. L.					
1	major. R.S.	greater.	Britain.	5. 7.	H. 4.	Eng. bot. 1558.
	β. <i>rosea</i> .	<i>rose-bracted</i> .	—	—	H. 4.	
2	asiatica. R.S.	broad-leaved.	Siberia.	1787.	7.	H. 4.	Gmel. sib. 4. t. 37.?
3	Cornuti. R.S.	Cornuti's.	S. Europe.	1801.	7. 8.	H. 4.	Corn. canad. p. 163. ic.
	<i>Gouani</i> . s.s.						
4	Brutia. R.S.	Calabrian.	Calabria.	1824.	7. 8.	H. 4.	
5	exaltata. R.S.	tallest.	—	—	H. 4.	
6	cordata. R.S.	heart-leaved.	N. America.	1818.	—	H. 4.	Jacq. f. ecl. t. 72.
7	maxima. R.S.	hollow-leaved.	Siberia.	1763.	—	H. 4.	Jacq. ic. 1. t. 26.
8	crassa. s.s.	succulent.	S. Europe.	1793.	6. 7.	H. 4.	Jacq. col. sup. 34. t. 16.
	<i>crispa</i> . Jacq. <i>bullata</i> . Donn.						
9	media. R.S.	hoary.	Britain.	5. 7.	H. 4.	Eng. bot. 1559.
10	camtschatica. s.s.	Kamtschatkan.	Kamtschatka.	1819.	—	H. 4.	
11	lanceolata. R.S.	Rib-grass.	Britain.	5. 7.	H. 4.	Eng. bot. 507.
12	sibirica. R.S.	Siberian.	Siberia.	1823.	—	H. 4.	
13	montana. R.S.	mountain.	S. Europe.	—	—	H. 4.	
14	capensis. R.S.	Cape.	C. B. S.	1788.	5. 8.	G. 4.	
15	altissima. R.S.	tall.	Italy.	1774.	6. 7.	H. 4.	Jacq. obs. 4. t. 83.
16	Lagopus. R.S.	round-headed.	Spain.	1683.	—	H. 4.	Wein. phyt. 4. t. 820. f. a.
17	eristostachya. R.S.	woolly-spiked.	Naples.	1825.	7. 8.	H. 4.	
18	sphærocephala. R.S.	round-headed.	Austria.	1774.	6. 7.	H. 4.	Jacq. vind. 2. t. 125.
	<i>alpina</i> . Jacq. <i>non</i> L.						
19	lusitanica. R.S.	Portugal.	Portugal.	1781.	7. 8.	H. 4.	Barrel. ic. t. 745.
20	virginica. R.S.	Virginian.	N. America.	1688.	6. 9.	H. 4.	Moris. s. 8. t. 15. f. 8.

21 depressa. R.S.	depressed.	N.America.	1818.	—	H. 4.	
22 sparsiflora. R.S.	scattered-fl'd.	—	—	—	H. 4.	
23 saxatilis. R.S.	rock.	Iberia.	1820.	6. 8.	H. 4.	
24 sericea. R.S.	silky.	Hungary.	—	—	H. 4.	W. et K. hung. t. 151.
25 albicans. R.S.	woolly.	S. Europe.	1776.	6. 9.	H. 4.	Flor. græc. t. 145.
26 mexicana. S.S.	Mexican.	Mexico.	1820.	6. 7.	H. 4.	
27 patagonica. R.S.	Patagonian.	Patagonia.	1793.	6. 9.	H. 4.	Jacq. ic. 2. t. 306.
28 microcephala. R.S.	small-headed.	—	—	H. 4.	
29 Bellardi. R.S.	Bellardi's.	S. Europe.	1797.	—	H. 4.	Flor. græc. t. 146.
30 cretica. R.S.	Cretan.	Candia.	1711.	6. 7.	H. 4.	— t. 147.
31 graminea. R.S.	grass-leaved.	France.	1804.	—	H. 4.	Dod. pempt. 108. ic.
32 maritima. R.S.	sea-side.	Britain.	...	7.	H. 4.	Eng. bot. 175.
33 salsa. R.S.	saltwort.	Tauria.	1819.	—	H. 4.	
34 crassifolia. R.S.	thick-leaved.	Egypt.	1824.	—	H. 4.	
35 hirsuta. R.S.	hairy.	C. B. S.	1801.	6. 7.	G. ♂.	Jacq. schœn. 3. t. 258.
36 tumida. L.en.	tumid-capsuled.	Chili.	1819.	—	H. 4.	
37 alpina. R.S.	Alpine.	S. Europe.	1774.	—	H. 4.	
38 tenuiflora. R.S.	slender-flow'r'd.	Hungary.	1819.	—	H. 4.	W. et K. hung. 1. t. 39.
39 recurvata. R.S.	recurved-leav'd.	S. Europe.	1799.	—	H. 4.	Murr. c. gott. 1780. t. 6.
40 Wulfeni. R.S.	Wulfen's.	Carinthia.	1802.	—	H. 4.	
41 subulata. R.S.	awl-leaved.	S. Europe.	1596.	7.	H. 4.	Lobel. ic. 429.
42 Holosteam. R.S.	Scopoli's.	Carniola.	1825.	7. 8.	H. 4.	Jacq. coll. 1. t. 10.
43 Coronopus. R.S.	star of the earth.	Britain.	4. 9.	H. 4.	Eng. bot. 892.
44 Jacquinii. R.S.	Jacquin's.	S. Europe.	1801.	7. 8.	H. 4.	Jacq. ic. 1. t. 27.
<i>Cornuti.</i> Jacq.						
45 Serraria. R.S.	saw-leaved.	Barbary.	1640.	6. 7.	H. 4.	Moris. s. 8. t. 16. f. 19.
46 macrorhiza. R.S.	large-rooted.	Morocco.	1798.	7. 8.	H. 4.	Bocc. sic. t. 15. f. 2.
47 Lœflingii. R.S.	narrow-leaved.	Spain.	—	H. 4.	Jacq. vind. 2. t. 126.
48 amplexicaulis. R.S.	stem-clasping.	—	1797.	6. 7.	H. 4.	Cavan. ic. 2. t. 125.
49 villosa. R.S.	villous.	Germany.	1804.	—	H. 4.	
50 vaginata. R.S.	sheathed.	Canaries.	1816.	—	G. 4.	Venten. cels. t. 29.
51 Cynops. R.S.	shrubby.	S. Europe.	1596.	5. 8.	H. 4.	Jacq. fragm. t. 182.
52 afra. R.S.	Barbary.	Barbary.	1640.	6.	F. 4.	Moris. s. 8. t. 17. f. 4.
53 divaricata. R.S.	spreading.	1824.	—	H. 4.	
54 squarrosa. R.S.	leafy-spiked.	Egypt.	1787.	8. 9.	H. 4.	Jacq. ic. 1. t. 28.
55 Psyllium. R.S.	Fleawort.	S. Europe.	1562.	7. 8.	H. 4.	Moris. s. 8. t. 17. f. 4.
56 arenaria. R.S.	sand.	Hungary.	1804.	5. 8.	H. 4.	W. et K. hung. 1. t. 51.
57 stricta. R.S.	upright.	Morocco.	—	7. 8.	H. 4.	Moris. s. 3. 8. t. 17. f. 2.
58 Ispaghul. R.S.	East Indian.	E. Indies.	1819.	—	S. 4.	
59 indica. R.S.	Indian.	India.	1780.	7. 8.	H. 4.	
60 pumila. R.S.	dwarf.	S. Europe.	1790.	—	H. 4.	Murr. c. gott. 1778. t. 5.
61 brasiliensis. B.M.	Brazilian.	Brazil.	1822.	7. 10.	S. 4.	Botan. magaz. 2616.
LITTORELLA. L.	SHORE-WEED.	Monœcia Tetrandria. L.				
lacustris. E.B.	Plantain-leav'd.	Britain.	6. 9.	H. 4.	Eng. bot. 468.

ORDO CXLI.

NYCTAGINEÆ. *Juss. gen. 90.*

OXYBAPHUS. R.S.	UMBRELLA-WORT.	Triandria Monogynia. R.S.				
1 viscosus. R.S.	viscid.	Peru.	1793.	5. 9.	H. 4.	Botan. magaz. 434.
2 glabrifolius. R.S.	smooth-leaved.	New Spain.	1811.	7. 8.	H. 4.	Cavan. ic. 4. t. 379.
3 ovatus. R.S.	oval-leaved.	Peru.	1820.	—	H. 4.	Flor. peruv. 1. t. 75. f. b.
4 Cervantesii. Lag.	Cervantes'.	Mexico.	1822.	7. 10.	H. 4.	Swt. br. fl. gar. 84.
5 expansus. R.S.	expanded.	Lima.	—	—	H. 4.	Flor. peruv. 1. t. 75. f. a.
6 aggregatus. R.S.	aggregate.	New Spain.	1811.	—	H. 4.	Cavan. ic. 5. t. 437.
7 nyctaginea. N.	heart-leaved.	Missouri.	1823.	7. 9.	H. 4.	
<i>Allionia nyctaginea.</i> M. <i>Calymenia nyctaginea.</i> N.						
8 pilosa. N.	pilose.	—	1812.	—	H. 4.	
<i>Calymenia pilosa.</i> N. <i>Allionia ovata.</i> Ph.						
9 hirsuta. N.	hairy.	Louisiana.	—	—	H. 4.	
10 angustifolia.	narrow-leaved.	—	—	—	H. 4.	
<i>Allionia linearis.</i> Ph. <i>Calymenia angustifolia.</i> N.						
11 decumbens. N.	decumbent.	Missouri.	1818.	—	H. 4.	

MIRABILIS. R.S.		MARVEL OF PERU. Pentandria Monogynia. L.				
1	dichotoma. R.S.	forked.	Mexico.	1640. 7. 8.	G. 2.	Plenck ic. off. t. 139.
2	Jalapa. R.S.	common.	India.	1596. 6. 9.	H. 2.	Botan. magaz. 371.
	<i>α alba.</i>	white-flowered.	—	—	H. 2.	
	<i>β flava.</i>	yellow-flowered.	—	—	H. 2.	
	<i>γ rubra.</i>	red-flowered.	—	—	H. 2.	
	<i>δ rubro-flava.</i>	red and yellow.	—	—	H. 2.	
	<i>ε rubro-alba.</i>	red and white.	—	—	H. 2.	
3	hybrida. R.S.	hybrid.	Hybrid.	1818. 6. 9.	H. 2.	
4	longiflora. R.S.	long-flowered.	Mexico.	1759. —	H. 2.	Sm. exot. bot. 1. t. 23.
5	suaveolens. K.S.	sweet-scented.	—	1824. —	H. 2.	
ABRONIA. R.S.		ABRONIA. Pentandria Monogynia. R.S.				
	umbellata. R.S.	flesh-coloured.	California.	1823. 6. 8.	H. 2.	Hook. ex. flor. 194.
ALLIONIA. K.S.		ALLIONIA. Tetrandria Monogynia. L.				
1	violacea. K.S.	violet-coloured.	Cumana.	1820. 7. 9.	H. ⊙.	
2	incarnata. K.S.	flesh-coloured.	—	—	H. ⊙.	L'Herit. stirp. t. 31.
BOERHAAVIA. L.		HOGWEED. Mono-Tetrandria Monogynia.				
1	erecta. R.S.	upright.	W. Indies.	1733. 7. 9.	S. 2.	Jacq. vind. 1. t. 5. 6.
2	procumbens. F.I.	procumbent.	E. Indies. —	S. 2.	Rheed. mal. 7. t. 56.
3	diffusa. R.S.	spreading.	W. Indies.	1690. 8. 9.	S. 2.	
4	hirsuta. R.S.	scarlet trailing.	Jamaica.	1733. 5. 8.	S. 2.	Jacq. vind. 1. t. 7.
5	plumbaginea. R.S.	Plumbago-ld.	Spain.	1822. —	S. 2.	Cavan. ic. 2. t. 112.
6	discolor. K.S.	two-coloured.	Guayaquil.	1825. —	S. 2.	
7	viscosa. K.S.	viscous.	—	—	S. 2.	
8	scandens. R.S.	climbing.	Jamaica.	1691. 4. 9.	S. 2.	Jacq. vind. 1. t. 4.
9	excelsa. R.S.	lofty.	S. America.	1820. —	S. 2.	
PISONIA. L.		PISONIA. Heptandria Monogynia. L.				
1	grandis. B.P.	superb.	N. Holland.	1805.	G. 2.	
2	hirtella. K.S.	hairy.	Mexico.	1825.	G. 2.	
3	fragrans. S.S.	fragrant.	—	S. 2.	
4	nigricans. S.S.	black.	W. Indies.	1806. 5. 7.	S. 2.	
5	obtusata. S.S.	blunt-leaved.	—	1822.	S. 2.	
6	mexicana. L.en.	Mexican.	Mexico.	1825.	S. 2.	
	<i>Boerhaavia arborescens. P.S.</i>					
7	nitida. W.en.	glossy.	Madagascar.	1824.	S. 2.	
8	aculeata. S.S.	prickly.	Jamaica.	1739. 3. 4.	S. 2.	Lam. ill. t. 861.
BOLDOA. S.S.		BOLDOA. Triandria Monogynia. S.S.				
	lanceolata. S.S.	lance-leaved.	Mexico.	1824. 5. 7.	G. 2.	H. et B. pl. æq. 1. t. 44.
	<i>Salpianthus arenarius. K.S.</i>					
ASTRANTHUS. S.S.		ASTRANTHUS. Heptandria Tetragynia. S.S.				
	cochinchinensis.	Chinese.	China.	1821. 6. 7.	S. 2.	Botan. magaz. 2659.

ORDO CXLII.

AMARANTHACEÆ. *Brown prodr. p. 413.*

AMARANTHUS. L.		AMARANTH. Monœcia Pentandria. L.			
1	tenuifolius. w.	fine-leaved.	E. Indies.	1801. 7. 9.	H.⊙.
2	angustifolius. w.	narrow-leaved.	Levant.	1723. —	H.⊙.
3	pallidus. s.s.	pale.	Tauria.	1823. —	H.⊙.
4	persicarioides. s.s.	Persicaria-like.	Nepaul.	1818. 9. 11.	H.⊙.
5	Acroglochis. s.s.	spiny-bracted.	————	1820. —	H.⊙.
6	albus. w.	white.	N.America.	1778. 7. 9.	H.⊙.
7	græcizans. w.	Pellitory-leav'd	————	1759. —	H.⊙.
8	polygamus. w.	hermaphrodite.	E. Indies.	1780. —	H.⊙.
9	Blitum. E.B.	wild.	England. 6. 8.	H.⊙.
10	viridis. w.	green.	Brazil.	1768. 8. 9.	H.⊙.
11	campestris. w.	field.	E. Indies.	1818. —	H.⊙.
12	polygonoides. w.	spotted-leaved.	Jamaica.	1778. 7. 8.	H.⊙.
13	melancholicus. w.	melancholy.	E. Indies.	1731. 6. 9.	H.⊙.
14	tricolor. w.	three-coloured.	————	1548. —	G.⊙.
15	bicolor. w.	two-coloured.	————	1802. 7. 9.	H.⊙.

W. amar. 9. t. 1. f. 2.
———— 8. t. 4. f. 7.
Rumph. amb. 5. t. 82.
Eng. bot. 2212.
W. amar. 18. t. 8. f. 16.
W. amar. 11. t. 6. f. 12.
———— 15. t. 9. f. 18.
Knor. thes. 2. t. A. 3. 5.

16 gangeticus. w.	oval-spiked.	E. Indies.	1778.	7. 9.	H. ⊙.	W. amar. 16. t. 6. f. 11.
17 mangostanus. w.	rhomb-leaved.	—	1801.	—	H. ⊙.	— 13. t. 12.
18 polystachyus. w.	many-spiked.	—	1816.	—	H. ⊙.	—
19 tristis. w.	round-headed.	China.	1759.	6. 8.	H. ⊙.	W. amar. 21. t. 5. f. 100.
20 inamœnus. w.	inelegant.	—	1816.	—	H. ⊙.	—
21 incomptus. w. en.	slovenly.	—	—	—	H. ⊙.	—
22 lividus. w.	livid.	N. America.	1759.	7. 9.	H. ⊙.	W. amar. 20. t. 1. f. 1.
23 oleraceus. w.	eatable.	E. Indies.	1764.	7. 8.	H. ⊙.	— 17. t. 5. f. 9.
24 lanceæfolius. H. B.	lance-leaved.	—	1816.	8. 10.	H. ⊙.	—
25 atropurpureus. H. B.	dark-purple.	—	1821.	—	H. ⊙.	—
26 gracilis. s. s.	oval-leaved.	Guinea.	1806.	7. 8.	H. ⊙.	Jacq. ic. 2. t. 344.
<i>Chenopodium caudatum.</i> Jacq.						
27 prostratus. w.	trailing.	France.	1739.	7. 9.	H. ⊙.	—
28 scandens. w.	climbing.	S. America.	1796.	7. 8.	S. ⊙.	—
29 deflexus. w.	bending.	1805.	—	H. ⊙.	W. amar. 10. t. 10. f. 200.
30 fasciatus. H. B.	fasciate.	E. Indies.	1820.	8. 10.	H. ⊙.	—
31 bullatus. s. s.	blistered.	—	7. 9.	H. ⊙.	—
32 spicatus. P. S.	spiked.	France.	—	H. ⊙.	—
33 cauliflorus. L. en.	stem-flowering.	Nepaul.	1816.	8. 10.	H. ⊙.	—
34 pumilus. s. s.	dwarf.	N. America.	—	6. 9.	H. ⊙.	—
35 hybridus. w.	clustered.	—	1656.	6. 9.	H. ⊙.	W. amar. 26. t. 9. f. 177.
36 hecticus. w.	oval-spiked.	1796.	8.	H. ⊙.	— 25. t. 7. f. 133.
37 lætus. w.	blunt-leaved.	Italy.	1799.	7. 9.	H. ⊙.	— 28. t. 8. f. 155.
38 strictus. w.	upright.	—	1793.	—	H. ⊙.	— 27. t. 3. f. 5.
39 paniculatus. w.	panicled.	N. America.	1798.	—	H. ⊙.	— 32. t. 2. f. 4.
40 celosioides. K. S.	Spinach-like.	S. America.	1824.	9. 11.	H. ⊙.	—
41 caracasanus. K. S.	Caracas.	Caracas.	1821.	—	H. ⊙.	—
42 retroflexus. w.	hairy.	N. America.	1759.	7. 9.	H. ⊙.	W. amar. 33. t. 11. f. 211.
43 flavus. w.	pale yellow.	India.	—	—	H. ⊙.	— 35. t. 3. f. 6.
44 chlorostachys. w.	nodding.	—	1796.	—	H. ⊙.	— 34. t. 10. f. 199.
45 parisiensis. s. s.	Paris.	1819.	—	H. ⊙.	—
46 hypochondriacus. w.	Prince's feather.	Virginia.	1684.	—	H. ⊙.	—
47 sanguineus. w.	spreading.	Bahama Isl.	1775.	—	H. ⊙.	W. amar. 31. t. 2. f. 3.
48 cruentus. w.	various-leaved.	China.	1728.	6. 8.	H. ⊙.	—
49 speciosus. D. P.	showy.	Nepaul.	1819.	9. 11.	H. ⊙.	Botan. magaz. 2227.
50 caudatus. w.	Love lies bleeding.	E. Ind.	1596.	8. 9.	H. ⊙.	—
β maximus.	tree.	—	—	—	H. ⊙.	—
51 spinosus. w.	prickly.	W. Indies.	1683.	7. 9.	H. ⊙.	W. amar. 38. t. 4. f. 8.
52 frumentaceus. H. B.	cultivated.	E. Indies.	1819.	—	H. ⊙.	—
CELOSIA. R. S.	COCKS-COMB.	Pentandria	Monogynia.	L.		
1 argentea. R. S.	silvery-spiked.	China.	1714.	6. 9.	S. ⊙.	Mart. cent. t. 7.
β linearis.	narrow-leaved.	E. Indies.	—	—	S. ⊙.	Rheed. mal. 10. t. 39.
2 margaritacea. R. S.	pearl-flowered.	India.	—	S. ⊙.	— 10. t. 38.
3 cristata. R. S.	common.	Asia.	1570.	—	S. ⊙.	Rumph. amb. 5. t. 84.
α elata.	tall red.	—	—	—	S. ⊙.	Knor. del. 1. t. H. 5. 68.
β compacta.	dwarf red.	—	—	—	S. ⊙.	—
γ flavescens.	yellow.	—	—	—	S. ⊙.	—
4 comosa. R. S.	tufted.	E. Indies.	1802.	—	S. ⊙.	—
5 coccinea. R. S.	scarlet.	China.	1597.	—	S. ⊙.	—
6 castrensis. R. S.	branched.	E. Indies.	1739.	—	S. ⊙.	Barrel. rar. t. 1195.
7 cernua. A. R.	drooping.	—	1809.	7. 8.	S. ⊙.	Andr. reposit. 635.
8 Monsoniæ. R. S.	downy.	—	1778.	7. 9.	S. ⊙.	Pluk. alm. 11. t. 334. f. 4.
<i>Achyranthes Monsoniæ.</i> s. s. <i>Illecebrum Monsoniæ.</i> L.						
9 nodiflora. R. S.	knotted.	—	1780.	—	S. ⊙.	Jacq. vind. 1. t. 98.

ACHYRANTHES. R.S. ACHYRANTHES. Pentandria Monogynia. L.									
1	argentea. R.S.	upright.	Sicily.	1713.	5. 10.	H. $\frac{1}{2}$.		Bocc. sic. 16. t. 9.	
2	aspera. R.S.	rough.	India.	1751.	—	S. $\frac{1}{2}$.		Mill. ic. t. 11. f. 2.	
3	obtusifolia. Lam.	blunt-leaved.	—	—	—	S. $\frac{1}{2}$.			
4	crispa. R.S.	curl-leaved.	—	—	—	S. $\frac{1}{2}$.			
5	virgata. R.S.	slender.	Portorico.	1823.	—	S. $\frac{1}{2}$.			
6	fruticosa. R.S.	shrubby.	E. Indies.	1816.	—	S. $\frac{1}{2}$.			
7	nivea. R.S.	white.	Canaries.	1780.	5. 7.	G. $\frac{1}{2}$.			
8	pubescens. R.S.	pubescent.	—	—	—	S. $\frac{1}{2}$.			
9	porrigens. R.S.	crimson-fl'd.	Peru.	1802.	4. 8.	G. $\frac{1}{2}$.		Botan. magaz. 830.	
DESMOCHÆTA. R.S. DESMOCHÆTA. Pentandria Monogynia. R.S.									
1	atropurpurea. DC.	dark-purple.	E. Indies.	1759.	8. 10.	S. $\frac{1}{2}$.		Rheed. mal. 10. t. 59.	
	<i>Achyranthes lappacea. L. Pupalia lappacea. J.</i>								
2	flavescens. DC.	yellowish.	—	—	—	S. $\frac{1}{4}$.		DC. h. mons. ined. t. 79.	
3	prostrata. DC.	prostrate.	—	1793.	7. 8.	S. $\frac{1}{4}$.		Rumph. amb. 6. t. 11.	
ALTERNANTHERA. ALTERNANTHERA. Pentandria Monogynia. R.S.									
1	sessilis. R.S.	sessile-flow'r'd.	E. Indies.	1778.	7. 10.	S. $\frac{1}{2}$.		Rheed. mal. 10. t. 11.	
2	ficoides. R.S.	creeping-stalk'd.	S. America.	1819.	—	S. $\frac{1}{4}$.		Jacq. amer. pict. t. 90.	
	<i>Gomphrena ficoidea. Jacq.</i>								
3	spinosa. R.S.	spiny.	—	—	—	S. $\frac{1}{4}$.			
	<i>axillaris. DC. Achyranthes spinosa. Horn.</i>								
4	Achyrantha. R.S.	creeping.	Buenos Ayres.	1732.	6. 8.	S. $\frac{1}{4}$.		Dill. elt. 8. t. 7. f. 7.	
5	frutescens. R.S.	frutescent.	Peru.	1822.	—	S. $\frac{1}{2}$.		L'Herit. stirp. 1. t. 37.	
6	polygonoides. R.S.	Persicaria-ld.	America.	1731.	—	G. $\frac{1}{4}$.		Herm. parad. t. 17.	
ÆRUA. J. ÆRUA. Pentandria Monogynia. R.S.									
1	lanata. R.S.	woolly.	E. Indies.	1691.	4. 8.	S. $\frac{1}{2}$.		Mill. ic. 1. t. 11. f. 1.	
	<i>Illecebrum lanatum. L.</i>								
2	javanica. R.S.	spear-leaved.	—	1786.	—	S. $\frac{1}{2}$.		Burm. ind. t. 65. f. 2.	
PHILOXERUS. B.P. PHILOXERUS. Pentandria Monogynia. R.S.									
1	brasiliensis. R.S.	upright.	Brazil.	1790.	7. 10.	S. $\frac{1}{2}$.		Jacq. ic. 2. t. 346.	
	<i>Gomphrena brasiliensis. Jacq.</i>								
2	vermicularis. R.S.	creeping.	S. America.	—	—	S. $\frac{1}{4}$.		Herm. parad. t. 15.	
3	aggregatus. R.S.	clustered.	Cumana.	1819.	—	S. $\frac{1}{4}$.			
GOMPHRENA. R.S. GLOBE AMARANTH. Pentandria Monogynia. L.									
1	globosa. R.S.	annual.	India.	1714.	5. 10.	S. \odot .		Rheed. mal. 10. t. 37.	
	β alba.	white-flowered.	—	—	—	S. \odot .			
2	decumbens. R.S.	decumbent.	Mexico.	—	—	S. \odot .		Jacq. schœn. t. 482.	
3	perennis. R.S.	perennial.	S. America.	1732.	7. 10.	S. $\frac{1}{4}$.		Botan. magaz. 2614.	
4	arborescens. R.S.	tree.	—	1802.	—	S. $\frac{1}{2}$.			
5	lactea. R.S.	milk-coloured.	—	1818.	—	S. $\frac{1}{2}$.		DC. h. mons. ined. t. 93.	
6	interrupta. R.S.	trailing.	W. Indies.	1733.	—	S. $\frac{1}{2}$.		Jacq. ic. 1. t. 51.	
RESINE. S.S. IRESINE. Diœcia Pentandria. L.									
1	celosioides. s.s.	Florida.	America.	1733.	7. 8.	F. $\frac{1}{4}$.		Lam. ill. t. 313.	
2	elatior. s.s.	tall.	S. America.	1820.	8. 10.	S. \odot .			
3	diffusa. s.s.	spreading.	—	1812.	7. 9.	S. $\frac{1}{4}$.			
4	elongata. s.s.	long-stalked.	—	1823.	—	S. $\frac{1}{4}$.			

ORDO CXLIII.

PHYTOLACEÆ. *Brown.*

PHYTOLACCA. W. PHYTOLACCA. Decandria Decagynia. L.									
1	octandra. w.	white-flowered.	Mexico.	1732.	7. 11.	G. $\frac{1}{4}$.		Dill. elt. t. 239. f. 308.	
2	abyssinica. w.	African.	Africa.	1775.	5. 6.	S. $\frac{1}{2}$.		Hoff. c. goet. t. 2.	
3	heptandra. s.s.	7-anthered.	—	1819.	7. 10.	G. $\frac{1}{4}$.			
4	bogotensis. K.S.	variable anther'd.	S. America.	1823.	—	G. $\frac{1}{4}$.			
5	decandra. w.	Virginian poke.	Virginia.	1615.	8. 9.	H. $\frac{1}{4}$.		Botan. magaz. 931.	
6	dodecandra. w.	recurved-ld.	—	—	—	S. $\frac{1}{4}$.			
7	mexicana.	Mexican.	Mexico.	1824.	7. 10.	G. $\frac{1}{4}$.		Botan. magaz. 2633.	
	<i>icosandra. B.M. non w.</i>								
8	icosandra. w.	red.	E. Indies.	1758.	7. 11.	S. $\frac{1}{4}$.		Mill. ic. t. 207.	
9	dioica. w.	tree.	S. America.	1768.	—	S. $\frac{1}{2}$.		L'Herit. st. nov. t. 70.	

RIVINA. R.S.	RIVINA. Tetrandria Monogynia. L.				
1 humilis. R.S.	downy.	W. Indies.	1699.	1. 10. S. h.	Botan. magaz. 1781.
2 lævis. R.S.	smooth.	—	1733.	2. 9. S. h.	Lam. ill. t. 81. f. 2.
3 brasiliensis. R.S.	wave-leaved.	Brazil.	1790.	6. 7. S. h.	
4 purpurascens. R.S.	purple.	W. Indies.	1815.	5. 8. S. h.	Schrad. gen. nov. t. 5.
5 lanceolata. L.en.	spear-leaved.	Brazil.	—	S. h.	
6 octandra. R.S.	climbing.	W. Indies.	1752.	5. 6. S. h. ~	Plum. ic. 241.
MICROTEA. K.S.	MICROTEA. Pentandria Digynia. R.S.				
debilis. K.S.	slender.	S. America.	1824.	7. 9. S. ⊙.	
PETIVERIA. W.	PETIVERIA. Heptandria Monogynia. L.				
1 alliacea. w.	Garlic-scented.	Jamaica.	1759.	6. 7. S. h.	Lodd. bot. cab. 148.
2 octandra. w.	dwarf.	W. Indies.	1737.	— S. h.	Plum. ic. 213. t. 219.
GISEKIA. W.	GISEKIA. Pentandria Pentagynia. L.				
pharnacioides. w.	trailing.	E. Indies.	1783.	6. S. ⊙.	Roxb. corom. 2. t. 183.

ORDO CXLIV.

CHENOPODEÆ. *Brown prodr. p. 405.*

BASELLA. R.S.	MALABAR-NIGHTSHADE. Pentandria Trigynia. L.				
1 rubra. R.S.	red-flowered.	E. Indies.	1731.	7. 9. S. ♂ ~	Rheed. mal. 7. t. 24.
2 alba. R.S.	white-flowered.	—	1688.	7. 11. S. ♂ ~	Pluk. alm. t. 63. f. 1.
3 lucida. R.S.	shining.	—	1802.	— S. ⊙ ~	
4 cordifolia. R.S.	heart-leaved.	—	—	— S. ⊙ ~	
5 tuberosa. R.S.	tuberous-root'd.	S. America.	1824.	— S. ♀ ~	
6 marginata. R.S.	margin'd.	—	—	— S. ♀ ~	
ANREDERA. J.	ANREDERA. Pentandria Trigynia.				
spicata. K.S.	spiked.	Cuba.	1749.	7. 9. S. ♀ ~	Sloan. hist. 1. t. 90. f. 11.
<i>Basella vesicaria.</i> Lam. ill. t. 215. f. 1. <i>Polygonum scandens.</i> w.					
ANABASIS. L.	ANABASIS. Pentandria Digynia. L.				
1 aphylla. R.S.	leafless.	Levant.	1823.	5. 7. F. h.	Buxb. cent. 1. t. 18.
2 tamariscifolia. R.S.	Tamarisk-ld.	Spain.	1752.	6. 7. F. h.	Cavan. ic. 3. t. 283.
SALSOLA. R.S.	SALTWORT. Pentandria Digynia. L.				
1 Kali. R.S.	prickly.	Britain.	—	7. 8. H. ⊙.	Eng. bot. 634.
2 Tragus. R.S.	smooth.	S. Europe.	1816.	— H. ⊙.	Pall. ill. 2. t. 29. f. 2.
3 crassa. R.S.	thick-leaved.	Caucasus.	1823.	8. 10. H. ⊙.	Buxb. cent. 1. t. 14. f. 22.
4 rosacea. R.S.	rose-coloured.	Asia.	1759.	7. 8. H. ⊙.	Schk. hand. 1. t. 57.
5 vermiculata. R.S.	suffrutescent.	Siberia.	—	— H. h.	Gmel. sib. 3. t. 18. f. 22.
6 microphylla. R.S.	small-leaved.	Spain.	—	— H. ⊙.	Cavan. ic. 3. t. 287.
7 verrucosa. R.S.	warted.	Caucasus.	1822.	— H. h.	Pall. ill. 2. t. 16.
8 laniflora. R.S.	woolly-flow'r'd.	Siberia.	1797.	6. 8. H. ⊙.	— 2. t. 21.
9 sativa. R.S.	cultivated.	Spain.	1783.	7. 8. H. ♀.	Cavan. ic. 3. t. 291.
10 Soda. R.S.	long fleshy-ld.	S. Europe.	1683.	— H. ⊙.	Jacq. vind. 1. t. 68.
KOCHIA. R.S.	KOCHIA. Pentandria Digynia. R.S.				
1 arenaria. R.S.	sand.	Hungary.	1819.	7. 9. H. ⊙.	W. et K. hung. 1. t. 788.
2 prostrata. R.S.	trailing.	S. Europe.	1780.	6. 8. F. h.	Jacq. aust. 3. t. 294.
<i>Salsola prostrata.</i> Jacq.					
3 trigyna. L.en.	slender-leav'd.	Spain.	1804.	7. 8. H. ⊙.	Cavan. ic. 3. t. 289.
<i>Salsola altissima.</i> Cav. <i>Chenopodium trigynum.</i> R.S.					
4 hyssopifolia. R.S.	Hyssop-leaved.	Siberia.	1801.	6. 8. H. ⊙.	Pall. it. 1. ap. t. H. f. 1.
5 sedoides. R.S.	Stonecrop-like.	Tauria.	1823.	— H. ♀.	— 3. t. M. f. 8.
6 eriophora. R.S.	woolly.	Spain.	1816.	— H. ⊙.	Trattin. arch. t. 124.
7 scoparia. R.S.	Summer Cypress.	Greece.	1629.	6. 9. H. ♀.	Buxb. cent. 1. t. 16.
<i>Chenopodium Scoparia.</i> w.					
CHENOLEA. L.	CHENOLEA. Pentandria Monogynia. L.				
diffusa. w.	silky.	C. B. S.	1758.	8. 9. G. h.	
<i>Salsola sericea.</i> H.K. <i>Kochia sericea.</i> R.S. <i>Chenopodium sericeum.</i> s.s.					
CHENOPODIUM. R.S.	GOOSE-FOOT. Pentandria Digynia. L.				
1 Bonus-Henricus.	English Mercury.	Britain.	5. 8. H. ♀.	Eng. bot. 1033.
2 urbicum. E.B.	upright.	—	8. H. ⊙.	— 717.
3 Atriplicis. R.S.	purple.	China.	1780.	8. 9. H. ⊙.	Jacq. vind. 3. t. 80.
4 giganteum. D.P.	gigantic.	Nepaul.	1820.	9. 11. H. ⊙.	
5 rubrum. R.S.	red.	Britain.	8. 9. H. ⊙.	Eng. bot. 1721.

6	melanospermum. s.s.	black-seeded.	Britain.	8. 9.	H. ⊙.	
7	rhombifolium. R.S.	angular-leaved.	N. America.	1807.	7. 9.	H. ⊙.	
8	guineense. W.	Guinea.	Guinea.	1790.	8. 9.	H. ⊙.	Jacq. ic. 2. t. 345.
9	murale. E.B.	nettle-leaved.	Britain.	—	H. ⊙.	Eng. bot. 1722.
10	serotinum. R.S.	late-flowering.	S. Europe.	—	H. ⊙.	
11	ficifolium. E.B.	Fig-leaved.	England.	—	H. ⊙.	Eng. bot. 1724.
12	album. E.B.	white.	Britain.	6. 9.	H. ⊙.	— 1723.
	β subrotundum.	round-leaved.	—	—	H. ⊙.	Petiv. h. brit. t. 8. f. 2.
	γ viride. W.	green.	—	—	H. ⊙.	
	δ integrifolium.	entire-leaved.	—	—	H. ⊙.	
	ε crassifolium.	thick-leaved.	—	—	H. ⊙.	
13	opulifolium. R.S.	Guelder-rose-ld.	S. Europe.	—	H. ⊙.	Bast. j. bot. 1814. t. 3.
14	hybridum. E.B.	Maple-leaved.	Britain.	8. 9.	H. ⊙.	Eng. bot. 1919.
15	Botrys. R.S.	cut-leaved.	S. Europe.	1548.	6. 9.	H. ⊙.	Flor. græc. t. 253.
16	multifidum. R.S.	multifid.	Buenos Ayres.	1732.	6. 10.	G. 2.	Dill. elt. t. 66. f. 77.
17	botryoides. E.B.	many clustered.	Britain.	6. 8.	H. ⊙.	Eng. bot. 2247.
18	ambrosioides. R.S.	Mexican.	Mexico.	1640.	6. 10.	H. ⊙.	Moris. s. 5. t. 35. f. 8.
19	suffruticosum. R.S.	suffrutescent.	—	1819.	—	G. 2.	
20	anthelminticum. W.	American.	America.	1732.	7. 8.	G. 2.	Dill. elt. t. 66. f. 76.
21	graveolens. R.S.	strong-scented.	Mexico.	1819.	8. 11.	H. ⊙.	
22	glaucum. R.S.	Oak-leaved.	England.	7. 8.	H. ⊙.	Eng. bot. 1451.
23	crassifolium. R.S.	fleshy-leaved.	—	1820.	—	H. ⊙.	
24	radiatum. R.S.	rayed.	N. America.	1803.	6. 8.	H. ⊙.	W. hort. ber. 1. t. 28.
	Kochia dentata. W.	Salsola platyphylla. M.	—	—	—	—	
25	olidum. E.B.	stinking.	Britain.	7. 8.	H. ⊙.	Eng. bot. 1034.
	foetidum. R.S.	Vulvaria. W.	—	—	—	—	
26	polyspermum. R.S.	Allseed.	—	—	H. ⊙.	Eng. bot. 1480.
27	acutifolium. E.B.	acute-leaved.	—	—	H. ⊙.	— 1481.
28	laterale. R.S.	oblong-leaved.	—	1781.	8. 9.	S. ⊙.	
29	sepium. R.S.	hedge.	Bohemia.	1822.	7. 8.	H. ⊙.	
30	strictum. R.S.	upright.	E. Indies.	—	9. 11.	H. ⊙.	
31	aristatum. R.S.	bearded.	Virginia.	1771.	6. 9.	H. ⊙.	Gmel. sib. 3. t. 15. f. 1.
32	lanceolatum. R.S.	spear-leaved.	Pensylvania.	1809.	7.	H. ⊙.	
33	fruticosum. R.S.	shrubby.	England.	8. 9.	H. 2.	Eng. bot. 635.
	Salsola fruticosa. E.B.	—	—	—	—	—	
34	altissimum. R.S.	Grass-leaved.	Italy.	1775.	7. 8.	H. ⊙.	Schrad. d. hal. t. 1. f. 3.
35	hirsutum. R.S.	hairy.	Denmark.	1791.	—	H. ⊙.	Flor. dan. t. 187.
	Salsola hirsuta. F.D.	—	—	—	—	—	
36	salsum. R.S.	Saltwort.	Astracan.	1782.	8. 9.	H. ⊙.	Jacq. vind. 3. t. 83.
37	spicatum. R.S.	spiked.	Spain.	1816.	8. 10.	H. ⊙.	Cavan. ic. 3. t. 290.
38	setigerum. R.S.	setiferous.	—	—	—	H. ⊙.	DC. h. mons. ined. t. 87.
39	maritimum. R.S.	sea blite.	Britain.	8.	H. ⊙.	Eng. bot. 633.
ATRIPLEX. R.S. ORACHE. Polygamia Monœcia. L.							
1	Halimus. R.S.	tall shrubby.	Spain.	1640.	7. 8.	H. 2.	Park. theat. 724. f. 2.
2	portulacoides. R.S.	dwarf shrubby.	Britain.	—	H. 2.	Eng. bot. 261.
3	albicans. R.S.	white.	C. B. S.	1774.	6. 7.	G. 2.	
4	glaucum. W.	glaucous.	S. Europe.	1732.	7. 8.	F. 2.	Dill. elt. t. 40. f. 46.
5	linifolia. K.S.	Flax-leaved.	S. America.	1819.	—	G. 2.	
6	rosea. W.	rose.	S. Europe.	1739.	6. 7.	H. ⊙.	Schk. hand. 3. t. 350.
7	sibirica. W.	Siberian.	Siberia.	1783.	7. 8.	H. ⊙.	— 3. p. 538. t. 350.
8	tatarica. W.	Tartarian.	Tartary.	1778.	—	H. ⊙.	— 3. p. 539. t. 349.
9	hortensis. W.	garden.	—	1548.	—	H. ⊙.	Blackw. t. 99 et 552.
	β intermedia.	intermediate.	—	—	—	H. ⊙.	
	γ rubra.	red garden.	—	—	—	H. ⊙.	
10	acuminata. W.K.	acuminate.	Hungary.	1820.	—	H. ⊙.	W. et K. hung. t. 103.
11	veneta. W.	Venetian.	Venice.	—	—	H. ⊙.	
12	incana. R.S.	hoary-leaved.	Spain.	1818.	—	H. ⊙.	
13	laciniata. W.	frosted sea.	Britain.	—	H. ⊙.	Eng. bot. 165.
14	hastata. W.	halberd-leav'd.	Europe.	—	H. ⊙.	Flor. dan. t. 1286.
15	obtus. W.	blunt-leaved.	Siberia.	1825.	—	H. ⊙.	
16	microsperma. W.	small-seeded.	Hungary.	1800.	—	H. ⊙.	W. et K. hung. t. 250.
17	oblongifolia. W.K.	oblong-leaved.	—	—	—	H. ⊙.	— t. 221.
18	patula. E.B.	spreading.	Britain.	6. 9.	H. ⊙.	Eng. bot. 936.
19	angustifolia. E.B.	narrow-leaved.	—	6. 8.	H. ⊙.	— 1774.
20	erecta. E.B.	upright.	England.	8.	H. ⊙.	— 2223.
21	littoralis. E.B.	grass-leaved.	Britain.	8. 9.	H. ⊙.	— 708.
22	pedunculata. E.B.	pedunculated.	England.	7. 9.	H. ⊙.	— 232.
23	verticillata. R.S.	whorl-leaved.	Spain.	1824.	—	H. ⊙.	Cavan. H. R. M. t. 21.
24	sulcata. Schr.	sulcate.	—	—	—	H. ⊙.	

RHAGODIA. B.P.	RHAGODIA. Polygamia Monœcia.				
1 Billardieri. B.P.	narrow-leaved. N. S. W.	1822.	6. 7.	G. h.	Lab. nov. hol. 1. t. 96.
<i>Chenopodium baccatum.</i> Lab.					
2 hastata. B.P.	halberd-leaved. ————	1803.	—	G. h.	
BETA. R.S.	BEET. Pentandria Digynia. L.				
1 vulgaris. R.S.	common. S. Europe.	1548.	8.	H. ♂.	Schk. hand. 1. t. 56.
<i>a viridis.</i>	green. ————	—	—	H. ♂.	Plenck off. t. 169.
<i>β rubra.</i>	red. ————	—	—	H. ♂.	
<i>γ lutea.</i>	yellow. ————	—	—	H. ♂.	Kern. abbild. t. 235.
<i>δ macrorhiza.</i>	Mangle wurzel. ————	—	H. ♂.	
2 Cicla. R.S.	white. Portugal.	1570.	—	H. ♂.	Plenck off. t. 170.
3 crispa. R.S.	curled-leaved.	—	H. ♂.	
4 trigyna. R.S.	Hungarian. Hungary.	1796.	7. 8.	H. ♀.	W. et K. hung. 1. t. 35.
5 maritima. E.B.	sea-side. Britain.	6. 8.	H. ♂.	Eng. bot. 285.
6 patula. R.S.	spreading. Madeira.	1778.	8.	G. ♂.	
SPINACIA. W.	SPINAGE. Diœcia Pentandria. L.				
oleracea. w.	common.	1568.	3. 10.	H. ⊙.	Schk. hand. 3. t. 324.
<i>a spinosa. W.</i>	prickly.	—	—	H. ⊙.	
<i>β inermis.</i>	round.	—	—	H. ⊙.	
ACNIDA. W.	VIRGINIAN HEMP. Diœcia Pentandria. L.				
cannabina. w.	common. N. America.	1640.	6. 7.	H. ⊙.	
BOSEA. R.S.	GOLDEN-ROD. Pentandria Digynia. L.				
yervamora. R.S.	tree. Canaries.	1728.	6. 9.	G. h.	Jacq. f. eclog. t. 25.
CORISPERMUM. L.	TICK-SEED. Monandria Digynia. L.				
1 hyssopifolium. R.S.	Hyssop-leav'd. Europe.	1739.	7.	H. ⊙.	Flor. græc. 1. t. 1.
2 canescens. R.S.	canescent. Hungary.	1822.	7. 9.	H. ⊙.	
3 intermedium. R.S.	intermediate. Prussia.	—	—	H. ⊙.	
4 tenue. L.en.	slender.	1823.	—	H. ⊙.	
5 squarrosus. R.S.	rough-spiked. Russia.	1759.	8. 9.	H. ⊙.	Pall. ros. 2. t. 99.
BLITUM. R.S.	STRAWBERRY-BLITE. Monandria Digynia. L.				
1 capitatum. R.S.	herry-headed. Austria.	1633.	5. 8.	H. ⊙.	Poit. et T. fl. p. 1. t. 2.
2 virgatum. R.S.	slender. S. Europe.	1680.	5. 9.	H. ⊙.	Botan. magaz. 276.
3 petiolare. L.en.	petiolate.	1818.	—	H. ⊙.	
4 maritimum. N.	sea-side. N. America.	1823.	—	H. ⊙.	
CERATOCARPUS. L.	CERATOCARPUS. Monœcia Monandria. L.				
arenarius. L.	sand. Tartary.	1757.	6. 7.	H. ⊙.	Buxb. in act. pet. 1. t. 9.
SALICORNIA. L.	GLASSWORT. Monandria Monogynia. L.				
1 herbacea. s.s.	marsh. Britain.	8. 9.	H. ⊙.	Eng. bot. 415.
2 procumbens. E.B.	procumbent. England.	—	H. ⊙.	— 2475.
3 radicans. E.B.	rooting. Britain.	9.	H. ♀.	— 1691.
4 perennans. R.S.	perennial. Siberia.	1823.	8. 9.	H. ♀.	Pall. it. 1. ap. T. D. f. 1.
5 fruticosa. E.B.	shrubby. Britain.	—	H. ♀.	
6 arabica. R.S.	Arabian. Arabia.	1758.	—	G. ♀.	Moris. s. 2. t. 33. f. 7.
POLYCNEMUM. R.S.	POLYCNEMUM. Triandria Monogynia. L.				
1 arvense. R.S.	trailing. S. Europe.	1640.	7.	H. ⊙.	Jacq. aust. 4. t. 365.
2 oppositifolium. R.S.	opposite-leav'd. Tartary.	1820.	7. 8.	H. ⊙.	Pall. it. ap. T. E. f. 2.
CAMPHOROSMA. L.	CAMPHOROSMA. Tetrandria Monogynia. L.				
1 monspeliacum. w.	hairy. S. Europe.	1640.	8. 9.	G. ♀.	Schk. hand. 1. t. 26.
<i>perenne. R.S.</i>					
2 ovatum. R.S.	Hungarian. Hungary.	1823.	—	H. ⊙.	W. et K. hung. 1. t. 63.
GALENIA. W.	GALENIA. Octandria Digynia. L.				
africana. w.	African. C. B. S.	1752.	6. 8.	G. h.	Lam. ill. t. 314.
AXYRIS. W.	AXYRIS. Monœcia Triandria. L.				
1 amaranthoides. w.	simple-spiked. Siberia.	1758.	6. 7.	H. ⊙.	Gmel. sib. t. 2. f. 2.
2 hybrida. w.	bastard. ————	1780.	6. 8.	H. ⊙.	— t. 4. f. 1.
3 prostrata. w.	trailing. ————	1798.	7. 8.	H. ⊙.	— t. 4. f. 2.
DIOTIS. W.	DIOTIS. Monœcia Tetrandria. L.				
ceratoides. w.	shrubby. Siberia.	1780.	8.	H. ♀.	Jacq. ic. 1. t. 189.
<i>Axyris ceratoides.</i> Jacq.	<i>Ceratosperrum papposum.</i> P.S.				

ORDO CXLV.

BEGONIACEÆ. *Ventenat. et Don prodr. p. 223.*

BEGONIA. L.		BEGONIA. Monœcia Polyandria. L.					
1	nitida. s.s.	shining-leaved.	Jamaica.	1777.	5. 12.	S. h.	Sal. par. lond. 72.
2	dichotoma. s.s.	forked.	Caracas.	1800.	7. 8.	S. h.	Jacq. ic. 3. t. 619.
3	reniformis. s.s.	kidney-leaved.	Brazil.	1823.	—	S. h.	Linn.trans.1.t.14.f.1.2.
4	spathulata. s.s.	spatula-leaved.	W. Indies.	1813.	8. 10.	S. 4.	Lodd. bot. cab. 17.
5	odorata. s.s.	sweet-scented.	S. America.	1823.	6. 8.	S. h.	
6	disticha. s.s.	distichous.	—	1820.	—	S. h.	
7	macrophylla. s.s.	large-leaved.	Jamaica.	1793.	5. 9.	S. h.	
8	hirtella. s.s.	fringed.	W. Indies.	1818.	—	S. h.	
9	Evansiana. A.R.	Evan's.	China.	1804.	—	S. 4.	Botan. magaz. 1473.
<i>discolor. H.K. published 1813. Evansiana. A.R. published 1811. B.M. 1812.</i>							
10	picta. Sm.	painted.	Nepaul.	1823.	—	S. 4.	Sm. exot. bot. t. 101.
11	palmata. D.P.	palmated.	—	1825.	—	S. 4.	
<i>dubia. H.S.S.?</i>							
12	pauciflora. B.R.	few-flowered.	W. Indies.	1816.	—	S. h.	Botan. regist. 471.
13	patula. H.S.S.	spreading.	1811.	—	S. h.	
14	tuberosa. s.s.	tuberos.	Amboyna.	1810.	7. 9.	S. 4.	Rumph.am.5.t.169.f.2.
15	acutifolia. s.s.	acute-leaved.	W. Indies.	1822.	—	S. h.	Sloan.jam. t.127.f.1.2.
16	acuminata. s.s.	pointed-leav'd.	Jamaica.	1790.	5. 12.	S. h.	Botan. regist. 364.
17	lucida. H.R.	polished.	Trinidad.	1820.	—	S. ☉.	
18	argyrostigma. B.R.	silver-spotted.	Brazil.	1819.	7. 9.	S. h.	Botan. regist. 666.
<i>maculata. s.s.</i>							
19	suaveolens. B.C.	fragrant.	W. Indies.	1816.	5. 9.	S. h.	Lodd. bot. cab. 69.
20	humilis. H.E.F.	dwarf.	—	1788.	10.	S. ♂.	Hook. ex. flor. 17.
21	hirsuta. s.s.	shaggy-leaved.	—	1789.	5. 6.	S. ♂.	Aub. gui. 2. t. 348.
22	ulmifolia. s.s.	Elm-leaved.	S. America.	1820.	6. 1.	S. h.	Hook. ex. flor. 57.
23	scandens. s.s.	climbing.	Jamaica.	1824.	7. 9.	S. h.	Aub. gui. 2. t. 349.

ORDO CXLVI.

POLYGONEÆ. *Brown prodr. p. 419.*

COCCOLOBA. L.		SEASIDE-GRAPE. Octandria Trigynia. L.					
1	uvifera. s.s.	round-leaved.	W. Indies.	1690.	S. h.	Jacq. amer. t. 73.
2	pubescens. s.s.	downy.	—	—	S. h.	Pluk. phyt. 222. f. 8.
3	excoriata. s.s.	oval-leaved.	—	1733.	S. h.	Plum. ic. t. 146. f. 1.
4	punctata. s.s.	spear-leaved.	—	—	S. h.	Jacq. amer. 114. t. 77.
5	laurifolia. W.en.	Laurel-leaved.	S. America.	1816.	S. h.	
6	diversifolia. s.s.	different-leav'd.	Hispaniola.	—	S. h.	Jacq. amer. t. 76.
7	obtusifolia. s.s.	blunt-leaved.	S. America.	1823.	S. h.	— t. 74.
8	microstachya. s.s.	small-spiked.	W. Indies.	—	S. h.	
9	barbadensis. s.s.	Barbadoes.	Barbadoes.	1790.	S. h.	Jacq. obs. 1. t. 8.
10	latifolia. s.s.	broad-leaved.	S. America.	1812.	S. h.	Lam. ill. t. 316. f. 4.
11	acuminata. K.S.	sharp-pointed.	—	1824.	S. h.	
12	longifolia. L.en.	long-leaved.	—	1818.	S. h.	
13	tenuifolia. s.s.	small-leaved.	Jamaica.	1824.	S. h.	Brown.jam. 210. f. 3.
BRUNNICHIA. S.S.		BRUNNICHIA.		Decandria Trigynia. W.			
<i>cirrhusa. s.s.</i>		Carolina.		Carolina.		1787. G. h. ~.	
POLYGONUM. L.		PERSICARIA.		Tetr-Octandria Di-Trigyna.			
1	Bistorta. w.	Snake's-weed.	Britain.	5. 9.	H. 4.	Eng. bot. 509.
2	viviparum. E.B.	alpine bistort.	—	5. 9.	H. 4.	— 669.

3	petiolatum. D.P.	petiolate.	Nepaul.	1823.	5. 9.	H. 4.	
4	macrophyllum. D.P.	large-leaved.	—	1822.	—	H. 4.	
5	affine. D.P.	related.	—	1823.	—	H. 4.	
6	mite. P.S.	tasteless.	N.America.	1818.	6. 9.	H. 4.	
7	scandens. w.	climbing.	—	1749.	7. 9.	H. 4.	Pluk. alm. t. 177. f. 7.
8	Fagopyrum. w.	Buck-wheat.	England.	7. 8.	H. 4.	Eng. bot. 1044.
9	emarginatum. w.	Indian buckwheat.	Nepaul.	1796.	—	H. 4.	
10	tataricum. w.	Tartarian.	Siberia.	1759.	—	H. 4.	Gmel. sib. 3. t. 13. f. 1.
11	Convolvulus. w.	common climbing.	Britain.	5. 9.	H. 4.	Eng. bot. 941.
12	dumetorum. w.	bush.	S. Europe.	1803.	—	H. 4.	Flor. dan. t. 759.
13	adpressum. B.P.	polygamous.	N. S. W.	1822.	—	G. 4.	Lab. n. hol. 1. t. 127.
14	sagittatum. w.	arrow-leaved.	N.America.	1759.	7. 8.	H. 4.	Linn. h. cliff. t. 12.
15	chinense. w.	Chinese.	China.	1795.	—	H. 4.	Burm. ind. t. 30. f. 3.
16	patens. D.P.	spreading.	Nepaul.	1823.	—	H. 4.	
17	elegans. s.s.	elegant.	Naples.	1824.	—	H. 4.	
18	alpinum. w.	Alpine.	Italy.	1816.	—	H. 4.	Bocc. mus. 2. t. 27.
19	undulatum. w.	wave-leaved.	Siberia.	1789.	6. 7.	H. 4.	Gmel. sib. 3. t. 10.
20	divaricatum. w.	divaricated.	—	1759.	7. 8.	H. 4.	— 3. t. 11. f. 1.
21	salignum. w.	Willow-like.	—	1816.	5. 8.	H. 4.	
22	acidulum. w.	narrow-leaved.	—	—	6. 7.	H. 4.	
23	aviculare. E.B.	Knot-grass.	Britain.	4. 10.	H. 4.	Eng. bot. 1252.
24	Dryandri. s.s.	Dryander's.	E. Indies.	1796.	4. 8.	S. 4.	
	<i>elegans. H.K.</i>						
25	arenarium. W.K.	sand.	Hungary.	1807.	5. 8.	H. 4.	W. et K. hung. t. 67.
26	littorale. L.en.	sea-side.	S. Europe.	1816.	—	H. 4.	
27	Bellardi. P.S.	Bellardi's.	—	1822.	—	H. 4.	All. ped. t. 90. f. 2.
28	patulum. M.B.	spreading-branch'd.	Tauria.	—	—	H. 4.	
29	maritimum. w.	sea-shore.	S. Europe.	1816.	6. 8.	H. 4.	
30	acetosum. M.B.	Sorrel-leaved.	Astracan.	1823.	—	H. 4.	
31	erectum. w.	upright.	N.America.	1792.	7. 8.	H. 4.	
32	pensylvanicum. w.	Pennsylvanian.	—	1819.	—	H. 4.	
33	orientale. w.	common.	E. Indies.	1707.	7. 10.	H. 4.	Botan. magaz. 213.
	<i>β album.</i>	<i>white-flowered.</i>	—	—	H. 4.	
34	tinctorium. w.	dyer's.	China.	1776.	7. 8.	G. 4.	
35	decipiens. B.P.	decipient.	N. S. W.	1822.	—	G. 4.	
36	plebeium. B.P.	linear-leaved.	—	—	—	G. 4.	
37	Persicaria.	spotted.	Britain.	—	H. 4.	Eng. bot. 756.
38	incanum. W.en.	hoary.	Germany.	1804.	—	H. 4.	Schrank. bav. 1. t. 3.
39	persicarioides. K.s.	Mexican.	Mexico.	1825.	—	H. 4.	
40	Hydropiper. E.B.	Water pepper.	Britain.	7. 9.	H. 4.	Eng. bot. 989.
41	glabrum. w.	smooth.	E. Indies.	1823.	—	S. 4.	
42	minus. E.B.	slender.	England.	—	H. 4.	Eng. bot. 1043.
43	arifolium. w.	Arum-leaved.	N.America.	1816.	5. 10.	H. 4.	Pluk. amal. t. 398. f. 3.
44	ocreatum. w.	spear-leaved.	Siberia.	1780.	6. 9.	H. 4.	Gmel. sib. 3. t. 8.
45	virginianum. w.	Virginian.	N.America.	1640.	8. 9.	H. 4.	Park. theat. 857. f. 6.
46	amphibium. w.	amphibious.	Britain.	6. 8.	H. w. 4.	Eng. bot. 436.
47	barbatum. w.	bearded.	China.	1822.	—	G. 4.	
48	gracile. B.P.	slender-stalk'd.	N. S. W.	—	—	G. 4.	
49	acetosæfolium. P.S.	Brazilian.	Brazil.	—	—	S. 4.	Venten. cels. t. 88.
50	ramosum. L.en.	branching.	Siberia.	—	—	H. 4.	
TRAGOPYRUM. M.B. TRAGOPYRUM. Octandria Trigynia. R.S.							
1	lanceolatum. M.B.	spear-leaved.	Siberia.	1770.	7. 8.	H. 4.	Botan. regist. 255.
	<i>Polygonum frutescens. B.R.</i>						
2	buxifolium. M.B.	Box-leaved.	Caucasus.	1800.	—	H. 4.	Botan. magaz. 1065.
	<i>Polygonum crispulum. B.M.</i>						
ATRAPHAXIS. L. ATRAPHAXIS. Hexandria Digynia. L.							
1	spinosa. s.s.	prickly.	Levant.	1732.	8.	G. 4.	L'Herit. stirp. 1. t. 14.
2	undulata. s.s.	waved-leaved.	C. B. S.	—	6. 7.	G. 4.	Dill. elt. t. 32. f. 36.
OXYRIA. Sm. OXYRIA. Hexandria Digynia. Sm.							
	reniformis. Sm.	kidney-leaved.	Britain.	6. 7.	H. 4.	Eng. bot. 910.
	<i>Rumex digynus. E.B.</i>						
RUMEX. L. Dock. Hexandria Trigynia. L.							
1	Hydrolapathum. s.s.	great water.	Britain.	7. 8.	H. w. 4.	Eng. bot. 2104.
	<i>aquaticus. E.B.</i>						
2	Britannica. s.s.	Virginian.	N.America.	6. 7.	H. 4.	
3	maximus. s.s.	great.	Europe.	—	H. 4.	
4	acutus. E.B.	sharp.	Britain.	—	H. 4.	Eng. bot. 724.
5	Nemolapathum. w.	flat-valved.	Europe.	1816.	—	H. 4.	
6	nemorosus. W.en.	wood.	—	—	—	H. 4.	

7 sanguineus. E.B.	bloody-veined.	England.	6. 7.	H. 4.	Eng. bot. 1533.
8 condylodes. M.B.	spreading.	Caucasus.	1823.	—	H. 4.	
9 crispus. E.B.	curled.	Britain.	—	H. 4.	Eng. bot. 1998.
10 Patientia. w.	Patience.	Italy.	1573.	—	H. 4.	
11 confertus. W.en.	close-leaved.	—	1816.	—	H. 4.	
12 brasiliensis. L.en.	Brazilian.	Brazil.	1823.	—	G. 4.	
13 verticillatus. s.s.	whorled.	N.America.	1818.	—	H. 4.	
14 spathulatus. P.S.	spatulate-ld.	C. B. S.	1824.	8. 2.	G. 4.	
15 purpureus. P.S.	purple.	Europe.	6. 7.	H. 4.	
16 linearis. s.s.	linear-leaved.	C. B. S.	1824.	8. 12.	G. 4.	
17 obtusifolius. E.B.	broad-leaved.	Britain.	6. 8.	H. 4.	Eng. bot. 1999.
18 nepalensis. s.s.	Nepalese.	Nepaul.	1823.	—	H. 4.	
19 palustris. E.B.	yellow marsh.	England.	7. 8.	H. 4.	Eng. bot. 1932.
20 maritimus. E.B.	sea-side.	Britain.	—	H. 4.	— 725.
21 divaricatus. w.	divaricate.	Italy.	1793.	—	H. 4.	Till. pis. t. 37. f. 2.
22 strictus. L.en.	upright.	1824.	—	H. 4.	
23 persicarioides. w.	Persicaria-like.	N.America.	1773.	6. 7.	H. 4.	
24 dentatus. w.	dentated.	Egypt.	1732.	7. 8.	H. ⊙.	Dill. elt. t. 158. f. 191.
25 ægyptiacus. w.	Egyptian.	—	1734.	6. 7.	H. ⊙.	Till. pis. t. 37. f. 1.
26 ucranicus. s.s.	Ukraine.	Ukraine.	1820.	—	H. ⊙.	
27 crispatulus. M.	curled-leaved.	N.America.	—	—	H. ⊙.	
28 cristatus. DC.	crested.	—	—	H. 4.	
29 pulcher. E.B.	fiddle.	Britain.	6. 8.	H. 4.	Eng. bot. 1576.
30 scutatus. w.	French sorrel.	France.	1596.	6. 7.	H. 4.	Jacq. ic. 1. t. 67.
31 hastifolius. M.B.	hastate-leaved.	Caucasus.	1816.	—	H. 4.	
32 vesicarius. w.	bladder.	Africa.	1656.	7. 8.	H. ⊙.	Moris. s. 5. t. 28. f. 7.
33 tingitanus. w.	Tangier.	Barbary.	1680.	6. 8.	H. 4.	Zanon. hist. 9. t. 6.
34 sarcorhizus. L.en.	fleshy-rooted.	C. B. S.	1824.	8. 12.	G. 4.	
35 Burchellii. s.s.	Burchell's.	—	1816.	8. 10.	G. 4.	
36 Lunaria. w.	tree.	Canaries.	1698.	6. 7.	G. 4.	Pluk. alm. t. 252. f. 3.
37 domesticus. s.s.	various-leaved.	Sweden.	1823.	—	H. 4.	
38 roseus. w.	rose.	Egypt.	1737.	7. 8.	H. ⊙.	
39 bucephalophorus.	Basil-leaved.	Italy.	1683.	6.	H. ⊙.	Cavan. ic. 1. t. 41. f. 1.
40 fimbriatus. s.s.	fringe-valved.	C. B. S.	1816.	7. 9.	G. 4.	
41 Acetosa. E.B.	common Sorrel.	Britain.	6. 8.	H. 4.	Eng. bot. 127.
42 Acetosella. E.B.	sheep's sorrel.	—	5. 7.	H. 4.	— 1674.
43 abyssinicus. Jacq.	Abyssinian.	Abyssinia.	1823.	—	G. 4.	Jacq. vind. 3. t. 98.
44 tuberosus. w.	tuberos-root'd.	S. Europe.	1752.	6. 8.	H. 4.	
45 arifolius. w.	Arum-leaved.	Africa.	1775.	12. 4.	G. 4.	
46 amplexicaulis. s.s.	stem-clasping.	Pyrenees.	1816.	6. 8.	H. 4.	
47 luxurians. L.	luxuriant.	S. Europe.	—	H. 4.	
48 alpinus. w.	Alpine.	France.	1597.	6. 7.	H. 4.	Zorn. ic. 261.
49 frutescens. s.s.	frutescent.	Tristan d'Ac.	1816.	6. 9.	G. 4.	
50 giganteus. H.K.	tall.	Sandwich Isl.	1796.	6. 8.	G. 4.	
EMEX. S.S.	EMEX. Hexandria Trigynia. S.S.					
spinosus. s.s.	spiny-seeded.	Candia.	1656.	6. 7.	H. ⊙.	
<i>Rumex spinosus. w.</i>						
PODOPTERUS. K.S.	PODOPTERUS. Hexandria Trigynia. S.S.					
mexicanus. K.S.	Mexican.	Mexico.	1825.	G. 4.	H. et B. pl. æq. 2. t. 107.
TRIPLARIS. K.S.	TRIPLARIS. Diœcia Enneandria. L.					
americana. K.S.	American.	S. America.	1823.	5. 8.	S. 4.	Jacq. amer. 13. t. 173. f. 5
RHEUM. L.	RHUBARB. Enneandria Trigynia. L.					
1 Rhaponticum. w.	common.	Asia.	1573.	5. 6.	H. 4.	Sabb. hort. 1. t. 34.
2 undulatum. w.	waved-leaved.	China.	1734.	—	H. 4.	L. amœn. acad. 3. t. 4.
3 palmatum. w.	officinal.	—	1763.	4. 5.	H. 4.	Linn. fasc. 7. t. 4.
4 compactum. w.	thick-leaved.	Tartary.	1758.	5. 6.	H. 4.	Mill. ic. 2. t. 218.
5 tataricum. w.	Tartarian.	—	1793.	—	H. 4.	
6 hybridum. w.	bastard.	Asia.	1778.	—	H. 4.	Murr. c. gott. t. 1.
7 nutans. F.	nodding.	—	1824.	—	H. 4.	
8 Ribes. w.	warted-leav'd.	Levant.	1724.	—	F. 4.	Ann. mus. 1. t. 49.
9 austriacum. And.	Austrian.	Austria.	1819.	—	H. 4.	
10 Emodii. Wal.	Nepaul.	Nepaul.	1826.	H. 4.	
11 crispum. And.	curl-leaved.	1820.	5. 6.	H. 4.	
12 sibiricum. And.	Siberian.	Siberia.	1819.	—	H. 4.	
13 fenestratum. Mill.	transparent.	1760.	—	H. 4.	
ERIOGONUM. M.	ERIOGONUM. Enneandria Trigynia. N.					
1 tomentosum. M.	woolly.	Carolina.	1811.	5. 6.	H. 4.	Mich. amer. t. 24.
2 flavum. N.	silky.	Missouri.	—	7.	H. 4.	
<i>sericeum. Ph.</i>						
3 longifolium. N.	long-leaved.	Arkansa.	1824.	—	H. 4.	

CALLIGONUM. W.	CALLIGONUM. Dodecandria Tetragynia. L.				
Pallasia. w.	Caspian.	Caspian shores. 1780.8.	H. h.	Pall. ros. 2. t. 77. 78.	
KÆNIGIA. W.	KÆNIGIA. Triandria Trigynia. L.				
islandica. w.	Iceland.	Iceland. 1773. 4.	H. ☉.	Lam. ill. gen. t. 51.	

ORDO CXLVII.

LAURINÆ. *Brown prodr. p. 401.*

LAURUS. W.	LAURUS. Enneandria Monogynia. L.				
1 nobilis. w.	Sweet Bay.	S. Europe. 1561.	4. 5.	H. h.	Flor. græc. t. 365.
β undulata.	wave-leaved.	—	—	H. h.	
γ salicifolia.	Willow-leaved.	—	—	H. h.	
δ variegata.	variegated.	—	—	H. h.	
2 coriacea. s.s.	leathery-leav'd.	Jamaica. 1822.	S. h.	
3 salicifolia. s.s.	Willow-leav'd.	W. Indies.	—	S. h.	
4 Catesbæi. P.S.	Catesby's.	Florida. 1811.	4. 6.	G. h.	Catesb. car. 1. t. 28.
5 carolinensis. M.	Carolina.	N. America. 1806.	—	G. h.	— 1. t. 63.
α glabra.	smooth-leaved.	—	—	G. h.	
β pubescens.	downy.	—	—	G. h.	
γ obtusa.	blunt-leaved.	—	—	G. h.	
6 Borbonia. w.	Bourbon.	S. America. 1739.	—	G. h.	Plum. gen. 4.
7 thyrsiflora. s.s.	bunch-flower'd.	Madagascar. 1824.	S. h.	
8 indica. w.	royal bay.	Madeira. 1665.	10. 3.	G. h.	Pluk. alm. t. 304. f. 1.
9 fœtens. w.	Madeira or Til.	—	1760.	G. h.	
10 canariensis. W.en.	Canary.	Canaries. 1815.	—	G. h.	
11 aggregata. B.M.	clustered.	China. 1812.	—	S. h.	Botan. magaz. 2497.
12 Chloroxylon. w.	Cogwood-tree.	Jamaica. 1778.	S. h.	Brown. jam. t. 7. f. 1.
13 pendula. w.	pendulous.	—	1822.	S. h.	
14 glauca. w.	glaucous.	Japan. 1806.	G. h.	
15 æstivalis. w.	veined-leaved.	N. America. 1765.	4. 5.	G. h.	
16 Benzoin. w.	Benjamin-tree.	—	1683.	H. h.	Comm. hort. 1. t. 97.
17 Diospyrus. P.S.	twiggy.	—	1810.	H. h.	Botan. magaz. 1470.
18 geniculata. M.	flexuose.	—	1759.	H. h.	— 1471.
19 Sassafra. w.	Sassafra-tree.	—	1633.	5. 6.	Catesb. car. 1. t. 55.
20 albida. N.	white Sassafra.	—	H. h.	
PERSEA. G.	ALLIGATOR-PEAR. Enneandria Monogynia. S.S.				
gratissima. G.	common.	W. Indies. 1739.	4. 6.	S. h.	Pluk. alm. t. 267. f. 1.
Laurus Persea. W.					
CINNAMOMUM. B.P.	CINNAMON. Enneandria Monogynia.				
1 Cassia?	pubescent.	E. Indies. 1768.	5. 9.	S. h.	Andr. reposit. 596.
Laurus Cinnamomum. A.R.	Persea Cassia. s.s.				
2 verum.	true.	Ceylon. 1763.	6. 9.	S. h.	Botan. magaz. 1636.
Laurus Cassia. B.M.	Persea Cinnamomum. s.s.				
3 nitidum. H.E.F.	glossy-leaved.	Sumatra. 1824.	—	S. h.	Hook. ex. flor. 176.
4 Bejolghota.	square-branch'd.	E. Indies. 1805.	S. h.	
Laurus Bejolghota. L.T.	Laurus malabathrica. H.B?				
5 Culitlaban.	three-flowered.	Moluccas.	S. h.	Rumph. amb. 2. t. 14.
Laurus Culitlaban. H.B.					
6 gracile. Hort.	slender.	E. Indies. 1805.	S. h.	
7 Camphora.	Camphire-tree.	Japan. 1727.	3. 6.	G. h.	Botan. magaz. 2658.
Laurus Camphora. B.M.	Persea Camforda. s.s.				
CRYPTOCARYA. B.P.	CRYPTOCARYA. Enneandria Monogynia. S.S.				
1 glaucescens. B.P.	glaucous-leav'd.	N. S. W. 1820.	G. h.	
2 obovata. B.P.	obovate-leaved.	—	1823.	G. h.	
TETRANTHERA. B.P.	TETRANTHERA. Enneandria Monogynia. S.S.				
1 laurifolia. B.R.	Laurel-leaved.	Japan. 1823.	1. 5.	G. h.	Botan. regist. 893.
2 apetal. B.P.	petalless.	E. Indies. —	G. h.	Roxb. corom. 2. t. 147.
3 involucrata. Rox.	involucered.	—	1820.	G. h.	
CASSYTHA. L.	CASSYTHA. Enneandria Monogynia. S.S.				
1 filiformis. L.	slender.	C. B. S.	5. 8.	G. 2. ∪.	Rumph. amb. 5. t. 184. f. 4
2 glabella. B.P.	smooth.	N. S. W. 1822.	—	G. 2. ∪.	

LAURINIS AFFINE.

GYROCARPUS. B.P. GYROCARPUS.		Polygamia Monœcia.			
1 americanus. w.	American.	W. Indies. 1816.	S. h.	Jacq. amer. t.178.f.80.
2 asiaticus. w.	Asiatic.	E. Indies. 1812.	S. h.	Roxb. corom. 1. t. 1.
<i>Jacquini. R.C.</i>					
HERNANDIA. L.		JACK IN A BOX. Monœcia Triandria. L.			
1 sonora. w.	peltate-leaved.	W. Indies. 1693.	S. h.	Rumph. amb. 2. t. 85.
2 guianensis. w.	Guiana.	Guiana. 1823.	S. h.	Aub. gui. 2. t. 309.
3 ovigera. w.	oval-leaved.	E. Indies. 1820.	S. h.	Rumph. amb. 3. t. 123.

ORDO CXLVIII.

MYRISTICÆÆ. *Brown prodr. p. 399.*

MYRISTICA. W.		NUTMEG. Diœcia Monadelphica. L.			
1 moschata. w.	true.	E. Indies. 1795.	S. h.	Hook. ex. flor. 155-156.
<i>officinalis. H.E.F. aromatica. Lam.</i>					
2 fatua. w.	tasteless.	Surinam. 1812.	S. h.	Plak. alm. t. 250. f. 6.

ORDO CXLIX.

PROTEACEÆ. *Brown Linn. trans. 10. p. 46.*

AULAX. P.L.		AULAX. Diœcia Tetrandria. H.K.			
1 pinifolia. L.T.	Pine-leaved.	C. B. S. 1780.	7. 9.	G. h.	Andr. reposit. 76.
<i>Protea pinifolia. A.R.</i>					
2 umbellata. L.T.	umbelled.	1774.	6. 8.	G. h.	Andr. reposit. 248.
LEUCADENDRON. L.T. LEUCADENDRON.		Diœcia Tetrandria. H.K.			
1 argenteum. L.T.	Silver-tree.	C. B. S. 1693.	6. 8.	G. h.	Botan. regist. 979.
<i>Protea argentea. w.</i>					
2 plumosum. L.T.	feathered.	1774.	—	G. h.	Thunb. diss. 40. t. 4.
<i>Protea parviflora. Th.</i>					
3 retusum. L.T.	retuse-leaved.	1825.	G. h.	
4 spathulatum. L.T.	spathulate.	1812.	6. 8.	G. h.	
5 angustatum. L.T.	narrow-leav'd.	1824.	G. h.	
6 imbricatum. L.T.	imbricated.	1790.	6. 8.	G. h.	
7 buxifolium. L.T.	Box-leaved.	1812.	—	G. h.	Wend. h. herr. t. 14?
8 Levisanus. L.T.	short-leaved.	1774.	4. 6.	G. h.	— t. 1.
9 linifolium. L.T.	Flax-leaved.	—	G. h.	Jacq. schœn. 1. t. 26.
10 stellatum.	starry.	5. 6.	G. h.	Botan. magaz. 881.
<i>Protea stellaris. B.M. squarrosa. K.P.</i>					
11 tortum. L.T.	twisted-leaved.	1790.	3. 5.	G. h.	Botan. regist. 826.
12 cinereum. L.T.	gray-leaved.	1774.	7. 8.	G. h.	
13 corymbosum. L.T.	corymbed.	1790.	4. 7.	G. h.	Botan. regist. 402.
14 decorum. L.T.	decorous.	—	5. 8.	G. h.	
15 squarrosus. L.T.	squarrose.	1812.	—	G. h.	
<i>strobilina. L.</i>					
16 concolor. L.T.	one-coloured.	1774.	3. 6.	G. h.	Andr. reposit. 307.
<i>Protea globosa. B.M. 878. strobilina. Schrad. s. han. 1. t. 1.</i>					
17 grandiflorum. L.T.	great-flower'd.	1789.	4. 6.	G. h.	Sal. par. lond. 105.
18 ovale. L.T.	oval-leaved.	1818.	—	G. h.	
19 venosum. L.T.	veined-leaved.	1815.	—	G. h.	

20	decurrens. L.T.	decurrent.	C. B. S.	1812.	6. 8.	G. h.	
21	glabrum. L.T.	smooth.	—	—	3. 6.	G. h.	
22	strictum. L.T.	upright.	—	1795.	4. 6.	G. h.	Sal. par. lond. 75.
<i>Euryspermum salicifolium</i> . P.L. <i>Protea conifera</i> . A.R. 541.							
23	virgatum. L.T.	slender.	—	—	—	G. h.	
24	adscendens. L.T.	ascending.	—	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f. 6.
25	concinnum. L.T.	neat.	—	1800.	—	G. h.	
26	salignum. L.T.	Willow-leaved.	—	1774.	4. 6.	G. h.	Boer. lugd. 2. p. 204. ic.
27	uliginosum. L.T.	swamp.	—	1795.	—	G. h.	Breyn. cent. 21. t. 9.
28	floridum. L.T.	florid.	—	—	—	G. h.	Andr. reposit. 572?
29	platyspermum. L.T.	flat-seeded.	—	1818.	—	G. h.	
30	comosum. L.T.	tufted.	—	1812.	5. 8.	G. h.	
31	æmulum. L.T.	related.	—	1789.	6. 9.	G. h.	
<i>Protera incurva</i> . A.R. 429?							
32	abietinum. L.T.	Pine-leaved.	—	—	7. 9.	G. h.	Andr. reposit. 461.
33	scabrum. L.T.	rough.	—	1812.	4. 6.	G. h.	
34	sericeum. L.T.	silky-leaved.	—	1818.	—	G. h.	
35	Globularia. L.T.	globe-headed.	—	1810.	—	G. h.	Lam. ill. 1. t. 53.
36	inflexum. L.en.	inflexed.	—	1812.	—	G. h.	
37	caudatum. L.en.	tailed.	—	—	—	G. h.	
38	marginatum. L.en.	villous-margin'd.	—	1818.	—	G. h.	
PETROPHILA. L.T. PETROPHILA. Tetrandria Monogynia. R.S.							
1	pulchella. L.T.	Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Botan. magaz. 796.
2	diversifolia. L.T.	various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
3	trifida. L.T.	trifid-leaved.	—	1824.	—	G. h.	
ISOPOGON. L.T. ISOPOGON. Tetrandria Monogynia. R.S.							
1	teretifolius. L.T.	round-leaved.	N. Holland.	1824.	—	G. h.	
2	anethifolius. L.T.	Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
3	formosus. L.T.	handsome.	N. Holland.	1805.	—	G. h.	
4	anemonifolius. L.T.	Anemone-ld.	N. S. W.	1791.	7. 9.	G. h.	Botan. magaz. 697.
5	trilobus. L.T.	three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
6	longifolius. L.T.	long-leaved.	—	1820.	—	G. h.	Botan. regist. 900.
7	attenuatus. L.T.	attenuated.	—	1824.	—	G. h.	
PROTEA. L.T. PROTEA. Tetrandria Monogynia. L.							
1	cynaroides. L.T.	Artichoke-fl'd.	C. B. S.	1774.	11. 3.	G. h.	Botan. magaz. 770.
2	latifolia. L.T.	ray-flowered.	—	1806.	7. 9.	G. h.	— 1717.
	α coccinea.	scarlet-flower'd.	—	—	—	G. h.	Andr. reposit. 646.
	β viridiflora.	green-flowered.	—	—	—	G. h.	— 646.
3	compacta. L.T.	compact.	—	1810.	—	G. h.	
4	longiflora. L.T.	long-flowered.	—	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
<i>ochroleuca</i> . Sm. <i>lacticolor</i> . P.L. 27.							
5	coccinea. L.T.	scarlet-flow'r'd.	—	1810.	5. 6.	G. h.	
6	speciosa. L.T.	splendid.	—	1786.	3. 6.	G. h.	Knight's prot. c. ic.
7	obtusa. K.P.	obtuse.	—	—	—	G. h.	Andr. reposit. 110.
<i>speciosa</i> . B.M. 1183. <i>Erodendrum obtusum</i> . K.P.							
8	macrophylla. L.T.	large-leaved.	—	1810.	—	G. h.	
9	formosa. L.T.	handsome.	—	1789.	5. 6.	G. h.	Botan. magaz. 1713.
<i>coronata</i> . A.R. 489. <i>Erodendrum formosum</i> . P.L. 76.							
10	melaleuca. L.T.	black-fringed.	—	1786.	3. 7.	G. h.	Andr. reposit. 103.
11	Lepidocarpon. L.T.	crested.	—	1806.	—	G. h.	Wein. phyt. 4. t. 895.
12	neriifolia. L.T.	Oleander-ld.	—	—	2. 4.	G. h.	Botan. regist. 208.
13	pulchella. L.T.	wave-leaved.	—	1795.	3. 8.	G. h.	— 20.
	α ciliata.	fringe-leaved.	—	—	—	G. h.	Andr. reposit. 270.
	β glabra.	smooth-leaved.	—	—	—	G. h.	— 277.
	γ speciosa.	specious.	—	—	—	G. h.	— 442.
14	patens. L.T.	spreading.	—	1789.	3. 6.	G. h.	— 543.
15	magnifica. A.R.	magnificent.	—	—	—	G. h.	— 438.
16	incompta. L.T.	villous-branch'd.	—	1807.	5. 7.	G. h.	
17	longifolia. L.T.	long-leaved.	—	1798.	3. 8.	G. h.	Botan. regist. 47.
18	umbonalis. K.P.	embossed.	—	—	—	G. h.	Andr. reposit. 144.
<i>longifolia</i> . var. <i>cono turbinato</i> . A.R. <i>Erodendrum umbonale</i> . K.P.							
19	ligulæfolia. K.P.	strap-leaved.	—	—	—	G. h.	Andr. reposit. 133.
<i>longifolia ferruginoso-purpurea</i> . A.R. <i>Erodendrum ligulæfolium</i> . K.P.							
20	mellifera. L.T.	honey-bearing.	—	1774.	12. 5.	G. h.	Botan. magaz. 346.
	β alba.	white-flowered.	—	—	—	G. h.	Andr. reposit. ic.
21	grandiflora. L.T.	great-flowered.	—	1787.	5. 6.	G. h.	Botan. magaz. 2447.
	β marginata.	red margined.	—	—	—	G. h.	Botan. regist. 569.
22	Scolymus. L.T.	small-flower'd.	—	1780.	—	G. h.	Botan. magaz. 698.
23	mucronifolia. L.T.	dagger-leaved.	—	1803.	7. 12.	G. h.	— 933.

24	nana. L.T.	dwarf.	C. B. S.	1787.	4. 7.	G. h.	Sm. exot. bot. 1. t. 44.
	<i>rosacea</i> . Sm. <i>acutifolia</i> . P.L. 2.						
25	pendula. L.T.	pendulous.	————	1806.	3. 6.	G. h.	
26	tenax. L.T.	tough.	————	1801.	2. 5.	G. h.	Sal. par. lond. 70.
27	canaliculata. L.T.	channel-leaved.	————	1800.	12. 2.	G. h.	Andr. reposit. 437.
28	acuminata. B.M.	sharp-pointed.	————	1809.	3. 6.	G. h.	Botan. magaz. 1694.
29	acaulis. L.T.	short-stalked.	————	1802.	5. 9.	G. h.	Wein. phyt. 4. t. 898.
30	glaucophylla. P.L.	glaucous-leav'd.	————	————	7. 9.	G. h.	Sal. par. lond. 11.
31	elongata. L.T.	elongated.	————	1810.	————	G. h.	
32	angustata. L.T.	narrow-leaved.	————	1809.	————	G. h.	
33	revoluta. L.T.	revolute-leav'd.	————	1818.	————	G. h.	
34	tenuifolia. L.T.	slender-leaved.	————	1816.	————	G. h.	
35	lævis. L.T.	smooth-leaved.	————	1806.	5. 7.	G. h.	Botan. magaz. 2439.
	<i>longifolia</i> . P.L. non A.R.						
36	scabra. L.T.	rough-leaved.	————	1809.	————	G. h.	
37	repens. L.T.	creeping.	————	1800.	6. 8.	G. h.	Wein. phyt. 4. t. 897.a.
38	turbiniiflora. L.T.	turfy.	————	1803.	4. 5.	G. h.	Sal. par. lond. 103.
39	Scolopendrium. L.T.	Hart's-tongue.	————	1802.	————	G. h.	
40	cordata. L.T.	heart-leaved.	————	1790.	3. 5.	G. h.	Andr. reposit. 289.
41	amplexicaulis. L.T.	stem-clasping.	————	1802.	1. 3.	G. h.	Sal. par. lond. 67.
42	humilis. L.T.	low-flowering.	————	————	6. 8.	G. h.	Andr. reposit. 532.
43	acerosa. L.T.	Pine-leaved.	————	1803.	3. 5.	G. h.	Botan. regist. 351.
LEUCOSPERMUM. L.T. LEUCOSPERMUM. Tetrandria Monogynia. R.S.							
1	lineare. L.T.	linear-leaved.	C. B. S.	1774.	8. 9.	G. h.	Thunb. dis. n. 35. t. 4.
2	attenuatum. L.T.	attenuated.	————	1810.	————	G. h.	
3	Tottum. L.T.	smooth-bracted.	————	1774.	6. 8.	G. h.	
4	medium. L.T.	oval-leaved.	————	1794.	————	G. h.	Andr. reposit. 17?
	<i>Protea formosa</i> . A.R.?						
5	ellipticum. L.T.	elliptic.	————	1803.	5. 8.	G. h.	
6	Conocarpum. L.T.	many-toothed.	————	1774.	————	G. h.	Boer. lugd. 2. p. 196. ic.
7	grandiflorum. L.T.	great-flower'd.	————	1800.	5. 7.	G. h.	Sal. par. lond. 116.
	<i>Leucadendron grandiflorum</i> . P.L.						
8	puberum. L.T.	downy-leaved.	————	1774.	5. 8.	G. h.	
9	spathulatum. L.T.	spathulate.	————	1810.	————	G. h.	
10	tomentosum. K.P.	cottony.	————	1789.	8. 9.	G. h.	
11	parile. K.P.	matched.	————	1790.	————	G. h.	
12	candicans. A.R.	Rose-scented.	————	————	————	G. h.	Andr. reposit. 294.
	<i>Protea candicans</i> . A.R.						
13	Hypophyllum. L.T.	trifid-leaved.	————	1787.	G. h.	Pluk. mant. t. 440. f. 3.
MIMETES. L.T. MIMETES. Tetrandria Monogynia. R.S.							
1	hirta. L.T.	hairy.	C. B. S.	1774.	6. 8.	G. h.	Wein. phyt. 4. t. 899. f. a.
2	palustris. K.P.	marsh.	————	1802.	————	G. h.	Boer. lugd. 2. p. 194. ic.
3	cucullata. L.T.	three-toothed.	————	1789.	G. h.	Pluk. alm. t. 304. f. 6.
	<i>Protea cucullata</i> . W.						
4	Hartogii. L.T.	woolly-leaved.	————	1810.	G. h.	Wein. phyt. 4. t. 906. a.
5	divaricata. L.T.	divaricate.	————	1795.	6. 9.	G. h.	
6	vacciniifolia.	Vaccinium-ld.	————	1800.	G. h.	
	<i>Diastella vacciniifolia</i> . K.P.						
7	purpurea. L.T.	Heath-leaved.	————	1789.	11. 12.	G. h.	
SERRURIA. L.T. SERRURIA. Tetrandria Monogynia. R.S.							
1	diffusa. L.T.	diffuse.	C. B. S.	1810.	6. 8.	G. h.	
2	abrotanifolia. K.P.	Southernwood-ld.	————	1803.	————	G. h.	Andr. reposit. 522.
	<i>Protea abrotanifolia hirta</i> . A.R.						
3	millefolia. K.P.	thousand-leav'd.	————	————	————	G. h.	———— 337.
4	artemisiaefolia. K.P.	Wormwood-ld.	————	1789.	————	G. h.	———— 264.
5	pinnata. L.T.	slender.	————	1803.	————	G. h.	———— 512.
6	arenaria. L.T.	sand.	————	————	————	G. h.	
7	cyanoides. L.T.	trifid-leaved.	————	————	————	G. h.	Pluk. mant. t. 345. f. 6.
8	pedunculata. L.T.	woolly-headed.	————	1789.	————	G. h.	Andr. reposit. 264.
9	scoparia. L.T.	Broom.	————	1809.	————	G. h.	
10	Niveni. L.T.	Niven's.	————	1800.	————	G. h.	Andr. reposit. 349.
	<i>Protea decumbens</i> . A.R.						
11	villosa. L.T.	villous.	————	1810.	————	G. h.	
12	foeniculacea. L.T.	Fennel-leaved.	————	1816.	————	G. h.	
13	ciliata. L.T.	ciliated.	————	1803.	————	G. h.	
14	congesta. L.T.	crowded.	————	1816.	————	G. h.	
15	squarrosa. L.T.	squarrose.	————	1810.	————	G. h.	
16	phylicoides. L.T.	Phylica-flow'r'd.	————	1788.	————	G. h.	Andr. reposit. 507. f. 4.
	<i>Protea abrotanifolia</i> . A.R.						

17	æmula. L.T.	grey-branched.	C. B. S.	1803.	—	G. h.	
18	parilis. K.P.	matched.	—	—	—	G. h.	Andr. reposit. 507.
19	odorata.	sweet-scented.	—	—	—	G. h.	— 545.
	<i>Protea abrotanifolia</i>	<i>odorata.</i>	A.R.				
20	emarginata.	emarginate.	—	1800.	—	G. h.	— 536.
	<i>arenaria.</i>	K.P. <i>Protea abrotanifolia minor.</i>	A.R.				
21	decumbens. L.T.	decumbent.	—	1816.	—	G. h.	Thunb. diss. 1. t. 1.
22	flagellaris. L.T.	procumbent.	—	—	—	G. h.	
23	glomerata. L.T.	many-headed.	—	1789.	—	G. h.	Burm. afr. t. 99. f. 2.
24	decipiens. L.T.	decipient.	—	1806.	—	G. h.	
25	Roxburghii. L.T.	Roxburgh's.	—	—	—	G. h.	
26	Burmanni. L.T.	Burmans's.	—	1786.	—	G. h.	Burm. afr. t. 99. f. 1.
	<i>Protea Serraria.</i>	L.					
27	triternata. L.T.	silvery-flowered.	—	1802.	—	G. h.	Andr. reposit. 447.
	<i>Protea argentiflora.</i>	A.R.					
28	elongata. L.T.	long-peduncled.	—	1800.	—	G. h.	
29	crithmifolia. L.T.	Samphire-leav'd.	—	1816.	—	G. h.	
	NIVENIA. L.T.	NIVENIA. Tetrandria Monogynia.	R.S.				
1	Sceptrum. L.T.	sceptre-like.	C. B. S.	1790.	5. 6.	G. h.	Sparm. a. st. 1777. t. 1.
2	spatulata. L.T.	maiden hair-ld.	—	—	7. 8.	G. h.	Thunb. dis. n. 58. t. 5.
3	parvifolia. L.T.	small-leaved.	—	1810.	—	G. h.	
4	spicata. L.T.	spiked.	—	1786.	6. 8.	G. h.	
5	crithmifolia. L.T.	Samphire-ld.	—	1797.	—	G. h.	Andr. reposit. 243.
	<i>Protea Lagopus.</i>	A.R.					
6	media. L.T.	middle.	—	1803.	—	G. h.	— 234?
	<i>Protea spicata.</i>	A.R?					
7	Lagopus. L.T.	Hare's-foot.	—	1810.	—	G. h.	
	SOROCEPHALUS. L.T.	SOROCEPHALUS. Tetrandria Monogynia.	R.S.				
1	imberbis. L.T.	smooth.	C. B. S.	1806.	6. 8.	G. h.	
2	spatalloides. L.T.	club-bearing.	—	1803.	—	G. h.	
3	tenuifolia. L.T.	slender-leaved.	—	1802.	—	G. h.	
4	lanatus. L.T.	woolly.	—	1790.	6. 9.	G. h.	Thunb. dis. n. 30. t. 3.
5	imbricatus. L.T.	imbricated.	—	1794.	4. 7.	G. h.	Andr. reposit. 517.
6	diversifolius. L.T.	various-leaved.	—	1807.	—	G. h.	
	SPATALLA. L.T.	SPATALLA. Tetrandria Monogynia.	R.S.				
1	nivea. L.T.	snowy-bearded.	C. B. S.	1806.	4. 8.	G. h.	
2	bracteata. L.T.	bracteate.	—	—	—	G. h.	
3	prolifera. L.T.	proliferous.	—	1800.	6. 8.	G. h.	Thunb. dis. n. 27. t. 4.
4	incurva. L.T.	incurved-leaved.	—	1789.	5. 6.	G. h.	— n. 22. t. 3.
5	caudata. L.T.	tailed.	—	1812.	—	G. h.	— sec. ic. t. 22.
6	Thunbergii. L.T.	Thunberg's.	—	1806.	—	G. h.	
	CONOSPERMUM. L.T.	CONOSPERMUM. Triandria Monogynia.					
1	ellipticum. L.T.	elliptic-leaved.	N. S. W.	1822.	5. 7.	G. h.	
2	ericifolium. L.T.	Heath-leaved.	—	1820.	—	G. h.	Linn. trans. 10. t. 17. f. 11.
3	longifolium. L.T.	long-leaved.	—	1824.	G. h.	Sm. exot. bot. 2. t. 82.
	PERSOONIA. L.T.	PERSOONIA. Tetrandria Monogynia.	R.S.				
1	pinifolia. L.T.	Pine-leaved.	N. S. W.	1818.	5. 7.	G. h.	Linn. trans. 10. t. 16. f. 11.
2	juniperina. L.T.	Juniper-leav'd.	V. Diem. Isl.	1823.	—	G. h.	Lab. n. holl. 1. t. 45.
3	hirsuta. L.T.	hairy.	N. S. W.	1800.	—	G. h.	Lodd. bot. cab. 327.
4	mollis. L.T.	soft.	—	1818.	—	G. h.	
5	linearis. L.T.	linear-leaved.	—	1794.	7. 8.	G. h.	Botan. magaz. 760.
6	flexifolia. L.T.	bending-leav'd.	—	1822.	—	G. h.	Lodd. bot. cab. 922.
7	lanceolata. L.T.	spear-leaved.	—	1791.	6. 7.	G. h.	Andr. reposit. 74.
	<i>β latifolia.</i>	B.P. <i>broad-leaved.</i>	—	—	—	G. h.	— 280?
8	salicina. L.T.	Willow-leaved.	—	1795.	6. 7.	G. h.	Cavan. ic. 4. t. 389?
9	ferruginea. L.T.	ferruginous.	—	1818.	—	G. h.	Sm. exot. bot. 2. t. 83.
	BRABEJUM. L.T.	AFRICAN ALMOND. Polygamia Monœcia.	L.				
	<i>stellatifolium.</i>	L.T. <i>common.</i>	C. B. S.	1731.	3. 4.	G. h.	Hout. n. h. par. 2. t. 6. f. 33.
	GREVILLEA. L.T.	GREVILLEA. Tetrandria Monogynia.	R.S.				
1	punicea. L.T.	purple-flōw'r'd.	N. S. W.	1822.	4. 9.	G. h.	Sm. n. holl. t. 9. f. 5.
2	dubia. L.T.	doubtful.	—	—	—	G. h.	
3	sericea. L.T.	silky.	—	1790.	—	G. h.	Botan. magaz. 862.
4	linearis. L.T.	linear-leaved.	—	—	—	G. h.	Andr. reposit. 272.
	<i>a incarnata.</i>	B.M. <i>flesh-coloured.</i>	—	—	—	G. h.	Botan. magaz. 2661.
	<i>β alba.</i>	B.C. <i>white-flowered.</i>	—	—	—	G. h.	Lodd. bot. cab. 858.
5	stricta. L.T.	upright.	—	1822.	—	G. h.	
6	riparia. L.T.	river-side.	—	1791.	4. 5.	G. h.	
7	rosmarinifolia. F.T.	Rosemary-ld.	—	1824.	—	G. h.	
8	juniperina. L.T.	Juniper-like.	—	1821.	—	G. h.	Lodd. bot. cab. 1003.

9	arenaria. L.T.	sand.	N. S. W.	1803.	4. 9.	G. h.	
10	acuminata. L.T.	acute-leaved.	—	1805.	—	G. h.	
11	cinerea. L.T.	grey.	—	1821.	—	G. h.	Lodd. bot. cab. 857.
12	mucronulata. L.T.	mucronulate.	—	1809.	—	G. h.	
13	sulphurea. F.I.	sulphur-colour'd	—	1823.	—	G. h.	
14	phylicoides. L.T.	Phylica-like.	—	—	—	G. h.	
15	buxifolia. L.T.	Box-leaved.	—	1790.	2. 9.	G. h.	Botan. regist. 443.
16	podalyriæfolia. C.C.	Podalyria-ld.	N.Holland.	1821.	5. 8.	S. h.	
17	berberifolia. C.C.	Berberry-ld.	—	—	—	S. h.	
18	acanthifolia. F.T.	Acanthus-ld.	—	—	—	S. h.	B. Field. trav. c. ic.
19	heterophylla.	various-leaved.	—	—	—	S. h.	
20	trifurcata. C.C.	three-forked.	—	—	—	S. h.	
21	aspleniifolia. L.T.	Spleenwort-ld.	N. S. W.	1806.	—	S. h.	
HAKEA. L.T.		HAKEA. Tetrandria Monogynia.	R.S.				
1	pugioniformis. L.T.	dagger-fruited.	N. S. W.	1796.	5. 6.	G. h.	Lodd. bot. cab. 353.
2	parillis. K.P.	matched.	V.Diem.Isl.	—	—	G. h.	
3	epiglottis. L.T.	curved-fruited.	—	1822.	—	G. h.	Lab. nov. hol. 1. t. 40.
4	obliqua. L.T.	oblique-flow'r'd	N.Holland.	1803.	6. 9.	G. h.	
5	gibbosa. L.T.	gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
6	acicularis. L.T.	needle-leaved.	—	—	—	G. h.	Venten. malm. t. 111.
	<i>Conchium aciculare.</i> V.						
7	suaveolens. L.T.	sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
8	Lamberti. N.L.F.	Lambert's.	—	1823.	G. h.	
9	microcarpa. L.T.	small-fruited.	V.Diem.Isl.	1818.	4. 8.	G. h.	Botan. regist. 475.
10	trifurcata. L.T.	trifurcate.	N.Holland.	1824.	G. h.	
11	linearis. L.T.	linear-leaved.	—	—	G. h.	
12	florida. L.T.	many-flower'd.	—	1803.	5. 6.	G. h.	Botan. magaz. 2579.
13	ilicifolia. L.T.	Holly-leaved.	—	—	7. 9.	G. h.	
14	nitida. L.T.	glossy.	—	—	6. 8.	G. h.	Botan. magaz. 2246.
15	amplexicaulis. L.T.	smooth-stalked.	—	—	G. h.	
16	prostrata. L.T.	pubescent.	—	—	G. h.	
17	ceratophylla. L.T.	horn-leaved.	—	—	G. h.	
18	acanthophylla. L.en.	Acanthus-ld.	—	—	G. h.	
19	undulata. L.T.	wave-leaved.	—	—	6. 8.	G. h.	
20	propinqua. F.T.	related.	—	1823.	G. h.	
21	oleifolia. L.T.	Olive-leaved.	—	1794.	6. 7.	G. h.	
22	saligna. L.T.	Willow-leaved.	—	1791.	3. 7.	G. h.	Andr. reposit. 215.
23	marginata. L.T.	marginate.	—	1824.	G. h.	
24	ruscifolia. L.T.	Ruscus-leaved.	—	—	G. h.	Lab. nov. holl. 1. t. 39.
25	cinerea. L.T.	hoary-leaved.	—	1803.	6. 7.	G. h.	
26	canescens. L.en.	canescent.	N. S. W.	1800.	6. 8.	G. h.	
27	dactyloides. L.T.	nerved-leaved.	—	1790.	—	G. h.	Cavan. ic. 6. t. 535.
28	elliptica. L.T.	oval-leaved.	N.Holland.	1794.	—	G. h.	
29	clavata. L.T.	clavate.	—	1824.	G. h.	Lab. nov. holl. 1. t. 41.
LAMBERTIA. L.T.		LAMBERTIA. Tetrandria Monogynia.	R.S.				
1	uniflora. L.T.	single-flowered.	N.Holland.	1824.	G. h.	
2	inermis. L.T.	unarmed.	—	—	G. h.	
3	formosa. L.T.	handsome.	N. S. W.	1788.	6. 8.	G. h.	Botan. regist. 528.
4	echinata. L.T.	lobe-leaved.	N.Holland.	1824.	G. h.	
XYLOMELUM. L.T.		WOODEN-PEAR-TREE. Tetrandria Monogynia.	R.S.				
	pyriforme. L.T.	prickly-leaved.	N. S. W.	1789.	G. h.	Cavan. ic. 6. t. 536.
RHOPALA. L.T.		RHOPALA. Tetrandria Monogynia.	R.S.				
1	montana. L.T.	mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2	dentata. L.T.	tooth-leaved.	—	1802.	5. 8.	S. h.	
3	sessilifolia. L.T.	sessile-leaved.	—	1803.	—	S. h.	Rudg. gui. 1. t. 31.
TELOPEA. L.T.		WARATAH. Tetrandria Monogynia.	R.S.				
	speciosissima. L.T.	splendid.	N. S. W.	1789.	5. 7.	G. h.	Botan. magaz. 1128.
	<i>Embothrium speciosissimum.</i> B.M.						
LOMATIA. L.T.		LOMATIA. Tetrandria Monogynia.	R.S.				
1	silaifolia. L.T.	cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Botan. magaz. 1272.
2	tinctoria. L.T.	various-leaved.	V.Diem.Isl.	1822.	G. h.	Lab. n. holl. 1. t. 42-43.
3	longifolia. L.T.	long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Botan. regist. 442.
4	dentata. L.T.	tooth-leaved.	Chili.	1824.	G. h.	Flor. peruv. 1. t. 94. a.
STENOCARPUS. L.T.		STENOCARPUS. Tetrandria Monogynia.	R.S.				
	salignus. L.T.	sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Botan. regist. 441.
BOTRYCERAS. W.		BOTRYCERAS. Tetrandria Monogynia.	R.S.				
	laurinum. w.	Laurel-like.	N.Holland.	1820.	6. 9.	G. h.	W.m.b.1811.t.10.f.10.
BANKSIA. L.T.		BANKSIA. Tetrandria Monogynia.	R.S.				
1	pulchella. L.T.	small-flowered.	N.Holland.	1803.	G. h.	

2	sphærocarpa. L.T.	round-fruited.	N.Holland.	1803.	G. h.	
3	nutans. L.T.	nodding-fl'd.	—	—	4. 6.	G. h.	
4	ericifolia. L.T.	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.	Botan. magaz. 738.
5	spinulosa. L.T.	spiny-leaved.	—	—	12. 5.	G. h.	Andr. reposit. 457.
6	collina. L.T.	hill.	—	1800.	G. h.	
7	occidentalis. L.T.	west-coast.	N. Holland.	1803.	G. h.	
8	littoralis. L.T.	sea-side.	—	—	4. 7.	G. h.	
9	marginata. L.T.	various-leaved.	N. S. W.	1804.	5. 8.	G. h.	Botan. magaz. 1947.
10	australis. L.T.	southern.	V.Diem.Isl.	1816.	—	G. h.	Botan. regist. 787.
11	insularis. L.T.	Island.	—	1823.	G. h.	
12	integrifolia. L.T.	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.	Cavan. ic. 6. t. 546.
13	compar. L.T.	related.	N.Holland.	1823.	G. h.	
14	verticillata. L.T.	whorl-leaved.	—	1794.	7. 11.	G. h.	Hook. ex. flor. 96.
15	coccinea. L.T.	scarlet-flow'r'd.	—	1803.	G. h.	Bauer. n. holl. ic.
16	paludosa. L.T.	marsh.	N. S. W.	1805.	1. 4.	G. h.	Botan. regist. 697.
17	intermedia. ψ.	intermediate.	N. Holland.	1824.	G. h.	
18	oblongifolia. L.T.	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.	Lodd. bot. cab. 241.
19	latifolia. L.T.	broad-leaved.	—	1802.	—	G. h.	Cavan. ic. 6. t. 543.
20	marcescens. L.T.	short-leaved.	N. Holland.	1794.	1. 12.	G. h.	Andr. reposit. 258.
	<i>præmorsa. A.R. asplenifolia. K.P.</i>						
21	attenuata. L.T.	attenuated, smooth-fl'd.	—	1794.	G. h.	
22	serrata. L.T.	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.	Andr. reposit. 82.
23	æmula. L.T.	deeply-sawed.	—	—	1. 6.	G. h.	Botan. regist. 688.
24	dentata. L.T.	tooth-leaved.	N.Holland.	1822.	S. h.	
25	quercifolia. L.T.	Oak-leaved.	—	1805.	G. h.	
26	dryandroides. ψ.	Dryandra-like.	—	1824.	G. h.	
27	speciosa. L.T.	long-leaved.	—	1805.	5. 8.	G. h.	
28	grandis. L.T.	great-flowered.	—	1794.	G. h.	
29	prostrata. ψ.	prostrate.	—	1824.	G. h.	
30	repens. L.T.	creeping.	—	1803.	G. h.	Lab. voy. 1. t. 23.
31	ilicifolia. L.T.	Holly-leaved.	—	1824.	G. h.	
DRYANDRA. L.T.	DRYANDRA.	Tetrandria Monogynia. R.S.					
1	floribunda. L.T.	many-flowered.	N.Holland.	1803.	1. 12.	G. h.	Botan. magaz. 1581.
2	cuneata. L.T.	wedge-leaved.	—	—	11. 2.	G. h.	
	<i>α brevifolia.</i>	<i>short-leaved.</i>	—	—	—	G. h.	
	<i>β longifolia.</i>	<i>long-leaved.</i>	—	—	—	G. h.	
3	armata. L.T.	acute-leaved.	—	—	1. 12.	G. h.	
4	falcata. L.T.	falcate-leaved.	—	1824.	G. h.	
5	formosa. L.T.	splendid.	—	1803.	1. 12.	G. h.	Linn. trans. 10. t. 3.
6	mucronulata. L.T.	pointed-leaved.	—	1824.	G. h.	
7	plumosa. L.T.	feathered.	—	1803.	1. 8.	G. h.	
8	obtusa. L.T.	blunt-leaved.	—	—	G. h.	
9	nivea. L.T.	white-leaved.	—	—	7. 9.	G. h.	Lab. voy. 1. t. 24.
10	longifolia. L.T.	long-leaved.	—	1805.	1. 12.	G. h.	Botan. magaz. 1582.
11	Baxteri. ψ.	Baxter's.	—	1824.	G. h.	
12	tenuifolia. L.T.	slender-leaved.	—	1803.	3. 5.	G. h.	
13	nervosa. ψ.	nerved-leaved.	—	1824.	G. h.	
14	pteridifolia. L.T.	Pteris-leaved.	—	—	—	G. h.	

ORDO CL.

THYMELÆÆ. *Brown prodr. p. 358.*

DIRCA. W.	LEATHER-WOOD. Octandria Monogynia. L.		
palustris. w.	marsh. Virginia.	1750.	3. 4. H. h.
LAGETTA. J.	LACE-BARK. Octandria Monogynia. S.S.		Botan. regist. 292.
linteraria. J.	Jamaica. Jamaica.	1793.	12. 1. S. h.
DAPHNE. W.	DAPHNE. Octandria Monogynia. L.		Lam. ill. t. 289.
1 Mezereum. w.	Mezereum. England.	2. 4. H. h.
<i>α album.</i>	<i>white-flowered.</i>	— H. h.
<i>β rubrum.</i>	<i>red-flowered.</i>	— H. h.
<i>γ autumnale.</i>	<i>autumnal-flow'r'd.</i>	8. 12. H. h.

2	Laureola. w.	spurge-laurel.	Britain.	1. 3.	H. h.	Eng. bot. 119.
3	pontica. w.	Pontic.	Pontus.	1759.	4. 5.	H. h.	Botan. magaz. 1282.
4	tinifolia. w.	Bonace-bark.	Jamaica.	1733.	5. 7.	S. h.	
5	Gnidium. w.	Flax-leaved.	Spain.	1597.	6. 8.	H. h.	Lodd. bot. cab. 150.
6	odora. w.	sweet-scented.	China.	1771.	12. 3.	G. h.	Botan. magaz. 1587.
7	alpina. w.	Alpine.	Italy.	1759.	5. 7.	H. h.	Lodd. bot. cab. 66.
8	altaica. w.	Altaic.	Siberia.	1796.	4. 5.	H. h.	Botan. magaz. 1875.
9	Cneorum. w.	trailing.	Austria.	1752.	4. 9.	H. h.	———— 313.
10	striata. s.s.	streaked.	Hungary.	—	H. h.	
11	collina. s.s.	hairy.	Italy.	1752.	1. 6.	H. h.	Botan. magaz. 428.
12	sericea. s.s.	silky-leaved.	Levant.	1818.	—	H. h.	
13	oleoides. s.s.	Olive-leaved.	Crete.	1815.	1. 12.	H. h.	Botan. magaz. 1917.
14	napolitana. B.C.	Neapolitan.	Italy.	1823.	1. 6.	H. h.	Lodd. bot. cab. 719.
	collina β neapolitana.	B.R. 322.					
15	Thymelæa. w.	smooth-leaved.	Spain.	1815.	2. 4.	H. h.	Pluk. alm. t. 229. f. 2.
16	Tarton-raira. w.	silvery-leaved.	France.	1640.	5. 7.	H. h.	———— t. 318. f. 6.
GNIDIA. L. GNIDIA. Octandria Monogynia. L.							
1	pinifolia. w.	Pine-leaved.	C. B. S.	1768.	5. 6.	G. h.	Botan. regist. 19.
2	radiata. B.C.	radiate.	—	1818.	—	G. h.	Lodd. bot. cab. 29.
3	imberbis. H.K.	smooth-scaled.	—	1792.	8. 4.	G. h.	Botan. magaz. 1463.
4	simplex. H.K.	Flax-leaved.	—	1786.	5. 6.	G. h.	———— 812.
5	juniperifolia. w.	Juniper-leaved.	—	1822.	—	G. h.	
6	capitata. w.	purple-twigg'd.	—	1788.	6. 7.	G. h.	
7	imbricata. w.	imbricated.	—	1822.	4. 8.	G. h.	Botan. regist. 757.
	denudata. B.R.						
8	oppositifolia. H.K.	opposite-leav'd.	—	1783.	5. 7.	G. h.	———— 2.
9	tomentosa. s.s.	tomentose.	—	1822.	—	G. h.	
10	sericea. w.	silky.	—	1786.	—	G. h.	Andr. reposit. 225.
	oppositifolia. A.R. nec aliorum.						
LACHNÆA. W. LACHNÆA. Octandria Monogynia. L.							
1	buxifolia. Lam.	green box-ld.	C. B. S.	1800.	5. 7.	G. h.	Botan. magaz. 1657.
2	glaucia. H.K.	glaucous.	—	—	—	G. h.	———— 1658.
3	purpurea. w.	purple-flow'r'd.	—	—	—	G. h.	———— 1594.
4	eriocephala. w.	woolly-headed.	—	1793.	6. 7.	G. h.	———— 1295.
5	conglomerata. w.	clustered.	—	1773.	—	G. h.	
PASSERINA. W. SPARROW-WORT. Octandria Monogynia. L.							
1	uniflora. w.	one-flowered.	C. B. S.	1759.	4. 7.	G. h.	Wend. obs. t. 2. f. 18.
2	laxa. w.	loose.	—	1804.	6. 7.	G. h.	Lodd. bot. cab. 755.
3	tenuiflora. w.	slender-fl'd.	—	1812.	—	G. h.	
4	filiformis. w.	filiform.	—	1752.	6. 8.	G. h.	Wend. obs. t. 2. f. 15.
5	capitata. w.	headed.	—	1789.	6. 10.	G. h.	———— t. 2. f. 17.
6	hirsuta. w.	hairy.	S. Europe.	1759.	—	G. h.	Botan. magaz. 1949.
7	striata. Lam.	striate.	C. B. S.	1822.	—	G. h.	
8	ericoides. w.	Heath-like.	—	—	—	G. h.	
9	ciliata. w.	fringed.	—	1819.	—	G. h.	Seb. mus. 2. t. 12. f. 9.
10	grandiflora. w.	great-flowered.	—	1789.	5. 6.	G. h.	Botan. magaz. 292.
11	spicata. w.	spiked.	—	1787.	5. 7.	G. h.	Lodd. bot. cab. 311.
12	anthylloides. w.	Anthyllus-like.	—	1816.	—	G. h.	
STELLERA. W. STELLERA. Octandria Monogynia. L.							
	Passerina. w.	Flax-leaved.	S. Europe.	1759.	7. 8.	H. ☉.	Jacq. ic. 1. t. 68.
	Passerina annua. s.s.						
DAIS. L. DAIS. Decandria Monogynia. L.							
	cotinifolia. w.	Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. h.	Botan. magaz. 147.
STRUTHIOIA. L. STRUTHIOIA. Tetrandria Monogynia. L.							
1	virgata. H.K.	twiggy.	C. B. S.	1779.	4. 8.	G. h.	Andr. reposit. 139.
2	ciliata. A.R.	ciliated.	—	—	—	G. h.	———— 149.
3	lateriflora. R.S.	side-flowering.	—	1816.	—	G. h.	
4	pubescens. R.S.	downy.	—	1790.	—	G. h.	Botan. magaz. 1212.
5	glabra. R.S.	upright smooth.	—	1798.	4. 9.	G. h.	Wendl. obs. t. 2. f. 10.
	erecta. W. stricta. Donn.						
6	juniperina. R.S.	drooping.	—	1758.	—	G. h.	Botan. magaz. 222.
	erecta. B.M.						
7	angustifolia. R.S.	narrow-leaved.	—	1816.	—	G. h.	
8	incana. B.C.	hoary.	—	1802.	7. 8.	G. h.	Lodd. bot. cab. 11.
9	imbricata. R.S.	tiled-leaved.	—	1794.	4. 8.	G. h.	Andr. reposit. 113.
10	ovata. R.S.	oval-leaved.	—	1792.	2. 6.	G. h.	———— 119.
11	tomentosa. R.S.	downy-leaved.	—	1799.	8. 9.	G. h.	———— 334.
PIMELEA. B.P. PIMELEA. Diandria Monogynia. R.S.							
1	linifolia. B.P.	flax-leaved.	N. S. W.	1793.	2. 8.	G. h.	Botan. magaz. 891.

THYMELÆÆ.

2 glauca. B.P.	glaucous-leav'd.	N. S. W.	1822.	—	G. h.	Linn. trans. 10. t. 13. f. 2.
3 ligustrina. B.P.	Privet-like.	—	1823.	—	G. h.	Lab. nov. holl. 1. t. 3.
4 decussata. B.P.	cross-leaved.	—	—	4. 8.	G. h.	— 1. t. 5.
<i>ferruginea.</i> Lab.						
5 rosea. B.P.	rose-coloured.	N. Holland.	1800.	3. 9.	G. h.	Botan. magaz. 1458.
6 linoides. F.T.	flax-like.	N. S. W.	1824.	—	G. h.	Lodd. bot. cab. 179.
7 pauciflora. B.P.	few-flowered.	V. Diem. Isl.	1812.	—	G. h.	— 540.
8 drupacea. B.P.	drupe-bearing.	—	1820.	—	G. h.	Linn. trans. 10. t. 14. f. 2.
9 spicata. B.P.	spiked.	N. S. W.	1824.	—	G. h.	

ORDO CLI.

OSYRIDEÆ. *Brown.*

OSYRIS. W.	POET'S CASSIA.	Diœcia Triandria. L.				
alba. w.	white.	S. Europe.	1739.	G. h.	Lam. ill. t. 802.
EXOCARPOS. B.P.	EXOCARPOS.	Pentandria Monogynia.				
1 cupressiformis. B.P.	Cypress-like.	N. Holland.	1820.	G. h.	Labill. voy. 1. t. 14.
2 humifusa. B.P.	low-procumbent.	V. Diem. Isl.	1822.	G. h.	
3 stricta. B.P.	upright.	N. S. W.	—	G. h.	

ORDO CLII.

SANTALACEÆ. *Brown prodr. p. 350.*

SANTALUM. B.P.	SANDAL-WOOD.	Tetrandria Monogynia. W.				
1 album. F.I.	white.	E. Indies.	1804.	S. h.	Rumph. amb. 2. t. 11.
2 myrtifolium. F.I.	Myrtle-leaved.	—	1819.	G. h.	Roxb. corom. 1. t. 2.
3 obtusifolium. B.P.	blunt-leaved.	N. S. W.	1823.	G. h.	
FUSANUS. B.P.	FUSANUS.	Polygamia Monœcia. L.				
compressus. H.K.	flat-stalked.	C. B. S.	1776.	G. h.	Berg. cap. 38. t. 1. f. 11.
LEPTOMERIA. B.P.	LEPTOMERIA.	Pentandria Monogynia. R.S.				
1 acida. B.P.	acid.	N. S. W.	1823.	G. h.	
2 Billardieri. B.P.	Labillardiere's.	—	—	G. h.	Lab. nov. hol. 1. t. 93.
<i>Thesium drupaceum.</i> Lab.						
THESIUM. R.S.	THESIUM.	Pentandria Monogynia. L.				
1 linophyllum. R.S.	common.	England.	6. 7.	H. 2.	Eng. bot. 247.
2 intermedium. R.S.	intermediate.	Germany.	1818.	—	H. 2.	Schkuhr hand. t. 51.
3 montanum. R.S.	mountain.	Europe.	—	H. 2.	Hayn. sc. j. t. 119.
4 alpinum. R.S.	Alpine.	—	1814.	—	H. 2.	Jacq. aust. 5. t. 416.
5 ebracteatum. R.S.	blunt-leaved.	Germany.	—	—	H. 2.	Hayn. l. c. t. 7.
6? amplexicaule. R.S.	stem-clasping.	C. B. S.	1787.	—	G. h.	
COMANDRA. N.	COMANDRA.	Pentandria Monogynia. N.				
umbellata. N.	umbelled.	N. America.	1782.	6.	H. 2.	Pluk. mant. t. 342. f. 1.
<i>Thesium umbellatum.</i> W.						
HAMILTONIA. W.	OIL-NUT.	Polygamia Diœcia. W.				
oleifera. w.	Olive-bearing.	N. America.	1800.	G. h.	Pursh. amer. 1. t. 13.
<i>Pyrularia pubera.</i> M.						
NYSSA. R.S.	TUPELO.	Polygamia Diœcia. L.				
1 villosa. R.S.	hairy-leaved.	N. America.	1806.	5.	H. h.	Mich. arb. 2. t. 21.
2 aquatica. R.S.	water.	—	1739.	4. 5.	H. h.	— 2. t. 22.
<i>biflora.</i> w.						
3 candicans. R.S.	hoary.	—	1812.	H. h.	Mich. arb. 2. t. 20.
4 capitata. H.K.	headed.	Carolina.	1806.	H. h.	
5 tomentosa. R.S.	tomentose.	—	1812.	H. h.	Mich. arb. 2. t. 19.
6 denticulata. R.S.	toothed.	N. America.	1795.	5. 6.	H. h.	Catesb. car. 1. t. 60.

ORDO CLIII.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPOPHAE. L.	SEA-BUCKTHORN.	Diœcia Tetrandria. L.			
1 rhamnoides. w.	common.	England. 4. 5.	H. h.	Eng. bot. 425.
2 salicifolia. D.P.	Willow-leav'd.	Nepaul.	1819.	H. h.	
SHEPHERDIA. N.	SHEPHERDIA.	Diœcia Octandria. N.			
1 argentea. N.	silvery.	Missouri.	1818.	H. h.	
<i>Hippophae argentea.</i> Ph.					
2 canadensis. N.	Canadian.	—————	1759. 4. 5.	H. h.	
<i>Hippophae canadensis.</i> w.					
ELÆAGNUS. L.	OLEASTER.	Tetrandria Monogynia. L.			
1 angustifolia. R.s.	narrow-leaved.	S. Europe.	1633. 7.	H. h.	Pall. ros. 1. t. 4.
2 orientalis. R.s.	oriental.	Levant.	1748. 7. 8.	G. h.	————— 1. t. 5.
3 argentea. Ph.	silvery.	N. America.	1813. ———	H. h.	Wats. dend. brit. 161.
4 arborea. F.I.	tree.	Nepaul.	1819.	H. h.	
5 conferta. F.I.	close-flowered.	—————	—————	H. h.	Burm. zeyl. t. 39. f. 1.
6 latifolia. R.s.	broad-leaved.	E. Indies.	1712. 7. 8.	S. h.	————— t. 39. f. 2.

ORDO CLIV.

ASARINÆ. *Kunth synops. 1. p. 442.*

ASARUM. L.	ASARABACCA.	Dodecandria Monogynia. L.			
1 europæum. s.s.	common.	England. 5.	H. 4.	Eng. bot. t. 1083.
2 canadense. s.s.	Canadian.	Canada.	1713. 4. 7.	H. 4.	Swt. br. fl. gar. 95.
3 virginicum. w.	Virginian.	Virginia.	1759. 4. 5.	H. 4.	————— t. 18.
4 arifolium. s.s.	Arum-leaved.	Carolina.	1818. 5. 6.	H. 4.	Hook. ex. flor. 40.
ARISTOLOCHIA. W.	BIRTHWORT.	Gynandria Hexandria. L.			
1 bilobata. w.	bilobed.	W. Indies.	1822. ...	S. h. ∪.	Plum. amer. t. 106.
2 trilobata. w.	three-lobed.	S. America.	1775. 6. 7.	S. h. ∪.	
3 ringens. w.	gaping.	—————	1820. ———	S. h. ∪.	Vahl. symb. 2. t. 47.
4 labiosa. B.R.	lipped.	—————	—————	5. 9. S. h. ∪.	Botan. regist. 689.
5 panduriformis. w.	fiddle-leaved.	Caracas.	1823.	S. h. ∪.	
6 maxima. w.	great.	New Spain.	1759. 7.	S. h. ∪.	Jacq. amer. t. 146.
7 Siph. w.	broad-leaved.	N. America.	1763. 6. 7.	H. h. ∪.	Botan. magaz. 534.
8 tomentosa. B.M.	downy.	—————	1799. ———	H. h. ∪.	————— 1369.
9 odoratissima. w.	sweet-scented.	Jamaica.	1737. 7.	S. h. ∪.	Sloan. jam. 1. t. 104. f. 1.
10 barbata. w.	bearded.	Caracas.	1796. 6. 8.	S. h. ∪.	Jacq. ic. 3. t. 608.
11 indica. w.	Indian.	E. Indies.	1780. 6. 7.	S. h. ∪.	Rheed. mal. 8. t. 25.
12 acuminata. w.	taper-pointed.	Mauritius.	1820.	S. h. ∪.	
13 foetida. K.s.	fetid.	Mexico.	1822. 6. 8.	S. h. ∪.	H. et B. 2. t. 114.
14 hastata. K.s.	halberd-leaved.	Havannah.	————— S. h. ∪.	————— 2. t. 116.
15 boetica. w.	Spanish.	Spain.	1596. 5. 6.	H. h. ∪.	Moris. s. 12. t. 17. f. 6.
16 glauca. w.	glaucous.	Barbary.	1785. 6. 8.	G. h. ∪.	Botan. magaz. 1115.
17 sempervirens. w.	evergreen.	Candia.	1727. 5. 6.	G. h. ∪.	————— 1116.
18 longa. w.	long-rooted.	S. Europe.	1548. 6. 10.	H. 4.	Mill. ic. t. 51. f. 2.
19 Serpentaria. w.	Snake-root.	N. America.	1632. 6. 7.	H. 4.	Jacq. schœn. 3. t. 385.
20 sagittata. Muhl.	arrow-leaved.	—————	1819. ———	H. 4.	
21 bracteata. w.	bracteate.	E. Indies.	1793. 7.	S. 4.	
22 Pistolochia. w.	small.	S. Europe.	1597. 6. 7.	H. 4.	
23 rotunda. w.	round-rooted.	—————	1596. 3. 10.	G. 4.	
24 pallida. w.	pale-flowered.	Italy.	1640. 5. 8.	H. 4.	Moris. s. 12. t. 18. f. 2.
25 hirta. w.	hairy.	Chio.	1759. 5. 6.	G. 4.	Tourn. it. 1. t. 147.
26 Clematitis. w.	common.	England. 5. 8.	H. 4.	Eng. bot. 398.
27 arborescens. w.	tree.	America.	1737. 6. 7.	G. h.	

ORDO CLV.

PASSIFLOREÆ. *Juss. ann. mus. 6. p. 102.*

PASSIFLORA. J.	PASSION-FLOWER. Monadelphia Pentandria. W.				
1 serratifolia. w.	notched-leav'd. W. Indies.	1731.	5. 10.	S. h. ∪.	Botan. magaz. 651.
2 coccinea. w.	scarlet-flow'r'd. Guiana.	1823.	S. h. ∪.	Aub. gui. 3. t. 324.
3 pallida. w.	pale-flowered. W. Indies.	1820.	5. 10.	S. h. ∪.	Botan. regist. 660.
4 cuprea. w.	copper-colour'd. Bahama-Isl.	1724.	7. 8.	S. h. ∪.	Jacq. ic. 3. t. 606.
5 tiliæfolia. w.	Lime-tree-ld. Peru.	1822.	S. h. ∪.	Cavan. diss. 10. t. 285.
6 maliformis. w.	Apple fruited. W. Indies.	1731.	7. 11.	S. h. ∪.	Botan. regist. 95.
7 albida. B.R.	white-flower'd. Brazil.	1816.	—	S. h. ∪.	— 677.
8 angulata.	angular-stalk'd. Mexico.	1823.	S. h. ∪.	—
9 quadrangularis. w.	square-stalked. Jamaica.	1768.	8. 9.	S. h. ∪.	Botan. regist. 14.
10 alata. w.	wing-stalked. W. Indies.	1772.	4. 8.	S. h. ∪.	Botan. magaz. 66.
11 ligularis. J.	ligulate. S. America.	1822.	S. h. ∪.	J. ann. mus. 6. t. 40.
12 laurifolia. w.	Laurel-leaved. W. Indies.	1690.	6. 7.	S. h. ∪.	Botan. regist. 13.
13 tinifolia. J.	Tinus-leaved. —	1822.	—	S. h. ∪.	J. ann. mus. 6. t. 41. f. 2.
14 mucronata. w.	mucronate. Brazil.	—	—	S. h. ∪.	Cavan. diss. 10. t. 282.
15 multiflora. w.	many-flowered. Vera Cruz.	1731.	6. 9.	S. h. ∪.	Plum. amer. t. 90.
16 rubra. w.	red-fruited. W. Indies.	—	4. 9.	S. h. ∪.	Botan. regist. 95.
17 normalis. w.	linear-lobed. Vera Cruz.	1771.	5. 6.	S. h. ∪.	—
18 lunata. w.	crescent-leav'd. Jamaica.	1733.	6. 8.	S. h. ∪.	Sm. ic. pict. 1. t. 1.
β acutiloba.	long acute-lobed. —	—	S. h. ∪.	Botan. regist. 577.
19 mexicana. J.	Mexican. Mexico.	1812.	—	S. h. ∪.	J. ann. mus. t. 38. f. 2.
20 Vespertilio. w.	bat-winged. W. Indies.	1732.	5. 6.	S. h. ∪.	Dill. elt. t. 137. f. 164.
21 discolor. L. en- vespertilio. B.R. 597.	two-coloured. Brazil.	1820.	6. 10.	S. h. ∪.	Pl. sel. hort. ber. t. 5.
22 cuneata. L. en.	wedge-leaved. S. America.	—	—	S. h. ∪.	—
23 oblongata. w.	oblong-leaved. Jamaica.	1822.	—	S. h. ∪.	—
24 tuberosa. B.R.	tuberous-root'd. S. America.	1784.	—	S. h. ∪.	Botan. regist. 432.
punctata. B.C. 101. nec aliorum.	—	—	—	—	—
25 rotundifolia. w.	round-leaved. W. Indies.	1779.	5. 8.	S. h. ∪.	Cavan. diss. 10. t. 290.
26 punctata. w.	dotted-leaved. Peru.	1784.	5. 6.	S. h. ∪.	— 6. t. 269.
27 lutea. w.	yellow. America.	1714.	—	G. 4. ∪.	Botan. regist. 79.
28 maculata. Donn.	spotted-leaved. N. America.	1812.	6. 10.	G. 4. ∪.	—
peltata. Ph. nec aliorum.	—	—	—	—	—
29 gracilis. L. en.	slender. S. America.	1823.	—	S. ⊙. ∪.	Botan. regist. 870.
30 stipulata. w.	large-stipuled. Guiana.	1815.	8. 9.	S. h. ∪.	Aub. gui. 3. t. 325.
31 angustifolia. w.	narrow-leaved. W. Indies.	1773.	6. 9.	S. h. ∪.	Botan. regist. 188.
heterophylla. Jacq. schœn. 2. t. 181.	—	—	—	—	—
32 minima. w.	small. Curassao.	1690.	7. 8.	S. h. ∪.	— 144.
33 hirsuta. w.	hairy. W. Indies.	1778.	9.	S. h. ∪.	Plum. amer. t. 88. f. A.
34 suberosa. w.	Cork-barked. —	1759.	6. 9.	S. h. ∪.	Sm. exot. bot. 1. t. 28.
35 peltata. w.	peltate. —	1778.	8. 9.	S. h. ∪.	Botan. regist. 507.
36 hederacea. w.	Ivy-leaved. Antilles.	6. 7.	S. h. ∪.	Plum. amer. t. 84.
37 glauca. w.	glaucous-leav'd. Cayenne.	1779.	8. 9.	S. h. ∪.	Botan. regist. 88.
38 picturata. B.R.	pictured. Brazil.	1823.	6. 9.	S. h. ∪.	— 673.
39 racemosa. L.T.	racemed. —	1816.	1. 12.	S. h. ∪.	— 285.
40 cœruleo-racemosa.	Whitley's mule. Hybrid.	1820.	—	G. h. ∪.	Lodd. bot. cab. 573.
41 alato-cœrulea. B.R.	Masters's mule. —	1823.	4. 8.	G. h. ∪.	Botan. regist. 848.
42 vitifolia. K.S.	Vine-leaved. S. America.	1824.	S. h. ∪.	—
43 holosericea. w.	silky-leaved. Vera Cruz.	1733.	5. 8.	S. h. ∪.	Botan. regist. 59.
44 fœtida. w.	stinking. W. Indies.	1731.	7. 9.	S. ♂. ∪.	Botan. magaz. 2619.
45 hircina.	shrubby stinking. Brazil.	5. 10.	S. h. ∪.	Botan. regist. 321.
fœtida. B.R. nec aliorum. hirsuta. B.C. 138. nec aliorum.	—	—	—	—	—
46 ciliata. w.	ciliated. Jamaica.	1783.	7. 9.	S. h. ∪.	Botan. magaz. 288.
47 edulis. B.M.	eatable-fruited. Brazil.	1816.	6. 10.	S. h. ∪.	— 1989.
incarnata. β. B.R. 152.	—	—	—	—	—
48 incarnata. w.	flesh-coloured. N. America.	1629.	7. 8.	H. 4. ∪.	Botan. regist. 332.
49 Colvillii. B.F.G.	Colvill's. Hybrid.	1823.	—	H. h. ∪.	Swt. br. fl. gar. 126.
50 cœrulea. w.	common. Brazil.	1699.	—	H. h. ∪.	Botan. regist. 488.
β glaucophylla.	glaucous-leaved. —	—	H. h. ∪.	—
γ angustifolia.	narrow-leaved. —	—	H. h. ∪.	—

- 51 chinensis. Chinese. China. 1819. — G. h. ∪.
- 52 filamentosa. w. palmate-leav'd. S. America. — — G. h. ∪. Botan. regist. 584.
palmata. B.C. 97.
- 53 serrata. w. saw-leaved. Martinique. 1800. S. h. ∪. Cavan. diss. 10. t. 296.
- 54 pedata. w. curl-flowered. W. Indies. 1781. S. h. ∪. Plum. amer. t. 81.
- 55 heterophylla. Lam. various-leaved. ——— 1817. S. h. ∪. Plum. ic. 139.
- MURUCUIA. J. MURUCUIA. Monadelphia Pentandria. P.S.
- 1 ocellata. P.S. ocellated. W. Indies. 1739. 7. 8. S. h. ∪. Botan. regist. 574.
Passiflora Murucuja. B.R.
- 2 perfoliata. perfoliate-ld. ——— 1806. — S. h. ∪. ——— 78.
Passiflora perfoliata. B.R.
- 3 Herbertiana. Mr. Herbert's. N. Holland. 1822. 6. 10. G. h. ∪. ——— 737.
Passiflora Herbertiana. B.R.
- 4 adiantifolia. Adiantum-ld. Norfolk-Isl. 1792. — G. h. ∪. ——— 233.
Passiflora adiantifolia. B.R.
- TACSONIA. J. TACSONIA. Monadelphia Pentandria. P.S.
- peduncularis. P.S. long-peduncul'd. S. America. 1815. S. h. ∪. Cavan. ic. 5. t. 426.
Passiflora peduncularis. Cav.
- MODECCA. B.R. MODECCA. Monadelphia Pentandria.
- 1 lobata. B.R. lobe-leaved. Sierra Leon. 1816. 6. 9. S. h. ∪. Botan. regist. 433.
- 2 trilobata. H.B. three-lobed. E. Indies. 1823. S. h. ∪.
- 3 tuberosa. H.B. tuberous-root'd. E. Indies. 1822. 6. 9. S. h. ∪. Rumph. amb. 8. t. 20.
- SMEATHMANNIA. L.T. SMEATHMANNIA. Polyandria Pentagynia. L.T.
- lævigata. L.T. smooth. Sierra Leon. 1822. S. h.

ORDO CLVI.

EUPHORBIACEÆ. *Juss. gen.* 384.

- MERCURIALIS. W. MERCURY. Dioecia Enneandria. L.
- 1 perennis. w. perennial. Britain. 4. 5. H. 4. Eng. bot. 1872.
- 2 ambigua. w. doubtful. Spain. 1806. 7. 8. H. ⊙. Linn. f. dec. 1. t. 8.
- 3 annua. w. annual. Britain. 7. 9. H. ⊙. Eng. bot. 559.
- 4 elliptica. w. oval-leaved. Portugal. 1802. 5. 7. G. h. Venten. cels. 12.
- 5 tomentosa. w. woolly. Spain. 1640. 7. 9. H. h.
- PEDILANTHUS. Neck. SLIPPER-SPURGE. Dodecandria Trigynia. L.en.
- 1 tithymaloides. B.R. Myrtle-leaved. S. America. 1699. 6. 7. D.S. h. Botan. regist. 837.
myrtifolius. L.en. *Crepidaria myrtifolia*. H.s.s.
- 2 carinatus. keel-leaved. W. Indies. 1809. — D.S. h. Botan. magaz. 2514.
Euphorbia carinata. B.M. *Crepidaria carinata*. H.s.s.
- 3 subcarinatus. H.R. small-keeled. ——— 1819. — D.S. h.
- 4 canaliculatus. channelled-ld. ——— — D.S. h. Lodd. bot. cab. 727.
Euphorbia canaliculata. B.C.
- 5 padifolius. H.s. Padus-leaved. ——— 1699. — D.S. h. Dill. elt. t. 288. f. 372.
- 6 cordellatus. small-heart-ld. ——— 1795. D.S. h.
Crepidaria cordellata. H.s.
- EUPHORBIA. W. SPURGE. Dodecandria Trigynia. L.
- 1 uncinata. DC. twin-spined. C. B. S. 1795. 6. 8. D.G. h. DC. plant. gras. 151.
Scolopendrea. H.s.
- 2 trigona. H.s. upright 3-sided. E. Indies. 1768. 7. 8. D.S. h.
- 3 antiquorum. H.s. spreading 3-sided. ——— 1688. — D.S. h. Comm. hort. 1. t. 12.
- 4 lactea. H.s. marbled. ——— 1804. — D.S. h.
- 5 grandidens. H.P. large-toothed. C. B. S. 1820. D.G. h.
- 6 canariensis. w. Canary. Canaries. 1697. 3. 4. D.G. h. DC. plant. gras. 140.
- 7 heptagona. w. seven-angled. C. B. S. 1731. 7. 11. D.G. h. Bradl. suc. 2. t. 13.
α nigra. H.s. black-spined. ——— — D.G. h.
β rubra. H.s. red-spined. ——— — D.G. h.
- 8 enneagona. H.s. nine-angled. ——— 1790. 7. 10. D.G. h.
- 9 mammillaris. w. warty-angled. ——— 1759. 7. 8. D.G. h. Comm. præl. t. 9.
- 10 cereiformis. w. naked. ——— 1731. 6. 7. D.G. h. Burm. afr. t. 9. f. 3.
- 11 officinarum. w. officinal. Africa. 1597. — D.G. h. DC. plant. gras. 77.
- 12 odontophylla. w.en. white-spined. C. B. S. 1824. D.G. h.

13	polygona. H.s.	many-angled.	C. B. S.	1790.	7. 9.	D.G. h.	
14	nereifolia. w.	Oleander-ld.	India.	1690.	6. 7.	D.S. h.	DC. plant. gras. 46.
15	Hystrix. w.	Porcupine.	C. B. S.	1695.	—	D.G. h.	Jacq. schœn. 2. t. 207.
	<i>loricata</i> . P.s. <i>Treisia</i>	<i>Hystrix</i> . H.s.					
16	varians. H.s.	variable-stemm'd.	E. Indies.	1800.	6. 9.	D.S. h.	
17	grandifolia. H.s.	great-leaved.	Sierra Leon.	1798.	—	D.S. h.	
18	erosa. w.en.	erose.	1818.	D.S. h.	
19	cucumerina. w.	Cucumber-like.	C. B. S.	5. 9.	D.G. h.	Vail. it. t. 5.
20	meloformis. w.	Melon-like.	—	1774.	—	D.G. h.	Andr. reposit. 617.
21	clava. w.	club.	—	—	3. 12.	D.G. h.	Jacq. ic. 1. t. 85.
	<i>Treisia tuberculata</i> . H.s.s.						
22	Haworthii.	Haworth's.	—	—	D.G. h.	
	<i>Treisia clava</i> . H.s. excl. syn. w.						
23	bupleurifolia. w.	cone-shaped.	—	1791.	6. 7.	D.G. h.	Jacq. schœn. 1. t. 106.
24	Caput medusæ. w.	great Medusa's head.	Africa.	1731.	8.	D.G. h.	Comm. præl. t. 7.
	<i>Medusea major</i> . H.s.						
	<i>β humilis</i> .	dwarfer.	—	1768.	—	D.G. h.	Burm. afr. t. 8.
25	tessellatâ. H.s.	chequer'd-M'-head.	1788.	—	D.G. h.	
26	fructus-pini. H.s.	small M'-head.	C. B. S.	1731.	—	D.G. h.	DC. plant. gras. 150.
	<i>β geminata</i> .	twin-branched.	—	—	—	D.G. h.	Burm. afr. 18. t. 9. f. 11.
27	procumbens. H.s.	least M'-head.	—	1768.	—	D.G. h.	— t. 10. f. 11.
28	patula. Mill.	spreading.	—	—	—	D.G. h.	
	<i>Dactylanthus patula</i> . H.s.						
29	anacantha. w.	scaly.	—	1727.	9. 10.	D.G. h.	Botan. magaz. 2520.
30	globosa. B.M.	roundish-jointed.	—	1822.	6. 11.	D.G. h.	— 2624.
	<i>Dactylanthus globosa</i> . H.P.						
31	tuberculata. w.	tuberculate.	—	1805.	6. 8.	G. h.	Jacq. schœn. 2. t. 208.
32	hamata. H.s.	hooked.	—	1795.	G. h.	Burm. afr. t. 6. f. 3.
33	Ornithopus. w.en.	Bird's-foot.	—	1816.	6. 8.	G. h.	Jacq. fragm. t. 120.
34	lophogona. w.	curl-winged.	Madagascar.	1824.	D.S. h.	DC. plant. gras. ic.
35	pendula. L.en.	pendulous.	1808.	D.S. h.	
	<i>Tithymalus pendulus</i> . H.						
36	Tirucalli. w.	Indian tree.	India.	1690.	D.S. h.	Rheed. mal. 2. t. 34.
37	mauritanica. w.	Barbary.	Africa.	1732.	6. 8.	G. h.	Dill. elt. t. 289. f. 373.
38	Lamarckii. H.S.L.	Lamarck's.	—	1808.	—	G. h.	
	<i>mauritanica</i> . Lam. nec <i>aliorum. virgata</i> . P.s. non W.K.						
39	aphylla. w.en.	leafless.	Teneriffe.	1815.	6. 8.	G. h.	
40	atropurpurea. w.en.	dark purple.	—	—	—	G. h.	
41	variegata. B.M.	variegated.	Louisiana.	1811.	—	H. ☉.	Botan. magaz. 1747.
42	piscatoria. w.	smooth spear-ld.	Canaries.	1777.	—	G. h.	
43	balsamifera. w.	balsam.	—	1779.	—	G. h.	
44	laurifolia. P.s.	Laurel-leaved.	Peru.	1820.	—	G. h.	
45	bracteata. Jac.	bracteated.	1809.	S. h.	
46	dendroides. w.	tree-like.	Italy.	1768.	6. 8.	H. h.	Barrel. ic. 910.
47	læta. w.	Mezereon-ld.	S. Europe.	1758.	—	G. h.	Jacq. ic. 1. t. 87.
48	punicea. w.	scarlet-flow'r'd.	Jamaica.	1778.	1. 9.	S. h.	Botan. regist. 190.
49	heterophylla. w.	various-leaved.	W. Indies.	1690.	4. 9.	S. h.	Plum. ic. t. 251. f. 3.
50	cyathophora. w.	coloured.	S. America.	1806.	7. 8.	S. h.	Jacq. ic. 3. t. 480.
51	repanda.	waved.	E. Indies.	1808.	8.	S. h.	
	<i>Tithymalus repandus</i> . H.s.						
52	biglandulosa. H.s.	twin-glanded.	Isl. Bourbon.	—	9.	S. h.	
53	geniculata. P.s.	jointed.	Cuba.	1823.	7. 10.	S. ☉.	Jacq. schœn. 3. t. 277.
	<i>prunifolia</i> . H.K. <i>Tithymalus prunifolius</i> . H.s.						
54	nudiflora.	naked-flow'r'd.	1800.	8.	S. h.	Jacq. ic. 3. t. 470.
55	cotinifolia. w.	Cotinus-leaved.	S. America.	1690.	7. 8.	S. h.	Comm. hort. 1. t. 15.
56	petiolaris. H.K.	long-stalked.	W. Indies.	1800.	5. 6.	D.S. h.	Botan. magaz. 883.
57	mellifera. w.	honey-bearing.	Madeira.	1784.	4. 5.	G. h.	— 1305.
58	toxicaria. L.en.	poisonous.	1825.	S. h.	
59	picta. w.	painted.	S. America.	1789.	5. 7.	S. 4.	Jacq. ic. 3. t. 477.
60	silenifolia.	Silene-leaved.	C. B. S.	1821.	—	G. 4.	
	<i>Tithymalus silenifolius</i> . H.R.						
61	crispa. H.R.	curl-leaved.	—	—	G. 4.	
62	tuberosa. w.	tuberous.	Ethiopia.	1800.	10. 12.	G. h.	Burm. afr. 9. t. 4.
63	affinis. DC.	affined.	1823.	6. 8.	G. h.	
64	linarifolia. w.	toad-flax-ld.	1794.	—	S. h.	Jacq. ic. 1. t. 86.
65	linifolia. w.	Flax-leaved.	W. Indies.	—	S. h.	
66	ocymoidea. w.	Basil-leaved.	S. America.	1733.	6. 8.	S. ☉.	
67	dentata. M.	dentated.	N. America.	1806.	6. 7.	H. ☉.	
68	hypericifolia. w.	Hypericum-ld.	America.	1727.	6. 9.	H. ☉.	Comm. præl. t. 10.

69	Humboldtii. w.en.	Humboldt's.	S. America.	1809.	7. 10.	S. ♂.	
70	prostrata. w.	trailing-red.	W. Indies.	1758.	—	S. ○.	
71	rosea. w.	rosy.	E. Indies.	1808.	8.	S. ○.	
72	maculata. w.	spotted.	S. America.	1660.	7.	H. ○.	Jacq. vind. 2. t. 186.
73	humifusa. w.en.	trailing.	1824.	6. 8.	H. ○.	
74	pilulifera. w.	globular.	E. Indies.	1800.	—	S. ♀.	Jacq. ic. 3. t. 478.
75	hyssopifolia. w.	Hyssop-leaved.	W. Indies.	1787.	8. 9.	S. ○.	
76	thymifolia. w.	Thyme-leaved.	India.	1699.	7. 8.	S. ○.	Pluk. alm. t. 113. f. 2.
77	parviflora. w.	small-flowered.	E. Indies.	1818.	—	S. ○.	Burm. zeyl. t. 105. f. 2.
78	canescens. w.	canescent.	Spain.	—	—	H. ○.	Cavan. ic. 1. t. 63.
79	Chamæsyce. w.	scollop-leaved.	S. Europe.	1752.	—	H. ○.	Moris. s. 10. t. 2. f. 19.
80	Peplis. w.	purple.	Devonshire.	...	—	H. ○.	Eng. bot. 2002.
81	polygonifolia. w.	knotgrass-ld.	N. America.	1704.	6. 7.	H. ○.	Jacq. col. s. t. 13. f. 3.
82	Ipecacuanhæ. w.	Ipecacuanha.	—	1812.	—	H. ♀.	Botan. magaz. 1494.
83	Peplus. w.	petty.	Britain.	7. 8.	H. ○.	Eng. bot. 959.
84	peploides. DC.	least.	S. Europe.	1800.	7. 9.	H. ○.	
<i>Esula minima. H.s.</i>							
85	falcata. w.	sickle-leaved.	S. Europe.	1699.	6. 8.	H. ○.	Jacq. aust. 2. t. 121.
86	acuminata. M.B.	acuminate.	Iberia.	1823.	—	H. ○.	
87	exigua. w.	dwarf.	Britain.	7.	H. ○.	Eng. bot. 1336.
88	diffusa. w.	diffuse.	Austria.	1798.	7. 8.	H. ○.	Jacq. ic. 1. t. 88.
89	undulata. M.B.	undulate.	Caucasus.	1820.	—	H. ♀.	
90	micrantha. w.	small-flowered.	Persia.	1803.	7. 9.	H. ○.	
91	Lathyris. w.	Caper.	England.	5. 10.	H. ♂.	Eng. bot. 2255.
92	terraccina. w.	retuse-leaved.	S. Europe.	1818.	7. 10.	H. ○.	
93	valentina. P.S.	Spanish.	Spain.	1804.	7. 8.	H. ○.	
94	Apios. w.	pear-rooted.	Candia.	1596.	6. 7.	H. ♀.	
95	genistoides. w.	Genista-like.	C. B. S.	1808.	7. 8.	G. ♀.	
96	spinosa. w.	prickly.	Levant.	1710.	5. 9.	F. ♀.	Herm. lugdb. t. 601.
97	fruticosa. L.en.	shrubby.	Sicily.	1825.	—	F. ♀.	Biv. pl. sic. cent. 1. 35.
98	epithymoides. w.	broad-leaved.	Austria.	1805.	5. 6.	H. ♀.	Andr. reposit. 616.
99	villosa. w.K.	villous.	Hungary.	1818.	6. 9.	H. ♀.	W. et K. hung. t. 93.
100	condylocarpa. M.B.	warted-fruited.	Caucasus.	1824.	—	H. ♀.	
101	dulcis. w.	sweet.	S. Europe.	1759.	5. 6.	H. ♀.	Jacq. aust. 3. t. 213.
102	ambigua. w.K.	ambiguous.	Hungary.	1824.	—	H. ♀.	W. et K. hung. t. 135.
103	carniolica. w.	Carniolian.	Carniola.	1795.	8.	H. ♀.	Scop. carn. t. 21.
104	angulata. w.	angular-stalk'd.	Austria.	1819.	7. 8.	H. ♀.	Jacq. ic. t. 481.
105	nummulariæfolia.	moneywort-ld.	1800.	7.	G. ♀.	
106	erythrina. L.en.	purple-margin'd.	C. B. S.	1816.	G. ♀.	
107	neapolitana. T.N.	Neapolitan.	Naples.	1825.	7. 8.	H. ♀.	Ten. fl. neap. t. 62.
108	Pithyusa. w.	Juniper-leaved.	S. Europe.	1741.	6. 7.	F. ♀.	Bocc. sic. t. 5.
109	portlandica. w.	Portland.	Britain.	5. 9.	H. ♀.	Eng. bot. 441.
110	saxatilis. w.	rock.	Austria.	1816.	6. 8.	H. ♀.	Jacq. aust. t. 345.
111	glareosa. M.B.	stony.	Caucasus.	1819.	—	H. ♀.	
112	Paralias. w.	sea.	England.	7. 9.	H. ♀.	Eng. bot. 195.
<i>β suffruticosa.</i>							
		shrubby sea.	—	F. ♀.	
113	juncea. w.	rushy.	Madeira.	1779.	7. 8.	G. ♀.	Jacq. schœn. 1. t. 107.
114	congesta. w.en.	fiddle-leaved.	Spain.	1817.	—	H. ♀.	
115	aleppica. w.	Aleppo.	Crete.	1739.	—	F. ♀.	Alp. exot. t. 64.
116	taurinensis. w.en.	Italian.	Italy.	1818.	—	H. ♀.	All. ped. 2. t. 83. f. 2.
117	segetalis. w.	corn.	S. Europe.	1699.	—	H. ○.	Jacq. aust. 5. t. 450.
118	biumbellata. DC.	double-umbel'd.	Barbary.	1780.	8.	H. ○.	Poir. it. ed. germ. t. 1.
119	angustifolia.	narrow-leaved.	—	7. 8.	H. ♀.	
<i>Esula angustifolia. H.s.</i>							
120	multicorymbosa.	many-flowered.	1805.	—	H. ♀.	
121	provincialis. w.	linear-leaved.	S. Europe.	1800.	8. 11.	H. ○.	
122	juncoides. H.s.	Rush-like.	—	—	7. 8.	S. ○.	
123	helioscopia. w.	Wartwort.	Britain.	—	H. ○.	Eng. bot. 883.
124	bialata. L.en.	two-winged.	1819.	—	H. ○.	
125	serrata. w.	narrow notch-ld.	S. Europe.	1710.	7.	G. ♀.	Jacq. ic. 3. t. 483.
126	uralensis. F.	Fischer's.	Tauria.	1824.	—	H. ♀.	
127	cretica. w.	Cretan hoary.	Levant.	1768.	H. ♀.	
128	Haworthii.	Haworth's.	1795.	7. 8.	H. ♀.	
<i>Galarhæus rigidus. H.s.</i>							
129	verrucosa. w.	warted.	France.	1800.	6.	H. ♀.	Moris. s. 10. t. 3. f. 3.
130	corollata. w.	great-flowered.	N. America.	1803.	7. 9.	H. ♀.	Lodd. bot. cab. 390.
131	spathulæfolia. H.s.	spatula-leaved.	1800.	8.	G. ♀.	
132	corallioides. w.	Coral-stalked.	S. Europe.	1752.	6. 9.	H. ♀.	
133	androsæmifolia. H.s.	Tutsan-leaved.	Hungary.	1804.	7. 9.	H. ♀.	

134 pilosa. w.	hairy.	Siberia.	1758.	5. 8.	H. 4.	Gmel. sib. 2. t. 93.
135 orientalis. w.	oriental.	Levant.	1739.	6. 7.	H. 4.	
136 fragifera. L.en.	Strawberry-like.	Italy.	1825.	—	H. 4.	
137 virgata. w.k.	twiggy.	Hungary.	1807.	7.	H. 4.	W. et K. hung. t. 162.
138 platyphylla. H.s.	annual warted.	England.	7. 8.	H. 4.	Jacq. aust. t. 376.
139 stricta. E.B.	upright warted.	—	—	H. 4.	Eng. bot. 333.
140 literata. w.	blotch-leaved.	—	1790.	8.	H. 4.	Jacq. ic. 3. t. 482.
141 crispata. L.en.	crisp-leaved.	—	1819.	7. 9.	H. 4.	
142 Esula. w.	leafy-branch'd.	Britain.	5. 7.	H. 4.	Eng. bot. 1399.
143 Gerardiana. w.	Gerard's.	Germany.	1801.	7.	H. 4.	Jacq. aust. t. 436.
144 Cyparissias. w.	Cypress.	England.	5. 9.	H. 4.	Eng. bot. 840.
145 nicæensis. w.	sharp-leaved.	Spain.	1809.	F. 4.	Jacq. ic. 3. t. 485.
146 myrsinites. w.	glaucous.	S. Europe.	1570.	4. 6.	H. 4.	
147 rigida. M.B.	rigid.	Tauria.	1819.	6. 8.	H. 4.	Botan. regist. 274.
148 imbricata. w.	imbricated.	Portugal.	1804.	8. 9.	F. 4.	
149 glaucescens. w.en.	glaucous.	—	1819.	—	H. 4.	
150 agraria. M.B.	field.	Tauria.	—	6. 8.	H. 4.	
151 palustris. w.	marsh.	Sweden.	1570.	5. 8.	H. 4.	Flor. dan. 866.
152 pallida. w.	pale.	Hungary.	1818.	6. 8.	H. 4.	
153 lucida. w.k.	glossy.	—	1820.	—	H. 4.	W. et K. hung. t. 55.
154 procera. M.B.	tall.	Terek.	1824.	—	H. 4.	
155 ceratocarpa. T.N.	horn-capsuled.	Naples.	—	—	H. 4.	Ten. fl. neap. t. 63.
156 emarginata. w.	freckled.	Italy.	1758.	7. 8.	H. 4.	
157 hiberna. E.B.	Irish.	Ireland.	5. 6.	H. 4.	Eng. bot. 1337.
158 salicifolia. w.	Willow-leaved.	Hungary.	1804.	—	H. 4.	Lodd. bot. cab. 973.
159 sylvatica. w.	wood.	S. Europe.	1768.	7. 9.	F. 4.	
160 amygdaloides. w.	Almond-leav'd.	England.	3. 6.	H. 4.	Eng. bot. 256.
161 Characias. w.	upright red.	—	—	F. 4.	— 442.
162 veneta. L.en.	venomous.	Europe.	—	F. 4.	
163 marginata. K.s.	marginated.	N. Spain.	1823.	4. 6.	S. 4.	
CICCA. L.	CICCA.	Monœcia Tetrandria. L.				
disticha. w.	long-leaved.	E. Indies.	1796.	S. 4.	Jacq. schœn. 2. t. 194.
BUXUS. W.	BOX-TREE.	Monœcia Tetrandria. L.				
1 chinensis. L.en.	China.	China.	1812.	4. 8.	G. 4.	
2 balearica. w.	Minorca.	Minorca.	1780.	7.	H. 4.	
3 sempervirens. w.	common.	England.	4.	H. 4.	Eng. bot. 1341.
α arborescens. Mill.	tree.	—	—	H. 4.	
† argentea.	silvery-leaved.	—	—	H. 4.	
‡ aurea.	golden-leaved.	—	—	H. 4.	
marginata.	marginated.	—	—	H. 4.	
β angustifolia. Mill.	narrow-leaved.	—	—	H. 4.	
† variegata.	variegated.	—	—	H. 4.	
γ myrtifolia. Mill.	myrtle-leaved.	—	—	H. 4.	
δ suffruticosa.	dwarf.	—	—	H. 4.	
PACHYSANDRA. M.	PACHYSANDRA.	Monœcia Tetrandria. W.				
1 procumbens. M.	procumbent.	N. America.	1800.	3. 4.	H. 4.	Botan. regist. 33.
2 coriacea. H.E.F.	cluriceous.	Nepaul.	1820.	4. 6.	G. 4.	Hook. ex. flor. 148.
PLUKENETIA. W.	PLUKENETIA.	Monœcia Monadelphina. L.				
volubilis. w.	twining.	W. Indies.	1739.	7. 8.	S. 4.	Plum. ic. t. 226.
DALECHAMPIA. W.	DALECHAMPIA.	Monœcia Monadelphina.				
1 scandens. w.	climbing.	W. Indies.	1739.	6. 7.	S. 4.	Jacq. amer. 252. t. 160.
2 brasiliensis. w.	Brazilian.	Brazil.	1820.	—	S. 4.	
ACALYPHA. W.	ACALYPHA.	Monœcia Monadelphina. W.				
1 diversifolia. w.	various-leaved.	Caracas.	1824.	S. 4.	
2 virginica. w.	Virginian.	N. America.	1759.	7. 8.	H. 4.	Schk. hand. 3. t. 311.
3 caroliniana. w.	Carolina.	—	1811.	—	H. 4.	Lam. ill. t. 780. f. 2.
4 ciliata. w.	ciliated.	E. Indies.	1799.	—	S. 4.	Vahl symb. 1. t. 20.
5 reptans. w.	creeping.	Jamaica.	1822.	—	S. 4.	Sloan. hist. 1. t. 82. f. 3.
6 indica. w.	Indian.	E. Indies.	1759.	7. 9.	S. 4.	Rheed. mal. 10. t. 81.
7 hispidia. w.	hispid.	—	1820.	—	S. 4.	
8 cuspidata. w.	cuspidate.	Caracas.	—	S. 4.	Jacq. schœn. 2. t. 243.
9 rubra. w.en.	red.	S. America.	1823.	6. 9.	S. 4.	
10 brachystachya. w.en.	short-spiked.	China.	1816.	7. 8.	H. 4.	
11 pauciflora. w.en.	few-flowered.	—	—	—	H. 4.	
12 alopecuroidea. w.	Fox-tail.	Venezuela.	1804.	7. 9.	H. 4.	Jacq. ic. 3. t. 620.
13 lævigata. w.	smooth.	Jamaica.	1819.	—	S. 4.	
14 virgata. w.	twiggy.	—	1822.	—	S. 4.	Brown. jam. t. 36. f. 2.
15 macrostachya. w.	long-spiked.	Caracas.	1824.	—	S. 4.	Jacq. schœn. 2. t. 245.
16 polystachya. w.	many-spiked.	—	—	—	S. 4.	— 2. t. 246.
17 scabrosa. w.	rough.	Jamaica.	1822.	—	S. 4.	

CROTON. W.		CROTON. Monœcia Monadelphia. L.					
1	variegatum. w.	variegated.	E. Indies.	1804.	6. 9.	S. h.	Rheed. mal. 6. t. 61.
	<i>a latifolium.</i> H.B.	broad-leaved.	—	—	—	S. h.	
	<i>β crispum.</i> H.B.	curl-leaved.	—	—	S. h.	Rumph. amb. 4. t. 26. f. 2.
	<i>γ medium.</i> H.B.	narrow-leaved.	—	1820.	—	S. h.	— 4. t. 25.
2	pictum. B.C.	painted-leaved.	—	—	—	S. h.	Lodd. bot. cab. 870.
3	lineare. Jac.	Willow-leaved.	W. Indies.	1733.	7.	S. h.	Jacq. amer. t. 162. f. 4.
4	Cascarilla. w.	Cascarilla.	S. America.	1778.	7. 8.	S. h.	Catesb. car. 2. t. 46.
5	maritimum. w.	sea-side.	Carolina.	1786.	—	G. h.	
6	palustre. w.	marsh.	Vera Cruz.	1731.	—	S. ○.	Mart. dec. 4. t. 88.
7	glabellum. w.	Laurel-leaved.	Jamaica.	1778.	5. 8.	S. h.	Sloan. jam. 2. t. 174. f. 2.
8	tinctorium. w.	officinal.	S. Europe.	1570.	7.	H. ○.	Nis. act. par. 1712. t. 17.
9	argenteum. w.	silvery-leaved.	S. America.	1733.	7. 8.	S. ○.	
10	Tigilium. w.	purging.	E. Indies.	1796.	8. 9.	S. h.	Rheed. mal. 2. t. 33.
11	glandulosum. w.	glandular.	W. Indies.	1818.	—	S. ○.	Jacq. ic. 1. t. 194.
12	Eluteria. w.	sea-side Balsam.	Jamaica.	1748.	S. h.	Sloan. hist. 2. t. 174. f. 2.
13	lucidum. w.	shining.	—	1822.	S. h.	
14	micans. w.	glittering.	—	1815.	S. h.	Pluk. alm. t. 220. f. 5.
15	pungens. w.	pungent.	Caracas.	1791.	S. h.	Jacq. ic. 3. t. 622.
16	penicillatum. w.	pencilled.	Cuba.	1799.	7. 8.	S. h.	Venten. choix. 12.
17	macrophyllum. w.	large-leaved.	Jamaica.	1822.	S. h.	
18	aromaticum. w.	aromatic.	Ceylon.	1793.	S. h.	Rumph. amb. 3. t. 126.
19	humile. w.	humble.	Jamaica.	1799.	S. h.	
20	moluccanum. w.	Molucca.	Ceylon.	1803.	S. h.	
	<i>Aleurites ambinux.</i> P.s.						
21	Astroites. w.	woolly-leaved.	W. Indies.	1782.	7. 8.	S. h.	
22	lobatum. w.	various-leaved.	Vera Cruz.	1730.	—	S. ○.	Mart. dec. 5. t. 46.
23	gossypifolium. w.	Cotton-leaved.	Trinidad.	1823.	—	S. h.	Vahl. symb. t. 49.
24	tomentosum. L.en.	tomentose.	—	S. h.	
25	digitatum. F.	fingered.	N. S. W.	1810.	G. h.	
26	lacerum. Desf.	torn-leaved.	1822.	S. h.	
JATROPHA. W.		PHYSIC-NUT. Monœcia Monadelphia. L.					
1	gossypifolia. w.	Cotton-leaved.	W. Indies.	1690.	5. 8.	S. h.	Botan. regist. 746.
2	panduræfolia. w.	fiddle-leaved.	Cuba.	1800.	—	S. h.	Botan. magaz. 604.
3	integerrima. w.	spicy.	—	1809.	—	S. h.	— 1464.
4	Curcas. w.	angular-leaved.	S. America.	1731.	S. h.	Jacq. vind. 3. t. 63.
5	multifida. w.	multifid.	—	1696.	6. 8.	S. h.	Sal. par. lond. 91.
6	fragrans. K.s.	fragrant.	Cuba.	1822.	—	S. h.	
7	urens. w.	stinging.	Brazil.	1690.	5. 7.	S. h.	Jacq. vind. 1. t. 21.
8	coccinea. L.en.	scarlet.	1822.	S. h.	
9	herbacea. w.	annual.	Vera Cruz.	1759.	7. 8.	S. ○.	Reliq. houst. 6. t. 15.
10	napæifolia. w.	Napæa-leaved.	Antilles.	1823.	—	S. h.	
JANIPHA. K.S.		JANIPHA. Monœcia Decandria.					
1	foetida. K.s.	strong-scented.	Mexico.	1824.	7. 8.	S. h.	
2	Lœflingii. K.s.	Lœfling's.	S. America.	—	S. h.	Jacq. amer. t. 162. f. 1.
	<i>Jatropha carthaginensis.</i> Jacq. <i>Janipha.</i> w.						
3	æsculifolia. K.s.	Æsculus-leav'd.	—	1825.	S. h.	H. et. B. 2. t. 109.
4	Manihot. K.s.	Cassava.	—	1739.	7. 8.	S. h.	Sloan. jam. 1. t. 85.
ALEURITES. W.		ALEURITES. Monœcia Monadelphia. L.					
	triloba. w.	three-lobed.	Society Isl.	1793.	S. h.	
RICINUS. W.		PALMA-CHRISTI. Monœcia Monadelphia. L.					
1	communis. w.	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ○.	Lam. ill. t. 792.
2	viridis. w.	green.	—	1802.	8.	H. ○.	W. hort. ber. 49.
3	africanus. w.	African.	Africa.	7. 8.	G. h.	
4	lividus. w.	livid-leaved.	C. B. S.	1795.	—	G. h.	Jacq. ic. 1. t. 196.
5	inermis. w.	smooth-capsul'd.	India.	1758.	—	S. ♂.	— 1. t. 195.
6	armatus. A.R.	rough-capsuled.	Malta.	1807.	—	S. ♂.	Andr. reposit. 430.
7	Tanarius. w.	scallop-leaved.	E. Indies.	1810.	7. 9.	S. h.	Rumph. amb. 3. t. 121.
OMPHALEA. W.		OMPHALEA. Monœcia Monadelphia. L.					
	triandra. w.	long-leaved.	Jamaica.	1763.	6. 7.	S. h.	Lodd. bot. cab. 519.
HIPPOMANE. W.		MANCHINEEL-TREE. Monœcia Monadelphia. L.					
	Mancinella. w.	common.	W. Indies.	1690.	S. h.	Catesb. car. 2. t. 95.
SAPIUM. W.		SAPIUM. Monœcia Monadelphia. L.					
1	aucuparium. w.	two-glanded.	W. Indies.	1692.	S. h.	Jacq. amer. t. 158.
2	indicum. w.	Indian.	E. Indies.	1817.	S. h.	
3	ilicifolium. w.	Holly-leaved.	S. America.	1820.	S. h.	Plum. ic. 171. f. 1.
SIPHONIA. W.		ELASTIC-GUM-TREE. Monœcia Monadelphia. W.					
	Cahuchu. w.	common.	S. America.	1823.	S. h.	Lam. ill. t. 790.
	<i>elastica.</i> P.s.						

AGYNEJA. W.	AGYNEJA. Monœcia Monadelphia. W.				
1 impubes. w.	smooth.	China.	1820.	7. 9.	H. ☉.
2 pubera. w.	woolly.	—	1823.	S. h.
STILLINGIA. W.	STILLINGIA. Monœcia Monadelphia. W.				
1 sylvatica. w.	wood.	Carolina.	1787.	7. 8.	G. 4.
2 ligustrina. w.	Privet-leaved.	N. America.	1812.	G. h.
3 sebifera. w.	Tallow-tree.	China.	1703.	9.	S. h.
HURA. W.	SANDBOX-TREE. Monœcia Monadelphia. W.				
1 strepens. w.en.	unequal-tooth'd.	S. America.	7. 9.	S. h.
2 crepitans. w.en.	equal-toothed.	—	1733.	—	S. h.
BRADLEJA. W.	BRADLEJA. Monœcia Monadelphia. W.				
1 sinica. w.	Chinese.	China.	1816.	7. 9.	S. h.
2 nitida. H.B.	glossy.	E. Indies.	1820.	S. h.
PHYLLANTHUS. W.	PHYLLANTHUS. Monœcia Monadelphia. W.				
1 obovatus. w.	annual.	N. America.	1803.	7. 8.	H. ☉.
2 maderaspatensis. w.	Madras.	E. Indies.	1783.	—	S. h.
3 gracilis. H.B.	slender.	—	1820.	—	S. 4.
4 longifolius. w.	long-leaved.	Isl. Bourbon.	1822.	S. h.
5 lanceolatus. w.	spear-leaved.	—	—	6. 8.	S. h.
6 nutans. w.	nodding.	Jamaica.	—	—	S. h.
7 grandifolius. w.	great-leaved.	Portorico.	1771.	—	S. h.
8 virosus. w.	venomous.	E. Indies.	1802.	S. h.
9 turbinatus. B.M.	shining-leaved.	China.	7. 9.	S. h.
10 Conami. w.	Brazilian.	Brazil.	1791.	—	S. h.
11 obcordatus. H.B.	obcordate.	E. Indies.	1818.	—	S. 4.
12 reticulatus. B.C.	netted.	—	—	8. 9.	S. h.
13 lucens. w.	thick-veined.	China.	1822.	7. 9.	S. h.
14 racemosus. w.	racemed.	E. Indies.	1793.	7. 8.	S. h.
15 cantoniensis. L.en.	Canton.	China.	1819.	—	H. ☉.
16 cuneatus. w.en.	wedge-leaved.	—	—	—	H. ☉.
17 Niruri. w.	Indian.	E. Indies.	1692.	6. 9.	S. ☉.
18 Urinaria. w.	stinging.	—	1819.	—	S. ☉.
19 microphyllus. K.S.	small-leaved.	S. America.	1824.	S. h.
20 polyphyllus. w.	many-leaved.	E. Indies.	1805.	7. 9.	S. h.
21 mimosoides. w.	Mimosa-like.	W. Indies.	1820.	—	S. h.
22 rhamnoides. w.	Rhamnus-like.	E. Indies.	—	—	S. h.
23 strictus. H.B.	upright.	—	1823.	—	S. h.
24 fraxinifolius. B.C.	Ash-leaved.	1818.	—	S. h.
25 juglandifolius. w.en.	Walnut-leaved.	—	6. 9.	S. h.
26 scandens. Roxb.	climbing.	E. Indies.	1803.	S. h.
EMBLICA. L.T.	EMBLICA. Monœcia Syngenesia. L.T.				
officinalis. L.T.	officinal.	E. Indies.	1768.	6. 9.	S. h.
KIRGANELIA. J.	KIRGANELIA. Monœcia Monadelphia.				
elegans. J.	elegant.	Mauritius.	1820.	6. 9.	S. h.
Phyllanthus Kirganelia. w.					
XYLOPHYLLA. W.	XYLOPHYLLA. Monœcia Monadelphia. W.				
1 longifolia. w.	long-leaved.	E. Indies.	1816.	1. 12.	S. h.
Phyllanthus ceramica. P.S.					
2 latifolia. w.	Seaside Laurel.	S. America.	1783.	8. 10.	S. h.
3 speciosa.	handsome.	Jamaica.	1818.	—	S. h.
arbuscula. w. Phyllanthus speciosus. Jacq.					
4 angustifolia. w.	narrow-leaved.	—	1789.	7. 8.	S. h.
5 linearis. P.S.	linear-leaved.	—	1822.	—	S. h.
6 elongata. B.C.	elongated.	—	—	—	S. h.
7 montana. w.	mountain.	—	1820.	11. 4.	S. h.
8 falcata. w.	falcate-leaved.	Bahama Isl.	1699.	7. 9.	S. h.
9 ramiflora. w.	oval-leaved.	Siberia.	1785.	7. 8.	H. h.
10 obovata. w.en.	obovate-leaved.	—	—	H. h.
ANDRACHNE. W.	BASTARD ORPINE. Monœcia Gynandria. L.				
telephioides. w.	annual.	Italy.	1732.	7. 8.	H. ☉.
BRIEDELIA. W.	BRIEDELIA. Polygamia Monœcia. W.				
scandens. w.	climbing.	E. Indies.	1804.	7. 9.	S. h.
CLUYTIA. W.	CLUYTIA. Diœcia Gynandria. L.				
1 collina. w.	hill.	E. Indies.	1807.	S. h.
2 patula. w.	spreading.	—	1812.	S. h.
3 pulchella. w.	broad-leaved.	C. B. S.	1739.	1. 6.	G. h.
4 heterophylla. w.	various-leaved.	—	1816.	2. 4.	G. h.
5 tomentosa. w.	tomentose.	—	1812.	4. 6.	G. h.
6 pubescens. w.	pubescent.	—	1817.	—	G. h.

Pluk. amal. t. 390. f. 22.

Lam. ill. t. 793.

Gært.sem. 2. t. 109. f. 11.

Lam. ill. t. 156. f. 1.

Jacq. schœn. 2. t. 193.

Botan. magaz. 1862.

Aub. gui. 2. t. 354.

Lodd. bot. cab. 577.

Rheed. mal. 10. t. 153.

Rumph. amb. 6. t. 17. f. 2.

Lodd. bot. cab. 721.

Lodd. bot. cab. 731.

Lodd. bot. cab. 548.

Rumph. amb. 7. t. 122.

Botan. magaz. 1021.

Jacq. ic. 3. t. 616.

Lodd. bot. cab. 1091.

Botan. magaz. 2652.

Botan. regist. 373.

Pall. it. 3. t. E. f. 2.

Lam. ill. t. 797.

Roxb. corom. 2. t. 177.

Roxb. corom. 2. t. 1699.

— 2. t. 1770.

Botan. magaz. 1945.

7 polifolia. w.	Poley-leaved.	C. B. S.	1790.	4. 6.	G. h.	Jacq. schœn. 2. t. 50.
8 ericoides. w.	Heath-leaved.	————	————	————	G. h.	Botan. regist. 779.
9 daphnoides. w.	Daphne-like.	————	1731.	5. 6.	G. h.	W. hort. her. 52.
10 polygonoides. w.	Polygonum-like.	————	1790.	12. 3.	G. h.	————— 51.
11 alaternoides. w.	narrow-leaved.	————	1692.	————	G. h.	Botan. magaz. 1321.
EXCÆCARIA. W.	EXCÆCARIA.	Diœcia Monadelphica. L.				
1 Agallocha. w.	Indian.	E. Indies.	1823.	S. h.	Rumph. amb. 2. t. 79. 80.
2 serrata. H. K.	saw-leaved.	Chili.	1796.	11. 2.	G. h.	
ADELIA. W.	ADELIA.	Diœcia Monadelphica. L.				
1 Bernardia. w.	villous-leaved.	Jamaica.	1768.	7. 8.	S. h.	
2 Ricinella. w.	smooth-leaved.	————	————	6. 8.	S. h.	
3 Acidoton. w.	Box-leaved.	————	————	6. 7.	S. h.	
LOUREIRA. W.	LOUREIRA.	Diœcia Monadelphica. W.				
1 cuneifolia. w.	wedge-leaved.	Mexico.	1824.	6. 8.	G. h.	Cavan. ic. 5. t. 429.
<i>Mozinna spathulata.</i>	Ort. dec. 8. t. 13.					
2 glandulosa. w.	glandulous.	————	1799.	————	G. h.	————— 5. t. 430.
BORYA. W.	BORYA.	Diœcia Diandria. W.				
1 porulosa. w.	Florida.	Florida.	1806.	7. 8.	H. h.	
2 ligustrina. w.	Privet-leaved.	N. America.	1812.	————	H. h.	
3 prinoides. w. en.	Prinos-like.	————	1816.	————	H. h.	
4 nitida. w. en.	glossy-leaved.	————	————	————	H. h.	
5 retusa. w. en.	retuse-leaved.	————	1812.	————	H. h.	
6 acuminata. w.	pointed.	————	————	————	H. h.	Mich. amer. 2. t. 48.
<i>Adelia acuminata.</i> M.						
SECURINEGA. J.	SECURINEGA.	Monœcia Pentandria.				
nitida. p. s.	Otaheite Myrtle.	Otaheite.	1793.	3. 8.	S. h.	Lindl. collect. t. 9.
TRAGIA. W.	TRAGIA.	Monœcia Triandria. W.				
1 volubilis. w.	twining.	W. Indies.	1739.	6. 7.	S. h.	Trew. pl. rar. 2. t. 15.
2 involucrata. w.	involucrated.	E. Indies.	1759.	————	S. ⊙.	Jacq. ic. 1. t. 190.
3 mercurialis. w.	Mercury-like.	————	1818.	————	S. ⊙.	Rheed. mal. 10. t. 82.
4 corniculata. w.	two-horned.	Trinidad.	1824.	————	S. ⊙.	
5 urens. w.	stinging.	Virginia.	1699.	8.	H. ⊙.	Pluk. alm. t. 107. f. 5.
6 Chamælea. w.	lance-leaved.	E. Indies.	1793.	6. 7.	S. ⊙.	Rheed. mal. 2. t. 34.
7 cannabina. w.	Hemp-leaved.	————	1699.	————	S. 4.	Burm. ind. t. 63. f. 1.

ORDO CLVII.

ANTIDESMEÆ.

ANTIDESMA. W.	ANTIDESMA.	Diœcia Pentandria. L.				
1 alexiteria. w.	Laurel-leaved.	E. Indies.	1793.	5. 6.	S. h.	Rheed. mal. 5. t. 11.
2 pubescens. w.	pubescent.	————	1818.	————	S. h.	Roxb. corom. 2. t. 167.
3 paniculata. w.	panicked.	————	1800.	————	S. h.	
STILAGO. W.	STILAGO.	Diœcia Triandria. W.				
1 Bunius. w.	Laurel-leaved.	E. Indies.	1757.	8.	S. h.	Rheed. mal. 4. t. 56.
2 diandra. w.	diandrous.	————	1800.	S. h.	Roxb. corom. 2. t. 166.

ORDO CLVIII.

URTICEÆ. *Juss. gen.* 400.

FICUS. L.	FIG-TREE.	Polygamia Diœcia. W.				
1 religiosa. R. S.	Poplar-leaved.	E. Indies.	1731.	S. h.	Rheed. mal. 1. t. 27.
2 superstitiosa. L. en.	superstitious.	————	————	S. h.	
3 nymphæifolia. R. S.	Water-lily-ld.	————	1759.	S. h.	
4 cordata. R. S.	heart-leaved.	C. B. S.	1802.	S. h.	Thunb. fic. p. 8. c. ic.

5 oblongata. L.en.	oblong-leaved.	C. B. S.	1816.	S. h.	
6 crassinervia. R.S.	thick-nerved.	S. America.	—	S. h.	
7 rubiginosa. R.S.	ferrugineous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
<i>australis</i> . W.						
8 costata. R.S.	rib-leaved.	E. Indies.	1763.	S. h.	
9 coronata. R.S.	crowned-fruit'd.	N. S. W.	1807.	3. 6.	G. h.	Colla h. rip. t. 8.
10 lucida. R.S.	shining-ld.	E. Indies.	1772.	S. h.	
11 scandens. R.S.	climbing.	S. America.	1816.	S. h.	
12 stipulata. R.S.	trailing.	China.	1771.	G. h.	
13 pedunculata. R.S.	Willow-leaved.	S. America.	1776.	S. h.	Pluk. alm. t. 178. f. 4.
14 venosa. R.S.	vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
15 leucotoma. R.S.	white-spotted.	— — —	—	S. h.	W. hort. ber. 1. t. 36.
<i>venosa</i> . W. non H.K.						
16 tinctoria. R.S.	Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
17 benjamina. R.S.	oval-leaved.	E. Indies.	1757.	S. h.	Rheed. mal. 1. t. 26.
18 glabrata. K.S.	smooth.	Teneriffe.	1816.	G. h.	
19 benghalensis. R.S.	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
20 microcarpa. R.S.	small-fruited.	Guinea.	1823.	S. h.	
21 americana. R.S.	American.	Jamaica.	1822.	S. h.	Plum. spec. t. 132. f. 2.
22 racemosa. R.S.	clustered.	E. Indies.	1759.	S. h.	Rheed. mal. 1. t. 25.
23 pertusa. R.S.	Laurel-leaved.	S. America.	1780.	S. h.	
24 terebrata. R.S.	obovate-leaved.	Mauritius.	1822.	S. h.	Bory it. t. 17.
25 pumila. R.S.	dwarf.	China.	1759.	G. h.	Kæmp. amœn. t. 804.
26 glomerata. R.S.	crowded.	E. Indies.	1818.	S. h.	Roxb. corom. 2. t. 1233.
27 Hookeri.	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. 111.
<i>nitida</i> . H.E.F. nec aliorum.						
28 nitida. R.S.	glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
29 ciliolosa. R.S.	fringe stipuled.	1816.	—	S. h.	
30 cotinifolia. K.S.	Cotinus-leaved.	Mexico.	1824.	S. h.	
31 obtusifolia. K.S.	blunt-leaved.	— — —	—	S. h.	
32 coriacea. R.S.	leathery-leav'd.	E. Indies.	1772.	S. h.	
33 populnea. R.S.	Poplar-leaved.	— — —	S. h.	
34 macrophylla. R.S.	large-leaved.	N. Holland.	1816.	G. h.	
35 elastica. H.B.	Indian rubber.	E. Indies.	1815.	G. h.	
36 Brassii. H.T.	Brass's.	Sierra Leon.	1822.	S. h.	
37 lasiophylla. L.en.	downy-leaved.	1816.	S. h.	
38 retusa. R.S.	retuse-leaved.	E. Indies.	1793.	S. h.	
39 laurifolia. R.S.	Laurel-leaved.	W. Indies.	1759.	S. h.	Sloan. jam. 2. t. 223.
<i>martinicensis</i> . W.						
40 brasiliensis. L.en.	Brazilian.	Brazil.	1820.	S. h.	
41 lævigata. R.S.	smooth-leaved.	W. Indies.	1822.	S. h.	
42 indica. R.S.	Banyan-tree.	E. Indies.	1759.	S. h.	Rheed. mal. 3. t. 63.
43 salicifolia. R.S.	Willow-leaved.	Arabia.	1818.	S. h.	
44 aurantiaca. Lod.	orange-color'd.	—	S. h.	
45 pendula. L.en.	pendulous.	1824.	S. h.	
46 myrtifolia. L.en.	Myrtle-leaved.	—	S. h.	
47 lanceolata. H.B.	spear-leaved.	E. Indies.	1820.	S. h.	
48 obtusata. L.en.	obtuse-tooth'd.	—	S. h.	
49 muntia. L.en.	rough-leaved.	N. Holland.	1818.	G. h.	
50 ulmifolia. R.S.	Elm-leaved.	Philippine.	1825.	S. h.	
51 capensis. R.S.	Cape.	C. B. S.	1816.	G. h.	
52 exasperata. R.S.	very rough.	Guinea.	1822.	S. h.	Willden. fic. t. 2.
<i>scabra</i> . W. non Forst.						
53 hispida. R.S.	opposite-leaved.	E. Indies.	1802.	S. h.	Roxb. corom. 2. t. 1244.
<i>oppositifolia</i> . Rox. <i>scabra</i> . Jacq. schœn. 3. t. 315.						
54 aquatica. W.	water.	— — —	1758.	S. h.	
55 heterophylla. R.S.	various-leaved.	— — —	1816.	S. h.	Rheed. mal. 3. t. 62.
56 repens. R.S.	creeping-stemm'd	— — —	1805.	S. h.	
57 virgata. H.B.	twiggy.	— — —	1817.	G. h.	
58 Carica. R.S.	common.	S. Europe.	1548.	6. 7.	H. h.	Trew-Ehret. t. 73. 744.
ARTOCARPUS. W.	BREAD-FRUIT.	Monœcia Monandria. W.				
1 incisa. W.	true.	S. Sea Isl.	1793.	S. h.	Rumph. amb. 1. t. 334.
<i>a nucifera</i> .	nut-bearing.	— — —	—	S. h.	
<i>β apyrena</i> .	seedless.	— — —	—	S. h.	Rumph. amb. 1. t. 322.
2 integrifolia. W.	Jaca-tree.	E. Indies.	1778.	6.	S. h.	Rheed. mal. 3. t. 26-28.
<i>β heterophylla</i> . Lam.	various-leaved.	— — —	—	—	S. h.	Rumph. amb. 1. t. 300.
MACLURA. N.	MACLURA.	Diœcia Tetrandria. N.				
1 aurantiaca. N.	Osage Apple.	Missouri.	1824.	H. h.	Lamb. pin. v. 2. ap. t. 112.
2 tinctoria. D.D.	Fustick-wood.	W. Indies.	1739.	S. h.	Plum. ic. t. 204.
<i>Morus tinctoria</i> . W.	<i>Broussonetia tinctoria</i> . K.S.					

BROUSSONETIA. W. PAPER MULBERRY.		Diœcia Tetrandria. W.			
papyrifera. w.	common.	Japan.	1751.	4. 7. H. h.	Andr. reposit. 488.
MORUS. W. MULBERRY.		Monœcia Tetrandria. L.			
1 alba. w.	white.	China.	1596.	6. H. h.	Schk. hand. 3. t. 290.
2 tatarica. w.	Tartarian.	Tartary.	1784.	— H. h.	Pall. ros. 2. t. 52.
3 italica. p.s.	Italian.	Italy.	— H. h.	
4 constantinopolitana.	Constantinople.	Constantinople.	—	— H. h.	
5 nigra. w.	common.	Italy.	1548.	— H. h.	Wats. dend. brit. 159.
6 rubra. w.	red.	N.America.	1629.	6. 7. H. h.	
7 scabra. w.en.	rough.	—	1812.	— H. h.	
8 pensylvanica. L.C.	Pensylvanian.	—	—	— H. h.	
9 pumila. L.C.	dwarf.	—	— H. h.	
10 indica. w.	Indian.	E. Indies.	1820. S. h.	Rheed. mal. 1. t. 49.
11 sinensis. L.C.	Chinese.	China.	— G. h.	
12 mauritiana. w.	Mauritius.	Mauritius.	— S. h.	Jacq. ic. 3. t. 617.
BœHMERIA. W. BœHMERIA.		Monœcia Tetrandria. W.			
1 caudata. w.	tailed.	W. Indies.	1822. S. h.	
2 cylindrica. w.	cylindrical.	Virginia.	1759.	6. 8. H. 4.	Sloan. j. 1. t. 82. f. 2.
3 macrophylla. D.P.	large-leaved.	Nepaul.	1820. G. h.	
4 rotundifolia. D.P.	round-leaved.	—	1819.	6. 8. G. 4.	
5 platyphylla. D.P.	rough-leaved.	—	1818. G. h.	
6 ramiflora. w.	branch-flowering.	W. Indies.	1822. S. h.	Lam. ill. t. 763.
<i>Caturus ramiflorus. L.</i>					
7 elongata. L.en.	elongated.	Brazil.	—	7. 9. H. ⊙.	
8 lateriflora. w.	side-flowering.	N.America.	1816.	6. 8. H. 4.	
9 rubescens. w.	tree.	Canaries.	1779.	2. 5. G. h.	Jacq. frag. n. 30. t. 5. f. 1.
<i>Urtica arbored. L'Her. stirp. t. 20.</i>					
10 frondosa. D.P.	frondose.	Nepaul.	1818. G. h.	
11 frutescens. w.	frutescent.	—	1819. G. h.	
URTICA. W. NETTLE.		Monœcia Tetrandria. L.			
1 pilulifera. w.	Roman.	England.	6. 8. H. ⊙.	Eng. bot. 148.
2 balearica. w.	Balearic.	Balearic Isl.	1731.	6. 7. H. ⊙.	Blackw. t. 321. f. 1.
3 Dodartii. w.	Dodart's.	S. Europe.	1683.	7. 8. H. ⊙.	
4 pumila. w.	dwarf.	N.America.	1817.	— H. ⊙.	
5 crassifolia. w.	thick-leaved.	S.America.	1822.	— S. h.	
6 grandifolia. w.	great-leaved.	Jamaica.	1793.	7. 8. S. h.	Sloan. jam. 1. t. 83. f. 2.
7 reticulata. w.	net-leaved.	—	—	6. 8. S. h.	
8 involucrata. B.M.	imbossed.	W. Indies.	1823.	10. 11. S. 4.	Botan. magaz. 2481.
9 diffusa. w.	spreading.	—	—	8. 10. S. h.	
10 rufa. w.	rusty.	Jamaica.	1793.	6. 9. S. h.	
11 scabrella. L.en.	rough.	E. Indies.	1815.	10. 12. G. h.	
12 scripta. D.P.	black-lined.	Nepaul.	1823. H. 4.	
13 heterophylla. w.	various-leaved.	—	— H. h.	Rheed. mal. 2. t. 41.
14 urens. w.	small.	Britain.	6. 10. H. ⊙.	Eng. bot. 1236.
15 dioica. w.	common.	—	7. 9. H. 4.	— 1750.
16 chamædryoides. Ph.	Germander-like	Georgia.	1813.	— H. ⊙.	
17 membranacea. w.	membranaceous	S. Europe.	1818.	— H. 4.	
18 angustifolia. F.	narrow-leaved.	Russia.	1824.	— H. 4.	
19 ardens. L.en.	burning.	Nepaul.	1819.	8. 11. H. ⊙.	
20 cannabina. w.	Hemp-leaved.	Siberia.	1749.	7. 9. H. 4.	Amm. ruth. 249. t. 25.
21 rugosa. w.	rough-leaved.	Jamaica.	1793.	5. 7. S. ♂.	
22 gracilis. w.	slender-stalked.	Hudson's bay.	1782.	6. 8. H. 4.	
23 Parietaria. w.	Pellitory-leav'd.	Jamaica.	1793.	7. 9. S. h.	Sloan. j. 1. t. 93. f. 1.
24 ciliata. w.	ciliated.	—	1815.	— S. h.	
25 nummularifolia. w.	moneywort-ld.	—	1822.	— S. h.	Sloan. hist. 1. t. 131. f. 4.
26 depressa. w.	depressed.	—	—	— S. 4.	
27 microphylla. w.	small-leaved.	W. Indies.	1793.	4. 5. S. 4.	Sloan. j. 1. t. 93. f. 2.
28 pulchella. L.en.	neat.	E. Indies.	1816. S. h.	
29 diversifolia. L.en.	different-ld.	—	1820. S. h.	
30 æstuans. w.	Surinam.	Surinam.	1803.	6. 7. S. ♂.	Jacq. schœn. 3. t. 388.
31 capitata. w.	headed.	N.America.	1820.	— H. 4.	
32 canadensis. w.	Canadian.	Canada.	1656.	8. 10. H. 4.	Pluk. alm. t. 239. f. 2.
33 nivea. w.	white-leaved.	China.	1739.	8. 9. H. 4.	Jacq. vind. 2. t. 166.
34 caracasana. w.	Caracas.	Caracas.	1820. S. h.	Jacq. schœn. 3. t. 386.
35 caravellana. L.en.	pointed-leaved.	S. America.	—	8. 10. H. ⊙.	
36 baccifera. w.	berry-bearing.	—	1793.	7. 8. S. h.	Andr. reposit. 454.
37 elongata. w.	elongated.	Philippines.	1823.	— S. h.	
38 ferocissima.	ferocious.	Nepaul.	1805.	8. 10. H. ⊙.	
<i>horrida. L.en. non K.S.</i>					
39 pentandra. H.B.	pentandrous.	E. Indies.	—	— S. 4.	

FORSKOHLEA. L.	FORSKOHLEA.	Monœcia Monandria. J.		
1 tenacissima. w.	clammy.	Egypt. 1767.	7. 8. H. ☉.	Jacq. vind. 1. t. 48.
2 candida. w.	rough.	C. B. S. 1774.	6. 7. G. ♀.	
3 angustifolia. w.	narrow-leaved.	Teneriffe. 1779.	7. 8. H. ☉.	Murr. c. gott. p. 24. t. 2.
PARIETARIA. W.	PELLITORY.	Polygamia Monœcia. L.		
1 indica. w.	Indian.	E. Indies. 1790.	4. 5. S. ♀.	
2 officinalis. w.	common.	Britain.	6. 9. H. ♀.	Eng. bot. 879.
3 judaica. w.	Basil-leaved.	Germany. 1728.	— H. ♀.	Schkuh. hand. 3. t. 34.
4 pensylvanica. w.	Pensylvanian.	N. America. 1816.	— H. ☉.	
5 urticæfolia. w.	Nettle-leaved.	Isl. Bourbon. 1700.	— S. ☉.	
6 lusitanica. w.	chickweed-ld.	Spain. 1710.	7. 8. H. ☉.	Bocc. sic. t. 24. f. 13.
7 cretica. w.	Cretan.	Crete. 1818.	— H. ☉.	
8 prostrata. L. en.	prostrate. 1823.	— H. ♀.	
9 polygonoides. w.	Polygonum-ld.	Armenia. 1728.	— H. ☉.	
PILEA. L. col.	PILEA.	Monœcia Tetrandria.		
muscosa. L. col.	mossy.	W. Indies. 1793.	4. 5. S. ♀.	Lindl. coll. 4.
CANNABIS. W.	HEMP.	Diœcia Tetrandria. L.		
sativa. w.	common.	India.	6. 7. H. ☉.	Schk. hand. 3. t. 325.
HUMULUS. W.	HOP.	Diœcia Tetrandria. L.		
Lupulus. w.	common.	Britain.	6. 8. H. ♀.	Eng. bot. 427.
THELYGONUM. W.	DOG'S-CABBAGE.	Monœcia Polyandria. L.		
Cynocrambe. w.	common.	S. Europe. 1710.	7. H. ☉.	Schk. hand. 3. t. 299.
GNETUM. W.	GNETUM.	Monœcia Monadelphia. L.		
Gnemon. w.	Indian.	India. 1815. S. ♀.	Rumph. amb. 1. t. 71.
CECROPIA. W.	SNAKE-WOOD.	Diœcia Diandria. L.		
1 peltata. w.	peltated.	Jamaica. 1778. S. ♀.	Lam. ill. t. 800.
2 palmata. w.	palmated.	Brazil. 1823. S. ♀.	
3 concolor. w.	self-coloured.	— — — — — S. ♀.	
GUNNERA. W.	GUNNERA.	Gynandria Diandria. L.		
perpensa. w.	marsh-marygold-ld.	C. B. S. 1688. G. ♀.	Botan. magaz. 2376.
DORSTENIA. W.	DORSTENIA.	Tetrandria Monogynia. L.		
1 cordifolia. w.	heart-leaved.	W. Indies. 1822.	5. 8. S. ♀.	Swart. obs. t. 7. f. 2.
2 brasiliensis. w.	Brazilian.	S. America. 1792.	3. 4. S. ♀.	
3 Houstoni. w.	Houstoun's.	— — — — — 1747.	6. 7. S. ♀.	Botan. magaz. 2017.
4 arifolia. w.	Arum-leaved.	Brazil. 1823.	— S. ♀.	Lam. ill. t. 83. f. 2.
5 Contrayerva. w.	Contrajerva-root.	S. America. 1748.	5. 8. S. ♀.	Jacq. ic. 3. t. 614.
6 Drakena. w.	round-rooted.	Vera Cruz.	— S. ♀.	Lodd. bot. cab. 677.
MERTENSIA. K. S.	MERTENSIA.	Polygamia Monœcia. R. S.		
1 lævigata. K. S.	Mexican.	Mexico. 1825. S. ♀.	H. et B. n. gen. 2. t. 103.
2 ignanea. R. S.	Jamaica.	Jamaica. 1791. S. ♀.	
<i>Rhamnus ignaneus. L.</i>	<i>Zizyphus ignanea. P. S.</i>	<i>Celtis aculeata. w.</i>		
CELTIS. K. S.	NETTLE-TREE.	Polygamia Monœcia. L.		
1 micrantha. w.	smooth.	Jamaica. 1739.	8. 9. S. ♀.	Plum. ic. t. 206. f. 1.
2 orientalis. w.	oriental.	E. Indies. 1820. S. ♀.	Rheed. mal. 4. t. 40.
3 pumila. ph.	dwarf.	N. America. 1812.	5. H. ♀.	
4 crassifolia. w.	heart-leaved.	— — — — —	5. 6. H. ♀.	Duham. arb. 2. t. 9.
<i>cordifolia. Dun.</i>				
5 occidentalis. w.	American.	— — — — — 1656.	4. 5. H. ♀.	Wats. dend. brit. 147.
β cordata. R. S.	heart-leaved.	— — — — —	— H. ♀.	
γ scabriuscula. R. S.	rough-leaved.	— — — — —	— H. ♀.	
6 Willdenowiana. R. S.	Willdenow's.	China. H. ♀.	
7 sinensis. R. S.	Chinese.	— — — — — H. ♀.	
8 lævigata. R. S.	smooth.	Louisiana. 1812.	4. 5. H. ♀.	
9 Tournefortii. w.	Tournefort's.	Levant. 1738. H. ♀.	Tourn. it. 2. t. 41.
10 australis. w.	European.	S. Europe. 1796.	5. H. ♀.	Wats. dend. brit. 105.
PLANERA. M.	PLANERA.	Tetrandria Digynia. S. S.		
1 Richardi. M.	Richard's.	N. America. 1760.	4. 5. H. ♀.	Wats. dend. brit. 106.
<i>carpinifolia. W. D.</i>	<i>Ulmus nemoralis. H. K.</i>			
2 Gmelini. M.	Gmelin's.	— — — — — 1816. H. ♀.	
<i>aquatica. N.</i>				
ULMUS. R. S.	ELM-TREE.	Pentandria Digynia. L.		
1 campestris. E. B.	common English.	Britain.	4. 5. H. ♀.	Eng. bot. 1886.
2 suberosa. E. B.	cork-barked.	— — — — —	3. 4. H. ♀.	— — — — — 2161.
3 glabra. E. B.	smooth.	— — — — —	— H. ♀.	— — — — — 2248.
4 major. E. B.	declining-branch'd.	— — — — —	— H. ♀.	— — — — — 2542.
5 montana. E. B.	Wych.	— — — — —	4. 5. H. ♀.	— — — — — 1887.
6 effusa. w.	spreading-fl'd.	— — — — —	— H. ♀.	Schk. hand. t. 57.
7 alba. w.	white.	Hungary. 1816.	— H. ♀.	
8 crispa. w.	curl-leaved.	N. America.	— H. ♀.	

9 americana. w.	white.	N.America. 1752.	4. 5.	H. h.	
10 pendula. w.en.	pendulous.	—	—	H. h.	
11 fulva. m.	slippery.	—	—	H. h.	Mich. arb. 3. t. 6.
12 scabra. Mill.	rough.	—	—	H. h.	
13 pumila. w.	dwarf.	Siberia. 1771.	—	H. h.	Pall. ros. 1. t. 48.
14 parvifolia. w.en.	small-leaved.	—	—	H. h.	Jacq. schön. t. 262.
15 microphylla. P.S.	jagged-leaved.	Siberia. —	—	H. h.	Pall. r. 1. t. 48. f. A. B. C.
16 alata. m.	winged.	N.America. 1816.	—	H. h.	Mich. arb. 3. t. 5.
17 chinensis. P.S.	Chinese.	China. —	—	G. h.	

ORDO CLIX.

AMENTACEÆ. *Juss. gen. 407.*SUBORDO I. SALICEÆ. *Kth. synops. 1. p. 364.*

SALIX. W.	WILLOW. Diœcia 1-2-3-5-andra-Monadelphæ.				
1 præcox. s.s.	early.	Europe. —	3. 4.	H. h.	
2 pomeranica. w.en.	Pomeranian.	Pomerania. 1816.	3. 5.	H. h.	
3 cinerea. E.B.	gray.	Britain. —	5.	H. h.	Eng. bot. 1897.
4 angustata. Ph.	narrow-leaved.	Pensylvania. 1811.	3. 4.	H. h.	
5 Wulffeniana. s.s.	Wulffen's.	Switzerland. 1818.	4. 5.	H. h.	
6 silesiaca. s.s.	Silesian.	Silesia. 1820.	—	H. h.	
7 Ammanniana. s.s.	Amman's.	Carinthia. —	—	H. h.	Hoffm. salic. 1. t. 17. f. 2.
8 acutifolia. s.s.	acute-leaved.	Caucasus. 1824.	—	H. h.	
9 hastata. w.	halberd-leaved.	Lapland. 1780.	5.	H. h.	Lin. f. lap. t. 8. f. g.
10 malifolia. E.B.	Apple-leaved.	England. —	4.	H. h.	Eng. bot. 1617.
11 serrulata. w.	saw-leaved.	Lapland. 1820.	5.	H. h.	Flor. dan. t. 1238.
hastata. F.D.					
12 phyllicifolia. E.B.	Tea-leaved.	Scotland. —	—	H. h.	Eng. bot. 1958.
13 Andersoniana. E.B.	Anderson's.	—	—	H. h.	— 2343.
14 tenuifolia. E.B.	slender-leaved.	Britain. —	5. 6.	H. h.	— 2186.
15 fragilis. E.B.	crack.	—	4. 5.	H. h.	— 1807.
16 Russelliana. E.B.	Bedford.	England. —	—	H. h.	— 1808.
17 Trevirani. L.en.	Treviranus's.	Germany. 1825.	—	H. h.	
18 hippophæfolia. L.en.	Sea-buckthorn-ld.	—	—	H. h.	
19 triandra. E.B.	long-leaved.	Britain. —	5. 8.	H. h.	Eng. bot. 1435.
20 amygdalina. E.B.	Almond-leaved.	—	4. 5.	H. h.	— 1936.
21 Hoppeana. w.	Hoppe's.	Switzerland. 1817.	—	H. h.	
22 ambigua. Ph.	ambiguous.	N.America. 1813.	4.	H. h.	
23 decipiens. E.B.	varnished.	England. —	5.	H. h.	Eng. bot. 1937.
24 vitellina. E.B.	yellow twigged.	—	3. 5.	H. h.	— 1389.
25 alba. E.B.	common white.	Britain. —	4. 5.	H. h.	— 2430.
26 cœrulea. E.B.	blue.	England. —	—	H. h.	— 2431.
27 pedicellaris. s.s.	pedicellated.	N.America. 1811.	—	H. h.	
28 babylonica. w.	weeping.	Levant. 1692.	5.	H. h.	Rauw. it. 183. t. 25.
29 myricoides. s.s.	Myrica-like.	N.America. 1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 2.
30 lucida. s.s.	shining.	—	5.	H. h.	— 2. t. 5. f. 7.
31 rigida. s.s.	rigid.	—	4. 5.	H. h.	— 2. t. 5. f. 4.
32 cordata. s.s.	heart-leaved.	—	—	H. h.	— 2. t. 5. f. 8.
33 nigra. s.s.	black.	—	5.	H. h.	— 2. t. 5. f. 5.
34 riparia. w.	rivulet.	Europe. 1820.	—	H. h.	
35 incana. DC.	hoary.	—	—	H. h.	
36 incanescens. Sch.	incanescens.	Switzerland. 1823.	—	H. h.	
37 lanata. w.	woolly.	Lapland. —	—	H. h.	
38 pentandra. E.B.	Bay-leaved.	Britain. —	3. 6.	H. h.	Eng. bot. 1805.
39 Meyeriana. s.s.	Meyer's.	Germany. 1823.	4. 5.	H. h.	
40 tetrasperma. w.	four-seeded.	E. Indies. 1796.	—	S. h.	Roxb. corom. 1. t. 97.
41 gariepina. B.T.	Cape.	C. B. S. 1816.	—	G. h.	
42 Humboldtiana. w.	Humboldt's.	Peru. 1821.	—	G. h.	H. et B. 2. t. 99, 100.
43 finmarchica. s.s.	Finmark.	Sweden. —	4. 5.	H. h.	Flor. dan. t. 1051.
44 Villarsiana. w.	Villars's.	S. France. 1818.	5. 6.	H. h.	
45 myrtilloides. s.s.	Myrtle-leaved.	Sweden. 1772.	5.	H. h.	Vill. delph. 3. t. 50. f. 11.

46	<i>retusa</i> . w.	blunt-leaved.	Italy.	1763.	—	H. h.	
47	<i>serpyllifolia</i> . w.	Thyme-leaved.	Switzerland.	1818.	—	H. h.	
48	<i>Uva-ursi</i> . s.s.	Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	
49	<i>herbacea</i> . E.B.	least.	Britain.	6.	H. h.	Eng. bot. 1907.
50	<i>monandra</i> . Ard.	monandrous.	Europe.	3. 4.	H. h.	Ard. mem. 1. t. 11.
51	<i>purpurea</i> . E.B.	bitter purple.	England.	3.	H. h.	Eng. bot. 1388.
52	<i>Helix</i> . E.B.	Rose.	Britain.	3. 4.	H. h.	— 1343.
53	<i>Lambertiana</i> . E.B.	Boyton.	England.	—	H. h.	— 1359.
54	<i>rubra</i> . E.B.	red-stemmed.	—	4. 5.	H. h.	— 1145.
55	<i>Forbiana</i> . E.B.	basket osier.	—	4.	H. h.	— 1344.
56	<i>viminalis</i> . E.B.	common osier.	Britain.	4. 5.	H. h.	— 1898.
57	<i>mollissima</i> . s.s.	softest.	Germany.	—	H. h.	
58	<i>Smithiana</i> . s.s.	Smith's.	England.	—	H. h.	Eng. bot. 1509.
	<i>mollissima</i> . E.B. non w.						
59	<i>acuminata</i> . E.B.	acuminate.	Britain.	4.	H. h.	Eng. bot. 1434.
60	<i>holosericea</i> . w.	holosericeous.	Germany.	—	H. h.	
61	<i>aurita</i> . w.	eared.	Europe.	4. 5.	H. h.	Hoff. sal. 1. t. 22. f. 1.
62	<i>uliginosa</i> . w.en.	marsh.	Britain.	4. 6.	H. h.	Eng. bot. 1487.
	<i>aurita</i> . E.B. non w.						
63	<i>paludosa</i> . L.en.	fen.	Germany.	—	H. h.	
64	<i>aquatica</i> . E.B.	water.	Britain.	4.	H. h.	Eng. bot. 1437.
65	<i>spatulata</i> . w.en.	spatulate.	Germany.	—	H. h.	
66	<i>caprea</i> . E.B.	great round-ld.	Britain.	4. 5.	H. h.	Eng. bot. 1488.
67	<i>sphacelata</i> . E.B.	withered-pointed.	Scotland.	—	H. h.	— 2333.
68	<i>laurina</i> . w.	Laurel-leaved.	England.	—	H. h.	— 1806.
	<i>bicolor</i> . E.B. non Ehr.						
69	<i>bicolor</i> . w.	two-coloured.	Germany.	1818.	—	H. h.	
70	<i>Pontederana</i> . w.	Pontedera's.	—	—	—	H. h.	
71	<i>Forsteriana</i> . E.B.	Forster's.	Scotland.	—	H. h.	Eng. bot. 1403.
72	<i>nigricans</i> . E.B.	dark broad-ld.	England.	4.	H. h.	— 1213.
73	<i>violacea</i> . s.s.	violet.	4. 5.	H. h.	Andr. reposit. ic.
74	<i>Weigeliana</i> . s.s.	long-styled.	Silesia.	1820.	—	H. h.	
75	<i>cotinifolia</i> . E.B.	Quince-leaved.	Britain.	4.	H. h.	Eng. bot. 1403.
76	<i>conifera</i> . s.s.	cone-bearing.	N.America.	1800.	5.	H. h.	Wang. amer. t. 31. f. 72.
77	<i>prinoides</i> . s.s.	Prinos-like.	—	1811.	3. 4.	H. h.	
78	<i>fuscata</i> . s.s.	brown-stemm'd.	—	—	4.	H. h.	
79	<i>recurvata</i> . s.s.	recurve-flower'd.	—	—	—	H. h.	
80	<i>tristis</i> . s.s.	linear-leaved.	—	1765.	—	H. h.	
81	<i>Muhlenbergiana</i> .	Muhlenberg's.	—	1811.	—	H. h.	Ann. bot. 2. t. 5. f. 9.
82	<i>grisea</i> . w.en.	brown.	—	1816.	—	H. h.	
83	<i>lanceolata</i> . E.B.	sharp-leaved.	England.	4. 5.	H. h.	Eng. bot. 1436.
84	<i>stipularis</i> . E.B.	auricled.	Britain.	3.	H. h.	— 1214.
85	<i>undulata</i> . s.s.	wave-leaved.	Germany.	1819.	4. 5.	H. h.	
86	<i>petiolaris</i> . E.B.	dark long-ld.	N.America.	4.	H. h.	Eng. bot. 1147.
87	<i>patula</i> . s.s.	spreading.	Italy.	1818.	—	H. h.	
88	<i>candida</i> . s.s.	hoary.	N.America.	1811.	4. 5.	H. h.	
89	<i>discolor</i> . s.s.	brown-branched.	—	—	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
90	<i>arenaria</i> . E.B.	sand.	Scotland.	5.	H. h.	Eng. bot. 1809.
91	<i>repens</i> . E.B.	creeping.	Britain.	5.	H. h.	— 183.
92	<i>incubacea</i> . w.	trailing.	Europe.	1775.	—	H. h.	
93	<i>rosmarinifolia</i> . E.B.	Rosemary-ld.	Britain.	4. 5.	H. h.	Eng. bot. 1365.
94	<i>Arbuscula</i> . E.B.	little tree.	Scotland.	4.	H. h.	— 1366.
95	<i>fusca</i> . E.B.	brown.	Britain.	5.	H. h.	— 1960.
96	<i>parvifolia</i> . E.B.	small-leaved.	England.	4. 5.	H. h.	— 1961.
97	<i>adscendens</i> . E.B.	ascending.	—	—	H. h.	— 1962.
98	<i>prostrata</i> . E.B.	prostrate.	Britain.	5.	H. h.	— 1959.
99	<i>canescens</i> . w.en.	canescent.	Germany.	1815.	4. 5.	H. h.	
100	<i>leucophylla</i> . w.en.	white-leaved.	—	—	—	H. h.	
101	<i>elæagnoides</i> . L.en.	Elæagnus-like.	Switzerland.	1823.	—	H. h.	
102	<i>argentea</i> . E.B.	silky sand.	Britain.	5.	H. h.	Eng. bot. 1364.
103	<i>versifolia</i> . s.s.	various-leaved.	N. Europe.	1824.	—	H. h.	
104	<i>prunifolia</i> . E.B.	Plum-leaved.	Scotland.	4. 5.	H. h.	Eng. bot. 1361.
105	<i>Dicksoniana</i> . E.B.	Dickson's.	—	5.	H. h.	— 1390.
106	<i>humilis</i> . w.en.	humble.	1824.	—	H. h.	
107	<i>formosa</i> . w.	handsome.	Switzerland.	1820.	—	H. h.	
108	<i>myrsinites</i> . E.B.	Whortle-leav'd.	Scotland.	4. 6.	H. h.	Eng. bot. 1360.
109	<i>venulosa</i> . E.B.	veiny-leaved.	—	4. 5.	H. h.	— 1362.
110	<i>vacciniifolia</i> . E.B.	Bilberry-ld.	—	—	H. h.	— 2341.
111	<i>carinata</i> . E.B.	folded-leaved.	—	—	H. h.	— 1363.

112	arbutifolia. w.	Arbutus-leav'd.	Switzerland.	1818.	—	H. h.	
113	rupestris. E.B.	rock.	Scotland.	4.	H. h.	Eng. bot. 2342.
114	livida. s.s.	livid.	Lapland.	1824.	—	H. h.	
115	longifolia. s.s.	long-leaved.	N.America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 6.
116	glauca. E.B.	glaucous.	Scotland.	5.	H. h.	Eng. bot. 1810.
117	sericea. w.	silky.	Alps Europe.	1816.	—	H. h.	Vill. delph. 3. t. 51. f. 27.
118	Stuartiana. E.B.	Stuart's.	Scotland.	7. 8.	H. h.	Eng. bot. 2586.
119	reticulata. E.B.	wrinkled.	Britain.	6. 7.	H. h.	— 1908.
120	hirta. E.B.	hairy-branch'd.	England.	4. 5.	H. h.	— 1404.
121	oleifolia. E.B.	Olive-leaved.	Britain.	3.	H. h.	— 1402.
122	Croweana. E.B.	Crowe's.	England.	4. 5.	H. h.	— 1146.
123	fagifolia. w.	Beech-leaved.	Hungary.	1819.	—	H. h.	
124	cordifolia. Ph.	heart-shaped.	N.America.	1811.	—	H. h.	
125	planifolia. Ph.	flat-leaved.	Labrador.	—	4. 5.	H. h.	
126	falcata. Ph.	sickle-leaved.	N.America.	—	—	H. h.	
127	tetrapla. L.en.	elegant.	1824.	H. h.	
128	obtusa. L.en.	blunt-leaved.	Switzerland.	—	H. h.	
129	eriantha. L.en.	woolly-flow'r'd.	—	—	H. h.	
130	cæsia. vill.	cæsious.	N. Europe.	—	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
131	ulmifolia. W.en.	Elm-leaved.	Switzerland.	—	—	H. h.	
132	foliosa. w.	leafy.	Lapland.	1818.	—	H. h.	
133	obtusifolia. w.	obtuse-leaved.	—	—	—	H. h.	
134	atrovirens. Sch.	dark-green.	Switzerland.	1824.	—	H. h.	
135	australis. Sch.	southern.	—	—	—	H. h.	
136	carpinifolia. Sch.	Hornbeam-ld.	—	—	3. 4.	H. h.	
137	cydoniifolia. Sch.	Cydonia-leav'd.	—	—	—	H. h.	
138	subalpina. Sch.	subalpine.	—	—	4. 5.	H. h.	
139	proteæfolia. Sch.	Protea-leaved.	—	1820.	4.	H. h.	
140	strepida. Sch.	creaking.	—	—	—	H. h.	
141	glabrata. Sch.	smooth.	—	1823.	4. 5.	H. h.	
142	decumbens. Sch.	decumbent.	—	—	—	H. h.	
143	heterophylla. Deb.	different-leav'd.	—	—	H. h.	
144	murina. Sch.	wall.	Switzerland.	1824.	3. 4.	H. h.	
145	nervosa. Sch.	nerved.	—	—	—	H. h.	
146	pannosa. Sch.	cloth-leaved.	—	—	4. 5.	H. h.	
147	pallescent. Sch.	pallid.	—	—	—	H. h.	
148	pallida. Sch.	pale.	—	—	—	H. h.	
149	alaternoides. Sch.	Alaternus-like.	—	1823.	—	H. h.	
150	albescens. Sch.	whitish.	—	—	—	H. h.	
151	annularis. L.C.	annular-leaved.	—	H. h.	
152	cerasifolia. Sch.	Cherry-leaved.	Switzerland.	1824.	4.	H. h.	
153	cinnamomea. Sch.	Cinnamon-scented.	—	—	4. 5.	H. h.	
154	clethraefolia. Sch.	Clethra-leaved.	—	—	—	H. h.	
155	grisophylla. Sch.	gray-leaved.	—	—	—	H. h.	
156	lacustris. Sch.	lake.	—	—	—	H. h.	
157	mespilifolia. Sch.	Mespilus-ld.	—	—	—	H. h.	
158	obtuse-serrata. Sch.	bluntly-sawed.	—	—	—	H. h.	
159	pyrifolia. Sch.	Pear-leaved.	—	—	—	H. h.	
160	Schleicheriana. w.	Schleicher's.	—	—	—	H. h.	
POPULUS. L.		POPLAR.	Diœcia Octandria.	L.			
1	alba. E.B.	Abele-tree.	Britain.	3. 4.	H. h.	Eng. bot. 1618.
2	canescens. E.B.	gray.	England.	...	—	H. h.	— 1619.
3	nivea. w.	snowy.	Europe.	—	H. h.	
4	trepida. w.	trembling.	N.America.	1812.	—	H. h.	Mich. arb. 3. t. 8. f. 1.
5	tremula. w.	Aspen.	Britain.	3. 4.	H. h.	Eng. bot. 1909.
6	lævigata. w.	smooth.	N.America.	1769.	—	H. h.	Mich. arb. 3. t. 11.
7	tremuloides. M.	trembling-like.	—	1811.	—	H. h.	Duham. arb. 2. t. 53.
8	græca. w.	Athenian.	Archipelago.	1779.	—	H. h.	— 184. t. 54.
9	nigra. w.	black.	Britain.	—	H. h.	Eng. bot. 1910.
10	hudsonica. M.	American black.	N. America.	—	H. h.	Mich. arb. 3. t. 10. f. 1.
	betulifolia. Ph.						
11	dilatata. w.	Lombardy.	Italy.	1758.	—	H. h.	
12	monilifera. w.	Canadian.	Canada.	1772.	3. 5.	H. h.	Wats. dend. brit. 102.
13	angulata. w.	Carolina.	Carolina.	1738.	3.	H. h.	Mich. arb. 3. t. 12.
14	grandidentata. M.	large-toothed.	N.America.	1812.	4.	H. h.	
	β pendula. N.	weeping.	—	1820.	—	H. h.	
15	balsamifera. w.	Tacamahac.	—	1692.	—	H. h.	Mich. arb. 3. t. 13. f. 1.
16	candicans. w.	heart-leaved.	—	1772.	3.	H. h.	Catesb. car. 1. t. 34.
17	heterophylla. w.	various-leaved.	—	1765.	4. 5.	H. h.	Mich. arb. 3. t. 9.

SUBORDO II. *BETULINÆ*. Kth. synops. l. p. 363.

ALNUS. W.		ALDER. Monœcia Tetrandria. W.					
1	<i>glutinosa</i> . w.	common.	Britain.	3. 4.	H. h.	Eng. bot. 1508.
	<i>β emarginata</i> .	<i>emarginate</i> .	—	—	H. h.	
	<i>γ incisa</i> . w.	<i>cut-leaved</i> .	—	—	H. h.	
	<i>δ laciniata</i> . w.	<i>jagged-leaved</i> .	—	—	H. h.	
	<i>ε quercifolia</i> .	<i>Oak-leaved</i> .	—	—	H. h.	
2	<i>incana</i> . w.	hoary-leaved.	Europe.	1780.	6.	H. h.	
	<i>β angulata</i> . H.K.	<i>angular-leaved</i> .	—	—	—	H. h.	
	<i>γ pinnata</i> .	<i>pinnated</i> .	—	—	H. h.	
3	<i>oblongata</i> . w.	<i>oblong-leaved</i> .	S. Europe.	1730.	7.	H. h.	
	<i>β elliptica</i> .	<i>elliptic-leaved</i> .	—	—	—	H. h.	
4	<i>undulata</i> . w.	<i>undulate</i> .	N. America.	1782.	5. 6.	H. h.	
	<i>crispa</i> . Ph. <i>Betula crispa</i> . H.K.	—	—	—	—	—	
5	<i>serrulata</i> . w.	<i>notch-leaved</i> .	—	1769.	3.	H. h.	Abb. ins. 2. t. 92.
6	<i>cordifolia</i> . T.P.	<i>heart-leaved</i> .	Naples.	1820.	3. 4.	H. h.	
7	<i>macrophylla</i> . Desf.	<i>large-leaved</i>	1823.	H. h.	
8	<i>rubra</i> . Desf.	<i>red</i>	—	H. h.	
9	<i>pumila</i> . L.C.	<i>dwarf</i>	—	H. h.	
10	<i>oxyacanthifolia</i> . L.C.	<i>Hawthorn-ld</i>	1812.	H. h.	
11	<i>subrotunda</i> . Desf.	<i>roundish-leav'd</i>	1822.	H. h.	
BETULA. W.		BIRCH. Monœcia Polyandria. L.					
1	<i>alba</i> . w.	common.	Britain.	4. 6.	H. h.	Eng. bot. 2198.
	<i>β verrucosa</i> . Ehr.	<i>warted</i> .	—	—	H. h.	
	<i>γ pendula</i> . Roth.	<i>weeping</i> .	—	—	H. h.	
	<i>δ dalecarlica</i> . L.	<i>palmate-leaved</i>	—	H. h.	
	<i>ε pontica</i> . W.D.	<i>eastern</i> .	Asia.	—	H. h.	Wats. dend. brit. 94.
	<i>ζ macrocarpa</i> .	<i>large-fruited</i>	—	H. h.	
2	<i>pubescens</i> . P.S.	<i>pubescent</i> .	Europe.	4. 6.	H. h.	
3	<i>populifolia</i> . w.	<i>Poplar-leaved</i> .	N. America.	1750.	7.	H. h.	Wats. dend. brit. 151.
4	<i>excelsa</i> . w.	<i>tall</i> .	—	1767.	5.	H. h.	95.
5	<i>davurica</i> . w.	<i>Daurian</i> .	Dauria.	1786.	7.	H. h.	Pall. ros. 1. t. 39.
6	<i>nigra</i> . w.	<i>black</i> .	N. America.	1736.	7. 8.	H. h.	Wats. dend. brit. 153.
7	<i>lutea</i> . M.	<i>yellow</i> .	—	1816.	5. 6.	H. h.	
8	<i>lanulosa</i> . M.	<i>woolly</i> .	—	1812.	—	H. h.	
	<i>rubra</i> . Mich. arb. 2. t. 3.	—	—	—	—	—	
9	<i>papyracea</i> . w.	<i>paper</i> .	—	1750.	5. 6.	H. h.	Wats. dend. brit. 151.
10	<i>lenta</i> . w.	<i>soft</i> .	—	1759.	7.	H. h.	144.
11	<i>carpinifolia</i> . W.en.	<i>Hornbeam-ld</i> .	—	1812.	—	H. h.	
12	<i>ovata</i> . w.	<i>oval-leaved</i> .	Europe.	6. 7.	H. h.	Wats. dend. brit. 96.
	<i>viridis</i> . Vill. <i>Alnus viridis</i> . DC.	—	—	—	—	—	
13	<i>fruticosa</i> . w.	<i>shrubby</i> .	Siberia.	1816.	—	H. h.	Wats. dend. brit. 154.
14	<i>glandulosa</i> . M.	<i>glandular</i> .	N. America.	—	5.	H. h.	
15	<i>pumila</i> . w.	<i>hairy dwarf</i> .	—	1762.	4. 5.	H. h.	Wats. dend. brit. 97.
16	<i>nana</i> . w.	<i>smooth dwarf</i> .	Scotland.	5.	H. h.	Eng. bot. 2326.
	<i>β macrophylla</i> . Sch.	<i>large-leaved</i> .	Switzerland.	1823.	—	H. h.	
17	<i>tristis</i> . L.en.	<i>dark</i> .	Kamtschatka.	1824.	H. h.	
CARPINUS. W.		HORNBEAM. Monœcia Polyandria. L.					
1	<i>Betulus</i> . w.	common.	Britain.	3. 5.	H. h.	Eng. bot. 2032.
	<i>β variegata</i> .	<i>striped-leaved</i> .	—	—	H. h.	
	<i>γ incisa</i> . H.K.	<i>cut-leaved</i>	—	H. h.	
	<i>δ quercifolia</i> . Desf.	<i>Oak-leaved</i>	—	H. h.	
2	<i>americana</i> . w.	<i>American</i> .	N. America.	1812.	—	H. h.	Wats. dend. brit. 157.
3	<i>orientalis</i> . w.	<i>eastern</i> .	Levant.	1739.	5. 6.	H. h.	98.
OSTRYA. W.		HOP-HORNBEAM. Monœcia Polyandria. W.					
1	<i>vulgaris</i> . w.	common.	Italy.	1724.	5.	H. h.	Wats. dend. brit. 143.
2	<i>virginica</i> . w.	<i>American</i> .	N. America.	1692.	5. 6.	H. h.	Abb. ins. 2. t. 75.
CORYLUS. W.		NUT-TREE. Monœcia Polyandria. L.					
1	<i>Avellana</i> . w.	common Hazel.	Britain.	2. 4.	H. h.	Eng. bot. 723.
	<i>β alba</i> . H.K.	<i>white Filbert</i>	—	H. h.	
	<i>γ rubra</i> . H.K.	<i>red Filbert</i>	—	H. h.	
	<i>δ ovata</i> . Lam.	<i>oval-fruited</i>	—	H. h.	
	<i>ε barcelonensis</i> . L.C.	<i>Barcelona</i> .	Spain.	—	H. h.	
	<i>ζ grandis</i> . H.K.	<i>Cob</i>	—	H. h.	
	<i>η glomerata</i> . H.K.	<i>clustered</i>	—	H. h.	
2	<i>tubulosa</i> . w.	<i>Lambert's</i> .	S. Europe.	1759.	3. 4.	H. h.	Lam. ill. t. 780.

3 americana. w.	Cuckold.	N.America. 1798.	—	H. h.	Wang. am. t. 29. f. 63.
4 humilis. w.	dwarf cuckold.	—	—	H. h.	
5 rostrata. w.	common cuckold.	— 1745.	—	H. h.	Willd. arb. t. 1. f. 2.
6 Colurna. w.	Constantinople.	Constantinople. 1665.	—	H. h.	Wats. dend. brit. 99.

SUBORDO III. CUPULIFERÆ. Kth. synops. l. p. 353.

QUERCUS. W.	OAK. Monœcia Polyandria. L.				
1 Phellos. w.	Willow-leaved.	N.America. 1723.	5. 6.	H. h.	Mich. arb. 1. t. 12.
β humilis. Ph.	dwarf.	— 1812.	—	H. h.	Catesb. car. 1. t. 22.
2 maritima. w.	sea.	— 1811.	—	H. h.	Mich. querc. t. 13. f. 1.
3 sericea. w.	running.	— 1724.	—	H. h.	Mich. arb. 2. t. 15.
4 virens. w.	live.	— 1739.	5.	H. h.	— 2. t. 11.
5 cinerea. w.	ash-coloured.	— 1789.	5. 6.	H. h.	— 2. t. 14.
6 imbricaria. w.	tile-cupped.	— 1786.	—	H. h.	— 2. t. 13.
7 laurifolia. w.	Laurel-leaved.	—	5.	H. h.	Mich. querc. t. 17.
β obtusa. Ph.	blunt-leaved.	—	—	H. h.	— t. 18.
8 lutea. w.	yellow.	Mexico. 1825.	—	H. h.	
9 glauca. w.	glaucous.	Japan. 1822.	—	H. h.	Banks ic. Kämp. t. 17.
10 gramuntia. w.	Holly-leaved.	S. France. 1730.	6.	H. h.	
11 Ballota. w.	Barbary.	Barbary. 1818.	—	H. h.	
12 rotundifolia. w.	round-leaved.	Spain. —	—	H. h.	
13 Ilex. w.	evergreen.	S. France. 1581.	5. 6.	H. h.	Wats. dend. brit. 90.
α integrifolia. H.K.	entire-leaved.	—	—	H. h.	
β serrata. H.K.	saw-leaved.	—	—	H. h.	Duham. arb. 1. t. 123.
γ oblonga. H.K.	long-leaved.	—	—	H. h.	— 1. t. 124.
δ fagifolia. L.C.	Beech-leaved.	—	—	H. h.	
ε crispa. L.C.	curl-leaved.	—	—	H. h.	
14 Suber. w.	Cork-tree.	— 1699.	6.	H. h.	Wats. dend. brit. 89.
15 coccifera. w.	Kermes.	— 1683.	5.	H. h.	— 91.
16 infectoria. w.	Levant.	Levant. 1812.	—	H. h.	
17 Turneri. w.en.	Turner's.	—	—	H. h.	
18 Prinus. w.	Chestnut-leaved.	N.America. 1730.	5. 6.	H. h.	Mich. arb. 2. t. 7.
19 bicolor. w.	white swamp.	— 1811.	5.	H. h.	— 2. t. 6.
20 montana. w.	rock Chestnut.	— 1800.	—	H. h.	— 2. t. 8.
21 Castanea. w.	yellow Chestnut.	— 1816.	—	H. h.	— 2. t. 9.
22 prinoides. w.	dwarf Chestnut.	—	—	H. h.	— 2. t. 10.
Chinquapin. Ph.					
23 heterophylla. Ph.	various-leaved.	—	—	H. h.	— 2. t. 16.
24 aquatica. Ph.	water.	— 1723.	—	H. h.	— 2. t. 17.
25 hemisphærica. w.	hemispherical.	— 1816.	—	H. h.	Mich. querc. t. 20. f. 2.
26 nana. w.	dwarf.	— 1738.	—	H. h.	Abb. ins. 2. t. 59.
27 triloba. w.	three-lobed.	— 1800.	—	H. h.	Mich. querc. t. 26.
28 nigra. w.	black.	— 1739.	—	H. h.	Mich. arb. 2. t. 18.
29 tinctoria. w.	dyer's.	— 1800.	—	H. h.	Mich. querc. t. 24.
30 discolor. w.	two-coloured.	— 1763.	—	H. h.	— t. 25.
31 lanuginosa. D.P.	Nepaul.	Nepaul. 1818.	—	G. h.	
32 coccinea. w.	scarlet.	N.America. 1691.	5.	H. h.	Mich. arb. 2. t. 23.
33 ambigua. M.	gray.	— 1800.	—	H. h.	— 2. t. 24.
34 rubra. w.	champion.	— 1739.	5.	H. h.	— 2. t. 26.
35 Catesbæi. w.	barren scrub.	— 1820.	—	H. h.	— 2. t. 20.
36 falcata. M.	downy-leaved.	— 1763.	—	H. h.	— 2. t. 21.
elongata. w.					
37 palustris. w.	marsh.	— 1800.	—	H. h.	— 2. t. 25.
38 Banisteri. w.	Banister's.	—	—	H. h.	— 2. t. 19.
ilicifolia. w.					
39 stellata. w.	starred.	—	—	H. h.	— 2. t. 4.
obtusiloba. M.					
40 macrocarpa. w.	overcup white.	— 1800.	—	H. h.	— 2. t. 3.
41 pseudo-suber. w.	cork-like.	Spain. 1818.	—	H. h.	Sant. itin. t. 4.
42 Ægilops. w.	Velanida.	S. Europe. 1731.	—	H. h.	Mill. dict. n. 7. t. 215.
43 alba. w.	white.	N.America. 1724.	5.	H. h.	Mich. arb. 2. t. 1.
44 repanda. L.en.	repand.	—	—	H. h.	Mich. querc. t. 5. f. 2.
45 Esculus. w.	Italian.	S. Europe. 1739.	—	H. h.	

46	Robur. w.	sessile-fruited.	Britain.	4. 5.	H. h.	Eng. bot. 1845.
	<i>sessiliflora</i> . E.B.						
47	pedunculata. w.	common.	—	—	H. h.	Eng. bot. 1342.
	<i>Robur</i> . E.B. <i>non</i> w.						
48	pubescens. w.	Durmast.	England.	—	H. h.	Second. d. chen. t. 5.
49	conglomerata. P.S.	clustered.	Europe.	—	H. h.	
50	olivæformis. M.	mossy-cup.	N.America.	1811.	5.	H. h.	Mich. arb. 2. t. 2.
51	lyrata. w.	lyre-leaved.	—	1786.	—	H. h.	— 2. t. 5.
52	Tauzin. P.S.	soft jagged-lf.	S. Europe.	—	H. h.	
	β <i>laciniata</i> . Desv.	<i>cut-leaved</i> .	—	—	H. h.	
	γ <i>digitata</i> . Desv.	<i>fingered</i> .	—	—	H. h.	
53	Cerris. w.	Turkey.	—	1735.	—	H. h.	Wats. dend. brit. 92.
	α <i>frondosa</i> . H.K.	<i>common</i> .	—	—	—	H. h.	
	β <i>bullata</i> . H.K.	<i>rough-leaved</i> .	—	—	—	H. h.	
	γ <i>sinuata</i> . H.K.	<i>narrow-leaved</i> .	—	—	—	H. h.	
	δ <i>dentata</i> . W.D.	<i>Fulham</i> .	—	6.	H. h.	Wats. dend. brit. 93.
54	Lucombeana.	Lucombe's.	5. 6.	H. h.	
	<i>exoniensis</i> . L.C.						
55	austriaca. W.en.	Austrian.	Austria.	4. 5.	H. h.	Clus. hist. 1. p. 20. c. ic.
56	mexicana. K.S.	Mexican.	Mexico.	1824.	G. h.	H. et B. pl. æq. 2. t. 822.
57	spicata. K.S.	spiked.	—	—	G. h.	— 2. t. 890.
58	Bonplandiana.	Bonpland's.	—	—	G. h.	— 2. t. 933.
	<i>ambigua</i> . K.S. <i>non</i> M.						
FAGUS. W.		BEECH. Monœcia Polyandria. L.					
1	americana.	white.	N. America.	...	5.	H. h.	Mich. arb. 2. t. 8.
	<i>sylvatica</i> . Ph.						
2	sylvatica. w.	common.	Britain.	4. 5.	H. h.	Eng. bot. 1846.
	β <i>purpurea</i> . H.K.	<i>dark purple</i> .	Germany.	—	H. h.	
3	ferruginea. w.	ferruginous.	N.America.	1796.	5. 6.	H. h.	Mich. arb. 2. t. 9.
4	comptoniæfolia. Desf.	<i>Fern-leaved</i>	—	H. h.	
	<i>sylvatica</i> γ <i>aspleniifolia</i> . H.S.L.						
CASTANEA. G.		CHESTNUT. Monœcia Polyandria. W.					
1	americana. P.S.	American.	N.America.	5. 6.	H. h.	Mich. arb. 2. t. 6.
2	vesca. w.	common.	England.	—	H. h.	Eng. bot. 886.
	β <i>variegata</i> .	<i>striped-leaved</i> .	—	—	H. h.	
	γ <i>aspleniifolia</i> .	<i>fern-leaved</i>	—	H. h.	
3	pumila. w.	dwarf.	N.America.	1699.	7.	H. h.	Mich. arb. 2. t. 7.
?SALISBURIA. L.T.		MAIDENHAIR-TREE. Monœcia Polyandria. H.K.					
	<i>adiantifolia</i> . L.T.	Japan.	Japan.	1754.	4. 5.	H. h.	Wats. dend. brit. 1683.
	<i>Ginkgo biloba</i> . L.						

SUBORDO IV. PLATANÆ.

PLATANUS. W.	PLANE-TREE. Monœcia Polyandria. L.					
1	orientalis. w.	oriental.	Levant.	1548.	4. 5.	H. h.
2	cuneata. w.	wave-leaved.	—	1739.	—	H. h.
3	acerifolia. w.	Maple-leaved.	—	1724.	H. h.
4	occidentalis. w.	American.	N.America.	1640.	—	H. h.
LIQUIDAMBAR. W.	SWEET-GUM-TREE. Monœcia Polyandria. L.					
1	Styraciflua. w.	Maple-leaved.	N.America.	1683.	3. 4.	H. h.
2	imberbe. w.	oriental.	Levant.	1759.	H. h.

SUBORDO V. MYRICEÆ. Kth. synops. 1. p. 361.

COMPTONIA. W.	COMPTONIA. Monœcia Triandria. W.					
<i>aspleniifolia</i> . w.	<i>Fern-leaved</i> .	N.America.	1714.	3. 5.	H. h.	Wats. dend. brit. 1666
MYRICA. W.	CANDLEBERRY-MYRTLE. Diœcia Tetrandria. L.					
1	Gale. w.	Sweet Gale.	Britain.	5.	H. h.
2	cerifera. w.	common.	N.America.	1699.	5. 6.	H. h.
3	carolinensis. Ph.	broad-leaved.	—	1730.	5.	H. h.
4	pensylvanica. Ph.	Pennsylvanian.	—	—	H. h.
5	Faya. w.	Azorian.	Azores.	1777.	6. 7.	F. h.

6 mexicana. W.en.	Mexican.	Mexico.	1824.	6. 8.	G. h.	
7 esculenta. D.P.	eatable.	Nepaul.	—	G. h.	
8 segregata. w.	netted-leaved.	S. America.	—	G. h.	Jacq. ic. 3. t. 625.
9 æthiopica. w.	African.	C. B. S.	1795.	6. 7.	G. h.	Pluk. alm. t. 48. f. 8.
10 serrata. w.	saw-leaved.	—	1793.	8.	G. h.	Burm. afr. t. 98. f. 1.
11 laciniata. W.en.	smooth Oak-ld.	—	1752.	6. 7.	G. h.	Jacq. frag. 2. t. 1. f. 4.
12 quercifolia. W.en.	hairy Oak-ld.	—	—	—	G. h.	
13 cordifolia. w.	heart-leaved.	—	1759.	5. 7.	G. h.	Pluk. alm. t. 319. f. 7.
CASUARINA. W.	CASUARINA.	Monœcia Monandria.	W.			
1 equisetifolia. w.	Horse-tail.	S. Sea Isl.	1793.	S. h.	Rumph. amb. 3. t. 57.
2 nodiflora. w.	knotted-flower'd	—	1818.	S. h.	
3 stricta. w.	upright.	N. S. W.	1775.	11. 2.	G. h.	Andr. reposit. 346.
4 distyla. w.	two-styled.	—	1812.	—	G. h.	Vent. dec. pl. nov. t. 62.
5 quadrivalvis. P.S.	four-valved.	N. Holland.	—	—	G. h.	Lab. nov. hol. 2. t. 218.
6 torulosa. w.	cork-barked.	N. S. W.	1772.	4. 6.	G. h.	
7 muricata. L.en.	muricate.	E. Indies.	1816.	S. h.	

ORDO CLX.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS. W.	WITCH-HAZEL.	Tetrandria Digynia.	L.			
1 virginica. w.	Virginian.	N. America.	1736.	11. 5.	H. h.	Lodd. bot. cab. 598.
2 macrophylla. Ph.	large-leaved.	—	1812.	—	H. h.	
FOTHERGILLA. W.	FOTHERGILLA.	Polyandria Digynia.	L.			
1 alnifolia. w.	obtuse-leaved.	N. America.	1765.	4. 6.	H. h.	Botan. magaz. 1341.
2 major. B.M.	large-leaved.	—	—	5. 6.	H. h.	— 1342.
3 Gardeni. Jacq.	acute-leaved.	—	—	—	H. h.	Jacq. ic. 1. t. 100.
4 serotina. B.M.	green-leaved.	—	—	—	H. h.	

ORDO CLXI.

CONIFERÆ. *Juss. gen. 411.*

SUBORDO I. TAXINÆ. *Richard.*

EPHEDRA. W.	EPHEDRA.	Diœcia Monadelphina.	L.			
1 distachya. w.	great.	France.	1570.	6. 7.	H. h.	Schk. hand. 3. t. 339.
2 monostachya. w.	small.	Siberia.	1772.	9. 11.	H. h.	Wats. dend. brit. 142.
3 altissima. w.	tall.	Barbary.	1823.	H. h.	Desf. atl. 2. t. 253.
TAXUS. W.	YEW-TREE.	Diœcia Monadelphina.	L.			
1 baccata. w.	common.	Britain.	2. 4.	H. h.	Eng. bot. 746.
2 canadensis. w.	Canadian.	Canada.	1818.	—	H. h.	
3 ? nucifera. w.	Acorn-bearing.	China.	1764.	G. h.	Kæmpf. amœn. t. 815.
PODOCARPUS. L'H.	PODOCARPUS.	Monœcia Monadelphina.				
1 aspleniifolia. P.S.	Fern-leaved.	V. Diem. Isl.	1825.	G. h.	Lab. n. holl. 2. t. 221.
2 elongata. P.S.	African.	C. B. S.	1774.	7.	G. h.	
3 chinensis.	Chinese.	China.	5. 7.	H. h.	
<i>Taxus chinensis.</i> H.B.						
4 verticillata.	whorl-leaved.	Japan.	1812.	G. h.	
5 macrophylla. L.en.	large-leaved.	China.	1804.	7. 8.	G. h.	Kæmpf. ic. t. 24.
6 nereifolia. L.P.	Wax-Dammar.	P. Wales Isl.	1809.	S. h.	Rumph. amb. 3. t. 26.

SUBORDO II. CUPRESSINÆ Richard.

JUNIPERUS. W.		JUNIPER. Diœcia Monadelphia. L.					
1	thurifera. w.	Spanish.	S. Europe.	1752.	5. 6.	H. h.	
2	barbadensis. w.	Barbadoes.	Barbadoes.	1811.	G. h.	Pluk. alm. t. 197. f. 4.
3	bermudiana. w.	Bermudas Cedar.	Bermudas.	1683.	5. 6.	F. h.	Herm. lugd. t. 347.
4	chinensis. w.	Chinese.	China.	1804.	5. 6.	H. h.	
5	excelsa. w.	tall.	Siberia.	1806.	H. h.	
6	Sabina. w.	Savin.	S. Europe.	1548.	5. 6.	H. h.	
	<i>β variegata.</i>	<i>variegated.</i>	—	—	—	H. h.	
7	tamariscifolia.	Tamarisk-ld.	—	—	—	H. h.	
8	prostrata. P.S.	prostrate.	N. America.	—	H. h.	
9	daurica. A.R.	Daurian.	Dauria.	1791.	6. 8.	H. h.	Andr. reposit. 534.
10	virginiana. w.	red Cedar.	N. America.	1664.	5. 6.	H. h.	Mich. arb. 3. t. 5.
11	glauca. w.en.	glaucous.	China.	1814.	—	H. h.	
12	recurva. D.P.	recurve-branch'd.	Nepaul.	1822.	H. h.	
13	communis. w.	common.	Britain.	5. 6.	H. h.	Eng. bot. 1100.
14	suecica. Mill.	Swedish.	N. Europe.	—	H. h.	
15	nana. w.	dwarf.	Siberia.	1815.	—	H. h.	Pall. ros. 2. t. 54. f. A. B.
16	Oxycedrus. w.	brown-berried.	Spain.	1739.	—	H. h.	Duham. arb. 2. t. 128.
17	phœnicea. w.	Phœnician.	S. Europe.	1683.	—	H. h.	Pall. ros. 2. t. 57.
18	lycia. w.	Lycian.	—	1693.	—	H. h.	— 2. t. 56.
19	capensis. Lam.	Cape.	C. B. S.	1816.	G. h.	
20	drupacea. Lab.	drupaceous.	—	H. h.	
THUJA. W.		ARBOR-VITÆ. Monœcia Monadelphia. L.					
1	occidentalis. w.	American.	N. America.	1596.	5.	H. h.	Wats. dend. brit. 1500.
2	pyramidalis. T.P.	pyramidal.	1824.	—	H. h.	
3	orientalis. w.	Chinese.	China.	1752.	2. 3.	H. h.	Wats. dend. brit. 1490.
4	plicata. L.P.	Nee's.	Nootka sound.	1796.	—	H. h.	Lamb. pin. v. 2. p. 19. t. 1.
5	cupressoides. w.	African.	C. B. S.	1799.	G. h.	
6	articulata. w.	jointed.	Barbary.	1815.	2. 5.	F. h.	Vahl. symb. 2. t. 48.
7	pendula. L.P.	weeping.	Tartary.	1810.	—	H. h.	Lamb. pin. v. 2.
CUPRESSUS. W.		CYPRESS. Monœcia Monadelphia. L.					
1	sempervirens. w.	common.	Candia.	1548.	5.	H. h.	Pall. ros. 2. t. 53.
	<i>α stricta.</i>	<i>upright.</i>	—	—	—	H. h.	
	<i>β horizontalis.</i>	<i>horizontal.</i>	—	—	—	H. h.	
2	lusitanica. w.	Cedar of Goa.	Goa.	1683.	4. 5.	F. h.	Lamb. pin. 95. t. 42.
3	pendula. Th.	pendulous.	Japan.	1818.	F. h.	
4	thyoides. w.	white Cedar.	N. America.	1736.	4. 5.	H. h.	Wats. dend. brit. 1560.
5	bacciformis. w.en.	berry-like.	1818.	—	H. h.	
6	juniperoides. w.	African.	C. B. S.	1756.	—	G. h.	
7	australis. P.S.	New Holland.	N. Holland.	—	G. h.	
TAXODIUM. Rich.		TAXODIUM. Monœcia Monadelphia.					
	distichum. Rich.	deciduous.	America.	1640.	5.	H. h.	Mich. arb. 3. t. 1.
	<i>Cupressus disticha.</i> w.	<i>Schubertia.</i> Mirb.	—	—	—	H. h.	
	<i>α patens.</i> H.K.	<i>spreading.</i>	—	—	—	H. h.	
	<i>β nutans.</i> H.K.	<i>long-leaved.</i>	—	—	—	H. h.	
DACRYDIUM. L.P.		DACRYDIUM. Monœcia Monadelphia.					
	eupressinum. L.P.	N. Zealand spruce.	N. Zealand.	1825.	G. h.	Lamb. pin. v. 1. t. 41.

SUBORDO III. ABIETINÆ Richard.

DAMMARA. L.P.		DAMMARA. Monœcia Monadelphia. L.en.					
1	australis. L.P.	Cowrie-tree.	N. Zealand.	1823.	G. h.	Lamb. pin. 2. p. 14. t. 1.
2	orientalis. L.P.	Amboyna pitch-tree.	Amboyna.	1804.	S. h.	— v. 1. t. 38. v. 2. p. 11.
	<i>loranthifolia.</i> L.en.	<i>Pinus Dammara.</i> w.	<i>Agathis loranthifolia.</i> S.M.	—	—	—	—
ARAUCARIA. J.		ARAUCARIA. Diœcia Monadelphia. W.					
1	imbricata. w.	Chili Pine.	Chili.	1796.	H. h.	Lamb. pin. 2. p. 9. t. 4. 1 B.
2	brasiliانا. L.P.	Brazil Pine.	Brazil.	1816.	G. h.	— 2. p. 12. t. 1.
3	excelsa. H.K.	Norfolk Island.	Norfolk Isl.	1793.	G. h.	— 1. t. 39. 400.
	<i>Dombeya excelsa.</i> L.P.	—	—	—	—	—	—

BELIS. L.T.		BELIS. Monœcia Monadelphica. L.en.					
jaculifolia. L.T.		spear-leaved.	China.	1804.	G. h.	Lamb. pin. 1. p. 52. t. 34.
Pinus lanceolata. L.F.							
PINUS. W.		PINE or FIR.	Monœcia Monadelphica. W.				
1	sylvestris. w.	Scotch.	Scotland.	5.	H. h.	Lamb. pin. 1. t. 1.
2	Laricio. P.S.	Corsican.	Corsica.	1814.	4. 5.	H. h.	— v. 2. p. 28. t. 9.
3	uncinata. DC.	hooked.	Pyrenees.	1820.	H. h.	
4	Pumilio. w.	upright-coned.	Carniola.	1779.	4. 5.	H. h.	Lamb. pin. p. 5. t. 2.
5	Mughus. w.	nodding-coned.	Austria.	—	H. h.	Jacq. ic. 1. t. 193.
6	pungens. M.	prickly-coned.	N.America.	1804.	H. h.	Mich. arb. 1. t. 5.
7	Banksiana. Ph.	Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H. h.	Lamb. pin. p. 7. t. 3.
8	Pallasiana. L.P.	Pallas's.	Crimea.	1804.	—	H. h.	— v. 2. p. 1. t. 1.
9	Pinaster. w.	cluster.	S. Europe.	1596.	4. 5.	H. h.	— v. 1. p. 9. t. 4. 5.
10	Pinea. w.	stone.	—	1548.	5.	H. h.	— v. 1. p. 11. t. 6. 7. 8.
11	maritima. w.	maritime.	—	1759.	5. 6.	H. h.	— v. 2. p. 30. t. 10.
12	halepensis. w.	Aleppo.	Levant.	1683.	5.	H. h.	— v. 1. p. 15. t. 11.
13	inops. Ph.	Jersey.	N.America.	1739.	—	H. h.	— v. 1. p. 18. t. 13.
14	resinosa. Ph.	pitch.	—	1756.	—	H. h.	— v. 1. p. 20. t. 14.
15	variabilis. Ph.	2 and 3-leaved.	—	1739.	5. 6.	H. h.	— v. 1. p. 22. t. 15.
16	canariensis. L.en.	Canary.	Canaries.	1815.	G. h.	
17	Clanbrassiliana. L.C.	dwarf.	1810.	H. h.	
18	Tæda. Ph.	frankincense.	N.America.	1713.	5. 6.	H. h.	— v. 1. p. 23. t. 16. 17.
19	serotina. Ph.	Fox-tail.	—	—	—	H. h.	Mich. arb. 1. t. 7.
20	rigida. Ph.	three-leaved.	—	1759.	—	H. h.	Lamb. pin. p. 25. t. 18. 19.
21	palustris. Ph.	swamp.	—	1730.	H. h.	— p. 27. t. 20.
22	longifolia. w.	long-leaved.	E. Indies.	1801.	H. h.	— p. 29. t. 21.
23	occidentalis. w.	West Indian.	W. Indies.	1820.	S. h.	Plum. sp. 17. t. 161.
24	Cembra. w.	Siberian stone.	Siberia.	1746.	5.	H. h.	Lamb. pin. p. 34. t. 23. 24.
25	Strobus. w.	Weymouth.	N.America.	1705.	4.	H. h.	— p. 31. t. 22.
26	excelsa. D.P.	Bhotan.	Nepaul.	1822.	H. h.	— v. 2. p. 5. t. 3.
27	Cedrus. w.	Cedar of Lebanon.	Levant.	1683.	5.	H. h.	— v. 1. p. 59. t. 37.
28	Deodara. L.P.	Indian Cedar.	Nepaul.	1822.	H. h.	— v. 2. p. 8. t. 4.
29	pendula. w.	black Larch.	N.America.	1739.	5.	H. h.	— v. 1. p. 56. t. 36.
30	microcarpa. w.	red Larch.	—	1760.	—	H. h.	— p. 58. t. 37.
31	Larix. w.	common Larch.	Germany.	1629.	3. 4.	H. h.	— p. 53. t. 35.
32	canadensis. w.	hemlock Spruce.	N.America.	1736.	5.	H. h.	— p. 50. t. 32.
33	dumosa. D.P.	bushy.	Nepaul.	1820.	H. h.	
34	taxifolia. Ph.	Yew-leaved.	Columbia.	1822.	H. h.	Lam. pin. v. 1. p. 51. t. 33.
35	nigra. Ph.	black Spruce.	N.America.	1700.	5.	H. h.	— v. 1. p. 41. t. 27.
36	rubra. Ph.	red Spruce.	—	1755.	—	H. h.	— v. 1. p. 43. t. 28.
37	alba. Ph.	white Spruce.	—	1700.	5. 6.	H. h.	— v. 1. p. 39. t. 26.
38	Abies. w.	Norway Spruce.	N. Europe.	1548.	4.	H. h.	— v. 1. p. 37. t. 25.
39	Picea. w.	silver Fir.	Germany.	1603.	5.	H. h.	— p. 46. t. 30.
40	spectabilis. D.P.	purple-coned.	Nepaul.	1825.	H. h.	— v. 2. p. 3. t. 2.
41	Balsamea. w.	Balm of Gilead.	N.America.	1696.	5.	H. h.	— v. 1. p. 48. t. 31.
42	Fraseri. Ph.	double balsam.	Pensylvania.	1811.	—	H. h.	
43	adunca. Bosc.	crooked.	1822.	H. h.	
44	Romania. H. Bel.	Roman.	—	H. h.	
45	sibirica. Dut.	Siberian.	Siberia.	—	H. h.	
46	Pichta. F.	pigmy.	—	1824.	H. h.	
47	orientalis. w.	oriental.	Levant.	—	H. h.	Lamb. pin. v. 1. p. 45. t. 29.

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* SUBCLASSIS I. PHANEROGANEÆ. DC.

ORDO CLXII.

CYCADEÆ. *Brown prodr.* 346.

ZAMIA. W.	ZAMIA. Diœcia Polyandria. W.				
1 pungens. w.	needle. C. B. S.	1775.	G. h̄.	Till. pis. 129. t. 45.
2 cycadifolia. w.	Cycas-leaved.	—	G. h̄.	Jacq. frag. 1. t. 25. 26.
3 tridentata. w.	three-toothed.	1820.	G. h̄.	
4 angustifolia. Jac.	narrow-leaved. Bahama Isl.	7. 8.	S. h̄.	Jacq. ic. 3. t. 636.
5 tenuis. w.	slender-leaved.	1823.	S. h̄.	
6 media. w.	intermediate. W. Indies.	7. 8.	S. h̄.	Botan. magaz. 1838.
7 debilis. w.	weak.	1777.	—	S. h̄.	Comm. hort. 1. t. 58.
8 integrifolia. w.	dwarf.	1768.	—	S. h̄.	Botan. magaz. 1851.
9 pygmæa. B.M.	least.	5.	S. 4.	— 1741.
10 furfuracea. W.	chaffy.	1691.	7. 8.	S. h̄.	Trew ehret. t. 61.
11 spiralis. B.P.	spiral. N. S. W.	1796.	—	G. 4.	
12 longifolia. w.	long-leaved. C. B. S.	1820.	G. h̄.	Jacq. frag. 1. t. 29.
13 lanuginosa. w.	woolly.	G. h̄.	— 1.t.30.31.
14 Cycadis. w.	Cycas-like.	1775.	G. h̄.	Thunb. a. ups. 2. t. 6.
15 horrida. w.	glaucous spiny.	1800.	G. h̄.	Jacq. frag. t. 27. 28.
16 latifolia. L.C.	broad-leaved.	G. h̄.	
17 prunifera. L.C.	Plum-like.	S. h̄.	
18 pumila. L.C.	small.	S. 4.	
19 repanda. L.C.	repand.	S. h̄.	
CYCAS. W.	CYCAS. Diœcia Polyandria. W.				
1 circinalis. w.	broad-leaved. E. Indies.	1700.	S. h̄.	Rheed. mal. 3. t. 13-21
2 glauca. L.en.	glaucous-ld.	1814.	S. h̄.	
3 revoluta. w.	narrow-leaved. China.	1737.	7. 8.	S. h̄.	Linn. trans. 6. t. 29.
4 squamosa. L.C.	scaly.	S. h̄.	

ORDO CLXIII.

HYDROCHARIDEÆ. *Brown prodr.* 344.

VALLISNERIA. L.	VALLISNERIA. Diœcia Diandria. L.				
spiralis. L.	spiral. S. Europe.	1818.	G.w. 4.	Mich.n.g.12.t.10.f.1.2.
HYDROCHARIS. L.	FROG-BIT. Diœcia Enneandria. L.				
Morsus-ranæ. L.	common. Britain.	6. 7.	H.w. 4.	Eng. bot. 808.
DAMASONIUM. W.	DAMASONIUM. Hexandria Polygynia. W.				
1 indicum. w.	Indian. E. Indies.	1800.	7. 9.	S.w. 4.	Botan. magaz. 1201.
2 ovalifolium. B.P.	oval-leaved. N. S. W.	1820.	—	G.w. 4.	
STRATIOTES. W.	WATER-SOLDIER. Diœcia Dodecandria. L.				
aloides. w.	Aloe-like. England.	6. 7.	H.w. 4.	Eng. bot. 379.

ORDO CLXIV.

ALISMACEÆ. *Kth. synops.* 1. p. 261.

SAGITTARIA. W.	ARROW-HEAD.	Monœcia Polyandria. L.			
1 sagittifolia. W.	common.	England.	6. 8.	H.w. 4. Eng. bot. 84.
2 latifolia. Ph.	broad-leaved.	N.America.	1816.	6. 8.	H.w. 4.
3 sinensis. B.M.	Chinese.	China.	1812.	9. 11.	G.w. 4. Botan. magaz. 1631.
4 obtusifolia.	blunt-leaved.	—	1804.	7. 8.	G.w. 4. Rheed. mal. 11. t. 45.
5 Doniana.	Don's.	Nepaul.	1820.	—	G.w. 4.
<i>hastata. D.P. non Ph.</i>					
6 hastata. Ph.	hastate-leaved.	N.America.	1816.	—	H.w. 4.
7 obtusa. Ph.	obtuse-leaved.	—	1822.	6. 9.	H.w. 4.
8 heterophylla. Ph.	various-leaved.	—	—	6. 8.	H.w. 4.
9 lancifolia. W.	lance-leaved.	W. Indies.	1787.	6. 7.	G.w. 4. Botan. magaz. 1792.
10 falcata. Ph.	falcate-leaved.	Carolina.	1811.	—	H.w. 4.
11 rigida. B.M.	brittle-leaved.	N.America.	1806.	—	H.w. 4. ——— 1632.
12 graminea. Ph.	grass-leaved.	Carolina.	1812.	7. 8.	H.w. 4.
13 natans. M.	floating.	—	—	—	H.w. 4.
ACTINOCARPUS. B.P.	ACTINOCARPUS.	Hexandria Hex-Octagynia.			
1 minor. B.P.	small.	N. S. W.	5. 8.	G.w. 4.
2 Damasonium.	common.	England.	6. 8.	H.w. 4. Eng. bot. 1615.
<i>Alisma Damasonium.</i>	<i>E.B. Damasonium stellatum. P.S.</i>				
ALISMA. B.P.	WATER-PLANTAIN.	Hexandria Polygynia. L.			
1 Plantago. W.	greater.	Britain.	6. 7.	H.w. 4. Eng. bot. 837.
2 lanceolata. With.	spear-leaved.	—	H.w. 4.
3 trivialis. Ph.	blunt-leaved.	N.America.	1816.	—	H.w. 4.
4 parnassifolia. W.	Parnassus-ld.	Italy.	1824.	—	H.w. 4.
5 natans. E.B.	floating.	Wales.	7. 8.	H.w. 4. Eng. bot. 775.
6 ranunculoides. E.B.	lesser.	Britain.	8.	H.w. 4. ——— 326.
7 repens. Cav.	creeping.	England.	9. 10.	H.w. 4. Cavan. ic. 1. t. 55.

ORDO CLXV.

BUTOMEÆ. *Kth. synops.* 1. p. 260.

BUTOMUS. L.	FLOWERING RUSH.	Enneandria Hexagynia. L.			
1 umbellatus. L.	umbelled.	Britain.	6. 7.	H.w. 4. Eng. bot. 651.
2 latifolius. D.P.	broad-leaved.	Nepaul.	1823.	—	H.w. 4.
LIMNOCHARIS. K.S.	LIMNOCHARIS.	Polyandria Polygynia. B.M.			
Plumieri. K.S.	Plumier's.	S. America.	1822.	6. 10.	S. ♂. Botan. magaz. 2525.
<i>emarginata. H. et B. pl. æq. 1. t. 34.</i>	<i>Alisma flava. L.</i>				

ORDO CLXVI.

JUNCAGINEÆ. *Kth. synops.* 1. p. 258.

SCHEUCHZERIA. L.	SCHEUCHZERIA.	Hexandria Trigynia. L.			
palustris. E.B.	marsh.	England.	5. 6.	H.w. 4. Eng. bot. 1801.
TRIGLOCHIN. L.	ARROW-GRASS.	Hexandria Trigynia. L.			
1 elatum. N.	long-spiked.	N.America.	1820.	5. 8.	H.w. 4.

2 maritimum. E.B.	sea-side.	Britain.	—	H.w. 4.	Eng. bot. 255.
3 palustre. E.B.	marsh.	—	7. 8.	H.w. 4.	— 366.
4 decipiens. B.P.	New Holland.	N. S. W.	1820.	—	G. 4.	—
5 Barrelieri. s.s.	Barrelier's.	Italy.	1825.	—	H. 4.	—
6 bulbosum. B.M.	bulbous-rooted.	C. B. S.	1806.	10.	G. 4.	Botan. magaz. 1445.

ORDO CLXVII.

FLUVIALES. *Kth. synops. 1. p. 134.*

POTAMOGETON. L.	POND-WEED.	Tetrandria	Tetragynia. L.
1 natans. E.B.	broad-leaved.	Britain. 7. 8. H.w. 4. Eng. bot. 1822.
2 heterophyllum. E.B.	various-leaved.	— 7. 9. H.w. 4. — 1285.
3 perfoliatum. E.B.	perfoliate.	— 7. 8. H.w. 4. — 168.
4 densum. E.B.	close-leaved.	— 5. 7. H.w. 4. — 397.
5 fluitans. E.B.	long-leaved.	— 7. 9. H.w. 4. — 1286.
6 lucens. E.B.	shining.	— 6. 8. H.w. 4. — 376.
7 lanceolatum. E.B.	spear-leaved.	England. 7. 8. H.w. 4. — 1985.
8 crispum. E.B.	curled.	Britain. 6. 7. H.w. 4. — 1012.
9 compressum. E.B.	flat-stalked.	— — H.w. 4. — 418.
10 cuspidatum. E.F.	sharp-pointed.	— 7. H.w. 4. Loes. pruss. t. 66.
11 gramineum. E.B.	Grass-leaved.	— 7. 8. H.w. 4. Eng. bot. 2253.
12 pusillum. E.B.	small.	— — H.w. 4. — 215.
13 pectinatum. E.B.	Fennel-leaved.	— 6. 7. H.w. 4. — 323.
RUPPIA. L.	RUPPIA.	Tetrandria	Tetragynia. L.
maritima. E.B.	sea.	Britain. 8. 9. H.w. 4. Eng. bot. 136.
APONOGETON. L.	APONOGETON.	Hex-Dodecandria	Tri-Tetragynia.
1 monostachyon. w.	simple-spiked.	E. Indies.	1803. 8. 10. S.w. 4. Andr. reposit. 406.
2 distachyon. w.	broad-leaved.	C. B. S.	1788. 5. 7. G.w.b. Botan. magaz. 1293.
3 angustifolium. w.	narrow-leaved.	—	4. 9. G.w.b. — 1268.
CERATOPHYLLUM. L.	HORNWORT.	Monœcia	Polyandria. L.
1 demersum. E.B.	spiny-fruited.	Britain. 7. 9. H.w. 4. Eng. bot. 947.
2 submersum. E.B.	naked-fruited.	— 9. H.w. 4. — 679.
NAJAS. L.	NAJAS.	Monœcia	Tetrandria. L.
monosperma. w.	single-seeded.	Europe.	1816. 7. 9. H.w. 4. Mich. N. gen. 11. t. 8. f. 1.
ZANNICHELLIA. L.	WATER-WEED.	Monœcia	Monandria. L.
palustris. E.B.	horned.	Britain. 7. 8. H.w. 4. Eng. bot. 1844.
CALLITRICHE. L.	WATER-STARWORT.	Monandria	Digynia. L.
1 verna. E.F.	vernal.	Britain. 4. 10. H.w. 4. Eng. bot. 722.
aquatica. E.B.	—	—	—
2 autumnalis. E.F.	autumnal.	— 6. 10. H.w. 4. Loes. prus. t. 38.
LEMNA. L.	DUCK-WEED.	Monœcia	Diandria.
1 trisulca. E.B.	Ivy-leaved.	Britain. 5. 6. H.w. 4. Eng. bot. 926.
2 minor. E.B.	lesser.	— 6. 7. H.w. 4. — 1095.
3 gibba. E.B.	thick-leaved.	— — H.w. 4. — 1233.
4 polyrrhiza. E.B.	greater.	— 7. 8. H.w. 4. — 2458.

ORDO CLXVIII.

HIPPURIDEÆ. *Link enum. h. ber. 1. p. 5.*

HIPPURIS. L.	MARE'S-TAIL.	Monandria	Monogynia. L.
vulgaris. L.	common.	Britain. 5. H.w. 4. Eng. bot. 763.

ORDO CLXIX.

PANDANEÆ. *Brown prodr.* 340.

PANDANUS. L.	SCREW-PINE.	Diœcia Monandria. L.			
1 integrifolius. Lour.	entire-leaved.	China.	1823.	S. h.
2 odoratissimus. W.	green-spined.	————	1771.	S. h.
3 utilis. W.en.	red-spined.	————	S. h.
4 humilis. W.	dwarf.	Mauritius.	S. h.
5 latifolius. L.C.	broad-leaved.	E. Indies.	1820.	S. h.
6 fœtidus. H.B.	strong scented.	————	1822.	S. h.
7 marginatus. H.B.	red-margined.	Mauritius.	1823.	S. h.
8 furcatus. H.B.	forked.	E. Indies.	—	S. h.
9 pedunculatus. B.P.	peduncled.	N. Holland.	1825.	S. h.
10 spiralis. B.P.	spiral.	————	1805.	S. h.
11 amaryllifolius. H.B.	Amaryllis-ld.	E. Indies.	1820.	S. h.
12 inermis. H.B.	spineless.	————	—	S. h.
13 albus. L.C.	white-spined.	————	1823.	S. h.
14 reflexus. L.C.	reflexed-ld.	————	1820.	S. h.
15 longifolius. L.C.	long-leaved.	————	1823.	S. h.
16 turbinatus. L.C.	top-shaped.	————	—	S. h.
PHYTELEPHAS. R.P.	PHYTELEPHAS.	Diœcia Polyandria. P.S.			
macrocarpa. R.P.	large-fruited.	Peru.	1822.	S. h.

Roxb. corom. 1. t. 94--6.

Jacq. fragm. t. 14. f. 2.

Rheed. mal. 2. t. 8.

ORDO CLXX.

TYPHINÆ. *Kth. synops.* 1. p. 132.

TYPHA. L.	CAT'S-TAIL.	Monœcia Triandria. L.			
1 latifolia. E.B.	great.	Britain.	7.	H.w. 4. Eng. bot. 1455.
2 media. D.C.	dwarf.	England.	—	H.w. 4. ——— 1457.
minor. E.B.					
3 angustifolia. E.B.	lesser.	Britain.	—	H.w. 4. Eng. bot. 1456.
4 minima. W.	least.	Europe.	1819.	—	H.w. 4.
SPARGANIUM. L.	BUR-REED.	Monœcia Triandria. L.			
1 ramosum. E.B.	branched.	Britain.	7. 8.	H.w. 4. Eng. bot. 744.
2 simplex. E.B.	unbranched.	————	—	H.w. 4. ——— 745.
3 americanum. N.	American.	N. America.	1823.	—	H.w. 4.
4 natans. E.B.	floating.	England.	7.	H.w. 4. Eng. bot. 273.

ORDO CLXXI.

AROIDEÆ. *Juss. gen.* 23.Sect. I. ORONTIACEÆ. *Brown prodr.* 1. p. 337.

POTHOS. L.	POTHOS.	Tetrandria Monogynia. L.			
1 scandens. R.S.	climbing.	E. Indies.	1818.	4. 6.	S. h. ~. Rheed. mal. 7. t. 40.
2 officinalis. F.I.	officinal.	————	1820.	4. 7.	S. h. ~.

3	Peepla. F.I.	Peeplee.	E. Indies.	1820.	4. 7.	S. ½. ~.	
4	gigantea. F.I.	gigantic.	—	1824.	S. ½. ~.	
5	pertusa. F.I.	perforated.	—	—	S. ½. ~.	Rheed. mal. 12. t. 20. 211.
6	lanceolata. R.S.	lance-leaved.	Barbadoes.	1790.	4. 7.	S. ¼.	Plum. amer. 47. t. 622.
7	acaulis. R.S.	stemless.	W. Indies.	—	—	S. ¼.	Lodd. bot. cab. 483.
8	violacea. R.S.	blue-fruited.	Jamaica.	1793.	4. 6.	S. ¼.	Hook. exot. flor. 55.
9	cannæfolia. R.S.	sweet-scented.	W. Indies.	1785.	4. 5.	S. ¼.	Botan. magaz. 603.
10	crassinervia. R.S.	thick-nerved.	S. America.	1796.	4. 6.	S. ¼.	Jacq. ic. 3. t. 609.
11	cordata. R.S.	heart-leaved.	—	1770.	4.	S. ¼.	Plum. ic. 26. t. 38.
12	sagittata. B.M.	arrow-leaved.	W. Indies.	1800.	8.	S. ¼.	Botan. magaz. 1584.
13	macrophylla. R.S.	large-leaved.	—	1794.	5. 6.	S. ¼.	Jacq. ic. 3. t. 610.
14	obtusifolia. R.S.	blunt-leaved.	Barbadoes.	1790.	—	S. ¼.	
15	coriacea. H.E.F.	leathery.	Brazil.	1824.	6.	S. ¼.	Hook. ex. flor. 210.
16	Harrisii. H.E.F.	Harris's.	—	—	—	S. ¼.	— 211.
17	pinnata. w.	wing-leaved.	E Indies.	1820.	S. ½. ~.	Rumph. amb. 5. t. 183. ff.
18	decursiva. F.I.	pinnatifid-ld.	—	1824.	S. ½. ~.	
19	heterophylla. F.I.	various-leaved.	—	1822.	S. ½. ~.	
20	Lasia. F.I.	prickly.	—	1819.	S. ¼.	
21	digitata. R.S.	fingered.	Caracas.	1823.	S. ½.	Jacq. ic. 3. t. 611.
22	palmata. R.S.	palmated.	S. America.	1803.	6. 7.	S. ¼.	Plum. amer. t. 64. 655.
23	pentaphylla. R.S.	five-leaved.	Cayenne.	—	10. 11.	S. ½.	Botan. magaz. 1375.
24	rubrinervia. L.en.	red-nerved.	S. America.	1820.	S. ¼.	
25	Scolopendrium. Spr.	Hart's-tongue.	1820.	S. ¼.	
SYMPLOCARPUS. N.		SCUNKWEED.	Tetrandria Monogynia. N.				
	fetidus. N.	fetid.	N. America.	1735.	3. 5.	H. ¼.	Swt. br. fl. gar. 57.
	<i>Pothos fetida</i> . B.M.	836. <i>Dracontium fetidum</i> . w.					
DRACONTIUM. W.		DRAGON.	Heptandria Monogynia. L.				
1	polyphyllum. w.	purple-stalk'd.	India.	1759.	3. 6.	S. ¼.	Botan. regist. 700.
2	spinosum. w.	prickly.	Ceylon.	—	4. 5.	S. ¼.	
GYMNOSTACHYS. B.P.		GYMNOSTACHYS.	Tetrandria Monogynia.				
	anceps. B.P.	flat-stemmed.	N. S. W.	1820.	6. 8.	G. ¼.	
HOULTTUYNIA. J.		HOULTTUYNIA.	Polyandria Polygynia. P.S.				
	cordata. P.S.	heart-leaved.	China.	1820.	6. 8.	G. ¼.	Thunb. jap. 26.
CARLUDOVICA. R.P.		CARLUDOVICA.	Monœcia Polyandria. P.S.				
1	palmata. R.S.	palmate.	S. America.	1818.	S. ½.	
	<i>Salmia palmata</i> . R.S.	<i>Ludovia palmata</i> . P.S.					
2	latifolia. R.P.	broad-leaved.	Peru.	1819.	S. ½.	Lodd. bot. cab. 1068.
3	angustifolia. R.P.	narrow-leav'd.	—	—	—	S. ½.	
4	jamaicensis. L.C.	Jamaica.	Jamaica.	1823.	S. ½.	
CYCLANTHUS. J.		CYCLANTHUS.					
	Plumieri. J.	Plumier's.	W. Indies.	1820.	S. ¼.	
ACORUS. L.		SWEET-FLAG.	Hexandria Monogynia. L.				
1	Calamus. s.s.	common.	Britain.	6. 7.	H. w. ¼.	Eng. bot. 356.
2	terrestris. s.s.	Chinese.	China.	1822.	—	H. w. ¼.	
3	gramineus. s.s.	grass-leaved.	—	1786.	2.	H. w. ¼.	Smith spic. 15. t. 17.
ORONTIUM. L.		ORONTIUM.	Hexandria Monogynia. L.				
	aquaticum. s.s.	aquatic.	N. America.	1775.	6.	H. ¼.	Hook. ex. flor. 19.
ROHDEA. S.S.		ROHDEA.	Hexandria Monogynia. S.S.				
	japonica. s.s.	Japan.	Japan.	1783.	1. 4.	H. ¼.	Botan. magaz. 898.
	<i>Orontium japonicum</i> . B.M.						
TUPISTRA. B.M.		TUPISTRA.	Hexandria Monogynia. S.S.				
	squalida. B.M.	brown-flow'r'd.	E. Indies.	1810.	4. 6.	S. ¼.	Botan. regist. 704.
ASPIDISTRA. B.R.		ASPIDISTRA.	Octandria Monogynia. S.S.				
	lurida. B.R.	brown-flow'r'd.	China.	1820.	2. 4.	S. ¼.	Botan. regist. 628.
	<i>punctata</i> . B.R.	977.					

Sect. II. AROIDEÆ VERÆ. Brown prodr. 335.

CALLA. K.S.		CALLA.	Heptandria Monogynia. L.				
1	palustris. w.	marsh.	N. Europe.	1768.	7. 8.	H. w. ¼.	Botan. magaz. 1831.
2	pertusa. K.S.	perforated.	W. Indies.	1752.	4. 6.	S. ¼.	Jacq. schœn. 2. t. 184.
	<i>Dracontium pertusum</i> . Jacq.						
3	aromatica. B.M.	aromatic.	E. Indies.	1817.	—	S. ¼.	Botan. magaz. 2279.
4	occulta. B.C.	hidden-spiked.	China.	1817.	5. 7.	G. ¼.	Lodd. bot. cab. 12.
RICHARDIA. Kth.		RICHARDIA.	Heptandria Monogynia.				
	æthiopica. Kth.	Ethiopian.	C. B. S.	1731.	1. 5.	G. ¼.	Botan. magaz. 832.
	<i>Calla æthiopica</i> . B.M.						

ARUM. W.			ARUM. Monœcia Polyandria. L.					
1	crinitum. w.		hairy-sheathed. Minorca.	1777.	3. 4.	F. 4.	Botan. regist. 831.	
2	Dracunculus. w.		common Dragon. S. Europe.	1548.	6. 7.	H. 4.	Moris. s. 13. t. 5. f. 46.	
3	Dracontium. w.		green Dragon. N. America.	1759.	6.	H. 4.	Botan. regist. 668.	
4	bulbiferum. B.M.		bulb-bearing. E. Indies.	1813.	3. 6.	S. 4.	Botan. magaz. 2508.	
5	venosum. w.		purple-flow'r'd.	1774.	3.	S. 4.		
6	campanulatum. H.B.		bell-flowered. E. Indies.	1816.	4. 6.	S. 4.		
7	triphyllum. w.		three-leaved. N. America.	1664.	5. 6.	H. 4.	Lodd. bot. cab. 820.	
	β Zebrinum. B.M.		striped.	—	—	H. 4.	Botan. magaz. 950.	
8	pedatum. W.en.		pedate-leaved. S. America.	1815.	—	S. 4.	Pl. sel. hort. ber. t. 8.	
9	polyphyllum. L.en.		many-leaved.	1818.	—	S. 4.		
10	ringens. w.		gaping. Japan.	1822.	—	G. 4.		
11	atrorubens. w.		purple-stalked. N. America.	1758.	6. 7.	H. 4.	Pluk. alm. t. 77. f. 5.	
12	ternatum. w.		Japan. Japan.	1774.	5. 7.	F. 4.		
13	Colocasia. w.		Egyptian. Levant.	1551.	6. 8.	G. 4.	Rumph. amb. 5. t. 109.	
14	orixense. B.P.		Orixian. E. Indies.	1802.	8. 10.	S. 4.	Botan. regist. 450.	
15	macrorhizon. w.		long-rooted.	1803.	S. 4.	Herm. parad. 73.	
16	pictum. w.		white-veined. S. Europe.	1820.	5. 6.	H. 4.		
17	divaricatum. w.		divaricated. E. Indies.	1759.	6. 7.	S. 4.	Rheed. mal. 11. t. 20.	
18	trilobatum. w.		three-lobed. Ceylon.	1714.	5. 6.	S. 4.	Botan. magaz. 339.	
	β auriculatum. B.M.		eared.	—	—	S. 4.	— 2324.	
19	maculatum. w.		common. Britain.	—	5. 7.	H. 4.	Eng. bot. 1298.	
20	orientale. M.B.		oriental. Caucasus.	1818.	—	H. 4.		
21	italicum. w.		Italian. Italy.	1683.	5. 6.	H. 4.	Botan. magaz. 2432.	
22	minutum. w.		small. E. Indies.	1812.	5. 7.	S. 4.	Rheed. mal. 11. t. 17.	
23	proboscideum. w.		proboscis. Apennines.	1825.	—	H. 4.	Bocc. mus. 2. t. 50.	
24	Arisarum. w.		Friar's Cowl. S. Europe.	1596.	4. 6.	F. 4.	Jacq. schœn. 2. t. 192.	
25	tenuifolium. w.		grass-leaved.	1570.	—	H. 4.	Botan. regist. 512.	
26	spirale. w.		spiral. E. Indies.	1816.	—	S. 4.	Botan. magaz. 2220.	
27	flagelliforme. B.C.		whip-cord.	—	—	S. 4.	Lodd. bot. cab. 396.	
28	sagittifolium. L.en.		arrow-leaved.	—	S. 4.		
29	hederaceum. w.		Ivy-leaved. W. Indies.	1793.	5. 6.	S. h.	Jacq. amer. t. 152.	
30	obtusilobum. L.en.		blunt-lobed.	1816.	—	S. h.		
31	indicum. Lour.		Indian. China.	—	S. h.		
32	ramosum. L.en.		branching.	—	S. h.		
33	lingulatum. w.		tongue-leaved. W. Indies.	1793.	—	S. h.	Plum. ic. 26. t. 37.	
34	integrifolium. L.en.		entire-leaved.	1820.	S. h.		
CALADIUM. V.			CALADIUM. Monœcia Polyandria. W.					
1	helleborifolium. w.		Hellebore-ld. Caracas.	1796.	6. 7.	S. 4.	Jacq. ic. 3. t. 613.	
2	pinnatifidum. w.		pinnatifid.	1817.	—	S. 4.	Jacq. schœn. 2. t. 187.	
3	bicolor. w.		two-coloured. Brazil.	1773.	—	S. 4.	Botan. magaz. 2543.	
4	nymphaeifolium. w.		Water-lily-ld. E. Indies.	1800.	S. 4.	Rheed. mal. 11. t. 22.	
5	esculentum. w.		esculent. America.	1739.	6. 8.	S. 4.	Sloan. jam. 1. t. 106. f. 1.	
6	odorum. B.R.		odoriferous. E. Indies.	1818.	5. 7.	S. 4.	Botan. regist. 641.	
7	viviparum. H.B.		viviparous.	1816.	—	S. 4.	Lodd. bot. cab. 281.	
8	sagittifolium. w.		arrow-leaved. W. Indies.	1710.	—	S. 4.	Jacq. vind. 2. t. 157.	
9	virginicum. H.E.F.		Virginian. N. America.	1759.	6. 7.	H. 4.	Hook. ex. flor. 182.	
	Arum virginicum. w.							
10	seguinum. w.		Dumb Cane. America.	—	5.	S. h.	Hook. ex. flor. 1.	
11	maculatum. B.C.		spotted. Trinidad.	1820.	4. 12.	S. h.	Lodd. bot. cab. 608.	
	seguinum β maculatum. Bot. mag. 2606.							
12	cucullatum. P.S.		hooded. China.	1816.	S. h.		
13	xanthorhizon. w.		yellow-rooted.	—	4. 8.	S. h.	Jacq. schœn. 2. t. 188.	
14	grandifolium. w.		large-leaved. Caracas.	1803.	3. 7.	S. h.	Botan. magaz. 2643.	
15	arborescens. w.		tree. W. Indies.	1759.	6. 7.	S. h.	Plum. amer. 44. t. 60.	
16	lacerum. w.		torn-leaved. Caracas.	1822.	S. h.		
17	tripartitum. w.		ternate-leaved.	1816.	S. h.	Jacq. schœn. 2. t. 190.	
18	auritum.		ear-leaved. S. America.	1739.	6. 8.	S. h.	— 2. t. 191.	
19	pedatum. H.E.F.		pedate-leaved. Brazil.	1824.	—	S. h.	Hook. ex. flor. 206.	
AMBROSINIA. W.			AMBROSINIA. Monœcia Monandria. W.					
	Bassii. w.		flat oval-leav'd. S. Europe.	1823.	6. 8.	H. 4.	Lam. ill. t. 737.	

Sect. III. TACCACEÆ.

TACCA. W.		TACCA. Hexandria Monogynia. L.					
1	pinnatifida. w.	Salep.	E. Indies.	1793.	6. 8.	S. 4.	Lodd. bot. cab. 692.

2 aspera. H.B.	rough-stemm'd. E. Indies.	1820.	S. 4.	
3 lævis. H.B.	smooth.	—	S. 4.	
4 integrifolia. B.M.	entire-leaved.	1810.	5. 7.	S. 4.	Botan. magaz. 1488.

Sect. IV. GENERA AROIDEIS AFFINIA.

ZOSTERA. L.	SEA MATWEED. Monœcia Monandria. L.				
marina. E.B.	common.	Britain.	8. 9. H. 4.	Eng. bot. 467.

ORDO CLXXII.

PIPERACEÆ. *Kth. synops. 1. p. 103.*

SAURURUS. W.	LIZARD'S-TAIL. Heptandria Tetragynia. L.				
cernuus. W.	drooping.	Virginia.	1759.	9. H. 4.	Lam. ill. t. 1.
PIPER. R.P.	PEPPER. Diandria Trigynia. L.				
1 peltatum. R.S.	peltated.	W. Indies.	1748. S. 4.	Plum. amer. t. 74.
2 umbellatum. R.S.	umbelled.	—	—	5. 7. S. h.	Flor. peruv. 1. t. 59. f. a.
3 macrophyllum. R.S.	broad-leaved.	—	1800. S. h.	Sloan. hist. 1. t. 88. f. 11.
4 aduncum. R.S.	hooked.	Jamaica.	1748.	5. S. h.	Jacq. ic. 2. t. 210.
5 hirsutum. R.S.	hairy-leaved.	—	1793.	7. S. h.	
6 hispidum. R.S.	hispid.	S. America.	—	— S. h.	
7 tuberculatum. R.S.	tuberculate.	—	1816. S. h.	Jacq. ic. 2. t. 211.
8 Amalago. R.S.	rough-leaved.	Jamaica.	1759. S. h.	Sloan. hist. 1. t. 87. f. 11.
9 Betle. R.S.	Betle.	E. Indies.	1804. S. h.	Rheed. mal. 7. t. 15.
10 nigrum. R.S.	black.	—	1790. S. h.	— 7. t. 12.
11 trioicum. F.I.	glaucous-ld.	—	1818. S. h.	
12 reticulatum. R.S.	netted.	W. Indies.	1748.	8. S. h.	Plum. amer. t. 75.
13 decumanum. R.S.	great.	Carthageria.	1768. S. h.	Jacq. ic. 2. t. 215.
14 Siriboa. R.S.	Siriboa.	E. Indies.	— S. h.	Rumph. am. 5. t. 117. f. 22.
15 longum. R.S.	long.	—	1788. S. h.	Rheed. mal. 7. t. 14.
16 glabrum. H.S.S.	smooth.	Campeachy.	1768. S. h.	
17 laurifolium. H.S.S.	Laurel-leaved.	Jamaica.	— S. h.	
18 racemosum. H.S.S.	racemed.	Campeachy.	— S. h.	
<i>Stuphyle. R.S.</i>					
19 acutifolium. R.S.	acute-leaved.	Peru.	1823. S. h.	Flor. per. 1. t. 64. f. a.
20 colubrinum. L.en.	spotted-stalkd.	Brazil.	1820. S. h.	
21 plantagineum. R.S.	Plantain-ld.	W. Indies.	— S. h.	Jacq. ic. 1. t. 8.
<i>medium. Jacq.</i>					
22 marginatum. L.en.	purple-edged.	S. America.	1811. S. h.	Jacq. ic. 2. t. 215.
23 unguiculatum. R.S.	claw-pointed.	Peru.	1822. S. h.	Flor. per. 1. t. 57. f. b.
<i>glaucescens. Jacq. ecl. 1. t. 76.</i>					
24 humile. Mill.	humble.	Jamaica.	1768. S. h.	
25 tomentosum. H.S.S.	oval-ld. downy.	Vera Cruz.	— S. h.	
26 nitidum. R.S.	glossy.	Jamaica.	1793.	5. 6. S. h.	
PEPEROMIA. R.P.	PEPEROMIA. Diandria Trigynia.				
1 brachyphylla.	short-leaved.	1818. S. h.	
<i>Piper brachyphyllum. R.S.</i>					
2 amplexicaulis. R.S.	stem-clasping.	W. Indies.	1793.	6. 9. S. 4.	
3 magnoliæfolia. R.S.	Magnolia-ld.	—	—	1. 3. S. 4.	Jacq. ic. 2. t. 213.
4 obtusifolia. R.S.	blunt-leaved.	S. America.	1739.	4. 7. S. 4.	Trew ehret. 54. t. 96.
<i>Piper clusiæfolium. Jacq. ic. 2. t. 212.</i>					
5 cuneifolia. R.S.	wedge-leaved.	Caracas.	1809. S. 4.	Jacq. ic. 2. t. 214.
6 alata. R.P.	winged.	S. America.	1812. S. h.	Flor. per. 1. t. 48. f. b.
7 acuminata. R.S.	acuminate.	W. Indies.	—	4. 9. S. 4.	Botan. magaz. 1882.
8 maculosa. R.S.	spot-stalked.	St. Domingo.	1790.	9. S. h.	Plum. amer. t. 66.
9 pellucida. K.S.	pellucid.	S. America.	1748.	4. 9. S. 4.	— t. 72.
10 rotundifolia. K.S.	round-leaved.	—	1823. S. 4.	— t. 69.
11 hispidula. R.S.	annual hispid.	Jamaica.	1818.	8. 10. S. 4.	Swartz icon. t. 4.
12 nummularifolia. K.S.	money-wort-ld.	—	—	4. 9. S. 4.	

13	pubescens. R.S.	pubescent.	1818.	4. 9.	S. 2.	
14	subrotunda. H.S.S.	small Clusia-ld.	1811.	—	S. 2.	
15	repens. K.S.	creeping.	S. America.	1823.	—	S. 2.	
16	serpens. R.S.	trailing.	Jamaica.	—	—	S. 2.	
17	incana. H.E.F.	great downy.	Brazil.	1814.	2. 6.	S. 2.	Hook. ex. flor. 66.
18	amplexifolia. L.en.	clasping-leaved.	Jamaica.	1822.	—	S. 2.	
19	talinifolia. K.S.	Talinum-ld.	S. America.	—	4. 8.	S. 2.	H. et B. n. gen. 1. t. 8.
20	pulchella. R.S.	small-leaved.	Jamaica.	1778.	7. 10.	S. 2.	Lodd. bot. cab. 574.
21	pereskiaefolia. K.S.	Pereskia-ld.	S. America.	1820.	5. 6.	S. 2.	Hook. ex. flor. 67.
22	blanda. K.S.	villous.	Caracas.	1802.	5. 11.	S. 2.	—, 21.
23	verticillata. R.S.	whorl-leaved.	Jamaica.	1816.	6. 10.	S. 2.	
24	polystachia. H.E.F.	many-spiked.	W. Indies.	1775.	6. 7.	S. 2.	Hook. ex. flor. 23.
25	quadrifolia. H.E.F.	four-leaved.	Santa Cruz.	1818.	5. 10.	S. 2.	— 22.
26	Haworthii.	Haworth's.	India.	1809.	9. 10.	S. 2.	
<i>Piper pubescens. H.S. non vahl.</i>							
27	inæqualifolia. R.P.	unequal-leaved.	Peru.	1800.	8. 10.	S. 2.	Flor. peruv. 1. t. 46. f. a.
28	stellata. R.S.	starry.	Jamaica.	1802.	5. 7.	S. 2.	Jacq. vind. 2. t. 217.
29	rubricaula. L.en.	red-stalked.	W. Indies.	1815.	—	S. 2.	Nees hort. ber. t. 8.
30	rubella. H.E.F.	red-leaved.	Jamaica.	1820.	—	S. 2.	Hook. ex. flor. 58.
31	trifolia. R.S.	three-leaved.	S. America.	1802.	6. 8.	S. 2.	Plum. amer. t. 68.
32	distachya. R.S.	two-rowed.	W. Indies.	1793.	—	S. 2.	— t. 67.
33	discolor. R.S.	two-coloured.	Jamaica.	1821.	7. 8.	S. 2.	Lodd. bot. cab. 610.
34	coriacea. B.C.	coriaceous.	—	1815.	—	S. 2.	— 128.
35	capensis. R.S.	Cape.	C. B. S.	1816.	—	G. 2.	
36	tricarinata. H.S.S.	triple-keeled.	1817.	—	S. 2.	

ORDO CLXXIII.

CYTINEÆ. *Brogniart.*

NEPENTHES. L.		PITCHER-PLANT. Diœcia Monadelphia. L.					
1	distillatoria. w.	cylindrical.	Ceylon.	1789.	4. 5.	S.w. 2.	Burm. zeyl. 42. t. 17.
2	Phyllamphora. w.	ventricose.	China.	1822.	6. 8.	S.w. 2.	Botan. magaz. 2629.
<i>distillatoria. B.C. 1017. nec aliorum.</i>							

ORDO CLXXIV.

ORCHIDEÆ. *Juss. gen. 64.*

ORCHIS. B.P.		ORCHIS. Gynandria Monandria. H.K.					
1	Morio. w.	meadow.	Britain.	4. 6.	H.b. 2.	Eng. bot. 2059.
2	longicornu. w.	flat-spurred.	Barbary.	1815.	—	H.b. 2.	Botan. regist. 202.
3	pallens. w.	pale.	Switzerland.	1825.	5. 6.	H.b. 2.	Jacq. aust. t. 45.
4	mascula. w.	early purple.	Britain.	4. 5.	H.b. 2.	Eng. bot. 631.
5	palustris. w.	marsh.	Europe.	1824.	—	H.b. 2.	Jacq. ic. t. 181.
6	ustulata. w.	dwarf.	England.	5. 6.	H.b. 2.	Eng. bot. 18.
7	militaris. w.	military.	Switzerland.	1825.	4. 6.	H.b. 2.	Swt. br. fl. gar. 163.
8	Rivini. B.F.G.	Rivinus's.	—	—	5. 6.	H.b. 2.	— 162.
9	Smithii. B.F.G.	Smith's.	England.	—	H.b. 2.	Eng. bot. 1873.
<i>militaris. E.B. non w.</i>							
10	fusca. w.	brown.	—	—	H.b. 2.	Jacq. aust. 4. t. 307.
11	Simia. P.S.	Ape.	—	—	H.b. 2.	—
12	undulatifolia. B.B.	wave-leaved.	Italy.	1818.	—	H.b. 2.	Botan. regist. 375.
13	acuminata. w.	pointed-fld.	S. Europe.	1815.	4. 6.	H.b. 2.	Botan. magaz. 1932.
14	variegata. w.	variegated.	Switzerland.	1825.	—	H.b. 2.	Hall. helv. t. 30.
15	globosa. w.	round-spiked.	—	1792.	6. 7.	H.b. 2.	Jacq. aust. 3. t. 265.
16	pyramidalis. w.	pyramidal.	Britain.	—	H.b. 2.	Eng. bot. 110.

- 17 coriophora. w. strong-scented. S. Europe. 1825. 5. 6. H.b. 4. Jacq. aust. 2. t. 122.
 18 hircina. w. Lizard. England. 6. 7. H.b. 4. Eng. bot. 34.
Satyrium hircinum. E.B.
 19 Robertiana. P.S. long-bracted. S. Europe. 1818. 5. 6. H.b. 4. Botan. regist. 357.
longibracteata. B.B. non Schmidt.
 20 sulphurea. B.M. pale-yellow. ——— 1823. — H.b. 4. Botan. magaz. 2569.
 21 sambucina. w. Elder-scented. Europe. 1825. 4. 5. H.b. 4. Jacq. aust. 2. t. 108.
 22 Schleicheri. B.F.G. Schleicher's. Switzerland. ——— H.b. 4. Swt. br. fl. gar. ic.
sambucina β *rubra.* Sch. non Jacq.
 23 maculata. w. spotted-palmate. Britain. 6. 7. H.b. 4. Eng. bot. 632.
 24 spectabilis. w. showy American. N. America. 1801. — H.b. 4. Swt. br. fl. gar. 65.
 25 papilionacea. w. papilionaceous. S. Europe. 1788. — H.b. 4. Buxb. cent. 3. t. 3.
 26 Cyrilli. T.S. Cyrillo's. Naples. 1825. — H.b. 4. Cyrill. ic. ined.
 27 pauciflora. T.S. few-flowered. Italy. ——— H.b. 4.
 28 Nicodemi. T.S. Nicodemus's. ——— H.b. 4. Cyrill. ic. ined.
 29 parviflora. T.S. small-flowered. ——— 1824. — H.b. 4.
GYMNADENIA. H.K. GYMADENIA. Gynandria Monandria. H.K.
 1 conopsea. H.K. fragrant. Britain. 6. 7. H.b. 4. Eng. bot. 10.
Orchis conopsea. E.B.
 2 odoratissima. Rich. sweet-scented. Switzerland. 1824. — H.b. 4. Jacq. aust. 3. t. 264.
ACERAS. H.K. ACERAS. Gynandria Monandria. H.K.
 anthropophora. H.K. green-man. England. 6. H.b. 4. Swt. br. fl. gar. 168.
HERMINIUM. H.K. HERMINIUM. Gynandria Monandria. H.K.
 1 Monorchis. H.K. musk. England. 6. 7. H.b. 4. Eng. bot. 71.
Ophrys Monorchis. E.B.
 2 alpinum. Alpine. Switzerland. 1825. — H.b. 4. Jacq. vind. 1. t. 9.
Ophrys alpina. Jacq.
HABENARIA. H.K. HABENARIA. Gynandria Monandria. H.K.
 1 nigra. H.K. dark-flowered. N. Europe. 1759. 6. 7. H.b. 4. Flor. dan. 998.
 2 viridis. H.K. Frog. Britain. — H.b. 4. Eng. bot. 94.
Satyrium viride. E.B.
 3 bracteata. H.K. long-bracted. N. America. 1805. 5. 6. H.b. 4. Swt. br. fl. gar. 62.
 4 albida. H.K. small white. Britain. 6. 7. H.b. 4. Eng. bot. 505.
Satyrium albidum. E.B. *Orchis albida.* w.
 5 hyerborea. H.K. northern. N. Europe. 1805. — H.b. 4.
 6 bifolia. H.K. Butterfly. Britain. 5. 6. H.b. 4. Eng. bot. 22.
Orchis bifolia. E.B. *Platanthera bifolia.* Rich.
 7 herbiola. H.K. American. N. America. 1789. 6. 7. H.b. 4.
 8 dilatata. H.E.F. dilated. ——— 1822. 7. 8. H.b. 4. Hook. ex. flor. 95.
 9 orbiculata. H.E.F. round-leaved. ——— 1823. — H.b. 4. ——— 145.
 10 tridentata. H.E.F. three-toothed. ——— 1819. 5. 6. H.b. 4. ——— 81.
 11 ciliaris. H.K. yellow-fringed. ——— 1796. 6. 7. H.b. 4. Botan. magaz. 1668.
 12 blephariglottis. H.E.F. white fringed. ——— 1822. — H.b. 4. Hook. ex. flor. 87.
 13 cristata. H.K. yellow crested. ——— 1806. 9. H.b. 4.
 14 psycodes. yellow jagged. ——— 1823. 6. 8. H.b. 4.
Orchis psycodes. w.
 16 lacera. B.C. torn-flowered. ——— 1818. 7. H.b. 4. Lodd. bot. cab. 229.
 17 fimbriata. H.K. purple-fringed. ——— 1777. — H.b. 4. Botan. regist. 405.
BARTHOLINA. H.K. BARTHOLINA. Gynandria Monandria. H.K.
 pectinata. H.K. pectinated. C. B. S. 1787. 10. G.b. 4. Jour. Sc. v. 4. t. 8. f. 22.
Orchis Burmanniana. sw. *pectinata.* w.
BONATEA. W. BONATEA. Gynandria Monandria.
 speciosa. w. handsome. C. B. S. 1820. 7. 9. G.b. 4. Lodd. bot. cab. 284.
SERAPIAS. H.K. SERAPIAS. Gynandria Monandria. H.K.
 1 Lingua. w. tongue-lipped. S. Europe. 1786. 5. 6. F.b. 4. Hook. ex. flor. 11.
 2 longipetala. long-flowered. Italy. 1825. — H.b. 4.
Helleborine longipetala. T.S.
 3 cordigera. w. heart-lipped. S. Europe. 1806. 7. 8. F.b. 4. And. reposit. 475.
OPHRYS. H.K. OPHRYS. Gynandria Monandria. H.K.
 1 apifera. w. Bee. England. 6. 7. H.b. 4. Eng. bot. 383.
 2 tenthredinifera. w. Saw-fly. S. Europe. 1815. 4. 5. H.b. 4. Botan. regist. 205.
 3 arachnites. w. black Spider. Switzerland. 1805. — H.b. 4. Botan. magaz. 2516.
 4 aranifera. w. common Spider. England. — H.b. 4. Eng. bot. 65.
 5 arachnoides. A.R. Spider-like. Italy. 1805. — H.b. 4. Andr. reposit. 470.
 6 Speculum. B.R. looking-glass. S. Europe. 1818. — H.b. 4. Botan. regist. 370.
 7 lutea. H.E.F. yellow. ——— 1821. — H.b. 4. Hook. ex. flor. 10.
 8 muscifera. E.B. Fly. England. 5. 6. H.b. 4. Eng. bot. 64.
myodes. w.

SATYRIUM. H.K.		SATYRIUM. Gynandria Monandria. H.K.	
1 cucullatum. H.K.	cucullate.	C. B. S.	1787. 6. 9. G.b. 4. Botan. regist. 416.
2 membranaceum. W.	membranaceous.	—	1822. — G.b. 4.
3 coriifolium. w.	leather-leaved.	—	1819. 5. 6. G.b. 4. Botan. regist. 2172.
4 parviflorum. w.	small-flowered.	—	1787. — G.b. 4. Jacq. schoen. 2. t. 179.
5 carneum. H.K.	great-flowered.	—	7. 9. G.b. 4. Botan. mag. 1512.
PTERYGODIUM. W.		PTERYGODIUM. Gynandria Monandria. H.K.	
1 alatum. w.	winged.	C. B. S.	1821. 6. 8. G.b. 4.
2 volucris. w.	arrow-lipped.	—	1797. 6. 7. G.b. 4.
DISA. W.		DISA. Gynandria Monandria. H.K.	
1 grandiflora. w.	large-flowered.	C. B. S.	1823. 7. 8. G.b. 4. Botan. regist. 926.
2 cornuta. w.	horned.	—	1805. 6. 7. G.b. 4.
3 Draconis. w.	Dragon.	—	1823. — G.b. 4.
4 ferruginea. w.	ferruginous.	—	1816. — G.b. 4.
5 bracteata. w.	small-flowered.	—	1818. — G.b. 4. Botan. regist. 324.
6 flexuosa. w.	flexuose.	—	1822. — G.b. 4.
7 prasinata. B.R.	green-flower'd.	—	1815. — G.b. 4. Botan. regist. 209.
8 spathulata. w.	spathulate.	—	1805. — G.b. 4. Journ. sc. v. 4. t. 8. f. 3.
9 graminifolia.	Grass-leaved.	—	1822. — G.b. 4. — v. 6. t. 1. f. 2.
10 maculata. w.	spotted-stalk'd.	—	1816. 7. 8. G.b. 4.
DISPERIS. W.		DISPERIS. Gynandria Monandria. H.K.	
1 capensis. w.	Cape.	C. B. S.	1816. 5. 6. G.b. 4.
2 cucullata. w.	cucullate.	—	1822. 6. 7. G.b. 4.
3 secunda. w.	side-flowering.	—	1797. — G.b. 4.
CORYCIUM. W.		CORYCIUM. Gynandria Monandria.	
1 orobanchoides. W.	Orobanche-like.	C. B. S.	1825. 6. 8. G.b. 4.
2 crispum. w.	curled-leaved.	—	5. 6. G.b. 4. Buxb. cent. 3. t. 11.
GLOSSULA. B.R.		GLOSSULA. Gynandria Monandria.	
tentaculata. B.R.	horned.	China.	1824. 5. 6. G.b. 4. Botan. regist. 862.
GOODYERA. H.K.		GOODYERA. Gynandria Monandria. H.K.	
1 repens. H.K.	creeping.	Scotland. 7. 8. H. 4. Eng. bot. 289.
<i>Satyrium repens. E.B. Neottia repens. w.</i>			
2 tessellata. B.C.	tessellated.	N. America.	1823. 6. 7. H. 4. Lodd. bot. cab. 952.
<i>Neottia repens. Ph. Goodyera pubescens. β minor. B.M. 2540.</i>			
3 pubescens. H.K.	downy.	—	1802. — H. 4. Lindl. coll. t. 25.
4 procera. H.E.F.	Nepaul.	Nepaul.	1821. 7. 12. G. 4. Hook. ex. flor. 39.
<i>Neottia procera. B.R. 639.</i>			
5 discolor. B.R.	red-leaved.	S. America.	1815. 10. 12. S. 4. Botan. regist. 271.
PELEXIA. B.R.		PELEXIA. Gynandria Monandria. B.R.	
spiranthoides. B.R.	decurent-lipp'd.	W. Indies.	1823. 3. S. 4. Botan. regist. 985.
<i>Neottia adnata. Sw.</i>			
NEOTTIA. H.K.		NEOTTIA. Gynandria Monandria. H.K.	
1 speciosa. H.K.	showy.	W. Indies.	1790. 5. 6. S. 4. Botan. magaz. 1374.
2 orchioides. w.	frosted-fl'd.	Jamaica.	1806. — S. 4. Botan. regist. 701.
3 bicolor. B.R.	two-coloured.	W. Indies.	1821. 7. 8. S. 4. — 794.
4 elata. w.	tall.	—	1790. 4. 6. S. 4. Botan. magaz. 2026.
5 picta. H.K.	painted-leaved.	Trinidad.	1805. 2. 4. S. 4. — 1562.
6 cernua. H.K.	nodding-fl'd.	N. America.	1796. 8. 10. H. 4. Swt. br. fl. gar. 42.
7 tortilis. w.	twisting-spiked.	W. Indies.	1822. 6. 7. S. 4.
8 æstivalis. M.	summer.	N. America.	— — H. 4.
<i>tortilis. Ph. non Sw.</i>			
9 spiralis. H.K.	Ladies-traces.	Britain. 8. 9. H.b. 4. Eng. bot. 541.
<i>Ophrys spiralis. E.B.</i>			
10 pudica.	modest.	China.	1819. 9. 12. G.b. 4. Lindl. coll. 30.
<i>australis. β. B.R. 602.</i>			
11 australis. B.P.	southern.	N. S. W.	1826. G.b. 4.
CALOCHILUS. B.P.		CALOCHILUS. Gynandria Monandria. B.P.	
1 campestris. B.P.	field.	N. S. W.	1826. G.b. 4.
2 paludosus. B.P.	marsh.	— G.b. 4.
PONTHIEVA. H.K.		PONTHIEVA. Gynandria Monandria. H.K.	
1 glandulosa. H.K.	glandular.	W. Indies.	1800. 1. 3. S. 4. Botan. magaz. 842.
2 petiolata. B.R.	stalked.	—	1823. 7. 8. S. 4. Botan. regist. 760.
PRASOPHYLLUM. B.P.		PRASOPHYLLUM. Gynandria Monandria. B.P.	
1 elatum. B.P.	tall.	N. S. W.	1826. G.b. 4.
2 flavum. B.P.	yellow.	— G.b. 4.
3 striatum. B.P.	streaked.	— G.b. 4.
4 fuscum. B.P.	brown.	— G.b. 4.
5 patens. B.P.	spreading.	— G.b. 4.
6 rufum. B.P.	rufous.	— G.b. 4.

- 7 fimbriatum. B.P. fringed. N. S. W. 1826. G.b. 4.
CRYPTOSTYLIS. B.P. **CRYPTOSTYLIS.** Gynandria Monandria. B.P.
 1 erecta. B.P. upright. N. S. W. 1826. G. 4.
 2 longifolia. B.P. long-leaved. ——— 1822. 5. 6. G. 4. Lab. n. holl. 2. t. 212.
Malaxis subulata. Lab.
ORTHOCERAS. B.P. **ORTHOCERAS.** Gynandria Monandria. B.P.
 strictum. B.P. upright. N. S. W. 1826. G.b. 4.
DIURUS. B.P. **DIURUS.** Gynandria Monandria. B.P.
 1 maculata. B.P. spotted. N. S. W. 1823. 3. 5. G.b. 4. Sm. exot. bot. 1. t. 30.
 2 aurea. B.P. golden-flower'd. ——— 1810. 4. 5. G.b. 4. ——— 1. t. 9.
 3 pedunculata. B.P. peduncled. ——— 1822. 2. 4. G.b. 4.
 4 sulphurea. B.P. sulphur-col'd. ——— 1826. G.b. 4.
 5 elongata. B.P. elongated. ——— G.b. 4.
THELYMITRA. B.P. **THELYMITRA.** Gynandria Monandria. B.P.
 1 ixioides. B.P. spotted blue. N. S. W. 1810. 4. 6. G.b. 4. Sm. ex. bot. 1. t. 29.
 2 media. B.P. middle. ——— 1820. ——— G.b. 4.
 3 pauciflora. B.P. few-flowered. ——— 1826. G.b. 4.
 4 angustifolia. B.P. narrow-leaved. ——— G.b. 4.
 5 carnea. B.P. flesh-coloured. ——— 1823. G.b. 4.
 6 venosa. B.P. veined. ——— 1826. G.b. 4.
LISTERA. H.K. **LISTERA.** Gynandria Monandria. H.K.
 1 ovata. H.K. Tway-blade. Britain. 5. 6. H. 4. Eng. bot. 1548.
Ophrys ovata. E.B. *Epipactis ovata.* W. ——— 6. 7. H. 4. Eng. bot. 358.
EPIPACTIS. H.K. **EPIPACTIS.** Gynandria Monandria. H.K.
 1 latifolia. W. broad-leaved. Britain. 7. 8. H. 4. Eng. bot. 269.
Serapias latifolia. E.B.
 2 palustris. W. marsh. ——— ——— H. 4. Eng. bot. 270.
 3 pallens. W. white. ——— 6. H. 4. ——— 271.
Serapias grandiflora. E.B.
 4 ensifolia. W. narrow-leaved. ——— ——— H. 4. Eng. bot. 494.
 5 rubra. W. purple. ——— 6. 7. H. 4. ——— 437.
 6 Nidus-avis. W. Bird's-nest. ——— 5. H. 4. ——— 48.
Ophrys Nidus-avis. E.B.
POGONIA. H.K. **POGONIA.** Gynandria Monandria. H.K.
 1 divaricata. H.K. Lily-leaved. N. America. 1787. 6. 7. H. 4. Catesb. car. 1. t. 58.
 2 ophioglossoides. B.R. Adder's-tongue. ——— 1816. ——— H. 4. Botan. regist. 148.
 3 pendula. B.R. drooping. ——— 1824. ——— H. 4. ——— 906.
Arethusa pendula. W. *parviflora.* M. *Triphora pendula.* N.
MICROTIS. B.P. **MICROTIS.** Gynandria Monandria. B.P.
 parviflora. B.P. small-flowered. N. S. W. 1826. 4. 6. G.b. 4.
ACIANTHUS. B.P. **ACIANTHUS.** Gynandria Monandria. B.P.
 1 fornicatus. B.P. enclosed. N. S. W. 1822. 4. 6. G.b. 4.
 2 exsertus. B.P. exserted. ——— ——— G.b. 4.
 3 caudatus. B.P. long-awned. ——— 1826. G.b. 4.
CYRTOSTYLIS. B.P. **CYRTOSTYLIS.** Gynandria Monandria. B.P.
 reniformis. B.P. kidney-leaved. N. S. W. 1824. 4. 5. G. 4.
CHILOGLOTTIS. B.P. **CHILOGLOTTIS.** Gynandria Monandria. B.P.
 diphylla. B.P. two-leaved. N. S. W. 1826. G.b. 4.
PRESCOTIA. H.E.F. **PRESCOTIA.** Gynandria Monandria.
 plantaginifolia. H.E.F. Plantain-ld. Rio Janeiro. 1822. 9. 4. S. 4. Hook. ex. flor. 115.
LIPARIS. Rich. **LIPARIS.** Gynandria Monandria. H.K.
 1 foliosa. B.R. leafy. Mauritius. 1823. 9. S. 4. Botan. regist. 882.
 2 bituberculata. B.R. two-warted. Nepaul. 1822. 2. 3. S. 4. Hook. ex. flor. 116.
 3 Loeselii. B.R. Loesel's. Britain. 7. H.b. 4. Eng. bot. 47.
Malaxis Loeselii. E.B.
 4 Correana. N. two-leaved. N. America. 1823. 5. 6. H.b. 4.
 5 liliifolia. B.R. Lily-leaved. ——— 1758. 6. 7. H.b. 4. Botan. magaz. 2004.
Malaxis liliifolia. B.M. *Ophrys lilifolia.* A.R. 65.
 6 reflexa. B.R. reflexed. N. Holland. 1824. ——— G.b. 4.
ERIOCHILUS. B.P. **ERIOCHILUS.** Gynandria Monandria. B.P.
 autumnalis. B.P. autumnal. N. S. W. 1823. 9. 10. G.b. 4. Lab. n. holl. 2. t. 211. f. 2.
Epipactis cucullata. Lab.
CALADENIA. B.P. **CALADENIA.** Gynandria Monandria. H.K.
 1 alba. B.P. white. N. S. W. 1810. 7. 8. G.b. 4.
 2 carnea. B.P. flesh-coloured. ——— 1826. G.b. 4.
 3 coerulea. B.P. blue-flowered. ——— G.b. 4.
 4 alata. B.P. winged. ——— 1823. 6. 8. G.b. 4.
 5 testacea. B.P. fringe-flower'd. ——— 1826. G.b. 4.

LYPERANTHUS. B.P.									
LYPERANTHUS. Gynandria Monandria. B.P.									
1	suaveolens. B.P.	sweet-scented.	N. S. W.	1822.	5. 7.	G.b. 2.			
2	ellipticus. B.P.	elliptic-leaved.	————	1826.	G.b. 2.			
3	nigricans. B.P.	heart-leaved.	————	————	G.b. 2.			
GLOSSODIA. B.P.									
GLOSSODIA. Gynandria Monandria. B.P.									
1	major. B.P.	larger.	N. S. W.	1810.	6. 8.	G.b. 2.			
2	minor. B.P.	lesser.	————	1826.	—	G.b. 2.			
PTEROSTYLIS. B.P.									
PTEROSTYLIS. Gynandria Monandria. B.P.									
1	concinna. B.P.	neat.	N. S. W.	1826.	G.b. 2.			
2	ophioglossa. B.P.	adder's-tongue.	————	————	G.b. 2.			
3	curta. B.P.	short-lipped.	————	1822.	4. 6.	G.b. 2.			
4	acuminata. B.P.	taper-pointed.	————	1826.	G.b. 2.			
5	cucullata. B.P.	hooded.	V. Diem. Isl.	1823.	5. 7.	G.b. 2.			
6	nutans. B.P.	nodding.	N. S. W.	1826.	G.b. 2.			
7	obtusata. B.P.	blunt-lipped.	————	1810.	7. 8.	G.b. 2.			
8	reflexa. B.P.	reflexed.	————	1826.	G.b. 2.			
9	grandiflora. B.P.	large-flowered.	————	————	G.b. 2.			
10	longifolia. B.P.	long-leaved.	————	1823.	6. 8.	G.b. 2.			
11	gibbosa. B.P.	gibbous.	————	1826.	G.b. 2.			
CORYSANTHES. B.P.									
CORYSANTHES. Gynandria Monandria. B.P.									
1	fimbriata. B.P.	fringed.	N. S. W.	1822.	5. 7.	G.b. 2.			
2	unguiculata. B.P.	pendulous-fl.	————	————	—	G.b. 2.			
3	bicalcarata. B.P.	two-spurred.	————	—	G.b. 2.	Sal. par. lond. 83?		
	Corybas aconitiflorus. P.L.?								
CALEYA. H.K.									
CALEYA. Gynandria Monandria. H.K.									
1	major. H.K.	smooth-lipped.	N. S. W.	1810.	6. 7.	G.b. 2.			
2	minor.	tubercle-lipp'd.	————	1822.	—	G.b. 2.			
	Caleana minor. B.P.								
CALOPOGON. H.K.									
CALOPOGON. Gynandria Monandria. H.K.									
	pulchellus. H.K.	tuberous-root'd.	N. America.	1771.	7. 8.	H.b. 2.	Swt. br. fl. gar. 115.		
	Limodorum tuberosum. B.M. 116. Cymbidium pulchellum. w.								
ARETHUSA. H.K.									
ARETHUSA. Gynandria Monandria. H.K.									
1	bulbosa. H.K.	bulbous.	N. America.	5. 6.	H.b. 2.	Botan. magaz. 2204.		
2?	plicata. A.R.	plaited.	E. Indies.	1806.	6. 8.	S.b. 2.	Andr. reposit. 321.		
BLETIA. H.K.									
BLETIA. Gynandria Monandria. H.K.									
1	Tankervilliae. H.K.	Ly Tankerville's.	China.	1778.	3. 4.	S. 2.	Botan. magaz. 1924.		
	Limodorum Tankervilliae. w.								
2	pallida. B.C.	pale-flowered.	————	1820.	4. 8.	S. 2.	Lodd. bot. cab. 629.		
3	florida. H.K.	purple.	W. Indies.	1786.	7. 8.	S. 2.	Redoute. lil. 83.		
4	verecunda. H.K.	tall.	————	1733.	1. 5.	S. 2.	Botan. magaz. 930.		
	Limodorum altum. B.M. Cymbidium verecundum. w.								
5	hyacinthina. H.K.	hyacinthine.	China.	1802.	3. 9.	G. 2.	Botan. magaz. 1492.		
	Cymbidium hyacinthinum. B.M.								
6	capitata. H.K.	capitate.	W. Indies.	1795.	5. 7.	S. 2.			
GEODORUM. H.K.									
GEODORUM. Gynandria Monandria. H.K.									
1	purpureum. H.K.	purple.	E. Indies.	1800.	6. 8.	S. 2.	Roxb. cor. 1. t. 40.		
	Limodorum nutans. R.C.								
2	citrinum. H.K.	Lemon-colour'd.	————	—	10. 12.	S. 2.	Andr. reposit. 626.		
3	dilatatum. H.K.	shovel-lipped.	————	—	5. 8.	S. 2.	Botan. regist. 675.		
	Limodorum recurvum. R.C. 1. t. 39.								
CALYPSO. H.K.									
CALYPSO. Gynandria Monandria. H.K.									
	americana. H.K.	American.	N. America.	1805.	5. 6.	H.b. 2.	Sal. par. lond. 89.		
	borealis. H.E.F. 12.								
MALAXIS. Rich.									
MALAXIS. Gynandria Monandria. H.K.									
	paludosa. E.B.	marsh.	England.	7.	H. 2.	Eng. bot. 47.		
MICROSTYLIS. N.									
MICROSTYLIS. Gynandria Monandria. N.									
	ophioglossoides. N.	Adder's tongue.	N. America.	1820.	4. 5.	H.b. 2.	Pluk. amal. t. 434. f. 4.		
CORALLORRHIZA. H.K.									
CORALLORRHIZA. Gynandria Monandria. H.K.									
1	innata. H.K.	spurless.	Scotland.	6. 7.	H. 2.	Eng. bot. 1547.		
2	multiflora. H.E.F.	many-flower'd.	N. America.	1824.	5. 6.	H. 2.	Hook. ex. flor. 174.		
3	odontorrhiza. N.	tooth-rooted.	————	—	6. 7.	H. 2.			
STELIS. H.K.									
STELIS. Gynandria Monandria. H.K.									
1	ophioglossoides. H.K.	Adder's-tongue.	W. Indies.	1791.	5. 6.	S. 2.	Botan. regist. 935.		
2	micrantha. H.K.	small-flowered.	Jamaica.	1805.	11. 12.	S. 2.	Hook. ex. flor. 158.		
RODRIGUEZIA. R.P.									
RODRIGUEZIA. Gynandria Monandria. B.R.									
	secunda. K.S.	side-flowering.	S. America.	1819.	6. 12.	S. 2.	Botan. regist. 930.		
GOMEZA. B.M.									
GOMEZA. Gynandria Monandria. B.M.									
	recurva. B.M.	recurved.	Brazil.	1814.	5. 6.	S. 2.	Botan. magaz. 1748.		
					3 D				

NOTYLIA. B.R.	NOTYLIA.	Gynandria Monandria.				
punctata. B.R.	dotted.	Trinidad.	1823.	7. 8. S. 4.	Botan. regist. 759.	
<i>Pleurothallis punctata</i> . B.R.	<i>Gomeza tenuiflora</i> . B.C.	806.				
CIRRHÆA. B.R.	CIRRHÆA.	Gynandria Monandria.				
dependens. B.R.	pendent.	China.	1824.	6. 8. S. 4.	Lodd. bot. cab. 936.	
<i>Cymbidium dependens</i> . B.C.						
CYMBIDIUM. H.K.	CYMBIDIUM.	Gynandria Monandria. H.K.				
1 aloifolium. H.K.	Aloe-leaved.	China.	1789.	5. 6. S. 4.	Botan. magaz. 387.	
<i>Epidendrum aloifolium</i> . B.M.						
2 sinense. H.K.	Chinese.	_____	1793.	9. 10. S. 4.	_____ 888.	
3 lancifolium. H.E.F.	lance-leaved.	E. Indies.	1823.	5. 8. S. 4.	Hook. ex. flor. 51.	
4 ensifolium. H.K.	sword-leaved.	China.	1780.	6. 10. S. 4.	Botan. magaz. 1751.	
5 xiphiifolium. B.R.	Xiphium-ld.	_____	1814.	5. 8. S. 4.	Botan. regist. 529.	
6 suave. B.P.	sweet-scented.	N. S. W.	1826.	... G. 4.		
7 reflexum. B.P.	reflexed.	_____	1820.	6. 8. G. 4.		
8 tripterum. W.	triangular-fruit'd.	Jamaica.	1790.	6. 7. S. 4.	Sm. ic. pict. 14.	
ANISOPETALUM. H.E.F.	ANISOPETALUM.	Gynandria Monandria.				
Careyanum. H.E.F.	Carey's.	Nepaul.	1823.	8. 10. G. 4.	Hook. ex. flor. 149.	
BRASSIA. H.K.	BRASSIA.	Gynandria Monandria. H.K.				
1 maculata. H.K.	spotted.	Jamaica.	1806.	6. 7. S. 4.	Botan. magaz. 1691.	
2 caudata. B.R.	long-tailed.	W. Indies.	1823.	— S. 4.	Botan. regist. 832.	
ANGULO. K.S.	ANGULO.	Gynandria Monandria.				
grandiflora. K.S.	large-flowered.	S. America.	1823.	6. 8. S. 4.	H. et B. pl. æq. 1. t. 277	
CATASETUM. K.S.	CATASETUM.	Gynandria Monandria. B.M.				
1 tridentatum. H.E.F.	three-toothed.	Trinidad.	1823.	8. 12. S. 4.	Botan. magaz. 2559.	
2 Claveringi. B.R.	Clavering's.	Brazil.	_____	— S. 4.	Botan. regist. 840.	
3 floribundum. H.E.F.	many-flowered.	_____	_____	— S. 4.	Hook. ex. flor. 151.	
4 semiapertum. H.E.F.	greenish-fld.	_____	1825.	5. S. 4.	_____ 213.	
5 Hookeri. L.col.	Hooker's.	_____	1816.	— S. 4.	Lindl. coll. 40.	
6 cristatum. B.R.	crested.	_____	1823.	— S. 4.	Botan. regist. 966.	
CYRTOPODIUM. B.R.	CYRTOPODIUM.	Gynandria Monandria. H.K.				
1 Andersonii. H.K.	Anderson's.	W. Indies.	1804.	4. 8. S. 4.	Botan. magaz. 1800.	
2 glutinosum. Mey.	gummy.	S. America.	1825.	... S. 4.		
3 Woodfordii. B.M.	Woodford's.	_____	1814.	10. S. 4.	Botan. magaz. 1814.	
LISSOCHILUS. B.R.	LISSOCHILUS.	Gynandria Monandria. B.R.				
1 speciosus. B.R.	showy.	C. B. S.	1818.	5. 6. S. 4.	Botan. regist. 573.	
2 luteus.	yellow.	_____	1822.	2. 5. S. 4.		
ONCIDIUM. H.K.	ONCIDIUM.	Gynandria Monandria. H.K.				
1 altissimum. W.	sharp-petaled.	W. Indies.	1793.	8. 9. S. 4.	Jacq. amer. t. 141.	
2 carthagenense. W.	spread-eagle.	_____	1791.	5. 6. S. 4.	Botan. magaz. 777.	
<i>Epidendrum undulatum</i> . B.M.						
3 luridum. B.R.	lurid.	Trinidad.	1818.	2. 6. S. 4.	Botan. regist. 727.	
4 Papilio. B.R.	Butterfly.	_____	1823.	4. 6. S. 4.	_____ 910.	
5 flexuosum. B.M.	Zigzag.	Brazil.	1818.	6. 7. S. 4.	Botan. magaz. 2203.	
6 barbatum. L.col.	bearded.	S. America.	_____	4. 5. S. 4.	Lindl. coll. 27.	
7 pumilum. B.R.	dwarf.	Brazil.	1824.	6. 7. S. 4.	Botan. regist. 920.	
8 bifolium. H.K.	two-leaved.	S. America.	1811.	7. 8. S. 4.	Botan. magaz. 1491.	
9 triquetrum. H.K.	triangular-ld.	Jamaica.	1793.	— S. 4.		
10 variegatum. W.	variegated.	_____	1825.	— S. 4.	Sloan. hist. 1. t. 148. ff.	
11 tetrapetalum. W.	four-petaled.	_____	1824.	— S. 4.	Jacq. amer. t. 142.	
12 Cebolleta. W.	awl-leaved.	Carthagera.	_____	— S. 4.	_____ t. 131. ff.	
MACRADENIA. B.R.	MACRADENIA.	Gynandria Monandria. B.R.				
lutescens. B.R.	yellowish.	Trinidad.	1821.	12. 2. S. 4.	Botan. regist. 612.	
CŒLOGYNE. B.R.	CŒLOGYNE.	Gynandria Monandria.				
fimbriata. B.R.	fringed.	China.	1824.	9. S. 4.	Botan. regist. 868.	
MEGACLINIUM. B.R.	MEGACLINIUM.	Gynandria Monandria. B.R.				
falcatum. B.R.	falcate.	W. Indies.	1824.	6. 9. S. 4.	Botan. regist. 989.	
TRIZEUXIS. L.col.	TRIZEUXIS.	Gynandria Monandria.				
falcata. L.col.	falcate.	Trinidad.	1820.	2. 6. S. 4.	Lindl. coll. 2.	
PLEUROTHALLIS. H.K.	PLEUROTHALLIS.	Gynandria Monandria. H.K.				
1 ruscifolia. H.K.	Ruscus-leaved.	W. Indies.	1791.	5. 6. S. 4.	Hook. ex. flor. 197.	
2 racemiflora. H.E.F.	racemed.	_____	1822.	7. 8. S. 4.	_____ 123.	
ORNITHOCEPHALUS. BIRD'S-HEAD.	ORNITHOCEPHALUS.	Gynandria Monandria.				
gladius. H.E.F.	sword-leaved.	Trinidad.	1822.	5. 8. S. 4.	Hook. ex. flor. 127.	
OCTOMERIA. H.K.	OCTOMERIA.	Gynandria Monandria. H.K.				
1 graminifolia. H.K.	Grass-leaved.	W. Indies.	1793.	6. 7. S. 4.	Plum. ic. 176. f. 1.	
2 spicata. D.P.	spiked.	Nepaul.	1823.	— S. 4.		
TRIBRACHIA. B.R.	TRIBRACHIA.	Gynandria Monandria.				
pendula. B.R.	pendulous-spiked.	Sierra Leon.	1822.	6. 11. S. 4.	Botan. regist. 963.	

GONGORA. R.P.		GONGORA.	Gynandria Monandria.			
	atropurpurea. H.E.F.	dark-flowered.	Trinidad.	1824.	6. 7. S. 2.	Hook. ex. flor. 178.
DIPODIUM. B.P.		DIPODIUM.	Gynandria Monandria. B.P.			
	punctatum. B.P.	spotted.	N. S. W.	1822.	6. 8. G. 2.	Sm. exot. bot. 1. t. 12.
	<i>Dendrobium punctatum.</i> Sm.					
CAMARIDIUM. B.R.		CAMARIDIUM.	Gynandria Monandria. B.R.			
	ochroleucum. B.R.	pale-flowered.	Trinidad.	1823.	7. 10. S. 2.	Botan. regist. 844.
	<i>Dendrobium? album.</i> H.E.F. 142.					
ERIA. B.R.		ERIA.	Gynandria Monandria. B.R.			
1	stellata. B.R.	starry.	E. Indies.	1818.	5. 6. S. 2.	Botan. regist. 904.
2	pubescens. B.R.	pubescent.	————	1820.	3. 4. S. 2.	Hook. ex. flor. 124.
	<i>Dendrobium pubescens.</i> H.E.F.					
3	rosea. B.R.	rose-coloured.	————	1824.	10. S. 2.	Botan. regist. 978.
XYLOBIUM. B.R.		XYLOBIUM.	Gynandria Monandria.			
	squalens. B.R.	squalid.	Brazil.	1822.	7. 8. S. 2.	Botan. regist. 732.
	<i>Dendrobium squalens.</i> B.R.					
MAXILLARIA. R.P.		MAXILLARIA.	Gynandria Monandria. B.R.			
1	Barringtoniæ. B.R.	Barrington's.	W. Indies.	1790.	6. 8. S. 2.	Sm. ic. pict. 25.
	<i>Dendrobium Barringtoniæ.</i> H.E.F. 119.					
2	Harrisoniæ. B.R.	Mrs. Harrison's.	Brazil.	1820.	4. 8. S. 2.	Botan. regist. 897.
3	parvula. H.E.F.	small.	————	1824.	3. 5. S. 2.	Hook. ex. flor. 217.
4	aromatica. H.E.F.	aromatic.	————	1825.	5. S. 2.	———— 219.
SARCOCHILUS. B.P.		SARCOCHILUS.	Gynandria Monandria. B.P.			
	falcatus. B.P.	falcate.	N. S. W.	1821.	5. 8. G. 2.	
DENDROBIUM. H.K.		DENDROBIUM.	Gynandria Monandria. H.K.			
1	speciosum. B.P.	showy.	N. S. W.	1801.	6. 8. G. 2.	Sm. exot. bot. 1. t. 10.
2	æmulum. B.P.	rival.	————	1822.	— G. 2.	
3	linguiforme. B.P.	tongue-leaved.	————	1810.	— G. 2.	Sm. exot. bot. 1. t. 11.
4	teretifolium. B.P.	filiform-leaved.	————	1823.	— G. 2.	
5	cucullatum. B.R.	cucullate.	E. Indies.	1815.	3. 5. S. 2.	Botan. regist. 548.
6	Pierardi. H.E.F.	Pierard's.	————	—	12. 6. S. 2.	Hook. ex. flor. 9.
7	Calceolaria. H.E.F.	hollow-lipped.	————	1820.	— S. 2.	———— 184.
8	fimbriatum. H.E.F.	fringed.	————	1818.	4. 6. S. 2.	———— 71.
9	crumenatum. W.	pouched.	Java.	1822.	— S. 2.	Rumph. amb. 6. t. 47. f. 2.
10	moniliforme. W.	glassy.	China.	1824.	6. 8. S. 2.	Kæmpf. amœn. t. 865.
ORNITHIDIUM. H.K.		ORNITHIDIUM.	Gynandria Monandria. H.K.			
	coccineum. H.K.	scarlet-flow'r'd.	W. Indies.	1790.	1. 12. S. 2.	Hook. ex. flor. 38.
	<i>Cymbidium coccineum.</i> B.M. 1437.					
ISOCHILUS. H.K.		ISOCHILUS.	Gynandria Monandria. H.K.			
1	linearis. H.K.	linear-leaved.	W. Indies.	1791.	5. 7. S. 2.	Botan. regist. 745.
	<i>Epidendrum lineare.</i> Jacq. amer. t. 131. f. 1. <i>Cymbidium lineare.</i> W.					
2	graminoides. H.E.F.	grass-like.	W. Indies.	1823.	— S. 2.	Hook. ex. flor. 196.
3	prolifer. H.K.	proliferous.	————	1793.	6. 11. S. 2.	Botan. regist. 825.
POLYSTACHIA. H.E.F.		POLYSTACHYA.	Gynandria Monandria.			
1	luteola. H.E.F.	smooth.	W. Indies.	1818.	7. 8. S. 2.	Hook. ex. flor. 103.
	<i>Dendrobium polystachyum.</i> W.					
2	puberula. B.R.	downy.	Sierra Leon.	1821.	8. S. 2.	Botan. regist. 851.
BRASSAVOLA. H.K.		BRASSAVOLA.	Gynandria Monandria. H.K.			
1	cucullata. H.K.	single-flowered.	W. Indies.	1793.	6. 7. S. 2.	Botan. magaz. 543.
	<i>Epidendrum cucullatum.</i> B.M.					
2	nodosa. Ly.	many-flowered.	————	1824.	10. S. 2.	
BROUGHTONIA. K.H.		BROUGHTONIA.	Gynandria Monandria. H.K.			
	sanguinea. H.K.	blood-coloured.	Jamaica.	1793.	6. 7. S. 2.	Lodd. bot. cab. 793.
CATTLEYA. L.col.		CATTLEYA.	Gynandria Monandria. H.E.F.			
1	labiata. L.col.	great-lipped.	S. America.	1818.	4. 10. S. 2.	Lindl. coll. 33.
2	Loddigesii. H.E.F.	Loddiges'.	————	1810.	— S. 2.	Hook. ex. flor. 186.
	<i>Epidendrum violaceum.</i> B.C. 337.					
3	Forbesii. B.R.	yellow.	Brazil.	1823.	9. S. 2.	Botan. regist. 953.
EPIDENDRUM. H.K.		EPIDENDRUM.	Gynandria Monandria. H.K.			
1	cochleatum. W.	shell-flowered.	W. Indies.	1786.	1. 12. S. 2.	Botan. magaz. 572.
2	fragrans. W.	sweet-scented.	————	1778.	10. S. 2.	———— 1669.
3	secundum. W.	pale-flowered.	————	1793.	6. 7. S. 2.	Jacq. amer. t. 137.
4	polybulbon. W.	many-bulbed.	————	1822.	— S. 2.	Hook. ex. flor. 112.
5	verrucosum. W.	warted.	————	1824.	— S. 2.	Lodd. bot. cab. 1084.
6	nutans. W.	nodding.	————	1794.	— S. 2.	Hook. ex. flor. 50.
7	umbellatum. W.	umbelled.	Jamaica.	1793.	— S. 2.	Botan. regist. 80.
8	diffusum. W.	diffuse.	W. Indies.	1818.	4. 5. S. 2.	Lodd. bot. cab. 846.
9	anceps. B.C.	two-edged.	————	1820.	8. 10. S. 2.	———— 887.
10	nocturnum. W.	night-smelling.	————	—	4. 6. S. 2.	———— 713.

11	fuscatum. w.	brown.	W. Indies.	1790.	6. 7.	S. 4.	Botan. regist. 67.
12	elongatum. w.	long-stalked.	Caracas.	1798.	5. 8.	S. ½.	Botan. magaz. 611.
13	ellipticum. H.E.F.	elliptic-leaved.	Brazil.	1824.	3. 8.	S. ½.	Hook. ex. flor. 207.
14	conopseum. H.K.	Florida.	Florida.	1775.	8.	S. 4.	
15	monophyllum. H.E.F.	one-leaved.	W. Indies.	1822.	7.	S. 4.	Hook. ex. flor. 109.
16	ciliare. B.R.	fringed.	—	1790.	6. 10.	S. 4.	Botan. regist. 784.
17	cuspidatum. B.R.	pointed.	—	1808	—	S. 4.	— 783.
CRYPTARRHENA. B.R. CRYPTARRHENA. Gynandria Monandria. B.R.							
	lunata. B.R.	crescent-lipped.	W. Indies.	1815.	5. 8.	S. 4.	Botan. regist. 153.
EULOPHIA. B.R. EULOPHIA. Gynandria Monandria. B.R.							
1	virens. B.R.	green.	E. Indies.	1823.	6. 8.	S. 4.	Roxb. corom. 1. t. 38.
	<i>Limodorum virens.</i> R.C.						
2	guineensis. B.R.	Guinea.	Sierra Leone.	1822.	11. 2.	S. 4.	Botan. regist. 686.
3	gracilis. B.R.	slender.	—	—	6. 9.	S. 4.	— 742.
4	triste. B.R.	dark-flowered.	C. B. S.	1825.	5. 6.	G. 4.	
5	longicorne. B.R.	long-spurred.	—	—	6. 8.	G. 4.	
6	barbatum. B.R.	bearded.	—	1822.	—	G. 4.	
CALANTHE. B.R. CALANTHE. Gynandria Monandria. B.R.							
1	veratrifolia. B.R.	Veratrum-ld.	E. Indies.	1819.	1. 9.	S. 4.	Botan. regist. 720.
2	sylvestris. Ly.	loose-spiked.	Madagascar.	1823.	6. 7.	S. 4.	
ANGRÆCUM. L.col. ANGRÆCUM. Gynandria Monandria. B.R.							
1	maculatum. B.R.	spotted.	S. America.	1819.	10. 12.	S. 4.	Botan. regist. 618.
2	falcatum. L.col.	falcate.	China.	1815.	—	S. 4.	— 283.
	<i>Limodorum falcatum.</i> B.R.						
3	luridum. Ly.	lurid.	Sierra Leone.	1822.	7.	S. 4.	
IONOPSIS. K.S. IONOPSIS. Gynandria Monandria.							
	utricularioides. L.col.	pale-flowered.	Trinidad.	1822.	6. 9.	S. 4.	Hook. ex. flor. 113.
	<i>Iantha pallida.</i> H.E.F.						
AERANTHES. B.R. AERANTHES. Gynandria Monandria. B.R.							
1	grandiflora. B.R.	large-flowered.	Madagascar.	1823.	7. 8.	S. 4.	Botan. regist. 817.
2	sesquipedalis. Ly.	long-flowered.	—	—	—	S. 4.	
AERIDES. H.K. AIR-PLANT. Gynandria Monandria. H.K.							
1	odoratum. H.K.	fragrant.	China.	1800.	—	S. 4.	
2	arachnites. w.	common.	Japan.	1793.	—	S. 4.	
	<i>Epidendrum flos aeris.</i> L.						
PHOLIDOTA. H.E.F. PHOLIDOTA. Gynandria Monandria. H.E.F.							
	imbricata. H.E.F.	imbricated.	Nepaul.	1823.	7.	S. 4.	Hook. ex. flor. 138.
SARCANTHUS. L.col. SARCANTHUS. Gynandria Monandria. B.R.							
1	paniculatus. L.col.	panicked.	China.	1812.	5. 8.	S. ½.	Botan. regist. 220.
	<i>Aerides paniculata.</i> B.R.						
2	succisus. Ly.	bitten.	—	1824.	—	S. ½.	
3	rostratis. B.R.	rostrate.	—	1819.	6. 12.	S. ½.	Botan. regist. 961.
4	teretifolius. Ly.	round-leaved.	—	—	—	S. ½.	— 676.
	<i>Vanda teretifolia.</i> B.R.						
TRICHORHIZA. Ly. TRICHORHIZA. Gynandria Monandria.							
	teretifolia. L.C.	round-leaved.	E. Indies.	1819.	10.	S. ½.	Hook. ex. flor. 72.
	<i>Vanda? trichorhiza.</i> H.E.F.						
VANDA. B.R. VANDA. Gynandria Monandria. B.R.							
1	cruenta. L.C.	red-flowered.	China.	1819.	—	S. ½.	
2	multiflora. L.col.	many-flowered.	—	1800.	6. 10.	S. ½.	Lindl. coll. 38.
3	Roxburghii. B.R.	Roxburgh's.	E. Indies.	1816.	10. 12.	S. ½.	Botan. regist. 506.
4	tessellata. L.C.	tessellate.	—	—	—	S. ½.	Roxb. cor. 1. t. 42.
	<i>Cymbidium tessellatum.</i> R.C.						
VANILLA. w. VANILLA. Gynandria Monandria. H.K.							
1	aromatica. H.K.	aromatic.	S. America.	1739.	6. 8.	S. ½.	Plum. ic. 183. t. 188.
2	planifolia. H.K.	flat-leaved.	W. Indies.	1800.	4. 6.	S. ½.	Andr. reposit. 538.
CYPRIPEDIUM. w. LADIES'-SLIPPER. Gynandria Diandria. H.K.							
1	Calceolus. w.	common.	England.	—	5. 7.	H. 4.	Eng. bot. 1.
2	parviflorum. w.	small-flowered.	N. America.	1759.	—	H. 4.	Swt. br. fl. gar. 80.
3	pubescens. w.	yellow-downy.	—	1790.	—	H. 4.	— 71.
4	spectabile. w.	showy.	—	1731.	6. 7.	H. 4.	Lodd. bot. cab. 697.
	<i>album.</i> B.M. 216.						
5	humile. w.	two-leaved.	—	1786.	5. 6.	H. 4.	Botan. magaz. 192.
6	arietinum. w.	ram's-head.	—	1808.	—	H. 4.	— 1569.
7	venustum. B.R.	handsome.	Nepaul.	1816.	7. 10.	S. 4.	Botan. regist. 788.
8	insigne. L.col.	noble.	—	1819.	—	S. 4.	Lindl. coll. 32.

ORDO CLXXV.

SCITAMINEÆ. *Brown prodr.* 1. p. 305.

GLOBBA. L.	GLOBBA. Monandria Monogynia. L.				
1 marantina. W.	marantine. E. Indies.	1800.	7. 8.	S. 2.	Exot. bot. 2. t. 103.
2 bulbifera. F.I.	bulb-bearing. ———	1818.	—	S. 2.	
3 orixensis. F.I.	Orixian. ———	1819.	—	S. 2.	
4 versicolor. Ex. B.	various-col'd. ———	1820.	—	S. 2.	Sm. exot. bot. 2. t. 117.
<i>Hura. F.I.</i>					
5 pendula. F.I.	pendulous-fl'd. ———	1822.	6. 8.	S. 2.	
6 Careyana. F.I.	Carey's. ———	1822.	—	S. 2.	Lodd. bot. cab. 691.
7 sessiliflora. B.M.	sessile-flower'd. ———	1807.	—	S. 2.	Botan. magaz. 1428.
MANTISIA. B.M.	MANTISIA. Monandria Monogynia. B.M.				
1 saltatoria. B.M.	Opera-girl's. E. Indies.	1808.	6.	S. 2.	Botan. magaz. 1320.
<i>Globba subulata. F.I.</i>	<i>purpurea. A.R. 615. saltatoria. R. Sc.</i>				
2 spathulata. R.S.	spathulate. ———	1822.	6. 8.	S. 2.	
<i>Globba spathulata. F.I.</i>					
CURCUMA. W.	TURMERIC. Monandria Monogynia. L.				
1 Zerumbet. F.I.	Zedoary. E. Indies.	1807.	4. 8.	S. 2.	Rumph. amb. 5. t. 68.
2 aromatica. P.L.	aromatic. ———	1797.	—	S. 2.	Sal. par. lond. 96.
3 Zedoaria. F.I.	silky-leaved. ———	—	—	S. 2.	Botan. magaz. 1546.
4 zanthorrhiza. F.I.	yellow-rooted. Amboyna.	1819.	4. 5.	S. 2.	
5 latifolia. R.Sc.	broad-leaved. E. Indies.	—	—	S. 2.	Rosc. scitam. ic.
6 elata. F.I.	tall. ———	—	—	S. 2.	
7 cæsia. F.I.	clouded-leaved. ———	—	5. 6.	S. 2.	
8 æruginea. F.I.	verdigrase. ———	1807.	4. 8.	S. 2.	
9 ferruginea. F.I.	rusty. ———	1819.	—	S. 2.	
10 rubescens. F.I.	red. ———	—	4. 6.	S. 2.	Rox. scitam. ic.
11 comosa. F.I.	close-flowered. ———	—	—	S. 2.	
12 leucorrhiza. F.I.	white-rooted. ———	—	—	S. 2.	
13 angustifolia. F.I.	narrow-leaved. ———	1822.	—	S. 2.	
14 longa. F.I.	long-rooted. ———	1759.	6. 8.	S. 2.	Botan. regist. 886.
15 Amada. F.I.	Mango-ginger. ———	1819.	—	S. 2.	Rosc. scitam. ic.
16 viridiflora. F.I.	green-flowered. ———	1820.	—	S. 2.	
17 montana. F.I.	mountain. ———	1823.	4. 6.	S. 2.	Roxb. corom. 2. n. 151.
18 reclinata. F.I.	reclining. ———	1824.	—	S. 2.	
19 petiolata. F.I.	petiolate. ———	1822.	—	S. 2.	
20 rubricaulis. L.T.	red-stalked. ———	1818.	—	S. 2.	
KÆMPFERIA. L.	KÆMPFERIA. Monandria Monogynia. L.				
1 Galanga. W.	officinal. E. Indies.	1724.	6. 9.	S. 2.	Botan. magaz. 850.
2 rotunda. W.	round-rooted. ———	1768.	7. 8.	S. 2.	— 920.
3 latifolia. S.S.	broad-leaved. ———	1803.	4. 7.	S. 2.	
4 angustifolia. F.I.	narrow-leaved. ———	—	—	S. 2.	Rosc. scitam. ic.
5 pandurata. F.I.	fiddle-lipped. ———	1812.	—	S. 2.	Botan. regist. 173.
6 ovalifolia. F.I.	oval-leaved. ———	1819.	—	S. 2.	Rosc. scitam. ic.
7 marginata. R.S.	red-margined. ———	1820.	—	S. 2.	— c. ic.
ROSCOEIA. L.T.	ROSCOEIA. Monandria Monogynia.				
1 purpurea. L.T.	purple-flower'd. Nepaul.	1819.	7. 8.	S. 2.	Sm. exot. bot. 2. t. 108.
2 gracilis. L.T.	slender. ———	1820.	—	S. 2.	
3 elatior. L.T.	tall. ———	—	—	S. 2.	
4 spicata. L.T.	spiked. ———	1821.	—	S. 2.	
5 capitata. L.T.	headed. ———	1819.	—	S. 2.	
ZINGIBER. L.T.	GINGER. Monandria Monogynia. H.K.				
1 officinale. F.I.	narrow-leaved. E. Indies.	1605.	6. 8.	S. 2.	Rosc. scitam. ic.
2 Zerumbet. F.I.	broad-leaved. ———	1690.	9. 11.	S. 2.	Sm. exot. bot. 2. t. 112.
3 Casumunar. B.M.	downy-leaved. ———	1796.	8.	S. 2.	Botan. magaz. 1426.
<i>purpureum. L.T. Cliffordia. A.R. t. 555.</i>					
4 roseum. F.I.	rose-coloured. ———	1823.	6. 8.	S. 2.	Roxb. corom. 2. t. 126.
5 ligulatum. F.I.	ligulate. ———	—	—	S. 2.	
6 rubens. F.I.	red-flowered. ———	1820.	5. 8.	S. 2.	Rosc. scitam. ic.
7 squarrosus. F.I.	squarrose. ———	—	—	S. 2.	

8	panduratum. F.I.	fiddle-leaved.	E. Indies.	1819.	5. 8.	S. 4.	
9	Mioga. L.T.	Japanese.	Japan.	1796.	—	S. 4.	Kæmpf. ic. Banks. t. 11.
10	chrysanthum. R. Sc.	yellow-flower'd.	E. Indies.	1823.	—	S. 4.	Rosc. scitam. ic.
11	capitatum. F.I.	headed.	—	1820.	6. 8.	S. 4.	— ic.
12	elatum. F.I.	tall.	—	—	—	S. 4.	
AMOMUM. F.I. AMOMUM. Monandria Monogynia. L.							
1	Afzelii. L.T.	sweet-scented.	Sierra Leon.	1795.	5. 6.	S. 4.	Ann. bot. 1. t. 13.
2	grandiflorum. R.S.	large-flowered.	—	—	6. 7.	S. 4.	Sm. exot. bot. t. 111.
3	sylvestre. R.S.	wood.	Jamaica.	1804.	5. 7.	S. 4.	Sloan. hist. 1. t. 105. f. 22.
4	Cardamomum. F.I.	bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 4.	Rumph. amb. 5. t. 65. f. 1.
5	angustifolium. F.I.	narrow-leaved.	Madagascar.	—	—	S. 4.	Sonnerat. it. 2. f. 137.
6	aculeatum. F.I.	bristly-capsul'd.	E. Indies.	1823.	6. 8.	S. 4.	
7	maximum. F.I.	great.	—	—	—	S. 4.	
8	dealbatum. F.I.	insipid-seeded.	—	1819.	—	S. 4.	
9	subulatum. F.I.	subulate-bracted.	—	—	5. 7.	S. 4.	
10	aromaticum. F.I.	aromatic.	—	1823.	—	S. 4.	
11	sericeum. F.I.	silky-leaved.	—	1819.	6. 8.	S. 4.	
12	granum-paradisi. w.	Grains of Paradise.	Madagascar.	—	2. 4.	S. 4.	Blackw. t. 385.
COSTUS. F.I. COSTUS. Monandria Monogynia. L.							
1	speciosus. F.I.	large-flowered.	E. Indies.	1794.	8. 9.	S. 4.	Jacq. ic. 1. t. 1.
2	nepalensis. R. Sc.	Nepaul.	Nepaul.	1818.	—	S. 4.	Rosc. scitam. ic.
	speciosus β. B.R. 665.						
3	Pisonis. B.R.	Brazilian.	Brazil.	1822.	5. 9.	S. 4.	Botan. regist. 899.
4	afer. B.R.	African.	Sierra Leon.	—	—	S. 4.	— 683.
5	maculatus. R. Sc.	spotted.	—	—	—	S. 4.	Rosc. scitam. ic.
6	lanatus. L.C.	woolly.	—	—	—	S. 4.	
7	spicatus. L.T.	spiked.	S. America.	1793.	6.	S. 4.	Rosc. scitam. ic.
8	comosus. L.T.	tufted.	—	1815.	—	S. 4.	Jacq. ic. 3. t. 202.
	Alpinia comosa. Jacq.						
9	spiralis. L.T.	spiral.	—	—	5. 7.	S. 4.	Jacq. schœn. 1. t. 1.
10	villosissima. R.S.	villous.	W. Indies.	1823.	—	S. 4.	Jacq. fragm. t. 80.
11	arabicus. L.T.	Arabian.	Arabia.	1752.	8.	S. 4.	
HELLENIA. B.P. HELLENIA. Monandria Monogynia. W.							
1	cœrulea. B.P.	blue-flowered.	N. Holland.	1820.	5. 6.	G. 4.	Rosc. scitam. ic.
2	Allughas. w.	Ceylon.	E. Indies.	1796.	2. 3.	G. 4.	Andr. reposit. 501.
ALPINIA. L.T. ALPINIA. Monandria Monogynia. L.							
1	racemosa. L.T.	clustered.	W. Indies.	1752.	7. 9.	S. 4.	Plum. ic. 11. t. 20.
2	Galanga. F.I.	Galanga-major.	E. Indies.	1818.	6. 10.	S. 4.	Rumph. amb. 5. t. 63.
3	Roxburghii.	Roxburgh's.	—	1820.	—	S. 4.	
	bracteata. F.I. non L.T.						
4	malaccensis. F.I.	woolly-leaved.	—	1799.	4. 6.	S. 4.	Botan. regist. 328.
5	nutans. F.I.	nodding-fl'd.	—	1792.	—	S. 4.	Botan. magaz. 1903.
	Renealmia nutans. A.R. 360.						
6	cernua. B.M.	drooping.	—	—	—	S. 4.	— 1900.
7	auriculata. R. Sc.	eared.	—	1822.	—	S. 4.	Rosc. scitam. ic.
8	exaltata. R.S.	tall.	—	1824.	S. 4.	
9	diffissa. L.T.	cloven.	China.	—	4. 6.	S. 4.	Rosc. scitam. ic.
10	mutica. F.I.	spurless.	E. Indies.	1811.	4. 9.	S. 4.	— ic.
11	calcarata. F.I.	upright spiked.	China.	1804.	9.	S. 4.	Andr. reposit. 421.
12	spicata. F.I.	spiked.	E. Indies.	1823.	6. 9.	S. 4.	
13	striata. L.en.	striated.	—	1818.	S. 4.	
14	bracteata. L.T.	bracted.	China.	1823.	5. 8.	S. 4.	
	Roscoeana. R.S.						
GETHYRA. Sal. GETHYRA. Monandria Monogynia.							
1	occidentalis.	occidental.	Jamaica.	1793.	5. 7.	S. 4.	Gært. fruct. 1. t. 12.
	Alpinia occidentalis. L.T.						
2	tubulata.	Mr. Lambert's.	Demarara.	1820.	7. 8.	S. 4.	Botan. regist. 777.
	Alpinia tubulata. B.R.						
3	punicea.	bright-red.	E. Indies.	—	—	S. 4.	
	Alpinia punicea. F.I.						
4	Cardamomum medium.	9-winged.	—	—	—	S. 4.	
5	linguiformis. F.I.	tongue-lipped.	—	1825.	S. 4.	
ELETTARIA. L.T. CARDAMON. Monandria Monogynia.							
	Cardamomum. L.T. true.		E. Indies.	1815.	S. 4.	Linn. trans. 10. t. 4. 55.
	Alpinia Cardamomum. F.I. Amomum Cardamomum. L.						
HEDYCHIUM. F.I. GARLAND-FLOWER. Monandria Monogynia. L.							
1	angustifolium. R. Sc.	narrow-leaved.	E. Indies.	1815.	5. 12.	S. 4.	Rosc. scitam. ic.
2	aurantiacum. R. Sc.	orange-color'd.	—	—	—	S. 4.	— ic.
	angustifolium. B.R. 157. non Roxb.						

3	coccineum. R. Sc.	scarlet.	Nepaul.	1818.	5. 12.	S. 2.	Rosc. scitam. ic.
	<i>angustifolium</i> . B.M.	<i>non</i> Roxb.					
4	longifolium. R. Sc.	long-leaved.	E. Indies.	1820.	6. 8.	S. 2.	————— ic.
5	carneum. R. Sc.	flesh-coloured.	—————	—————	—————	S. 2.	Botan. magaz. 2637.
6	flavum. R. Sc.	yellow.	—————	1819.	—————	S. 2.	Rosc. scitam. ic.
7	flavescens. R. Sc.	yellowish.	—————	1822.	—————	S. 2.	————— ic.
8	heteromallum. B.R.	woolly.	—————	—————	—————	S. 2.	Botan. regist. 767.
9	villosum. F.I.	villous.	—————	—————	—————	S. 2.	
10	glaucum. R. Sc.	glaucous.	—————	1820.	—————	S. 2.	Rosc. scitam. ic.
11	ellipticum. R. Sc.	elliptic-leaved.	—————	—————	5. 8.	S. 2.	————— ic.
12	acuminatum. R. Sc.	taper-pointed.	—————	1822.	—————	S. 2.	————— ic.
13	elatum. B.R.	tall.	Nepaul.	1818.	7. 12.	S. 2.	Botan. regist. 526.
14	speciosum. F.I.	beautiful.	E. Indies.	1823.	8. 10.	S. 2.	
15	maximum. R. Sc.	large-flowered.	—————	1819.	5. 9.	S. 2.	Rosc. scitam. ic.
16	coronarium. F.I.	sweet-scented.	—————	1793.	7. 9.	S. 2.	Botan. magaz. 708.
17	Gardnerianum. R. Sc.	Gardner's.	Nepaul.	1818.	—————	S. 2.	Botan. regist. 771.
18	thyrsiflorum. R. Sc.	thyrses-flower'd.	—————	1822.	—————	S. 2.	Rosc. scitam. ic.
19	spicatum. B.M.	spiked.	—————	1820.	8. 11.	S. 2.	Botan. magaz. 2300.
20	gracile. F.I.	slender.	E. Indies.	1821.	—————	S. 2.	

ORDO CLXXVI.

CANNEÆ. *Brown prodr.* 1. p. 307.

PHRYNIUM. F.I.	PHRYNIUM.	Monandria Monogynia. L.				
1	dichotomum. F.I.	forked.	E. Indies.	1807.	6. 9.	S. 2. Rumph. amb. 4. t. 7.
2	virgatum. F.I.	slender-stem'd.	—————	1818.	—————	S. 2.
3	spicatum. F.I.	spiked.	—————	—————	—————	S. 2.
4	imbricatum. F.I.	imbricated.	—————	1824.	5. 8.	S. 2.
5	grandiflorum. R. Sc.	great-flowered.	—————	1819.	6. 8.	S. 2. Rosc. scitam. ic.
6	parviflorum. F.I.	small-flowered.	—————	—————	5. 9.	S. 2. ————— ic.
7	capitatum. F.I.	capitate.	—————	1820.	—————	S. 2. Rheed. mal. 11. t. 34.
8	obliquum. L.C.	oblique-leaved.	—————	1824.	—————	S. 2.
9	angustifolium. L.C.	narrow-leaved.	—————	—————	—————	S. 2.
THALIA. W.	THALIA.	Monandria Monogynia. W.				
	dealbata. L.T.	mealy.	Carolina.	1791.	7. 9.	H. w. 2. Botan. magaz. 1690.
CANNA. W.	INDIAN SHOT.	Monandria Monogynia. L.				
1	indica. L.T.	common.	E. Indies.	1570.	1. 12.	S. 2. Botan. regist. 776.
2	coccinea. L.T.	scarlet.	W. Indies.	1731.	—————	S. 2. Lodd. bot. cab. 739.
3	lutea. L.T.	yellow.	E. Indies.	1629.	—————	S. 2. Botan. regist. 773.
	<i>β maculata</i> .	<i>spotted-flowered</i> .	—————	1820.	—————	S. 2. Botan. magaz. 2085.
4	orientalis. R. Sc.	oriental.	—————	—————	—————	S. 2. Rosc. scitam. ic.
5	patens. B.R.	spreading.	China.	1771.	7. 10.	H. 2. Botan. regist. 576.
6	speciosa. B.M.	showy.	Nepaul.	1820.	—————	H. 2. Botan. magaz. 2317.
7	gigantea. B.R.	gigantic.	America.	1788.	1. 12.	S. 2. Botan. regist. 206.
8	latifolia. B.C.	broad-leaved.	—————	S. 2. Lodd. bot. cab. 634.
9	edulis. B.R.	eatable.	Pern.	1820.	6. 10.	S. 2. Botan. regist. 775.
10	Lamberti. B.R.	Mr. Lambert's.	Trinidad.	1818.	5. 8.	S. 2. ————— 470.
11	excelsa. B.C.	tall.	Brazil.	1820.	1. 12.	S. 2. Lodd. bot. cab. 743.
12	occidentalis. B.R.	West Indian.	W. Indies.	1822.	—————	S. 2. Botan. regist. 772.
13	limbata. R. Sc.	bordered.	Brazil.	1818.	—————	S. 2. Lodd. bot. cab. 449.
14	pallida. R. Sc.	pale.	—————	1823.	—————	S. 2. Rosc. scitam. ic.
15	compacta. R. Sc.	compact.	E. Indies.	—————	—————	S. 2. ————— ic.
16	pedunculata. B.M.	stalked.	1820.	—————	S. 2. Botan. magaz. 2323.
17	denudata. R. Sc.	naked-stalked.	Brazil.	1822.	—————	S. 2. Rosc. scitam. ic.
18	lanceolata. L.C.	spear-leaved.	—————	—————	—————	S. 2.
19	esculenta. L.C.	esculent.	S. America.	—————	—————	S. 2.
20	sanguinea. L.C.	bloody.	—————	1824.	—————	S. 2.
21	polymorpha. L.C.	variable.	—————	—————	—————	S. 2.
22	iridiflora. B.M.	nodding-fl'd.	Peru.	1816.	—————	S. 2. Botan. regist. 609.
23	flaccida. R. Sc.	flaccid.	S. Carolina.	1788.	—————	S. 2. Rosc. scitam. ic.
24	glauca. L.T.	glaucous.	S. America.	1732.	—————	S. 2. Sm. exot. bot. 102.
	<i>β rufa</i> . B.M.	<i>brown</i> .	—————	—————	S. 2. Botan. magaz. 2302.

MARANTA. R.S.		ARROW-ROOT.	Monandria Monogynia. L.			
1	arundinacea. R.S.	Indian.	S. America.	1732.	7. 8.	S. 2.
2	indica. R.S.	smooth-leaved.	India.	—	S. 2.
3	Tonchat. R.S.	ovate.	E. Indies.	1819.	S. 2.
4	Jacquini. R.S.	Jacquin's.	Caracas.	1809.	6. 7.	S. 2.
	<i>lutea.</i> Jacq. <i>non</i> Lam.					
5	angustifolia. B.M.	narrow-leaved.	W. Indies.	1820.	7. 8.	S. 2.
6	bicolor. B.R.	two-coloured.	S. America.	1823.	1. 12.	S. 2.
7	gibba. R.S.	gibbous.	—	—	—	S. 2.
8	obliqua. R.S.	oblique.	Guiana.	1803.	10. 1.	S. 2.
9	sylvatica. L.T.	wood.	W. Indies.	1799.	8. 9.	S. 2.
10	comosa. R.S.	close-spiked.	Surinam.	1812.	6. 7.	S. 2.
CALATHEA. S.S.		CALATHEA.	Monandria Monogynia. S.S.			
1	discolor. s.s.	two-coloured.	Caracas.	1823.	6. 8.	S. 2.
	<i>Maranta Casupo.</i> Jacq.					
2	violacea. B.R.	violet-coloured.	Brazil.	—	—	S. 2.
3	flavescens. B.R.	yellowish.	—	—	—	S. 2.
4	Zebrina. B.R.	striped-leaved.	—	1815.	4. 7.	S. 2.
	<i>Maranta Zebrina.</i> B.M. 1926.					
5	Rossii. L.C.	Ross's.	—	1825.	—	S. 2.
6	villosa. L.C.	villous.	—	—	—	S. 2.

Botan. magaz. 2307.
Sloan. jam. t. 149.
Rumph. amb. 4. t. 7.
Jacq. ic. 2. t. 20.

Botan. magaz. 2398.
Botan. regist. 786.
Rose. scitam. ic.
Rudg. gui. t. 11.

Jacq. frag. t. 63. f. 4.

Botan. regist. 961.
— 932.
— 385.

ORDO CLXXVII.

MUSACEÆ. *Juss. gen.* 61.

MUSA. L.		PLANTAIN-TREE.	Polygamia Monœcia. L.			
1	paradisiaca. w.	common.	India.	1690.	10. 12.	S. 2.
2	sapientum. w.	Banana-tree.	W. Indies.	1729.	10. 3.	S. 2.
3	maculata. w.	spotted.	Mauritius.	1818.	—	S. 2.
4	rosacea. w.	rose-coloured.	—	1805.	3. 6.	S. 2.
5	coccinea. w.	scarlet-flow'r'd.	China.	1792.	12. 3.	S. 2.
6	ornata. F.I.	handsome.	E. Indies.	1823.	S. 2.
7	superba. F.I.	superb.	—	—	S. 2.
8	glauca. F.I.	glaucous.	—	1824.	S. 2.
URANIA. W.		URANIA.	Hexandria Monogynia. W.			
	speciosa. w.	Plantain-ld.	Madagascar.	1813.	S. 2.
	<i>Ravenalia madagascariensis.</i> Jacq.					
STRELITZIA. H.K.		STRELITZIA.	Pentandria Monogynia. H.K.			
1	augusta. H.K.	Plantain-like.	C. B. S.	1791.	2. 5.	S. 2.
2	reginæ. H.K.	Canna-leaved.	—	1773.	4. 5.	I. 2.
3	ovata. H.K.	oval-leaved.	—	1777.	2. 4.	I. 2.
4	humilis. L.en.	dwarf.	—	—	I. 2.
5	farinosa. H.K.	mealy-stalked.	—	1795.	—	I. 2.
6	angustifolia. H.K.	narrow-leaved.	—	1778.	5. 6.	I. 2.
7	parvifolia. H.K.	small-leaved.	—	1796.	5. 7.	I. 2.
	<i>β juncea.</i> B.R.	<i>rush-like.</i>	—	—	—	I. 2.
HELICONIA. R.S.		HELICONIA.	Pentandria Monogynia. L.			
1	Bihai. w.	Plantain-ld.	W. Indies.	1786.	4. 5.	S. 2.
2	humilis. R.S.	dwarf.	Caracas.	1798.	5. 6.	S. 2.
3	psittacorum. R.S.	Parrot-beaked.	W. Indies.	1797.	8. 9.	S. 2.
4	Swartziana. R.S.	Swartz's.	Jamaica.	—	—	S. 2.
	<i>psittacorum β.</i> B.M.					
5	dealbata. L.C.	mealy.	S. America.	1823.	—	S. 2.
6	hirsuta. R.S.	hairy-bracted.	—	—	—	S. 2.
7	buccinata. F.I.	Indian.	E. Indies.	1820.	S. 2.

Trew ehret. 3. t. 18-200
— 4. t. 21-233

Botan. regist. 706.
Andr. reposit. t. 47.

Jacq. schœn. 1. t. 93..

Ker's Strelitz. ic.
Redout. lil. 77. 78.
Botan. magaz. 119. 120

Ker's Strelitz. ic.
— ic.
— ic.
Botan. regist. 516.

Botan. regist. 374.
Jacq. schœn. 1. t. 48. 49
Andr. reposit. 124.
Botan. magaz. 502.

Rumph. amb. 5. t. 62. f. 2

ORDO CLXXVIII.

IRIDEÆ. *Brown prodr.* 302.

IRIS. B.M.		FLOWER-DE-LUCE. Triandria Monogynia. L.				
1	susiana. R.S.	Chalcedonian.	Levant.	1596.	3. 4. H. 4.	Botan. magaz. 91.
2	livida. Trat.	livid.	— H. 4.	Redout. lil. 1. t. 18.
3	florentina. R.S.	Florentine.	S. Europe.	1596.	5. 6. H. 4.	Botan. magaz. 671.
4	germanica. R.S.	German.	Germany.	1573.	— H. 4.	— 670.
	<i>nepalensis</i> . B.R. 818. non D.P.					
5	subbiflora. B.M.	double-bearing.	Portugal.	1596.	4. 5. H. 4.	Botan. magaz. 1130.
6	pallida. R.S.	pale Turkey.	Turkey.	—	5. 6. H. 4.	— 685.
7	longiflora. R.S.	long-flowered.	1824.	— H. 4.	
8	flavescens. R.S.	pale yellow.	Switzerland.	1825.	— H. 4.	
9	sordida. W.en.	dull-flowered.	—	1818.	— H. 4.	
10	sambucina. R.S.	Elder-scented.	S. Europe.	1658.	6. H. 4.	Botan. magaz. 187.
11	squalens. R.S.	brown-flower'd.	—	1768.	6. H. 4.	— 787.
12	lurida. R.S.	dark brown.	—	1758.	4. 5. H. 4.	— 669. 986.
13	variegata. R.S.	variegated.	Hungary.	1597.	5. 6. H. 4.	— 16.
14	neglecta. R.S.	Horneman's.	1820.	6. H. 4.	— 2435.
15	Swertii. R.S.	reflex-fl'd.	1748.	5. 6. H. 4.	Redout. lil. 6. t. 360.
16	plicata. R.S.	plaited-leaved.	Hungary.	1823.	— H. 4.	— t. 336.
	<i>amæna</i> β <i>hungarica</i> . R.L. <i>aphylla</i> . γ . B.M. 870.					
17	biflora. R.S.	two-flowered.	S. Europe.	1596.	4. 9. H. 4.	Besl. h. eyst. 8. f. 1.
18	furcata. R.S.	forked.	Tauria.	1822.	3. 4. H. 4.	Botan. regist. 801.
19	cristata. R.S.	crested.	N. America.	1756.	5. H. 4.	Botan. magaz. 412.
20	fimbriata. v.	fringed.	China.	1792.	5. 6. F. 4.	Vent. cels. t. 9.
	<i>chinensis</i> . B.M. 373.					
21	dichotoma. R.S.	forked.	Dauria.	1784.	6. 8. H. 4.	Swt. br. fl. gar. 96.
22	nudicaulis. R.S.	naked-stalked.	1748.	5. 6. H. 4.	
	<i>aphylla</i> . W.					
23	arenaria. R.S.	sand.	Hungary.	1802.	5. 6. H. 4.	Botan. regist. 549.
24	lutescens. R.S.	pale yellow.	Germany.	1748.	4. 5. H. 4.	Redout. lil. 5. t. 263.
25	flavissima. R.S.	bright yellow.	Siberia.	1814.	5. 6. H. 4.	Jacq. ic. 3. t. 220.
26	pumila. R.S.	dwarf.	Austria.	1596.	4. 5. H. 4.	Botan. magaz. 9.
27	violacea.	violet-coloured.	S. Europe.	— H. 4.	— 1261.
	<i>pumila</i> . var. <i>violacea</i> . B.M.					
28	hungarica. R.S.	Hungarian.	Hungary.	1815.	5. H. 4.	Swt. br. fl. gar. 74.
29	iberica. R.S.	Iberian.	Iberia.	1821.	5. 6. H. 4.	
30	moræoides. S.S.	Moræa-like.	C. B. S.	1758.	4. 8. G. 4.	Botan. magaz. 693.
	<i>Moræa iridioides</i> . B.M.					
31	Pseud-Acorus. R.S.	yellow-water.	Britain.	6. H. 4.	Eng. bot. 578.
	β <i>pallido-flava</i> . B.M. <i>pale-yellow</i> .		N. America.	1812.	— H. 4.	Botan. magaz. 2239.
32	Monnierii. R.S.	Monnier's.	Levant.	1820.	6. 7. H. 4.	Redout. lil. 4. t. 236.
33	foetidissima. R.S.	Gladwyn.	Britain.	6. H. 4.	Eng. bot. 596.
	β <i>variegata</i> .	striped-leaved.	—	— H. 4.	
34	versicolor. R.S.	various-color'd.	N. America.	1732.	5. 6. H. 4.	Botan. magaz. 21.
35	fulva. B.M.	copper-color'd.	—	1812.	6. 7. H. 4.	— 1496.
	<i>cuprea</i> . Ph. published 1814. <i>fulva</i> . B.M. published 1812.					
36	tridentata. Ph. three-toothed.	—	—	1824.	7. H. 4.	
	<i>tripetala</i> . N.					
37	virginica. R.S.	Virginian.	Virginia.	1758.	6. 7. H. 4.	Botan. magaz. 703.
38	gracilis. Bolt.	Bolton's.	N. America.	— H. 4.	
	<i>Boltoniana</i> . R.S.					
39	spuria. B.M.	spurious.	Siberia.	1759.	7. H. 4.	Botan. magaz. 58.
40	notha. M.B.	hybrid.	—	1780.	— H. 4.	— 875.
	<i>halophila</i> . B.M.					
41	ochroleuca. L.	sulphur-color'd.	Levant.	1757.	— H. 4.	Botan. magaz. 61.
42	halophila. Pal.	long-leaved.	Siberia.	1780.	7. 9. H. 4.	— 1131.
43	stenogyna. R.L.	cream-colour'd.	Caucasus.	1804.	7. H. 4.	— 1515.
44	desertorum. Guld.	sweet-scented.	Russia.	1811.	— H. 4.	— 1514.
	<i>spatulata</i> . W.en.					

45	verna. M.	vernal.	N.America.	1748.	4. 5.	H. 2.	Swt. br. fl. gar. 68.
46	ventricosa. R.S.	bellied.	Dahuria.	1800.	6.	H. 2.	Pall. it. 3. t. B. f. 1.
47	sibirica. R.S.	Siberian.	Siberia.	1596.	5. 6.	H. 2.	Botan. magaz. 50.
	<i>β alba.</i>	<i>white-flowered.</i>	—	—	—	H. 2.	— 1163.
48	acuta. W.en.	acute-leaved.	—	—	H. 2.	—
49	triflora. W.en.	three-flowered.	Italy.	1816.	—	H. 2.	—
50	hæmatophylla. F.	red-leaved.	Siberia.	1790.	4. 5.	H. 2.	Swt. br. fl. gar. 118.
	<i>sanguinea. R.S. sibirica γ sanguinea. B.M. 1504.</i>	—	—	—	—	—	—
51	flexuosa. R.S.	flexuose.	Germany.	5. 6.	H. 2.	Murr. c. gott. 7. t. 4.
52	prismatica. R.S.	New Jersey.	N.America.	1812.	—	H. 2.	Botan. magaz. 1504.
53	graminea. R.S.	grass-leaved.	Austria.	1597.	6.	H. 2.	— 681.
54	humilis. M.B.	pigmy.	Siberia.	1804.	5. 6.	H. 2.	— 1123.
55	ruthenica. R.S.	Russian.	Russia.	1810.	4. 5.	H. 2.	— 1393.
56	tenuifolia. W.	slender-leaved.	Dauria.	1796.	5.	H. 2.	Pall. it. 3. t. C. f. 2.
57	nepalensis. D.P.	Nepaul.	Nepaul.	1824.	6. 7.	H. 2.	—
58	Pallasii. B.M.	Pallas's.	Siberia.	1820.	—	H. 2.	—
	<i>β chinensis. B.M.</i>	<i>Chinese.</i>	China.	—	—	H. 2.	Botan. magaz. 2331.
59	longispatha. B.M.	long-spathed.	Russia.	1822.	—	H. 2.	— 2528.
60	brachycuspis. B.M.	short-pointed.	Siberia.	1819.	6.	H. 2.	— 2326.
61	cœlestina.	sky-blue.	N.America.	1824.	—	F. 2.	—
62	tuberosa. R.S.	snake's-head.	Levant.	1597.	3. 4.	H.b. 2.	Botan. magaz. 531.
63	reticulata. R.S.	netted-rooted.	Iberia.	1821.	4. 5.	H.b. 2.	—
64	Xiphium. R.S.	small bulbous.	Spain.	1596.	6.	H.b. 2.	Botan. magaz. 686.
65	lusitanica. R.S.	Portuguese.	Portugal.	—	4. 5.	H.b. 2.	— 679.
66	Xiphoides. R.S.	great bulbous.	Spain.	1571.	6.	H.b. 2.	— 687.
67	caucasica. R.S.	Caucasean.	Caucasus.	1821.	—	H.b. 2.	—
68	alata. Lam.	winged.	S. Europe.	1801.	H.b. 2.	Desf. atl. 1. t. 6?
	<i>scorpioides. Desf.</i>	—	—	—	—	—	—
69	persica. R.S.	Persian.	Persia.	1629.	3.	H.b. 2.	Botan. magaz. 1.
MORÆA. B.M.	MORÆA.	Triandria Monogynia. L.	—	—	—	—	—
1	Sisyrinchium. B.M.	Spanish nut.	S. Europe.	1597.	5. 6.	F.b.	Botan. magaz. 1407.
2	Tenoreana. B.F.G.	Tenore's.	Naples.	1824.	6. 7.	F.b.	Swt. br. fl. gar. 110.
3	minuta. B.R.	small.	C. B. S.	1825.	—	F.b.	—
4	papilionacea. B.R.	Butterfly.	—	1795.	5. 6.	F.b.	Botan. magaz. 750.
5	ciliata. B.R.	fringed-leaved.	—	1787.	4. 6.	F.b.	— 1061.
6	barbigera. Sal.	bearded.	—	—	4. 5.	F.b.	— 1012.
7	crispa. B.R.	short-spathed.	—	1803.	—	F.b.	— 1284.
8	tristis. B.R.	dull-coloured.	—	1768.	—	F.b.	— 577.
9	ramosa. B.R.	branching.	—	1789.	5. 6.	F.b.	— 771.
10	plumaria. B.R.	feathered.	—	1825.	—	F.b.	—
11	viscaria. B.R.	bird-limed.	—	1800.	6.	F.b.	Botan. magaz. 587.
12	bituminosa. B.R.	clammy.	—	1787.	4. 5.	F.b.	— 1045.
13	polystachya. B.R.	many-spiked.	—	1825.	6. 7.	F.b.	—
14	longiflora. B.R.	long-flowered.	—	1801.	6. 7.	F.b.	Botan. magaz. 712.
15	setacea. B.R.	bristle-leaved.	—	1825.	—	F.b.	Thunb. Ir. t. 1. f. 1.
16	edulis. B.M.	long-leaved.	—	1792.	5. 6.	F.b.	Botan. magaz. 613.
17	odora. P.L.	sweet-scented.	—	—	—	F.b.	Sal. par. lond. 10.
18	longifolia. A.R.	pale-yellow.	—	1808.	—	F.b.	Andrews' reposit. t. 45.
	<i>edulis γ lutescens. B.M. 1238.</i>	—	—	—	—	—	—
19	angusta. B.R.	rolled-leaved.	—	1790.	—	F.b.	Botan. magaz. 1276.
MARICA. H.K.	MARICA.	Triandria Monogynia. H.K.	—	—	—	—	—
1	cœrulea. B.C.	blue.	Brazil.	1810.	4. 10.	S. 2.	Botan. regist. 713.
2	Sabini. H.T.	Sabine's.	St. Thomas.	1822.	9. 11.	S. 2.	Hort. trans. v. 6. pl. 1.
3	Northiana. H.K.	broad-stemm'd.	Brazil.	1789.	4. 8.	S. 2.	Botan. magaz. 654.
	<i>Moræa Northiana. A.R. 255.</i>	—	—	—	—	—	—
4	paludosa. B.M.	marsh.	Guiana.	1792.	7. 8.	S. 2.	Botan. magaz. 646.
5	semiaperta. B.C.	half-opened.	Brazil.	1820.	5. 7.	S. 2.	Lodd. bot. cab. 685.
6	humilis. B.C.	dwarf.	—	1823.	—	S. 2.	— 1081.
7	martinicensis. H.K.	Martinico.	W. Indies.	1782.	—	S. 2.	Botan. magaz. 416.
	<i>Iris martinicensis. B.M. Cipura martinicensis. K.S. Trimezia lurida. Sal.</i>	—	—	—	—	—	—
CYPELLA. B.M.	CYPELLA.	Monadelphica Triandria. B.M.	—	—	—	—	—
	Herberti. B.M.	Mr. Herbert's.	Buenos Ayres.	1823.	6. 9.	F.b.	Botan. magaz. 2599.
	<i>Tigridia Herberti. B.M. Moræa Herberti. B.R. 949.</i>	—	—	—	—	—	—
VIEUSSEUXIA. DC.	VIEUSSEUXIA.	Triandria-Monadelphica Triandria.	—	—	—	—	—
1	tripetaloides. DC.	three petal-like.	C. B. S.	1802.	4. 5.	F.b.	Botan. magaz. 702.
	<i>Moræa tripetala. B.M. Iris tripetala. W.</i>	—	—	—	—	—	—
2	pavonia. DC.	Peacock.	—	1790.	5. 6.	F.b.	Botan. magaz. 1247.
	<i>Moræa pavonia. B.M. Iris pavonia. W.</i>	—	—	—	—	—	—

3 villosa. s.s.	villous-leaved.	C. B. S.	1789.	4. 5.	F.b.	Botan. magaz. 571.
4 tricuspis. s.s.	trident-petaled.	————	1776.	6.	F.b.	———— 696.
5 glaucopis. DC.	white-flowered.	————	—	5. 7.	F.b.	Redout. lil. 1. t. 42.
<i>Iris pavonia</i> . B.M. 168. <i>nec aliorum</i> .						
6 Bellendeni.	Mr. Ker's.	————	1803.	6. 7.	F.b.	Botan. magaz. 772.
<i>Moræa tricuspis</i> γ <i>lutea</i> . B.M. certainly a very distinct species.						
7 tenuis. R.S.	slender.	————	1807.	5. 6.	F.b.	———— 1047.
8 spiralis. R.S.	spiral-flowered.	————	1825.	—	F.b.	De la Roch. dis. t. 5.
9 unguicularis. R.S.	long-clawed.	————	1802.	—	F.b.	Botan. magaz. 593.
10 lurida.	Mr. Griffin's.	————	1817.	6.	F.b.	Botan. regist. 312.
<i>Moræa lurida</i> . B.R.						
HOMERIA. V.	HOMERIA.	Monadelphia Triandria.				
1 spicata.	spiked.	C. B. S.	1785.	5. 6.	F.b.	Botan. magaz. 1283.
<i>Moræa spicata</i> . B.M.						
2 collina.	hill.	————	1768.	—	F.b.	———— 1033.
<i>Moræa collina</i> . B.M.						
3 exaltata. B.F.G.	tall upright.	————	—	—	F.b.	Swt. br. fl. gar. ic.
<i>Moræa collina</i> γ . B.M. 1103.						
4 lineata. B.F.G.	lined-leaved.	————	1825.	—	F.b.	Swt. br. fl. gar. ic.
5 porrifolia. B.F.G.	leek-leaved.	————	—	—	F.b.	———— ic.
6 elegans.	elegant.	————	—	—	F.b.	Jacq. schœn. 1. t. 2.
7 flaccida.	flaccid.	————	1810.	—	F.b.	Botan. mag. 1612.
<i>Moræa collina</i> (a) <i>miniata minor</i> . B.M. 1612.						
8 miniata. B.F.G.	spot-flowered.	————	1799.	—	F.b.	Swt. br. fl. gar. 152.
9 virgata.	slender.	————	1825.	—	F.b.	Jacq. ic. 2. t. 228.
10 flexuosa.	flexuose.	————	1803.	—	F.b.	Botan. magaz. 695.
PARDANTHUS. S.S.	PARDANTHUS.	Triandria Monogynia. S.S.				
1 chinensis. s.s.	Chinese.	China.	1759.	6. 7.	H. 4.	Botan. magaz. 171.
<i>Ixia chinensis</i> . B.M. <i>Belamcanda chinensis</i> . DC.						
2 nepalensis.	Nepaul.	Nepaul.	1823.	H. 4.	
BOBARTIA. L.	BOBARTIA.	Triandria Monogynia. L.				
1 gladiata.	hairy-stalked.	C. B. S.	1815.	6. 8.	G. 4.	Botan. regist. 229.
<i>Marica gladiata</i> . B.R. <i>Moræa gladiata</i> . W.						
2 spathacea. L.	sheathed.	————	1798.	7.	G. 4.	
SISYRINCHIUM. L.	SISYRINCHIUM.	Monadelphia Triandria.				
1 latifolium. H.K.	broad-leaved.	W. Indies.	1737.	6. 8.	S. 4.	Botan. magaz. 655.
<i>Marica plicata</i> . B.M. <i>Moræa plicata</i> . W.						
2 bermudianum. W.	Iris-leaved.	Bermudas.	1732.	5. 7.	G. 4.	Botan. magaz. 94.
<i>iridioides</i> . B.M.						
3 Nuttalli.	Nuttall's.	N. America.	1823.	—	H. 4.	
<i>bermudianum</i> . N. <i>nec aliorum</i> .						
4 anceps. W.	narrow-leaved.	————	1693.	6. 7.	H. 4.	Botan. magaz. 464.
5 mucronatum. M.	pointed-flow'r'd.	————	1812.	—	H. 4.	
6 convolutum. W.	convolute.	S. America.	1816.	5. 7.	F. 4.	Wild. h. ber. t. 91.
7 tenuifolium. W.	slender-leaved.	————	—	—	F. 4.	———— t. 92.
8 luteum. L.en.	yellow-flow'r'd.	————	1823.	—	F. 4.	
9 californicum. H.K.	Californian.	California.	1796.	5. 9.	F. 4.	Botan. magaz. 983.
<i>Marica californica</i> . B.M.						
10 micranthum. W.	small-flowered.	Peru.	1822.	—	F. 4.	Cavan. diss. 6. t. 191. f. 2.
11 iridifolium. K.S.	Iris-leaved.	S. America.	—	—	F. 4.	Botan. regist. 646.
<i>laxum</i> . s.s. <i>Marica iridifolia</i> . B.R.						
12 striatum. H.K.	streaked-fl'd.	Mexico.	1788.	—	F. 4.	Sm. ic. pict. 9.
<i>Marica striata</i> . B.M.						
13 palmifolium. W.	Palm-leaved.	Brazil.	1779.	1. 5.	S. 4.	
RENEALMIA. B.P.	RENEALMIA.	Triandria-Monadelphia Triandria.				
1 paniculata. B.P.	paniced.	N. S. W.	1823.	5. 8.	F. 4.	
2 grandiflora. B.P.	largest-flow'r'd.	N. Zealand.	1822.	4. 9.	H. 4.	Swt. br. fl. gar. 64.
3 pulchella. B.P.	neat.	N. S. W.	1823.	—	F. 4.	
PATERSONIA. B.P.	PATERSONIA.	Monadelphia Triandria. H.K.				
1 sericea. B.P.	silky.	N. S. W.	1803.	5. 7.	F. 4.	Botan. magaz. 1041.
2 longifolia. B.P.	long-leaved.	————	1822.	—	F. 4.	
3 media. B.P.	middle.	————	1824.	—	F. 4.	
4 glabrata. B.P.	smooth.	————	1814.	—	F. 4.	Botan. regist. 50.
5 glauca. B.P.	glaucous.	————	1826.	F. 4.	Lab. nov. hol. 1. t. 9.
WITSENIA. H.K.	WITSENIA.	Triandria Monogynia.				
1 maura. H.K.	downy-flow'r'd.	C. B. S.	1790.	11. 1.	G. 4.	Botan. regist. 5.
2 corymbosa. H.K.	corymbose.	————	1803.	4. 9.	G. 4.	Botan. magaz. 895.
3 ramosa. s.s.	branching.	————	1809.	—	G. 4.	
ARISTEA. Ker.	ARISTEA.	Triandria Monogynia. L.				
1 cyanea. H.K.	woolly-headed.	C. B. S.	1759.	4. 6.	G. 4.	Botan. magaz. 458.

2	pusilla. B.M.	flat-stemmed.	C. B. S.	1806.	6. 7.	G. 4.	Botan. magaz. 1231.
3	spiralis. H.K.	spiral-flowered.	————	1795.	4. 5.	G. 4.	———— 520.
4	capitata. H.K.	tallest.	————	1790.	7. 8.	G. 4.	———— 605.
	<i>major.</i> A.R. 160. <i>Moræa cærulea.</i> Th. mor. t. 2. f. 2.						
5	melaleuca. H.K.	three-coloured.	————	1786.	5. 6.	G. 4.	Botan. magaz. 1277.
FERRARIA.	Ker.	FERRARIA.	Monadelphia Triandria. H.K.				
1	angustifolia.	narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.	
2	antherosa. B.M.	green variegated.	————	1800.	3. 7.	F.b.	Botan. magaz. 751.
	<i>Ferrariola.</i> H.K. <i>viridiflora.</i> A.R. 285.						
3	uncinata. B.F.G.	hook-leaved.	————	1825.	—	F.b.	Swt. br. fl. gar. 161.
4	undulata. W.	curled.	————	1755.	—	F.b.	Botan. magaz. 144.
5	divaricata. B.F.G.	spreading-anther'd.	—	1825.	3. 7.	F.b.	Swt. br. fl. gar. ic.
6	obtusifolia. B.F.G.	blunt-leaved.	————	—	—	F.b.	———— 148.
TIGRIDIA.	J.	TIGER-FLOWER.	Monadelphia Triandria. H.K.				
1	pavonia. H.K.	red-flowered.	Mexico.	1796.	5. 9.	H.b.	Redoute lil. t. 6.
	<i>Ferraria pavonia.</i> A.R. 178. <i>Tigridia.</i> B.M. 532.						
2	conchiflora. B.F.G.	yellow-flower'd.	————	1824.	—	H.b.	Swt. br. fl. gar. 128.
GALAXIA.	Ker.	GALAXIA.	Monadelphia Triandria. H.K.				
1	ovata. W.	oval-leaved.	C. B. S.	1799.	5. 9.	F.b.	Andr. reposit. 94.
2	grandiflora. A.R.	large-flowered.	————	—	—	F.b.	———— 164.
3	mucronularis. Sal.	mucronated.	————	—	—	F.b.	Jac. ic. t. 291. f. inf. sin.
4	versicolor. Sal.	various-colour'd.	————	—	—	F.b.	— f. inf. ad dextr.
5	graminea. W.	narrow-leaved.	————	1795.	7. 8.	F.b.	Botan. magaz. 1292.
LAPEYROUSIA.	Ker.	LAPEYROUSIA.	Triandria Monogynia. H.K.				
1	corymbosa. B.M.	level-topped.	C. B. S.	1791.	5. 6.	F.b.	Botan. magaz. 595.
2	falcata. B.M.	sickle-leaved.	————	1825.	—	F.b.	Thunb. dis. 4. t. 1. f. 3.
3	fasciculata. B.M.	fascicled.	————	—	—	F.b.	Jacq. ic. 2. t. 291.
	<i>Galaxia plicata.</i> Jacq. <i>Ixia heterophylla.</i> Vahl. <i>Orieda fasciculata.</i> s.s.						
4	fissifolia. B.M.	leafy-spiked.	————	1809.	8. 9.	F.b.	Botan. magaz. 1246.
5	aculeata. B.F.G.	prickly-stemmed.	————	1825.	5. 7.	F.b.	Swt. br. fl. gar. ic.
6	anceps. B.F.G.	flat-stemmed.	————	—	—	F.b.	———— 143.
7	silenoides. B.M.	Silene-like.	————	1822.	—	F.b.	Jacq. ic. 2. t. 270.
8	Fabricii. B.M.	slender-branch'd.	————	1825.	—	F.b.	
ANOMATHECA.	Ker.	ANOMATHECA.	Triandria Monogynia. H.K.				
	juncea. H.K.	cut-leaved.	C. B. S.	1791.	4. 5.	F.b.	Botan. magaz. 606.
	<i>Lapeyrousia juncea.</i> B.M. <i>Gladiolus polystachyus.</i> A.R. 66.						
BABIANA.	Ker.	BABIANA.	Triandria Monogynia. S.S.				
1	nana. s.s.	dwarf.	C. B. S.	1807.	4. 6.	F.b.	Andr. reposit. t. 137.
	<i>Gladiolus nanus.</i> A.R.						
2	rubro-cyanea. B.M.	red and blue.	————	1794.	—	F.b.	Botan. magaz. 410.
3	villosa. B.M.	dark red.	————	1778.	8.	F.b.	———— 583.
	<i>Ixia punicea.</i> Jacq. ic. 2. t. 287.						
4	obtusifolia. B.M.	blunt-leaved.	————	1825.	5. 6.	F.b.	Jacq. ic. 2. t. 284.
	<i>Ixia villosa.</i> Jacq. non H.K.						
5	purpurea. B.M.	dark purple.	————	1806.	—	F.b.	Botan. magaz. 1052.
6	stricta. B.M.	upright.	————	1757.	—	F.b.	———— 621.
7	angustifolia.	narrow-leaved.	————	—	—	F.b.	———— 637.
	<i>stricta (a)</i> B.M. <i>Ixia villosæ</i> var. Jacq. frag. t. 14. f. 3.						
8	tenuiflora. B.F.G.	slender-fl'd.	————	1825.	—	F.b.	Swt. br. fl. gar. ic.
9	sulphurea. B.M.	pale-flowered.	————	1803.	—	F.b.	Botan. magaz. 1053.
10	mucronata. B.M.	mucronate.	————	1825.	—	F.b.	Jacq. ic. 2. t. 253.
11	plicata. B.M.	sweet-scented.	————	1774.	—	F.b.	Botan. magaz. 576.
12	disticha. B.M.	two-ranked.	————	—	6. 7.	F.b.	———— 626.
	<i>Gladiolus plicatus.</i> Jacq. ic. t. 237. nec aliorum.						
13	ochroleuca.	cream-colour'd.	————	1825.	5. 7.	F.b.	
14	spathacea. B.M.	stiff-leaved.	————	1801.	—	F.b.	Botan. magaz. 638.
15	sambucina. B.M.	Elder-scented.	————	1799.	4. 5.	F.b.	———— 1019.
16	tubata.	long-flowered.	————	1774.	—	F.b.	———— 680.
	<i>Gladiolus tubatus.</i> Jacq. ic. 2. t. 264.						
17	tubiflora. B.M.	long-tubed.	————	—	—	F.b.	———— 847.
18	ringens. B.M.	gaping-fl'd.	————	1752.	5. 6.	F.b.	Lodd. bot. cab. 10065.
19	Thunbergii. B.M.	many-spiked.	————	1774.	—	F.b.	
	<i>Antholyza plicata.</i> W.						
ANTHOLYZA.	Ker.	ANTHOLYZA.	Triandria Monogynia. L.				
1	æthiopica. B.M.	flag-leaved.	C. B. S.	1759.	1. 4.	F.b.	Botan. magaz. 561.
2	præalta. DC.	tall.	————	—	F.b.	Redout. lil. 7. t. 387.
	<i>æthiopica.</i> var. β . B.M. 1172. <i>vittigera.</i> Sal.						
3	montana. B.C.	mountain.	————	1824.	5. 7.	F.b.	Lodd. bot. cab. 1022.
ANISANTHUS.	B.F.G.	ANISANTHUS.	Triandria Monogynia.				
1	splendens. B.F.G.	splendid.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. ic.

2	Cunonia. B.F.G.	scarlet.	C. B. S.	1756.	5. 6.	F.b.	Botan. magaz. 343.
	<i>Antholyza Cunonia</i> . B.M.	<i>Gladiolus Cunonia</i> . H.K.					
3	quadrangularis.	four-channell'd.		1799.	3. 4.	F.b.	567.
	<i>Gladiolus quadrangularis</i> . B.M.	<i>abbreviatus</i> . A.R. 166.					
WATSONIA. Ker. WATSONIA. Triandria Monogynia. H.K.							
1	aletroides. B.M.	Aletris-flow'r'd.	C. B. S.	1774.	5. 7.	F.b.	Botan. magaz. 441.
	<i>β variegata</i> . B.M.	<i>variegated</i> .				F.b.	533.
2	humilis. B.M.	lake-coloured.		1754.		F.b.	631.
3	Meriana. B.M.	red-flowered.		1750.		F.b.	418.
4	iridifolia. Jac.	Iris-leaved.		1795.		F.b.	Jacq. ic. 2. t. 234.
5	fulgida. Sal.	scarlet.				F.b.	Botan. magaz. 600.
	<i>Antholyza fulgens</i> . A.R. 192.						
6	roseo-alba. B.M.	two-coloured.		7. 8.	F.b.	537.
	<i>β variegata</i> .	<i>variegated-fl'd</i>		F.b.	1193.
7	brevifolia. B.M.	short-leaved.		1794.	5. 7.	F.b.	601.
8	strictiflora. B.M.	upright-fl'd.		1810.	6.	F.b.	1406.
9	rosea. B.M.	pyramidal.		1803.	7. 8.	F.b.	1072.
10	marginata. B.M.	broad-leaved.		1774.	6. 7.	F.b.	608.
	<i>β minor</i> . B.M.	<i>shining-leaved</i> .		1812.		F.b.	1530.
11	punctata. H.K.	dotted-flow'r'd.		1800.	4. 5.	F.b.	Andr. reposit. 177.
	<i>Ixia punctata</i> . A.R.						
12	plantaginea. B.M.	Fox-tail.		1774.	6. 7.	F.b.	Botan. magaz. 553.
13	spicata. B.M.	hollow-leaved.		1791.	5.	F.b.	523.
	<i>Ixia fistulosa</i> . B.M.						
GLADIOLUS. Ker. CORN-FLAG. Triandria Monogynia. L.							
1	viperatus. B.M.	perfumed.	C. B. S.	1787.	4. 5.	F.b.	Swt.br. fl. gar. 156.
2	alatus. B.M.	wing-flowered.		1795.	5. 6.	F.b.	Botan. magaz. 586.
3	algoensis.	Algoa bay.		1824.	7.	F.b.	2608.
	<i>alatus β algoensis</i> . B.M.						
4	namaquensis. B.M.	thick-leaved.		1800.	5. 6.	F.b.	Botan. magaz. 592.
5	permeabilis. R.S.	tall.		1825.		F.b.	De la Roch. dis. t. 2.
6	Watsonius. B.M.	Watson's.		1791.	3. 5.	F.b.	Botan. magaz. 450.
	<i>β variegata</i> .	<i>variegated-fl'd</i> .		1801.		F.b.	569.
7	brevifolius. H.K.	short-leaved.		1802.		F.b.	727, 992.
8	hirsutus. H.K.	rose-coloured.		1795.	4. 6.	F.b.	574, 823.
9	versicolor. B.M.	various-color'd.		1794.	5. 6.	F.b.	Andr. reposit. 19.
10	binervis.	two-nerved.		1806.		F.b.	Botan. magaz. 1042. ε.
	<i>versicolor ε. binervis</i> . B.M.						
11	recurvus. B.M.	Violet-scent'd.		1758.	4. 5.	F.b.	Botan. magaz. 578.
12	gracilis. B.M.	slender.		1800.		F.b.	562.
13	maculatus.	spotted-flow'r'd.		1799.		F.b.	556.
	<i>versicolor γ. tenuior</i> . B.M.						
14	debilis. B.M.	weak.		1822.		F.b.	Botan. magaz. 2585.
15	trichonemifolius. B.M.	slender-ld.		1810.	5. 6.	F.b.	1483.
16	concolor. P.L.	pale yellow.		1790.		F.b.	Sal. par. lond. 8.
17	tristis. B.M.	square-leaved.		1745.		F.b.	Botan. magaz. 272.
18	hyalinus. Jacq.	transparent.		1825.		F.b.	Jacq. ic. 2. t. 242.
19	tenellus. Jacq.	feeble.				F.b.	t. 248.
20	Colvillii. B.F.G.	Colvill's.	Hybrid.	1823.		F.b.	Swt. br. fl. gar. 155.
21	angustus. B.M.	narrow-leaved.	C. B. S.	1757.		F.b.	Botan. magaz. 602.
22	hastatus. B.M.	spade.		1816.	4. 5.	F.b.	1564.
23	edulis. B.R.	eatable.			5. 6.	F.b.	Botan. regist. 169.
24	carneus. B.M.	flesh-coloured.		1796.		F.b.	Botan. magaz. 591.
25	cuspidatus. B.M.	sharp-pointed.		1795.	4. 5.	F.b.	582.
26	undulatus. B.M.	waved-flow'r'd.		1760.		F.b.	Jacq. ic. 2. t. 251.
	<i>α pallidus</i> .	<i>pale-flowered</i> .				F.b.	Botan. magaz. 647.
	<i>β carneus</i> .	<i>flesh-coloured</i> .				F.b.	538.
27	blandus. B.M.	fairest.		1774.	6.	F.b.	625.
28	albidus. Vahl.	white-flowered.				F.b.	648.
29	campanulatus. A.R.	bell-flowered.		1794.	5. 6.	F.b.	Andr. reposit. 188.
30	pictus.	painted-fl'd.				F.b.	Botan. magaz. 1665.
	<i>blandus. δ. B.M.</i>						
31	trimaculatus. Vahl.	three-spotted.				F.b.	
32	involutus. B.M.	involute.		1757.		F.b.	Mill. ic. t. 286. f. 1.
33	flexuosus. B.M.	flexuose.		1825.		F.b.	Thunb. diss. t. 1. f. 1.
34	floribundus. B.M.	large-flowered.		1788.	5. 7.	F.b.	Botan. magaz. 610.
35	Milleri. B.M.	Miller's.		1751.	4. 5.	F.b.	632.
36	cardinalis. B.M.	superb.		1789.	7. 8.	F.b.	135.
37	byzantinus. B.M.	Turkish.	Turkey.	1629.	6. 7.	H.b.	874.

38 communis. B.M.	common.	S. Europe. 1596.	—	H.b.	Botan. magaz. 86.
β carneus. B.M.	pale-flowered.	—	—	H.b.	— 1575.
SPHÆROSPORA.	SPHÆROSPORA.	Triandria Monogynia.			
segetum.	European.	S. Europe. 1596.	6. 7.	H.b.	Botan. magaz. 719.
Gladiolus segetum. B.M.	Antholyza segetum. Ker.				
SYNNOTIA. B.F.G.	SYNNOTIA.	Triandria Monogynia.			
1 variegata. B.F.G.	variegated-fl'd.	C. B. S.	1825.	4. 6.	F.b. Swt. br. fl. gar. 150.
2 bicolor. B.F.G.	two-coloured.	—	1786.	3. 4.	F.b. Botan. magaz. 548.
Ixia bicolor. B.M.	Sparaxis bicolor. Ker.	Gladiolus bicolor. W.			
3 galeata. B.F.G.	helmet-flow'r'd.	—	1825.	—	F.b. Jacq. ic. 2. t. 258.
Gladiolus galeatus. Jacq.					
SPARAXIS. Ker.	SPARAXIS.	Triandria Monogynia.	H.K.		
1 tricolor. H.K.	three-colour'd.	C. B. S.	1789.	5.	F.b. Botan. magaz. 381.
2 versicolor. B.F.G.	various-colour'd	—	1811.	—	F.b. Swt. br. fl. gar. 160.
3 Griffini.	Mr. Griffin's.	—	—	—	F.b. Bot. magaz. 1482.f.inf.
tricolor γ violaceo-purpurea. B.M.					
4 blanda.	blush-flowered.	—	—	—	F.b. — 1482.f.medl.
tricolor. δ. subroseo-albida. B.M.					
5 grandiflora. H.K.	large-flowered.	—	1758.	4. 5.	F.b. Botan. magaz. 541.
α purpurea.	velvet-flowered.	—	—	—	F.b. Andr. reposit. 87.
β striata.	streaked-flower'd.	—	—	—	F.b. Botan. magaz. 779.
6 Liliago.	Lily-flowered.	—	—	F.b. Redout. lil. 2. t. 109.
Ixia Liliago. R.L.	Sparaxis grandiflora γ Liliago. B.R.	258.			
7 bulbifera. H.K.	bulb-bearing.	—	1758.	5. 6.	F.b. Botan. magaz. 545.
8 fragrans. B.M.	fragrant.	—	1825.	—	F.b. Jacq. ic. 2. t. 274.
9 anemonæflora. B.M.	Anemone-fl'd.	—	—	—	F.b. — 2. t. 273.
Ixia anemonæflora. Jacq.					
TRITONIA. Ker.	TRITONIA.	Triandria Monogynia.	H.K.		
1 crispa. H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b. Botan. magaz. 678.
2 anigozanthiflora.	Anigozanthus-fl'd.	—	1825.	6. 8.	F.b. —
3 viridis. B.M.	green-flowered.	—	1788.	7.	F.b. Botan. magaz. 1275.
4 rosea. H.K.	rosy.	—	1793.	6. 7.	F.b. — 618.
5 capensis. B.M.	Cape.	—	1811.	8. 10.	F.b. — 1531.
6 pallida. B.M.	pale-flowered.	—	1806.	—	F.b. Jacq. ic. 2. t. 262.
7 longiflora. B.M.	long-flowered.	—	1774.	6. 8.	F.b. Botan. magaz. 256.
Hexaglottis longiflora. v. Gladiolus longiflorus. Jacq.	Ixia longiflora. B.M.				
8 tenuiflora. B.M.	slender-flow'r'd.	—	1811.	4. 6.	F.b. Botan. magaz. 1502.
9 concolor.	self-coloured.	—	—	—	F.b. — 1502.f.minor.
10 Rocheana.	bending-fl'd.	—	—	8.	F.b. — 1503.
11 pectinata. B.M.	pectinated.	—	1825.	5. 6.	F.b. —
12 striata. B.M.	streaked.	—	—	—	F.b. Jacq. ic. 2. t. 260.
13 lineata. B.M.	pencilled.	—	1774.	—	F.b. Botan. magaz. 487.
14 securigera. B.M.	copper-color'd.	—	—	5.	F.b. — 383.
15 flava. B.M.	yellow.	—	1780.	4. 6.	F.b. Botan. regist. 747.
16 refracta. B.R.	reflexed.	—	1815.	5. 6.	F.b. — 135.
17 squalida. B.M.	sweet-scented.	—	1774.	—	F.b. Botan. magaz. 581.
18 fenestrata. B.M.	open-flowered.	—	1801.	—	F.b. — 704.
19 crocata. B.M.	Crocus-flow'r'd.	—	1758.	—	F.b. — 184.
Ixia crocata. B.M.					
20 deusta. B.M.	spotted.	—	1774.	—	F.b. Botan. magaz. 622.
21 miniata. B.M.	late-flowered.	—	1795.	8.	F.b. — 609.
22 xanthospila. s.s.	yellow-spotted.	—	1825.	5. 6.	F.b. Redout. lil. 3. t. 124.
IXIA. Ker.	IXIA.	Triandria Monogynia.	L.		
1 linearis. H.K.	slender.	C. B. S.	1796.	4. 5.	F.b. Botan. magaz. 570.
2 capillaris. B.M.	capillary.	—	1774.	—	F.b. — 617.
3 aulica. H.K.	rose-coloured.	—	—	—	F.b. — 1013.
4 fucata. B.M.	painted.	—	6. 7.	F.b. — 1379.
5 incarnata. Jacq.	flesh-coloured.	—	—	F.b. Jacq. ic. 2. t. 282.
6 aristata. B.M.	salver-flower'd.	—	1800.	—	F.b. Botan. magaz. 589.
7 flexuosa. B.M.	flexuose.	—	1757.	4. 5.	F.b. — 624.
8 hybrida. B.M.	spurious.	—	—	—	F.b. — 128.
9 leucantha. P.s.	white-flowered.	—	1779.	5. 8.	F.b. Jacq. ic. 2. t. 278.
10 patens. B.M.	spreading-fl'd.	—	—	4. 6.	F.b. Botan. magaz. 522.
11 crateroides. B.M.	crimson.	—	1778.	—	F.b. — 594.
12 monadelpha. B.M.	monadelphous.	—	1792.	—	F.b. — 607.
13 curta. A.R.	shortened.	—	—	—	F.b. Andr. reposit. t. 554.
monadelpha β. B.M.	1378.				
14 columellaris. B.M.	variegated.	—	1790.	6. 8.	F.b. Botan. magaz. 630.
15 conica. B.M.	orange-color'd.	—	1757.	4. 5.	F.b. — 539.

16 dubia. R.S.	doubtful.	C. B. S.	4. 5.	F.b.	Redout. lil. 2. t. 64.
17 viridiflora. R.S.	green-flowered.	_____	1780.	5. 6.	F.b.	Botan. magaz. 549.
18 maculata. W.	spot-flowered.	_____	_____	_____	F.b.	Jacq. schœn. t. 20. 21. &c
19 ovata.	ovate-spiked.	_____	_____	_____	F.b.	Andr. reposit. 23.
20 capitata. A.R.	headed.	_____	_____	_____	F.b.	_____ 159.
21 ochroleuca.	cream-colour'd.	_____	1809.	_____	F.b.	Botan. magaz. 1285.
22 erecta. H.K.	upright.	_____	1757.	_____	F.b.	Jacq. schœn. 1. t. 18.
<i>α albiflora.</i>	<i>white-flowered.</i>	_____	_____	_____	F.b.	Botan. magaz. 623.
<i>β incarnata.</i>	<i>flesh-coloured.</i>	_____	_____	_____	F.b.	Andr. reposit. 155.
<i>γ lutea.</i>	<i>yellow-flowered.</i>	_____	_____	_____	F.b.	Botan. magaz. 846.
23 retusa. H.K.	sweet-scented.	_____	1793.	2. 4.	F.b.	Jacq. ic. 2. t. 275.
<i>polystachia.</i> B.M. 629.						
24 scillaris. B.M.	Squill-flower'd.	_____	1787.	_____	F.b.	Botan. magaz. 542.
25 crispa. B.M.	curled-leaved.	_____	_____	4. 5.	F.b.	_____ 599.
MELASPHÆRULA. Ker. MELASPHÆRULA. Triandria Monogynia. H.K.						
1 iridifolia. B.F.G.	Iris-leaved.	C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2 intermedia.	intermediate.	_____	1787.	4. 8.	F.b.	Botan. magaz. 615.
<i>graminea.</i> B.M. <i>excl. synonym.</i>						
3 graminea.	grass-leaved.	_____	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 236.
<i>Gladiolus gramineus.</i> Jacq.	<i>Diasia graminifolia.</i> Red. lil. t. 163.					
HESPERANTHA. Ker. EVENING-FLOWER. Triandria Monogynia. H.K.						
1 cinnamomea. H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 1054.
2 falcata. H.K.	sickle-leaved.	_____	_____	_____	F.b.	_____ 566.
3 graminifolia.	Grass-leaved.	_____	1808.	8. 9.	F.b.	_____ 1254.
4 pilosa. H.K.	hairy.	_____	1811.	4. 5.	F.b.	_____ 1475.
5 angusta. B.M.	narrow-leaved.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 279.
<i>Ixia angusta.</i> Jacq.						
6 radiata. H.K.	nodding-fl'd.	_____	1794.	4. 6.	F.b.	Botan. magaz. 573.
GEISSORHIZA. Ker. TILE-ROOT. Triandria Monogynia. H.K.						
1 Rocheana.	plaid.	C. B. S.	1790.	5.	F.b.	Botan. magaz. 598.
2 setacea. B.M.	bristle-leaved.	_____	1809.	6. 7.	F.b.	_____ 1255.
3 obtusata. H.K.	pale-yellow.	_____	1801.	5.	F.b.	_____ 672.
4 vaginata. B.F.G.	sheathed.	_____	1825.	6. 9.	F.b.	Swt. br. fl. gar. 138.
5 secunda. B.M.	one-ranked.	_____	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
<i>α cœrulea.</i>	<i>blue-flowered.</i>	_____	_____	_____	F.b.	Botan. magaz. 597.
<i>β albescens.</i>	<i>whitish-flowered.</i>	_____	_____	_____	F.b.	_____ 1105.
6 sublutea. B.M.	yellowish.	_____	1825.	_____	F.b.	
<i>Ixia sublutea.</i> Lam.						
7 imbricata. B.M.	imbricated.	_____	_____	_____	F.b.	
8 hirta. B.M.	hairy.	_____	_____	_____	F.b.	
9 ciliaris. Sal.	fringed.	_____	_____	F.b.	
10 excisa. B.M.	dwarf cut-ld.	_____	1789.	4. 5.	F.b.	Botan. magaz. 584.
<i>Ixia excisa.</i> B.M.						
TRICHONEMA. Ker. TRICHONEMA. Triandria Monogynia. H.K.						
1 Bulbocodium. H.K.	channel-leav'd.	S. Europe.	1739.	3. 4.	H.b.	Botan. magaz. 265.
2 purpurascens.	purple.	Naples.	1825.	_____	H.b.	Ten. fl. nap. v. 1. t. 2.
<i>Ixia purpurascens.</i> T.S.						
3 Columnæ. T.P.	Columna's.	_____	_____	_____	H.b.	
4 cœlestinum.	blue.	N.America.	1820.	_____	H.b.	Bartr. it. t. 3.
<i>Ixia cœlestina.</i> Ph.						
5 roseum. B.M.	rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Botan. magaz. 1225.
6 speciosum. B.M.	crimson.	_____	_____	3. 4.	F.b.	_____ 1476.
7 pudicum. B.M.	blush.	_____	_____	6. 8.	F.b.	_____ 1244.
8 caulescens. B.M.	caulescent.	_____	1810.	6. 7.	F.b.	_____ 1392.
9 monadelphum.	monadelphous.	_____	1825.	6. 8.	F.b.	
10 cruciatum. B.M.	square-leaved.	_____	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
11 quadrangulum.	quadrangular.	_____	1825.	_____	F.b.	
<i>Ixia quadrangula.</i> R.S.						
12 recurvum. S.S.	recurved-ld.	_____	1812.	5. 7.	F.b.	Redout. lil. 5. p. 251. f. 1.
13 chloroleucum. B.M.	milk-coloured.	_____	1825.	_____	F.b.	Jacq. ic. 2. t. 270.
CROCUS. L. CROCUS. Triandria Monogynia. L.						
1 vernus. E.B.	spring.	England.	2. 4.	H.b.	Eng. bot. 344.
<i>β neapolitanus.</i> R.S.	<i>Neapolitan.</i>	Naples.	_____	H.b.	Botan. magaz. 860.
<i>γ obovatus.</i> R.S.	<i>obovate-flowered.</i>	S. Europe.	_____	H.b.	_____ 2240.
2 striatus. L.en.	striated.	_____	_____	H.b.	
3 versicolor. H.K.	party-coloured.	_____	1629.	_____	H.b.	Botan. magaz. 1110.
4 biflorus. H.K.	Scotch.	Crimea.	_____	2. 3.	H.b.	_____ 845.
5 pusillus. R.S.	small.	Italy.	1824.	_____	H.b.	Swt. br. fl. gar. 106.
6 albiflorus. R.S.	white-flowered.	Hungary.	_____	2. 4.	H.b.	

7	reticulatus. M.B.	netted.	Caucasus.	1825.	—	H.b.	M. B. cent. pl. rar. t. 1.
8	susianus. H.K.	Cloth of Gold.	Turkey.	1605.	2. 3.	H.b.	Botan. magaz. 652.
9	stellaris. H.T.	starry cloth of gold.	S. Europe.	1629.	—	H.b.	Hort. trans. 1. p. 136. ic.
10	sulphureus. B.M.	pale yellow.	—	—	—	H.b.	Botan. magaz. 1384.
11	lagenæflorus. P.L.	Gourd-flower'd.	Greece.	—	H.b.	— 2655.
	<i>a pallidus.</i>	<i>pale-flowered.</i>	—	—	H.b.	Sal. par. lond. 106.
	<i>β aureus.</i>	<i>golden.</i>	—	—	H.b.	Flor. græc. 35.
12	mæsiacus. B.M.	great yellow.	—	1629.	—	H.b.	Bot. mag. 1111, & 45.
13	sativus. R.S.	saffron.	England.	9. 10.	H.b.	Eng. bot. 343.
14	serotinus. R.S.	late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Botan. magaz. 1267.
15	Pallasii. M.B.	autumnal.	Tauria.	—	H.b.	—
	<i>autumnalis. R.S.</i>	—	—	—	—	—	—
16	nudiflorus. E.B.	naked-flow'r'd.	England.	10. 11.	H.b.	Eng. bot. 491.

ORDO CLXXIX.

HÆMODORACEÆ. *Brown prodr. 299.*

WACHENDORFIA. L.		WACHENDORFIA. Triandria Monogynia. L.				
1	thyrsiflora. R.S.	tall-flowered.	C. B. S.	1759.	5. 6.	G. 4. Botan. magaz. 1060.
2	paniculata. R.S.	panicked.	—	1700.	2. 5.	F. b. — 616.
3	Herberti.	Herbert's.	—	1823.	—	F. b. — 2610.
	<i>paniculata. β. H. in B.M.</i>	—	—	—	—	—
4	hirsuta. R.S.	hairy.	—	1687.	4. 6.	F. b. Botan. magaz. 614.
5	brevifolia. B.M.	short-leaved.	—	1795.	3. 4.	F. b. — 1166.
6	Breyniana. R.S.	Breynius's.	—	1825.	—	F. b. Breyn. cent. f. 37.
7	graminea. S.S.	Grass-leaved.	—	1810.	6.	G. 4.
8	tenella. R.S.	slender-leaved.	—	1816.	—	G. 4.
XIPHIDIUM. J.		XIPHIDIUM. Triandria Monogynia. W.				
1	albidum. S.S.	white.	W. Indies.	1787.	6. 8.	S. 4. Sw. fl. ind. oc. 1. t. 2.
	<i>floribundum. Swartz.</i>	—	—	—	—	—
2	cœruleum. S.S.	blue.	—	1793.	—	S. 4. Aub. gui. 1. t. 11.
HÆMODORUM. B.P.		HÆMODORUM. Triandria Monogynia. R.S.				
1	planifolium. B.P.	flat-leaved.	N. S. W.	1810.	7. 11.	F. 4. Botan. magaz. 1610.
2	teretifolium. B.P.	round-leaved.	—	1822.	—	F. 4.
DILATRIS. Ker.		DILATRIS. Triandria Monogynia. R.S.				
1	corymbosa. W.	broad-petaled.	C. B. S.	1790.	5. 6.	F. 4. Sm. exot. bot. 1. t. 163.
	<i>umbellata. L.</i>	—	—	—	—	—
2	viscosa. W.	clammy.	—	1795.	—	F. 4.
3	paniculata. W.	panicked.	—	1825.	—	F. 4.
GYROTHECA. H.T.		GYROTHECA. Triandria Monogynia.				
	<i>tinctoria.</i>	red-rooted.	N. America.	1812.	6. 7.	H. 4. Mich. amer. 1. t. 4.
	<i>Lachnanthes tinctoria. Ell. Dilatris tinctoria. Ph. Heritiera Gmelini. M.</i>	—	—	—	—	—
LOPHIOLA. B.M.		LOPHIOLA. Hexandria Monogynia. B.M.				
	<i>aurea. B.M.</i>	golden-flow'r'd.	N. America.	1811.	5. 7.	H. 4. Botan. magaz. 1596.
	<i>Conostylis americana. Ph.</i>	—	—	—	—	—
LANARIA. W.		LANARIA. Hexandria Monogynia. W.				
	<i>plumosa. W.</i>	woolly.	C. B. S.	1787.	—	G. 4.
CONOSTYLIS. B.P.		CONOSTYLIS. Hexandria Monogynia. S.S.				
1	aculeata. B.P.	prickly-leaved.	N. Holland.	1824.	F. 4.
2	serrulata. B.P.	serrulate.	—	—	F. 4.
ANIGOZANTHOS. B.P.		ANIGOZANTHOS. Hexandria Monogynia.				
1	flavida. B.P.	russet-green.	N. Holland.	1803.	5. 9.	F. 4. Botan. magaz. 1151.
2	rufa. B.P.	rufous.	—	1824.	F. 4. Labill. voy. 1. t. 22.

ORDO CLXXX.

HYPOXIDEÆ. *Brown.*

HYPOXIS. L.		HYPOXIS. Hexandria Monogynia. L.					
1 juncea. w.	rushy.	Carolina.	1787.	6. 7.	H.b.	Sm. spic. 15. t. 16.	
2 hygrometrica. B.P.	hairy-leaved.	N. Holland.	1820.	—	F.b.	Lab. nov. holl. 1. t. 8.	
3 alba. w.	white.	C. B. S.	1806.	—	F.b.	Lodd. bot. cab. 1074.	
4 linearis. A.R.	linear-leaved.	—	1792.	4. 5.	F.b.	Andr. reposit. 171.	
5 stellata. w.	yellow starry.	—	1752.	4. 6.	F.b.	Botan. magaz. 662.	
6 elegans. P.S.	white starry.	—	—	—	F.b.	—	1223.
<i>stellata</i> β. B.M. <i>certainly a distinct species.</i>							
7 serrata. w.	saw-leaved.	—	1788.	6. 7.	F.b.	Botan. magaz. 709.	
8 ovata. w.	smooth-leaved.	—	1806.	2. 5.	F.b.	—	1010.
9 veratrifolia. w.	plaited-leaved.	—	1788.	6. 7.	F. 4.	Jacq. ic. 2. t. 367.	
<i>plicata</i> . Jacq.							
10 carolinensis. M.	Carolina.	Carolina.	1822.	—	F.b.		
11 decumbens. w.	decumbent.	Jamaica.	1755.	6. 9.	S. 4.	Mill. ic. 1. t. 39. f. 2.	
12 stellipilis. B.R.	starry-haired.	C. B. S.	1821.	6. 12.	F. 4.	Botan. regist. 663.	
13 obliqua. w.	oblique-leaved.	—	1795.	6. 7.	F. 4.	Andr. reposit. 195.	
14 pratensis. B.P.	field.	N. S. W.	1822.	—	F.b.		
15 erecta. s.s.	upright.	N. America.	1752.	6. 7.	H.b.	Botan. magaz. 710.	
16 sobolifera. w.	creeping.	C. B. S.	1774.	6. 9.	F. 4.	—	711.
17 villosa. w.	villous.	—	—	—	F. 4.	Jacq. ic. 2. t. 307.	
18 obtusa. B.R.	obtuse.	—	1816.	—	F. 4.	Botan. regist. 169.	
19 aquatica. w.	water.	—	1787.	6. 7.	F. 4.		
CURCULIGO. B.P.		CURCULIGO. Hexandria Monogynia. S.S.					
1 plicata. B.R.	plaited.	C. B. S.	1788.	6. 7.	F. b.	Jacq. schœn. 1. t. 80.	
<i>β glabra.</i>		—	1816.	—	F.b.	Botan. regist. 345.	
2 orchioides. s.s.	narrow-leaved.	E. Indies.	1800.	—	S. 4.	Roxb. corom. 1. t. 13.	
3 brevifolia. s.s.	short-leaved.	—	1804.	5. 7.	S. 4.	Botan. magaz. 1076.	
4 latifolia. s.s.	broad-leaved.	—	—	5. 8.	S. 4.	Botan. regist. 754.	
5 sumatrana. B.C.	Sumatra.	Sumatra.	1818.	—	S. 4.	Lodd. bot. cab. 443.	
6 recurvata. s.s.	recurved.	Bengal.	1805.	—	S. 4.	Botan. regist. 770.	

ORDO CLXXXI.

AMARYLLIDEÆ. *Brown prodr. p. 296.*

STERNBERGIA. W.K.		STERNBERGIA. Hexandria Monogynia.					
1 colchiciflora. B.R.	Colchicum-fl'd.	Hungary.	1816.	9. 10.	H.b.	W. et K. hung. 2. t. 157.	
2 Clusiana. B.R.	Clusius's.	Constantinople...	—	—	H.b.	Clus. hist. 1. t. 163.	
3 lutea. B.R.	common yellow.	S. Europe.	1596.	—	H.b.	Botan. magaz. 290.	
<i>Amaryllis lutea</i> . B.M.							
<i>β angustifolia.</i>		narrow-leaved.	—	—	H.b.		
ZEPHYRANTHES. H.A.		ZEPHYRANTHES. Hexandria Monogynia.					
1 chloroleuca. H.A.	one-leaved.	5. 8.	G.b.	Ker's rev. pl. 8. f. 1.	
2 Atamasco. H.A.	Atamasco Lily.	N. America.	1629.	5. 6.	H.b.	Botan. magaz. 239.	
<i>Amaryllis Atamasco</i> . B.M.							
3 tubispatha. H.A.	tube-sheathed.	S. America.	5. 7.	S.b.	Botan. magaz. 1586.	
<i>Amaryllis tubispatha</i> . B.M.							
4 candida. B.M.	white-flowered.	Peru.	1822.	7. 10.	H.b.	Botan. magaz. 2607.	
<i>Amaryllis candida</i> B.R. 724.							
5 rosea. B.R.	rose-coloured.	Havannah.	—	9. 10.	G.b.	Botan. regist. 821.	
6 striata. B.M.	striped.	Mexico.	1824.	6. 8.	H.b.	Botan. magaz. 2593.	
7 verecunda. B.M.	modest.	—	—	—	H.b.	—	2583.

57 vittifera.	stripe-flower'd.	Hybrid.	1823.	5. 6.	G.b.	
58 pulchra.	pretty.	—	—	4. 8.	G.b.	
59 variabilis.	variable.	—	—	—	G.b.	
60 advena. B.M.	streaked.	S. America.	1807.	5. 6.	S.b.	Botan. magaz. 1125.
61 rutila. K.R.	fiery.	Brazil.	1815.	1. 12.	S.b.	Botan. regist. 23.
62 splendens. H.A.	splendid.	Hybrid.	1819.	—	G.b.	Herb. append. p.52.ic.
63 attenuata.	attenuated.	—	1822.	—	S.b.	
64 punctata.	punctured.	—	—	—	S.b.	
65 fulgida. K.R.	fulgid.	Brazil.	1810.	—	S.b.	Botan. regist. 226.
66 subbarbata.	slightly beard'd.	—	1823.	—	S.b.	Botan. magaz. 2475.
67 mutabilis.	changeable.	Hybrid.	1822.	—	S.b.	
68 rubro-crocea.	red and saffron.	—	—	—	S.b.	
69 cuprea.	copper-colored.	—	1821.	—	S.b.	
70 crocata. K.R.	saffron-colored.	Brazil.	1810.	4. 6.	S.b.	Botan. regist. 38.
71 stylosa.	long-styled.	Maranham.	1821.	2. 6.	S.b.	Botan. magaz. 2278.
<i>maranensis</i> . B.R. 719. <i>Hippeastrum stylosum</i> . B.M.						
72 acuminata. B.R.	acute-flowered.	—	—	4. 8.	S.b.	Bot. regist. 534.
<i>Hippeastrum pulverulentum</i> . B.M. 2273.						
73 venosa.	veined.	Hybrid.	1822.	10. 6.	G.b.	
74 lateritia.	brick-coloured.	—	—	—	G.b.	
75 fulva.	tawny.	—	—	—	G.b.	
76 tricolor.	three-coloured.	—	—	—	G.b.	
77 glaucescens.	glaucous.	—	—	—	G.b.	
78 Hoodii.	Mr. Hood's.	—	—	—	G.b.	
79 macrantha.	great-flowered.	—	—	—	G.b.	
80 crispiflora.	curl-flowered.	—	—	—	G.b.	
81 breviflora.	short-flowered.	—	—	—	G.b.	
82 dilecta.	choice.	—	—	—	G.b.	
83 tortuliflora.	twisted-flow'r'd.	—	—	—	G.b.	
84 amabilis.	grand.	—	—	—	G.b.	
85 ignescens.	flaming.	—	—	—	G.b.	
86 princeps.	princely.	—	—	—	G.b.	
87 imperialis.	imperial.	—	—	—	G.b.	
88 angusta.	narrow-petal'd.	—	—	—	S.b.	
89 delicata.	delicate.	—	—	—	S.b.	
90 equestris. K.R.	Barbadoes Lily.	W. Indies.	1710.	7. 10.	S.b.	Botan. magaz. 305.
β major. B.R.	larger.	—	—	S.b.	Botan. regist. 234.
γ plena.	double-flow'r'd.	—	1809.	—	S.b.	
91 miniata. R.P.	vermilion.	S. America.	S.b.	
92 solandriflora. L.col.	Solandra-fl'd.	—	1820.	4. 6.	S.b.	Lindl. coll. bot. t.11.
α chloroleuca.	dull-coloured.	—	—	—	S.b.	
β rubro-striata.	red-striped.	—	—	—	S.b.	Botan. magaz. 2573.
γ purpurascens.	purple-tubed.	—	—	—	S.b.	
δ striata.	purple-striped.	—	—	—	S.b.	Botan. regist. 876.
93 calyptrata. K.R.	green-flowered.	Brazil.	1816.	5. 8.	S.b.	— 164.
94 aulica. K.R.	crowned.	—	—	1. 6.	S.b.	— 444.
95 psittacina. K.R.	parrot-like.	—	—	1. 12.	S.b.	— 199.
96 retinervia.	netted-nerved.	Hybrid.	1822.	10. 6.	S.b.	
97 tortuosa.	twisted.	—	—	—	S.b.	
98 quadricolor.	four-coloured.	—	—	—	S.b.	
99 multistriata.	many-lined.	—	—	—	S.b.	Miss Chapman ic.
100 canaliculata.	channelled.	—	—	—	S.b.	
101 retiflora.	net-flowered.	—	—	—	S.b.	
102 recurviflora.	recurved-petal'd.	—	—	—	S.b.	
103 sexmaculata.	six-spotted.	—	—	—	S.b.	
104 campanulata.	bell-flowered.	—	—	—	S.b.	
105 formosissima. W.	Jacobea Lily.	S. America.	1658.	5. 6.	F.b.	Botan. magaz. 47.
NERINE. H.A.						
1 curvifolia. H.A.	curve-leaved.	C. B. S.	1794.	7. 9.	F.b.	Botan. magaz. 725.
<i>Amaryllis curvifolia</i> . B.M. <i>Fothergillia</i> . A.R. 163.						
2 corusca. H.A.	brilliant.	—	1809.	—	F.b.	Botan. magaz. 1089.
3 rosea. B.M.	rose-coloured.	—	—	F.b.	— 2124.
4 venusta. H.A.	poppy-colored.	—	1806.	6. 8.	F.b.	— 1090.
5 sarniensis. H.A.	Guernsey Lily.	—	1659.	9. 10.	F.b.	— 294.
6 radiata.	Snowdrop-ld.	China.	1758.	. 9.	G.b.	Botan. regist. 596.
<i>Amaryllis radiata</i> . B.R. <i>Lycoris radiata</i> . H.A.						
7 aurea.	golden.	—	1777.	8. 12.	G.b.	Botan. regist. 611.
<i>Amaryllis aurea</i> . B.R. <i>Lycoris aurea</i> . H.A.						
8 pulchella. H.A.	pretty.	C. B. S.	1820.	7. 9.	F.b.	Botan. magaz. 2407.

2	aquaticum. H.A.	water.	C. B. S.	1816.	5. 8.	G.b.	Botan. magaz. 2352.
3	revolutum. H.A.	revolute.	—	1774.	9.	G.b.	Botan. regist. 623.
	<i>Amaryllis revoluta.</i> A.-B.R.						
4	crassifolium. H.A.	thick-leaved.	—	—	—	G.b.	— 615.
	<i>Amaryllis revoluta.</i> B.-B.R.						
5	riparium. H.A.	bank.	—	1816.	6. 9.	G.b.	Botan. regist. 546.
6	capense. H.A.	common Cape.	—	1752.	7. 9.	H.b.	Botan. magaz. 661.
	<i>Amaryllis longifolia.</i> B.M.						
7	flaccidum. H.A.	flaccid.	N. S. W.	1820.	—	G.b.	— 2133.
	<i>Amaryllis australasica.</i> B.R. 426.						
8	arenarium. B.M.	sand.	N. Holland.	1818.	5. 8.	S.b.	Botan. magaz. 2355.
	<i>β blandum.</i>	blush-flowered.	—	1821.	—	S.b.	— 2531.
9	confertum. B.M.	crowded-fl.	—	1822.	6. 7.	S.b.	Botan. magaz. 2522.
10	angustifolium. B.P.	rough-edged.	—	1823.	—	S.b.	—
11	Goweni.	Gowen's hybrid.	Hybrid.	—	H.b.	Hort. trans. ic.
12	formosum. H.A.	handsome.	Brazil.	1820.	S.b.	—
13	moluccanum. H.A.	Molucca.	Moluccas.	1819.	—	S.b.	Botan. magaz. 2292.
14	speciosum. H.A.	specious.	E. Indies.	—	—	S.b.	— 2217.
15	insigne.	noble.	—	—	4. 8.	S.b.	Botan. regist. 579.
	<i>Amaryllis insignis.</i> B.R.						
16	latifolium. H.A.	broad-leaved.	—	1806.	7. 9.	S.b.	Rheed. mal. 11. t. 39.
17	zeylanicum. H.A.	Ceylon.	Ceylon.	1771.	7. 8.	S.b.	Botan. magaz. 1171.
	<i>Amaryllis zeylanica.</i> B.M.						
18	scabrum. H.A.	rough-leaved.	S. America.	1810.	1. 12.	S.b.	Botan. magaz. 2180.
19	Careyanum. B.M.	Dr. Carey's.	Mauritius.	1820.	—	S.b.	— 2466.
20	submersum. B.M.	lake.	Brazil.	1823.	8. 10.	S.b.	— 2463.
21	giganteum. A.R.	gigantic.	Sierra Leon.	1792.	7. 8.	S.b.	Andr. reposit. 169.
	<i>petiolatum.</i> H.A. <i>Amaryllis gigantea.</i> B.M. 923.						
22	distichum. H.A.	distichous.	Sierra Leon.	1740.	6. 10.	S.b.	Botan. magaz. 1253.
	<i>Amaryllis ornata.</i> B.M.						
23	yuccæides. H.A.	Yucca-flow'r'd.	—	—	—	S.b.	—
24	Broussoneti. H.A.	Broussonet's.	—	—	—	S.b.	Botan. magaz. 2121.
25	macrocarpon. H.A.	large-fruited.	Pegu.	1820.	6. 8.	S.b.	—
26	brevilimbium. H.A.	short-limbed.	Pacific Isl.	—	—	S.b.	—
27	sumatranum. K.R.	Sumatra.	Sumatra.	1810.	—	S.b.	—
28	sinicum. H.A.	Chinese.	China.	1819.	—	S.b.	—
29	procerum. H.A.	lofty.	Pegu.	1820.	—	S.b.	—
30	anomalum. H.A.	plaited-leaved.	China.	1822.	S.b.	—
31	canaliculatum. K.R.	channel-leaved.	E. Indies.	1810.	4. 8.	S.b.	—
32	exaltatum. H.A.	high.	—	1820.	—	S.b.	—
33	pedunculatum. B.P.	New Holland.	N. S. W.	1790.	—	G.b.	Botan. regist. 52.
34	bracteatum. B.R.	short-leaved.	Mauritius.	1810.	6. 8.	S.b.	— 179.
	<i>brevifolium.</i> H.A.						
	<i>β angustifolium.</i> H.A.	narrow-leaved.	—	—	—	S.b.	—
35	asiaticum. K.R.	Poison-bulb.	China.	1732.	—	S.b.	Botan. magaz. 1073.
	<i>toxicarium.</i> H.A.						
36	elegans. H.A.	elegant.	Pegu.	1820.	9. 11.	S.b.	— 2592.
37	verecundum. H.A.	blush.	E. Indies.	—	6. 9.	S.b.	—
38	canalifolium. H.A.	channelled.	—	—	—	S.b.	—
39	Commelini. K.R.	Commelin's.	S. America.	1798.	—	S.b.	Jacq. schoen. 2. t. 202.
40	lorifolium. K.R.	lorate-leaved.	E. Indies.	1819.	—	S.b.	—
41	longifolium. K.R.	long-leaved.	—	1810.	—	S.b.	—
42	mauritianum. B.M.	Mauritius.	Mauritius.	1816.	—	S.b.	Lodd. bot. cab. 650.
43	venustum. H.A.	pretty.	E. Indies.	1820.	S.b.	—
44	multiflorum. Desf.	many-flowered.	1822.	4. 8.	S.b.	—
45	amœnum. K.R.	delightful.	E. Indies.	1810.	—	S.b.	—
46	humile. B.M.	humble.	—	1816.	—	S.b.	Botan. magaz. 2636.
47	americanum. W.	American.	S. America.	1752.	7. 8.	S.b.	— 1034.
48	strictum. B.M.	upright.	—	1820.	4. 8.	S.b.	— 2635.
49	ensifolium. K.R.	sword-leaved.	E. Indies.	—	—	S.b.	— 2301.
50	defixum. K.R.	marsh.	—	1810.	—	S.b.	— 2208.
51	declinatum. H.A.	declined.	—	1819.	—	S.b.	— 2231.
52	brachyandrum. K.R.	short-anthered.	N. Holland.	—	—	S.b.	—
53	angustum. K.R.	angust.	Mauritius.	—	—	S.b.	Botan. magaz. 2397.
54	amabile. K.R.	beautiful.	E. Indies.	1810.	1. 12.	S.b.	— 1605.
55	cruentum. B.R.	red-flowered.	S. America.	—	6. 8.	S.b.	Botan. regist. 171.
56	erubescens. K.R.	blush-coloured.	—	1789.	—	S.b.	Botan. magaz. 1232.
	<i>α rubrilimbium.</i> H.A.	red-limbed.	—	—	—	S.b.	—
	<i>β major.</i> H.A.	larger.	—	—	—	S.b.	—
	<i>γ minor.</i> H.A.	smaller.	—	—	—	S.b.	—

57 hybridum. B.M.	hybrid.	Hybrid.	—	S.b.	Botan. magaz. 2336.
VALLOTA. H.A.	VALLOTA.	Hexandria Monogynia.				
purpurea. H.A.	purple-stalked.	C. B. S.	1774.	5. 8.	F.b.	
<i>Amaryllis purpurea.</i> W.						
a major.	larger.	—	—	—	F.b.	Botan. magaz. 1430.
β minor.	lesser.	—	—	—	F.b.	Botan. regist. 552.
GASTRONEMA. H.A.	GASTRONEMA.	Hexandria Monogynia.				
clavatum. H.A.	clavate.	C. B. S.	1816.	5. 8.	F.b.	Botan. magaz. 2291.
<i>Cyrtanthus uniflorus.</i> B.R. 168.						
CYRTANTHUS. W.	CYRTANTHUS.	Hexandria Monogynia. W.				
1 obliquus. W.	oblique-leaved.	C. B. S.	1774.	5. 8.	G.b.	Botan. magaz. 1133.
2 striatus. B.M.	striped.	—	1823.	—	G.b.	— 2534.
3 spiralis. B.R.	spiral-leaved.	—	1790.	—	G.b.	Botan. regist. 167.
4 collinus. B.R.	hill.	—	1816.	—	G.b.	— 162.
5 pallidus. B.M.	pale-flowered.	—	1822.	—	G.b.	Botan. magaz. 2471.
6 ventricosus. W.	bellied.	—	1770.	—	G.b.	Jacq. schœn. 1. t. 76.
7 angustifolius. W.	narrow-leaved.	—	1774.	5. 6.	G.b.	Botan. magaz. 271.
8 odorosus. B.R.	sweet-scented.	—	1818.	5. 7.	G.b.	Botan. regist. 503.
STENOMESSON. H.A.	STENOMESSON.	Hexandria Monogynia.				
1 flavum. B.M.	slender-tooth'd.	Peru.	1823.	5. 11.	G.b.	Botan. magaz. 2641.
<i>Chrysiphiala flava.</i> B.R. 778.						
2 curvidentatum. B.M.	curve-toothed.	—	1824.	—	G.b.	Botan. magaz. 2640.
3 pauciflorum.	few-flowered.	—	1822.	—	G.b.	Hook. ex. flor. 132.
<i>Chrysiphiala pauciflora.</i> H.E.F.						
CHLIDANTHUS. H.A.	CHLIDANTHUS.	Hexandria Monogynia.				
fragrans. H.A.	yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Botan. regist. 640.
EUCROSIA. B.R.	EUCROSIA.	Hexandria Monogynia.				
bicolor. B.R.	two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Botan. regist. 207.
CALOSTEMMA. B.P.	CALOSTEMMA.	Hexandria Monogynia.				
1 luteum. B.R.	yellow.	N. Holland.	1819.	8. 10.	F.b.	Botan. regist. 421.
2 purpureum. B.P.	purple.	—	—	—	F.b.	— 422.
3 album. B.P.	white-flowered.	—	1824.	—	G.b.	
EURYCLES. Sal.	EURYCLES.	Hexandria Monogynia.				
1 nuda.	naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.	
<i>Crinum nervosum.</i> H.B.						
2 alata.	wing-stamen'd.	N. Holland.	1821.	—	S.b.	Botan. regist. 715.
<i>Pancratium australasicum.</i> B.R.						
3 coronata.	crowned.	E. Indies.	1759.	—	S.b.	Botan. magaz. 1419.
<i>Pancratium amboinense.</i> B.M. <i>Proiphys amboinensis.</i> H.A.						
PANCRATIUM. W.	PANCRATIUM.	Hexandria Monogynia.				
1 speciosum. K.R.	large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Botan. magaz. 1453.
2 ovatum. K.R.	oval-leaved.	—	—	—	S.b.	Botan. regist. 43.
3 amœnum. K.R.	handsome.	Guiana.	1790.	—	S.b.	Botan. magaz. 1467.
4 fragrans. L.T.	fragrant.	W. Indies.	—	S.b.	Lodd. bot. cab. 834.
5 guianense. B.R.	Guiana.	Guiana.	1818.	—	S.b.	Botan. regist. 265.
6 caribæum. K.R.	Caribbean.	W. Indies.	1730.	—	S.b.	Botan. magaz. 826.
7 declinatum. B.C.	declining.	Brazil.	—	S.b.	Lodd. bot. cab. 558.
8 undulatum. K.R.	wave-leaved.	S. America.	—	S.b.	
9 expansum. B.M.	expanded.	W. Indies.	1818.	—	S.b.	Botan. magaz. 1941.
10 pedale. B.C.	foot-flowered.	Brazil.	1815.	—	S.b.	Lodd. bot. cab. 809.
11 patens. K.R.	spreading.	W. Indies.	—	S.b.	Redout. lil. 6. t. 380.
12 littorale. K.R.	sea side.	S. America.	1758.	—	S.b.	Jacq. vind. 3. t. 75.
13 Dryandri. K.R.	Dryander's.	—	—	S.b.	Botan. magaz. 825.
14 distichum. H.A.	two-ranked.	—	—	S.b.	
15 angustum. K.R.	narrow-leaved.	—	—	S.b.	Botan. regist. 221.
16 crassifolium. H.A.	thick-leaved.	—	—	S.b.	
17 acutifolium.	acute-leaved.	Mexico.	1824.	—	G.b.	Botan. regist. 940.
<i>mexicanum.</i> B.R. <i>nec aliorum.</i> <i>Hymenocallis litoralis.</i> δ <i>acutifolia.</i> B.M. 2621.						
18 rotatum. K.R.	large-crowned.	Carolina.	1803.	7. 9.	G.b.	Botan. magaz. 827.
19 mexicanum. K.R.	Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl. 3. f. 22.
20 carolinianum. K.R.	Carolina.	Carolina.	1759.	6. 7.	G.b.	— pl. 3. f. 11.
21 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Botan. regist. 161.
<i>carolinianum.</i> B.R. 927. <i>nec aliorum.</i>						
22 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Botan. regist. 174.
23 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Botan. magaz. 718.
24 verecundum. K.R.	Narcissus-ld.	E. Indies.	1776.	6. 8.	G.b.	Botan. regist. 413.
25 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	—	S.b.	Botan. magaz. 2538.

ISMENE. Sal.		ISMENE. Hexandria Monogynia.				
1	nutans. H.A.	nodding.	Brazil.	1810.	6. 8. S.b.	Botan. magaz. 1561.
	<i>Pancratium calathinum.</i> B.M. non R.L.					
2	calathinum. H.A.	cup-flowered.	_____	_____	6. 7. S.b.	Botan. regist. 215.
3	Amancaes. H.A.	Narcissus-fl'd.	Peru.	1804.	_____ S.b.	Botan. magaz. 1224.
	<i>Pancratium Amancaes.</i> B.M. <i>Narcissus Amancaes.</i> R.P. 3. t. 283. f. a.					
NARCISSUS. L.		NARCISSUS. Hexandria Monogynia. L.				
1	obvallaris. H.s.s.	Sibthorp's.	S. Europe.	3. 4. H.b.	Bot. mag. 1301. f. inf.
2	bicolor. B.M.	two-coloured.	Spain.	1629.	4. 5. H.b.	_____ 1187.
	<i>Ajax lorifolius.</i> H.s.s.					
3	tubæflorus. s.p.	tube-flowered.	S. Europe.	3. 5. H.b.	
	<i>Ajax-bicolor.</i> H.s.s.					
4	moschatus. B.M.	greater white.	Spain.	1629.	4. H.b.	Botan. magaz. 924.
5	albus. L.T.	white flowered.	_____	1759.	3. 4. H.b.	_____ 1300.
	<i>moschatus.</i> δ. B.M. <i>Ajax albus.</i> H.s.s.					
6	abscissus. H.s.s.	clipt trunk.	— H.b.	Park. parad. t. 107. f. 1.
7	major. B.M.	large.	Spain.	1629.	— H.b.	Botan. magaz. 51.
8	propinquus. s.p.	great jagged.	S. Europe.	— H.b.	_____ 1301. f. sup.
	<i>major</i> β. B.M. <i>Ajax propinquus.</i> H.s.s.					
9	Telamonius. H.s.s.	Telamonian.	_____	— H.b.	
	β plenus. H.s.s.	double Daffodil.	_____	— H.b.	
	γ grandiplenus. H.s.s.	great double.	_____	— H.b.	Park. parad. t. 101. f. 7.
10	nobilis. H.s.s.	noble.	_____	— H.b.	
11	spurius. H.s.s.	spurious.	England.	— H.b.	
12	serratus. H.s.s.	serrate.	_____	— H.b.	
	β suavis. H.s.s.	sweet-scented.	_____	— H.b.	
13	Pseudo-Narcissus.	Daffodil.	_____	3. 4. H.b.	Eng. bot. t. 17.
	β scoticus. H.s.s.	Scotch Daffodil.	Scotland.	— H.b.	
	γ plenus. H.s.s.	double French.	— H.b.	Park. parad. t. 101. f. 9.
	δ plenissimus. H.s.s.	rose double.	— H.b.	_____ t. 101. f. 6.
14	pumilus. s.p.	small wedge-fl'd.	S. Europe.	3. H.b.	Besl. eyst. 3. fol. 5. f. 4.
	<i>Ajax cuneiflorus.</i> H.s.s.					
15	minor. B.M.	small.	Spain.	1629.	3. 5. H.b.	Botan. magaz. 6.
16	Macleaii. B.M.	Macleay's.	Levant.	4. 5. H.b.	_____ 2588.
17	Sabini. B.R.	Sabine's.	_____	— H.b.	Botan. regist. 762.
18	tenuifolius. L.T.	slender-leaved.	Biscay.	1760.	3. 4. H.b.	Swt. br. fl. gar. 114.
19	lobulatus. H.s.s.	lobed.	— H.b.	
20	obesus. s.p.	inflated.	Portugal.	1796.	— H.b.	
21	albicans. H.s.s.	Trompet Marin.	1629.	— H.b.	Lobel. advers. 462. ic.
22	Bulbocodium. w.	hoop petticoat.	S. Europe.	_____	— H.b.	Botan. magaz. 88.
	<i>Corbularia Bulbocodium.</i> H.s.s.					
23	aurantius. H.s.s.	orange rimmed.	_____	_____	— H.b.	Park. parad. t. 71. f. 2.
	<i>Queltia aurantia.</i> H.s.s.					
	β luteo-aurantius.	Butter and eggs.	_____	_____	— H.b.	
24	incomparabilis. B.M.	peerless.	Portugal.	_____	4. 5. H.b.	Botan. magaz. 121.
25	sulphureus.	self coloured peerless.	1629.	4. 5. H.b.	
	<i>Queltia concolor.</i> H.s.s.					
	β plenus.	double orange crown.	_____	— H.b.	
26	semipartitus. H.s.s.	cloven-cupped.	1818.	3. 4. H.b.	
27	Queltia.	peerless white.	_____	4. H.b.	
	<i>Queltia alba.</i> H.s.s.					
	β niveo-aurantius.	Orange Phoenix.	— H.b.	
28	montanus. B.R.	mountain.	Pyrenees.	1620.	— H.b.	Botan. regist. 123.
29	galanthifolius. H.s.	Snowdrop-l'd.	_____	1720.	5. H.b.	Park. parad. 73.
30	capax. H.s.s.	capacious.	— H.b.	Redout. lil. 177.
	<i>calathinus.</i> R.L. <i>Queltia capax.</i> H.s.s.					
31	orientalis. L.	oriental.	Levant.	1778.	4. 5. H.b.	Botan. magaz. 948.
	<i>incomparabilis.</i> β. B.M. <i>Schisanthes orientalis.</i> H.s.s.					
32	cernuus. s.p.	drooping.	Portugal.	1620.	4. H.b.	Botan. magaz. 48.
	<i>triandrus.</i> B.M. non L. <i>Ganymedes cernuus.</i> H.s.s. <i>ochroleucus.</i> H.R.					
33	triandrus. L.	white drooping.	S. Europe.	1629.	— H.b.	Park. parad. t. 93. f. 2.
	<i>Ganymedes albus.</i> H.R.					
34	nutans. H.s.s.	yellow cupped.	_____	1789.	3. 5. H.b.	Botan. magaz. 945.
	<i>trilobus.</i> B.M. <i>Ganymedes nutans.</i> H.s.s.					
35	concolor. H.s.s.	self-coloured.	_____	1626.	4. H.b.	
36	striatulus. H.s.s.	faint-striped.	_____	— H.b.	
37	pulchellus. H.s.s.	white-cupped.	_____	1620.	— H.b.	
38	rugulosus. H.s.s.	wrinkle-cupp'd.	_____	— H.b.	
39	odorus. L.	starry-flower'd.	Corsica.	1720.	3. H.b.	Botan. magaz. 934.
	<i>calathinus.</i> α. B.M. <i>Phylogyne odora.</i> H.s.s.					

40	interjectus. H.S.S.	great curled cup.	4.	H.b.	
41	trilobus. L.	three-lobed. Spain. 1629.	3.	H.b.	Botan. magaz. 78.
	odorus. B.M. <i>Phylogyne triloba</i> . H.S.S. <i>calathina</i> . Sal.				
42	heminalis. H.S.S.	lesser curled cup.	4.	H.b.	Park. parad. t. 93. f. 4.
43	Jonquilla. B.M.	Jonquil. Spain. 1596.	4. 5.	H.b.	Botan. magaz. 15.
	β <i>plenus</i> .	double Jonquil.	—	H.b.	
44	similis. H.S.S.	lesser Jonquil.	1626.	—	H.b.
45	bifrons. B.M.	double-faced.	1807.	4.	H.b. Botan. magaz. 1186.
46	compressus. L.T.	Jasmine Jonquil.	1790.	3. 4.	H.b.
47	primulinus. H.S.	Cowslip-cupp'd.	—	—	H.b. Botan. magaz. 1299.
	<i>bifrons</i> . β . B.M. <i>Hermione primulina</i> . H.S.S.				
48	tereticaulis. L.T.	cream-colour'd. Levant.	4.	H.b.	Botan. magaz. 1298?
49	citrinus. H.S.S.	Citroniere.	—	H.b.	— 946.
	<i>orientalis</i> . γ . B.M.				
50	floribundus. H.S.S.	grand monarque.	—	H.b.	
51	Trewianus. B.M.	Bazelman major.	—	H.b.	Botan. magaz. 940.
	<i>Hermione grandiflora</i> . H.S.S.				
52	crenulatus. H.S.	Bazelman minor.	—	H.b.	Park. parad. t. 81. f. 5.
53	Tazetta. L.	French Daffodil. 1626.	—	H.b.	— t. 81. f. 3.
54	fistulosus. H.S.	pipe-stemmed.	—	H.b.	
55	cerinus. H.S.	waxen cupped.	5.	H.b.	
56	Luna. H.S.S.	broad white.	4.	F.b.	
57	papyratus. B.M.	paper white. Italy.	2. 3.	F.b.	Botan. magaz. 947.
	<i>unicolor</i> . T.N. <i>Hermione papyratis</i> . H.S.S.				
58	italicus. B.M.	Italian.	—	F.b.	— 1188.
	<i>præcox</i> . T.N. <i>Hermione italica</i> . H.S.S.				
	γ <i>semiplenus</i> .	semidouble.	3.	F.b.	
	δ <i>plenus</i> .	double Roman.	—	F.b.	
59	gracilis. B.R.	slender.	4.	H.b.	Botan. regist. 816.
60	tenuior. B.M.	slender 2-flow'r'd. Italy. 1626.	—	H.b.	Botan. magaz. 379.
61	latifolius. H.S.S.	broad-l'd. orange. Levant.	4. 5.	H.b.	
62	multiflorus. H.S.S.	common yellow.	—	H.b.	Botan. magaz. 925.
	<i>Tazetta</i> . B.M. non L.				
	α <i>aurantius</i> .	great orange.	—	H.b.	
	β <i>aureus</i> .	golden.	—	H.b.	Botan. magaz. 1026.
63	obsoletus. H.S.S.	leafy autumnal. Spain. 1629.	9. 10.	H.b.	Park. parad. t. 89. f. 4.
64	viridiflorus. B.M.	green-flower'd. Barbary. 1620.	—	F.b.	Botan. magaz. 1687.
	<i>Chloraster fissus</i> . H.P.				
65	poeticus. L.	Poet's. Greece.	4.	F.b.	Park. parad. t. 75. f. 3.
66	angustifolius. B.M.	narrow-leaved. Switzerland. 1626.	—	H.b.	Botan. magaz. 193.
67	majalis. B.M.	May-flowering. England?	5.	H.b.	Eng. bot. 275.
	<i>poeticus</i> . E.B. non L. <i>patellaris</i> . S.P.				
	β <i>exsertus</i> . H.S.S.	long-stamen'd.	—	H.b.	
	γ <i>plenus</i> . H.S.S.	double-flowered.	—	H.b.	Park. parad. t. 75. f. 1.
68	biflorus. B.M.	two-flowered.	4. 5.	H.b.	Eng. bot. 276.
GALANTHUS. L.		SNOWDROP. Hexandria Monogynia. L.			
1	nivalis. w.	common. Britain.	1. 3.	H.b.	Eng. bot. 19.
2	plicatus. B.R.	plaited. S. Europe. 1818.	2. 4.	H.b.	Botan. regist. 545.
LEUCOJUM. L.		SNOWFLAKE. Hexandria Monogynia. L.			
1	vernum. w.	spring. Germany. 1596.	2. 4.	H.b.	Botan. magaz. 46.
	β <i>carpathicum</i> .	Carpathian. Carp. mount. 1816.	—	H.b.	— 1993.
2	æstivum. w.	summer. England.	4. 5.	H.b.	— 1210.
3	pulchellum. P.L.	neat.	—	H.b.	Sal. par. lond. 21.
4	trichophyllum. P.S.	winter. Barbary. 1812.	1. 2.	F.b.	Botan. regist. 544.
5	autumnale. w.	autumnal. Portugal. 1629.	9.	F.b.	Botan. magaz. 960.
GETHYLLIS. L.		GETHYLLIS. Hexandria Monogynia. L.			
1	spiralis. w.	spiral-leaved. C. B. S. 1780.	6. 7.	G.b.	Botan. magaz. 1088.
2	ciliaris. w.	fringed.	1788.	—	G.b. Jacq. schœn. 1. t. 79.
3	villosa. w.	hairy.	1787.	—	G.b.
4	lanceolata. w.	spear-leaved.	1790.	—	G.b.
ALSTROEMERIA. W.		ALSTROEMERIA. Hexandria Monogynia. L.			
1	Ligtu. w.	striped-flow'r'd. Lima. 1776.	2. 4.	S. 4.	Botan. magaz. 125.
2	Pelegrina. w.	spotted flower'd. Peru. 1753.	6. 9.	F. 4.	Botan. magaz. 139.
3	Simsii. s.s.	red-flowered. Chili. 1822.	—	F. 4.	— 2353.
	<i>pulchella</i> . B.M. & H.E.F. 64. non L.				
4	Hookeri.	rose-coloured.	—	F. 4.	Hork. ex. flor. 181.
	<i>rosea</i> . H.E.F. non R.P.				
5	Flos Martini. B.R.	St. Martin's.	—	F. 4.	Botan. regist. 731.
	<i>pulchra</i> . B.M. 2421. <i>tricolor</i> . H.E.F. 65.				

6 ovata. s.s.	oval-leaved.	Mexico.	1824.	F. 4. ∞.	Cavan. ic. 1. t. 76.
7 Salsilla. w.	climbing.	S. America.	1806.	6. 7.	S. 4. ∞.	Botan. magaz. 1613.
<i>edulis</i> . A.R. 649.						
8 hirtella. K.S.	hairy.	Mexico.	1824.	S. 4. ∞.	
DORYANTHES. B.P.	DORYANTHES.	Hexandria Monogynia.	S.S.			
excelsa. B.P.	gigantic.	N. S. W.	1800.	7. 10.	G. ½.	Botan. magaz. 1685.

ORDO CLXXXII.

HEMEROCALLIDEÆ. *Brown prodr.* 1. p. 295.

HEMEROCALLIS. S.S. DAY LILY. Hexandria Monogynia. L.						
1 graminea. B.M.	narrow-leaved.	Siberia.	1759.	6. 7.	H. 4.	Botan. magaz. 873.
2 flava. B.M.	yellow.	————	1596.	—	H. 4.	———— 19.
3 disticha. B.F.G.	fan-like.	China.	1798.	5. 7.	H. 4.	Swt. br. fl. gar. 28.
4 fulva. B.M.	copper-colour'd.	Levant.	1596.	6. 8.	H. 4.	Botan. magaz. 64.
FUNKIA. S.S. FUNKIA. Hexandria Monogynia. S.S.						
1 alba.	white-flower'd.	Japan.	1790.	8. 9.	H. 4.	Botan. magaz. 1433.
<i>subcordata</i> . s.s. <i>Hemerocallis japonica</i> . B.M. <i>alba</i> . A.R. 75.						
2 cœrulea.	blue-flowered.	————	—	6. 8.	H. 4.	Botan. magaz. 894.
<i>ovata</i> . s.s. <i>Hemerocallis cœrulea</i> . B.M.						
AGAPANTHUS. W. AFRICAN LILY. Hexandria Monogynia. L.						
1 umbellatus. w.	large-flowered.	C. B. S.	1692.	8. 2.	G. 4.	Botan. magaz. 500.
β variegatus.	striped-leaved.	————	—	G. 4.	—
2 præcox. w.en.	early-flowering.	————	1. 4.	G. 4.	—
3 minor. B.C.	small.	————	—	G. 4.	Lodd. bot. cab. 42.
POLIANTHES. L. POLIANTHES. Hexandria Monogynia. L.						
1 gracilis. L.en.	slender.	Brazil.	1822.	8. 10.	S. 4.	—
2 tuberosa. w.	common.	E. Indies.	1629.	—	S. 4.	Botan. regist. 63.
β flore pleno.	double-flowered.	————	—	—	S. 4.	—
BLANDFORDIA. B.P. BLANDFORDIA. Hexandria Monogynia. S.S.						
1 nobilis. B.P.	noble.	N. S. W.	1803.	7. 8.	G. 4.	Botan. regist. 286.
2 grandiflora. B.P.	large-flowered.	————	1812.	—	G. 4.	———— 911.
TRITOMA. B.M. TRITOMA. Hexandria Monogynia. S.S.						
1 Uvaria. H.K.	great.	C. B. S.	1707.	8. 9.	H. 4.	Botan. magaz. 758.
2 media. H.K.	lesser.	————	1789.	12. 6.	H. 4.	———— 744.
3 pumila. H.K.	least.	————	1774.	9. 11.	F. 4.	———— 764.
VELTHEIMIA. B.M. VELTHEIMIA. Hexandria Monogynia. W.						
1 viridifolia. w.	green-leaved.	C. B. S.	1768.	11. 4.	G. b.	Botan. magaz. 501.
<i>Aletris capensis</i> . B.M.						
2 intermedia.	subglaucous.	————	1819.	—	G. b.	—
3 glauca. w.	glaucous.	————	1781.	1. 4.	G. b.	Botan. magaz. 1091.
ALETRIS. W. COLIC-ROOT. Hexandria Monogynia. L.						
1 farinosa. w.	common.	N. America.	1768.	6.	H. 4.	Botan. magaz. 1418.
2 aurea. Ph.	golden tipped.	————	1811.	7. 8.	H. 4.	Willd. hort. ber. 8.
SANSEVIERA. W. SANSEVIERA. Hexandria Monogynia. W.						
1 glauca. H.S.	glaucous.	Sierra Leon.	S. 4.	—
2 polyphylla. H.S.	upright-glaucous.	————	S. 4.	—
3 guineensis. H.S.	Guinea.	Guinea.	1690.	6. 11.	S. 4.	Botan. magaz. 1180.
4 lætevirens. H.S.	light green.	S. 4.	—
5 longiflora. B.M.	long-flowered.	7. 8.	S. 4.	Botan. magaz. 2634.
6 spicata. H.S.	spiked.	—	S. 4.	Cavan. ic. 3. t. 246.
7 fulvocincta. H.S.S.	brown-edged.	Brazil.	1818.	S. 4.	—
8 zeylanica. H.S.	Ceylon.	Ceylon.	1731.	6. 11.	S. 4.	Botan. regist. 160.
9 lanuginosa. w.	woolly.	E. Indies.	—	S. 4.	Rheed. mal. 11. t. 42.
10 ensifolia. H.S.	sword-leaved.	————	S. 4.	—
11 grandicuspis. H.S.	large-pointed.	S. 4.	—
12 pumila. H.S.	dwarf.	C. B. S.	1796.	S. 4.	—
13 stenophylla. L.en.	slender-leaved.	1818.	S. 4.	—
14 carnea. A.R.	flesh-coloured.	China.	1792.	4. 10.	H. 4.	Andr. reposit. 361.
TULBAGIA. W. TULBAGIA. Hexandria Monogynia. L.						
1 alliacea. w.	Narcissus-ld.	C. B. S.	1774.	5. 7.	G. 4.	Botan. magaz. 806.
2 affinis. L.en.	linear-leaved.	————	1820.	—	G. 4.	—
3 cepacea. w.	Onion-scented.	————	1795.	4.	G. 4.	—

BRODIAEA, L.T.

BRODIAEA, Triandria Monogynia, L.T.

1	grandiflora. L.T.	large-flowered. Georgia.	1806.	6.	G.b.	Sal. par. lond. t. 98.
	<i>Hookera coronaria</i> . P.L.					
2	congesta. L.T.	close-headed.	—	5.	G.b.	Linn. trans. v. 10. t. 11.
3	ixioides. B.M.	Ixia-like.	Chili.	1821.	7.	H.b. Botan. magaz. 2382.
PACHIDENDRON, H.R. PACHIDENDRON, Hexandria Monogynia, H.R.						
1	africanum. H.R.	African.	C. B. S.	1731.	7.	D.G. h.
	<i>a latum</i> . H.R.	broad-leaved.	—	—	—	D.G. h.
	<i>β angustum</i> . H.R.	narrow-leaved.	—	—	—	D.G. h. Botan. magaz. 2517.
	<i>Aloe pseudo-africana</i> . L.en.	<i>Aloe africana</i> . <i>β. angustior</i> . B.M.				
2	principis. H.R.	revolving red-spin'd.	—	D.G. h.
3	angustifolium. H.R.	narrow-leaved.	—	1812.	D.G. h.
4	ferox. H.R.	great hedgehog.	—	1759.	4. 5.	D.G. h. Botan. magaz. 1975.
	<i>Aloe ferox</i> . B.M.					
5	pseudo-ferox. H.R.	false hedgehog.	—	—	D.G. h. Comm. prælud. t. 20.
6	supralæve. H.R.	upright hedgehog.	—	1731.	D.G. h.
ALOE, H.R. ALOE, Hexandria Monogynia, L.						
1	dichotoma. H.S.	smooth-stem'd.	C. B. S.	1780.	D.G. h.
2	purpurascens. H.S.	purple.	—	1789.	7. 10.	D.G. h. Botan. magaz. 1474.
3	soccotrina. H.S.	soccotrine.	—	1731.	4. 6.	D.G. h. ———— 472.
4	spicata. H.R.	white spotted.	—	1795.	—	D.G. h.
5	pluridens. H.P.	many-toothed.	—	1822.	D.G. h.
6	arborescens. H.S.	tree.	—	1731.	11. 3.	D.G. h. Botan. magaz. 1306.
7	gracilis. H.P.	slender-stalk'd.	—	1822.	D.G. h.
8	flavispina. H.S.	yellow-spined.	—	1790.	8.	D.G. h.
9	mitræformis. H.S.	mitre.	—	1732.	—	D.G. h. Botan. magaz. 1270.
10	nobilis. H.S.	great mitre.	—	1800.	7. 8.	D.G. h.
11	Commelini. H.R.	Commeline's.	—	1813.	D.G. h.
	<i>β mitræformis</i> . H.R.	yellowish-tooth'd.	—	D.G. h.
12	distans. H.S.	small mitre.	—	1732.	8.	D.G. h. Botan. magaz. 1362.
	<i>γ depressa</i> . H.R.	depressed.	—	—	D.G. h.
13	xanthacantha. H.S.S.	yellow mitre.	—	1817.	D.G. h.
14	vulgaris. DC.	yellow-flow'r'd.	W. Indies.	1596.	8.	D.S. h. DC. plant. gras. 27.
	<i>barbadensis</i> . H.S.					
15	chinensis. H.S.S.	Chinese.	China.	1817.	D.G. h.
16	cæsia. H.S.S.	cæsious tree.	C. B. S.	1818.	D.G. h.
	<i>β elatior</i> . H.S.S.	tall.	—	—	D.G. h.
17	frutescens. H.S.S.	lesser tree.	—	D.G. h.
18	albispina. H.S.	white-spined.	—	1796.	D.G. h.
19	glauca. H.S.	glaucous red-spin'd.	—	1731.	1. 9.	D.G. h.
	<i>a major</i> . H.S.	larger.	—	—	—	D.G. h.
	<i>β rhodocantha</i> . B.M.	lesser red-spined.	—	—	—	D.G. h. Botan. magaz. 1278.
	<i>γ spinosior</i> . H.R.	long-spined.	—	1820.	D.G. h.
20	lineata. H.S.	striped red-spined.	—	1789.	D.G. h.
	<i>a viridis</i> . H.R.	greenest-leaved.	—	—	D.G. h.
	<i>β glaucescens</i> . H.R.	glaucous.	—	—	D.G. h.
21	depressa. H.S.	depressed.	—	1731.	8.	D.G. h. Botan. magaz. 1332.
22	brevifolia. H.S.	short-leaved.	—	—	6. 8.	D.G. h. Botan. regist. 996.
23	prolifera. H.R.	proliferous.	—	1818.	—	D.G. h.
24	serra. DC.	saw-leaved.	—	—	D.G. h. Jacq. eclog. ic.
25	striata. H.S.	streaked.	—	1795.	D.G. h.
26	striatula. H.P.	stripe-sheath'd.	—	1820.	D.G. h.
27	ciliaris. H.P.	fringe-leaved.	—	—	D.G. h.
28	tenuior. H.P.	green-sheathed.	—	1819.	D.G. h.
29	albocincta. H.S.S.	pearl edged.	—	1812.	D.G. h.
30	serrulata. H.S.	serrulated.	—	1789.	7. 8.	D.G. h. Botan. magaz. 1415.
31	obscura. H.S.	great soap.	—	1727.	6. 10.	D.G. h. ———— 1323.
	<i>picta</i> . c. B.M.					
	<i>β glaucior</i> . H.R.	glaucous-leaved.	—	1819.	—	D.G. h.
	<i>γ magnidens</i> . H.R.	large-toothed.	—	—	D.G. h.
32	pallascens. H.R.	pale serrulate.	—	1820.	—	D.G. h.
33	latifolia. H.S.	broad-leaved.	—	1795.	7. 8.	D.G. h. Botan. magaz. 1346.
34	saponaria. H.S.	common soap.	—	1727.	—	D.G. h. ———— 1460.
	<i>β luteo-striata</i> . H.R.	yellow striped.	—	1821.	—	D.G. h.
35	microcantha. H.S.S.	small-spined.	—	1819.	—	D.G. h. Botan. magaz. 2272.
36	virens. H.S.	apple green.	—	1790.	8. 9.	D.G. h. ———— 1355.
37	suberecta. H.S.	lesser hedgehog.	—	1789.	3. 6.	D.G. h.
	<i>β semiguttata</i> . H.R.	half-warted.	—	1819.	—	D.G. h.
38	acuminata. H.S.	middle hedgehog.	—	1795.	—	D.G. h. Botan. magaz. 757.
	<i>humilis</i> . B.M. non H.S.					

- 39 echinata. H.R. greattubercled. C. B. S. 1821. 3. 6. D.G. 4.
 40 tuberculata. H.S. tubercled. ——— 1796. ——— D.G. 4.
 41 aristata. H.P. bearded many-ld. ——— 1819. ——— D.G. 4.
 42 subtuberculata. H.P. rough & smooth. ——— ——— D.G. 4.
 43 humilis. H.S. dwarf hedgehog. ——— 1731. ——— D.G. 4. DC. plant. gras. 39.
 44 incurva. H.S. incurved hedgehog. ——— 1796. ——— D.G. 4. Botan. magaz. 828.
humilis β *incurva*. B.M.
 45 tenuifolia. H.R. thin-leaved. ——— 1821. ——— D.G. 4.
 46 variegata. H.S. partridge-breast. ——— 1720. 3. 12. D.G. 4. Botan. magaz. 513.
RHIPIDODENDRON. W. **RHIPIDODENDRON.** Hexandria Monogynia.
plicatile. H.R. fan. Africa. 1723. 6. 7. D.G. 4. Botan. magaz. 457.
distichum. W. *Aloe plicatilis*. B.M.
 β *major*. H.R. larger fan. ——— 1820. ——— D.G. 4.
GASTERIA. H.S. **TONGUE-ALOE.** Hexandria Monogynia. H.S.
 1 *obliqua*. H.S. broad-marbled. C. B. S. 1759. 6. 8. D.G. 4. Botan. magaz. 979.
Aloe lingua. α . B.M.
 2 *pulchra*. H.S. narrow-marbl'd. ——— ——— 7. 8. D.G. 4. Botan. magaz. 765.
Aloe maculata. B.M.
 3 *acinacifolia*. H.R. long sword-ld. ——— 1818. ——— D.G. 4. Botan. magaz. 2369.
 4 *nigricans*. H.S. dark-leaved. ——— 1790. 6. 7. D.G. 4. ——— 838.
 β *crassifolia*. H.R. thick-leaved. ——— 1820. ——— D.G. 4.
 γ *fasciata*. H.R. fasciated. ——— ——— D.G. 4.
 δ *marmorata*. H.R. marbled. ——— ——— D.G. 4.
 5 *mollis*. H.R. soft muddy ld. ——— 1819. ——— D.G. 4.
 6 *candicans*. H.R. rough marbled white. ——— 1818. 7. 8. D.G. 4.
 7 *nitida*. B.M. shining. ——— 1820. ——— D.G. 4. Botan. magaz. 2304.
 α *parvipunctata*. H.R. small dotted. ——— ——— D.G. 4.
 β *grandipunctata*. H.R. large-dotted. ——— ——— D.G. 4.
 8 *trigona*. H.R. trigonal. ——— ——— D.G. 4.
 α *elongata*. H.R. elongated. ——— ——— D.G. 4.
 β *obtusa*. H.R. blunt. ——— ——— D.G. 4.
 9 *glabra*. H.S. smooth-keeled. ——— 1796. 6. 7. D.G. 4.
 β *minor*. H.R. smaller. ——— 1820. ——— D.G. 4.
 10 *subcarinata*. H.S.S. partly keeled. ——— ——— D.G. 4.
 β *striata*. H.R. striated. ——— ——— D.G. 4.
 11 *carinata*. H.S. rough keeled. ——— 1731. ——— D.G. 4. Botan. magaz. 1331.
 12 *latifolia*. H.S. acute tongue. ——— 3. 11. D.G. 4.
 β *multifaria*. H.S. multifarious. ——— D.G. 4.
 13 *denticulata*. H.S.S. denticulated. ——— 1818. 6. 7. D.G. 4.
 14 *ensifolia*. H.P. long sword-ld. ——— 1820. D.G. 4.
 15 *angulata*. H.S. retuse. ——— 1791. 3. 11. D.G. 4.
 16 *angustifolia*. H.S. narrow. ——— 1731. ——— D.G. 4.
 β *lævis*. H.R. smooth. ——— 1820. ——— D.G. 4.
 17 *longifolia*. H.S. long-leaved. ——— 1796. ——— D.G. 4.
 18 *conspurcata*. H.R. dirtied. ——— ——— D.G. 4.
 19 *obtusifolia*. H.R. blunt-leaved. ——— D.G. 4.
 20 *excavata*. L.en. excavated. ——— 1824. D.G. 4.
 21 *pseudo-angulata*. L.en. false-angled. ——— D.G. 4.
 22 *pseudo-nigricans*. H.R. blackish. ——— 1820. D.G. 4.
 β *glabra*. smooth. ——— D.G. 4.
 23 *subverrucosa*. L.en. large-warted. ——— D.G. 4.
 α *grandipunctata*. H.R. large-dotted. ——— D.G. 4.
 β *parvipunctata*. H.R. small-dotted. ——— D.G. 4.
 24 *brevifolia*. H.S. short-leaved. ——— 1809. 7. 8. D.G. 4.
 25 *intermedia*. H.S. intermediate. ——— 1790. 3. 11. D.G. 4.
 β *asprima*. H.R. rough-leaved. ——— 1820. ——— D.G. 4.
 26 *repens*. H.R. creeping-root'd. ——— D.G. 4.
 27 *verrucosa*. H.S. pearl. ——— 1731. 3. 11. D.G. 4. Botan. magaz. 837.
 β *latifolia*. H.R. broad-leaved. ——— 1820. ——— D.G. 4.
BOWIEA. H.P. **BOWIEA.** Hexandria Monogynia.
africana. H.P. African. C. B. S. 1820. 4. 10. D.G. 4.
HAWORTHIA. H.S.S. **HAWORTHIA.** Hexandria Monogynia. H.S.
 1 *viscosa*. H.S. clammy. C. B. S. 1732. 5. 7. D.G. 4. Botan. magaz. 814.
Aloe viscosa. B.M.
 2 *aspera*. H.S. rough triangular. ——— 1795. ——— D.G. 4.
 3 *indurata*. H.R. hard branchy. ——— 1819. ——— D.G. 4.
 4 *pseudo-tortuosa*. H.S.S. twisted triangular. ——— 1818. D.G. 4.
 5 *concinna*. H.S.S. neat triangular. ——— D.G. 4.
 6 *cordifolia*. H.S.S. heart-leaved. ——— 5. 7. D.G. 4.

7	asperiuscula. H.S.S.	roughish.	C. B. S.	1818.	5. 7.	D.G. 4.
8	tortuosa. H.S.	twisted.	————	1794.	5. 9.	D.G. 4. Botan. magaz. 1337.
	<i>Aloe rigida</i> . B.M.	non DC.				
	β curta. H.R.	short twisted.	————	1817.	—	D.G. 4.
	γ tortella. H.R.	lesser twisted.	————	—	—	D.G. 4.
9	expansa. H.S.	spreading-ld.	————	1795.	7. 10.	D.G. 4. DC. plant. gras. 62.
	<i>Aloe rigida</i> . DC.					
10	hybrida. H.R.	bastard pearl.	————	1821.	5. 9.	D.G. 4.
11	scabra. H.R.	rugged.	————	1818.	—	D.G. 4.
12	sordida. H.R.	sordid.	————	—	—	D.G. 4.
13	recurva. H.R.	recurved.	————	1795.	8.	D.G. 4. Botan. magaz. 1353.
14	nigricans. H.P.	granulated black.	————	1820.	5. 9.	D.G. 4.
15	parva. H.P.	dwarf.	————	—	—	D.G. 4.
16	tessellata. H.P.	dark chequer'd.	————	1822.	—	D.G. 4.
17	asperula. H.P.	pale rough.	————	—	—	D.G. 4.
18	multifaria. H.P.	many-leaved.	————	—	—	D.G. 4.
19	retusa. H.S.	smooth cushion.	————	1720.	—	D.G. 4. Botan. magaz. 455.
	<i>Aloe retusa</i> . B.M.					
20	mutica. H.R.	blunt cushion.	————	1819.	—	D.G. 4.
21	mirabilis. H.S.S.	rough cushion.	————	1795.	—	D.G. 4. Botan. magaz. 1354.
22	turgida. H.S.S.	turgid cushion.	————	1818.	—	D.G. 4.
23	læte-virens. H.S.S.	light-green.	————	—	—	D.G. 4.
24	papillosa. H.S.S.	papillose.	————	—	—	D.G. 4.
	β semipapillosa. H.R.	partly warted.	————	—	D.G. 4.
25	erecta. H.R.	upright pearl.	————	1818.	—	D.G. 4. DC. plant. gras. 57.
	<i>margaritifera</i> . DC.					
26	fasciata. H.S.S.	barred pearl.	————	—	—	D.G. 4.
	β major. H.R.	larger.	————	—	D.G. 4.
27	granata. H.S.S.	small pearl.	————	1732.	—	D.G. 4. Dill. elth. t. 16. f. 18.
	<i>Aloe margaritifera</i> . γ. minima. Dill.					
28	brevis. H.S.S.	short-leaved.	————	1810.	—	D.G. 4. Botan. magaz. 1360.
	<i>Aloe margaritifera</i> . γ. minima. B.M.					
29	minor. H.S.	lesser pearl.	————	5. 8.	D.G. 4. Botan. magaz. 815.
30	margaritifera. H.S.S.	pearl.	————	1725.	—	D.G. 4. Bradl. succ. 3. t. 21.
31	semiglabrata. H.S.S.	half-smoothed.	————	1810.	—	D.G. 4.
32	radula. H.S.	raspy pearl.	————	1805.	6. 9.	D.G. 4. Jacq. schœn. t. 35.
33	attenuata. H.S.	chalky pearl.	————	1790.	5. 8.	D.G. 4. Botan. magaz. 1345.
	<i>Aloe radula</i> . B.M. non Jacq.					
34	Reinwardti. H.R.	chequer'd-pearl.	————	1821.	—	D.G. 4.
35	semimargaritifera.	semi-pearly.	————	1801.	—	D.G. 4.
	α maxima. H.S.S.	largest.	————	—	—	D.G. 4. Comm. hort. 2. t. 10.
	β major. H.S.S.	large.	————	1817.	—	D.G. 4.
	γ minor. H.S.S.	smaller.	————	1818.	—	D.G. 4.
	δ multiperlata.	many pearled.	————	—	—	D.G. 4.
36	coarctata. H.P.	upright dull-spotted.	————	1822.	—	D.G. 4.
37	albicans. H.S.	white-edged.	————	1795.	9. 10.	D.G. 4. Botan. magaz. 1452.
38	lævis. H.R.	narrow-border'd.	————	1820.	—	D.G. 4. Comm. hort. 2. t. 7.
39	ramifera. H.R.	branching white.	————	—	—	D.G. 4.
40	virescens. H.R.	bordered green.	————	—	—	D.G. 4.
	β minor. H.R.	lesser.	————	—	—	D.G. 4.
41	arachnoides. H.S.	cobweb.	————	1727.	8. 9.	D.G. 4. Botan. magaz. 756.
42	translucens. H.S.S.	transparent.	————	1795.	5. 8.	D.G. 4. ————— 1417.
	<i>Aloe arachnoides</i> β translucens. B.M.					
43	setata. H.S.S.	bristle edged.	————	1818.	—	D.G. 4.
	β nigricans. H.R.	blackish.	————	—	—	D.G. 4.
	γ media. H.R.	middle.	————	—	—	D.G. 4.
	δ major. H.R.	larger.	————	—	—	D.G. 4.
44	pallida. H.R.	pale green.	————	—	—	D.G. 4.
45	atrovirens. H.R.	dark green.	————	1752.	5.	D.G. 4. Botan. magaz. 1361.
	<i>Aloe atrovirens</i> . D.C. <i>arachnoides pumila</i> . B.M.					
46	chlorocantha. H.R.	green-toothed.	————	1820.	5. 8.	D.G. 4.
47	angustifolia. H.P.	slender-leaved.	————	—	6. 7.	D.G. 4.
48	reticulata. H.S.	netted.	————	1794.	5. 8.	D.G. 4. Botan. magaz. 1314.
	<i>Aloe arachnoides</i> γ reticulata. B.M.					
49	cymbiformis. H.S.	boat-leaved.	————	1795.	6. 8.	D.G. 4. Botan. magaz. 802.
	concava. H.R.					
50	altilinea. H.P.	ridge-lined.	————	1821.	—	D.G. 4.
51	obtusa. H.P.	small blunt-ld.	————	—	—	D.G. 4.
52	planifolia. H.P.	flat oval-ld.	————	—	—	D.G. 4.

53 mucronata. H.R.	membrane-point'd. C. B. S.	1818	6. 8.	D.G. 4.
54 limpida. H.R.	limpid.	—	—	D.G. 4.
55 aristata. H.R.	pin-pointed.	—	—	D.G. 4.
56 cuspidata. H.R.	sharp-pointed.	—	—	D.G. 4.
57 denticulata. H.R.	pale pin-point'd.	—	—	D.G. 4.
APICRA. H.S.S.	APICRA. Hexandria Monogynia. H.S.S.			
1 spiralis. H.S.S.	great spiral. C. B. S.	1790.	8. 9.	D.G. ½.
2 spirella. H.S.S.	small spiral.	1808.	—	D.G. ½.
3 bullulata. H.S.S.	blistered.	1818.	—	D.G. ½. Jacq. frag. t. 109.
4 pentagona. H.S.S.	five sided.	1731.	6. 8.	D.G. ½. Botan. magaz. 1338.
β torta. H.S.S.	twisted.	—	—	D.G. ½.
5 rigida. w.	gunpowdered.	1818.	—	D.G. ½. Jacq. fragm. t. 108.
pseudo-rigida. H.S.S.				
6 aspera. H.S.S.	rough triangled.	—	—	D.G. ½.
α minor. H.S.S.	lesser.	—	—	D.G. ½.
β major. H.S.S.	larger.	1795.	—	D.G. ½.
7 bicarinata. H.S.S.	double-keeled.	1819.	—	D.G. ½.
8 nigra. H.P.	rough black.	1820.	5. 8.	D.G. ½.
9 imbricata. H.R.	rough-flowered.	1731.	6. 7.	D.G. ½. Botan. magaz. 1455.
Aloe spiralis. B.M. non H.S.				
10 foliolosa. H.P.	many small-ld.	1795.	6. 8.	D.S. ½. Botan. magaz. 1352.

ORDO CLXXXII.

DIOSCOREÆ. *Brown prodr. 1. p. 294.*

RAJANIA. W.	RAJANIA. Diœcia Hexandria. L.			
1 hastata. w.	halberd-leaved. W. Indies.	1822.	7. 8.	S. 4. ∞. Plum. amer. 84. t. 98.
2 cordata. w.	heart-leaved.	1786.	—	S. 4. ∞. Plum. ic. 155. f. 1.
3 quinquefolia. w.	five-leaved.	1820.	—	S. 4. ∞. ——— 155. f. 2.
DIOSCOREA. W.	YAM. Diœcia Hexandria. L.			
1 pentaphylla. w.	five-leaved. E. Indies.	1768.	S. 4. ∞. Rheed. mal. 7. t. 35.
2 triphylla. w.	three-leaved.	1818.	S. 4. ∞. Jacq. ic. t. 627.
3 quinqueloba. w.	five-lobed. Japan.	1822.	7. 9.	G. 4. ∞. Kæmpf. ic. t. 15.
4 brasiliensis. w.	Brazilian. Brazil.	1818.	—	S. 4. ∞.
5 heterophylla. H.B.	various-leaved. E. Indies.	—	S. 4. ∞.
6 aculeata. w.	prickly-stem'd.	1803.	7. 9.	S. 4. ∞. Rheed. mal. 7. t. 37.
7 rubella. H.B.	reddish.	—	—	S. 4. ∞.
8 purpurea. H.B.	purple.	1816.	—	S. 4. ∞.
9 nummularia. w.	Money-wort.	1820.	S. 4. ∞. Rumph. amb. 5. t. 162.
10 alata. w.	wing-stalked.	1739.	S. 4. ∞. Rheed. mal. 7. t. 38.
11 bulbifera. w.	bulb-bearing.	1692.	7. 9.	S. 4. ∞. Sal. par. lond. 17.
12 crispata. H.B.	curl-stalked.	1818.	—	S. 4. ∞.
13 anguina. H.B.	snake.	1803.	—	S. 4. ∞.
14 pulchella. H.B.	pretty.	1819.	S. 4. ∞.
15 atropurpurea. H.B.	dark purple.	1820.	S. 4. ∞.
16 globosa. H.B.	globular.	1818.	S. 4. ∞.
17 fasciculata. H.B.	bundled.	1817.	S. 4. ∞.
18 glabra. H.B.	smooth.	1803.	7. 9.	S. 4. ∞.
19 sativa. w.	common. W. Indies.	1733.	—	S. 4. ∞. Rheed. mal. 8. t. 51.
20 piperifolia. w.	Pepper-leaved. S. America.	1817.	S. 4. ∞. Plum. ic. 117. f. 1.
21 nepalensis.	Nepaul. Nepaul.	1816.	7. 8.	H. 4. ∞.
22 quaternata. Ph.	four-leaved. N. America.	1811.	7.	H. 4. ∞.
23 villosa. Ph.	pubescent.	1752.	8.	H. 4. ∞. Jacq. ic. 3. t. 626.
24 oppositifolia.	opposite-leav'd. E. Indies.	1803.	S. 4. ∞. Petiv. gaz. t. 31. f. 6.
TESTUDINARIA. B.T.	TESTUDINARIA. Diœcia Hexandria.			
1 Elephantipes. B.R.	Elephant's-foot. C. B. S.	1774.	7. 8.	G. 4. ∞. Botan. regist. 92.
Tamus Elephantipes. B.M. 1347.				
2 montana. B.T.	glaucous-ld.	1816.	—	G. 4. ∞.

ORDO CLXXXIII.

TAMEÆ. *Brown prodr.* 294 *in obs.*

TAMUS. L.	BLACK BRYONY. Diœcia Hexandria. L.
1 communis. w.	common. England. 5. 8. H. 2.~. Eng. bot. 91.
2 cretica. w.	Cretan. Candia. 1739. 7. 8. H. 2.~.

ORDO CLXXXIV.

SMILACEÆ. *Brown prodr.* 292.

SMILAX. L.	SMILAX. Diœcia Hexandria. L.	
1 aspera. s.s.	rough bindweed. S. Europe. 1648.	9. H. 2.~. Schk. handb. 3. t. 3283.
β auriculata.	ear-leaved. ————	— H. 2.~. Pluk. alm. t. 110. f. 3..
2 nigra. s.s.	black. ———— 1817.	— H. 2.~.
3 catalonica. s.s.	Catalonian. ————	— H. 2.~.
4 mauritanica. s.s.	red-berried. ———— 1820.	8. 10. F. 2.~.
5 excelsa. s.s.	tall. Syria. 1739.	8. 9. F. 2.~. Buxb. cent. 1. t. 32.
6 horrida. s.s.	straight-spined. N. America. 1820.	— H. 2.~.
7 zeylanica. s.s.	Ceylon. E. Indies. 1778.	— S. 2.~. Rumph. amb. 5. t. 1611.
8 quadrangularis. s.s.	square-stalked. N. America. 1812.	6. 8. H. 2.~. Wats. dend. brit. 109.
9 longifolia. s.s.	long-leaved. Cayenne. 1823. S. 2.~.
10 Watsoni.	Watson's. N. America. 1811.	7. 8. H. 2.~. Wats. dend. brit. 110.
longifolia. W.D. non Rich.		
11 Sarsaparilla. s.s.	medicinal. ———— 1664.	— H. 2.~. Wats. dend. brit. 111.
12 brasiliensis. s.s.	Brazilian. Brazil. 1820.	— S. 2.~.
13 hastata. s.s.	halberd-leaved. Carolina. 1822.	— F. 2.~. Pluk. alm. t. 111. f. 3..
14 China. s.s.	Chinese. China. 1759. G. 2.~. Kæmpf. amœn. t. 7822.
15 acuminata. s.s.	sharp-pointed. W. Indies. 1822.	6. 7. S. 2.~. Plum. ic. 83.
16 glauca. B.M.	glaucous-ld. N. America. 1811.	5. 7. H. 2.~. Botan. magaz. 1846.
17 australis. B.P.	oblong-leaved. N. S. W. 1815. G. 2.~.
18 rotundifolia. s.s.	round-leaved. N. America. 1760.	7. 8. H. 2.~.
19 laurifolia. s.s.	Laurel-leaved. ———— 1739.	— H. 2.~. Catesb. car. 1. t. 15.
20 tamnoides. s.s.	Tamus-leaved. ————	6. 7. H. 2.~. ———— 1. t. 52.
21 caduca. s.s.	deciduous. ———— 1759.	— H. 2.~.
22 havanensis. s.s.	Havannah. S. America. 1823. S. 2.~. Jacq. amer. t. 179. f. 1022.
23 ovalifolia. D.P.	oval-leaved. Nepaul. 1822. H. 2.~.
24 Bona-nox. s.s.	fringed. N. America. 1739.	6. 7. H. 2.~. Pluk. alm. t. 111. f. 11.
25 maculata. D.P.	spotted. Nepaul. 1819. H. 2.~.
26 prolifera. H.B.	proliferous. E. Indies. ———— S. 2.~.
27 glabra. H.B.	smooth. ———— 1820. S. 2.~.
28 Alpini. s.s.	Grecian. Greece. ————	6. 8. F. 2.~.
29 latifolia. B.P.	broad-leaved. N. Holland. 1791. F. 2.~.
30 lanceolata. Ph.	spear-leaved. N. America. 1785.	5. 6. H. 2.~. Catesb. car. 2. t. 84.
31 herbacea. s.s.	herbaceous. ———— 1699.	7. H. 2.~. Botan. magaz. 1920.
32 peduncularis. s.s.	long-peduncul'd. ———— 1812.	5. 7. H. 2.~.
33 globifer. s.s.	Surinam. Surinam. 1819. S. 2.~.
34 macrophylla. s.s.	large-leaved. W. Indies. 1822. S. 2.~.
35 Pseudo-china. s.s.	Bastard China. S. America. 1739.	5. 6. S. 2.~. Sloan. jam. 1. t. 143. f. 11.
36 glyciphylla. B.P.	Botany-bay Tea. N. S. W. 1815.	— S. 2.~.
37 canariensis. s.s.	Canary. Canaries. 1816.	— F. 2.~.
38 pubera. s.s.	downy. N. America. 1806.	— H. 2.~.
39 rubens. w.D.	pink-flowered. ———— 1811.	7. 8. H. 2.~. Wats. dend. brit. 108.
RIPOGONUM. B.P.	RIPOGONUM. Hexandria Monogynia.	
album. B.P.	white-flowered. N. S. W. 1820.	4. 6. G. 2.~.

- RUSCUS. L.**
 1 *aculeatus. w.* prickly. England. 12. 6. H. $\frac{1}{2}$. Eng. bot. 560.
 2 *laxus. L.T.* loose. Europe. 1. 6. H. $\frac{1}{2}$.
 3 *Hypophyllum. w.* ~~thick-leaved.~~ Italy. 1640. 5. 6. H. $\frac{1}{2}$. Botan. magaz. 2049.
 β latifolius. w. broad-leaved. S. Europe. ——— H. $\frac{1}{2}$. Diill. elt. t. 251. f. 303.
 4 *Hypoglossum. w.* double-leaved. Italy. 1596. 4. 5. H. $\frac{1}{2}$. Schk. handb. 3. t. 340.
 5 *androgynus. w.* climbing. Canaries. 1713. ——— G. $\frac{1}{2}$. Botan. magaz. 1898.
 6 *reticulatus. w.* netted-leaved. C. B. S. 1816. ——— G. $\frac{1}{2}$.
 7 *volubilis. w.* many-nerved. ——— G. $\frac{1}{2}$.
 8 *racemosus. w.* Alexandrian Laurel. Portugal. 1713. 6. H. $\frac{1}{2}$. Wats. dend. brit. 145.
- POLYGONATUM. D.** **SOLOMON'S-SEAL.** Hexandria Monogynia.
 1 *leptophyllum. D.P.* slender-leaved. Nepaul. 1816. 6. 7. H. $\frac{1}{4}$.
 2 *oppositifolium. D.P.* opposite-leaved. ——— H. $\frac{1}{4}$. Lodd. bot. cab. 640.
 Convallaria oppositifolia. B.C.
 3 *vulgare. D.* common. England. 5. 6. H. $\frac{1}{4}$. Eng. bot. 280.
 Convallaria Polygonatum. E.B.
 4 *pubescens. Ph.* pubescent. N. America. 1812. ——— H. $\frac{1}{4}$. Willd. hort. ber. t. 45.
 5 *canaliculatum. Ph.* channel-leaved. ——— 6. H. $\frac{1}{4}$.
 6 *angustifolium. Ph.* narrow-leaved. ——— 1824. 5. 6. H. $\frac{1}{4}$.
 7 *multiflorum. D.* many-flowered. Britain. ——— H. $\frac{1}{4}$. Eng. bot. 279.
 8 *latifolium. D.* broad-leaved. Europe. 1802. ——— H. $\frac{1}{4}$. Jacq. aust. 3. t. 232.
 9 *macrophyllum.* large-leaved. N. America. 1823. ——— H. $\frac{1}{4}$.
 latifolium. Ph. nec aliorum.
 10 *polyanthemum. M.B.* many-flowered. Caucasus. ——— H. $\frac{1}{4}$.
- SMILACINA. D.** **SMILACINA.** Hexandria Monogynia, Ph.
 1 *racemosa. D.* cluster-flow'r'd. N. America. 1640. 5. 6. H. $\frac{1}{4}$. Botan. magaz. 899.
 Convallaria racemosa. B.M.
 2 *stellata. D.* star-flowered. ——— 1633. ——— H. $\frac{1}{4}$. ——— 1043.
 3 *trifolia. D.* three-leaved. ——— 1812. 6. 7. H. $\frac{1}{4}$. Gmel. sib. 1. t. 6.
 4 *canadensis. Ph.* Canadian. ——— ——— H. $\frac{1}{4}$. Pluk. a.m. t. 434. f. 4.
 5 *bifolia. D.* least. N. Europe. 1596. 5. 6. H. $\frac{1}{4}$. Botan. magaz. 510.
 Convallaria bifolia. B.M.
 6 *borealis. B.M.* oval-leaved. N. America. 1778. 5. 6. H. $\frac{1}{4}$. Botan. magaz. 1403.
 7 *umbellata. D.* umbel-flower'd. ——— ——— H. $\frac{1}{4}$. ——— 1155.
- OPHIOPOGON. B.M.** **SNAKE'S-BEARD.** Hexandria Monogynia, B.M.
 1 *japonicus. B.M.* Japan. Japan. 1784. 6. F. $\frac{1}{4}$. Botan. magaz. 1063.
 2 *spicatus. B.R.* spiked. China. 1821. 8. 10. F. $\frac{1}{2}$. Botan. regist. 593.
 3 *intermedius. D.P.* intermediate. Nepaul. 1824. ——— F. $\frac{1}{4}$.
- CONVALLARIA. D.** **LILY OF THE VALLEY.** Hexandria Monogynia, L.
majalis. E.B. common. Britain. 5. 6. H. $\frac{1}{4}$. Eng. bot. 1035.
 α alba. white-flowered. ——— ——— H. $\frac{1}{4}$.
 β rosea. rose-coloured. ——— ——— H. $\frac{1}{4}$.
 γ plena. double-flowered. ——— ——— H. $\frac{1}{4}$.
- STREPTOPUS. M.** **STREPTOPUS.** Hexandria Monogynia, Ph.
 1 *amplexifolius. R.L.* heart-leaved. Europe. 1752. 5. H. $\frac{1}{4}$. W. et K. hung. t. 167.
 2 *distortus. M.* distorted. N. America. ——— ——— H. $\frac{1}{4}$.
 3 *roseus. M.* rose-coloured. ——— 1806. 6. 7. H. $\frac{1}{4}$. Botan. magaz. 1489.
 Uvularia rosea. B.M.
 4 *lanuginosus. M.* woolly. ——— 1812. ——— H. $\frac{1}{4}$. Botan. magaz. 1490.
 5 *simplex. D.P.* simple-stalked. Nepaul. 1822. ——— H. $\frac{1}{4}$.
- MEDEOLA. S.S.** **INDIAN CUCUMBER.** Hexandria Trigynia, L.
virginica. s.s. Virginian. Virginia. 1759. 6. H. $\frac{1}{4}$. Botan. magaz. 1316.
 Gyromia virginica. N.
- TRILLIUM. L.** **TRILLIUM.** Hexandria Trigynia, L.
 1 *sessile. s.s.* sessile-flow'r'd. N. America. 1759. 4. 5. H. $\frac{1}{4}$. Botan. magaz. 40.
 2 *petiolatum. s.s.* Plantain-leav'd. ——— 1811. ——— H. $\frac{1}{4}$.
 3 *erythrocarpum. M.* painted-fl'd. ——— ——— 5. 6. H. $\frac{1}{4}$.
 pictum. Ph.
 4 *undulatum. s.s.* wave-flower'd. ——— ——— ——— H. $\frac{1}{4}$.
 5 *pusillum. s.s.* dwarf. Carolina. 1812. ——— F. $\frac{1}{4}$.
 6 *ovatum. s.s.* purple-flow'r'd. N. America. ——— ——— F. $\frac{1}{4}$.
 7 *cernuum. s.s.* drooping-fl'd. ——— 1758. 4. 5. H. $\frac{1}{4}$. Botan. magaz. 954.
 8 *erectum. w.* stinking. ——— 1759. ——— H. $\frac{1}{4}$. ——— 470.
 9 *pendulum. s.s.* white-flow'r'd. ——— 1805. ——— H. $\frac{1}{4}$. W. hort. ber. 1. t. 35.
 erectum β . B.M. 1027.
 10 *obovatum. s.s.* obovate-petal'd. ——— 1824. ——— H. $\frac{1}{4}$.
 11 *grandiflorum. s.s.* large-flowered. ——— 1799. 4. 6. H. $\frac{1}{4}$. Sal. par. lond. 1.
 erythrocarpum. B.M. non M.
 12 *stylosum. N.* long-styled. Carolina. 1823. ——— F. $\frac{1}{4}$.

PARIS. L.

- 1 quadrifolia. E.B.
2 verticillata. M.B.
3 polyphylla. D.P.

HERB-PARIS. Octandria Tetragynia. L.

- True-love or 1-berry. Engld. 5. 6. H. 4.
whorl-leaved. Siberia. 1825. — H. 4.
many-leaved. Nepaul. 1816. — H. 4.

Eng. bot. 7.

ORDO CLXXXV.

ASPHODELEÆ. *Brown prodr.* 1. p. 274.

ASPHODELUS. L.

- 1 clavatus. H.B.
2 fistulosus. s.s.
3 intermedius. L.en.
4 albus. s.s.
5 æstivus. s.s.
6 ramosus. s.s.
7 tenuior. s.s.
8 creticus. s.s.
9 tauricus. s.s.
10 luteus. s.s.

ASPHODEL. Hexandria Monogynia. L.

- club-seeded. E. Indies. 1808. 7. 10. S. ☉.
Onion-leaved. S. Europe. 1596. 6. 9. H. 4.
intermediate. Canaries. 1824. — F. 4.
upright. S. Europe. 5. 7. H. 4.
summer. Portugal. 1819. — H. 4.
branched. S. Europe. 1551. — H. 4.
slender-leaved. Caucasus. 1823. 7. H. 4.
Cretan. Candia. 1821. 6. 7. H. 4.
Taurian. Tauria. 1812. 5. 7. H. 4.
common yellow. Sicily. 1596. 5. 6. H. 4.

Botan. magaz. 984.

Blackw. t. 238.

Botan. magaz. 799.

————— 2626.

Lodd. bot. cab. 915.

Botan. magaz. 773.

EREMURUS. S.S.

EREMURUS. Hexandria Monogynia. S.S.

- spectabilis. s.s. channel-leaved. Caucasus. 1800. 5. 6. H. 4.

Swt. br. fl. gar. ic.

Asphodelus altaicus. W.

CZACKIA. S.S.

ST. BRUNO'S LILY. Hexandria Monogynia. S.S.

- Liliastrum.* s.s. Savoy Spiderwort. Switzerld. 1629. 5. 6. H. 4.

Botan. magaz. 318.

Anthericum Liliastrum. B.M. *Hemerocallis Liliastrum.* W.en.

PHALANGIUM. J.

PHALANGIUM. Hexandria Monogynia.

- 1 *Liliago.* B.M. grass-leaved. S. Europe. 1596. 5. 6. H. 4.
a major. B.M. larger. ———— H. 4.
β minor. B.M. lesser. ———— H. 4.
2 *ramosum.* B.M. branching. ———— 1570. — H. 4.

Redout. lil. t. 269.

Botan. magaz. 1635.

————— 914.

————— 1055.

Anthericum ramosum. W.

- 3 *nepalense.* B.R. Nepaul. Nepaul. 1822. 6. 10. F. 4.
4 *glaucum* P.S. glaucous. S. America. 1816. — G. 4.
5 *pomeridianum.* afternoon flg. ———— 1818. — G. 4.

Botan. regist. 998.

Botan. regist. 564.

Anthericum pomeridianum. B.R. *Scilla pomeridiana.* DC.

- 6? *sulphureum.* pale yellow. Hungary. 1818. — H. 4.

Botan. magaz. 2623.

Anthericum sulphureum. B.M.

ANTHERICUM.

ANTHERICUM. Hexandria Monogynia. L.

- 1 *canaliculatum.* w. channel-leaved. C. B. S. 1774. 4. 5. G. 4.
2 *bipedunculatum.* w. two-flowered. ———— 1825. — G. 4.
3 *triflorum.* w. three-flowered. ———— 1782. 8. 10. G. 4.
4 *undulatum.* w. wave-leaved. ———— 1825. 4. 6. G. 4.
5 *pilosum.* w. pilose. ———— — G. 4.
6 *hirsutum.* w. hairy. ———— 1822. — G. 4.
7 *longifolium.* w. long-leaved. ———— 1825. — G. 4.
8 *graminifolium.* w. grass-leaved. ———— 1794. 6. 7. G. 4.
9 *vespertinum.* w. afternoon-flg. ———— 1803. 5. 9. G. 4.
10 *falcatum.* w. sickle-leaved. ———— 1825. — G. 4.
11 *revolutum.* w. curled-flow'r'd. ———— 1731. 9. 12. G. 4.
12 *floribundum.* w. thick-spiked. ———— 1774. 3. 4. G. 4.
13 *squameum.* w. scaly. ———— 1820. — G. 4.
14 *filiforme.* w. thread-leaved. ———— 1774. 4. G. 4.
15 *flexifolium.* w. flexuose-leav'd. ———— 1795. 5. 6. G. 4.

Botan. magaz. 1124.

Jacq. ic. 2. t. 410.

Jacq. ic. 2. t. 416.

Jacq. ic. 2. t. 413.

————— 2. t. 411.

Botan. magaz. 1040.

Botan. magaz. 1044.

Jacq. ic. 2. t. 412.

BULBINE. L.

BULBINE. Hexandria Monogynia. L.

- 1 *hispida.* L. hairy-leaved. C. B. S. 1774. 5. 6. D.G. 4.
2 *semibarbata.* s.s. half bearded. N. S. W. 1820. 4. 8. D.G. 4.
Anthericum semibarbatum. B.P.
3 *australis.* s.s. bulbous. ———— 1819. — D.G. 4.
Anthericum bulbosum. B.P.
4 *annua.* s.s. annual. C. B. S. 1731. 5. 6. H. ☉.
Anthericum annuum. B.M.
5 *longiscapa.* s.s. glaucous-leav'd. ———— 1759. 4. 8. D.G. 4.
6 *asphodeloides.* s.s. upright-leav'd. ———— 6. 8. D.G. ♂. Jacq. vind. t. 181.

Jacq. ic. 2. t. 409.

Lodd. bot. cab. 320.

Botan. magaz. 1451.

Botan. magaz. 1339.

Jacq. vind. t. 181.

7	rostrata. s.s.	glaucous shrubby. C. B. S.	1812.	3. 8.	D.G. h.	Jacq. ic. 2. t. 403.
8	frutescens. w.	shrubby.	1702.	—	D.G. h.	Botan. magaz. 816.
9	pugioniformis. s.s.	dagger-leaved.	1793.	4. 6.	D.G. 4.	1454.
10	triquetra. s.s.	triquetrous.	1825.	—	D.G. 4.	—
11	scabra. s.s.	rough.	—	—	D.G. 4.	—
12	ciliata. s.s.	fringed.	—	—	D.G. 4.	—
13	præmorsa. s.s.	bitten-rooted.	1816.	—	D.G. 4.	Jacq. ic. 2. t. 406.
14	graminea. H.R.	Grass-leaved.	1819.	6. 8.	D.G. 4.	—
15	aloides. w.	Aloe-leaved.	1732.	4. 8.	D.G. 4.	Botan. magaz. 1317.
<i>Anthericum aloides. B.M.</i>						
16	nutans. s.s.	nodding.	1812.	—	D.G. 4.	Jacq. ic. 2. t. 407.
17	latifolia. s.s.	broad-leaved.	—	—	D.G. 4.	2. t. 408.
ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.						
1	cirrhatum. B.R.	large-flowered.	N. Zealand. 1819.	5. 8.	F. 4.	Botan. regist. 709.
2	paniculatum. B.P.	panicked.	N. S. W. 1800.	6. 9.	F. 4.	Botan. magaz. 1421.
<i>minus. B.R. 866. non B.P.</i>						
3	minus. B.P.	simple-racem'd.	1819.	—	F. 4.	—
4	pendulum. s.s.	pendulous-fl'd.	N. Holland. 1817.	—	F. 4.	—
<i>Anthericum pendulum. W.en.</i>						
5	fimbriatum. B.P.	fringe-flow'r'd.	N. S. W. 1825.	—	F. 4.	—
STYPANDRA. B.P. STYPANDRA. Hexandria Monogynia.						
1	glauc. B.P.	glaucous.	N. S. W. 1819.	4. 6.	F. 4.	—
2	cæspitosa. B.P.	turfy.	1824.	—	F. 4.	—
3	umbellata. B.P.	umbel-flow'r'd.	1820.	—	F. 4.	—
CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.						
	vittata. B.P.	nodding-fl'd.	N. S. W. 1816.	7. 8.	F. 4.	—
TRICORYNE. B.P. TRICORYNE. Hexandria Monogynia. S.S.						
1	simplex. B.P.	simple-stalked.	N. S. W. 1819.	7. 9.	H. ☉.	—
2	elator. B.P.	tall.	1825.	—	G. 4.	—
CHLOROPHYTUM. B.P. CHLOROPHYTUM. Hexandria Monogynia. S.S.						
1	inornatum. B.M.	green-flowered.	Sierra Leon.	6. 8.	S. 4.	Botan. magaz. 1071.
2	orchidastrum. B.R.	Orchis-like.	1822.	1. 12.	S. 4.	Botan. regist. 813.
3	elatum. B.P.	tall.	C. B. S. 1751.	8. 9.	G. 4.	Redout. lil. 191.
PUSCHKINIA. M.B. PUSCHKINIA. Hexandria Monogynia. M.B.						
	scilloides. M.B.	Squill-like.	Iberia. 1819.	5. 6.	H. b.	Lindl. col. bot. 24.
ALBUCA. Ker. ALBUCA. Hexandria Monogynia. L.						
1	altissima. w.	tall.	C. B. S. 1780.	4. 5.	F. b.	Jacq. ic. 1. t. 63.
2	major. w.	great.	1759.	—	F. b.	Botan. magaz. 804.
3	minor. w.	small.	1768.	5. 6.	F. b.	720.
4	flaccida. w.	flaccid.	1791.	—	F. b.	Jacq. ic. 2. t. 444.
5	viridiflora. w.	green-flowered.	1794.	6. 7.	F. b.	Botan. magaz. 1656.
6	coarctata. w.	channel-leaved.	1774.	5. 6.	F. b.	—
7	fastigiata. w.	level-topped.	—	—	F. b.	Andr. reposit. 450.
8	caudata. w.	upright-fl'd.	1791.	5. 7.	F. b.	Jacq. ic. 2. t. 442.
9	setosa. w.	bristly-rooted.	1795.	—	F. b.	Botan. magaz. 1481.
10	aurea. w.	golden-flower'd.	1825.	—	F. b.	Jacq. ic. 2. t. 441.
11	abyssinica. w.	African.	—	—	F. b.	—
12	fragrans. w.	sweet-scented.	1791.	6. 7.	F. b.	Jacq. schœn. 1. t. 81.
13	viscosa. w.	clammy-leaved.	1779.	5. 6.	F. b.	Jacq. ic. 2. t. 445.
14	spiralis. w.	spiral-leaved.	1795.	6.	F. b.	2. t. 439.
15	vittata. B.M.	ribbon.	1802.	7. 8.	F. b.	Botan. magaz. 1329.
16	physodes. B.M.	dingy-flowered.	1804.	6. 7.	F. b.	1046.
17	exuviata. B.M.	Adder skin.	1795.	5. 7.	F. b.	871.
<i>Anthericum exuviatum. Jacq. ic. 2. t. 415.</i>						
18	anthericoides.	Anthericum-like.	1788.	8.	F. b.	—
<i>Anthericum albucoides. w.</i>						
19	filifolia. Ker.	filiform-leaved.	1825.	7. 8.	F. b.	Jacq. ic. 2. t. 414.
20	fugax. B.R.	fugacious.	1795.	4. 6.	F. b.	Botan. regist. 311.
<i>Anthericum fragrans. Jacq. schœn. 1. t. 86.</i>						
ORNITHOGALUM. L. STAR OF BETHLEHEM. Hexandria Monogynia. L.						
1	uniflorum. w.	one-flowered.	Siberia. 1781.	5. 6.	H. b.	Nov. act. pet. 18. t. 6. f. 3.
2	ixioides. H.K.	Ixia-like.	California. 1796.	—	H. b.	—
3	montanum. T.N.	mountain.	Naples. 1825.	—	H. b.	Ten. fl. nap. 1. t. 33.
4	umbellatum. E.B.	common.	England.	4. 6.	H. b.	Eng. bot. 130.
5	refractum. W.en.	reflexed.	S. Europe. 1825.	—	H. b.	—
6	exscapum. T.N.	short-stalked.	Naples. 1823.	—	H. b.	Ten. fl. nap. 1. t. 34.
7	fimbriatum. M.B.	fringed.	Tauria. 1820.	2. 3.	H. b.	Botan. regist. 555.
8	comosum. w.	short-spiked.	Austria. 1596.	6. 8.	H. b.	Jacq. ic. 2. t. 426.
9	conicum. w.	conical.	C. B. S. 1818.	—	F. b.	2. t. 428.

10 niveum. w.	snowy.	C. B. S.	1774.	6. 8.	F.b.	Botan. regist. 235.
11 ovatum. w.	oval-leaved.	————	1816.	4. 8.	F.b.	
12 ciliatum. w.	ciliated.	————	1818.	4. 6.	F.b.	
13 crenulatum. w.	crenulate.	————	1825.	6. 8.	F.b.	
14 maculatum. w.	spotted-fl'd.	————	————	————	F.b.	
15 tenellum. w.	slender.	————	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.
16 pilosum. w.	hairy-leaved.	————	————	————	F.b.	
17 revolutum. w.	revolute-fl'd.	————	1795.	4. 8.	F.b.	Botan. regist. 315.
18 corymbosum. B.R.	corymböse.	Peru.	1822.	————	H.b.	———— 906.
19 tenuifolium. s.s.	slender-leaved.	C. B. S.	1812.	————	F.b.	Redout. lil. t. 312.
<i>Rudolphi.</i> Jacq. ecl. t. 20.						
20 prasinum. B.R.	green-flow'r'd.	————	1816.	6. 7.	F.b.	Botan. regist. 158.
21 virens. B.R.	greenish.	————	1823.	————	F.b.	———— 814.
22 suaveolens. w.	fragrant.	————	1816.	————	F.b.	Jacq. ic. 2. t. 431.
23 barbatum. w.	bearded.	————	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
24 polyphyllum. w.	many-leaved.	————	1825.	————	F.b.	Jacq. ic. 2. t. 430.
25 rupestre. w.	rock.	————	1795.	5. 8.	F.b.	
26 juncifolium. w.	Rush-leaved.	————	1794.	7. 8.	F.b.	Botan. magaz. 792.
27 fuscum. w.	brown-flow'r'd.	————	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
28 odoratum. w.	sweet-scented.	————	1795.	5. 6.	F.b.	Andr. reposit. 260.
29 elatum. A.R.	Egyptian.	Egypt.	1804.	6. 7.	H.b.	———— 528.
30 pyramidale. w.	pyramidal.	Spain.	1752.	————	H.b.	Jacq. ic. 2. t. 425.
31 latifolium. w.	broad-leaved.	Egypt.	1629.	————	H.b.	Botan. magaz. 876.
32 japonicum. w.	Japanese.	Japan.	1821.	————	H.b.	
33 longebracteatum. w.	long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
34 caudatum. w.	long-spiked.	————	1774.	2. 8.	F.b.	Botan. magaz. 805.
35 scilloides. w.	Squill-like.	————	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 888.
36 narbonense. w.	Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Botan. magaz. 2510.
37 pyrenaicum. w.	spiked.	England.	6. 7.	H.b.	Eng. bot. 499.
38 stachyoides. w.	close-spiked.	S. Europe.	1771.	4. 7.	H.b.	Renealm. spec. t. 90.
39 lacteum. w.	milk white.	C. B. S.	1796.	6. 7.	F.b.	Botan. magaz. 1134.
40 nutans. w.	nodding.	Britain.	4. 5.	H.b.	Eng. bot. 1997.
41 coarctatum. w.	close-flowered.	C. B. S.	1804.	6. 7.	F.b.	Jacq. ic. 2. t. 435.
42 aureum. w.	golden.	————	1790.	————	F.b.	Botan. magaz. 190.
<i>miniaturum.</i> Jacq. ic. t. 438.						
43 flavissimum. Jacq.	great yellow.	————	————	————	F.b.	Jacq. ic. 2. t. 436.
44 thyrsoides. w.	thyrse-flow'r'd.	————	1757.	————	F.b.	Botan. magaz. 1164.
<i>α album.</i>	white-flowered.	————	————	————	F.b.	Botan. regist. 316.
<i>β flavesens.</i>	pale-yellow.	————	————	————	F.b.	———— 305.
45 arabicum. w.	great-flowered.	Egypt.	1629.	3. 4.	F.b.	Botan. magaz. 728.
46 maritimum.	officinal Squill.	S. Europe.	————	4. 5.	F.b.	———— 918.
<i>Squilla.</i> B.M. <i>Scilla maritima.</i> w.						
47 unifolium. B.M.	one-leaved.	Gibraltar.	1805.	6. 7.	F.b.	Bot. magaz. 953 & 935
GAGEA. S.A.B. GAGEA. Hexandria Monogynia.						
1 striata.	streak-flow'r'd.	Siberia.	1789.	5. 7.	H.b.	
<i>Ornithogalum striatum.</i> s.s.						
2 serotina. Ker.	mountain.	Wales.	6.	H.b.	Eng. bot. 793.
<i>Anthericum serotinum.</i> E.B.						
3 fascicularis. S.A.B.	bundle-flow'r'd.	Britain.	3. 4.	H.b.	Swt. br. fl. gar. 182.
<i>lutea.</i> B.M. 1200. <i>Ornithogalum luteum.</i> E.B. 21. non L.						
4 glauca. B.F.G.	glaucous-leav'd.	Switzerland.	1825.	————	H.b.	Swt. br. fl. gar. 177.
5 bracteolaris. S.A.B.	sheathing-bracted.	————	————	H.b.	———— 158.
<i>Ornithogalum luteum.</i> L. non E.B.						
6 minima.	corn-field.	Europe.	1825.	————	H.b.	Pers. in Ust. an. t. 1. f. 2
<i>stellaris.</i> S.A.B. <i>Ornithogalum arvense.</i> s.s.						
7 villosa. M.B.	villous.	Caucasus.	————	————	H.b.	
8 Sternbergii. Hop.	Sternberg's.	Switzerland.	————	————	H.b.	
9 spathacea. w.	sheathed.	Germany.	1759.	5.	H.b.	Hayn. in Ust. an. 15. t. 1
10 pusilla. Schm.	small.	Bohemia.	1823.	————	H.b.	
11 circinata. L.	netted.	Siberia.	1789.	5. 6.	H.b.	Pall. it. 3. ap. t. D. f. 2
SCILLA. W. SQUILL. Hexandria Monogynia. L.						
1 non scripta. L. en.	Harebells.	Britain.	3. 6.	H.b.	Eng. bot. 377.
<i>nutans.</i> E.B. <i>Hyacinthus non scriptus.</i> L.						
2 cernua. L. en.	flesh-coloured.	Spain.	————	H.b.	Botan. magaz. 1461.
3 campanulata. w.	bell-flowered.	————	1633.	5. 6.	H.b.	———— 128. 1100
4 corymbosa. s.s.	Cape.	C. B. S.	1793.	8. 12.	F.b.	———— 991.
<i>Massonia corymbosa.</i> B.M. <i>Hyacinthus corymbosus.</i> L.						
5 brevifolia. B.M.	short-leaved.	————	1811.	1. 3.	F.b.	Botan. magaz. 1468.
6 sibirica. H.K.	Siberian.	Siberia.	1796.	2. 3.	H.b.	———— 1325.

7	pumila. s.s.	small.	Portugal.	1819.	4. 5.	H.b.	
8	bifolia. w.	two-leaved.	England.	2. 4.	H.b.	Eng. bot. 24.
	<i>α</i> <i>cærulea</i> .	blue-flowered.	—	—	H.b.	
	<i>β</i> <i>alba</i> .	white-flowered.	—	—	H.b.	
9	præcox. w.	early-flowering.	1790.	3. 4.	H.b.	
10	Lilio-hyacinthus. w.	Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. 205.
11	verna. w.	vernal.	Britain.	4. 5.	H.b.	Eng. bot. 23.
12	amœna. w.	nodding.	Levant.	1596.	3. 4.	H.b.	Botan. magaz. 341.
13	umbellata. s.s.	umbel-flower'd.	Pyrenees.	1817.	—	H.b.	
14	italica. s.s.	Italian.	Italy.	1605.	4. 7.	H.b.	Botan. magaz. 663.
15	autumnalis. w.	autumnal.	England.	8.	H.b.	Eng. bot. 78.
16	peruviana. w.	corymbose.	Spain.	1607.	5.	H.b.	Botan. magaz. 749.
	<i>α</i> <i>cærulea</i> .	blue-flowered.	—	—	—	H.b.	
	<i>β</i> <i>alba</i> .	white-flowered.	—	—	—	H.b.	
17	lusitanica. B.M.	Portugal.	Portugal.	1777.	—	H.b.	Botan. magaz. 1999.
18	hyacinthoides. w.	Hyacinth-like.	Madeira.	1585.	8.	H.b.	— 1140.
19	monophylla. l.k.	one-leaved.	Portugal.	5. 6.	H.b.	
20	esculenta. B.M.	Quamash.	N.America.	1811.	5. 7.	H.b.	Botan. magaz. 1574.
HYACINTHUS. S.S.		HYACINTH.	Hexandria Monogynia.	L.			
1	orientalis. w.	common.	Levant.	1596.	3. 5.	H.b.	Botan. regist. 995.
	<i>α</i> <i>cæruleus</i> .	blue-flowered.	—	—	—	H.b.	
	<i>β</i> <i>ruber</i> .	red-flowered.	—	—	—	H.b.	
	<i>γ</i> <i>flavus</i> .	yellow-flowered.	—	—	—	H.b.	
	<i>δ</i> <i>albus</i> .	white-flowered.	—	—	—	H.b.	
	<i>ε</i> <i>semiplenus</i> .	semidouble.	—	—	—	H.b.	
	<i>ζ</i> <i>plenus</i> .	double-flowered.	—	—	—	H.b.	
	<i>η</i> <i>multiplex</i> .	full-flowered.	—	—	—	H.b.	
2	amethystinus. w.	Amethyst-colour'd.	SEurope.	1759.	4. 5.	H.b.	Swt. br. fl. gar. 135.
UROPETALON. B.R.		UROPETALON.	Hexandria Monogynia.	B.R.			
1	viride. B.R.	green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. 203.
	<i>Hyacinthus viridis</i> . L.	<i>Zuccagnia viridis</i> . Th.	<i>Lachenalia viridis</i> . w.				
2	glaucum. B.R.	glaucous-leav'd.	—	1816.	7. 8.	F.b.	Botan. regist. 156.
3	crispum. B.R.	curled-leaved.	—	—	—	F.b.	
4	longifolium. B.R.	long-leaved.	—	1822.	—	F.b.	Botan. regist. 974.
5	serotinum. B.R.	late-flowering.	Spain.	1629.	6. 8.	F.b.	Botan. magaz. 859.
6	fulvum. H.S.L.	tile-red.	Mogador.	1808.	6. 9.	F.b.	— 1185.
	<i>Scilla serotina</i> <i>β</i> . B.M.						
BELLEVALIA. Lap.		BELLEVALIA.	Hexandria Monogynia.				
	<i>romana</i> .	Roman.	Italy.	1596.	5.	H.b.	Botan. magaz. 939.
	<i>operculata</i> . Lap.	<i>Scilla romana</i> . B.M.	<i>Hyacinthus romanus</i> . L.				
MUSCARI. S.S.		GRAPE HYACINTH.	Hexandria Monogynia.	S.S.			
1	moschatum. s.s.	musk.	Levant.	1596.	4. 5.	H.b.	Botan. magaz. 734.
	<i>β</i> <i>flavum</i> . B.M.	yellow.	—	1812.	—	H.b.	— 1565.
2	comosum. s.s.	purple.	S. Europe.	1596.	—	H.b.	— 133.
	<i>β</i> <i>monstrosum</i> .	feathered.	—	—	—	H.b.	Moris. s. 4. t. 11. f. 2.
3	ciliatum. s.s.	ciliated.	Tauria.	1818.	—	H.b.	Botan. regist. 394.
4	pallens. s.s.	pale-flowered.	—	—	—	H.b.	
5	racemosum. s.s.	starch.	Britain.	—	H.b.	Eng. bot. 1391.
	<i>α</i> <i>major</i> .	larger.	—	H.b.	
	<i>β</i> <i>minor</i> .	smaller.	—	H.b.	Botan. magaz. 122.
6	botryoides. s.s.	bunch-flower'd.	Italy.	1596.	—	H.b.	— 157.
	<i>α</i> <i>azureum</i> . B.F.G.	bright-blue.	—	—	—	H.b.	Swt. br. fl. gar. 15. f.a.
	<i>β</i> <i>pallidum</i> . B.F.G.	pale blue.	—	—	—	H.b.	— 15. f.c.
	<i>γ</i> <i>album</i> . B.F.G.	white-flowered.	—	—	—	H.b.	— 15. f.b.
LACHENALIA. W.		LACHENALIA.	Hexandria Monogynia.	W.			
1	pendula. w.	pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.
	<i>α</i> <i>viridifolia</i> .	green-leaved.	—	—	—	F.b.	Botan. magaz. 590.
	<i>β</i> <i>maculata</i> .	spotted-leaved.	—	—	—	F.b.	
2	quadricolor. B.M.	four-coloured.	—	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 388.
	<i>α</i> <i>viridifolia</i> .	green-leaved.	—	—	—	F.b.	Botan. magaz. 588.
	<i>β</i> <i>colorata</i> .	coloured-leaved.	—	—	—	F.b.	— 1097.
3	luteola. Jacq.	yellow-flow'r'd.	—	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.
	<i>α</i> <i>viridifolia</i> .	green-leaved.	—	—	—	F.b.	Botan. magaz. 1020.
	<i>β</i> <i>maculata</i> .	spotted-leaved.	—	—	—	F.b.	— 1704.
4	tricolor. B.M.	three-coloured.	—	—	—	F.b.	— 82.
5	rubida. w.	dotted-flower'd.	—	1803.	9. 10.	F.b.	— 993.
6	punctata. s.s.	spotted-flow'r'd.	—	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.
7	flava. A.R.	bright-yellow.	—	1805.	5. 6.	F.b.	Andr. reposit. 77.
8	isopetala. w.	equal-flowered.	—	1804.	—	F.b.	Jacq. ic. 2. t. 401.

9 sessiliflora. A.R.	sessile-flower'd. C.B.S.	1804.	5. 6.	F.b.	Andr. reposit. 460.
10 unifolia. W.	one-leaved. ———	1795.	3. 4.	F.b.	Botan. magaz. 766.
11 rosea. A.R.	rose-coloured. ———	1800.	4. 5.	F.b.	Andr. reposit. 296.
12 pusilla. W.	dwarf. ———	1825.	—	F.b.	Jacq. ic. 2. t. 385.
13 bifolia. B.M.	cowl-leaved. ———	1813.	3. 4.	F.b.	Botan. magaz. 1611.
14 contaminata. W.	contaminated. ———	1774.	2. 4.	F.b.	————— 1401.
15 purpurea. W.	purple. ———	1819.	4. 5.	F.b.	Jacq. ic. 2. t. 393.
16 violacea. W.	violet. ———	1795.	3. 4.	F.b.	————— 2. t. 394.
17 lucida. B.M.	glossy-leaved. ———	1798.	3. 5.	F.b.	Botan. magaz. 1372.
18 racemosa. B.M.	racemed. ———	1811.	5.	F.b.	————— 1517.
19 fragrans. W.	sweet-scented. ———	1798.	3. 5.	F.b.	Jacq. schön. 1. t. 82.
20 unicolor. B.M.	self-coloured. ———	1806.	5. 6.	F.b.	Botan. magaz. 1373.
21 anguinea. B.F.G.	snake. ———	1825.	4. 5.	F.b.	Swt. br. fl. gar. 178.
22 purpureo-cœrulea.	purple-blue. ———	1798.	—	F.b.	Botan. magaz. 745.
23 pustulata. W.	blistered. ———	1790.	1. 4.	F.b.	————— 817.
24 liliiflora. W.	Lily-flowered. ———	1820.	4. 6.	F.b.	Jacq. ic. 2. t. 387.
25 patula. W.	spreading-fl'd. ———	1795.	4. 5.	F.b.	————— 2. t. 384.
26 nervosa. B.M.	nerved-leaved. ———	1810.	6.	F.b.	Botan. magaz. 1497.
27 angustifolia. W.	narrow-leaved. ———	1793.	4. 5.	F.b.	————— 735.
28 hyacinthoides. W.	Hyacinth-fl'd. ———	1812.	3. 4.	F.b.	Jacq. ic. 2. t. 382.
29 pallida. W.	pale-flowered. ———	1782.	—	F.b.	Botan. regist. 314.
30 mutabilis. B.F.G.	changeable. ———	1825.	2. 5.	F.b.	Swt. br. fl. gar. ic.
31 orchoides. W.	Orchis-like. ———	1752.	2. 4.	F.b.	Botan. magaz. 1269.
32 glaucina. W.	sea-green. ———	1795.	3. 4.	F.b.	Jacq. ic. 2. t. 391.
DRIMIA. S.S.	DRIMIA. Hexandria Monogynia. S.S.				
1 revoluta. H.S.L.	revolute-fl'd. C.B.S.	1774.	8. 10.	F.b.	Botan. magaz. 1380.
lanceæfolia β. B.M.	<i>Hyacinthus revolutus</i> . H.K. <i>Lachenalia reflexa</i> . A.R. 187.				
2 lanceæfolia. B.M.	lance-leaved. ———	1800.	9. 10.	F.b.	Botan. magaz. 643.
Lachenalia lanceæfolia. B.M.					
3 undulata. s.s.	wave-leaved. ———	1825.	8. 10.	F.b.	Jacq. ic. 2. t. 376.
4 purpurascens. s.s.	purplish. ———	—	—	F.b.	
5 ciliaris. s.s.	ciliated. ———	—	F.b.	Botan. magaz. 1444.
6 pusilla. s.s.	dwarf. ———	1793.	5. 6.	F.b.	Jacq. ic. 2. t. 374.
7 media. s.s.	semicylindrical-ld. ———	1818.	7. 8.	F.b.	Jacq. ic. 2. t. 375.
8 elata. s.s.	tall. ———	1799.	10. 11.	F.b.	Botan. magaz. 822.
9 altissima. s.s.	tallest. ———	1791.	8. 9.	F.b.	————— 1074.
ERIOSPERMUM. W.	ERIOSPERMUM. Hexandria Monogynia. W.				
1 parvifolium. s.s.	small-leaved. C.B.S.	1795.	6. 8.	F.b.	Jacq. ic. 2. t. 422.
2 latifolium. s.s.	broad-leaved. ———	1800.	—	F.b.	————— 2. t. 420.
3 Bellendeni.	Mr. Ker's. ———	—	—	F.b.	Botan. magaz. 1382.
latifolium α. B.M. non Jacq.					
4 lanceæfolium. s.s.	lance-leaved. ———	1795.	—	F.b.	Jacq. ic. 2. t. 421.
5 pubescens. s.s.	pubescent. ———	1820.	—	F.b.	Botan. regist. 578.
6 lanuginosum. s.s.	woolly-leaved. ———	—	—	F.b.	Jacq. schön. 3. t. 2653.
7 folioliferum. B.M.	leaflet-bearing. ———	1806.	—	F.b.	Andr. reposit. 521.
8 paradoxicum. B.M.	paradoxical. ———	1820.	—	F.b.	Jacq. col. sup. 81. t. 11.
MASSONIA. S.S.	MASSONIA. Hexandria Monogynia. W.				
1 grandiflora. B.R.	honey-bearing. C.B.S.	1825.	1. 4.	F.b.	Botan. regist. 958.
2 candida. Burch.	white-flowered. ———	1816.	2. 5.	F.b.	————— 694.
longifolia β. candida. B.R.					
3 longifolia. s.s.	long-leaved. ———	—	—	F.b.	
4 latifolia. s.s.	broad-leaved. ———	1775.	3. 4.	F.b.	Botan. magaz. 848.
5 cordata. s.s.	heart-leaved. ———	1820.	—	F.b.	
6 muricata. s.s.	prickly-leaved. ———	1790.	4. 5.	F.b.	Botan. magaz. 559.
7 scabra. H.K.	shagreen-ld. ———	—	1. 4.	F.b.	Andr. reposit. 220.
pustulata. B.M. 642.					
8 echinata. s.s.	rough-leaved. ———	—	5.	F.b.	
9 pauciflora. s.s.	few-flowered. ———	—	—	F.b.	
10 angustifolia. s.s.	narrow-leaved. ———	1775.	3. 4.	F.b.	Botan. magaz. 736.
11 undulata. s.s.	wave-leaved. ———	1791.	4.	F.b.	
12 ensifolia. s.s.	trumpet-fl'd. ———	1790.	9. 2.	F.b.	Botan. magaz. 554.
violacea. A.R. 46.	<i>Agapanthus ensifolius</i> . W. <i>Hyacinthus bifolius</i> . Cav.				
EUCOMIS. S.S.	EUCOMIS. Hexandria Monogynia. W.				
1 nana. s.s.	dwarf. C.B.S.	1774.	5.	F.b.	Botan. magaz. 1495.
2 bifolia. s.s.	two-leaved. ———	1792.	4. 5.	F.b.	————— 840.
3 purpureocaulis. s.s.	purple-stalked. ———	1794.	3. 4.	F.b.	Andr. reposit. 369.
4 regia. s.s.	tongue-leaved. ———	1702.	3. 5.	F.b.	Dill. elth. t. 92. f. 1003.
5 undulata. s.s.	wave-leaved. ———	1760.	—	F.b.	Botan. magaz. 1083.
6 punctata. s.s.	spotted. ———	1783.	7.	F.b.	————— 913.
7 striata. H.K.	streaked. ———	1790.	6. 12.	F.b.	————— 1539.

ALLIUM. L.		GARLIC. Hexandria Monogynia. L.					
1	sativum. G.D.	common.	Sicily.	1548.	6. 7.	H.b.	Lobel. ic. t. 158.
2	Ophioscorodon. G.D.	Rocambole.	Crete.	1596.	8.	H.b.	Clus. his. p. 191. t. 210.
3	contraversum. G.D.	simple-rooted.	Egypt.	1823.	—	H.b.	Cord. hist. p. 144. f. 1.
<i>Ophioscorodon. L. en.</i>							
4	arenarium. G.D.	sand.	Britain.	6. 8.	H.b.	Eng. bot. 1358.
5	Scorodoprasum. G.D.	wild Rocambole.	Denmark.	1596.	7.	H.b.	Flor. dan. t. 219. et 1455.
6	littoreum. G.D.	Italian sand.	Italy.	1824.	8.	H.b.	
<i>monspessulanum. W.</i>							
7	vineale. G.D.	Crow.	Britain.	6. 8.	H.b.	Eng. bot. 1974.
8	pruinatum. G.D.	frosted.	Spain.	1819.	—	H.b.	
9	compactum. G.D.	two-headed crow.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f. 3.
10	Purshii. G.D.	Pursh's crow.	N. America.	1824.	—	H.b.	
<i>vineale. Ph. nec aliorum.</i>							
11	carneum. G.D.	blush-coloured.	France.	1816.	6. 7.	H.b.	
12	prolifera. G.D.	tree Onion.	Egypt.	7.	H.b.	Botan. magaz. 1469.
<i>Cepa bulbifera. B.M.</i>							
13	Porrum. G.D.	Leek.	Switzerland.	1562.	5. 7.	H.b.	Plenck. ic. t. 421.
14	Ampeloprasum. G.D.	blue Leek.	England.	7. 8.	H.b.	Eng. bot. 1657.
15	rubicundum. G.D.	marbled leek.	C. B. S.	—	F.b.	Botan. magaz. 1560.
<i>ampeloprasum β. B.M.</i>							
16	erectum. G.D.	upright leek.	—	1824.	—	F.b.	
17	exsertum. G.D.	long-stamen'd.	Russia.	1819.	7.	H.b.	
18	pedemontanum. G.D.	Piedmont.	Piedmont.	1820.	6. 7.	H.b.	Allion. ped. t. 254.
<i>nigrum. All.</i>							
19	rotundum. G.D.	round headed.	S. Europe.	1819.	—	H.b.	Clus. hist. p. 195. t. 220.
<i>β majus. G.D.</i>		pale flowered.	—	1818.	—	H.b.	Flor. græc. t. 312.
<i>Ampeloprasum. F.G.</i>							
20	acutiflorum. G.D.	sharp-flower'd.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f. 4.
21	lineare. G.D.	linear-leaved.	Siberia.	1819.	—	H.b.	Gmel. sib. 1. t. 13 et 14. f. 1.
22	descendens. G.D.	early flowering.	Switzerland.	1766.	6.	H.b.	Hall. all. p. 355. f. 2.
23	sphærocephalon. G.D.	late-flowered.	Germany.	1759.	7.	H.b.	Botan. magaz. 1764.
24	Synnotii. G.D.	Synnot's.	C. B. S.	1825.	6. 7.	F.b.	
25	ascalonicum. G.D.	Shallot.	Palestine.	1548.	6. 7.	H.b.	Moris. sect. 4. t. 14. f. 4.
<i>β chinense. G.D.</i>		Chinese Shallot.	China.	—	H.b.	
<i>γ majus. G.D.</i>		Scallion.	Asia minor.	—	H.b.	Matt. opus. p. 420. ic.
<i>Cepa fissilis. Matt.</i>							
26	Cepa. G.D.	Onion.	6.	H. ♂. b.	Flor. græc. t. 326.
<i>β aggregatum. G.D.</i>		Potatoe Onion.	—	H.b.	
27	Schoenoprasum. G.D.	Chives.	Britain.	5. 6.	H.b.	Eng. bot. 2438.
28	foliosum. G.D.	leafy Chives.	France.	1820.	—	H.b.	Redout. lil. 4. t. 214.
29	sibiricum. G.D.	Siberian Chives.	Siberia.	1778.	6. 8.	H.b.	Botan. magaz. 1141.
30	fistulosum. G.D.	Welsh Onion.	—	1629.	4. 5.	H. ♂. b.	— 1230.
<i>β majus. G.D.</i>		Altaic.	Altay.	1823.	—	H.b.	
31	obliquum. G.D.	oblique-leaved.	Siberia.	1759.	6. 7.	H.b.	Botan. magaz. 1408.
32	ramosum. G.D.	branching Chives.	—	1824.	6.	H.b.	
33	Pallasii. G.D.	Pallas's Chives.	Russia.	—	H.b.	Murr. c. got. 6. 1775. t. 3.
34	pusillum. G.D.	small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. ic.
35	oxypetalum. G.D.	acute-petal'd.	Switzerland.	1822.	7.	H.b.	
36	oleraceum. G.D.	purple-striped.	England.	7.	H.b.	Eng. bot. 488.
37	carinatum. G.D.	keeled.	—	5. 6.	H.b.	— 1658.
38	foetidum. G.D.	twisted.	Siberia.	1823.	—	H.b.	
39	violaceum. G.D.	violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
<i>flexum. W.K.</i>							
40	flexuosum. G.D.	flexuose.	Greece.	1826.	—	F.b.	
41	fuscum. G.D.	brown.	Hungary.	1823.	—	H.b.	W. et K. hung. ic.
42	asperum. G.D.	rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.
<i>carinatum. D.C. nec aliorum.</i>							
43	longispathum. G.D.	long-spated.	—	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
<i>pallens. B.M. 1420.</i>							
44	paniculatum. G.D.	panicked.	—	1780.	—	H.b.	Botan. magaz. 1432.
45	pallens. G.D.	pale-flowered.	—	1779.	—	H.b.	Redout. lil. 5. t. 272.
46	parviflorum. G.D.	small-flowered.	—	1781.	—	H.b.	
47	pulchellum. G.D.	beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
<i>paniculatum. R.L. coloratum. s.s.</i>							
48	flavum. G.D.	yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Botan. magaz. 1330.
49	caucaseum. G.D.	Caucasian.	Caucasus.	1810.	—	H.b.	— 973.
50	rupestre. G.D.	small Caucasian.	—	1824.	—	H.b.	
51	montanum. G.D.	mountain.	Greece.	—	—	H.b.	

52	saxatile. G.D.	rock.	Caucasus.	1825.	6. 7.	H.b.	
53	globosum. G.D.	globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
54	moschatum. G.D.	small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
	setaceum. W.K.						
55	strictum. G.D.	upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
56	nutans. G.D.	great nodding.	————	1785.	7. 8.	H.b.	Botan. magaz. 1143.
57	senescens. G.D.	Narcissus-ld.	————	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
58	Andersonii. G.D.	Anderson's.	————	1819.	—	H.b.	
59	hybridum. G.D.	bastard.	Germany.	—	—	H.b.	
60	glaucum. G.D.	glaucous.	————	1596.	6. 7.	H.b.	Botan. magaz. 1150.
	senescens. B.M. non L.	baicalense. W.en.					
61	angulosum. G.D.	angular-stalk'd.	————	1739.	6. 7.	H.b.	Botan. magaz. 1149.
62	acutangulum. G.D.	acute-angled.	————	1816.	—	H.b.	Ger. emac. p. 186. ic.
63	danubiale. G.D.	short-leaved.	————	—	—	H.b.	
64	laxum. G.D.	loose umbelled.	Russia.	1824.	—	H.b.	
65	serotinum. G.D.	late-flowering.	Switzerland.	—	8.	H.b.	
66	albidum. G.D.	whitish-flow'r'd.	Caucasus.	1823.	6. 8.	H.b.	
67	denudatum. G.D.	half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
68	rubens. G.D.	red-rooted.	S. Europe.	1805.	5.	H.b.	Botan. magaz. 1318.
	bisulcum. B.M.						
69	prostratum. G.D.	small trailing.	Siberia.	6.	H.b.	
70	congestum. G.D.	crowded-fl'd.	————	6.	H.b.	
71	narcissiflorum. G.D.	large-flowered.	France.	1818.	—	H.b.	Vill. dauph. 2. t. 6.
72	suaveolens. G.D.	sweet-scented.	————	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
73	ochroleucum. G.D.	cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
74	cernuum. G.D.	drooping.	N. America.	1806.	6. 7.	H.b.	Botan. magaz. 1325.
75	stellatum. G.D.	starry-flower'd.	————	1811.	—	H.b.	———— 1576.
76	reticulatum. G.D.	net-rooted.	————	—	7.	H.b.	———— 1840.
77	carolinianum. G.D.	Carolina.	————	1819.	—	H.b.	Redout. lil. 2. t. 101.
78	paradoxum. G.D.	paradoxical.	Siberia.	1823.	4.	H.b.	
79	canadense. G.D.	Canadian.	N. America.	1739.	6. 7.	H.b.	Kalm. it. v. 3. p. 79.
80	mutabile. G.D.	changeable.	————	7.	H.b.	Redout. lil. 4. t. 240.
81	magicum. G.D.	broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
82	palustre. G.D.	marsh.	————	1823.	—	H.b.	
83	incarnatum. G.D.	flesh-coloured.	Greece.	5.	H.b.	Botan. magaz. 978.
84	amœnum. G.D.	fine red-fl'd.	Italy.	1820.	—	H.b.	Ten. fl. nap. t. 28.
	carneum. Best.						
85	roseum. G.D.	rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 213.
86	subhirsutum. G.D.	hairy.	S. Europe.	1596.	—	H.b.	Cyr. pl. r. nap. 2. t. 3.
	β obtusum.	blunt-flowered.	————	—	—	H.b.	Botan. magaz. 774.
87	Clusianum. G.D.	Clusius's.	————	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
88	Chamæ-Moly. G.D.	dwarf-Moly.	————	1774.	2. 4.	F.b.	Botan. magaz. 1203.
89	majale. G.D.	large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
90	Cowani. G.D.	Cowan's.	Chili.	1824.	5.	F.b.	Botan. regist. 758.
91	neapolitanum. G.D.	Neapolitan.	Italy.	—	4. 5.	H.b.	Swt. br. fl. gar. ic.
	album. Bivon.						
92	triquetrum. G.D.	triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Botan. magaz. 869.
93	pendulinum. G.D.	pendulous Italian.	Italy.	1824.	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
94	nigrum. G.D.	black.	S. Europe.	1596.	6.	H.b.	Botan. magaz. 1148.
	magicum. B.M.						
	β rubescens.	pale red-flow'r'd.	Greece.	—	H.b.	Flor. græc. t. 323.
95	Moly. G.D.	large yellow.	S. Europe.	1604.	—	H.b.	Botan. magaz. 499.
96	tricoccum. G.D.	three-seeded.	N. America.	1770.	7.	H.b.	
97	ursinum. G.D.	sharp-fl'd. Ramson.	Britain.	4. 5.	H.b.	Eng. bot. 122.
98	ursinoides. G.D.	blunt fl'd. Ramson.	Europe.	—	H.b.	Redout. lil. 6. t. 303.
99	Victoralis. G.D.	long-rooted.	Austria.	1739.	5.	H.b.	Botan. magaz. 1222.
100	odorum. G.D.	sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
	tataricum. B.M. 1142.						
101	inodorum. B.M.	fragrant.	Carolina.	1776.	3. 4.	H.b.	Botan. magaz. 1129.
	fragrans. Vent. cels. t. 26.	gracile. W.					
102	striatum. G.D.	striated.	America.	1800.	5. 6.	H.b.	Bot. mag. 1524 & 1035.
	Ornithogalum gramineum. B.M. 2419.						
103	caspium. G.D.	Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
	Amaryllis caspica. W.	Crinum caspicum. Pal.					
SOWERBÆA. B.P.	SOWERBÆA.	Hexandria Monogynia. S.S.					
juncea. B.P.	Rush-leaved.	N. S. W.	1792.	5. 7.	G. 4.		Botan. magaz. 1104.
LAXMANNIA. B.P.	LAXMANNIA.	Hexandria Monogynia. S.S.					
gracilis. B.P.	slender.	N. S. W.	1822.	5. 7.	G. 4.		
APHYLLANTHES. L.	LILY PINK.	Hexandria Monogynia.					
monspeiliensis. L.	Rush-like.	France.	1791.	6. 7.	H. 4.		Botan. magaz. 1132.

423

THYANOTUS. B.P.		THYANOTUS.		Hexandria Monogynia. S.S.		
1	tuberosus. B.P.	tuberos-root'd.	N. S. W.	1822.	7. 9.	G. 4.
2	elator. B.P.	tall.	—	—	—	G. 4.
3	isantherus. B.P.	equal-anther'd.	V. Diem. Isl.	—	—	G. 4.
4	juncus. B.P.	rush-like.	N. S. W.	—	—	G. 4.
<i>Chlamysporum juncifolium.</i> P.L. 103.						
CYANELLA. L.		CYANELLA.		Hexandria Monogynia. L.		
1	alba. s.s.	1-flower'd white.	C. B. S.	1825.	4. 6.	F.b.
2	lutea. s.s.	yellow-flower'd.	—	1788.	5. 12.	F.b.
3	orchidiformis. s.s.	Orchis-like.	—	1825.	4. 8.	F.b.
4	lineata. B.T.	lined.	—	1816.	—	F.b.
5	capensis. s.s.	purple-flower'd.	—	1768.	—	F.b.
CONANTHERA. R.P.		CONANTHERA.		Hexandria Monogynia. P.S.		
1	bifolia. R.P.	two-leaved.	Chili.	1823.	3. 5.	F.b.
2	Simsii.	Sims's.	—	—	—	F.b.
<i>bifolia.</i> B.M. non R.P.						
3	campanulata. H.E.F.	bell-flowered.	—	—	4. 6.	F.b.
DIANELLA. B.P.		DIANELLA.		Hexandria Monogynia. W.		
1	ensifolia. B.M.	whitish-fl'd.	E. Indies.	1731.	8.	S. 4.
<i>Dracena ensifolia.</i> H.K.						
2	nemorosa. Lam.	blue Indian.	—	—	6. 8.	S. 4.
3	cœrulea. B.P.	rough edged.	N. S. W.	1783.	5. 8.	F. 4.
4	longifolia. B.P.	long-leaved.	—	1820.	—	F. 4.
5	lævis. B.P.	smooth-leaved.	—	1823.	—	F. 4.
6	revoluta. B.P.	revolute-margin'd.	—	1822.	—	F. 4.
7	divaricata. B.P.	divaricated.	N. Holland.	1805.	7. 8.	G. 4.
8	strumosa. B.R.	strumous.	—	1822.	5. 8.	G. 4.
LUZURIAGA. B.P.		LUZURIAGA.		Hexandria Monogynia. S.S.		
1	cymosa. B.P.	cymose.	N. S. W.	1820.	4. 6.	G. 4.
2	montana. B.P.	mountain.	—	1823.	—	G. 4.
EUSTREPHUS. B.P.		EUSTREPHUS.		Hexandria Monogynia. S.S.		
1	latifolius. B.P.	broadest-leav'd.	N. S. W.	1800.	6. 9.	G. 4.
2	angustifolius. B.P.	narrow-leaved.	N. Holland.	1816.	—	G. 4.
MYRSIPHYLLUM. S.S.		MYRSIPHYLLUM.		Hexandria Trigynia. S.S.		
1	asparagoides. s.s.	broadest-leav'd.	C. B. S.	1702.	10. 3.	G. 4.
<i>Medeola asparagoides.</i> L.						
2	angustifolium. s.s.	narrow-leaved.	—	1752.	12. 3.	G. 4.
ASPARAGUS. L.		ASPARAGUS.		Hexandria Monogynia. L.		
1	amarus. s.s.	bitter.	S. France.	1820.	6. 8.	H. 4.
2	officinalis. s.s.	common.	England.	—	—	H. 4.
3	sylvaticus. s.s.	wood.	Hungary.	—	—	H. 4.
4	declinatus. s.s.	long-leaved.	C. B. S.	1759.	—	F. 4.
5	decumbens. s.s.	decumbent.	—	1792.	5.	F. 4.
6	flexuosus. s.s.	flexuose.	—	—	7. 8.	F. 4.
7	dauricus. s.s.	Daurian.	Dauria.	1819.	6. 8.	H. 4.
8	maritimus. s.s.	sea-side.	Siberia.	1820.	—	H. 4.
9	verticillaris. s.s.	whorl-leaved.	Caucasus.	1752.	—	H. 4.
10	acutifolius. s.s.	needle-leaved.	Spain.	1640.	—	H. 4.
11	racemosus. s.s.	branching.	E. Indies.	1808.	—	S. 4.
12	sarmentosus. s.s.	linear-leaved.	Ceylon.	1710.	8.	S. 4.
13	falcatus. s.s.	sickle-leaved.	E. Indies.	1792.	—	S. 4.
14	retrofractus. s.s.	Larch-leaved.	Africa.	1759.	8. 9.	G. 4.
15	capensis. s.s.	Cape.	C. B. S.	1691.	4. 5.	G. 4.
16	æthiopicus. w.	angular-stalk'd.	—	1816.	—	G. 4.
17	scandens. w.	climbing.	—	1795.	5. 6.	G. 4.
18	asiaticus. s.s.	Asiatic.	Asia.	1759.	—	G. 4.
19	subulatus. s.s.	awl-leaved.	C. B. S.	1811.	—	G. 4.
20	albus. s.s.	white.	Spain.	1540.	5. 7.	F. 4.
21	aphyllus. s.s.	prickly.	S. Europe.	1640.	—	F. 4.
22	horridus. s.s.	long-spined.	—	1819.	—	F. 4.
23	Broussoneti. L.en.	Broussonet's.	Canaries.	1815.	—	

DRACÆNA. W.

- 1 Draco. s.s.
- 2 ensifolia. H.S.
- 3 indivisa. s.s.
- 4 australis. s.s.
- 5 stricta. R.R.
- 6 congesta.
- 7 arborea. s.s.
- 8 fragrans. s.s.
- 9 ferrea. L.
- 10 terminalis. w.
- 11 umbraculifera. s.s.
- 12 cernua. s.s.
- 13 tessellata. s.s.

marginata. P.S.

- 14 mauritiana. s.s.
- 15 undulata. s.s.
- 16 ovata. B.M.
- 17 nodosa. L.C.
- 18 reflexa. s.s.

CORDYLINE. B.P.

hemichrysa. P.S.

PHORMIUM. W.

tenax. w.

XANTHORRHEA. B.P.

- 1 australis. B.P.
- 2 hostile. B.P.
- 3 media. B.P.
- 4 minor. B.P.
- 5 bracteata. B.P.

DRAGON-TREE. Hexandria Monogynia. L.

- | | | | | | |
|------------------|-------------|-------|-------|-------|--|
| common. | E. Indies. | 1640. | | S. h. | |
| sword-leaved. | | 1800. | | S. h. | |
| undivided. | N. Zealand. | 1819. | | G. h. | |
| Forster's. | | | | G. h. | |
| loose-panicled. | N. Holland. | 1821. | 3. 5. | S. h. | |
| crowded-panicld. | | | | S. h. | |
| tree. | Africa. | 1810. | | S. h. | |
| fragrant. | | 1768. | 2. 5. | S. h. | |
| dark-purple. | China. | 1771. | 3. 4. | S. h. | |
| red-leaved. | India. | 1812. | | S. h. | |
| umbrella. | Mauritius. | 1788. | 4. 6. | S. h. | |
| drooping. | | | | S. h. | |
| red-margined. | Madagascar. | 1816. | | S. h. | |

Blackw. t. 358.

Botan. regist. 956.

Botan. magaz. 1081.

Redout. lil. 91.

Rumph. amb. 4. t. 34. f. 11.

Lodd. bot. cab. 289.

Jacq. schœn. 1. t. 96.

- | | | | | | |
|----------------|--------------|-------|-------|-------|--|
| Mauritius. | Mauritius. | | | S. h. | |
| wave-leaved. | C. B. S. | | | G. h. | |
| oval-leaved. | Sierra Leon. | 1790. | 8. 9. | S. h. | |
| knotted. | | 1822. | | S. h. | |
| reflex-leaved. | Madagascar. | 1816. | | S. h. | |

Botan. magaz. 1180.

CORDYLINE. Hexandria Monogynia.

- | | | | | | |
|----------------|----------|-------|------|-------|--|
| golden-leaved. | Bourbon. | 1823. | | S. h. | |
|----------------|----------|-------|------|-------|--|

FLAX-LILY. Hexandria Monogynia. W.

- | | | | | | |
|--------------|-------------|-------|----|-------|--|
| Iris-leaved. | N. Zealand. | 1788. | 8. | F. 4. | |
|--------------|-------------|-------|----|-------|--|

Cook. it. v. 2. t. 96.

GUM-TREE. Hexandria Monogynia. S.S.

- | | | | | | |
|---------------|---------------|-------|-------|-------|--|
| southern. | V. Diem. Isl. | 1820. | | F. h. | |
| yellow gum. | N. S. W. | 1803. | 4. 5. | F. h. | |
| intermediate. | | 1819. | | F. h. | |
| small. | | 1804. | | F. 4. | |
| long-bracted. | | 1810. | 4. 5. | F. 4. | |

ORDO CLXXXVI.

BROMELIACEÆ. Juss. gen. 49.

AGAVE. L.

- 1 americana. H.S.
- 2 Milleri. H.S.
- 3 flaccida. H.S.
- 4 lurida. B.M.
- 5 angustifolia. H.S.
- 6 yuccæfolia. H.S.S.
- 7 mexicana. H.S.S.
- 8 Karatto. H.S.
- 9 vivipara. H.S.
- 10 polyacantha. H.R.
- 11 virginica. H.S.

FURCRÆA. V.

- 1 gigantea.
- Agave foetida. W.*
- 2 tuberosa. H.K.
- 3 cubensis. H.S.
- 4 rigida. H.S.
- 5 australis. H.S.
- 6 madagascariensis. H.
- 7 cantala. H.S.S.

LITTÆA. H.S.S.

- geminiflora. H.S.S.
- Agave geminiflora. Ker.*

BROMELIA. L.

- 1 Ananas. s.s.
- 2 semiserrata. s.s.
- 3 lucida. w.en.
- 4 lingulata. s.s.

AGAVE. Hexandria Monogynia. L.

- | | | | | | |
|-----------------|-------------|-------|--------|----------|---------------------|
| large American. | S. America. | 1640. | 8. 10. | D. G. 4. | Andr. reposit. 438. |
| Miller's. | | 1768. | | D. G. 4. | |
| flaccid. | | 1790. | | D. S. 4. | |
| Vera Cruz. | Vera Cruz. | 1731. | 6. 7. | D. S. 4. | Botan. magaz. 1522. |
| narrow-leaved. | St. Helena. | 1770. | | D. S. 4. | |
| Yucca-leaved. | | 1817. | | D. S. 4. | |
| Mexican. | Mexico. | 1818. | | D. G. 4. | |
| Karatto. | S. America. | 1768. | | D. S. 4. | |
| viviparous. | | 1731. | 8. 10. | D. S. 4. | Comm. præl. t. 15. |
| black spined. | | 1800. | | D. S. 4. | |
| Virginian. | N. America. | 1765. | 9. | F. 4. | Botan. magaz. 1157. |

FURCRÆA. Hexandria Monogynia. H.S.

- | | | | | | |
|----------------|-------------|-------|-------|----------|----------------------------|
| gigantic. | S. America. | 1690. | 9. 1. | D. S. h. | DC. plant. gras. 126. |
| tuberos. | | 1739. | 8. 9. | D. S. h. | |
| Cuba. | | | | D. S. h. | Jacq. amer. t. 260. f. 22. |
| Vera Cruz. | | 1768. | | D. S. h. | |
| entire-leaved. | | 1811. | | D. S. 4. | |
| Madagascar. | Madagascar. | 1818. | | D. S. 4. | |
| Canton. | China. | | | D. G. 4. | |

LITTÆA. Hexandria Monogynia. H.S.S.

- | | | | | | |
|----------------|-------------|-------|------|-------|---------------------------|
| twin-flowered. | S. America. | 1810. | | S. h. | Journ. of sc. n. 3. t. 1. |
|----------------|-------------|-------|------|-------|---------------------------|

Buonaparte juncea. H.S. nec aliorum.

PINE-APPLE. Hexandria Monogynia. L.

- | | | | | | |
|-----------------|-------------|-------|--------|-------|------------------------|
| common. | S. America. | 1690. | 1. 12. | S. 4. | Botan. magaz. 1554. |
| semiserrate. | | | | S. 4. | |
| shining-leaved. | | | | S. 4. | |
| tongue-leaved. | | 1759. | 5. 6. | S. h. | Plum. ic. t. 64. f. 1. |

5	bracteata. s.s.	red-bracted.	Jamaica.	1785.	9. 10.	S. ½.	Sal. par. lond. 40.
6	fastuosa. L.col.	noble.	S. America.	1815.	8. 10.	S. ½.	Lind. coll. t. 1.
7	melanantha. B.R.	black-flowered.	Trinidad.	1823.	5. 7.	S. ¼.	Botan. regist. 766.
8	nudicaulis. B.R.	naked-stalked.	S. America.	2. 3.	S. ½.	————— 203.
9	Hookeri.	Hooker's.	Trinidad.	1822.	4. 6.	S. ¼.	Hook. ex. flor. 143.
	<i>nudicaulis</i> . H.E.F. non B.R.						
10	Karatas. s.s.	upright-leaved.	W. Indies.	1739.	S. ½.	Jacq. vind. 1. t. 31. 32.
11	humilis. s.s.	dwarf.	—————	1789.	3.	S. ¼.	Jacq. ic. 1. t. 60.
12	pallida. B.R.	pale.	S. America.	1810.	6. 11.	S. ¼.	Botan. regist. 344.
13	Pinguin. s.s.	broad-leaved.	W. Indies.	1699.	3. 4.	S. ½.	Jacq. am. ed. pict. t. 91.
14	chrysantha. s.s.	yellow-flow'r'd.	S. America.	1820.	—	S. ½.	Jacq. schoen. 1. t. 55.
15	exudans. B.C.	clammy.	—————	1816.	—	S. ¼.	Lodd. bot. cab. 801.
16	paniculigera. s.s.	panicked.	W. Indies.	1822.	—	S. ¼.	
17	sylvestris. s.s.	wild.	S. America.	1820.	7. 8.	S. ¼.	Botan. magaz. 2392.
18	Acanga. s.s.	recurved.	—————	1824.	S. ¼.	Pis. bras. t. 91.
19	sessiliflora. L.C.	sessile-flow'r'd.	—————	—	S. ¼.	
GUZMANNIA. R.P.		GUZMANNIA.	Hexandria Monogynia.	S.S.			
	tricolor. R.P.	three-coloured.	S. America.	1818.	5. 6.	S. ¼.	Lind. coll. bot. 8.
PITCAIRNIA. S.S.		PITCAIRNIA.	Hexandria Monogynia.	L.			
1	staminea. s.s.	long-stamen'd.	S. America.	1823.	1. 3.	S. ¼.	Botan. magaz. 2411.
2	integrifolia. s.s.	entire-leaved.	W. Indies.	1800.	8.	S. ¼.	————— 1462.
3	latifolia. s.s.	broad-leaved.	—————	1785.	8. 9.	S. ¼.	————— 856.
4	bracteata. R.L.	large bract'd. red.	—————	1799.	4. 5.	S. ¼.	Redout. lil. 73. 74.
5	sulphurea. A.R.	yellow-flow'r'd.	—————	1797.	6. 8.	S. ¼.	Andr. reposit. 249.
	<i>bracteata</i> β <i>sulphurea</i> . B.M. 1416.						
6	albiflos. B.M.	white-flowered.	Brazil.	1824.	9. 12.	S. ¼.	Botan. magaz. 2642.
7	bromeliæfolia. s.s.	Pine-apple-ld.	Jamaica.	1781.	6. 8.	S. ¼.	————— 824.
8	angustifolia. s.s.	narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. ¼.	————— 1547.
9	furfuracea. B.M.	mealy.	S. America.	1818.	7. 9.	S. ¼.	————— 2657.
10	media. L.C.	intermediate.	—————	1823.	—	S. ¼.	
11	iridiflora. L.C.	Iris-flowered.	—————	—	—	S. ¼.	
12	humilis. L.C.	dwarf.	—————	—	—	S. ¼.	
POURRETIA. R.P.		POURRETIA.	Hexandria Monogynia.	S.S.			
1	pyramidata. K.S.	pyramidal.	S. America.	1822.	4. 6.	S. ¼.	Flor. Peruv. 3. t. 257.
2	coarctata. R.P.	crowded-spik'd.	Chili.	—	S. ¼.	Feuil. per. 3. t. 39.
TILLANDSIA. L.		TILLANDSIA.	Hexandria Monogynia.	L.			
1	Bartramii. s.s.	Bartram's.	Carolina.	1825.	S. ¼.	
2	recurvata. s.s.	recurve-leaved.	Jamaica.	1793.	7.	S. ¼.	Sloan. jam. 1. t. 121. f. 1.
3	xiphioides. B.R.	Xiphium-like.	Buenos Ayres.	1815.	—	S. ¼.	Botan. regist. 105.
4	serrata. s.s.	saw-leaved.	Jamaica.	1793.	6. 7.	S. ¼.	Plum. ic. 63. t. 75. f. 1.
5	lingulata. s.s.	tongue-leaved.	—————	1776.	—	S. ¼.	Jacq. amer. t. 62.
6	setacea. s.s.	bristle-leaved.	—————	1822.	—	S. ¼.	
7	stricta. s.s.	stiff-leaved.	Brazil.	1810.	11.	S. ¼.	Botan. magaz. 1529.
8	bulbosa. H.E.F.	bulbous.	Trinidad.	1823.	8. 9.	S. ¼.	Hook. ex. flor. 173.
9	aloifolia. H.E.F.	Aloe-leaved.	—————	1824.	11. 12.	S. ¼.	————— 205.
10	pulchra. H.E.F.	pretty.	—————	1822.	10. 11.	S. ¼.	————— 154.
11	anceps. B.C.	two-edged.	W. Indies.	1819.	7.	S. ¼.	Lodd. bot. cab. 771.
12	utriculata. s.s.	bottle.	S. America.	1793.	7. 8.	S. ¼.	
13	tenuifolia. s.s.	slender-leaved.	W. Indies.	1822.	—	S. ¼.	Plum. ic. 232. f. 2.
14	acutifolia. L.en.	acute-leaved.	Brazil.	1815.	—	S. ¼.	Botan. regist. 749.
	<i>flexuosa</i> β <i>pallida</i> . B.R.						
15	flexuosa. s.s.	flexuose.	W. Indies.	1790.	—	S. ¼.	Jacq. amer. t. 63.
16	nutans. s.s.	nodding-spik'd.	—————	1793.	—	S. ¼.	
17	fasciculata. s.s.	bundled.	—————	1822.	—	S. ¼.	
18	nitida. H.E.F.	shining broad-ld.	Jamaica.	1823.	11. 12.	S. ¼.	Hook. ex. flor. 218.
19	polystachya. s.s.	many-spiked.	W. Indies.	1820.	7. 9.	S. ¼.	
20	angustifolia. s.s.	narrow-leaved.	—————	1822.	—	S. ¼.	
21	paniculata. s.s.	panicked.	—————	1817.	—	S. ¼.	Plum. ic. 237.
22	coarctata. G.C.	crowded.	—————	1822.	S. ¼.	
23	compressa. G.C.	compressed.	—————	—	S. ¼.	
24	gracilis. G.C.	slender.	—————	—	S. ¼.	
25	ramosa. G.C.	branching.	—————	—	S. ¼.	
26	rigida. G.C.	rigid.	—————	—	S. ¼.	
BONAPARTEA. R.P.		BONAPARTEA.	Hexandria Monogynia.				
	junceæ. R.P.	rush-leaved.	Peru.	1800.	S. ¼.	Flor. peruv. 3. t. 242.

ORDO CLXXXVII.

TULIPACEÆ. *Kth. synops. 1. p. 292.*

YUCCA. L.		ADAMS-NEEDLE. Hexandria Monogynia. L.			
1	conspicua. H.S.S.	broad rough-edg'd.	1810.	8. 10.	F. h.
2	aloifolia. H.S.S.	Aloe-leaved. W. Indies.	1696.	—	G. h.
3	serrulata. H.S.S.	narrow saw-ld. Carolina.	1808.	F. h.
4	Draconis. H.S.S.	drooping-ld. ————	1732.	8. 9.	F. h.
5	crenulata. H.S.S.	rough-edged oblique.	1818.	F. h.
6	arcuata. H.S.S.	arcuated.	1817.	F. h.
7	tenuifolia. H.S.S.	slender-leaved. Malta?	—	F. h.
8	concava. H.S.S.	hollow-thready. N.America.	1816.	7. 8.	H. 4.
9	filamentosa. H.S.S.	common-thready. Virginia.	1675.	7. 10.	H. 4.
10	flaccida. H.S.S.	flaccid thready. N.America.	1816.	—	H. 4.
11	recurva. H.S.S.	recurve-leaved. Georgia.	1795.	8. 9.	H. h.
12	glaucescens. H.S.S.	glaucous. N.America.	1815.	7. 8.	H. 4.
	<i>glauca. B.M. 2662?</i>				
13	stricta. B.M.	straight-leaved. Carolina.	1811.	—	H. h.
14	angustifolia. H.S.S.	narrow-leaved. Missouri.	—	—	H. h.
15	superba. H.S.S.	superb.	8. 10.	G. h.
	<i>gloriosa. A.R. nec aliorum.</i>				
16	gloriosa. H.S.S.	handsome. America.	1596.	7. 8.	H. h.
17	rufocincta. H.S.S.	red-edged.	1816.	—	H. 4.
18	obliqua. H.S.S.	oblique-leaved.	1808.	—	H. 4.
	<i>β major. H.S.S.</i>	<i>larger.</i>	—	—	H. 4.
TULIPA. L.		TULIP. Hexandria Monogynia. L.			
1	biflora. s.s.	two-flowered. Russia.	1806.	4.	H. b.
2	tricolor. F.	three-coloured. ————	1823.	H. b.
3	Celsiana. s.s.	Cels's. Levant.	6. 7.	H. b.
	<i>Breyniana. B.M. nec aliorum.</i>				
4	sylvestris. s.s.	wild. England.	4. 5.	H. b.
5	turcica. w.en.	Florentine. S. Europe.	—	H. b.
6	altaica. s.s.	Altaic. Altay.	1824.	—	H. b.
7	oculus solis. s.s.	Sun's-eye. S. Europe.	1816.	—	H. b.
8	præcox. s.s.	early-flowering. Naples.	1825.	3. 4.	H. b.
9	cornuta. R.L.	horn-petaled. Levant.	1816.	5.	H. b.
13	Clusiana. s.s.	Clusius's. Sicily.	1636.	6.	H. b.
11	suaveolens. s.s.	Van-Thol. S. Europe.	1603.	3. 4.	H. b.
12	pubescens. s.s.	woolly-stalked. ————	—	H. b.
13	Gesneriana. s.s.	common. Levant.	1577.	4. 5.	H. b.
	<i>β versicolor.</i>	<i>various-colour'd. ————</i>	—	—	H. b.
	<i>γ plena.</i>	<i>double-flower'd. ————</i>	—	—	H. b.
	<i>δ laciniata.</i>	<i>Parrot. ————</i>	—	—	H. b.
FRITILLARIA. L.		FRITILLARY. Hexandria Monogynia. L.			
1	præcox.	early white. Europe.	3. 4.	H. b.
	<i>Melegris β præcox. P.S.</i>				
2	Meleagris. E.B.	chequered. Britain.	3. 5.	H. b.
3	tenella. M.B.	slender. Caucasus.	1824.	—	H. b.
	<i>racemosa. a. minor. B.M. orientalis. Adam.</i>				
4	nervosa. s.s.	nerved-leaved. ————	4. 5.	H. b.
	<i>latifolia. β minor. B.M.</i>				
5	lutea. M.B.	large yellow. ————	1812.	—	H. b.
6	latifolia. w.	broad-leaved. ————	1604.	—	H. b.
7	ruthenica. s.s.	Russian. ————	1820.	—	H. b.
8	verticillata. w.	whorl-leaved. Siberia.	—	—	H. b.
9	messanensis. s.s.	Italian. Italy.	1825.	—	H. b.
10	lusitanica. s.s.	Portugal. Portugal.	—	—	H. b.
11	nigra. B.M.	dark-flowered. Pyrenees.	1596.	5.	H. b.
	<i>pyrenaica. B.M. nec aliorum. aquitanica. Clus.</i>				
12	pyrenaica. w.	cluster-flow'r'd. Russia.	1605.	5. 6.	H. b.
	<i>racemosa. B.M. 952.</i>				

Botan. magaz. 1700.

Dill. elt. t. 324. f. 417.

Botan. magaz. 900.

Sal. par. lond. 31.

Swt. br. fl. gar. 53.

Botan. magaz. 2222.

— 2236.

Andr. reposit. 473.

Botan. magaz. 1260.

Botan. regist. 535.

Botan. magaz. 717.

Eng. bot. 63.

Botan. regist. 204.

Swt. br. fl. gar. 157.

Botan. regist. 127.

Botan. magaz. 1390.

— 839.

Swt. br. fl. gar. 78.

Botan. regist. 380.

Botan. magaz. 1135.

Eng. bot. 622.

Botan. magaz. 1216.

Botan. magaz. 853.

Botan. magaz. 1538.

— 1207.

Botan. magaz. 664.

Botan. magaz. 952.

13	<i>obliqua</i> . B.M.	Tulip-leaved.	Caucasus.	4.	H.b.	Botan. magaz. 857.
	<i>tulipifolia</i> . M.B. <i>caucasica</i> . Adam.						
14	<i>persica</i> . B.M.	Persian.	Pérsia.	1596.	4. 5.	H.b.	Botan. magaz. 1537.
	<i>β minor</i> . B.M.	lesser.	—	—	—	H.b.	962.
15	<i>pudica</i> . s.s.	dwarf.	N.America.	1825.	H.b.	Pursh. fl. amer. t. 8.
	<i>Lilium pudicum</i> . Ph.						
16	<i>lanceolata</i> . Ph.	spear-leaved.	—	1823.	H.b.	
17	<i>camtschatcensis</i> .	Camtschatka.	Camtschatka.	1759.	5.	H.b.	Linn. trans. 10. t. 11.
	<i>Lilium camtschatcense</i> . W.						
18	<i>alba</i> . N.	white-flowered.	N.America.	1825.	H.b.	
19	<i>Imperialis</i> . W.	Crown Imperial.	Persia.	1596.	3. 4.	H.b.	
	<i>a rubra</i> .	red-flowered.	—	—	—	H.b.	Botan. magaz. 194.
	<i>β flava</i> .	yellow-flowered.	—	—	—	H.b.	1215.
LILIUM. L.		LILY. Hexandria Monogynia. L.					
1	<i>candidum</i> . W.	common white.	Levant.	1596.	6. 7.	H.b.	Botan. magaz. 278.
	<i>β striatum</i> .	striped-flowered.	—	H.b.	
	<i>γ spicatum</i> .	monstrous-fl'd.	—	H.b.	
	<i>δ variegatum</i> .	striped-leaved.	—	H.b.	
2	<i>bulbiferum</i> . W.	bulb-bearing.	Italy.	1596.	—	H.b.	Botan. magaz. 36.
	<i>β umbellatum</i> . B.M.	umbel-flowering.	—	—	—	H.b.	1018.
3	<i>croceum</i> . L.en.	saffron-color'd.	S. Europe.	—	H.b.	
4	<i>latifolium</i> . L.en.	broad-leaved.	—	—	H.b.	
5	<i>spectabile</i> . F.	showy	Siberian.	1754.	—	H.b.	Swt. br. fl. gar. 75.
	<i>pensylvanicum</i> . B.M. 872.	<i>dauricum</i> . B.M. 1210. in note.					
6	<i>lanceifolium</i> . s.s.	lance-leaved.	China.	1824.	H.b.	
7	<i>concolor</i> . s.s.	self-coloured.	—	1806.	7. 8.	F.b.	Botan. magaz. 1165.
8	<i>pumilum</i> . s.s.	dwarf.	Dahuria.	1816.	6. 8.	H.b.	Botan. regist. 132.
	<i>angustifolium</i> . F. <i>linifolium</i> . Horn.						
9	<i>andinum</i> . N.	umbel-flower'd.	Andes.	1811.	7. 8.	H.b.	Botan. regist. 504.
	<i>umbellatum</i> . Ph.	<i>philadelphicum β andinum</i> . B.R.					
10	<i>philadelphicum</i> . W.	Philadelphian.	N.America.	1757.	—	H.b.	Botan. magaz. 519.
11	<i>Catesbæi</i> . W.	Catesby's.	Carolina.	1787.	7. 9.	H.b.	259.
12	<i>carolinianum</i> . M.	Carolina.	—	1820.	—	H.b.	Botan. regist. 580.
13	<i>longiflorum</i> . W.	long-flowered.	Japan.	1819.	—	F.b.	560.
14	<i>japonicum</i> . W.	Japan.	—	1804.	7. 8.	F.b.	Botan. magaz. 1591.
15	<i>pyrenaicum</i> . s.s.	Pyrenean.	Pyrenees.	1596.	6. 7.	H.b.	
16	<i>pomponium</i> . W.	scarlet pompone.	Siberia.	1629.	5. 6.	H.b.	Botan. magaz. 971.
17	<i>chalcedonicum</i> . W.	scarlet Martagon.	Levant.	1596.	6. 7.	H.b.	30.
18	<i>monadelphum</i> . M.B.	monadelphous.	Caucasus.	1800.	—	H.b.	1405.
19	<i>tigrinum</i> . B.M.	tiger-spotted.	China.	1804.	7. 9.	H.b.	1237.
20	<i>canadense</i> . B.M.	Canadian.	N.America.	1629.	7. 8.	H.b.	800.
	<i>β penduliflorum</i> . R.L.	red-flowered.	—	—	—	H.b.	Redout. lil. t. 105.
	<i>canadense β rubra</i> . B.M. 858.						
21	<i>superbum</i> . W.	superb.	—	1727.	6. 8.	H.b.	Botan. magaz. 936.
22	<i>glabrum</i> . s.s.	smooth.	—	H.b.	
23	<i>Martagon</i> . W.	Turk's-cap.	Germany.	1596.	6. 7.	H.b.	Redout. lil. t. 146.
	<i>a glabrum</i> .	smooth-stalked.	—	—	—	H.b.	Botan. magaz. 1634.
	<i>β pubescens</i> .	hairy-stalked.	—	—	—	H.b.	893.
GLORIOSA. L.		GLORIOSA. Hexandria Monogynia. L.					
1	<i>virescens</i> . B.M.	greenish-fl'd.	Mozambique.	1822.	7. 8.	S. 4. ∪.	Botan. magaz. 2539.
2	<i>superba</i> . L.	superb.	E. Indies.	1690.	—	S. 4. ∪.	Botan. regist. 77.
3	<i>simplex</i> . L.	simple-leaved.	Senegal.	1756.	—	S. 4.	
	<i>Methonica gloriosa</i> . Sal.						
ERYTHRONIUM. L.		DOG'S-TOOTH VIOLET. Hexandria Monogynia. L.					
1	<i>Dens canis</i> . W.	common.	Europe.	1596.	3. 4.	H.b.	Botan. magaz. 5.
	<i>a major</i> .	large-flowered.	—	—	—	H.b.	
	<i>β minor</i> .	smaller-flowered.	—	—	—	H.b.	
	<i>γ? album</i> .	white-flowered.	—	—	H.b.	
2	<i>americanum</i> . B.M.	yellow-flow'r'd.	N.America.	1665.	4. 5.	H.b.	Botan. magaz. 1113.
	<i>lanceolatum</i> . Ph.						
3	<i>albidum</i> . N.	white	American.	1825.	—	H.b.	

ORDO CLXXXVIII.

MELANTHACEÆ. *Brown prodr.* 272.

- BULBOCODIUM. W.** **BULBOCODIUM.** Hexandria Monogynia. L.
 1 *vernium. s.s.* spring-flowering. Spain. 1629. 2. 3. H.b. Botan. magaz. 153.
 2 *versicolor. s.s.* various-colored. Russia. 1820. 9. 10. H.b. Botan. regist. 571.
Colchicum versicolor. B.R.
- COLCHICUM. S.S.** **MEADOW SAFFRON.** Hexandria Trigynia. L.
 1 *byzantinum. s.s.* broad-leaved. Levant. 1629. 9. 10. H.b. Botan. magaz. 1122.
 2 *autumnale. E.B.* common. Britain. H.b. Eng. bot. 133.
β album. white flowered. H.b.
γ multiplex. double-flowered. H.b.
 3 *crociflorum. B.M.* Crocus-flower'd. H.b. Botan. magaz. 2673.
 4 *variegatum. w.* chequer-flower'd. Greece. 1629. 8. 10. H.b. 1028.
 5 *arenarium. s.s.* sand. Hungary. 1816. 9. 10. H.b. W. et K. hung. 2. t. 179.
β umbrosum. B.R. wood. H.b. Botan. regist. 541.
 6 *montanum. s.s.* mountain. S. Europe. 1818. H.b.
- UVULARIA. S.S.** **UVULARIA.** Hexandria Monogynia. L.
 1 *perfoliata. s.s.* perfoliate. N. America. 1710. 5. 6. H. 2. Sm. exot. bot. 1. t. 49.
 2 *flava. s.s.* yellow-flow'r'd. H. 2. 1. t. 50.
 3 *lanceolata. H.K.* spear-leaved. 1710. 7. 8. H. 2. Cornut. canad. t. 41.
 4 *grandiflora. H.K.* large yellow. 1802. 5. 6. H. 2. Sm. exot. bot. 1. t. 51..
 5 *sessilifolia. s.s.* sessile-leaved. 1790. 6. H. 2. 1. t. 52..
 6 *puberula. s.s.* pubescent. 1818. H. 2.
- DISPORUM. D.P.** **DISPORUM.** Hexandria Monogynia.
 1 *parviflorum. D.P.* small-flowered. Nepaul. 1823. 6. 8. F. 2.
 2 *fulvum. sal.* brown-flower'd. China. 1801. 6. 11. F. 2. Botan. magaz. 916.
Uvularia chinensis. B.M.
- SCHELHAMMERA. B.P.** **SCHELHAMMERA.** Hexandria Monogynia. S.S.
undulata. B.P. wave-leaved. N. S. W. 1822. 6. 9. F. 2.
- BURCHARDIA. B.P.** **BURCHARDIA.** Hexandria Monogynia. S.S.
umbellata. B.P. umbel-flower'd. N. S. W. 1825. 6. 8. F. 2.
- ANGUILLARIA. B.P.** **ANGUILLARIA.** Hexandria Trigynia.
 1 *dioica. B.P.* dioecious. N. S. W. 1826. F. 2.
 2 *biglandulosa. B.P.* two-glanded. 1822. 6. 8. F. 2.
 3 *indica. B.P.* Indian. E. Indies. F. 2.
Melanthium indicum. L.
- ORNITHOGLOSSUM. S.S.** **BIRD'S-TONGUE.** Hexandria Trigynia. S.S.
 1 *undulatum. B.F.G.* wave-leaved. C. B. S. 1825. 8. 10. F. b. Swt. br. fl. gar. 131.
 2 *viride. s.s.* green-flowered. 1788. 10. 11. F. b. Sal. par. lond. 54.
Melanthium viride. B.M. 994.
- ANDROCYMBIUM. W.** **ANDROCYMBIUM.** Hexandria Trigynia. S.S.
 1 *melanthioides. s.s.* narrow-leaved. C. B. S. 1825. 8. 10. F. b.
 2 *eucomioides. s.s.* Tulip-leaved. 1794. 3. 5. F. b. Swt. br. fl. gar. 165.
Melanthium eucomioides. B.M. 641.
 3 *volutare. B.T.* rolled-leaved. 1816. F. b.
- MELANTHIUM. W.** **MELANTHIUM.** Hexandria Trigynia. L.
 1 *uniflorum. w.* yellow. C. B. S. 1787. 6. 7. F. b. Botan. magaz. 767.
 2 *juncum. w.* Rush-leaved. 1788. 6. 11. F. b. 558.
 3 *secundum. w.* side-flowering. 1812. F. b. Lam. ill. t. 269. f. 2.
 4 *capense. w.* spotted-fl'd. 1768. 5. 6. F. b.
 5 *ciliatum. w.* fringed. 1825. F. b.
- WURMBEA. W.** **WURMBEA.** Hexandria Trigynia. W.
 1 *campanulata. w.* bell-flowered. C. B. S. 1788. 5. 6. F. b. Botan. magaz. 1291.
Melanthium monopetalum. B.M.
 2 *purpurea. H.K.* purple. F. b. Botan. magaz. 694.
Melanthium spicatum. B.M. Wurmbea capensis. A.R. 221.
 3 *pumila. w.* dwarf. 1800. 5. 6. F. b.
 4 *longiflora. w.* long-flowered. F. b.
- TOFIELDIA. L.T.** **TOFIELDIA.** Hexandria Trigynia. S.S.
 1 *palustris. L.T.* Scotch. Britain. 7. 8. H. 2. Eng. bot. 536.

- 2 alpina. L.T. Alpine. Europe. 7. 8. H. 4. Redout. lil. t. 256.
pulustris. DC.
 3 pubens. L.T. downy. N.America. 1790. 4. 5. H. 4. Pluk.mant.29.t.342.f.3
XEROPHYLLUM. M. **XEROPHYLLUM.** Hexandria Trigynia. S.S.
 1 gramineum. s.s. grass-leaved. N.America. 1812. 5. 6. H. 4. Botan. mag. 1599.
Helonias graminea. B.M.
 2 tenax. s.s. tough-leaved. ——— 1811. ——— H. 4. Ph. amer. 1. t. 9.
 3 asphodeloides. s.s. Asphodel-like. ——— 1765. ——— H. 4. Botan. magaz. 748.
Helonias asphodeloides. B.M.
HELONIAS. W. **HELONIAS.** Hexandria Trigynia. L.
 1 bullata. w. broad-leaved. N.America. 1758. 4. 5. H. 4. Botan. magaz. 747.
latifolia. M.
 2 erythrosperma. M. channel-leav'd. ——— 1770. 6. H. 4. Botan. magaz. 803.
læta. B.M. *Melanthium lætum*. w.
 3 angustifolia. M. narrow-leaved. ——— 1812. ——— H. 4. Botan. magaz. 1540.
ZIGADENUS. M. **ZIGADENUS.** Hexandria Monogynia. S.S.
 1 glaberrimus. w. smooth-leaved. N.America. 1811. 5. 6. H. 4. Mich. amer. 1. t. 22.
Helonias glaberrima. B.M. 1680.
 2 bracteatus. bracted. ——— ——— H. 4. Botan. magaz. 1703.
Helonias bracteata. B.M.
NOLINA. M. **NOLINA.** Hexandria Trigynia. S.S.
georgiana. M. Georgian. Georgia. 1812. 7. 8. H. 4. Pluk. mant. t. 342. f. 1.
LEIMANTHIUM. W. **LEIMANTHIUM.** Polygamia Monœcia.
 1 virginicum. w. Virginian. N.America. 1768. 6. 7. H. 4. Botan. magaz. 985.
Helonias virginica. B.M. *Melanthium virginicum*. Ph.
 2 monoicum. monoecious. ——— 1817. ——— H. 4.
Melanthium monoicum. Ph.
 3 hybridum. hybrid. ——— 1822. ——— H. 4.
Melanthium hybridum. Ph. *racemosum*. M.
VERATRUM. L. **WHITEHELLEBORE.** Polygamia Monœcia. L.
 1 nigrum. w. dark-flowered. Siberia. 1596. 6. 7. H. 4. Botan. magaz. 963.
 2 album. w. white-flowered. S. Europe. 1548. 6. 8. H. 4. Flor. dan. 1120.
 3 Lobelianum. w.en. Lobel's. ——— 1818. ——— H. 4.
 4 viride. w. green-flower'd. N.America. 1742. 7. 8. H. 4. Botan. magaz. 1096.
 5 parviflorum. M. small-flowered. ——— 1809. ——— H. 4.
 6 angustifolium. Ph. narrow-leaved. ——— 1823. ——— H. 4.
CHAMÆLIRIUM. W. **CHAMÆLIRIUM.** Dicœcia Hexandria.
carolinianum. w. spiked-flowered. N.America. 1759. 7. 8. H. 4. Botan. magaz. 1062.
Helonias lutea. B.M. *dioica*. Ph. *Ophyostachys virginica*. R.L.

ORDO CLXXXIX.

PONTEDEREÆ. *Kth. synops. 1. p. 273.*

- PONTEDERIA. L.** **PONTEDERIA.** Hexandria Monogynia. L.
 1 cordata. s.s. heart-leaved. N.America. 1759. 6. 8. H.w. 4. Botan. magaz. 1156.
 2 azurea. s.s. blue-flowered. Jamaica. 1822. ——— S.w. 4.
 3 lanceolata. s.s. lanceolate. Carolina. 8. 9. G.w. 4. Lodd. bot. cab. 613.
 4 angustifolia. s.s. narrow-leaved. N.America. 1806. 6. 8. H.w. 4.
 5 crassipes. s.s. thick footstalk'd. Brazil. 1822. ——— S.w. 4. Mart. n. pl. bras. t. 4.
 6 dilatata. s.s. spreading. E. Indies. 1806. 5. S.w. 4. Andr. reposit. 490.
HETERANTHERA. R. **S. HETERANTHERA.** Triandria Monogynia. W.
 1 reniformis. R.S. kidney-leaved. S. America. 1812. 6. 7. G.w. 4. Flor. per. 1. t. 71. f. a.
 2 acuta. w. acute-leaved. N. America. ——— ——— H.w. 4.
 3 limosa. R.S. oval-leaved. W. Indies. 1822. ——— S.w. 4.
LEPTANTHUS. M. **LEPTANTHUS.** Triandria Monogynia. Ph.
gramineus. M. grass-like. N.America. 1823. 7. 8. H.w. 4. Hook. ex. flor. 94.
Heteranthera graminea. Ph. *Schollera graminifolia*. w.

ORDO CXC.

COMMELINEÆ. *Brown prodr. p. 268.*

DICHORISANDRA, S.S. DICHORISANDRA. Hexandria Monogynia, S.S.

- 1 thyrsiflora. s.s. bunch-flow'r'd. Brazil. 1820. 8. 10. S. ½. Botan. regist. 682.
 2 gracilis. s.s. slender. ———— ———— S. ½.
 3 puberula. s.s. pubescent. ———— ———— S. ¼.

CAMPELIA. K.S. CAMPELIA. Hexandria Monogynia, S.S.

- Zanonia. K.S. Gentian-leav'd. S. America. 1759. 7. 12. S. ¼. Redout. lil. 4. t. 192.
Commelina Zanonia. R.L. *Tradescantia Zanonia*. W. *Zanonia bibracteata*. Cram.

TRADESCANTIA, L. SPIDERWORT. Hexandria Monogynia, L.

- 1 fuscata. s.s. rusty. S. America. 1820. 8. 12. S. ¼. Botan. regist. 482.
 2 malabarica. s.s. Grass-leaved. E. Indies. 1776. 7. 8. S. ¼. Rheed. mal. 9. t. 63.
 3 tuberosa. s.s. tuberous-root'd. ———— 1817. ———— S. ¼.
 4 speciosa. s.s. handsome. Mexico. 1825. ———— S. ¼.
 5 discolor. s.s. purple-leaved. S. America. 1783. 4. 9. S. ½. Botan. magaz. 1192.
 6 cordifolia. s.s. heart-leaved. Jamaica. 1822. ———— S. ○.
 7 erecta. s.s. upright. Mexico. 1794. 7. 8. H. ○. Botan. magaz. 1340.
 8 undata. s.s. wave-leaved. S. America. 1817. 8. 10. H. ○.
 9 pulchella. s.s. pretty. Mexico. 1825. ———— G. ¼.
 10 crassifolia. s.s. thick-leaved. ———— 1796. 7. 10. H. ¼. Botan. magaz. 1598.
 11 subaspera. s.s. Lyon's. N. America. 1812. 5. 10. H. ¼. ———— 1597.
 12 virginica. s.s. Virginian. ———— 1629. 5. 8. H. ¼. Park. parad. t. 151. f. 4.
 α cœrulea. blue-flowered. ———— ———— H. ¼. Botan. magaz. 105.
 β rubra. red-flowered. ———— ———— H. ¼.
 γ albida. whitish-flowered. ———— ———— H. ¼.
 δ nivea. snowy white. ———— 1824. ———— H. ¼.
 13 rosea. s.s. rose-colour'd. Carolina. 1802. 5. 10. H. ¼. Swt. br. fl. gar. 181.
 14 multiflora. s.s. many-flowered. Jamaica. 1824. ———— S. ¼.
 15 procumbens. s.s. procumbent. Caracas. 1823. ———— S. ¼. Jacq. ic. 2. t. 355.
 multiflora. Jacq. non W.
 16 parviflora. s.s. small-flowered. Peru. 1822. ———— H. ¼. Flor. per. 3. t. 272. f. 2.
 17 latifolia. s.s. broad-leaved. Lima. 1820. 9. 11. H. ○. ———— 3. t. 272.
 18 divaricata. s.s. spreading. Trinidad. ———— 5. 8. S. ¼. Aub. gui. 1. t. 12.
 19 geniculata. s.s. knotted. W. Indies. 1783. 7. 8. S. ¼. Jacq. amer. t. 64.
 20 paniculata. s.s. paniced. E. Indies. 1824. ———— S. ○.

CYANOTIS, D.P. CYANOTIS. Hexandria Monogynia.

- 1 axillaris. D.P. axil-flowered. E. Indies. 1822. 8. 10. S. ○. Rheed. mal. 10. t. 13.
 2 cristata. D.P. crest-bunched. Ceylon. 1770. 7. 9. S. ○. Botan. magaz. 1435.

Tradescantia cristata. B.M.

- 3 barbata. D.P. bearded. Nepaul. 1824. ———— H. ○.

CARTONEMA, B.P. CARTONEMA. Hexandria Monogynia.

- spicatum. B.P. spiked. N. Holland. 1822. 7. 8. S. ¼.

CALLISIA, L. CALLISIA. Triandria Monogynia, L.

- repens. L. creeping. W. Indies. 1776. 6. 7. S. ¼. Jacq. amer. t. 11.

ANEILEMA, B.P. ANEILEMA. Triandria Monogynia.

- 1 biflora. B.P. two-flowered. N. S. W. 1820. 7. 8. F. ¼.
 2 acuminata. B.P. sharp-pointed. ———— 1822. ———— F. ¼.
 3 longifolia. H.E.F. long-leaved. Zanzibar. 1823. 8. 9. S. ¼. Hook. ex. flor. 204.
 4 sinica. B.R. Chinese. China. 1820. 5. 6. G. ¼. Botan. regist. 659.
 5 nudiflora. B.P. naked-flower'd. E. Indies. ———— 8. 10. S. ○. Rheed. mal. 9. t. 63.
 6 spirata. B.P. spear-leaved. ———— 1783. 7. 8. S. ○.

Commelina spirata. L.

- 7 affinis. B.P. rough-angled. N. S. W. 1825. ———— F. ¼.

COMMELINA, B.P. COMMELINA. Triandria Monogynia, L.

- 1 angustifolia. R.S. narrow-leaved. Carolina. 1812. 7. 8. F. ¼.
 2 cyanea. B.P. bright-blue. N. S. W. 1820. ———— F. ¼.
 3 dianthifolia. DC. Pink-leaved. ———— 1816. ———— S. ¼. Redout. lil. 7. t. 390.
 4 longicaulis. R.S. long-stalked. Caracas. 1806. 8. S. ¼. Jacq. ic. 2. t. 294.
 5 hirtella. R.S. hairy. N. America. 1820. 7. 8. H. ¼.
 6 virginica. R.S. Virginian. ———— 1779. ———— H. ¼. Pluk. alm. t. 174. f. 4.
 7 africana. R.S. yellow-flow'r'd. C. B. S. 1759. 5. 10. G. ¼. Botan. magaz. 1431.
 8 fasciculata. R.S. woolly tuber'd. Lima. 1817. ———— H. ¼. Flor. peruv. 1. t. 72. f. b.

9 communis. R.S.	common.	America.	1732.	6. 7.	H. ☉.	Redout. lil. 4. t. 206.
10 polygama. R.S.	polygamous.	Japan.	—	H. 4.	Kæmpf. am. p. 888. ic.
11 caroliniana. R.S.	Carolina.	Carolina.	—	H. 4.	
12 dubia. R.S.	dubious.	1819.	7. 9.	H. 4.	Redout. lil. 6. t. 359.
13 tuberosa. R.S.	tuberous-root'd.	Mexico.	1732.	—	H. 4.	Andr. reposit. 399.
14 cœlestis. R.S.	sky-blue.	1813.	7. 10.	H. 4.	Swt. br. fl. gar. 3.
15 pallida. R.S.	pale-flowered.	Mexico.	1822.	—	H. 4.	Willd. hort. ber. 2. t. 87.
16 erecta. R.S.	upright.	Virginia.	1732.	8. 9.	H. 4.	Dill. elt. 94. t. 77. f. 88.
17 mollis. R.S.	soft.	Caracas.	1804.	—	H. 4.	Jacq. ic. 2. t. 293.
18 bengalensis. R.S.	Bengal.	Bengal.	1794.	6.	S. 4.	Burm. ind. t. 7. f. 3.
19 parviflora. L.en.	small-flowered.	1823.	—	S. 4.	
20 deficiens. B.M.	deficient.	Brazil.	1825.	1. 12.	S. 4.	Botan. magaz. 2644.

ORDO CXCI.

PALMÆ. *Brown prodr. p. 266.*

CHAMÆDOREA. W.	CHAMÆDOREA.	Diœcia Hexandria. W.				
1 gracilis. W.	slender.	Caracas.	1803.	S. h.	Jacq. schœn. 2. t. 247-8.
2 fragrans. M.P.	fragrant.	Peru.	1823.	Martius Palm. ic.
SABAL. P.S.	SABAL.	Hexandria Trigynia. P.S.				
1 Adansoni. B.M.	dwarf.	Florida.	1810.	6. 8.	S. 4.	Botan. magaz. 1434.
<i>Corypha minor.</i> Jacq. vind. 3. t. 8. <i>Chamærops acaulis.</i> M.						
2 Blackburniana. L.C.	Blackburn's.	S. America.	1824.	S. 4.	
3 graminifolia. L.C.	grass-leaved.	—	1822.	S. 4.	
4 umbraculifera. L.C.	umbrella.	—	—	S. 4.	
RHAPIS. W.	RHAPIS.	Polygamia Monœcia. W.				
1 flabelliformis. W.	creeping-root'd.	China.	1774.	8.	S. h.	Botan. magaz. 1371.
2 arundinacea. W.	simple-leaved.	Carolina.	1765.	9.	G. h.	
CHAMÆROPS. W.	CHAMÆROPS.	Polygamia Diœcia. W.				
1 excelsa. L.C.	tall.	Nepaul.	1822.	S. h.	
2 gracilis. L.C.	slender.	S. America.	—	S. h.	
3 guianensis. L.C.	Guiana.	Guiana.	1824.	S. h.	
4 humilis. s.s.	dwarf fan palm.	S. Europe.	1731.	2. 3.	G. h.	Andr. reposit. 599.
5 serrulata. s.s.	saw-leaved.	N. America.	1809.	G. h.	
6 Hystrix. s.s.	Porcupine.	Georgia.	1801.	G. h.	
7 Palmetto. s.s.	smooth-stemm'd.	Carolina.	1809.	G. h.	
LIVISTONA. B.P.	LIVISTONA.	Hexandria Monogynia. S.S.				
1 inermis. B.P.	spineless.	N. Holland.	1823.	S. h.	
2 humilis. B.P.	dwarf spiny.	—	—	S. h.	
LATANIA. W.	LATANIA.	Diœcia Monadelphica. W.				
1 rubra. W.	red.	Mauritius.	1788.	S. h.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	glaucous-leav'd.	—	1821.	S. h.	
3 borbonica. W.	Bourbon.	Bourbon.	—	S. h.	Jacq. frag. 1. t. 11.
<i>chinensis.</i> Jacq. <i>Livistonæ species?</i> B.P.						
CORYPHA. L.	FAN PALM.	Hexandria Monogynia. W.				
1 australis. B.P.	New Holland.	N. S. W.	1822.	S. h.	
2 elata. H.B.	tall.	E. Indies.	1820.	S. h.	
3 glaucescens. L.C.	glaucous.	—	—	S. h.	
4 umbraculifera. W.	great.	—	1742.	S. h.	Rheed. mal. 3. t. 1-12.
5 Utan. s.s.	Molucca.	—	1822.	S. h.	
TALIERA. S.S.	TALIERA.	Hexandria Monogynia. S.S.				
bengalensis. s.s.	Bengal.	E. Indies.	1822.	S. h.	
<i>Corypha Taliera.</i> H.B.						
PHŒNIX. W.	DATE PALM.	Diœcia Hexandria. W.				
1 dactylifera. w.	common.	Levant.	1597.	G. h.	Kæmpf. am. 686. t. 1. 2.
2 sylvestris. H.B.	wood.	E. Indies.	1820.	S. h.	
3 paludosa. H.B.	marsh.	—	—	S. h.	
4 reclinata. w.	reclining.	C. B. S.	1792.	G. h.	Jacq. frag. 1. t. 24.
5 farinifera. W.	small.	E. Indies.	1800.	S. h.	Roxb. corom. 1. t. 74.
6 acaulis. s.s.	stalkless.	—	1820.	S. 4.	
7 leonensis. L.C.	African.	Sierra Leon.	—	S. h.	
8 pygmæa. L.C.	pigmy.	—	S. 4.	

SAGUS. W.	SAGO PALM.	Monœcia Hexandria. W.		
1 Rumphii. w.	Rumphius's.	E. Indies. 1800.	S. h.	Rumph. amb. 1. t. 17. 188.
2 vinifera. P.S.	prickly-leaved.	Africa. 1820.	S. h.	Beauv. fl. d'ow. t. 45.
3 Ruffia. w.	Madagascar.	Madagascar. —.	S. h.	Jacq. frag. p. 7. t. 4. f. 2.
4 pedunculata. Poir.	peduncled.	—.	S. h.	
HYPHÆNE. G.	HYPHÆNE.	Diœcia Hexandria.		
coriacea. G.	leathery.	Egypt. 1822.	S. h.	
<i>Cucifera thebaica.</i> Del.				
ARECA. W.	CABBAGE-TREE.	Monœcia Monadelphia. W.		
1 Catechu. w.	medicinal.	E. Indies. 1690.	S. h.	Roxb. corom. 1. t. 75.
2 humilis. w.	dwarf.	—. 1814.	S. h.	Rumph. amb. 1. t. 7.
3 rubra. w.	red.	Isl. France. 1823.	S. h.	
4 crinita. w.	hairy.	—. 1819.	S. h.	Jacq. amer. t. 170.
5 oleracea. w.	esulent.	W. Indies. 1656.	S. h.	
6 triandra. H.B.	three-anther'd	E. Indies. 1819.	S. h.	
7 lutescens. w.	yellowish.	Mauritius. —.	S. h.	
8 exilis. L.C.	slender. 1822.	S. h.	
9 Manicot. L.C.	Manicot. 1819.	S. h.	
10 montana. L.C.	mountain. 1819.	S. h.	
CENOCARPUS. M.P.	CENOCARPUS.	Monœcia Hexandria.		
Bataua. M.P.	American.	S. America. 1822.	S. h.	Martius. palm. ic.
EUTERPE. G.	EUTERPE.	Polygamia Monœcia.		
1 globosa. G.	globular.	E. Indies. 1819.	S. h.	
<i>Areca spicata.</i> Lam.				
2 pisifera. G.	Pea-bearing.	—.	S. h.	
WALLICHIA. S.S.	WALLICHIA.	Polygamia Monœcia.		
caryotoides. s.s.	Caryota-like.	E. Indies. 1818.	S. h.	Roxb. corom. ic.
ELAIS. W.	OILY PALM.	Diœcia Hexandria. W.		
1 guineensis. w.	Guinea.	Guinea. 1730.	S. h.	Jacq. amer. t. 172.
2 melanococca. G.	black-fruited.	S. America. 1820.	S. h.	
3 pernambucana. L.C.	Pernambuca.	—.	S. h.	
SYAGRUS. M.P.	SYAGRUS.	Polygamia Monœcia.		
cocoides. M.P.	Cocoa-like.	Brazil. 1823.	S. h.	Martius palm. ic.
ELATE. W.	ELATE.	Monœcia Hexandria.		
syvestris. w.	prickly-leaved.	E. Indies. 1763. 4. 6.	S. h.	Rheed. mal. 3. t. 22-23
ACROCOMIA. M.P.	ACROCOMIA.	Monœcia Hexandria.		
1 sclerocarpa. M.P.	dry-fruited.	Brazil. 1822.	S. h.	Mart. palm. ic.
2 aculeata. L.C.	prickly.	W. Indies. 1796.	S. h.	Jacq. amer. 278. t. 166
<i>Cocos aculeata.</i> w.				
3 fusiformis.	great Macaw-tree.	—. 1731.	S. h.	
<i>Cocos fusiformis.</i> w.				
4 minor. L.C.	lesser.	S. America. 1823.	S. h.	
COCOS. W.	COCOA-NUT-TREE.	Monœcia Hexandria. W.		
1 nucifera. w.	common.	E. Indies. 1690.	S. h.	Roxb. corom. 1. t. 733.
2 flexuosa. M.P.	flexuose.	Brazil. 1823.	S. h.	Mart. palm. ic.
3 plumosa. L.C.	feathered.	W. Indies. —.	S. h.	
MAXIMILIANA. M.P.	MAXIMILIANA.	Polygamia Monœcia.		
regia. M.P.	membranous-fl'd.	Brazil. 1822.	S. h.	Mart. palm. ic.
THRINAX. W.	THRINAX.	Hexandria Monogynia. W.		
parviflora. w.	small.	Jamaica. 1778.	S. h.	
ASTROCARYUM. M.P.	ASTROCARYUM.	Monœcia Hexandria.		
1 acaule. M.P.	stalkless.	Brazil. 1823.	S. 4.	Mart. palm. ic.
2 campestre. M.P.	field.	—. 1824.	S. h.	—. ic.
3 aculeatum. s.s.	prickly.	Guiana. —.	S. h.	
4 vulgare. M.P.	common.	Brazil. 1823.	S. h.	Mart. palm. ic.
5 Murumuru. M.P.	tall.	—.	S. h.	—. ic.
GEONOMA. W.	GEONOMA.	Diœcia Hexandria.		
1 simplicifrons. w.	simple-fronded.	S. America. 1823.	S. 4.	
2 macrostachys. M.P.	large-spiked.	—.	S. 4.	Mart. palm. ic.
3 acaulis. M.P.	stalkless.	Brazil. 1822.	S. 4.	—. ic.
4 pinnatifrons. w.	pinnated.	S. America. —.	S. 4.	
5 Schottiana. L.C.	Schott's.	Brazil. —.	S. 4.	
MAURITIA. L.	MAURITIA.	Diœcia Hexandria. W.		
1 flexuosa. w.	flexuose.	W. Indies. 1819.	S. h.	
2 armata. M.P.	spiny.	Brazil. 1822.	S. h.	Mart. palm. ic.
3 vinifera. M.P.	straight-stem'd.	—.	S. h.	—. ic.
LICUALA. W.	LICUALA.	Hexandria Monogynia. W.		
1 spinosa. w.	spiny.	E. Indies. 1802.	S. h.	Rumph. amb. 1. t. 9.
2 peltata. H.B.	peltate.	—. 1819.	S. h.	

CALAMUS. W.	CALAMUS. Hexandria Monogynia. S.S.				
1 verus. s.s.	true. E. Indies. 1820.	S. h.	Rumph. amb. 5. t. 54.		
2 niger. s.s.	black. ———— 1820.	S. h.	————— 5. t. 52.		
3 Zalacca. s.s.	Java. ———— 1812.	S. h.	Gært. fr. 2. t. 139. f. 2.		
4 albus. P.S.	common. ———— 1819.	S. h.	Rumph. amb. 5. f. 52.		
5 Draco. s.s.	Dragon. ———— 1819.	S. h.	————— 5. t. 58. f. 1.		
SEAFORTHIA. B.P.	SEAFORTHIA. Polygamia Monœcia.				
elegans. B.P.	elegant. N. Holland. 1822.	S. h.			
CARYOTA. W.	CARYOTA. Monœcia Polyandria. W.				
1 urens. w.	torn-leaved. E. Indies. 1788.	S. h.	Rheed. mal. 1. t. 11.		
2 horrida. w.	horrid. S. America. 1820.	S. h.			
DIPLOTHEMIUM. M.P.	DIPLOTHEMIUM. Polygamia Monœcia.				
1 maritimum. M.P.	sea-side. Brazil. 1823.	S. 2.	Mart. palm. ic.		
2 campestre. M.P.	field. ———— 1823.	S. 2.	————— ic.		
ATTALEA. K.S.	ATTALEA. Monœcia Polyandria.				
1 humilis. M.P.	dwarf. Brazil. 1823.	S. h.	Mart. palm. ic.		
2 compta. M.P.	decked. ———— 1823.	S. h.	————— ic.		
3 funifera. M.P.	rope-bearing. ———— 1823.	S. h.	————— ic.		
4 excelsa. M.P.	lofty. ———— 1824.	S. h.	————— ic.		
5 speciosa. M.P.	handsome. ———— 1824.	S. h.	————— ic.		
6 Rossii. L.C.	Ross's. ———— 1824.	S. h.			
7 spectabilis. L.C.	showy. ———— 1824.	S. h.			
GOMUTUS. S.S.	GOMUTUS. Monœcia Polyandria.				
saccharifer. s.s.	sugar-bearing. E. Indies. 1820.	S. h.			
MANICARIA. G.	MANICARIA. Polygamia Monœcia.				
saccifera. G.	bag-like. E. Indies. 1822.	S. h.	Gært. sem. 2. t. 176.		
BORASSUS. W.	BORASSUS. Diccia Hexandria. W.				
flabelliformis. w.	fan-leaved. E. Indies. 1771.	S. h.	Roxb. corom. 1. t. 71. 72.		
NIPA. W.	NIPA. Monœcia Monadelphina. W.				
fruticans. w.	shrubby. E. Indies. 1822.	S. h.	Rumph. amb. 1. t. 16.		
DESMONCUS. M.P.	DESMONCUS. Monœcia Monadelphina.				
1 polyacanthus. M.P.	many-spined. Brazil. 1822.	S. h.	Mart. palm. ic.		
2 orthacanthus. M.P.	long-spined. ———— 1822.	S. h.	————— ic.		
3 americanus. L.C.	American. S. America. 1823.	S. h.			
4 dubius. L.C.	doubtful. ———— 1823.	S. h.			
BACTRIS. W.	BACTRIS. Monœcia Hexandria. W.				
1 pectinata. M.P.	pectinated. Brazil. 1825.	S. h.	Mart. palm. ic.		
2 cuspidata. M.P.	sharp-pointed. ———— 1825.	S. h.			
3 minor. w.	lesser. S. America. 1691.	S. h.	Jacq. amer. t. 171. f. 1.		
4 macracantha. M.P.	large-spined. Brazil. 1822.	S. h.	Mart. palm. ic.		
5 major. w.	greater. Carthagera. 1800.	S. h.	Jacq. amer. t. 171. f. 2.		
6 caryotæfolia. M.P.	Caryota-leaved. Brazil. 1825.	S. h.	Mart. palm. ic.		

ORDO CXCI.

JUNCEÆ. Brown prodr. 1. p. 257.

XEROTES. B.P.	XEROTES. Diccia Hexandria.				
1 flexifolia. B.P.	bending-leav'd. N. S. W. 1819. 6. 8. F. 2.	Thunb. diss. drac. 17. f. 2.			
2 mucronata. B.P.	mucronated. ———— 1823. ———— F. 2.				
3 filiformis. B.P.	filiform. ———— 1823. ———— F. 2.	Th. dis. drac. n. 1. ic.			
<i>Dracæna filiformis.</i> Th.					
4 denticulata. B.P.	toothed. ———— 1825. ———— F. 2.				
5 laxa. B.P.	loose-flowered. ———— 1819. ———— F. 2.				
6 rigida. B.P.	stiff-leaved. N. Holland. 1796. 6. 7. F. 2.	Lodd. bot. cab. 798.			
<i>Lomandra rigida.</i> Lab. n. hol. 1. t. 120.					
7 montana. B.P.	mountain. N. S. W. 1824. ———— F. 2.				
8 longifolia. B.P.	long-leaved. ———— 1796. ———— F. 2.	Lab. nov. hol. 1. t. 19.			
<i>Lomandra longifolia.</i> Lab.					
9 Hystrix. B.P.	Porcupine. ———— 1823. ———— F. 2.				
10 æmula. B.P.	rival. ———— 1823. ———— F. 2.				
PLEEA. M.	PLEEA. Enneandria Trigynia. Ph.				
tenuifolia. M.	slender-leaved. Carolina. 1812. 5. 8. F. 2.	Botan. magaz. 1956.			

ARTHECIUM. E.B.		NARTHECIUM. Hexandria Monogynia.					
1	ossifragum. E.B.	Lancashire Asphodel.	Britain.	7. 8.	H. 4.	Eng. bot.	535.
2	americanum. B.M.	American.	N.America. 1811.	—	H. 4.	Botan. magaz.	1505.
LUZULA. DC.		WOODRUSH. Hexandria Monogynia. S.S.					
1	vernalis. DC.	spring.	Britain.	3. 5.	H. 4.	Eng. bot.	736.
	<i>Juncus pilosus. E.B.</i>						
2	flavescens. s.s.	yellowish.	S. Europe. 1817.	—	H. 4.	Host. gram. 3. t. 94.	
3	Forsteri. DC.	Forster's.	England.	5. 6.	H. 4.	Eng. bot.	1293.
4	glabratus. s.s.	smooth.	Switzerland. 1825.	—	H. 4.		
5	albida. DC.	white.	— 1815.	—	H. 4.	Leers. herb. t. 13. f. 6.	
6	lutea. DC.	yellow.	—	—	H. 4.		
7	spadicea. DC.	light red.	Europe. 1816.	—	H. 4.	Vill. delph. 2. t. 6.	
8	nivea. DC.	snowy.	Switzerland. 1770.	—	H. 4.	Scheuch. gram. t. 7. f. 77.	
9	maxima. DC.	wood.	Britain.	5.	H. 4.	Eng. bot.	737.
	<i>Juncus sylvaticus. E.B.</i>						
10	arcuata. s.s.	fringe-bracted.	Scotland.	7.	H. 4.	Wahl. lapp. t. 4.	
11	spicata. DC.	spiked.	—	—	H. 4.	Eng. bot.	1176.
12	congesta. s.s.	close-headed.	Britain.	6.	H. 4.	Purt. suppl. t. 9.	
	<i>Juncus liniger. Purst.</i>						
13	sudetica. DC.	Swedish.	Sweden. 1824.	—	H. 4.	Krock. siles. t. 52.	
14	pediformis. DC.	foot-shaped.	S. Europe. 1822.	5. 6.	H. 4.		
15	campestris. DC.	field.	Britain.	4. 5.	H. 4.	Eng. bot.	672.
16	multiflora. s.s.	many-flowered.	Europe. 1822.	5. 6.	H. 4.		
JUNCUS. DC.		RUSH. Hexandria Monogynia. L.					
1	polycephalus. E.F.	many-headed.	Scotland.	6. 7.	H. 4.		
2	obtusiflorus. L.T.	blunt-flowered.	Britain.	7. 8.	H. 4.	Eng. bot.	2144.
3	lampocarpus. L.T.	shining-fruited.	—	—	H. 4.	—	2143.
4	acutiflorus. L.T.	sharp-flowered.	—	6. 7.	H. 4.	—	238.
	<i>articulatus. E.B.</i>						
5	subverticillatus. L.T.	whorled.	—	7. 8.	H. 4.	Flor. dan. t. 817.	
6	castaneus. E.B.	black-spiked.	Scotland.	7.	H. 4.	Eng. bot.	900.
7	biglumis. E.B.	two-flowered.	—	8.	H. 4.	—	898.
8	triglumis. E.B.	three-flowered.	Britain.	7.	H. 4.	—	899.
9	capitatus. s.s.	headed.	—	5. 7.	H. 4.	Weig. obs. t. 2. f. 5.	
10	supinus. L.T.	dwarf.	—	7.	H. 4.	Flor. dan. 1099.	
11	uliginosus. E.B.	little bulbous.	—	7. 8.	H. 4.	Eng. bot.	801.
12	trifidus. E.B.	three-leaved.	Scotland.	—	H. 4.	—	1482.
13	Gesneri. E.F.	Gesner's.	—	7.	H. 4.	—	2174.
	<i>gracilis. E.B. non B.P.</i>						
14	bufonius. E.B.	toad.	Britain.	6. 8.	H. 4.	Eng. bot.	802.
15	cœnosus. L.T.	mud.	—	7. 8.	H. 4.		
16	compressus. L.T.	round-fruited.	—	—	H. 4.	Eng. bot.	934.
	<i>bulbosus. E.B.</i>						
17	squarrosus. E.B.	Goose-corn.	—	6. 7.	H. 4.	—	933.
18	Tenageia. s.s.	annual.	Europe. 1816.	—	H. 4.	Flor. dan. t. 1160.	
19	aristatus. M.	awned.	N.America. 1820.	—	H. 4.		
20	plebeius. B.P.	linear-leaved.	N. S. W. 1816.	—	F. 4.		
21	planifolius. B.P.	flat-leaved.	— 1822.	7. 8.	F. 4.		
22	pauciflorus. B.P.	few-flowered.	—	—	F. 4.		
23	vaginatus. B.P.	sheathed.	— 1823.	—	F. 4.		
24	filiformis. E.B.	least.	Britain.	8.	H. 4.	Eng. bot.	1175.
25	arcticus. W.	arctic.	Scotland.	7. 8.	H. 4.	Flor. dan. t. 1095.	
26	effusus. E.B.	soft.	Britain.	5. 8.	H. 4.	Eng. bot.	836.
27	conglomeratus. E.B.	common.	—	6. 7.	H. 4.	—	835.
28	glaucus. E.B.	glaucous.	—	7. 8.	H. 4.	—	665.
29	maritimus. E.B.	sea-side.	—	8.	H. 4.	—	1725.
30	acutus. E.B.	great sharp sea.	—	7. 8.	H. 4.	—	1614.
? FLAGELLARIA. L.		FLAGELLARIA. Hexandria Trigynia. L.					
	<i>indica. L.</i>	Indian.	India. 1782.	6. 7.	S. 4.	Redout. lil. 257.	
? PHILYDRUM. B.P.		PHILYDRUM. Monandria Monogynia. B.M.					
	<i>lanuginosum. B.P.</i>	woolly.	N. S. W. 1801.	6. 7.	S.w. 4.	Botan. magaz. 783.	
? BURMANNIA. L.		BURMANNIA. Triandria Monogynia.					
	<i>1 distachya. B.P.</i>	two-spiked.	N. S. W. 1822.	6. 8.	G.w. 4.	Burm. zeyl. t. 20. f. 1.	
	<i>2 biflora. L.</i>	two-flowered.	Virginia.	9.	G.w. 4.		
? GILLIESIA. B.R.		GILLIESIA. Hexandria Monogynia.					
	<i>graminea. B.R.</i>	Grass-like.	S. America. 1824.	5. 7.	G. 4.	Botan. regist. 992.	

ORDO CXCIH.

RESTIACEÆ. *Brown prodr. p. 243.*

XYRIS. B.P.	XYRIS. Triandria Monogynia. L.				
1 lævis. B.P.	smooth.	N. S. W.	1819.	6. 8.	G. 4.
2 bracteata. B.P.	bracteate.	—	1825.	—	G. 4.
3 juncea. B.P.	rushy.	—	1822.	—	G. 4.
4 gracilis. B.P.	slender.	V. Diem. Isl.	1821.	—	G. 4.
5 operculata. B.P.	rush-leaved.	N. S. W.	1804.	6. 7.	G. 4.
6 brevifolia. M.	short-leaved.	Carolina.	1812.	6. 8.	F. 4.
ERIOCAULON. L.	PIPEWORT. Triandria Trigynia. L.				
1 septangulare. E.B.	jointed.	Scotland.	9.	H. w. 4. Eng. bot. 733.
2 australe. B.P.	New Holland.	N. S. W.	1822.	8. 10.	G. w. 4.
HYPOLÆNA. B.P.	HYPOLÆNA. Diœcia Triandria.				
1 fastigiata. B.P.	crowded.	N. S. W.	1821.	6. 8.	F. 4.
2 exsulca. B.P.	round-stalked.	—	—	—	F. 4.
LEPTOCARPUS. B.P.	LEPTOCARPUS. Diœcia Triandria.				
tenax. B.P.	tough.	N. S. W.	1824.	6. 8.	F. 4.
<i>Schœnodum tenax femina.</i> Lab.					Lab. nov. holl. 2. t. 229.
ELEGIA. W.	ELEGIA. Diœcia Triandria. W.				
1 juncea. w.	Rush-like.	C. B. S.	1789.	7. 8.	F. 4.
2 racemosa. w.	racemed.	—	1804.	5. 6.	F. 4.
LEPYRODIA. B.P.	LEPYRODIA. Diœcia Triandria.				
gracilis. B.P.	slender.	N. S. W.	1823.	5. 6.	F. 4.
WILLDENOVIA. S.S.	WILLDENOVIA. Diœcia Triandria. W.				
1 striata. s.s.	striated.	C. B. S.	1816.	6. 8.	F. 4.
2 teres. s.s.	round-stalked.	—	1790.	—	F. 4.
THAMNOCHORTUS. B.P.	THAMNOCHORTUS. Diœcia Triandria.				
dichotomus. B.P.	forked.	C. B. S.	1816.	6. 8.	F. 4.
RESTIO. B.P.	ROPE-GRASS. Diœcia Triandria. L.				
1 australis. B.P.	southern.	V. Diem. Isl.	1812.	4. 6.	F. 4.
2 gracilis. B.P.	slender.	N. S. W.	1823.	6. 8.	F. 4.
3 tectorum. s.s.	thatch.	C. B. S.	1793.	5. 6.	F. 4.
4 vaginatus. s.s.	sheathed.	—	1816.	—	F. 4.
5 fastigiatus. B.P.	crowded.	N. S. W.	1824.	—	F. 4.
6 virgatus. s.s.	twiggy.	C. B. S.	1816.	—	F. 4.
7 paniculatus. s.s.	panicked.	—	—	—	F. 4.
8 lateriflorus. B.P.	side-flowering.	N. S. W.	1819.	—	F. 4.
<i>Calorophus elongata.</i> Lab.					
9 tetraphyllus. B.P.	four-leaved.	—	1825.	—	F. 4.

ORDO CXCIH.

CYPERACEÆ. *Brown prodr. 1. p. 212.*

CAREX. L.	SEDGE. Monœcia Triandria. L.				
1 dioica. w.	diœcious.	Britain.	5. 6.	H. 4.
2 Davalliana. w.	Davall's.	—	—	H. 4.
3 pauciflora. E.B.	few-flowered.	—	6.	H. 4.
4 pyrenaica. s.s.	Pyrenean.	Pyrenees.	1816.	—	H. 4.
5 pulicaris. E.B.	Flea.	Britain.	6. 7.	H. 4.
6 Fraseriana. H.K.	Fraser's.	N. America.	1809.	4. 6.	H. 4.
7 cyperoides. s.s.	Bohemian.	Bohemia.	1801.	6. 7.	H. 4.
8 fetida. s.s.	stinking.	Switzerland.	1791.	7. 8.	H. 4.
9 incurva. E.B.	curved.	Scotland.	—	H. 4.
10 stenophylla. s.s.	slender-leaved.	Europe.	1824.	—	H. 4.

11	chordorrhiza. s.s.	creeping-root'd.	Germany.	1824.	7. 8.	H. 2.	Schk. caric. t. G. f. 31.
12	stellulata. E.B.	little prickly.	Britain.	5. 6.	H. 2.	Eng. bot. 806.
13	rosea. s.s.	Rose.	N. America.	1812.	—	H. 2.	Schk. caric. Zzz. f. 179.
14	foenea. s.s.	short-spiked.	—	1819.	—	H. 2.	—
15	muricata. E.B.	greater prickly.	Britain.	—	H. 2.	Eng. bot. 1097.
16	brizoides. s.s.	Briza-like.	Germany.	1815.	5. 7.	H. 2.	Host. gram. 36. t. 47.
17	argyroglochin. s.s.	silver-spiked.	—	1823.	—	H. 2.	—
18	straminea. s.s.	slender-stalked.	N. America.	1803.	6. 7.	H. 2.	Schk. caric. t. Xxx. f. 174.
19	stipata. s.s.	sharp-scaled.	—	1820.	—	H. 2.	— t. Hhh. f. 132.
20	Schreberi. s.s.	Schreber's.	Germany.	1800.	—	H. 2.	Host. gram. 1. t. 46.
21	ovalis. E.B.	oval-spiked.	Britain.	—	H. 2.	Eng. bot. 306.
22	curta. E.B.	white.	—	6.	H. 2.	— 1386.
23	divisa. E.B.	bracteated.	—	5. 7.	H. 2.	— 1096.
24	sparganioides. s.s.	Sparganium-like.	N. Amer.	1822.	—	H. 2.	Schk. caric. t. Lll. f. 142.
25	arenaria. E.B.	sand.	Britain.	6. 7.	H. 2.	Eng. bot. 928.
26	intermedia. E.B.	soft brown.	—	5. 7.	H. 2.	— 2042.
27	schœnoides. w.	Schœnus-like.	Austria.	1819.	—	H. 2.	Host. gram. 1. t. 45.
28	lagopodioides. w.	Hare's-foot.	N. America.	1805.	6. 7.	H. 2.	Schk. caric. t. Yyy. f. 177.
29	elongata. E.B.	elongated.	England.	5. 6.	H. 2.	Eng. bot. 1920.
30	remota. E.B.	remote.	Britain.	—	H. 2.	— 832.
31	axillaris. E.B.	axillary.	England.	—	H. 2.	— 993.
32	divulsa. E.B.	gray.	Britain.	5.	H. 2.	— 629.
33	nemorosa. s.s.	shady wood.	Germany.	5. 7.	H. 2.	—
34	vulpina. E.B.	great spiked.	Britain.	5. 8.	H. 2.	Eng. bot. 307.
35	appressa. B.P.	close-spiked.	N. S. W.	1802.	—	F. 2.	—
36	inversa. B.P.	inversed.	—	1820.	—	F. 2.	—
37	scoparia. w.	broom.	N. America.	1812.	6. 7.	H. 2.	Schk. caric. t. Xxx. f. 175.
38	multiflora. w.	many-flowered.	—	1819.	—	H. 2.	— t. Lll. f. 144.
39	paradoxa. w.	paradoxical.	Germany.	—	—	H. 2.	— t. E. f. 21.
40	teretiuscula. E.B.	lesser-panicled.	Britain.	5. 6.	H. 2.	Eng. bot. 1065.
41	paniculata. E.B.	great panicled.	England.	6. 7.	H. 2.	— 1064.
42	tenella. E.F.	slender.	Scotland.	6.	H. 2.	Schk. caric. t. P. f. 104.
43	norvegica. w.	Norway.	Norway.	1823.	—	H. 2.	— t. S. f. 66.
44	atrata. E.B.	black.	Britain.	6. 7.	H. 2.	Eng. bot. 927.
45	bicolor. w.	two-coloured.	Switzerland.	1823.	—	H. 2.	Sch. car. t. Aaaa. f. 181.
46	pedunculata. w.	peduncled.	N. America.	—	—	H. 2.	— t. Ggg. f. 131.
47	longifolia. B.P.	long-leaved.	N. S. W.	—	—	F. 2.	—
48	thuringiaca. w.	Thuringian.	Hungary.	—	—	H. 2.	Schk. caric. t. Ppp. f. 155.
49	Buxbaumii. w.	Buxbaum's.	S. Europe.	1819.	5. 6.	H. 2.	— t. X. f. 76.
50	glareosa. w.	narrow-leaved.	Norway.	—	—	H. 2.	— t. Aaa. f. 97.
51	clandestina. E.B.	dwarf silvery.	Britain.	5.	H. 2.	Eng. bot. 2124.
52	digitata. E.B.	fingered.	England.	5. 6.	H. 2.	— 615.
53	plantaginea. w.	broad-leaved.	N. America.	1805.	—	H. 2.	Schk. caric. t. U. f. 700.
54	pilulifera. E.B.	round-headed.	Britain.	4. 6.	H. 2.	Eng. bot. 885.
55	montana. s.s.	mountain.	Europe.	1819.	5. 6.	H. 2.	Schk. caric. t. F. f. 29.
	collina. w.	—	—	—	—	—	—
56	ciliata. w.	fringed.	Germany.	—	—	H. 2.	Schk. caric. t. I. f. 42.
57	præcox. E.B.	vernal.	Britain.	4.	H. 2.	Eng. bot. 1099.
58	tomentosa. E.B.	downy-fruited.	England.	6.	H. 2.	— 2046.
59	extensa. E.B.	long-bracted.	Britain.	—	H. 2.	— 833.
60	flava. E.B.	yellow.	—	5. 6.	H. 2.	— 1294.
61	Æderi. E.B.	Æder's.	England.	6. 7.	H. 2.	— 1773.
62	alba. w.	bristle-leav'd.	Germany.	1819.	—	H. 2.	Host. gram. 1. t. 59.
63	Mielichhoferi. E.B.	loose-spiked.	Scotland.	7. 8.	H. 2.	Eng. bot. 2293.
64	ferruginea. w.	ferruginous.	Europe.	1820.	6. 8.	H. 2.	Schk. caric. t. M. f. 48.
65	saxatilis. w.	rock.	N. Europe.	—	—	H. 2.	— t. I. f. 40.
66	rigida. E.B.	rigid.	Britain.	6. 7.	H. 2.	Eng. bot. 2047.
67	pulla. E.B.	russet.	Scotland.	7.	H. 2.	— 2045.
68	cæspitosa. E.B.	tufted bog.	Britain.	5. 6.	H. 2.	— 1507.
69	stricta. E.B.	straight-leaved.	—	4. 5.	H. 2.	— 914.
70	alpestris. w.	Alpine.	Europe.	1804.	5. 6.	H. 2.	Schk. caric. t. G. f. 35.
71	nitida. w.	glossy.	Austria.	1805.	—	H. 2.	Host. gram. 1. t. 71.
72	umbrosa. w.	shade.	—	1818.	6. 7.	H. 2.	— 1. t. 69.
73	granularis. w.	grain-seeded.	N. America.	1807.	—	H. 2.	Schk. caric. t. Vvv. f. 16.
74	anceps. w.	two-edged.	—	1805.	7. 8.	H. 2.	— t. Fff. f. 128.
75	demissa. s.s.	low.	Norway.	1825.	—	H. 2.	—
76	binervis. E.B.	green-ribbed.	Britain.	6.	H. 2.	Eng. bot. 1235.
77	distans. E.B.	loose.	—	—	H. 2.	— 1234.
78	fulva. E.B.	tawny.	—	6. 7.	H. 2.	— 1295.

79	Michelii. w.	Micheli's.	Europe.	1818.	6. 7.	H. 2.	Host. gram. 1. t. 72.
80	pendula. E.B.	great pendulous.	Britain.	5. 6.	H. 2.	Eng. bot. 2315.
81	strigosa. E.B.	loose pendulous.	—	—	H. 2.	— 994.
82	depauperata. E.B.	starved-wood.	England.	6. 7.	H. 2.	— 1098.
83	pilosa. s.s.	hairy.	Germany.	1819.	—	H. 2.	Schk. caric. t. M. f. 49.
84	panicea. E.B.	Pink-leaved.	Britain.	5. 7.	H. 2.	Eng. bot. 1505.
85	oligocarpa. w.	few-seeded.	N.America.	1825.	—	H. 2.	Schk. caric. t. Vvv. f. 178
86	rostrata. w.	beaked.	—	1818.	—	H. 2.	— t. Hhh. f. 134.
87	conglobata. w.	globular-fruit'd.	Hungary.	—	—	H. 2.	—
88	sylvatica. E.B.	wood.	Britain.	5. 6.	H. 2.	Eng. bot. 995.
	<i>Drimeja. w.</i>						
89	Pseudocyperus. w.	Bastard Cypress.	—	6. 7.	H. 2.	Eng. bot. 242.
90	junceae. s.s.	rush-like.	N.America.	1823.	—	H. 2.	—
91	pallescens. E.B.	pale.	Britain.	4. 6.	H. 2.	Eng. bot. 2185.
92	limosa. E.B.	green and gold.	—	6.	H. 2.	— 2043.
93	rariflora. E.B.	loose-flowered.	Scotland.	—	H. 2.	— 2516.
94	capillaris. E.B.	capillary.	Britain.	7. 8.	H. 2.	— 2069.
95	lævigata. E.B.	smooth-stalked.	—	5. 6.	H. 2.	— 1387.
96	ustulata. E.B.	scorched alpine.	Scotland.	6. 7.	H. 2.	— 2404.
97	flexuosa. w.	bending.	N.America.	1807.	—	H. 2.	Schk. caric. t. Ddd. f. 124.
98	recurva. E.B.	glaucous beath.	England.	5. 6.	H. 2.	Eng. bot. 1506.
	<i>β Micheliana. E.B.</i>	<i>smooth-fruited.</i>	—	—	H. 2.	— 2236.
99	nutans. w.	nodding.	Austria.	1815.	6. 7.	H. 2.	Host. gram. 1. t. 83.
100	acuminata. w.	taper-pointed.	Istria.	1819.	—	H. 2.	— 1. t. 97.
101	hirta. E.B.	hairy.	Britain.	5. 6.	H. 2.	Eng. bot. 685.
102	filiformis. E.B.	slender-leaved.	—	6. 7.	H. 2.	— 904.
103	acuta. E.B.	slender-spiked.	—	5. 6.	H. w. 2.	— 580.
104	paludosa. E.B.	lesser common.	—	—	H. w. 2.	— 807.
105	riparia. E.B.	great common.	—	4. 6.	H. w. 2.	— 579.
106	vesicaria. E.B.	short-spiked.	—	5. 6.	H. 2.	— 779.
107	ampullacea. E.B.	slender-beak'd.	—	—	H. 2.	— 780.
108	bullata. w.	blistered.	N.America.	1811.	6.	H. 2.	Schk. caric. Uuu. f. 166.
109	hordeiformis. w.	Barley-like.	France.	1805.	6. 7.	H. 2.	—
110	crinita. w.	haired.	N.America.	1807.	—	H. 2.	Schk. caric. t. Eee. f. 125
111	aquatilis. w.	water.	Lapland.	1819.	—	H. w. 2.	—
112	secalina. w.	rye-like.	Europe.	1820.	—	H. 2.	Schk. caric. t. Ddd. f. 121
113	salina. w.	salt marsh.	Norway.	6.	H. 2.	—
KOBRESIA. W.							
	caricina. w.	Carex-like.	Britain.	8.	H. 2.	Eng. bot. 1410.
	<i>Schaenus monoicus. E.B.</i>	<i>Carex hybrida. s.s.</i>					
SCLERIA. W.							
	1 hirtella. w.	hairy.	N.America.	1822.	6. 7.	H. 2.	—
	2 ciliata. w.	fringed.	—	1823.	—	H. 2.	—
SCHÆNUS. B.P.							
	1 nigricans. w.	black.	Britain.	7.	H. w. 2.	Eng. bot. 1121.
	1 mucronatus. R.S.	clustered.	S. Europe.	1781.	4. 5.	H. w. 2.	Flor. græc. 1. t. 43.
	3 imberbis. B.P.	beardless.	N. S. W.	1818.	4. 5.	F. 2.	—
	4 melanostachys. B.P.	black-spiked.	—	1822.	6. 8.	F. 2.	—
CHÆTOSPORA. B.P.							
	1 ferruginea. s.s.	brown.	Switzerland.	1818.	7. 8.	H. w. 2.	Host. gram. 4. t. 71.
	<i>Schaenus ferrugineus. R.S.</i>						
	2 turbinata. B.P.	turbinate.	N. S. W.	1822.	—	F. 2.	—
LEPIDOSPERMA. B.P.							
	1 gladiata. B.P.	flat-stemmed.	N. Holland.	1819.	7. 8.	F. w. 2.	Lab. nov. hol. 1. t. 12.
DULICHIMUM. P.S.							
	spathaceum. P.S.	sheathed.	N.America.	1818.	7. 8.	H. w. 2.	Pluk. alm. t. 301. f. 1.
RHYNCHOSPORA. R.S.							
	1 alba. R.S.	white headed.	Britain.	8.	H. w. 2.	Eng. bot. 985.
	<i>Schaenus albus. E.B.</i>						
	2 fusca. R.S.	brown-headed.	—	—	H. w. 2.	Eng. bot. 1575.
	3 distans. Ph.	filiform-leaved.	N.America.	1820.	7. 8.	H. w. 2.	—
	4 comata. R.S.	leafy.	Brazil.	—	—	S. w. 2.	—
CLADIUM. B.P.							
	1 Mariscus. B.P.	prickly.	England.	7. 8.	H. w. 2.	Eng. bot. 950.
	<i>Schaenus Mariscus. E.B.</i>	<i>Mariscus germanicus. R.S.</i>					
	2 glomeratum. B.P.	close-headed.	N. S. W.	1819.	—	F. w. 2.	—
	3 junceum. B.P.	rushy.	—	1823.	—	F. w. 2.	—
	4 schœnoides. B.P.	Bogrush-like.	—	—	—	F. w. 2.	Lab. nov. hol. 1. t. 18.
	<i>Schaenus acutus. Lab.</i>						

FIMBRISTYLIS. B.P. FIMBRISTYLIS.		Triandria Monogynia. R.S.	
1 annua. R.S.	annual.	S. Europe. 1818.	7. 9. H.w.⊙. Host. gram. 3. t. 63.
2 puberula. R.S.	pubescent.	N. America. 1820.	7. 8. H. 4.
3 dichotoma. R.S.	forked.	E. Indies. 1817.	7. 9. S.w.⊙. Rottb. gram. t. 13. f. 1.
ABILDGAARDIA. B.P. ABILDGAARDIA.		Triandria Monogynia. R.S.	
1 monostachya. B.P.	one-spiked.	W. Indies. 1819.	6. 8. S. 4. Sloan. jam. 1. t. 79. f. 2.
ELEOCHARIS. B.P. ELEOCHARIS.		Triandria Monogynia. R.S.	
1 acuta. B.P.	acute-scaled.	N. S. W. 1819.	7. 8. F.w. 4.
2 geniculata. R.S.	jointed.	America. —	F.w. 4. Sloan. hist. 1. t. 83. f. 3.
3 palustris. R.S.	marsh.	Britain.	7. H.w. 4. Eng. bot. 131.
<i>Scirpus palustris. E.B.</i>			
4 ovata. R.S.	ovate.	Germany. 1818.	7. 8. H.w. 4. Host. gram. 3. t. 56.
5 multicaulis. E.F.	many-stalked.	Britain.	7. H.w. 4. Eng. bot. 1187.
<i>Scirpus multicaulis. E.B.</i>			
6 acicularis. R.S.	upright needle.	— — H.w. 4. Eng. bot. 749.
7 obtusa. R.S.	obtuse-scaled.	N. America. 1818.	7. 8. H.w. 4.
8 glaucescens. R.S.	glaucous.	— 1819.	— H.w. 4.
9 tenuis. R.S.	slender.	—	— H.w. 4.
ISOLEPIS. B.P. ISOLEPIS.		Triandria Monogynia. R.S.	
1 fluitans. R.S.	floating.	Britain.	7. 8. H.w. 4. Eng. bot. 216.
<i>Scirpus fluitans. E.B.</i>			
2 gracilis.	knotted.	N. Holland. 1820.	— G.w. 4. Rottb. gram. 52. t. 8. f. 3.
<i>nodosa. B.P. Scirpus gracilis. L.T. 10. t. 15. f. 2.</i>			
3 setacea. R.S.	bristle-like.	Britain.	7. 8. H.w.⊙. Eng. bot. 1693.
4 Holoschoenus. R.S.	round-headed.	— — H.w. 4. — 1612.
5 romana. R.S.	Roman.	S. Europe.	— H.w. 4. Jacq. aust. 5. t. 448.
6 complanata. R.S.	flat-stemmed.	E. Indies. 1823. S.w. 4.
SCIRPUS. B.P. CLUB-RUSH.		Triandria Monogynia. L.	
1 cæspitosus. E.B.	scaly-stalked.	Britain.	7. H.w. 4. Eng. bot. 1029.
2 pauciflorus. E.B.	chocolate-headed.	— 8. H.w. 4. — 1122.
<i>Bæothryon. R.S.</i>			
3 mucronatus. R.S.	mucronated.	— — H.w. 4. Scheuch. agr. t. 9. f. 14.
4 Luzulæ. R.S.	clustered.	E. Indies. 1776.	7. 9. S.w. 4.
5 lacustris. E.B.	tall.	Britain.	7. H.w. 4. Eng. bot. 666.
6 glaucus. E.B.	glaucous.	England.	7. 8. H.w. 4. — 2321.
7 caricinus. s.s.	compressed.	Britain.	7. H.w. 4. — 791.
<i>Schoenus compressus. E.B.</i>			
8 rufus. s.s.	rusty.	— 6. 7. H.w. 4. Eng. bot. 1010.
<i>Schoenus rufus. E.B.</i>			
9 triqueter. E.B.	triangular.	England.	8. H.w. 4. Eng. bot. 1694.
10 carinatus. E.B.	blunt-edged.	— 7. 8. H.w. 4. — 1983.
11 maritimus. E.B.	salt marsh.	Britain.	7. 9. H.w. 4. — 542.
12 sylvaticus. E.B.	wood.	— — H.w. 4. — 919.
13 radicans. R.S.	rooting.	Germany.	— H.w. 4. Schk. in Ust. an. 4. t. 1.
14 atrovirens. R.S.	dark-green.	N. America. 1818.	— H.w. 4.
15 quinquangularis. R.S.	five-angled.	E. Indies. 1823. S.w. 4.
CYPERUS. L. CYPERUS.		Triandria Monogynia. L.	
1 Aitoni. R.S.	Aiton's.	C. B. S.	6. 8. G.w. 4.
2 articulatus. R.S.	jointed.	S. America. 1820.	— S.w. 4. Sloan. hist. 1. t. 81. f. 1.
3 viscosus. R.S.	clammy.	Jamaica. 1781.	5. 8. S.w. 4. Jacq. ic. 2. t. 295.
4 tenellus. R.S.	slender.	C. B. S. 1819.	7. 9. H.⊙.
5 mucronatus. R.S.	pointed.	Levant. —	F.w. 4. Flor. græc. 1. t. 49.
6 pannonicus. R.S.	dwarf.	Hungary. 1781.	7. 8. H.⊙. Jacq. aust. ap. t. 6.
7 brizæus. R.S.	Briza-like.	W. Indies. 1824.	— S.w. 4.
8 alternifolius. R.S.	alternate-ld.	Madagascar. 1781.	— S.w. 4. Jacq. ic. 2. t. 298.
9 elegans. R.S.	elegant.	Jamaica. 1801.	5. 9. S. ♂. Sloan. jam. 1. t. 75. f. 1.
10 compressus. R.S.	compressed.	S. America. 1819.	— S.w. 4. Rottb. gram. t. 9. f. 3.
11 vegetus. R.S.	smooth.	America. 1790.	— G.w. 4. Jacq. vind. 3. t. 12.
<i>compressus. Jacq. non W.</i>			
12 Luzulæ. R.S.	compact.	W. Indies.	— S.w. 4. Rottb. gram. t. 13. f. 2.
<i>polypephalus. Lam. non. L. en.</i>			
13 paniculatus. R.S.	panicked.	— 1804.	5. 7. S.w. 4.
14 flavescens. R.S.	yellowish.	Germany. 1776.	6. 9. F.w. 4. Flor. græc. t. 47.
15 fuscus. R.S.	brown.	England. 1777.	7. 9. H.⊙. Host. gram. 3. t. 73.
16 conglomeratus. R.S.	many-flowered.	Java. 1820.	5. 9. S.w. 4. Rottb. gram. t. 15. f. 7.
17 erubescens. L. en.	blush.	— S.w. 4.
18 australis. R.S.	southern.	S. Europe. —	— H.⊙. Seguiet. veron. 3. t. 2. f. 22.
19 esculentus. R.S.	Rush-nut.	— 1597.	7. H. 4. Host. gram. 3. t. 75.
20 Hydra. M.	American.	N. America. 1812.	— H. 4.

21 Pangorei. R.S.	Ceylon.	Ceylon.	1823.	7. 9.	S.w. 4.	Rottb. gram. t. 7. f. 3.
22 badius. R.S.	saw-leaved.	Algiers.	1800.	—	F.w. 4.	Desf. atl. 1. t. 7. f. 2.
23 patulus. R.S.	spreading.	Hungary.	1818.	—	H.w. 4.	Host. gram. 3. t. 74.
24 longus. E.B.	sweet.	England.	7.	H.w. 4.	Eng. bot. 1309.
25 tenuiflorus. R.S.	slender-flower'd.	S. Europe.	1818.	7. 8.	H.w. 4.	Jacq. ic. 2. t. 296.
26 Monti. R.S.	spreading-spiked.	—	—	—	H.w. 4.	Host. gram. 4. t. 67.
27 Paramatta. R.S.	tuberous-root'd.	—	—	—	H.w. 4.	—
28 strigosus. R.S.	bristle-spiked.	W. Indies.	1786.	7. 9.	S.w. 4.	—
29 Iria. R.S.	tall.	E. Indies.	1802.	7.	S.w. 4.	Rheed. mal. 12. t. 56.
30 distans. R.S.	distant.	W. Indies.	1820.	7. 8.	S.w. 4.	Jacq. ic. t. 299.
31 fastigiatus. R.S.	lofty.	E. Indies.	1800.	5. 8.	S.w. 4.	Rottb. gram. t. 7. f. 2.
32 alopecuroides. R.S.	fox-tailed.	C. B. S.	1804.	—	G.w. 4.	— 38. t. 8. f. 2.
33 cruentus. R.S.	purple-spotted.	Arabia.	1820.	—	S.w. 4.	— 21. t. 5. f. 1.
34 glomeratus. R.S.	round-headed.	Italy.	1804.	—	H. 4.	—
35 polycephalus. L.en.	many-headed.	S. Europe.	1819.	6. 8.	H.w. 4.	—
36 polystachyos. R.S.	many-spiked.	E. Indies.	—	—	S.w. 4.	Rottb. gram. t. 11. f. 1.
37 difformis. R.S.	deformed.	—	—	—	S.w. 4.	— t. 9. f. 2.
38 protractus. L.en.	protracted.	Egypt.	1820.	—	H. 4.	Delil. æg. 152. t. 5. f. 3.
39 dives. s.s.	large-bracted.	—	—	7.	H. 4.	—
PAPYRUS. S.S.	PAPER-RUSH.	Triandria Monogynia. S.S.	—	—	—	—
1 antiquorum. s.s.	common.	Egypt.	1802.	7. 9.	S.w. 4.	Michel. gen. pl. t. 19.
<i>Cyperus Papyrus.</i> R.S.	—	—	—	—	—	—
2 laxiflorus. s.s.	loose-flowered.	Madagascar.	1822.	—	S.w. 4.	—
3 odoratus. s.s.	fragrant.	W. Indies.	1819.	—	S.w. 4.	Rudg. gui. 17. t. 20.
MARISCUS. R.S.	MARISCUS.	Triandria Monogynia. R.S.	—	—	—	—
1 aggregatus. R.S.	clustered.	1820.	7. 9.	S.w. 4.	—
2 lævis. B.P.	smooth.	N. S. W.	1819.	6. 8.	G.w. 4.	—
3 ovularis. R.S.	oval-spiked.	Carolina.	1818.	—	F.w. 4.	Pluk. alm. t. 91. f. 4.
4 umbellatus. R.S.	umbelled.	E. Indies.	1789.	—	S.w. 4.	Rottb. gram. t. 4. f. 2.
5 elatus. R.S.	tall.	—	1805.	—	S.w. 4.	Jacq. ic. 2. t. 300.
6 conflexus. L.en.	contracted.	Brazil.	1819.	7. 8.	S.w. 4.	—
KYLLINGA. W.	KYLLINGA.	Triandria Monogynia. L.	—	—	—	—
1 monocephala. R.S.	one-headed.	India.	1793.	6. 7.	S.w. 4.	Rottb. gram. t. 4. f. 4.
2 intermedia. B.P.	intermediate.	N. S. W.	1822.	—	G.w. 4.	—
3 triceps. R.S.	three-headed.	E. Indies.	1776.	9. 11.	S.w. 4.	Rottb. gram. t. 4. f. 6.
4 uncinata. L.en.	hook-seeded.	Brazil.	1820.	7. 8.	S.w. 4.	—
5 polycephala. L.en.	many-headed.	—	—	—	S.w. 4.	—
FUIRENA. B.P.	FUIRENA.	Triandria Monogynia. L.	—	—	—	—
umbellata. R.S.	umbelled.	W. Indies.	1822.	6. 8.	S.w. 4.	Rottb. gram. t. 19. f. 3.
ELYNA. R.S.	ELYNA.	Triandria Monogynia. R.S.	—	—	—	—
spicata. R.S.	simple-spiked.	Europe.	1819.	6. 8.	H.w. 4.	Vill. delph. 2. t. 6.
<i>Carex Bellardi.</i> Hort.	gram. 4. t. 77.	—	—	—	—	—
TRICHOPOPHORUM. P.S.	TRICHOPOPHORUM.	Triandria Monogynia. P.S.	—	—	—	—
1 cyperinum. P.S.	cyperine.	N. America.	1802.	5. 9.	H.w. 4.	Pluk. mant. t. 419. f. 3.
2 alpinum. P.S.	Alpine.	Scotland.	7.	H.w. 4.	Eng. bot. 311.
<i>Eriophorum alpinum.</i> E.B.	—	—	—	—	—	—
ERIOPOPHORUM. L.	COTTON-GRASS.	Triandria Monogynia. L.	—	—	—	—
1 vaginatum. E.B.	Hare's-tail.	Britain.	3. 4.	H.w. 4.	Eng. bot. 873.
2 capitatum. E.B.	round-headed.	Scotland.	8. 9.	H.w. 4.	— 2387.
3 gracile. E.B.	slender.	—	7. 8.	H.w. 4.	— 2402.
4 angustifolium.	narrow-leaved.	Britain.	4. 5.	H.w. 4.	— 564.
5 virginicum. R.S.	Virginian.	N. America.	1802.	5. 8.	H.w. 4.	Pluk. alm. t. 299. f. 4.
6 polystachion. E.B.	broad-leaved.	Britain.	4.	H.w. 4.	Eng. bot. 563.
7 pubescens. E.F.	pubescent.	—	4. 5.	H.w. 4.	—

ORDO CXCV.

GRAMINEÆ. *Juss. gen. p. 28.*

NARDUS. R.S.	MAT-GRASS.	Triandria Monogynia. L.	—	—	—	—
stricta. E.B.	upright.	Britain.	6. 7.	H.w. 4.	Eng. bot. 290.
ORYZOPSIS. M.	ORYZOPSIS.	Triandria Monogynia. R.S.	—	—	—	—
asperifolia. M.	rough-leaved.	N. America.	1822.	7. 8.	H. 4.	Mich. amer. 1. t. 9.

LYGEUM. R.S.	LYGEUM. Triandria Monogynia. L.				
Spartum. R.S.	rush-leaved. Spain. 1776.	5. 6.	H. 4.	Schreb. gram. t. 52. 53.	
CORNUCOPIÆ. R.S.	HORN OF PLENTY. Triandria Monogynia. L.				
cucullatum. R.S.	hooded. Levant. 1788.	8.	H. 4.	Flor. græc. 1. t. 51.	
CENCHRUS. R.S.	CENCHRUS. Triandria Monogynia. L.				
1 tribuloides. R.S.	spinous. N. America. 1818.	5. 8.	H. 4.	Sloan. hist. 1. t. 65. f. 1.	
2 echinatus. R.S.	rough-spiked. W. Indies. 1691.	8. 12.	S. 8.	Cavan. ic. 5. p. 39. t. 462.	
3 australis. B.P.	New Holland. N. S. W. 1822.	6. 8.	H. 4.		
PENNISETUM. R.S.	PENNISETUM. Triandria Monogynia. R.S.				
1 setosum. R.S.	setose. W. Indies. 1804.	7. 8.	H. 4.	Rumph. amb. 6. t. 7. f. 2.	
2 polystachyum. R.S.	many-spiked. E. Indies. —	—	H. 4.	Giseck. ic. 1. t. 23.	
3 cenchroides. R.S.	ciliated. C. B. S. 1777.	7. 8.	H. 4.		
Cenchrus ciliaris. L.					
4 orientale. R.S.	oriental. Levant. 1819.	—	F. 4.		
5 compressum. B.P.	flat-stemmed. N. S. W. 1820.	—	H. 4.		
6 holcoides. R.S.	Holcus-like. E. Indies. 1823.	—	S. 4.		
Panicum holcoides. F.I.					
7 barbatum. R.S.	bearded. — — —	—	S. 4.		
8 dichotomum. R.S.	forked. Egypt. 1824.	—	H. 4.	Delil. ægyp. t. 8. f. 3.	
9 nepalense. s.s.	Nepaul. Nepaul. 1822.	—	H. 4.		
PENICILLARIA. R.S.	PENICILLARIA. Polygamia Monœcia. W.				
1 spicata. R.S.	spiked. E. Indies. 1592.	6. 7.	H. 4.	Pluk. alm. t. 32. f. 4.	
2 alopecuroides.	Fox-tail. Jamaica. 1739.	7. 10.	H. 4.	— t. 92. f. 5.	
ciliata. W.en. cylindrica. R.S.	Panicum alopecuroides. L. Alopecurus indicus. L.				
SETARIA. R.S.	SETARIA. Triandria Digynia. R.S.				
1 sericea. R.S.	silky. W. Indies. 1780.	5. 9.	H. 4.		
2 verticillata. R.S.	rough. England.	7. 8.	H. 4.	Eng. bot. 874.	
3 viridis. R.S.	green. — — —	—	H. 4.	— 875.	
Panicum viride. E.B.	Pennisetum viride. B.P.				
4 pumila. R.S.	dwarf. 1819.	—	H. 4.		
5 macrochaeta. R.S.	long-spiked.	—	H. 4.		
6 purpurascens. R.S.	purplish. S. America. 1822.	—	H. 4.		
7 intermedia. R.S.	intermediate. E. Indies. 1819.	8. 10.	H. 4.		
8 Weinmanni. R.S.	Weinman's. Teneriffe. 1816.	—	H. 4.		
9 glauca. R.S.	glaucous. S. Europe. 1771.	7. 8.	H. 4.	Host. gram. 2. t. 16.	
10 helvola. R.S.	pale red. E. Indies. 1822.	8. 10.	H. 4.		
11 erubescens. R.S.	blush. S. America. —	—	H. 4.		
12 geniculata. R.S.	jointed. Antilles. 1805.	7. 8.	H. 4.		
13 maritima. R.S.	sea-side. 1818.	—	H. 4.		
14 germanica. R.S.	German. Germany. 1548.	—	H. 4.	Host. gram. 2. t. 15.	
15 italica. R.S.	Italian. Italy. 1616.	—	H. 4.	Rumph. amb. 3. t. 76. f. 2.	
Panicum italicum. Host. gram. 4. t. 14.	Pennisetum italicum. B. P.				
16 composita. R.S.	compound. S. America. 1823.	—	H. 4.		
17 cylindrica. R.S.	cylindrical.	—	H. 4.		
18 setosa. R.S.	bristly. W. Indies. 1822.	—	H. 4.		
19 polystachia. R.S.	many-spiked. Brazil. 1824.	—	S. 8.		
20 tenacissima. R.S.	tough. — 1819.	—	H. 4.		
21 Pennisetum. R.S.	Indian. E. Indies. 1820.	6. 8.	S. 4.		
22 scandens. R.S.	climbing.	—	H. 4.		
23 muricata. R.S.	sea-side. N. America. 1819.	—	H. 4.		
24 auricoma. Lk.	golden-headed. 1826.	—	H. 4.		
ANTHOXANTHUM. R.S.	SPRING-GRASS. Diandria Digynia. L.				
1 odoratum. E.B.	sweet-scented. Britain.	5.	H. 4.	Eng. bot. 647.	
β laxa.	loose-spiked. — — —	—	H. 4.	Loes. ic. 22.	
γ pubescens.	downy-spiked. — — —	—	H. 4.		
δ ramosa.	branching-spiked. — — —	—	H. 4.		
2 amarum. R.S.	bitter. S. Europe. 1810.	7.	H. 4.		
3 gracile. R.S.	slender. Italy. 1825.	7. 8.	H. 4.	Biv. Bern. st. rar. t. 1. f. 1.	
4 ovatum. R.S.	oval-spiked. Spain. 1824.	—	H. 4.		
SPARTINA. R.S.	SPARTINA. Triandria Monogynia. R.S.				
1 cynosuroides. R.S.	Dog's-tail. N. America. 1781.	8. 9.	H. 4.	Linn. fil. fasc. 1. t. 9.	
Dactylis cynosuroides. L.	Trachynotia cynosuroides. M. Limnetis cynosuroides. P.S.				
2 stricta. R.S.	upright. Britain.	8.	H. 4.	Eng. bot. 380.	
Dactylis stricta. E.B.	Limnetis pungens. P.S.				
3 polystachia. R.S.	many-spiked. N. America. 1781.	8. 9.	H. 4.		
4 pumila. R.S.	dwarf. — 1820.	—	H. 4.		
5 juncea. R.S.	rushy. — 1781.	7. 8.	H. 4.		
6 patens. R.S.	spreading. — — —	—	H. 4.		
7 geniculata. R.S.	jointed. Java. 1822.	—	S. 4.	Burm. ind. t. 12. f. 33.	

ZOYSIA. R.S.	ZOYSIA. Triandria Digynia. W.				
pungens. R.S.	pungent. E. Indies. 1819.	6. 8.	S. 4.		
LEERSIA. B.P.	LEERSIA. Triandria Digynia. W.				
1 oryzoides. s.s.	Rice-like. S. Europe. 1793.	7. 8.	H. 4.	Host. gram. 1. t. 35.	
2 virginica. s.s.	Virginian. N. America. —	—	H. 4.		
3 australis. B.P.	southern. N. S. W. 1819.	—	H. 4.		
PEROTIS. R.S.	PEROTIS. Triandria Digynia. W.				
latifolia. R.S.	broad-leaved. E. Indies. 1777.	8. 9.	S. 9.	Rheed. mal. 12. t. 62.	
ALOPECURUS. R.S.	FOXTAIL-GRASS. Triandria Digynia. L.				
1 agrestis. E.B.	slender. Britain.	7. 8.	H. 9.	Eng. bot. 848.	
2 utriculatus. R.S.	bladdered. Italy. 1777.	—	H. 9.	Flor. græc. t. 63.	
3 pratensis. E.B.	meadow. Britain.	5.	H. 4.	Eng. bot. 759.	
4 nigricans. R.S.	blackish. Europe. 1815.	6. 7.	H. 4.	Jacq. ecl. gram. t. 13.	
<i>Tauntoniensis. S.G.W.</i>					
5 geniculatus. E.B.	floating. Britain.	5. 8.	H. w. 4.	Eng. bot. 1250.	
6 fulvus. E.B.	orange-spiked. England.	6.	H. w. 4.	— 1467.	
7 alpinus. E.B.	Alpine. Scotland.	5. 6.	H. 4.	— 1126.	
8 ramosus. R.S.	branching. N. America. 1823.	—	H. 4.		
9 arundinaceus. R.S.	Reed-like. 1819.	—	H. 4.		
10 macrostachyos. R.S.	large-spiked. Barbary. 1824.	6. 8.	H. 4.		
11 bulbosus. E.B.	bulbous. England.	7.	H. 4.	Eng. bot. 1249.	
12 colobachnoides. R.S.	Siberian. Siberia. 1826.	6. 7.	H. 4.		
13 Gerardi. Trin.	Gerard's. S. Europe. 1820.	6. 8.	H. 4.	Jacq. ic. t. 301.	
<i>Phleum Gerardi. R.S.</i>					
PHLEUM. R.S.	CAT'S-TAIL-GRASS. Triandria Digynia. L.				
1 pratense. R.S.	common. Britain.	7.	H. 4.	Eng. bot. 1076.	
<i>a majus. S.G.W.</i>	greater. —	—	H. 4.	Sinc. gr. wob. p. 195. ic.	
<i>β minus. S.G.W.</i>	lesser. —	7. 8.	H. 4.	— p. 197. ic.	
2 nodosum. W.	knotted. —	7. 9.	H. 4.	Flor. dan. t. 380.	
3 Bertolonii. R.S.	Bertoloni's. France. 1818.	—	H. 4.		
4 alpinum. R.S.	alpine. Scotland.	7.	H. 4.	Eng. bot. 519.	
5 commutatum. R.S.	confused. Piedmont. 1819.	—	H. 4.		
6 felinum. R.S.	Grecian. Greece. 1822.	—	H. 9.		
7 echinatum. R.S.	hedgehog. Dalmatia. —	8. 9.	H. 9.	Host. gram. 3. t. 11.	
ACHNODONTON. R.S.	ACHNODONTON. Triandria Digynia. R.S.				
1 Bellardi. R.S.	bulbous. Spain. 1798.	6. 7.	H. 9.		
<i>Phalaris Bellardii. W. bulbosa. L.</i>					
2 tenue. R.S.	slender. S. Europe. 1826.	—	H. 9.	Host. gram. t. 36.	
3 arenaria. L. en.	sand. Britain.	6. 7.	H. 9.	Eng. bot. 222.	
<i>Phalaris arenaria. E.B. Phleum arenarium. F.D. t. 915. Chilochloa arenaria. R.S.</i>					
CHILOCHLOA. R.S.	CHILOCHLOA. Triandria Digynia. R.S.				
1 Bœhmeri. R.S.	Phalaris-like. England.	7. 9.	H. 4.	Eng. bot. 459.	
<i>Phalaris phleoides. E.B. Phleum phalaroides. Kæf. Bœhmeri. W.</i>					
2 cuspidata. R.S.	sharp-pointed. Tyrol. 1824.	7. 8.	H. 4.	Host. gram. 4. t. 20.	
3 Michellii. L. en.	Micheli's. Scotland.	6. 7.	H. 4.	Eng. bot. 2265.	
<i>Phleum Michellii. E.B.</i>					
4 aspera. R.S.	rough. England.	7.	H. 9.	Eng. bot. 1077.	
<i>Phleum paniculatum. E.B. Phleum asperum. Jacq. ic. t. 14. Phalaris aspera. W.</i>					
5 annua. R.S.	annual. Caucasus. 1825.	7. 8.	H. 9.		
SCHMIDTIA. S.S.	SCHMIDTIA. Diandria Digynia. S.S.				
subtilis. s.s.	close umbelled. Bohemia. 1824.	6. 8.	H. 9.	Tratt. fl. aus. t. 451.	
<i>Coleanthus subtilis. R.S.</i>					
POLYPOGON. R.S.	POLYPOGON. Triandria Digynia. W.				
1 monspeliensis. R.S.	chaffy. Britain.	7. 8.	H. 9.	Eng. bot. 1704.	
<i>Agrostis panicea. E.B.</i>					
2 littoralis. E.F.	sea-side. —	8.	H. 4.	Eng. bot. 1251.	
3 maritimus. R.S.	shore. S. Europe. 1822.	—	H. 9.		
4 glomeratus. R.S.	clustered. N. America. —	7. 8.	H. 4.		
5 tataricus. F.	Tartarian. Tartary. 1825.	—	H. 9.		
CERESIA. P.S.	CERESIA. Triandria Digynia. P.S.				
elegans. P.S.	elegant. Peru. 1818.	8. 9.	H. 4.	Jacq. frag. t. 86.	
<i>Paspalum membranaceum. S.S.</i>					
PASPALUM. W.	PASPALUM. Triandria Digynia. L.				
1 dissectum. s.s.	dissected. S. America. 1822.	8. 10.	H. 9.	Hout. n. his. t. 89. f. 3.	
2 scrobiculatum. s.s.	dimpled. E. Indies. 1778.	7. 9.	S. 4.	Jacq. ic. 2. t. 302.	
3 stoloniferum. s.s.	purple. Peru. 1794.	—	G. 4.	Sloan. hist. 1. t. 72. f. 2.	
4 paniculatum. s.s.	panicked. W. Indies. 1782.	—	S. 9.	— 1. t. 69. f. 2.	
5 virgatum. s.s.	twiggy. — 1822.	—	S. 4.	Lecomt. pasp. t. 91.	
6 læve. M.	smooth. N. America. 1818.	—	H. 4.		

7	difforme. R.S.	deformed.	—	—	—	H. 4.	Lecomt. pas. t. 91. p. 285.
8	pusillum. R.S.	small.	St. Thomas.	1822.	—	S. 4.	
9	conjugatum. S.S.	conjugate.	W. Indies.	—	—	S. 4.	Gært. fruct. 2. t. 80. f. 1.
10	notatum. S.S.	two-spiked.	—	1776.	7.	S. 3.	Swartz obs. t. 2. f. 1.
11	molle. S.S.	soft.	St. Thomas.	1822.	—	S. 4.	
12	Kora. R.S.	smooth-fl.	E. Indies.	1818.	7. 8.	S. 4.	
13	setaceum. M.	bristly.	N. America.	—	—	H. 4.	
14	dubium. S.S.	doubtful.	—	—	H. 4.	
15	glabrum. S.S.	smooth.	W. Indies.	1823.	—	S. 4.	
16	tenellum. w.	elegant.	1817.	—	S. 4.	
	<i>elegans. S.S.</i>						
17	laxum. R.S.	loose.	S. America.	1819.	—	S. 4.	
18	inæquale. L.en.	unequal-valv'd.	Manilla.	1822.	—	S. 4.	
AMPHIPOGON. B.P.		AMPHIPOGON.	Triandria Digynia.	S.S.			
	strictum. B.P.	upright.	N. S. W.	1823.	5. 6.	G. 4.	
GASTRIDIMUM. R.S.		GASTRIDIMUM.	Triandria Digynia.	R.S.			
1	australe. R.S.	yellow.	England.	8.	H. 4.	Eng. bot. 1107.
	<i>Milium lendigerum. E.B.</i>						
2	muticum. R.S.	beardless.	Sicily.	1819.	7. 8.	H. 4.	
CHÆTURUS. R.S.		CHÆTURUS.	Triandria Digynia.	R.S.			
	fasciculatus. R.S.	fascicled.	S. Europe.	1815.	7. 9.	H. 4.	
MILIUM. R.S.		MILLET-GRASS.	Triandria Digynia.	L.			
1	effusum. E.B.	common.	Britain.	6. 7.	H. 4.	Eng. bot. 1106.
2	vernale. R.S.	vernal.	Caucasus.	1819.	4. 5.	H. 4.	
3	gallecicum. R.S.	capillary.	Gallicia.	—	6. 8.	H. 4.	
4	velutinum. R.S.	downy.	Mexico.	1823.	—	H. 4.	
PIPTATHERUM. R.S.		PIPTATHERUM.	Triandria Digynia.	R.S.			
1	paradoxum. R.S.	black-seeded.	France.	1771.	6. 7.	H. 4.	Host. gram. 3. t. 23.
	<i>Agrostis paradoxa. L.</i>	<i>Milium paradoxum. w.</i>	<i>Urachne virescens. Trin.</i>				
2	cœrulescens. R.S.	blueish.	Barbary.	1819.	—	H. 4.	Desf. atl. 1. t. 12.
3	multiflorum. R.S.	many-flowered.	S. Europe.	1778.	—	H. 4.	Host. gram. 3. t. 45.
	<i>Milium arundinaceum. F.G. t. 66.</i>	<i>Agrostis miliacea. L.</i>					
CALAMAGROSTIS. S.S.		CALAMAGROSTIS.	Triandria Digynia.	S.S.			
1	epigejos. S.S.	wood.	Britain.	7.	H. 4.	Eng. bot. 403.
2	littorea. S.S.	sea-side.	Switzerland.	1824.	7. 8.	H. 4.	Schrad. fl. ger. 1. t. 4. f. 1.
3	laxa. Host.	loose.	—	—	—	H. 4.	Host. gram. 4. t. 23.
4	glauca. R.S.	glaucous.	N. America.	—	—	H. 4.	
5	Halleriana. S.S.	Haller's.	Switzerland.	1819.	—	H. 4.	Schrad. fl. ger. 1. t. 4. f. 1.
	<i>Arundo pseudophragmites. R.S.</i>						
6	stricta. S.S.	upright.	Scotland.	7. 8.	H. 4.	Eng. bot. 2160.
7	varia. Host.	various.	S. Europe.	1813.	—	H. 4.	Host. gram. 4. t. 47.
8	acutiflora. R.S.	sharp-flowered.	Germany.	1819.	—	H. 4.	
9	sylvatica. DC.	wood.	Europe.	1813.	—	H. 4.	Host. gram. 4. t. 49.
	<i>arundinacea. Roth.</i>	<i>Agrostis arundinacea. L.</i>	<i>pyramidalis. Host.</i>				
10	Langsdorffii. S.S.	Langsdorff's.	1823.	—	H. 4.	
11	confinis. S.S.	hairy-flowered.	N. America.	1820.	—	H. 4.	
12	montana. Host.	mountain.	Europe.	—	—	H. 4.	Host. gram. 4. t. 46.
13	Hostii. R.S.	Host's.	—	—	—	H. 4.	4. t. 48.
	<i>sylvatica. Host. nec aliorum.</i>						
14	lanceolata. S.S.	common.	England.	7.	H. 4.	Eng. bot. 2159.
	<i>Arundo Calamagrostis. E.B.</i>	<i>Agrostis lanceolata. R.S.</i>					
15	speciosa. Host.	beautiful.	Germany.	1813.	7. 8.	H. 4.	Host. gram. 4. t. 45.
	<i>Agrostis Calamagrostis. R.S.</i>						
STIPA. R.S.		FEATHER-GRASS.	Triandria Digynia.	L.			
1	pennata. E.B.	common.	Britain.	7. 8.	H. 4.	Eng. bot. 1356.
2	tortilis. R.S.	twisted-awned.	S. Europe.	1823.	—	H. 4.	Desf. atl. 1. t. 31. f. 1.
3	junceæ. R.S.	rushy.	France.	1772.	—	H. 4.	Flor. græc. 1. t. 85.
4	gigantea. R.S.	gigantic.	Spain.	1823.	—	H. 4.	
5	capillata. R.S.	capillary.	S. Europe.	—	—	H. 4.	Host. gram. 3. t. 5.
6	tenacissima. R.S.	tough.	—	1822.	—	H. 4.	Desf. atl. 1. t. 30.
7	Aristella. R.S.	awned.	Montpelier.	1806.	—	H. 4.	Host. gram. 4. t. 34.
8	conferta. R.S.	close paniced.	1819.	—	H. 4.	
9	sibirica. R.S.	Siberian.	Siberia.	1777.	—	H. 4.	Gmel. sib. 1. t. 22.
TRICHODIUM. R.S.		WINTER-GREEN-GRASS.	Triandria Digynia.	R.S.			
1	caninum. R.S.	brown.	Britain.	7.	H. 4.	Eng. bot. 1856.
	<i>Agrostis canina. E.B.</i>						
2	alpinum. R.S.	Alpine.	S. Europe.	1818.	7. 8.	H. 4.	Host. gram. 3. t. 49.
3	rupestre. R.S.	rock.	Pyrenees.	—	—	H. 4.	3. t. 50.
4	neglectum. R.S.	neglected.	Hungary.	1822.	—	H. 4.	

5	flavescens. R.S.	yellowish.	S. Europe.	—	—	H. 4.	Host. gram. 4. t. 52.
6	setaceum. R.S.	bristly.	Britain.	—	H. 4.	Eng. bot. 1188.
<i>Agrostis setacea. E.B.</i>							
7	rubrum. R.S.	red.	Lapland.	1824.	—	H. 4.	
8	hybridum. R.S.	hybrid.	Switzerland.	—	—	H. 4.	
9	diffusum. L.en.	spreading.	1823.	—	H. 4.	
10	decumbens. R.S.	decumbent.	N. America.	1786.	6. 7.	H. 4.	Fraser mon. c. ic.
11	laxiflorum. R.S.	loose-flowered.	—	1816.	—	H. 3.	Mich. amer. 1. t. 8.
12	elegans. R.S.	elegant.	France.	—	7. 9.	H. 4.	Lois journ. bot. 2. t. 8. f. 1.
AGROSTIS. R.S.							
BENT-GRASS. Triandria Digynia. R.S.							
1	stolonifera. R.S.	creeping.	Britain.	7. 8.	H. 4.	Eng. bot. 1532.
	<i>α latifolia. S.G.W.</i>	<i>Fiorin grass.</i>	—	—	H. 4.	Sinc. gr. wob. p. 225. ic.
	<i>β angustifolia. S.G.W.</i>	<i>narrow-leaved.</i>	—	—	H. 4.	— p. 346. ic.
	<i>γ aristata. S.G.W.</i>	<i>awned.</i>	—	—	H. 4.	— p. 345. ic.
	<i>δ nemoralis. S.G.W.</i>	<i>wood.</i>	—	—	H. 4.	
	<i>ε palustris. S.G.W.</i>	<i>marsh.</i>	—	—	H. 4.	
2	diffusa. R.S.	spreading.	Europe.	1816.	—	H. 4.	Host. gram. 4. t. 55.
3	neglecta. R.S.	neglected.	Hungary.	—	—	H. 4.	
4	capillaris. R.S.	capillary.	S. Europe.	—	—	H. 4.	Sm. ic. ined. t. 54.
5	tenella. R.S.	slender.	Switzerland.	1824.	—	H. 4.	Schad. fl. ger. 1. t. 5. f. 1.
6	alba. R.S.	white rooted.	Britain.	7.	H. 4.	Sinc. gr. wob. p. 342. ic.
	<i>β purpurascens.</i>	<i>purplish.</i>	—	—	H. 4.	Eng. bot. 1189.
	<i>γ vivipara.</i>	<i>viviparous.</i>	—	—	H. 4.	
7	tenuifolia. R.S.	slender-leaved.	Caucasus.	1819.	7. 8.	H. 4.	
8	patula. R.S.	knotted spreading.	Switzerland.	1824.	—	H. 4.	
9	valentina. R.S.	Valentia.	Spain.	—	—	H. 4.	
10	dubia. R.S.	doubtful.	Germany.	1818.	—	H. 4.	Leers fl. herb. t. 4. f. 4.
11	gigantea. R.S.	gigantic.	Caucasus.	—	—	H. 4.	
12	frondosa. R.S.	frondose.	Naples.	1824.	—	H. 4.	
13	vulgaris. R.S.	fine.	Britain.	—	H. 4.	Eng. bot. 1671.
14	ambigua. R.S.	ambiguous.	Germany.	1820.	—	H. 4.	Host. gram. t. 56.
15	Juressi. R.S.	close paniced.	—	—	—	H. 4.	
16	virginica. R.S.	Virginian.	N. America.	—	—	H. 4.	Lab. nov. holl. 1. t. 23.
17	Forsteri. R.S.	Forster's.	N. Zealand.	1822.	—	H. 4.	
<i>Avena filiformis. Forst.</i>							
18	Billardieri. B.P.	Labillardiere's.	N. Holland.	1806.	—	H. 4.	Lab. nov. holl. 1. t. 31.
19	plebeia. B.P.	plebeian.	N. S. W.	1822.	—	H. 4.	
20	æmula. B.P.	flat-leaved.	—	1806.	—	H. 4.	
21	Spica venti. E.B.	silky.	England.	6. 7.	H. 4.	Eng. bot. 951.
22	pallida. DC.	pale.	France.	1818.	—	H. 4.	
23	interrupta. R.S.	interrupted.	S. Europe.	—	—	H. 4.	Host. gram. 3. t. 48.
24	purpurea. R.S.	purple.	—	1820.	—	H. 4.	
25	pauciflora. R.S.	few-flowered.	Switzerland.	1824.	6. 8.	H. 4.	Schrad. fl. ger. 1. t. 3. f. 2.
26	decumbens. Host.	decumbent.	Hungary.	—	—	H. 4.	Host. gram. 4. t. 54.
SPOROBOLUS. B.P. SPOROBOLUS.							
1	dianthus. R.S.	diandrous.	E. Indies.	1820.	6. 8.	S. 4.	
2	indicus. B.P.	Indian.	India.	1773.	8. 10.	H. 4.	Sloan. hist. 1. t. 73. f. 1.
3	purpurascens. R.S.	purplish.	Jamaica.	1820.	—	S. 4.	
4	tenacissimus. L.en.	tough.	W. Indies.	1801.	—	S. 4.	Jacq. ic. 1. t. 16.
5	elongatus. B.P.	elongated.	N. S. W.	1822.	—	H. 4.	
COLPODIUM. Trin. COLPODIUM. Triandria Digynia.							
1	Steveni. Trin.	various-colour'd.	Caucasus.	1823.	7. 8.	H. 4.	
<i>Agrostis versicolor. Stev.</i>							
2	latifolium.	broad-leaved.	Melville Isl.	1821.	—	H. 4.	
TRICHOCHLOA. Tr. TRICHOCHLOA. Triandria Digynia.							
1	tenuiflora.	slender-fl'd.	N. America.	1820.	7. 8.	H. 4.	Willd. hort. ber. t. 12.
	<i>longiseta. Tr. Agrostis tenuiflora. W. Cinna tenuiflora. L.en.</i>						
2	mexicana. Tr.	Mexican.	America.	1780.	6. 9.	H. 4.	
3	foliosa. Tr.	leafy.	N. America.	1819.	7. 8.	H. 4.	
<i>Agrostis filiformis. W.en. Cinna filiformis. L.en.</i>							
4	sobolifera. Tr.	soboliferous.	—	—	—	H. 4.	
5	microsperma. DC.	small-seeded.	Mexico.	1818.	8. 10.	H. 4.	
6	capillaris. DC.	capillary.	Carolina.	—	—	H. 4.	
CINNA. L. CINNA. Monandria Digynia. L.							
	arundinacea. L.	Reed-like.	Canada.	1789.	7.	H. 4.	Schreb. gram. t. 49.
KNAPPIA. E.B. KNAPPIA. Triandria Digynia. S.S.							
	agrostidea. E.B.	small.	Wales.	3. 4.	H. 4.	Eng. bot. 1127.
	<i>Agrostis minima. W. Chamagrostis minima. R.S. Sturmia verna. P.S.</i>						

COLOBACHNE. R.S.	COLOBACHNE.	Triandria Digynia. R.S.				
vaginata. R.S.	sheathed.	Levant.	1818.	4.	H. 4.	Flor. græc. t. 64.
<i>Alopecurus angustifolius</i> . F.G. <i>Polypogon vaginatus</i> . W.						
CRYPsis. R.S.	CRYPsis.	Triandria Digynia. L.				
1 alopecuroides. R.S.	Foxtail-like.	Germany.	1816.	7. 8.	H. ⊙.	Host. gram. 1. t. 29.
<i>Heleochoa alopecuroides</i> . Host.						
2 schœnoides. R.S.	Schœnus-like.	S. Europe.	1783.	—	H. ⊙.	Jacq. ic. 1. t. 15.
3 aculeata. R.S.	prickly.	—	—	—	H. ⊙.	Host. gram. 1. t. 31.
LAPPAGO. W.	LAPPAGO.	Triandria Digynia. W.				
racemosa. w.	branching.	S. Europe.	1771.	7. 8.	H. ⊙.	Flor. græc. t. 101.
<i>Tragus racemosus</i> . R.S. <i>Cenchrus racemosus</i> . L.						
MUHLENBERGIA. W.	MUHLENBERGIA.	Triandria Digynia. W.				
diffusa. R.S.	spreading.	N. America.	1816.	5. 6.	H. 4.	Schreb. gram. t. 51.
CHÆTARIA. R.S.	CHÆTARIA.	Triandria Digynia. R.S.				
1 adscensionis. R.S.	West Indian.	W. Indies.	1822.	7. 8.	S. 4.	Sloan. hist. 1. t. 2. f. 56.
<i>Aristida adscensionis</i> . W.						
2 Hystrix. R.S.	Porcupine.	E. Indies.	—	S. 4.	Pluk. alm. t. 191. f. 5.
3 divaricata. R.S.	spreading.	S. America.	1818.	7. 8.	G. 4.	Jacq. eclog. gram. t. 6.
4 cœrulescens. R.S.	blueish.	Canaries.	—	—	H. ⊙.	Desf. atl. t. 21. f. 2.
ARISTIDA. R.S.	ARISTIDA.	Triandria Digynia. L.				
vagans. R.S.	spreading-panicled.	N. S. W.	1820.	7. 8.	F. 4.	Cavan. ic. 5. t. 471.
HORDEUM. R.S.	BARLEY.	Triandria Digynia. L.				
1 vulgare. R.S.	spring.	Levant.	7.	H. ⊙.	Host. gram. 3. t. 34.
β giganteum.	giant.	—	—	H. ⊙.	
2 cœleste. R.S.	naked-seeded.	—	—	H. ⊙.	Viborg cereal. t. 1.
3 nigrum. R.S.	black-seeded.	—	—	H. ♂.	
4 hexastichon. R.S.	winter.	—	—	H. ⊙.	Viborg cereal. t. 2.
5 bulbosum. R.S.	bulbous.	S. Europe.	1770.	—	H. 4.	Flor. græc. 1. t. 98.
6 jubatum. R.S.	long-bearded.	N. America.	1782.	7. 8.	H. ♂.	
7 distichon. R.S.	common.	Tartary.	7.	H. ⊙.	Viborg cereal. t. 3.
β imberbe. R.S.	beardless.	—	—	H. ⊙.	
8 nudum. R.S.	naked seeded.	—	—	H. ⊙.	Arduin. sag. t. II. f. 4.
9 Zeocriton. R.S.	Battledore.	8.	H. ⊙.	Viborg cereal. t. 4.
10 murinum. R.S.	wall.	Britain.	4. 8.	H. ⊙.	Eng. bot. 1971.
11 pratense. R.S.	meadow.	—	6.	H. 4.	409.
12 secalinum. Roth.	rye-like.	Europe.	—	H. ⊙.	Monti gram. p. 60. f. 96.
13 maritimum. E.B.	sea-side.	Britain.	6. 7.	H. ⊙.	Eng. bot. 1205.
14 nepalense.	Nepaul.	Nepaul.	1825.	7. 8.	H. ⊙.	
15 Hystrix. R.S.	hedgehog.	Spain.	1817.	—	H. ⊙.	
ÆGOPOGON. R.S.	ÆGOPOGON.	Triandria Digynia. R.S.				
1 pusillus. R.S.	small.	S. America.	1822.	7. 8.	H. ⊙.	Cav. h. r. mad. 1. t. 5. f. 2.
2 trisetus. R.S.	three awned.	—	—	—	H. ⊙.	1. t. 5. f. 3.
MICROCHLOA. B.P.	MICROCHLOA.	Triandria Digynia. R.S.				
setacea. B.P.	bristly.	Tropics.	1806.	7.	H. ⊙.	Roxb. corom. 2. t. 132.
MELINIS. S.S.	MELINIS.	Triandria Digynia. S.S.				
minutiflora. s.s.	glutinous.	Brazil.	1822.	6. 7.	S. 4.	Nees Hort. ber. 54. t. 7.
<i>Tristegis glutinosa</i> . Nees. <i>Suardia picta</i> . Schrank h. mon. 11. t. 58.						
DIGITARIA. R.S.	DIGITARIA.	Triandria Digynia. R.S.				
1 sanguinalis. R.S.	slender-spiked.	Britain.	8.	H. ⊙.	Eng. bot. 849.
<i>Panicum sanguinale</i> . E.B.						
2 bicornis. R.S.	two-horned.	E. Indies.	1825.	8. 9.	H. ⊙.	
3 affinis. R.S.	related.	S. America.	1820.	7. 8.	H. ⊙.	
4 ægyptiaca. R.S.	Egyptian.	Egypt.	1794.	—	H. ⊙.	Jacq. obs. 3. t. 30.
5 filiformis. s.s.	filiform.	N. America.	1781.	—	H. ⊙.	
6 Roxburghii. s.s.	Roxburgh's.	E. Indies.	1823.	—	H. ⊙.	
<i>Panicum filiforme</i> . F.I.						
7 villosa. s.s.	villous.	N. America.	1781.	7. 9.	H. ⊙.	
8 glabra. R.S.	smooth.	S. Europe.	1817.	—	H. ⊙.	Schrad. germ. 1. t. 3. f. 6.
<i>Syntherisma glabrum</i> . Schrad.						
9 paspalodes. R.S.	trailing.	N. America.	—	—	H. ⊙.	
10 ciliaris. R.S.	fringed.	S. Europe.	1804.	—	H. ⊙.	Host. gram. 4. t. 15.
11 biformis. R.S.	two-formed.	Canaries.	1820.	—	H. ⊙.	
12 marginata. R.S.	marginated.	Brazil.	1825.	—	H. ⊙.	
13 linearis. R.S.	linear-spiked.	India.	1804.	—	H. ⊙.	Burm. ind. 25. t. 10. f. 33.
CYNODON. R.S.	CYNODON.	Triandria Digynia. R.S.				
1 Dactylon. R.S.	creeping.	England.	...	7. 8.	H. 4.	Eng. bot. 850.
β indicus.	Doob-grass.	India.	1820.	—	S. 4.	Sinc. gr. wob. p. 290. ic.
2 linearis. R.S.	linear-leaved.	E. Indies.	1796.	—	S. 4.	
3 stellatus. R.S.	starry.	St. Helena.	1823.	—	S. 4.	

- 4 *præcox*. R.S. early-flow'ring. N.America. 1823. 6. 7. H. ½.
- Digitaria sanguinalis*. M.
- PHALARIS. R.S.** CANARY-GRASS. Triandria Digynia. R.S.
- 1 *canariensis*. R.S. common. Britain. 6. 8. H. ⊙. Eng. bot. 1310.
- 2 *microstachya*. DC. small-spiked. N.America. 1818. — H. ⊙.
- 3 *aquatica*. R.S. water. Egypt. 1778. 6. 7. H. ⊙. Host. gram. 2. t. 38.
- 4 *commutata*. R.S. changed. Italy. 1823. — H. ⊙. Barrel. ic. 700. f. 2.
- 5 *capensis*. R.S. Cape. C. B. S. 1804. — H. ⊙.
- 6 *bulbosa*. R.S. bulb-bearing. Spain. 1824. — H. ½.
- 7 *cærulescens*. R.S. blueish. S. Europe. — H. ⊙. Buxb. cent. 4. t. 53.
- 8 *paradoxa*. R.S. paradoxical. — H. ⊙. Flor. græc. 1. t. 58.
- 9 *appendiculata*. R.S. appendaged. Egypt. 1823. — H. ⊙.
- DIGRAPHIS. Tr.** DIGRAPHIS. Triandria Digynia.
- 1 *arundinacea*. Tr. Reed-like. Britain. 7. H.w. ½. Eng. bot. 402.
- Arundo colorata*. E.B. *Phalaris arundinacea*. L. *Baldingera*. Fl. wet.
- β variegata*. striped-leaved. — H. ½.
- 2 *americana*. s.s. American. N. America. — H. ½.
- LAGURUS. R.S.** HARE'S-TAIL-GRASS. Triandria Digynia. L.
- ovatus*. E.B. oval-spiked. Guernsey. 6. H. ⊙. Eng. bot. 1334.
- ECHINOPOGON. R.S.** ECHINOPOGON. Triandria Digynia.
- ovatus*. R.S. ovate paniced. N.Holland. 1820. 7. 8. H. ½. Lab. nov. holl. 1. t. 21.
- Agrostis ovata*. Lab.
- HIEROCHLOE. P.B.** HIEROCHLOE. Triandria Digynia. R.S.
- 1 *borealis*. R.S. northern. Scotland. 5. 6. H. ½. Sinc. gr. wob. p. 167. ic.
- Holcus odoratus*. F.D. t. 963. *repens*. Host. gram. 3. t. 3.
- 2 *australis*. R.S. southern. S. Europe. 1777. 6. 7. H. ½.
- 3 *fragrans*. R.S. fragrant. N.America. — — H. ½.
- CATABROSA. R.S.** CATABROSA. Triandria Digynia. R.S.
- 1 *aquatica*. R.S. water. Britain. 5. 6. H.w. ½. Eng. bot. 1557.
- Aira aquatica*. E.B.
- 2 *viridula*. R.S. close-paniced. 1718. — H.w. ½.
- 3 *humilis*. Tr. dwarf. Caucasus. 1824. 6. 7. H. ½.
- AIRA. R.S.** HAIR-GRASS. Triandria Digynia. L.
- 1 *flexuosa*. E.B. waved. Britain. 7. 8. H. ½. Eng. bot. 1519.
- 2 *versicolor*. R.S. various-color'd. S. Europe. 1823. — H. ½.
- 3 *caryophyllea*. E.B. silver. Britain. — H. ⊙. Eng. bot. 812.
- 4 *elegans*. R.S. elegant. Switzerland. 1824. — H. ⊙. Host. gram. 4. t. 35.
- 5 *pulchella*. R.S. pretty. Spain. 1820. — H. ⊙.
- 6 *pallens*. R.S. pale. N.America. — — H. ½.
- 7 *arundinacea*. R.S. Reed-like. Cumana. 1823. — H. ½.
- 8 *semineutra*. s.s. doubtful. Hungary. 1819. 6. 7. H. ½.
- DESCHAMPSIA. R.S.** DESCHAMPSIA. Triandria Digynia. R.S.
- 1 *cæspitosa*. R.S. turf. Britain. 8. H. ½. Eng. bot. 1453.
- Aira cæspitosa*. E.B.
- 2 *Biebersteiniana*. Bieberstein's. Caucasus. 1823. 6. 8. H. ½.
- 3 *alpina*. R.S. Alpine. Scotland. 5. 6. H. ½. Eng. bot. 2102.
- Aira lævigata*. E.B. *alpina*. L. *Avena alpina*. Tr.
- 4 *bottnica*. Tr. bristle-leaved. Bottnia. 1824. — H. ½.
- Aira bottnica*. R.S.
- SCHISMUS. R.S.** SCHISMUS. Triandria Digynia. R.S.
- 1 *Gouani*. Tr. Gouan's. Montpelier. 1820. 6. 7. H. ½.
- Aira media*. Gouan. *Deschampsia media*. R.S.
- 2 *marginatus*. R.S. margined. Spain. 1781. — H. ⊙. Cavan. ic. 1. t. 44. f. 2.
- Festuca calycina*. W.
- CORYNEPHORUS. R.S.** CORYNEPHORUS. Triandria Digynia. R.S.
- 1 *canescens*. R.S. canescent. England. 7. 8. H. ½. Eng. bot. 1190.
- Aira canescens*. E.B.
- 2 *articulatus*. R.S. jointed. S. Europe. 1824. — H. ½. Desf. atl. 1. t. 13.
- PERIBALLIA. Tr.** PERIBALLIA. Triandria Digynia. R.S.
- hispanica*. Tr. Spanish. Spain. 1820. 6. 7. H. ⊙. Cavan. ic. 1. t. 44. f. 1.
- Aira involucrata*. Cav. *Aiopsis involucrata*. R.S.
- AIROPSIS. R.S.** AIROPSIS. Triandria Digynia. R.S.
- 1 *globosa*. R.S. globe-flowered. S. Europe. 1823. 6. 8. H. ⊙. Cavan. ic. 3. t. 274. f. 1.
- 2 *obtusata*. R.S. blunt-flowered. N.America. — 6. 7. H. ½.
- 3 *brevifolia*. R.S. short-leaved. Missouri. 1818. — H. ½.
- 4 *agrostidea*. R.S. Agrostis-like. S. Europe. 1823. — H. ½. DC. ic. rar. t. 1.
- Poa agrostidea*. DC. *Aira agrostidea*. Lois.
- MELICA. R.S.** MELIC-GRASS. Triandria Digynia. L.
- 1 *ciliata*. R.S. ciliated. Europe. 1771. 7. H. ½. Flor. græc. 1. t. 70.

2 nutans. R.S.	mountain.	Britain.	6. 7.	H. 2.	Eng. bot. 1059.
3 uniflora. R.S.	wood.	———	5. 6.	H. 2.	——— 1058.
4 Bauhini. R.S.	Italian.	Italy.	1806.	6. 7.	H. 2.	Host. gram. 4. t. 23.
5 pyramidalis. R.S.	pyramidal.	Barbary.	1804.	——	H. 2.	Barrel. ic. t. 96. f. 1.
6 speciosa. R.S.	handsome.	N.America.	1812.	——	H. 2.	Schreb. gram. t. 54.
<i>glabra. Ph.</i>						
7 altissima. R.S.	tallest.	Siberia.	1770.	7. 8.	H. 2.	Host. gram. 2. t. 9.
8 sylvatica. Lk.	wood.	Europe.	1824.	——	H. 2.	——
MOLINIA. P.B.	MOLINIA.	Triandria Digynia.	R.S.			
cœrulea. P.B.	purple.	Britain.	8.	H. 2.	Eng. bot. 750.
<i>varia. s.s. Melica cœrulea. E.B. Enodium cœruleum. R.S.</i>						
DINEBA. R.S.	DINEBA.	Triandria Digynia.	R.S.			
1 arabica. R.S.	Arabian.	Levant.	1816.	8. 9.	H. 2.	Jacq. fragm. t. 121. f. 1.
2 divaricata. R.S.	spreading.	Egypt.	1823.	——	H. 2.	——
WANGENHEIMIA. Tr.	WANGENHEIMIA.	Triandria Digynia.	R.S.			
Lima. Tr.	Imbricated.	Spain.	1776.	7. 8.	H. 2.	Cavan. ic. 1. t. 91.
<i>Cynosurus Lima. Cav. Dineba Lima. R.S.</i>						
SACCHARUM. R.S.	SUGAR-CANE.	Triandria Digynia.	L.			
1 officinarum. R.S.	common.	India.	1597.	S. 2.	Rumph. amb. 5. t. 74. f. 1.
2 sinense. F.I.	Chinese.	China.	1822.	S. 2.	——
3 procerum. F.I.	lofty.	E. Indies.	——	S. 2.	——
4 violaceum. R.S.	violet-coloured.	W. Indies.	1816.	S. 2.	Sloan. hist. 1. t. 70. f. 1.
5 caudatum. R.S.	tailed.	———	——	S. 2.	——
6 contractum. R.S.	contracted.	S. America.	1823.	S. 2.	——
7 Munja. F.I.	slender.	E. Indies.	1805.	S. 2.	——
IMPERATA. R.S.	IMPERATA.	Triandria Digynia.	R.S.			
1 arundinacea. R.S.	Reed-like.	N. Holland.	1820.	7. 8.	F. 2.	Cyril. ic. fasc. 2. t. 11.
2 spontanea. R.S.	spontaneous.	E. Indies.	1818.	S. 2.	Rheed. mal. 12. t. 46.
TRICHOLÆNA. R.S.	TRICHOLÆNA.	Triandria Digynia.	R.S.			
micrantha. R.S.	small-flowered.	S. Europe.	1816.	7. 8.	H. 2.	Jacq. ecl. gram. t. 34.
<i>Saccharum Teneriffæ. Jacq.</i>						
ERIANTHUS. R.S.	ERIANTHUS.	Triandria Digynia.	R.S.			
1 saccharoides. R.S.	Sugar-cane-like.	N.America.	1816.	7. 8.	H. 2.	——
<i>Saccharum giganteum. Ph.</i>						
2 brevisbarbis. R.S.	short-bearded.	———	1822.	——	H. 2.	——
RIPIDIUM. Tr.	RIPIDIUM.	Polygamia Monœcia.	Tr.			
1 Ravennæ. Tr.	rough.	S. Europe.	1816.	7. 8.	H. 2.	Host. gram. 3. t. 1.
<i>Andropogon Ravennæ. Host. Saccharum Ravennæ. W.</i>						
2 strictum. Tr.	upright.	Hungary.	1802.	——	H. 2.	—— 2. t. 2.
<i>Saccharum adpressum. Kit. Andropogon strictus. Host.</i>						
ANDROPOGON. R.S.	ANDROPOGON.	Polygamia Monœcia.	L.			
1 argenteus. DC.	silvery.	Mexico.	1822.	G. 2.	——
2 saccharoides. R.S.	Sugar-cane-like.	Jamaica.	1818.	——	S. 2.	DC. h. mons. ined. t. 69.
3 laguroides. R.S.	hares-tail-like.	New Spain.	1820.	S. 2.	Host. gram. 4. t. 1.
4 hirtus. R.S.	hairy.	S. Europe.	1802.	7. 8.	S. 2.	Jacq. aust. 4. t. 384.
5 angustifolius. R.S.	narrow-leaved.	———	1818.	——	H. 2.	Gerard. gall. p. 107. t. 4.
6 Ischæmum. R.S.	woolly.	———	1768.	——	H. 2.	——
7 serratus. R.S.	saw-leaved.	Japan.	1816.	G. 2.	——
<i>laxus. W.</i>						
8 comosus. R.S.	tufted.	Egypt.	1824.	H. 2.	——
9 annulatus. R.S.	annular.	———	——	S. 2.	Forsk. egypt. t. 7.
10 furcatus. R.S.	forked.	N.America.	1818.	7. 8.	H. 2.	——
CHRYSOPOGON. Tr.	CHRYSOPOGON.	Polygamia Monœcia.				
Gryllus. Tr.	purple-fl.	S. Europe.	1791.	6. 7.	H. 2.	Flor. græc. 1. t. 67.
<i>Andropogon Gryllus. F.G. Holcus Gryllus. B.P.</i>						
POLLINIA. R.S.	POLLINIA.	Polygamia Monœcia.				
1 distachya. R.S.	two-spiked.	S. Europe.	1805.	7. 8.	H. 2.	Flor. græc. 1. t. 69.
2 striata. R.S.	nerve-glumed.	E. Indies.	1793.	8.	S. 2.	——
3 undata. R.S.	waved.	Mauritius.	1823.	S. 2.	Jacq. ic. 3. t. 361.
CYMBOPOGON. R.S.	CYMBOPOGON.	Polygamia Monœcia.				
Schœnanthus. R.S.	Lemon-grass.	E. Indies.	1786.	S. 2.	Rumph. amb. 5. t. 72. f. 2.
<i>Andropogon Schœnanthus. W.</i>						
HETEROPOGON. R.S.	HETEROPOGON.	Polygamia Monœcia.				
1 Allionii. R.S.	Allion's.	S. Europe.	1816.	7. 8.	H. 2.	Allion. fl. ped. t. 91. f. 4.
2 contortus. R.S.	twisted.	E. Indies.	1779.	7. 9.	S. 2.	Schk. hand. t. 342. f. a.
<i>Andropogon contortus. W.</i>						
APLUDA. R.S.	APLUDA.	Polygamia Monœcia.	L.			
aristata. R.S.	awned.	E. Indies.	1820.	S. 2.	Schreb. gram. 2. t. 42.

ANATHERUM. R.S.		ANATHERUM.	Polygamia Monœcia.		
1 muricatum. R.S.	muricate.	E. Indies.	1823.	S. 2.	
<i>Andropogon muricatus.</i> Retz. <i>squarrosus.</i> W.					
2 virginicum. R.S.	Virginian.	N. America.	1819.	7. 8.	H. 2.
3 muticum. R.S.	smooth spiked.	C. B. S.	1794.	7. 9.	G. 2.
ANTHISTIRIA. R.S.		ANTHISTIRIA.	Polygamia Monœcia. L.		
1 ciliata. R.S.	fringed.	Jamaica.	1821.	8. 10.	S. 2.
2 australis. B.P.	New Holland.	N. Holland.	1818.	—	F. 2.
SORGHUM. R.S.		SORGHUM.	Polygamia Monœcia.		
1 vulgare. R.S.	Indian Millet.	India.	1596.	7.	H. 2.
2 nigrum. R.S.	black-glumed.	—	H. 2.
3 bicolor. R.S.	two-coloured.	Persia.	1731.	—	H. 2.
4 cernuum. R.S.	nodding.	—	H. 2.
5 rubens. R.S.	red.	Africa.	1817.	—	H. 2.
6 saccharatum. R.S.	yellow-seeded.	India.	1759.	7. 8.	S. 2.
7 cafferum. R.S.	Cape.	C. B. S.	1816.	—	H. 2.
<i>Arduini.</i> Jacq. ecl. gram. t. 18.					
8 avenaceum. R.S.	Oat-like.	—	1816.	7. 9.	H. 2.
9 halepense. R.S.	panicked.	Syria.	1691.	7. 8.	H. 2.
10 elongatum. R.S.	long-panicked.	N. Holland.	1823.	—	F. 2.
HOLCUS. R.S.		SOFT-GRASS.	Polygamia Monœcia. L.		
1 mollis. R.S.	creeping.	Britain.	7. 8.	H. 2.
2 lanatus. R.S.	meadow.	—	6. 7.	H. 2.
ARRHENATHERUM. R.S.		ARRHENATHERUM.	Polygamia Monœcia.		
1 avenaceum. R.S.	Oat-like.	Britain.	6. 7.	H. 2.
<i>Holcus avenaceus.</i> E.B. <i>Avena elatior.</i> F.D. t. 165.					
β muticum.	awnless.	Scotland.	—	H. 2.
2 bulbosum.	bulbous.	Germany.	—	H. 2.
<i>Holcus bulbosus.</i> Host. <i>Avena bulbosa.</i> W.					
ATHEROPOGON. R.S.		ATHEROPOGON.	Polygamia Monœcia.		
apludoides. R.S.	Apluda-like.	N. America.	1808.	6. 7.	H. 2.
<i>Chloris curtispindula.</i> M.					
CHLORIS. R.S.		CHLORIS.	Polygamia Monœcia. L.		
1 ciliata. R.S.	ciliated.	Jamaica.	1779.	7. 9.	S. 2.
2 radiata. R.S.	many-spiked.	W. Indies.	1739.	8. 9.	S. 2.
3 pallida. R.S.	pale-spiked.	S. France.	1816.	—	H. 2.
4 barbata. R.S.	bearded.	E. Indies.	1777.	6. 7.	S. 2.
5 Roxburghiana. R.S.	Roxburgh's.	—	1824.	7. 8.	S. 2.
6 inflata. R.S.	inflated.	California.	—	—	H. 2.
7 fasciculata. R.S.	crowded.	Brazil.	—	—	H. 2.
8 polydactyla. R.S.	many-spiked.	W. Indies.	1818.	—	S. 2.
9 elegans. R.S.	elegant.	Mexico.	1825.	—	H. 2.
10 compressa. R.S.	compressed.	S. France.	1820.	6. 8.	H. 2.
11 ventricosa. B.P.	swelled.	N. S. W.	1818.	—	G. 2.
12 truncata. B.P.	truncated.	—	1822.	—	G. 2.
13 dolichostachya. R.S.	long-spiked.	Philippine Isl.	1824.	7. 8.	H. 2.
14 retusa. R.S.	retuse-glumed.	Buenos Ayres.	—	—	H. 2.
15 gracilis. s.s.	slender.	—	—	H. 2.
<i>Durandiana.</i> R.S.					
EUSTACHYS. R.S.		EUSTACHYS.	Polygamia Monœcia.		
petræa. R.S.	flat-stalked.	Jamaica.	1779.	7. 8.	S. 2.
<i>Chloris petræa.</i> W.					
CHRYSURUS. R.S.		CHRYSURUS.	Polygamia Monœcia.		
1 aureus. s.s.	golden-spiked.	Levant.	1770.	7.	H. 2.
<i>cynosuroides.</i> R.S. <i>Cynosurus aureus.</i> F.G. 1. t. 79. <i>Lamarckia aurea.</i> DC.					
2 echinatus. R.S.	rough.	England.	8.	H. 2.
<i>Cynosurus echinatus.</i> E.B.					
3 effusus. R.S.	spreading.	S. Europe.	1824.	7. 8.	H. 2.
4 elegans. R.S.	elegant.	—	—	—	H. 2.
ISCHÆMUM. S.S.		ISCHÆMUM.	Polygamia Monœcia. L.		
1 aristatum. s.s.	bearded.	E. Indies.	1803.	6. 7.	S. 2.
2 australe. B.P.	southern.	N. S. W.	1822.	7. 8.	F. 2.
3 rugosum. s.s.	rough.	E. Indies.	1791.	—	S. 2.
ROTTBOELLIA. R.S.		ROTTBOELLIA.	Triandria Digynia. L.		
1 exaltata. R.S.	tall.	E. Indies.	1806.	S. 2.
2 perforata. R.S.	perforated.	—	1822.	S. 2.
LEPTURUS. B.P.		HARD-GRASS.	Triandria Digynia.		
1 incurvatus. Tr.	sea-side.	Britain.	7.	H. 2.
<i>Rottboellia incurvata.</i> E.B.					

Sloan. jam. 1. t. 68. f. 27

Cavan. ic. 5. t. 459.

Host. gram. 4. t. 2.
Ard. sag. pad. 1. t. 5. f. 1.
Mieg. ac. helv. 8. t. 4. f. 4.
Host. gram. 4. t. 3.

Host. gram. 4. t. 4.
Ard. sag. pad. 1. t. 1. f. 1.

Flor. græc. 1. t. 68.

Eng. bot. 1170.
— 1169.

Eng. bot. 813.

Host. gram. 4. t. 30.

Jacq. ecl. gram. t. 7.

Hayn. term. bot. t. 40. f. 2

Jacq. ecl. gram. 1. t. 8.

Jacq. ecl. gram. 1. t. 9.
H. et B. n. gen. 1. t. 49.

Jacq. ecl. gram. 1. t. 11.

Host. gram. 3. t. 4.

Eng. bot. 1333.

Desf. atl. 1. t. 17.

Sal. stirp. rar. 1. t. 1.

Roxb. corom. t. 182.

Eng. bot. 760.

2 filiformis. Tr.	thready.	S. Europe. 1800.	7.	H. 4.	Barrel. ic. t. 6.
3 cylindricus. Tr.	cylindrical.	Portugal. 1806.	—	H. ⊙.	Giorn. pis. 4. f. 4-8.
<i>Rottboellia cylindrica</i> . W. <i>subulata</i> . DC. <i>Monerma subulata</i> . R.S.					
PHOLIURUS. Tr.	PHOLIURUS.	Triandria Digynia.			
pannonicus. Tr.	Hungarian.	Hungary. 1804.	—	H. ⊙.	Host. gram. 1. t. 24.
MONERMA. R.S.	MONERMA.	Monandria Digynia.			
monandra. R.S.	monandrous.	Spain. 1804.	7.	H. ⊙.	Cavan. ic. t. 39. f. 1.
<i>Rottboellia monandra</i> . Cav. <i>Nardus aristata</i> . L. <i>Psilurus nardoides</i> . Tr.					
MANISURIS. R.S.	MANISURIS.	Polygamia Monœcia. W.			
granularis. R.S.	round grained.	E. Indies. 1784.	6. 7.	S. ⊙.	Roxb. corom. 2. t. 118.
ANTHEPHORA. R.S.	ANTHEPHORA.	Triandria Monogynia.			
elegans. R.S.	elegant.	Jamaica. 1776.	8. 9.	S. ⊙.	Schreb. gram. t. 44.
<i>Tripsacum hermaphroditum</i> . L. <i>Cenchrus lævigatus</i> . s.s.					
TRIPSACUM. S.S.	TRIPSACUM.	Monœcia Triandria. L.			
1 dactyloides. s.s.	rough-seeded.	Virginia. 1640.	8.	H. 4.	Lam. ill. t. 750.
2 monostachyon. s.s.	single-spiked.	N.America. 1815.	—	H. 4.	Willd. hort. ber. t. 1.
ECHINOCHLOA. R.S.	ECHINOCHLOA.	Triandria Digynia. R.S.			
1 stagnina. R.S.	pond.	E. Indies. 1802.	7. 8.	H. ⊙.	
2 commutata. R.S.	Hungarian.	Hungary. —	—	H. ⊙.	Host. gram. 3. t. 51.
<i>Panicum stagninum</i> . Host.					
3 intermedia. R.S.	intermediate.	1816.	—	H. ⊙.
4 erythrosperma. R.S.	red-seeded.	1825.	—	H. ⊙.
5 Crus-Corvi. R.S.	Crow's-foot.	E. Indies. 1781.	—	H. ⊙.	
6 Crus-Galli. R.S.	Cock's-foot.	England.	—	H. ⊙.	Eng. bot. 876.
<i>Panicum Crus-Galli</i> . E.B.					
7 echinata. R.S.	bristly.	N.America. 1825.	—	H. ⊙.	
8 setigera. R.S.	setigerous.	E. Indies. 1820.	—	S. ⊙.	
ORTHOPOGON. B.P.	ORTHOPOGON.	Triandria Digynia. S.S.			
1 hirtellus. s.s.	hairy.	W. Indies. 1795.	6. 7.	S. ♂.	
2 undulatifolius. s.s.	wave-leaved.	S. Europe. —	—	H. ⊙.	Host. gram. 3. t. 52.
<i>Panicum hirtellum</i> . Host. non L.					
3 Burmanni. R.S.	Burman's.	E. Indies. 1819.	S. ⊙.	Burm. ind. t. 12. f. 1.
4 africanus.	African.	Africa. 1822.	7. 9.	S. ⊙.	Pal. fl. d'ow. 2. t. 67. f. 11.
<i>Oplismenus africanus</i> . R.S.					
5 compositus. s.s.	compound spiked.	E. Indies. 1819.	—	S. ⊙.	Linn. pfl. sys. 12. t. 96. f. 3.
PANICUM. R.S.	PANIC-GRASS.	Triandria Digynia. R.S.			
1 colonum. R.S.	purple.	E. Indies. 1699.	7. 8.	H. ⊙.	Ehret pict. t. 3. f. 3.
2 brizoides. R.S.	Briza-like.	—	1801.	6. 7.	S. ♂.
3 flavidum. R.S.	yellowish.	—	1823.	—	S. ♂.
4 fasciculatum. R.S.	fascicled.	Jamaica. 1801.	—	H. ⊙.	
5 plicatum. R.S.	plaited.	E. Indies. 1824.	6. 8.	S. 4.	
6 palmifolium. R.S.	Palm-leaved.	—	1804.	—	S. 4.
7 neurodes. R.S.	nerved-leaved.	Nepaul. 1823.	—	G. 4.	Jacq. ecl. gram. t. 1.
<i>nervosum</i> . F.I. non Lam.					
8 costatum. F.I.	ribbed.	Mauritius. 1805.	—	S. 4.	
9 carthaginense. R.S.	Carthagena.	S. America. 1818.	—	S. 4.	
10 indicum. F.I.	Indian.	E. Indies. —	—	S. 4.	
11 hispidulum. R.S.	hispid.	—	1804.	7. 8.	H. ⊙.
12 frumentaceum. F.I.	cultivated.	—	1810.	—	H. ⊙.
13 dichotomum. R.S.	forked.	N.America. 1817.	—	H. ⊙.	Sp. m. act. pet. 1810. t.
14 coloratum. R.S.	coloured.	Egypt. 1771.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 58?
15 repens. R.S.	slender.	S. Europe. 1777.	—	H. ⊙.	Flor. græc. 1. t. 61.
16 proliferum. R.S.	proliferous.	N.America. 1816.	—	H. ⊙.	
17 numidianum. R.S.	Numidian.	Barbary. —	—	H. ⊙.	Desf. atl. 1. t. 11.
18 miliaceum. R.S.	Millet.	E. Indies. 1596.	—	H. ⊙.	Host. gram. 2. t. 20.
19 attenuatum. R.S.	attenuated.	1825.	—	H. ⊙.
20 muricatum. R.S.	prickly.	E. Indies. 1805.	7. 9.	H. ⊙.	
21 capillare. R.S.	hair-panicled.	America. 1758.	6. 8.	H. ⊙.	
<i>β minor</i> . R.S. smaller.					
22 maximum. R.S.	Guinea-grass.	Tropics. 1822.	—	S. 4.	Host. gram. 4. t. 16.
23 asperrium. R.S.	rough.	S. America. 1824.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 13.
24 fuscum. R.S.	brown.	Jamaica. 1822.	—	S. 4.	
25 latifolium. R.S.	broad-leaved.	N.America. 1765.	8. 9.	H. 4.	Moris. his. 3. t. 5. f. 1.
26 clandestinum. R.S.	hidden-flow'r'd.	—	1802.	7.	H. 4.
27 virgatum. R.S.	twiggy.	—	1781.	8. 9.	H. 4.
28 anceps. R.S.	flat-edged.	—	1816.	7. 8.	H. 4.
29 uliginosum. R.S.	marsh.	E. Indies. 1819.	—	S. w. 4.	
30 nitidum. R.S.	glossy.	N.America. 1811.	—	H. ⊙.	Spr. m. act. pet. 2. t.
31 arundinaceum. R.S.	Reed-like.	Jamaica. 1819.	—	S. 4.	

32	brevifolium. R.S.	short-leaved.	E. Indies.	1800.	7. 8.	S. ☉.	Pluk. alm. t. 189. f. 4.
33	divaricatum. R.S.	divaricate.	Jamaica.	1800.	—	S. 4.	Jacq. schoen. 1. t. 25.
34	interruptum. R.S.	interrupted.	E. Indies.	1820.	—	S. 4.	
35	arborescens. R.S.	arborescent.	—	1776.	3. 4.	S. ½.	
36	patens. R.S.	spreading.	—	1804.	7. 8.	S. ♂.	Burm. ind. t. 10. f. 3.
37	altissimum. R.S.	lofty.	—	1816.	—	H. ☉.	
38	marginatum. B.P.	margin-leaved.	N. S. W.	1822.	—	F. 4.	
39	bicolor. B.P.	two-coloured.	—	—	—	F. 4.	
ISACHNE. B.P. ISACHNE. Triandria Digynia. R.S.							
	australis. B.P.	New Holland.	N. S. W.	1820.	6. 8.	H.w. 4.	
MONACHNE. R.S. MONACHNE. Triandria Digynia. R.S.							
	unilateralis. R.S.	one-sided.	Jamaica.	1819.	6. 8.	S. 4.	Sloan. hist. 1. t. 14. f. 2.
	<i>Milium villosum.</i> W.						
AXONOPUS. R.S. AXONOPUS. Triandria Digynia. R.S.							
1	digitatus. R.S.	fingered.	Jamaica.	1818.	6. 8.	H. ☉.	
2	cimicinus. R.S.	spotted.	E. Indies.	1778.	7. 9.	H. ☉.	
	<i>Panicum cimicinum.</i> W. <i>Milium cimicinum.</i> L.						
BECKMANNIA. R.S. BECKMANNIA. Triandria Digynia. R.S.							
	erucaformis. R.S.	linear-spiked.	Europe.	1773.	7.	H. ☉.	Host. gram. 3. t. 6.
SECALE. R.S. RYE. Triandria Digynia. R.S.							
1	cereale. R.S.	common.	Tauria.	6. 7.	H. ☉.	
	<i>α hybernum.</i> R.S.	winter.	—	—	H. ♂.	Blackw. t. 424.
	<i>β vernum.</i> R.S.	spring.	—	—	H. ☉.	Host. gram. 2. t. 48.
	<i>γ compositum.</i> R.S.	compound-spiked.	—	—	H. ☉.	
2	fragile. R.S.	brittle.	—	1816.	—	H. ☉.	
TETRAPOGON. S.S. TETRAPOGON. Triandria Digynia. S.S.							
	villosus. s.s.	villous.	Barbary.	1818.	7. 8.	H. ☉.	Desf. atl. 2. t. 255.
TRITICUM. R.S. WHEAT. Triandria Digynia. L.							
1	æstivum. R.S.	summer.	Baschiros.	6. 7.	H. ☉.	Host. gram. 3. t. 26.
2	hybernum. R.S.	Lammas.	—	—	H. ♂.	— 3. t. 26. f. 8.
3	sibiricum. R.S.	Siberian.	Siberia.	—	H. ☉.	
4	velutinum. R.S.	velvet-spiked.	—	—	H. ♂.	Rod. Schub. cer. n. 4. f. 4.
5	compositum. R.S.	Egyptian.	Egypt.	1799.	—	H. ☉.	Host. gram. 3. t. 27.
6	Linnæanum. R.S.	Linnean.	—	—	H. ☉.	
7	turgidum. R.S.	turgid.	—	—	H. ☉.	Host. gram. 3. t. 28.
8	fastuosum. R.S.	thick-grained.	—	—	H. ☉.	
9	Gærtnerianum. R.S.	Gærtner's.	—	H. ☉.	
10	platystachyum. R.S.	flat-spiked.	—	—	H. ☉.	
11	cochleare. R.S.	spoon-like.	—	—	H. ☉.	
12	Cevallos. R.S.	Trigo Moro.	—	—	H. ☉.	
13	durum. R.S.	Barbary.	—	—	H. ☉.	
	<i>β villosum.</i> Host.	villous.	—	—	H. ☉.	Host. gram. 4. t. 6.
14	siculum. R.S.	Sicilian.	—	—	H. ☉.	
15	hordeiforme. R.S.	Barley form.	—	—	H. ☉.	Host. gram. 4. t. 5.
16	compactum. R.S.	compact.	—	—	H. ☉.	— 4. t. 7.
17	polonicum. R.S.	Polish.	—	1692.	—	H. ☉.	— 3. t. 31.
18	monococcon. R.S.	one-grained.	—	1648.	—	H. ☉.	— 3. t. 32.
19	dicoccum. R.S.	two-grained.	—	—	H. ☉.	Rod. Schub. cer. n. 15. f. 2
	<i>α album.</i>	white-spiked.	—	—	H. ☉.	
	<i>β rufum.</i>	brown-spiked.	—	—	H. ☉.	
20	atratum. R.S.	dark-spiked.	—	—	H. ☉.	Host. gram. 4. t. 8.
21	tricoccum. R.S.	three-grained.	—	—	H. ☉.	Rod. Schub. cer. n. 17. f. 3
22	Cienfugos. R.S.	tooth-valved.	—	—	H. ☉.	
23	Bauhini. R.S.	truncate-valved.	—	—	H. ☉.	
24	Spelta. R.S.	Spelt.	—	—	H. ☉.	Host. gram. 3. t. 29.
	<i>Zea.</i> Host.						
25	venulosum. R.S.	veined.	Egypt.	—	H. ☉.	
26	villosum. R.S.	villous.	S. Europe.	1790.	—	H. ☉.	Flor. græc. t. 97.
	<i>Secale villosum.</i> F.G.						
27	campestre. R.S.	field.	Hungary.	1816.	—	H. ☉.	Host. gram. 4. t. 2.
28	creticum. R.S.	Cretan.	Candia.	—	—	H. ☉.	
	<i>Secale creticum.</i> L.						
AGROPYRUM. R.S. COUCH-GRASS. Triandria Digynia. R.S.							
1	junceum. R.S.	rushy.	England.	6. 7.	H. 4.	Eng. bot. 814.
	<i>Triticum junceum.</i> E.B.						
2	acutum. R.S.	acute-glumed.	France.	1816.	—	H. 4.	Host. gram. 4. t. 9.
	<i>Triticum littorale.</i> Host.						
3	rigidum. R.S.	rigid.	S. Europe.	1805.	—	H. 4.	
4	intermedium. Host.	intermediate.	Germany.	—	—	H. 4.	Host. gram. 2. t. 22.

5	glaucum. R.S.	glaucous.	Switzerland.1824.	6. 7.	H. 4.	Host. gram. 4. t. 10 ?
6	rupestre. R.S.	rock.	Siberia. 1822.	—	H. 4.	
7	obtusiflorum. R.S.	blunt-flowered.	—	H. 4.	
8	pungens. R.S.	pungent.	S. Europe. 1824.	—	H. 4.	
9	densiflorum. R.S.	close flowered.	Siberia.	—	H. 4.	
10	giganteum. R.S.	gigantic.	S. Europe. 1805.	—	H. 4.	Host. gram. 2. t. 23.
<i>Triticum elongatum.</i> Host.						
11	repens. R.S.	common.	Britain.	7. 8. H. 4.	Eng. bot. 909.
	<i>a</i> arvense. R.S.	field.	—	H. 4.	Trattin. tab. t. 566.
	<i>β</i> subulatum. R.S.	subulate-glumed.	—	H. 4.	Schreb. gram. t. 26. f. 2.
	<i>γ</i> dumetorum. R.S.	many-flowered.	—	H. 4.	— f. II. IV. f. 3
	<i>δ</i> Vaillantianum. R.S.	Vaillant's.	—	H. 4.	— f. 6.
	<i>ε</i> Leersianum. R.S.	Leers's.	—	H. 4.	Leers fl. herb. t. 12. f. 4.
	<i>ζ</i> capillare. R.S.	hair-awned.	—	H. 4.	
12	sibiricum. R.S.	Siberian.	Siberia. 1825.	—	H. 4.	
13	dasyanthum. R.S.	thick-flowered.	Russia.	—	H. 4.	
14	caninum. R.S.	bearded.	Britain.	H. 4.	Eng. bot. 1372.
15	distichum. R.S.	two-ranked.	C. B. S. 1816.	—	G. 4.	
16	prostratum. R.S.	prostrate.	Siberia. 1780.	6.	H. ⊙.	Jacq. vind. 3. t. 44.
17	orientale. R.S.	hairy-spiked.	Levant. 1807.	6. 7.	H. ♂.	Will. n. act. ber. 2. t. 4. f. 3
<i>Secale orientale.</i> W.						
18	patulum. Tr.	spreading.	Egypt. 1800.	—	H. ⊙.	
<i>Triticum squarrosum.</i> R.S. Buonapartis. Spr.						
19	imbricatum. R.S.	imbricated.	Caucasus. 1824.	6. 8.	H. 4.	Gmel. sib. 1. n. 51. t. 23.
20	pectiniforme. R.S.	comb-like.	Tauria.	—	H. 4.	Buxb. cent. 1. t. 50. f. 3.
21	cristatum. R.S.	crested.	—	—	H. 4.	Host. gram. 2. t. 24.
22	desertorum. R.S.	desert.	Cumana. 1822.	—	H. 4.	
23	angustifolium. R.S.	narrow-leaved.	Siberia.	—	H. 4.	
24	muricatum. R.S.	bristly.	— 1825.	—	H. 4.	
25	pectinatum. R.S.	pectinated.	V. Diem. Isl. 1822.	—	H. 4.	
26	variegatum. R.S.	variegated. 1818.	—	H. 4.	
LOLIUM. R.S. DARNEL. Triandria Digynia. L.						
1	perenne. R.S.	Rye-grass.	Britain.	5. 6. H. 4.	Eng. bot. 315.
	<i>a</i> vulgare. R.S.	common.	—	H. 4.	Host. gram. 1. t. 25.
	<i>β</i> tenue. R.S.	slender.	—	H. 4.	Sinc. gra. wob. p. 211. ic.
	<i>γ</i> compositum. R.S.	compound.	—	H. 4.	Scheuch. agr. 1. f. 7. D.
	<i>δ</i> ramosum. R.S.	branching.	—	H. 4.	Leers gram. t. 12. f. 1.
	<i>ε</i> Russellianum. H.G.W.	Russell's.	—	H. 4.	Sinc. gra. wob. p. 216. ic.
	<i>ζ</i> Whitworthii. H.G.W.	Whitworth's.	—	H. 4.	
	<i>η</i> Stickneyanum. H.G.W.	Stickney's.	—	H. 4.	
	<i>θ</i> paniculatum. H.G.W.	panicked.	—	H. 4.	
	<i>ι</i> monstrosus. H.G.W.	monstrous-fl.	—	H. 4.	
	<i>κ</i> viviparum. R.S.	viviparous.	—	H. 4.	
	<i>λ</i> multiflorum. P.S.	many-flowered.	—	—	H. 4.	
	<i>μ</i> humile. R.S.	dwarf.	—	H. 4.	
2	multiflorum. R.S.	many-flowered.	Europe. 1816.	—	H. ⊙.	Vaill. par. t. 17. f. 3.
3	arvense. R.S.	beardless.	England.	7. H. ⊙.	Eng. bot. 1125.
4	complanatum. L. en.	rigid.	Switzerland. 1825.	—	H. ⊙.	
	<i>rigidum.</i> R.S.					
5	temulentum. R.S.	bearded.	Britain.	7. 8. H. ⊙.	Eng. bot. 1124.
6	speciosum. R.S.	pretty.	Tauria. 1824.	—	H. ⊙.	
ÆGILOPS. R.S. HARD-GRASS. Polygamia Monœcia. L.						
1	caudata. R.S.	tailed.	Candia. 1820.	7. 8.	H. ⊙.	
2	cylindrica. R.S.	cylindrical.	Hungary. 1805.	6. 7.	H. ⊙.	Host. gram. 2. t. 7.
3	ovata. R.S.	oval-spiked.	S. Europe. 1683.	—	H. ⊙.	Flor. græc. 1. t. 93.
4	triariata. R.S.	three-awned.	— 1739.	7. 8.	H. ⊙.	Host. gram. 2. t. 6.
<i>triuncialis.</i> Host. non W.						
5	triuncialis. R.S.	long-spiked.	—	—	H. ⊙.	Schreb. gram. t. 10. f. 11.
6	squarrosa. W.	rough-spiked.	Levant. 1794.	6. 7.	H. 4.	— 2. t. 27. f. 22.
<i>Triticum squarrosum.</i> R.S.						
7	Hystrix. N.	hedgehog.	Missouri. 1819.	7. 8.	H. 4.	
ELYMUS. R.S. LYME-GRASS. Triandria Digynia. L.						
1	arenarius. E.B.	sand.	Britain.	4. 6. H. 4.	Eng. bot. 1672.
2	geniculatus. E.B.	pendulous.	England.	7. H. 4.	— 1586.
3	sabulosus. R.S.	glaucous.	Siberia. 1806.	6. 7.	H. 4.	
4	giganteus. R.S.	gigantic.	N. America. 1790.	7. 8.	H. 4.	
5	mexicanus. R.S.	Mexican.	Mexico. 1823.	6. 8.	H. 4.	Jacq. ecl. gr. t. 19.
6	sibiricus. R.S.	Siberian.	Siberia. 1758.	6. 7.	H. 4.	Schreb. gram. 1. t. 21. f. 11
7	racemosus. R.S.	racemed. 1816.	—	H. 4.	

8	tener. R.S.	tender.	Siberia.	1801.	6. 7.	H. 4.	
9	philadelphicus. R.S.	Philadelphian.	N. America.	1790.	7. 8.	H. 4.	
10	canadensis. R.S.	Canadian.	————	1699.	——	H. 4.	Moris. s. 8. t. 2. f. 10.
11	glaucifolius. R.S.	glaucous.	————	1816.	——	H. 4.	
12	villosus. R.S.	villous.	————	1802.	6. 7.	H. 4.	
13	virginicus. R.S.	Virginian.	————	1781.	——	H. 4.	
14	striatus. R.S.	striated.	————	1790.	——	H. 4.	
	<i>β minor.</i> R.S.	lesser.	————	——	H. 4.	
15	europæus. R.S.	European.	England.	——	H. 4.	Eng. bot. 1317.
16	crinitus. R.S.	long-awned.	Smyrna.	1806.	7. 8.	H. 4.	Host. gram. 1. t. 27.
17	intermedius. R.S.	intermediate.	Iberia.	1819.	7. 9.	H. 4.	Buxb. cent. 1. t. 52.
18	Caput-Medusæ. R.S.	Portuguese.	Portugal.	1784.	——	H. 4.	Schreb. gram. 2. t. 24. f. 4
19	juncæus. R.S.	rushy.	Siberia.	1823.	7. 8.	H. 4.	
20	hordeiformis. R.S.	Barley-like.	1816.	——	H. 4.	
21	Hystrix. R.S.	rough.	Levant.	1770.	——	H. 4.	Jacq. ic. 2. t. 305.
	<i>Asprella Hystrix.</i> W.en.						
22	pseudo-hystrix. R.S.	rough American.	N. America.	1818.	——	H. 4.	
PAPPOPHORUM. B.P. PAPPOPHORUM. Triandria Digynia. R.S.							
1	nigricans. B.P.	black.	N. Holland.	1822.	7. 8.	F. 4.	
2	phleoides. s.s.	Phleum-like.	S. America.	——	——	S. 4.	
ECHINARIA. R.S. ECHINARIA. Triandria Digynia. R.S.							
	capitata. R.S.	headed.	S. Europe.	1771.	5. 8.	H. 4.	Flor. græc. 1. t. 100.
	<i>Cenchrus capitatus.</i> F.G.	<i>Sesleria echinata.</i> Host.	gram. 3. t. 8.				
SESLERIA. R.S. SESLERIA. Triandria Digynia. R.S.							
1	elongata. R.S.	long-spiked.	Austria.	1805.	6. 7.	H. 4.	Host. gram. 2. t. 97.
2	cylindrica. R.S.	cylindrical.	S. Europe.	1818.	——	H. 4.	Sav. Ust. ann. 1800. ic.
3	tenuifolia. R.S.	slender-leav'd.	————	——	4. 6.	H. 4.	Host. gram. 4. t. 22.
4	cœrulea. R.S.	blue.	Britain.	4. 5.	H. 4.	Eng. bot. 1613.
5	nitida. R.S.	glossy.	Italy.	1825.	5. 6.	H. 4.	
6	tenella. R.S.	weak.	Switzerland.	1819.	——	H. 4.	Host. gram. 2. t. 100.
7	sphærocephala. R.S.	round-headed.	————	——	——	H. 4.	—— 2. t. 99.
8	disticha. R.S.	distichous.	————	1824.	——	H. 4.	—— 2. t. 76.
	<i>Poa disticha.</i> Host.						
TRIODIA. B.P. TRIODIA. Triandria Digynia. R.S.							
	decumbens. R.S.	decumbent.	Britain.	7. 8.	H. 4.	Eng. bot. 792.
	<i>Poa decumbens.</i> E.B.	<i>Festuca decumbens.</i> w.	<i>Danthonia decumbens.</i> DC.				
TRIDENS. R.S. REDTOP-GRASS. Triandria Digynia. R.S.							
	quinquefida. R.S.	five-cleft.	N. America.	1816.	7. 8.	H. 4.	Jacq. ecl. gr. 2. t. 16.
	<i>Triodia cupræa.</i> Jacq.	<i>Windsoria poæformis.</i> N.	<i>Poa quinquefida.</i> Ph.				
DANTHONIA. DC. DANTHONIA. Triandria Digynia. R.S.							
1	longifolia. B.P.	long-leaved.	N. S. W.	1823.	7. 8.	F. 4.	
2	semiannularis. B.P.	semiannular.	N. Holland.	1822.	7. 8.	F. 4.	Labill. n. holl. 1. t. 33.
	<i>Arundo semiannularis.</i> Lab.						
3	pilosa. B.P.	hairy.	N. S. W.	1823.	——	F. 4.	
4	provincialis. R.S.	Provence.	S. Europe.	1818.	6. 7.	H. 4.	Vill. delph. 2. t. 2. f. 9.
5	spicata. R.S.	spiked.	N. America.	1823.	——	H. 4.	
6	strigosa. R.S.	bristle-pointed.	Britain.	——	H. 4.	Eng. bot. 1266.
	<i>Avena strigosa.</i> E.B.						
7	macrantha. R.S.	large-flowered.	C. B. S.	1816.	——	H. 4.	
8	curvifolia. R.S.	curve-leaved.	————	——	——	G. 4.	
9	calycina. R.S.	glossy-calyxed.	————	1822.	——	G. 4.	
KÆLERIA. R.S. KÆLERIA. Triandria Digynia. R.S.							
1	cristata. R.S.	crested.	Europe.	6. 8.	H. 4.	Host. gram. 2. t. 75.
	<i>β glabra.</i> R.S.	smooth.	Britain.	7. 8.	H. 4.	Eng. bot. 648.
	<i>Aira cristata.</i> E.B.	<i>Poa cristata.</i> w.					
2	grandiflora. R.S.	large-flowered.	S. Europe.	1824.	6. 8.	H. 4.	
3	glauc. DC.	glaucous.	Germany.	1816.	——	H. 4.	
4	pensylvanica. DC.	Pennsylvanian.	N. America.	1818.	——	H. 4.	Spr. mem. p. 2. 1810. t. 7.
5	macrantha. R.S.	large-flowered.	Russia.	1824.	——	H. 4.	
6	valesiaca. R.S.	Swiss.	Switzerland.	——	——	H. 4.	
7	tuberosa. P.S.	tuberous.	S. Europe.	1802.	7. 8.	H. 4.	Lam. ill. t. 45. f. 4.
8	hirsuta. R.S.	hairy.	Switzerland.	1824.	——	H. 4.	
9	villosa. R.S.	villous.	S. Europe.	1800.	6. 7.	H. 4.	
	<i>Aira pubescens.</i> w.	<i>Phalaris pubescens.</i> Lam.					
10	phleoides. R.S.	cat's-tail.	Portugal.	1802.	7. 8.	H. 4.	Desf. atl. 1. t. 23.
11	hispid. R.S.	hispid.	S. Europe.	1819.	6. 7.	H. 4.	Savi fl. pis. t. 1. f. 5.
12	brachystachya. R.S.	short-spiked.	——	——	H. 4.	
13	parviflora. L.en.	small-flowered.	S. Europe.	——	——	H. 4.	Desf. atl. 1. t. 32.
	<i>Avena parviflora.</i> Desf.	<i>Trisetum parviflorum.</i> R.S.					

AVENA. R.S.		OAT-GRASS. Triandria Digynia. L.					
1	<i>præcox. R.S.</i> <i>Aira præcox. E.B.</i>	early-flowering.	Britain.	5. 6.	H.⊙.	Eng. bot. 1296.
2	<i>brevis. R.S.</i>	short.	Germany.	1804.	—	H.⊙.	Host. gram. 3. t. 42.
3	<i>alba. R.S.</i>	white.	France.	6. 7.	H.⊙.	
4	<i>sativa. R.S.</i>	common.	S. America.	—	H.⊙.	Host. gram. 2. t. 59.
	<i>α melanosperma.</i>	black Oat.	—	—	H.⊙.	
	<i>β leucosperma.</i>	white Oat.	—	—	H.⊙.	
5	<i>orientalis. R.S.</i>	Tartarian.	Levant.	1798.	—	H.⊙.	Host. gram. 3. t. 44.
6	<i>nuda. R.S.</i>	naked.	—	H.⊙.	— 3. t. 43.
7	<i>fatua. R.S.</i>	wild.	Britain.	8.	H.⊙.	Eng. bot. 2221.
8	<i>hirsuta. R.S.</i>	hairy.	S. Europe.	—	6. 8.	H.⊙.	
9	<i>sterilis. R.S.</i>	bearded.	—	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10	<i>sempervirens. R.S.</i>	evergreen.	Pyrenees.	1816.	6. 7.	H.⊙.	Host. gram. 3. t. 41.
11	<i>pratensis. R.S.</i>	narrow-leaved.	Britain.	—	H.⊙.	Eng. bot. 1204.
12	<i>bromoides. R.S.</i>	Bromus-like.	S. Europe.	—	H.⊙.	
13	<i>planiculmis. R.S.</i> <i>latifolia. Host. gram. 4. t. 32.</i>	flat-stalked.	Hungary.	1822.	—	H.⊙.	Schrad. fl. ger. 1. t. 6. f. 2.
14	<i>versicolor. R.S.</i>	various-colored.	Europe.	1816.	6. 8.	H.⊙.	Host. gram. 2. t. 52.
GAUDINIA. R.S.		GAUDINIA. Triandria Digynia. R.S.					
	<i>fragilis. R.S.</i> <i>Avena fragilis. Host.</i>	brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
TRisetum. R.S.		TRisetum. Triandria Digynia. R.S.					
1	<i>tenue. R.S.</i> <i>striatum. P.S. Avena tenuis. Host.</i>	slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 55.
2	<i>pensylvanicum. R.S.</i>	Pennsylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3	<i>micranthum. R.S.</i>	small-flowered.	S. Europe.	1823.	—	H.⊙.	
4	<i>neglectum. R.S.</i>	neglected.	—	—	—	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5	<i>alopecurus. R.S.</i>	Foxtail.	1816.	—	H.⊙.	
6	<i>Loeflingianum. R.S.</i>	Loefling's.	S. Europe.	1770.	—	H.⊙.	Willd. ber. mag. 2. t. 8. f. 3.
7	<i>condensatum. R.S.</i>	close-flowered.	Sicily.	1824.	—	H.⊙.	
8	<i>pilosum. R.S.</i>	hairy.	Iberia.	—	—	H.⊙.	
9	<i>pubescens. R.S.</i> <i>Avena pubescens. E.B.</i>	pubescent.	Britain.	7. 8.	H.⊙.	Eng. bot. 1640.
10	<i>rigidum. R.S.</i>	rigid.	Caucasus.	1825.	—	H.⊙.	
11	<i>alpinum. R.S.</i> <i>Avena planiculmis. E.B. non Schrad.</i>	Alpine.	Scotland.	7.	H.⊙.	Eng. bot. 2141.
12	<i>carpathicum. R.S.</i>	Carpathian.	Carp. mount.	1818.	7. 8.	H.⊙.	Host. gram. 4. t. 31.
13	<i>flavescens. R.S.</i> <i>pratense. P.S. Avena flavescens. E.B.</i>	golden.	Britain.	6. 7.	H.⊙.	Eng. bot. 952.
14	<i>alpestre. R.S.</i>	mountain.	S. Europe.	1816.	—	H.⊙.	Host. gram. 3. t. 39.
15	<i>brevifolium. R.S.</i>	short-leaved.	—	—	—	H.⊙.	— 3. t. 40.
16	<i>argenteum. R.S.</i>	silvery.	Switzerland.	1791.	—	H.⊙.	— 2. t. 53.
17	<i>distichophyllum.</i>	fan-leaved.	—	1796.	—	H.⊙.	Vill. delph. 2. t. 4. f. 4.
18	<i>airoides. R.S.</i> <i>Avena airoides. DC. Aira subspicata. W.</i>	Aira-like.	—	1800.	—	H.⊙.	Flor. dan. f. 228.
19	<i>glabratum. R.S.</i>	smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTHECA. R.S.		CENTOTHECA. Triandria Digynia. R.S.					
	<i>lappacea. R.S.</i> <i>Cenchrus lappaceus. L.</i>	Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 7
POA. R.S.		MEADOW-GRASS. Triandria Digynia. L.					
1	<i>pratensis. R.S.</i>	smooth-stalk'd.	Britain.	5. 6.	H.⊙.	Eng. bot. 1073.
2	<i>angustifolia. DC.</i>	narrow-leaved.	—	5.	H.⊙.	Sinc. gra. wob. p. 184. ic.
3	<i>humilis. R.S.</i> <i>subcærulea. E.B.</i>	short-blueish.	—	5. 6.	H.⊙.	Eng. bot. 1004.
4	<i>viridis. R.S.</i>	green.	N. America.	1816.	—	H.⊙.	
5	<i>hybrida. R.S.</i>	hybrid.	Switzerland.	1824.	—	H.⊙.	
6	<i>trivialis. E.B.</i>	common.	Britain.	6. 8.	H.⊙.	Eng. bot. 1072.
7	<i>annua. E.B.</i>	annual.	—	1. 12.	H.⊙.	— 1141.
8	<i>cæspitosa. R.S.</i>	tufted.	N. Zealand.	1822.	6. 8.	H.⊙.	
9	<i>gracilis. R.S.</i>	slender.	1818.	—	H.⊙.	
10	<i>bulbosa. R.S.</i>	bulbous.	England.	5. 6.	H.⊙.	Eng. bot. 1071.
11	<i>laxa. R.S.</i> <i>flexuosa. E.B. 1123.</i>	loose.	Scotland.	7.	H.⊙.	Host. gram. 3. t. 15.
12	<i>Halleri. R.S.</i> <i>pallens. Hall.</i>	Haller's.	Switzerland.	—	—	H.⊙.	
13	<i>cenisia. R.S.</i>	soft.	Mt. Cenis.	1791.	7. 8.	H.⊙.	Host. gram. 3. t. 16.
14	<i>alpina. R.S.</i>	Alpine.	Scotland.	6. 7.	H.⊙.	Eng. bot. 1003.
15	<i>collina. R.S.</i>	hill.	Europe.	1800.	—	H.⊙.	Host. gram. 2. t. 66.

16	concinna. R.S.	neat.	Switzerland.	1815.	6. 7.	H. 4.	
17	Molineri. R.S.	Molineri's.	————	1816.	—	H. 4.	Balb. misc. t. 5. f. 1.
18	supina. R.S.	trailing.	————	—	—	H. 4.	Host. gram. 4. t. 27.
19	miliacea. R.S.	Millet like.	Hungary.	1824.	—	H. 4.	
20	memoralis. R.S.	wood.	————	6.	H. 4.	Host. gram. 1265.
	<i>β angustifolia</i> . H.G.W.	narrow-leaved.	————	—	H. 4.	Sinc. gr. wob. p. 182. ic.
21	versicolor. R.S.	various-color'd.	Tauria.	1825.	6. 7.	H. 4.	
22	coarctata. L.en.	crowded.	Europe.	—	H. 4.	
23	glauca. E.B.	glaucous.	Britain.	—	H. 4.	Eng. bot. 1720.
24	cæsia. E.B.	sea-green.	Scotland.	—	H. 4.	———— 1719.
25	brachyphylla. R.S.	short-leaved.	N. America.	1816.	—	H. 4.	
26	depauperata. R.S.	few-flowered.	Hungary.	—	—	H. 4.	
27	sterilis. R.S.	barren-ground.	Tauria.	1824.	—	H. 4.	
28	nervata. R.S.	nerved.	N. America.	1812.	—	H. 4.	Sinc. gr. wob. p. 190. ic.
29	imbecilla. R.S.	weak.	N. Zealand.	1822.	7. 8.	H. 4.	
30	flava. R.S.	yellow.	N. America.	—	—	H. 4.	
31	hirsuta. R.S.	hairy.	————	—	—	H. 4.	
32	capillaris. R.S.	hair-panicled.	————	1781.	10. 11.	H. ⊙.	Moris. s. 8. t. 6. f. 33.
33	Poiretii. R.S.	Poiret's.	1816.	6. 8.	H. ⊙.	
34	serotina. R.S.	late-flowering.	Germany.	1800.	7. 9.	H. 4.	
	<i>β palustris</i> . R.S.	marsh.	————	—	—	H. w. 4.	Vill. cat. j. Stras. t. 2. f. 2.
35	effusa. R.S.	spreading.	Hungary.	1823.	6. 8.	H. 4.	
36	sudetica. R.S.	broad-leaved.	Germany.	1802.	7. 8.	H. 4.	Vill. delph. 2. t. 3.
37	viridis. Ph.	green.	N. America.	1812.	—	H. 4.	
38	amboinensis. R.S.	Amboyna.	E. Indies.	1800.	6. 7.	S. 4.	Rumph. amb. 6. t. 7. f. 3.
39	cilianensis. R.S.	Piedmont.	Piedmont.	1818.	7. 8.	H. ⊙.	All. ped. t. 91. f. 2.
40	caroliniana. R.S.	Carolina.	Carolina.	—	—	H. ⊙.	
41	chinensis. R.S.	China.	China.	—	—	H. ⊙.	
42	australis. B.P.	southern.	N. S. W.	1822.	—	H. 4.	Lab. nov. hol. 1. t. 35.
	<i>Arundo poæformis</i> . Lab.						
43	plebeia. B.P.	plebeian.	————	—	—	H. 4.	
44	compressa. E.B.	compressed.	Britain.	6. 8.	H. ⊙.	Eng. bot. 365.
45	festucæformis. R.S.	Fescue-like.	Dalmatia.	1800.	7. 9.	H. 4.	Host. gram. 3. t. 17.
46	convoluta. R.S.	convolute.	1819.	—	H. 4.	
47	atrovirens. R.S.	dark green.	Barbary.	1825.	—	H. 4.	Desf. atl. 1. t. 17.
48	pallida. R.S.	pallid.	—	—	H. ⊙.	
49	peruviana. R.S.	Peruvian.	Peru.	1802.	7. 8.	H. ⊙.	Jacq. ic. 1. t. 18.
50	papillosa. R.S.	papillose.	C. B. S.	1816.	—	H. ⊙.	
51	digitata. B.P.	fingered.	N. S. W.	1800.	—	H. ⊙.	
	CLEROCHLOA. R.S.	SCLEROCHLOA.	Triandria Digynia.	R.S.			
1	divaricata. R.S.	spreading.	S. Europe.	1802.	7. 8.	H. ⊙.	Gouan. ill. 4. t. 2. f. 1.
2	procumbens. R.S.	procumbent.	Britain.	—	H. ⊙.	Eng. bot. 532.
	<i>Poa procumbens</i> . E.B.	<i>Glyceria procumbens</i> . E.F.					
3	dura. R.S.	rigid.	S. Europe.	1776.	7. 8.	H. ⊙.	Host. gram. 2. t. 73.
	<i>Poa dura</i> . Host. <i>Cynosurus durus</i> . L.						
4	rigida. L.en.	hard.	England.	6. 7.	H. ⊙.	Eng. bot. 1371.
	<i>Poa rigida</i> . E.B.	<i>Glyceria rigida</i> . E.F.	<i>Megastachya rigida</i> . R.S.				
5	articulata. L.en.	jointed.	Barbary.	1816.	—	H. ⊙.	Desf. atl. 1. t. 22.
6	maritima.	sea-side.	Europe.	—	H. ⊙.	Cyrill. neap. fasc. 2. t. 2.
	<i>dichotoma</i> . L.en.	<i>Triticum maritimum</i> . L.	<i>Festuca maritima</i> . DC.				
	HYDROCHLOA. Har.	HYDROCHLOA.	Triandria Digynia.				
1	distans. Har.	distant.	Britain.	7.	H. w. 4.	Eng. bot. 986.
	<i>Poa distans</i> . E.B.	<i>Glyceria distans</i> . E.F.					
2	aquatica. Har.	water.	————	—	H. w. 4.	Eng. bot. 1315.
	<i>Poa aquatica</i> . E.B.	<i>Glyceria aquatica</i> . E.F.					
3	arundinacea.	Reed like.	Caucasus.	1825.	—	H. w. 4.	
	<i>Poa arundinacea</i> . M.B.						
4	maritima. Har.	sea-side.	Britain.	—	H. w. 4.	Eng. bot. 1140.
	<i>Poa maritima</i> . E.B.	<i>Glyceria maritima</i> . E.F.					
	GLYCERIA. B.P.	SWEET-GRASS.	Triandria Digynia.	R.S.			
	fluitans. B.P.	floating.	Britain.	5. 8.	H. 4.	Eng. bot. 1520.
	<i>Poa fluitans</i> . E.B.	<i>Festuca fluitans</i> . W.					
	ERAGROSTIS. R.S.	ERAGROSTIS.	Triandria Digynia.	R.S.			
1	poæoides. R.S.	Poa-like.	Italy.	1699.	7.	H. ⊙.	Flor. græc. t. 73.
	<i>Poa Eragrostis</i> . F.G.						
2	tephrosanthos. R.S.	Martinica.	Martinica.	1824.	7. 9.	S. ⊙.	
3	pilosa. R.S.	hairy.	Italy.	1804.	7. 8.	H. ⊙.	Host. gram. 2. t. 68.
4	verticillata. R.S.	whorled.	S. Europe.	1816.	—	H. ⊙.	Cavan. ic. 1. t. 93.
5	punctata. R.S.	spotted.	E. Indies.	—	—	S. ⊙.	

6	ægyptiaca. R.S.	Egyptian.	Egypt.	1812.	7. 8.	H.⊙.	Descr.de l'Egyp. t.100.
7	purpurascens. R.S.	purplish.	1822.	—	H.⊙.	
8	decipiens. R.S.	doubtful.	—	—	H.⊙.	
9	tenella. R.S.	slender.	E. Indies.	1781.	—	S.⊙.	Rheed. mal. 12. t. 411.
10	cynosuroides. R.S.	Dogstail.	Egypt.	1824.	—	H.⊙.	Descr.de l'Egyp. t. 110.
	<i>Poa cynosuroides.</i> W.						
11	capillaris. L.en.	hair-panicled.	N.America.	1781.	10. 11.	H.⊙.	Moris. s. 3. t. 6. f. 333.
	<i>Poa capillaris.</i> R.S.						
12	mexicana. L.en.	Mexican.	Mexico.	1816.	9. 10.	H.⊙.	
MEGASTACHYA. R.S. MEGASTACHYA. Triandria Digynia. R.S.							
1	Eragrostis. R.S.	Love-grass.	S. Europe.	1776.	7. 8.	H.⊙.	Schreb. gram. t. 38.
	<i>Poa megastachya.</i> P.S. <i>Briza Eragrostis.</i> w. <i>Eragrostis major.</i>						Host. gram. 4. t. 24.
2	nigricans. R.S.	blackish.	S. America.	1823.	—	S.⊙.	
3	amabilis. R.S.	purple.	E. Indies.	1802.	—	S.⊙.	L. pfl. syst. 12. t. 91. f. 33.
	<i>Poa amabilis.</i> L.						
4	spectabilis. R.S.	showy.	N. America.	1816.	—	H.⊙.	
5	pulchella. R.S.	pretty.	Tauria.	1825.	—	H.⊙.	
6	elongata. R.S.	long-panicled.	E. Indies.	1812.	—	S.⊙.	Jacq. ecl. gr. t. 3.
7	ciliaris. R.S.	ciliated.	Jamaica.	1776.	—	S.⊙.	Jacq. ic. 2. t. 304.
8	rupestris. R.S.	rock.	E. Indies.	1823.	—	S.⊙.	
DACTYLIS. R.S. COCK'S-FOOT-GRASS. Triandria Digynia. L.							
1	glomerata. R.S.	rough.	Britain.	6. 7.	H.⊙.	Eng. bot. 335.
2	glaucescens. R.S.	glaucous.	Europe.	1816.	—	H.⊙.	
3	hispanica. R.S.	Spanish.	Spain.	1814.	—	H.⊙.	
4	glauca. R.S.	glaucous.	1823.	—	H.⊙.	
5	maritima. R.S.	sea-side.	Caucasus.	—	—	H.⊙.	Schrad. fl. ger. 1. t. 6. f. 33.
6	littoralis. R.S.	shore.	S. Europe.	1816.	—	H.⊙.	Lam. ill. t. 45. f. 5.
7	repens. R.S.	creeping.	—	1824.	—	H.⊙.	Desf. atl. 1. t. 15.
8	adscendens. R.S.	ascending.	C. B. S.	1823.	—	G.⊙.	
9	cynosuroides. R.S.	Dog's-tailed.	E. Indies.	—	—	S.⊙.	
BRIZA. R.S. QUAKING-GRASS. Triandria Digynia. R.S.							
1	minor. R.S.	small.	England.	7.	H.⊙.	Eng. bot. 1316.
2	virens. R.S.	green.	S. Europe.	1800.	7. 8.	H.⊙.	Hayn. term. bot. t. 25. f. 33.
3	media. E.B.	common.	Britain.	5. 6.	H.⊙.	Eng. bot. 340.
4	Clusii. R.S.	Clusius's.	S. Europe.	1823.	—	H.⊙.	Fouc. j. bot. 3. t. 24. f. 33.
5	geniculata. R.S.	jointed.	C. B. S.	1816.	7. 8.	H.⊙.	
6	elator. R.S.	tall.	Greece.	1788.	7. 8.	H.⊙.	Flor. græc. 1. t. 75.
7	maxima. R.S.	great-spiked.	S. Europe.	1633.	6. 7.	H.⊙.	— 1. t. 76.
8	humilis. R.S.	dwarf.	Tauria.	1818.	—	H.⊙.	Scheuch. agr. 4. t. 4. f. 11.
9	rubra. R.S.	red.	S. Europe.	—	—	H.⊙.	
CYNOSURUS. R.S. DOGSTAIL-GRASS. Triandria Digynia. L.							
	cristatus. E.B.	crested.	Britain.	8.	H.⊙.	Eng. bot. 316.
UNIOLA. R.S. SEASIDE OAT. Triandria Digynia. L.							
1	paniculata. R.S.	panicled.	N.America.	1793.	6. 7.	H.⊙.	Catesb. car. 1. t. 32.
2	latifolia. R.S.	broad-leaved.	—	1809.	—	H.⊙.	
3	spicata. R.S.	spiked.	—	1790.	7.	H.⊙.	
4	distichophylla. R.S.	two-ranked.	—	1789.	6. 7.	H.⊙.	
	<i>Festuca distichophylla.</i> Ph.						
CERATOCHLOA. R.S. CERATOCHLOA. Triandria Digynia. R.S.							
	unioloides. R.S.	Uniola-like.	N.America.	1796.	6. 7.	H.⊙.	Willd. h. ber. t. 3.
	<i>Festuca unioloides.</i> W.						
LEPTOCHLOA. R.S. LEPTOCHLOA. Triandria Digynia. R.S.							
1	cynosuroides. R.S.	filiform.	E. Indies.	1818.	8. 9.	H.⊙.	
2	procera. R.S.	tall.	Brazil.	1823.	—	S.⊙.	
3	filiformis. R.S.	slender.	S.America.	1818.	—	H.⊙.	Jacq. ecl. gram. t. 4.
4	virgata. R.S.	fine-spiked.	—	1727.	7. 9.	H.⊙.	Sloan. jam. 1. t. 70. f. 33.
5	tenerrima. R.S.	slenderest.	China.	1820.	—	H.⊙.	
6	domingensis. L.en.	close-spiked.	W. Indies.	—	6. 8.	S.⊙.	
ELEUSINE. R.S. ELEUSINE. Triandria Digynia. R.S.							
1	coracana. R.S.	thick-spiked.	E. Indies.	1714.	7. 9.	H.⊙.	Schreb. gram. 2. t. 33.
2	indica. R.S.	Indian.	India.	—	—	H.⊙.	Rheed. mal. 12. t. 69.
3	verticillata. R.S.	whorled.	E. Indies.	1823.	—	H.⊙.	
4	calycina. R.S.	calycine.	—	—	—	H.⊙.	
DACTYLOCTENIUM. DACTYLOCTENIUM. Triandria Digynia. R.S.							
	ægyptiacum. R.S.	Egyptian.	Egypt.	1770.	7. 9.	H.⊙.	Moris. s. 8. t. 3. f. 7.
	<i>Cynosurus ægyptius.</i> L. <i>Eleusine ægyptiaca.</i> P.S.						
RHABDOCHLOA. R.S. RHABDOCHLOA. Triandria Digynia. R.S.							
1	cruciata. R.S.	cross-spiked.	W. Indies.	1818.	7. 9.	H.⊙.	Sloan. his. 1. t. 69. f. 33.
	<i>Chloris cruciata.</i> w. <i>Agrostis cruciata.</i> L.						

2 mucronata. R.S.	mucronate.	N.America. 1820.	7. 9.	H.⊙.	Lam. ill. t. 48. f. 2.
3 virgata. R.S.	slender.	W. Indies. —	—	H.⊙.	
CHONDROSIUM. K.S. CHONDROSIUM. Triandria Digynia. R.S.					
1 procumbens. Desv.	procumbent.	Philippines. 1816.	7. 9.	H.⊙.	Jacq. ecl. gr. t. 12.
<i>Actinochloa procumbens. R.S. Atheropogon procumbens. Jacq.</i>					
2 tenue. K.S.	slender.	Mexico. 1823.	—	H.⊙.	H. et B. n. gen. 1. t. 57.
3 prostratum.	prostrate.	—	—	H.⊙.	
<i>Actinochloa prostrata. R.S. Bouteloua prostrata. Lag.</i>					
4 hirsutum.	hairy.	—	—	H.⊙.	
CORYCARPUS. Zea. CORYCARPUS. Diandria Digynia. S.S.					
arundinaceus. s.s.	Reed-like.	N.America. 1810.	6. 7.	H. 4.	Mich. amer. 1. t. 10.
<i>Festuca diandra. M. Diarrhena americana. R.S. Ræmeria Zea. R.S.</i>					
DIPLACHNE. R.S. DIPLACHNE. Triandria Digynia. R.S.					
fascicularis. R.S.	fascicled.	N.America. 1818.	6. 8.	H.⊙.	
<i>Festuca polystachya. M.</i>					
SCHEDONORUS. R.S. SCHEDONORUS. Triandria Digynia. R.S.					
1 pratensis. R.S.	meadow.	Britain.	6. 7.	H.⊙.	Eng. bot. 1592.
<i>Festuca pratensis. E.B.</i>					
2 phœnicoides. R.S.	creeping-rooted.	Switzerland. 1824.	—	H. 4.	
3 elatior. R.S.	tall.	Britain.	—	H. 4.	Eng. bot. 1593.
<i>Festuca elatior. E.B. et Sinc. gr. wob. p. 361. ic.</i>					
4 cœrulescens. R.S.	blueish.	Barbary. 1818.	6. 7.	H. 4.	
5 spadiceus. R.S.	Gerard's.	Italy. 1775.	4. 6.	H. 4.	Host. gram. 3. t. 20.
6 inermis. R.S.	naked-spiked.	Hungary. 1816.	6. 7.	H. 4.	— 1. t. 9.
7 calamarius. R.S.	Reed-like.	Scotland.	7. 8.	H. 4.	Eng. bot. 1005.
8 deciduus.	deciduous.	England.	6. 7.	H. 4.	— 2266.
<i>Festuca decida. E.B.</i>					
9 sylvaticus. R.S.	wood.	Germany. 1804.	7. 8.	H. 4.	Host. gram. 2. t. 78.
10 serotinus. R.S.	late-flowering.	S. Europe. 1818.	7. 9.	H. 4.	— 2. t. 92.
11 loliacea. R.S.	spiked.	England.	6. 7.	H. 4.	Eng. bot. 1821.
12 Scheuchzeri. R.S.	Scheuchzer's.	S. Europe. 1822.	—	H. 4.	
13 violaceus. R.S.	violet coloured.	Europe.	—	H. 4.	
14 nutans. R.S.	nodding.	Hungary. 1823.	—	H. 4.	Host. gram. 4. t. 61.
15 nigrescens. R.S.	blackish.	Switzerland. —	—	H. 4.	
16 poæformis. R.S.	Poa-like.	— 1818.	—	H. 4.	Host. gram. 2. t. 81.
17 pumilus. R.S.	dwarf.	S. Europe. —	—	H. 4.	— 2. t. 91.
18 tenellus. R.S.	slender.	N.America. 1804.	7. 8.	H.⊙.	
<i>Festuca tenella. Ph. Brachypodium festucoides. L.en.</i>					
FESTUCA. R.S. FESCUE-GRASS. Triandria Digynia. L.					
1 cynosuroides. R.S.	dogs-tail.	Barbary. 1825.	6. 8.	H.⊙.	Desf. atl. 1. t. 21.
2 Fenas. R.S.	tough.	Spain. 1822.	—	H. 4.	
<i>Poa tenax. L.en.</i>					
3 ovina. R.S.	Sheep's.	Britain.	6.	H. 4.	Eng. bot. 585.
4 tenuifolia. L.en.	slender-leaved.	—	—	H. 4.	
5 cæsia. E.B.	gray.	England.	6. 7.	H. 4.	Eng. bot. 1917.
6 vivipara. E.B.	viviparous.	Britain.	7.	H. 4.	— 1355.
7 glauca. R.S.	glaucous.	S. Europe.	6. 7.	H. 4.	
8 pallens. R.S.	pale.	Germany. 1816.	—	H. 4.	Host. gram. 2. t. 88.
9 stricta. Host.	upright.	—	—	H. 4.	— 2. t. 86.
10 hirsuta. Host.	hairy.	—	—	H. 4.	— 2. t. 85.
11 Halleri. R.S.	Haller's.	Europe. 1820.	—	H. 4.	
12 curvula. R.S.	curved.	Switzerland. —	—	H. 4.	
13 alpina. R.S.	Alpine.	—	—	H. 4.	
14 amethystina. R.S.	blue.	S. Europe. 1804.	—	H. 4.	
15 varia. R.S.	variable.	— 1823.	—	H. 4.	Host. gram. 2. t. 90.
16 valesiaca.	Vallesian.	Vallesia. —	—	H. 4.	
17 pannonica. R.S.	Hungarian.	Hungary. —	—	H. 4.	Host. gram. 4. t. 62.
18 xanthina. R.S.	yellow.	Switzerland. 1818.	—	H. 4.	— 3. t. 19.
<i>flavescens. Host. non Bellardi.</i>					
19 flavescens. DC.	yellowish.	—	—	H. 4.	
20 duriuscula. E.B.	hard.	Britain.	—	H. 4.	Eng. bot. 470.
21 dumetorum. s.G.W.	pubescent.	—	—	H. 4.	
22 glabra. s.G.W.	smooth.	—	6.	H. 4.	Sinc. gr. wob. p. 180. ic.
23 hordeiformis. s.G.W.	Barley like.	—	H. 4.	— p. 159. ic.
24 cambrica. s.G.W.	Welsh.	Wales.	—	H. 4.	— p. 157. ic.
25 heterophylla. R.S.	various-leaved.	S. Europe. 1812.	6. 7.	H. 4.	Host. gram. 3. t. 18.
26 rubra. E.B.	red creeping.	Britain.	7.	H. 4.	Eng. bot. 2056.
27 vaginata. R.S.	sheathed.	Hungary. 1804.	6. 7.	H. 4.	

28	Kitaibeliana. R.S.	Kitaibel's.	Hungary.	1818.	6. 7.	H. 4.	
	<i>pubescens.</i> L.en.	<i>non Zea.</i>					
29	<i>laxa.</i> R.S.	loose.	Switzerland.	1824.	—	H. 4.	Host. gram. 2. t. 80.
30	<i>nutans.</i> R.S.	nodding.	N. America.	1805.	—	H. 4.	
31	<i>mexicana.</i> R.S.	Mexican.	Mexico.	1816.	7. 9.	H. 4.	
32	<i>rubens.</i> R.S.	red.	S. Europe.	1776.	6. 7.	H. 4.	Flor. græc. t. 83.
	<i>Bromus rubens.</i> F.G.						
33	<i>lævis.</i> F.	smooth.	Russia.	1806.	7.	H. 4.	
34	<i>grandiflora.</i> Ph.	large-flowered.	N. America.	1812.	6. 7.	H. 4.	
MYGALURUS. L.en. MOUSETAIL-GRASS. Triandria Digynia. L.en.							
1	<i>bromoides.</i> L.en.	barren.	Britain.	6.	H. 4.	Eng. bot. 1411.
2	<i>caudatus.</i> L.en.	wall.	England.	—	H. 4.	— 1412.
	<i>Festuca Myurus.</i> E.B.						
3	<i>alopecuroides.</i> L.en.	Fox-tail.	Barbary.	1799.	6. 8.	H. 4.	Desf. atl. 1. t. 25.
4	<i>uniglumis.</i> L.en.	single-husked.	England.	—	H. 4.	Eng. bot. 1430.
5	<i>delicatulus.</i> L.en.	delicate.	Spain.	1817.	7. 8.	H. 4.	
6	<i>geniculatus.</i> L.en.	jointed.	S. Europe.	1793.	6. 7.	H. 4.	
	<i>Bromus geniculatus.</i> R.S. <i>Festuca stipoides.</i> R.S.						
BRACHYPODIUM. R.S. BRACHYPODIUM. Triandria Digynia. R.S.							
1	<i>pinnatum.</i> R.S.	spiked heath.	Britain.	6. 8.	H. 4.	Eng. bot. 730.
	<i>Bromus pinnatus.</i> E.B. <i>Triticum pinnatum.</i> DC. <i>Festuca pinnata.</i> E.F.						
2	<i>rupestre.</i> R.S.	rock.	S. Europe.	1816.	—	H. 4.	Host. gram. 4. t. 17.
3	<i>strigosum.</i> R.S.	strigose.	Tauria.	1824.	—	H. 4.	
4	<i>cæspitosum.</i> R.S.	tufted.	S. Europe.	—	—	H. 4.	Host. gram. 4. t. 18.
5	<i>ramosum.</i> R.S.	branched.	—	1818.	—	H. 4.	Desf. atl. 1. t. 24. f. 1
6	<i>phœnicoides.</i> R.S.	pointed-leaved.	S. France.	1824.	—	H. 4.	
7	<i>obtusifolium.</i> R.S.	blunt-leaved.	Spain.	1818.	—	H. 4.	
8	<i>Tenorium.</i> R.S.	Tenore's.	Naples.	1824.	—	H. 4.	
9	<i>longifolium.</i> R.S.	long-leaved.	Barbary.	1818.	—	H. 4.	
10	<i>sylvaticum.</i> R.S.	wood.	Britain.	—	H. 4.	Eng. bot. 729.
	<i>Bromus sylvaticus.</i> E.B. <i>Triticum sylvaticum.</i> DC. <i>Festuca sylvatica.</i> E.F.						
11	<i>distachyum.</i> R.S.	two-spiked.	S. Europe.	1772.	—	H. 4.	Host. gram. 1. t. 20.
12	<i>asperum.</i> R.S.	stiff-leaved.	Spain.	1818.	—	H. 4.	
13	<i>Halleri.</i> R.S.	Haller's.	S. Europe.	—	—	H. 4.	Vivian. fr. fl. it. t. 26. ff
14	<i>tenuiculum.</i> R.S.	slender-stem'd.	—	—	—	H. 4.	— t. 23. f. 2.
15	<i>tenuiflorum.</i> R.S.	slender-fl'd.	—	1823.	—	H. 4.	Host. gram. 2. t. 26.
16	<i>Nardus.</i> L.en.	slender.	—	—	—	H. 4.	
	<i>tenellum.</i> R.S. <i>Triticum Nardus.</i> DC.						
17	<i>loliaceum.</i> R.S.	spiked sea.	Britain.	6. 7.	H. 4.	Eng. bot. 221.
	<i>Triticum loliaceum.</i> E.B.						
18	<i>biunciale.</i> R.S.	small.	S. Europe.	1818.	6. 8.	H. 4.	Viv. fl. it. fr. t. 24.
19	<i>unilaterale.</i> R.S.	one-sided.	—	1824.	—	H. 4.	Bocc. mus. t. 57. f. 22.
TRICHÆTA. R.S. TRICHÆTA. Triandria Digynia. R.S.							
	<i>ovata.</i> R.S.	oval-spiked.	Spain.	1824.	6. 8.	H. 4.	Cavan. ic. 6. t. 591. ff
	<i>Bromus ovatus.</i> Cav. <i>Trisetum ovatum.</i> P.S.						
BROMUS. R.S. BROME-GRASS. Triandria Digynia. R.S.							
1	<i>secalinus.</i> R.S.	smooth Rye.	England.	6. 8.	H. 4.	Eng. bot. 1171.
2	<i>elongatus.</i> R.S.	elongated.	Switzerland.	1823.	—	H. 4.	
3	<i>commutatus.</i> R.S.	downy Rye.	Britain.	—	H. 4.	Host. gram. 1. t. 11.
4	<i>velutinus.</i> R.S.	hairy-headed.	—	—	H. 4.	Eng. bot. 1884.
	<i>multiflorus.</i> E.B.						
5	<i>mollis.</i> R.S.	soft.	—	5. 7.	H. 4.	Eng. bot. 1078.
6	<i>confertus.</i> R.S.	close-spiked.	Iberia.	1825.	—	H. 4.	
7	<i>racemosus.</i> R.S.	smooth.	England.	6. 8.	H. 4.	Eng. bot. 1079.
8	<i>erectus.</i> E.B.	upright.	—	—	H. 4.	— 471.
9	<i>Biebersteinii.</i> R.S.	Bieberstein's.	Caucasus.	1825.	—	H. 4.	
10	<i>australis.</i> B.P.	southern.	N. S. W.	1823.	—	H. 4.	
11	<i>lanceolatus.</i> R.S.	spear-leaved.	Canaries.	1798.	—	H. 4.	Buxb. cent. ap. t. 199
12	<i>lanuginosus.</i> R.S.	woolly.	S. Europe.	1824.	—	H. 4.	
13	<i>variegatus.</i> R.S.	variegated.	Caucasus.	—	—	H. 4.	
14	<i>squarrosus.</i> R.S.	corn.	England.	—	H. 4.	Eng. bot. 1885.
15	<i>vestitus.</i> R.S.	clothed.	C. B. S.	1816.	—	G. 4.	
16	<i>wolgensis.</i> R.S.	Volga.	Caucasus.	—	—	H. 4.	Jacq. ecl. gr. t. 15.
17	<i>laxus.</i> R.S.	loose.	—	—	H. 4.	
18	<i>alopecuroides.</i> R.S.	Fox-tail.	S. Europe.	1799.	—	H. 4.	Desf. atl. 1. t. 25.
	<i>contortus.</i> Desf.						
19	<i>purgans.</i> R.S.	purging.	Canada.	1793.	—	H. 4.	
20	<i>pubescens.</i> R.S.	pubescent.	N. America.	1816.	—	H. 4.	
21	<i>asper.</i> E.B.	hairy wood.	England.	—	H. 4.	Eng. bot. 1172.

22	pendulinus. R.S.	pendulous.	Spain.	1823.	6. 8.	H.⊙.	
23	glaucus. R.S.	glaucous.	Pyrenees.	—	—	H. ½.	Lap.fl.pyren.t.53.bis.
24	altissimus. R.S.	tallest.	N.America.	1812.	—	H. ½.	
25	giganteus. R.S.	gigantic.	Britain.	7. 8.	H. ½.	Eng. bot. 1820.
	<i>β triflorus.</i>	three-flowered.	—	—	H. ½.	— 1918.
	<i>Festuca triflora.</i> E.B.						
26	longiflorus. R.S.	long-flowered.	1818.	—	H. ½.	
27	ciliatus. R.S.	ciliated.	N.America.	1802.	6. 8.	H. ½.	
28	arvensis. R.S.	field.	Britain.	7.	H. ½.	Eng. bot. 1984.
29	sterilis. R.S.	barren.	—	6. 7.	H.⊙.	— 1030.
30	tectorum. R.S.	nodding.	Europe.	1776.	6. 8.	H. ♂.	Flor. græc. t. 82.
31	matritensis. R.S.	wall.	Britain.	6.	H.⊙.	Eng. bot. 1006.
	<i>diandrus.</i> E.B.						
32	ligusticus. R.S.	contracted.	Italy.	1824.	6. 8.	H.⊙.	Barrel. ic. 76. n. 2.
33	rigidus. R.S.	rigid.	S. France.	1822.	6. 8.	H.⊙.	Host. gram. 1. t. 18.
34	pilosus. R.S.	hairy wall.	S. Europe.	—	—	H.⊙.	
35	jubatus. R.S.	loose paniced.	Italy.	1824.	—	H.⊙.	
36	maximus. R.S.	great.	Morocco.	1804.	—	H.⊙.	Desf. atl. 1. t. 26.
37	scoparius. R.S.	broom.	S. Europe.	1824.	—	H.⊙.	Cavan. ic. 1. t. 45. f. 2.
38	humilis. R.S.	low.	Spain.	—	—	H.⊙.	— ic.6.t.589.f.2.
39	stenophyllus. L.en.	narrow-leaved.	—	—	H. ½.	
40	scaberrimus. R.S.	roughest.	Italy.	—	—	H.⊙.	
ROSTRARIA. Tr.		ROSTRARIA.	Triandria Digynia.				
	<i>pubescens.</i> Tr.	pubescent.	1824.	6. 8.	H.⊙.	
	<i>Bromus dactyloides.</i>	Roth. <i>Dactylis pungens.</i>	Horn.				
PHRAGMITES. Tr.		REED.	Triandria Digynia. R.S.				
	<i>communis.</i> Tr.	common.	Britain.	7. 8.	H.w. ½.	Eng. bot. 401.
	<i>Arundo phragmites.</i> E.B.						
ARUNDO. S.S.		REED-GRASS.	Triandria Digynia. S.S.				
	1 <i>Donax.</i> s.s.	manured.	S. Europe.	1648.	7. 8.	H. ½.	Host. gram. 4. t. 38.
	<i>β versicolor.</i>	striped.	—	—	H. ½.	Moris. s. 8. t. 8. f. 9.
	2 <i>tenax.</i> s.s.	tough.	—	1823.	—	H. ½.	Cyril. neap. f. 2. t. 12.
	3 <i>festucea.</i> W.en.	Fescue-like.	Germany.	—	—	H.w. ½.	
PSAMMA. R.S.		SEA MATWEED.	Triandria Trigynia. R.S.				
	<i>arenaria.</i> R.S.	common.	Britain.	6. 7.	H. ½.	Eng. bot. 520.
	<i>Arundo arenaria.</i> E.B.						
ARUNDINARIA. R.S.		CANE-BRAKE.	Triandria Monogynia. S.S.				
	1 <i>glaucescens.</i> R.S.	glaucous.	E. Indies.	1818.	S. ½.	
	<i>Ludolfia glaucescens.</i> W.						
	2 <i>macrosperma.</i> R.S.	long-seeded.	N.America.	1809.	7.	H. ½.	
	<i>Miegia macrosperma.</i>	P.S. <i>Ludolfia macrosperma.</i> W.					
OLYRA. W.		OLYRA.	Monœcia Triandria. L.				
	<i>paniculata.</i> W.	broad-leaved.	W. Indies.	1783.	7.	S. ½.	Sloan. jam. 1. t. 64. f. 2.
ZEA. W.		INDIAN CORN.	Monœcia Triandria. L.				
	<i>Mays.</i> W.	common.	America.	1562.	6. 7.	H.⊙.	Lam. ill. t. 749.
COIX. W.		JOB'S-TEARS.	Monœcia Triandria. L.				
	1 <i>Lachryma.</i> s.s.	common.	E. Indies.	1596.	6. 7.	S. ½.	Botan. magaz. 2479.
	2 <i>agrestis.</i> s.s.	round-fruited.	—	1812.	—	S. ½.	Rumph. amb.6. t.9. f.1.
	3 <i>exaltata.</i> s.s.	tall.	China.	1816.	—	S. ½.	Jacq. ic. gram.
	4 <i>arundinacea.</i> s.s.	reed-like.	Mexico.	1824.	—	S. ½.	
	5 <i>Koenigii.</i> s.s.	Koenig's.	E. Indies.	1818.	—	S. ½.	
BAMBUS. W.		BAMBOO-CANE.	Hexandria Monogynia. W.				
	1 <i>arundinacea.</i> W.	common.	India.	1730.	S. ½.	Roxb. corom. 1. t. 79.
	2 <i>verticillata.</i> W.	whorl-flowered.	—	1802.	S. ½.	— 1. t. 80.
MELOCANNA. Tr.		MELOCANNA.	Hexandria Monogynia. S.S.				
	<i>bambusoides.</i> Tr.	berry bearing.	E. Indies.	1818.	S. ½.	
	<i>Bambusa baccifera.</i> Roxb.						
PHARUS. W.		PHARUS.	Monœcia Hexandria. W.				
	<i>latifolius.</i> W.	broad-leaved.	Jamaica.	1793.	7. 8.	S. ½.	Brown. jam. t. 38. f. 3.
EHRHARTA. W.		EHRHARTA.	Hexandria Monogynia. S.S.				
	1 <i>panicea.</i> W.	Panic-grass.	C. B. S.	1790.	5. 7.	G. ½.	Sm. ined. 1. t. 9.
	2 <i>melicoides.</i> s.s.	Melica-like.	—	1816.	—	G. ½.	
MICROLÆNA. B.P.		MICROLÆNA.	Tetrandria Digynia. B.P.				
	<i>stipoides.</i> B.P.	Stipa-like.	N. S. W.	1822.	7. 8.	F. ½.	Lab. n. hol. 1. t. 118.
	<i>Ehrharta stipoides.</i> Lab.						
POTAMOPHILA. B.P.		POTAMOPHILA.	Polygamia Monœcia. B.P.				
	<i>parviflora.</i> B.P.	small-flowered.	N. S. W.	1820.	6. 7.	F.w. ½.	
ORYZA. W.		RICE.	Hexandria Digynia. L.				
	<i>sativa.</i> W.	common.	Ethiopia.	1596.	7.	S.w.⊙.	

ZIZANIA. W.	CANADA RICE. Monœcia Hexandria. W.
1 aquatica. H.K.	water. N.America. 1790. 7. 9. H.w. 4. Linn. trans. 7. t. 13.
2 miliacea. M.	Millet-like. Carolina. 1816. — H.w. 4.
3 fluitans. M.	floating. N.America. 1824. 7. 8. H.w. 4.
PARIANA. W.	PARIANA. Monœcia Polyandria. W.
campestris. w.	Cayenne. Cayenne. 1803. S. h. Aubl. gui. 2. t. 337.

** SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CXCVI.

CHARACEÆ. Kth. synops. v. 1. p. 102.

CHARA. L.	CHARA. Monœcia Monandria. W.
1 vulgaris. E.B.	common. Britain. 7. 8. H.w. ⊙. Eng. bot. 336.
2 gracilis. E.B.	slender. England. — H.w. ⊙. — 2140.
3 hispida. E.B.	prickly. Britain. 6. 9. H.w. ⊙. — 463.
4 tomentosa. W.	tomentose. 6. 7. H.w. ⊙. Moris. s. 15. t. 4. f. 9.
5 flexilis. E.B.	smooth. England. 7. 8. H.w. ⊙. Eng. bot. 1070.
6 translucens. E.B.	great transparent. — H.w. ⊙. — 1855.
7 nidifica. E.B.	proliferous. — H.w. ⊙. — 1703.

ORDO CXCVII.

EQUISETACEÆ. DC. fl. fr. ed. 3. v. 2. p. 580.

EQUISETUM. W.	HORSE-TAIL. Cryptogamia Gonopterides. W.
1 arvense. w.	corn. Britain. 3. 4. H. 4. Eng. bot. 2020.
2 fluviatile. w.	great water. — 4. 5. H. 4. — 2022.
3 umbrosum. w.en.	shade. Germany. 1818. — H. 4. —
4 sylvaticum. w.	wood. Britain. — H. 4. Eng. bot. 1874.
5 limosum. w.	smooth naked. — 6. 7. H. 4. — 929.
6 palustre. w.	marsh. — — H. 4. — 2021.
7 pratense. w.	meadow. Germany. 1820. — H. 4. —
8 scirpoides. w.	American. N.America. 1812. — H. 4. —
9 hyemale. w.	Shave grass. Britain. 7. 8. H. 4. Eng. bot. 915.
10 variegatum. w.	variegated. Scotland. 6. 7. H. 4. — 1987.
11 filiforme.	thready. N.America. 1800. 7. 8. H. 4. —

ORDO CXCVIII.

MARSILEACEÆ. Brown prodr. p. 166.

PILULARIA. W.	PILLWORT. Cryptogamia Hydropterides. W.
globulifera. w.	Pepper-grass. Britain. 6. 9. H.w. 4. Eng. bot. 521.
ISOETES. W.	QUILLWORT. Cryptogamia Hydropterides. W.
lacustris. w.	marsh. Britain. 5. 10 H.w. 4. Eng. bot. 1084.

SALVINIA. W.	SALVINIA. Cryptogamia Hydropterides. W.
natans. w.	floating. Europe. 1818. 5. 8. H.w. 4. Schkuhr filic. t. 173.
MARSILEA. W.	MARSILEA. Cryptogamia Hydropterides. W.
quadrifolia. w.	four-leaved. S. Europe. 1820. 6. 8. H.w. 4. J.mem.ac.sci.par.1740

ORDO CXCIX.

LYCOPODIACEÆ. *Kth. synops. 1. p. 95.*

LYCOPODIUM. W.	CLUB-MOSS. Cryptogamia Stachyopterides. W.
1 carolinianum. w.	Carolina. 1812. 7. 8. H. 4. Dill. musc. t. 62. f. 5.
2 clavatum. w.	common. Britain. H. 4. Eng. bot. 224.
3 complanatum. w.	Arbor Vitæ-ld. N. America. 1770. — H. 4. Flor. dan. 78.
4 alpinum. w.	Savin-leaved. Britain. 8. H. 4. Eng. bot. 234.
5 dendroideum. w.	fan. N. America. 1770. 7. H. 4. Hook. ex. flor. 7.
6 annotinum. w.	interrupted. Britain. 6. 8. H. 4. Eng. bot. 1727.
7 inundatum. w.	marsh. H.w. 4. — 239.
8 alopecuroides. w.	Fox-tail. N. America. 1816. — H. 4. Schkuhr filic. t. 160.
9 Selaginoides. w.	prickly. Britain. 8. H. 4. Eng. bot. 1148.
10 ornithopodioides. w.	Bird's-claw. 1812. 6. 8. H. 4. Dill. musc. t. 66. f. 1. B.
11 helveticum. w.	Swiss. Switzerland. 1779. — H. 4. — t. 64. f. 2.
12 rupestre. w.	rock. N. America. 1818. — H. 4. — t. 63. f. 11.
13 denticulatum. w.	toothed. Switzerland. 1779. 7. H. 4. — t. 66. f. 1. A.
14 depressum. w.	depressed. C. B. S. 1816. 7. 8. G. 4.
15 Selago. w.	Fir. Britain. 6. 8. H. 4. Eng. bot. 233.
16 apodum. w.	distichous. N. America. 1815. 7. H. 4. Dill. musc. t. 64. f. 3.
17 lucidulum. w.	glossy. — 1822. — H. 4. Schkuhr filic. t. 159.
18 densum. B.P.	dense. N. S. W. — 7. 8. G. 4. Lab. nov. hol. 2. t. 251. f. 1
PSILOTUM. B.P.	PSILOTUM. Cryptogamia Stachyopterides. W.
triquetrum. B.P.	triangular. N. S. W. 1793. 7. 8. G. 4. Schkuhr fil. t. 165. b.
<i>Lycopodium nudum. L. Bernhardia dichotoma. w.</i>	

ORDO CC.

FILICES. *Juss. gen. 14.*

SUBORDO I. OPHIOGLOSSEÆ. Brown prodr. p. 163.

OPHIOGLOSSUM. W.	ADDER'S-TONGUE. Cryptogamia Stachyopterides. W.
1 vulgatum. E.B.	common. Britain. 5. 6. H. 4. Eng. bot. 108.
2 lusitanicum. w.	Portugal. Portugal. H. 4.
3 gramineum. w.	grass-like. N. Holland. 1822. — G. 4. Willd. s. erf. 1802. t. 1. f. 1
4 costatum. B.P.	ribbed. N. S. W. — G. 4.
5 reticulatum. w.	netted. W. Indies. 1793. — S. 4. Plum. fil. t. 164.
6 petiolatum. w.	petiolate. — 1822. 1. 3. S. 4. Hook. ex. flor. 56.
BOTRYCHIUM. W.	MOONWORT. Cryptogamia Stachyopterides. W.
1 Lunaria. w.	common. Britain. 5. 6. H. 4. Eng. bot. 318.
<i>Osmunda lunaria. E.B.</i>	
2 fumarioides. w.	Fumitory-ld. Carolina. 1806. 7. 8. H. 4. Schkuhr fil. t. 157.
3 dissectum. w.	cut-leaved. N. America. — 7. H. 4. — t. 158.
4 virginicum. w.	Virginian. — 1790. 8. H. 4. — t. 156.
5 australe. B.P.	southern. N. S. W. 1823. 7. 8. H. 4.
6 gracile. Ph.	slender. N. America. 1824. — H. 4.

SUBORDO II. *OSMUNDACEÆ*. Brown prodr. p. 161.

LYGODIUM. B.P.	SNAKE'S-TONGUE.	Cryptogamia Schismatopterides. W.		
1 polymorphum. K.S.	variable.	S. America. 1816.	5. 9. S. 4.	~. Cav. ic. 6. t. 595. f. 1.
	<i>venustum. Spr. Ugena polymorpha. Cav.</i>	<i>Hydroglossum hirsutum. w.</i>		
2 scandens. Sw.	climbing.	E. Indies. 1793.	5. 9. S. 4.	~. Lodd. bot. cab. 742.
3 circinatum. Sw.	rounded.	W. Indies. 1818.	— S. 4.	~.
4 palmatum. Sw.	palmate.	N. America. 1823.	— S. 4.	~. Schkuhr filic. t. 140.
	<i>Hydroglossum palmatum. w.</i>			
ANEMIA. W.	ANEMIA.	Cryptogamia Schismatopterides. W.		
1 hirsuta. w.	hairy.	W. Indies. 1794. S. 4.	Plum. fil. t. 162.
2 adiantifolia. w.	Maiden-hair-ld.	— 1793.	8. 9. S. 4.	— t. 158.
3 lanceolata. w.	spear-leaved.	— 1820.	— S. 4.	
OSMUNDA. W.	OSMUNDA.	Cryptogamia Schismatopterides. W.		
1 cinnamomea. w.	woolly.	N. America. 1772.	6. H. 4.	Schkuhr fil. t. 146.
2 regalis. w.	flowering fern.	Britain.	7. 8. H. 4.	Eng. bot. 209.
3 Claytoniana. w.	Clayton's.	N. America. 1772.	8. H. 4.	
4 interrupta. w.	interrupted.	— 6. 7. H. 4.	Schkuhr fil. t. 144.
5 spectabilis. w.	showy.	— 1811.	7. H. 4.	Pluk. alm. t. 184. f. 4.
6 humilis. w.	dwarf.	— 1823.	6. 8. H. 4.	Hook. ex. flor. 28.
TODEA. W.	TODEA.	Cryptogamia Schismatopterides. W.		
africana. w.	African.	C. B. S. 1805.	5. 8. G. 4.	Schkuhr fil. t. 147.
	<i>Osmunda barbata. B.P.</i>			
SCHIZÆA. W.	SCHIZÆA.	Cryptogamia Schismatopterides. W.		
1 penicillata. w.	pencilled.	S. America. 1816.	6. 7. S. 4.	
2 rupestris. B.P.	rock.	N. S. W. 1822.	— G. 4.	
3 bifida. B.P.	bifid.	— — —	— G. 4.	Willd. mem. farr. t. 3. f. 22

SUBORDO III. *GLEICHENEÆ*. Brown prodr. p. 160.

GLEICHENIA. B.P.	GLEICHENIA.	Cryptogamia Poropterides. W.		
1 pubescens. K.S.	pubescent.	Vera Cruz. 1822.	6. 8. S. 4.	
	<i>Mertensia pubescens. w.</i>			
2 speluncæ. B.P.	various-leaved.	N. S. W. —	— G. 4.	
3 microphylla. B.P.	small-leaved.	— 1825.	— G. 4.	
4 flabellata. B.P.	fan-leaved.	— 1823.	— G. 4.	
MARATTIA. W.	MARATTIA.	Cryptogamia Poropterides. W.		
alata. w.	winged.	Jamaica. 1793.	5. 8. S. 4.	Sm. ic. ined. t. 46.

SUBORDO IV. *POLYPODIACEÆ*. Brown prodr. p. 145.

ACROSTICHUM. W.	ACROSTICHUM.	Cryptogamia Filices. L.		
1 simplex. w.	simple.	Jamaica. 1793. S. 4.	Lodd. bot. cab. 709.
2 lingua. w.	tongue-leaved.	China. 1817.	5. 7. G. 4.	Thunb. fl. jap. t. 33.
3 crinitum. w.	hairy.	W. Indies. 1793.	— S. 4.	Plum. fil. t. 125.
4 alcorne. B.P.	Elk's-horn.	N. S. W. 1808.	8. 10. G. 4.	Botan. regist. 262-3.
5 Stemaria. Beau.	Stag's-horn.	Guinea. 1822.	5. 8. S. 4.	Beau. fl. d'ow. v. 1. pl. 22.
6 appendiculatum. H.	appendaged.	W. Indies. 1824.	6. 8. S. 4.	Hook. ex. flor. 108.
7 sorbifolium. w.	Sorbus-leaved.	— 1793.	— S. 4.	Plum. fil. t. 117.
8 velleum. w.	woolly.	Madeira. 1778.	8. 9. G. 4.	Desf. atl. 2. t. 256.
9 calomelanus. w.	mealy.	W. Indies. 1790.	7. 8. S. 4.	Willd. h. ber. t. 41.
10 aureum. w.	golden.	America. 1820.	— G. 4.	Schkuhr fil. t. 1.
NOTHOLÆNA. B.P.	NOTHOLÆNA.	Cryptogamia Filices.		
1 Marantæ. B.P.	Swiss.	Switzerland. 1824.	6. 8. H. 4.	Spreng. crypt. t. 2. f. 183.
	<i>Acrostichum Marantæ. w.</i>			
2 distans. B.P.	distant.	N. S. W. 1823.	— G. 4.	
HEMIONITIS. W.	HEMIONITIS.	Cryptogamia Filices. W.		
1 lanceolata. w.	spear-leaved.	W. Indies. 1793.	6. 8. S. 4.	Schkuhr fil. t. 6.
2 palmata. w.	palmated.	— — —	— S. 4.	Hook. ex. flor. 33.
3 rufa. w.	rusty-haired.	Jamaica. —	— S. 4.	Schkuhr fil. t. 17. 21.
4 dealbata. w.	mealy.	S. America. 1818.	— S. 4.	Willd. h. ber. 1. t. 400.

GYMNOGRAMMA.		GYMNOGRAMMA. Cryptogamia Filices.			
peruvianum. Desv.	Peruvian.	Peru.	1822.	6. 8.	G. 4.
MENISCIMUM. W.	MENISCIMUM. Cryptogamia Filices. W.				
reticulatum. w.	netted.	Martinico.	1793.	6. 8.	S. 4.
GRAMMITIS. Sw.	GRAMMITIS. Cryptogamia Filices. W.				
1 serrulata. w.	saw-leaved.	W. Indies.	1823.	6. 8.	S. 4.
2 australis. B.P.	southern.	N. S. W.	1822.	—	G. 4.
3 Ceterach. sw.	common.	Britain.	5. 10.	H. 4.
<i>Scolopendrium Ceterach.</i> E.B. 1244. <i>Ceterach officinarum.</i> W.					
POLYPODIUM. W.	POLYPODY. Cryptogamia Filices. L.				
1 serpens. w.	trailing.	W. Indies.	1822.	3. 8.	S. 4.
2 angustifolium. w.	narrow-leaved.	S. America.	—	—	S. 4.
3 lanceolatum. w.	spear-leaved.	—	1824.	—	S. 4.
4 rupestre. B.P.	woolly-leaved.	N. S. W.	—	—	G. 4.
5 confluens. B.P.	confluent.	—	1822.	—	G. 4.
6 attenuatum. B.P.	attenuated.	—	1823.	—	G. 4.
7 lineare. w.	linear-leaved.	Japan.	1822.	—	G. 4.
8 piloselloides. w.	Mouse-ear.	W. Indies.	1793.	—	S. 4.
9 lycopodioides. w.	Club-moss.	—	—	—	S. 4.
10 phyllitidis. w.	Hart's-tongue.	—	—	—	S. 4.
11 crassifolium. w.	thick-leaved.	—	1816.	—	S. 4.
12 repens. w.	creeping.	S. America.	—	—	S. 4.
13 Billardieri. B.P.	LaBillardiere's.	V. Diem. Isl.	1823.	—	G. 4.
14 aureum. w.	golden.	W. Indies.	1742.	3. 5.	S. 4.
15 phymatodes. w.	warted.	—	1816.	—	S. 4.
16 vulgare. E.B.	common.	Britain.	5. 10.	H. 4.
β cambricum.	Welsh.	Wales.	—	H. 4.
17 virginianum. w.	Virginian.	N. America.	7.	H. 4.
18 pectinatum. w.	comb-leaved.	W. Indies.	1793.	6. 9.	S. 4.
19 Plumula. w.	feather.	S. America.	1822.	5. 8.	S. 4.
20 tenuifolium. w.	slender-leaved.	—	—	—	S. 4.
21 asplenifolium. w.	Spleenwort-ld.	Martinico.	1790.	—	S. 4.
22 incanum. w.	hoary.	America.	1811.	7.	H. 4.
23 trichomanoides. w.	Trichomanes like.	W. Indies.	1822.	5. 8.	S. 4.
24 juglandifolium. w.	Walnut-leav'd.	S. America.	—	—	S. 4.
25 crenatum. w.	crenated.	—	1824.	S. 4.
26 fraxinifolium. w.	Ash-leaved.	Caracas.	1822.	5. 8.	S. 4.
27 tenellum. B.P.	slender.	N. S. W.	—	5. 7.	G. 4.
28 pertusum. H.E.F.	bored.	China.	1817.	7. 10.	G. 4.
29 Phegopteris. E.B.	sun-fern.	Britain.	6. 7.	H. 4.
30 hexagonopterum. w.	triangular.	N. America.	1811.	—	H. 4.
31 pruinatum. w.	white-leaved.	Jamaica.	1793.	5. 8.	S. 4.
32 effusum. w.	spreading.	—	1769.	11.	S. 4.
33 Dryopteris. w.	tender-branch'd.	Britain.	6. 9.	H. 4.
34 connectile. w.	connected.	N. America.	1812.	7.	H. 4.
35 calcareum. w.	rigid-branch'd.	Britain.	—	H. 4.
WOODSIA. L.T.	WOODSIA. Cryptogamia Filices. L.				
1 hyperborea. L.T.	hairy Alpine.	Scotland.	7. 9.	H. 4.
2 ilvensis. L.T.	rock.	N. America.	1812.	6. 7.	H. 4.
PLEOPELTIS. K.S.	PLEOPELTIS. Cryptogamia Filices.				
1 ensifolia. H.E.F.	sword-leaved.	S. America.	1823.	5. 6.	S. 4.
2 latifolia. L.C.	broad-leaved.	—	—	—	S. 4.
3 nuda. D.P.	naked.	Nepaul.	—	—	S. 4.
ASPIDIUM. B.P.	SHIELD-FERN. Cryptogamia Filices. W.				
1 trifoliatum. w.	three-leaved.	W. Indies.	1769.	4. 8.	S. 4.
2 cicutarium. w.	Cicuta-leaved.	N. America.	1823.	—	H. 4.
3 patens. w.	pubescent.	W. Indies.	1784.	7. 9.	S. 4.
4 dentatum. w.	toothed.	Scotland.	7.	H. 4.
<i>Cyathea dentata.</i> E.B.					
5 Halleri. w.	Haller's.	Switzerland.	1824.	4. 8.	H. 4.
6 bulbiferum. w.	bulbiferous.	N. America.	1638.	7. 8.	H. 4.
7 rheticum. w.	stone.	Switzerland.	—	H. 4.
8 axillare. w.	slenderMadeira.	Madeira.	1779.	6. 9.	G. 4.
9 fragile. w.	brittle.	Britain.	6. 8.	H. 4.
10 regium. w.	lacinated.	—	6.	H. 4.
<i>Cyathea incisa.</i> E.B.					
11 æmulum. w.	dwarf.	Madeira.	1779.	F. 4.
12 alpinum. w.	Alpine.	S. Europe.	1825.	6. 8.	H. 4.
13 montanum. w.	mountain.	—	—	—	H. 4.

Plum. fil. t. 110.

Hook. ex. flor. 78.

Lodd. bot. cab. 15.

Plum. fil. 105. t. 121.

Plum. fil. t. 137.

Thunb. ic. jap. t. 18.

Plum. fil. t. 118.

Schkuhr fil. t. 8. c. p.

Plum. fil. 114. t. 130.

— 107. t. 127.

— 115. t. 131.

Lab. nov. hol. 2. t. 240.

Plum. fil. 59. t. 76.

Eng. bot. 1149.

Bolt. fil. t. 2. f. 5. a.

Plum. fil. t. 77.

Lodd. bot. cab. 748.

Plum. fil. 66. t. 85.

— 85. t. 102. f. A.

Schkuhr fil. t. 11. b.

— p. 11. t. 10.

Hook. ex. flor. 162.

Eng. bot. 2224.

Pluk. alm. t. 284. f. 2.

Sloan. jam. 1. t. 57. f. 3.

Eng. bot. 616.

Eng. bot. 1525.

Eng. bot. 2023.

Schkuhr fil. t. 19.

Hook. ex. flor. 62.

Hook. ex. flor. 63.

Jacq. ic. 3. t. 638.

Pluk. alm. t. 289. f. 4.

Schkuhr fil. t. 334.

Eng. bot. 1588.

Eng. bot. 1587.

— 163.

Jacq. ic. 3. t. 642.

14 irriguum. E.B.	brook.	Britain.	6.	H. 4.	Eng. bot. 2199.
15 atomarium. W.	small.	N.America. 1822.	6. 8.	H. 4.		
NEPHRODIUM. B.P. NEPHRODIUM. Cryptogamia Filices.						
1 Lonchitis. H.S.L.	rough Alpine.	Britain.	5. 8.	H. 4.	Eng. bot. 797.
<i>Aspidium Lonchitis.</i> E.B.						
2 auriculatum. H.S.L.	eared.	E. Indies. 1793.	7.	S. 4.		Burm. zeyl. t. 44. f. 2.
3 exaltatum. B.P.	lofty.	Jamaica.	—	5. 8.	S. 4.	Schkuhr fil. t. 32. b.
4 unitum. B.P.	smooth united.	E. Indies.	—	—	S. 4.	Burm. zeyl. t. 44. f. 1.
5 propinquum. B.P.	pubescent.	—	—	—	S. 4.	
6 molle. B.P.	soft.	N. S. W. 1822.	—	G. 4.		Jacq. ic. t. 640.
7 noveboracense. H.S.L.	river-side.	N.America. 1812.	7.	H. 4.		Schkuhr fil. t. 46.
8 pectinatum.	comb-like. 1823.	5. 8.	S. 4.		— t. 296.
<i>Aspidium trapezoides.</i> Schk.						
9 Oreopteris. H.S.L.	Heath.	Britain.	7.	H. 4.	Eng. bot. 1019.
10 Thelypteris. H.S.L.	Lady fern.	—	7. 8.	H. 4.	— 1018.
11 serra. w.	saw-like.	Jamaica. 1819.	—	S. 4.		
12 parasiticum. w.	parasitical.	E. Indies. 1824.	—	S. 4.		
13 cristatum. H.S.L.	crested heath.	Britain.	6. 7.	H. 4.	Eng. bot. 2125.
14 aculeatum. H.S.L.	common prickly.	—	6. 8.	H. 4.	— 1562.
15 marginale. H.S.L.	marginal-fls.	N.America. 1772.	6. 9.	H. 4.		Schkuhr fil. t. 45. b.
16 Filix-mas. H.S.L.	Male fern.	Britain.	6. 8.	H. 4.	Eng. bot. 1458.
<i>β Smithii.</i> Smith's. — — H. 4. — 1949.						
<i>Aspidium cristatum.</i> E.B. 1949. non 2125.						
γ erosum. Ph.	jagged.	N.America. 1812.	—	H. 4.		Schkuhr fil. t. 45.
17 fragrans. Spr.	fragrant.	Europe.	—	H. 4.	
18 lobatum. H.S.L.	close-leaved.	England.	6. 9.	H. 4.	Eng. bot. 1563.
19 intermedium. w.	intermediate.	N.America. 1816.	—	H. 4.		
20 spinulosum. H.S.L.	crested prickly.	Britain.	6. 8.	H. 4.	Eng. bot. 1460.
21 dilatatum. H.S.L.	great crested.	—	—	H. 4.	— 1461.
22 rigidum. w.	rigid.	Germany. 1816.	—	H. 4.		
23 elongatum. H.S.L.	cut-leaved.	Madeira. 1779.	7. 8.	F. 4.		
24 villosum. H.S.L.	villous.	W. Indies. 1793.	7.	S. 4.		Schkuhr fil. t. 46. b.
25 decompositum. B.P.	decompound.	N. S. W. 1820.	6. 8.	F. 4.		
26 asplenoides. M.	Spleenwort-like.	N.America.	—	H. 4.		Schkuhr filic. t. 78.
ALLANTODIA. B.P. ALLANTODIA. Cryptogamia Filices.						
1 umbrosa. B.P.	Madeira.	Madeira. 1779.	6. 9.	F. 4.		Schkuhr fil. t. 61.
2 australis. B.P.	southern.	V. Diem. Isl. 1820.	—	F. 4.		
3 tenera. B.P.	membranaceous.	N. S. W.	—	F. 4.		
ASPLENIUM. B.P. SPLEENWORT. Cryptogamia Filices. L.						
1 fontanum. B.P.	smooth rock.	England.	6. 8.	H. 4.	Eng. bot. 2024.
<i>Aspidium fontanum.</i> E.B.						
2 Filix-femina. B.P.	female fern.	Britain.	6. 9.	H. 4.	Eng. bot. 1459.
3 Adiantum-nigrum. w.	black.	—	4. 10.	H. 4.	— 1950.
4 lanceolatum. E.B.	lanceolate.	England.	6. 10.	H. 4.	— 240.
5 zamiaefolium. B.C.	Zamia-leaved.	W. Indies. 1818.	—	S. 4.		Lodd. bot. cab. 854.
6 montanum. w.	mountain.	N.America. 1812.	7.	H. 4.		
7 ambiguum. w.	ambiguous.	Java. 1818.	6. 8.	S. 4.		
8 fragrans. w.	fragrant.	Jamaica. 1793.	7.	S. 4.		
9 Ruta muraria. w.	Wall-rue.	Britain.	6. 10.	H. 4.	Eng. bot. 150.
10 cicutarium. K.S.	Cicuta-like.	S. America. 1822.	—	S. 4.		Plum. fil. t. 48. a.
11 formosum. w.	handsome.	Santa Cruz.	—	S. 4.		
12 præmosum. w.	snip-leaved.	Jamaica. 1793.	—	S. 4.		Pluk. alm. t. 73. f. 5.
13 striatum. w.	striated.	W. Indies.	—	6. 8.	S. 4.	Plum. fil. t. 18. 19.
14 thelypteroides. w.	Ladyfern-like.	N.America. 1823.	7.	H. 4.		Schkuhr fil. t. 76. b.
15 rhizophorum. w.	root-bearing.	Jamaica. 1793.	6. 8.	S. 4.		Sloan. j. 1. t. 29. 30. f. 1.
16 viride. w.	green.	Britain.	6. 9.	H. 4.	Eng. bot. 2257.
17 melanocaulon. w.	black-stalked.	N.America. 1812.	7.	H. 4.		
18 Trichomanes. w.	Maiden hair.	Britain.	5. 10.	H. 4.	Eng. bot. 576.
19 germanicum. w.	alternate-leav'd.	Scotland.	6. 10.	H. 4.	— 2258.
<i>alternifolium.</i> E.B. <i>Breynii.</i> Sw.						
20 ebenum. w.	ivory striped.	N.America. 1779.	9.	H. 4.		Lodd. bot. cab. 5.
21 angustifolium. w.	narrow-leaved.	— 1812.	6. 7.	H. 4.		Schkuhr fil. t. 67. 69.
22 monanthemum. w.	one-flowered.	C. B. S. 1790.	7.	G. 4.		Sm. ined. t. 73.
23 marinum. w.	sea-side.	Britain.	6. 10.	H. 4.	Eng. bot. 392.
24 odontites. B.P.	long-leaved.	N. Holland. 1822.	—	G. 4.		Thunb. n. a. p. 9. t. E. f. 1.
25 dentex. w.	toothed.	C. B. S. 1790.	—	G. 4.		
26 laxum. B.P.	loose.	V. Diem. Isl. 1822.	6. 7.	F. 4.		Lab. n. holl. 2. t. 243.
27 difforme. B.P.	deformed.	N. S. W.	—	F. 4.		
28 falcatum. B.P.	sickle-leaved.	— 1825.	—	F. 4.		

29	attenuatum. B.P.	slender.	N. S. W.	1825.	6. 7.	F. 2.	
30	septentrionale. w.	forked.	Britain.	6. 10.	H. 2.	Eng. bot. 1017.
31	Hemionitis. L.	Mule's-fern.	Canaries.	1779.	6. 7.	G. 2.	Schkuhr fil. t. 66.
	<i>palmatum. B.C. 868.</i>						
32	flabellifolium. w.	fan-leaved.	N. S. W.	1825.	—	G. 2.	Hook. ex. flor. 208.
33	rhizophyllum. w.	rooting-leaved.	N. America.	1680.	—	H. 2.	
34	Nidus. B.P.	nest.	N. Holland.	1822.	—	F. 2.	
35	serratum. w.	saw-leaved.	W. Indies.	1793.	—	S. 2.	Schkuhr fil. t. 64.
SCOLOPENDRIUM. W. HART'S-TONGUE. Cryptogamia Filices. W.							
	officinatum. w.	common.	Britain.	7. 8.	H. 2.	Eng. bot. 1150.
	<i>β crispum.</i>	<i>curled-leaved.</i>	—	—	H. 2.	
	<i>γ undulatum.</i>	<i>waved-leaved.</i>	—	—	H. 2.	Pluk. phyt. 248. f. 1.
	<i>δ multifidum.</i>	<i>clustered.</i>	—	—	—	H. 2.	
	<i>ε ramosum.</i>	<i>branching.</i>	—	—	H. 2.	Pluk. phyt. 248. f. 2.
DOODIA. B.P. DOODIA. Cryptogamia Filices.							
1	aspera. B.P.	rough-stalked.	N. S. W.	1808.	3. 9.	G. 2.	Hook. ex. flor. 8.
2	caudata. B.P.	tailed.	—	1822.	—	G. 2.	— 25.
WOODWARDIA. W. WOODWARDIA. Cryptogamia Filices. W.							
1	onocleoides. w.	Onoclea-like.	N. America.	1812.	8.	H. 2.	Schkuhr fil. t. 111.
2	virginica. w.	Virginian.	—	1774.	8. 9.	H. 2.	Pluk. alm. t. 179. f. 2.
3	radicans. w.	rooting-leaved.	Madeira.	1779.	9.	G. 2.	Schkuhr fil. t. 112.
BLECHNUM. W. BLECHNUM. Cryptogamia Filices. W.							
1	cartilagineum. B.P.	cartilaginous.	N. S. W.	1822.	6. 8.	F. 2.	
2	boreale. w.	northern.	Britain.	7.	H. 2.	Eng. bot. 1159.
3	australe. w.	Cape.	C. B. S.	1691.	3. 9.	G. 2.	Schkuhr fil. t. 110. b.
4	occidentale. w.	American.	S. America.	1777.	—	S. 2.	Jacq. ic. 3. t. 644.
5	laevigatum. B.P.	smooth.	N. S. W.	1820.	—	G. 2.	
6	glandulosum. L.en.	glandular.	Brazil.	1823.	—	S. 2.	
LOMARIA. W. LOMARIA. Cryptogamia Filices. W.							
1	nuda.	naked.	V. Diem. Isl.	1822.	4. 8.	F. 2.	Lab. n. hol. 2. t. 246.
	<i>Onoclea nuda. Lab. Stegania nuda. B.P.</i>						
2	procera.	lofty.	N. Holland.	—	—	F. 2.	Lab. n. hol. 2. t. 247.
	<i>Blechnum procerum. Lab. Stegania procera. B.P.</i>						
ONOCLEA. W. ONOCLEA. Cryptogamia Filices. L.							
1	sensibilis. w.	sensitive fern.	Virginia.	1799.	8.	H. 2.	Schkuhr fil. t. 102.
2	obtusilobata. Ph.	blunt-lobed.	N. America.	1812.	7.	H. 2.	— t. 103.
3	Struthiopteris. sw.	Russian.	Europe.	1760.	7. 8.	H. 2.	— t. 105.
	<i>Struthiopteris germanica. w.en. Osmunda Struthiopteris. L.</i>						
VITTARIA. W. VITTARIA. Cryptogamia Filices. W.							
	lineata. w.	linear-leaved.	America.	1793.	S. 2.	Schkuhr fil. t. 101. b.
DIPLAZIUM. W. DIPLAZIUM. Cryptogamia Filices. W.							
1	grandifolium. w.	large-leaved.	Jamaica.	1793.	S. 2.	
2	plantaginifolium. w.	Plantain-leav'd.	W. Indies.	1822.	S. 2.	
3	barbadense. w.	Barbadoes.	—	—	S. 2.	
4	esculentum. w.	eatable.	Ceylon.	—	S. 2.	
PTERIS. W. BRAKE. Cryptogamia Filices. L.							
1	pedata. w.	pedate.	W. Indies.	1816.	5. 8.	S. 2.	Pet. fil. 176. t. 8. f. 12.
2	argentea. w.	silvery.	Siberia.	—	—	H. 2.	
3	longifolia. w.	long-leaved.	W. Indies.	1770.	7. 9.	S. 2.	Jacq. sch. 3. t. 339. 400.
4	grandifolia. w.	large-leaved.	—	1793.	S. 2.	Schkuhr fil. t. 89.
5	serrulata. w.	various-leaved.	India.	1770.	8. 9.	S. 2.	— t. 91.
6	cretica. w.	Cretan.	Candia.	1818.	5. 7.	G. 2.	
7	atropurpurea. w.	dark purple.	N. America.	1770.	8. 9.	H. 2.	Schkuhr fil. t. 101.
8	nemoralis. w.en.	wood.	Africa.	1823.	5. 8.	S. 2.	
9	Plumieri. L.en.	Plumier's.	S. America.	1818.	—	S. 2.	
10	arguta. w.	sharp-notched.	Madeira.	1778.	8. 9.	F. 2.	Pluk. alm. t. 290. f. 2.
11	umbrosa. B.P.	shade.	N. S. W.	1823.	5. 8.	F. 2.	
12	vespertilionis. B.P.	Bat-winged.	—	—	—	F. 2.	Lab. nov. hol. 2. t. 245.
13	tremula. B.P.	trembling.	—	1822.	—	F. 2.	
14	esculenta. B.P.	esculent.	—	1815.	—	F. 2.	Lab. nov. hol. 2. t. 244.
15	gracilis. w.	slender.	Canada.	1823.	7.	H. 2.	
16	hastata. w.	hastate.	W. Indies.	—	5. 8.	S. 2.	
17	crispa. w.	curled.	Britain.	7. 8.	H. 2.	Eng. bot. 1160.
18	aculeata. w.	prickly-stem'd.	W. Indies.	1793.	S. 2.	Plum. fil. t. 5. et 11.
19	falcata. B.P.	falcate.	N. S. W.	1820.	5. 7.	F. 2.	
20	caudata. w.	American.	N. America.	1777.	9. 12.	H. 2.	Jacq. ic. 3. t. 645.
21	aquilina. E.B.	common.	Britain.	7. 8.	H. 2.	Eng. bot. 1679.
22	lanuginosa. w.	woolly.	Bourbon.	1818.	—	S. 2.	
23	podophylla. w.	pedated.	Jamaica.	1793.	6. 7.	S. 2.	Brown jam. 89. t. 1.

Systematic Names.	English Names.	Native Soil.	Introduced.	Flowering.	Reference to Figures.
24 palmata. w.	palmated.	W. Indies.	1823.	6. 7. S. 4.	
25 sagittata. w.	arrow-leaved.	S. America.	1820.	— S. 4.	
26 cordata. w.	heart-leaved.	Mexico.	1825.	— G. 4.	
TÆNITIS. W.	TÆNITIS.	Cryptogamia Filices. W.			
graminifolia. H.E.F.	grass-leaved.	Trinidad.	1820.	6. 8. S. 4.	Hook. ex. flor. 77.
ADIANTUM. W.	MAIDENHAIR.	Cryptogamia Filices. L.			
1 reniforme. w.	kidney-leaved.	Madeira.	1699.	6. 9. G. 4.	Lodd. bot. cab. 841.
2 radiatum. w.	radiated.	W. Indies.	1776.	4. 8. S. 4.	Plum. fil. t. 100.
3 macrophyllum. w.	large-leaved.	Jamaica.	1793. S. 4.	Brown jam. t. 38. f. 1.
4 pedatum. w.	Canadian.	N. America.	1640.	8. 9. H. 4.	Schkuhr fil. t. 115.
5 hispidulum. B.P.	bristly.	N. Holland.	1822.	5. 8. G. 4.	
6 formosum. B.P.	handsome.	N. S. W.	—	— G. 4.	
7 villosum. w.	hairy-stalked.	Jamaica.	1775.	6. 9. S. 4.	Schkuhr fil. t. 120.
8 pulverulentum. w.	dusty.	W. Indies.	1793. S. 4.	— — — t. 119.
9 trapeziforme. w.	rhomb-leaved.	—	— S. 4.	— — — t. 122.
10 assimile. B.P.	likened.	N. S. W.	1823.	5. 8. G. 4.	Lab. n. hol. 2. t. 248. f. 2.
trigonum. Lab.					
11 Capillus-veneris. w.	true.	Britain.	5. 9. H. 4.	Eng. bot. 1564.
12 tenerum. w.	tender.	Jamaica.	1793.	7. S. 4.	Pluk. alm. t. 254. f. 1.
13 serrulatum. w.	saw-leaved.	—	1823.	6. 8. S. 4.	Sloan. j. 17. t. 36. f. 2.
CHEILANTHES. W.	CHEILANTHES.	Cryptogamia Filices. W.			
1 vestita. w.	clothed.	N. America.	1812.	7. H. 4.	Schkuhr fil. t. 124.
Aspidium lanosum. Sw.	Woodsia vestita. Spr.				
2 pteroides. w.	Pteris-like.	C. B. S.	1775.	7. 9. G. 4.	Hout. n. hist. t. 96. f. 3.
3 odora. w.	sweet-scented.	1824.	— S. 4.	
4 fragrans. w.	fragrant.	Madeira.	1778.	— G. 4.	Sw. syn. fil. t. 3. f. 6.
5 hirta. w.	hairy.	C. B. S.	1816.	5. 8. G. 4.	
6 ferruginea. Len.	ferruginous.	—	— S. 4.	
7 microphylla. w.	small-leaved.	W. Indies.	1822.	— S. 4.	
8 lentigera. w.	chaffy.	S. America.	—	— S. 4.	
LONCHITIS. W.	LONCHITIS.	Cryptogamia Filices. W.			
hirsuta. w.	hairy.	W. Indies.	1793. S. 4.	Schkuhr fil. t. 86.
LINDSÆA. B.P.	LINDSÆA.	Cryptogamia Filices. W.			
1 linearis. B.P.	linear-leaved.	N. S. W.	1820.	4. 6. G. 4.	Sw. fil. 118. t. 3. f. 3.
2 microphylla. B.P.	small-leaved.	—	—	— G. 4.	
DAVALLIA. W.	DAVALLIA.	Cryptogamia Filices. W.			
1 pyxidata. B.P.	shining.	N. S. W.	1808.	4. 9. G. 4.	
2 canariensis. w.	Hare's-foot fern.	Canaries.	1699.	— G. 4.	Jacq. ic. 1. t. 200.
DICKSONIA. W.	DICKSONIA.	Cryptogamia Filices. W.			
1 Culcita. w.	shining-leaved.	Madeira.	1779.	9. 10. G. 4.	
2 arborescens. w.	tree.	S. Helena.	1786.	6. 12. S. 4.	Jacq. ic. 201.
3 dissecta. w.	cut-leaved.	Jamaica.	1793.	9. 10. S. 4.	
4 pilosiuscula. w.	hairy.	N. America.	1811.	7. 9. H. 4.	Schkuhr fil. t. 131.
CYATHEA. B.P.	CYATHEA.	Cryptogamia Filices. W.			
1 arborea. w.	tree.	W. Indies.	1793. S. 4.	Plum. fil. 1. t. 1. 2.
2 excelsa. Boj.	tall.	Mauritius.	1825. S. 4.	
ALSOPHILA. B.P.	ALSOPHILA.	Cryptogamia Filices.			
australis. B.P.	southern.	N. S. W.	1820. G. 4.	
TRICHOMANES. W.	TRICHOMANES.	Cryptogamia Filices. W.			
1 brevisetum. H.K.	short-styled.	Britain.	5. 6. H. 4.	Eng. bot. 1417.
Hymenophyllum alatum. E.B.					
2 membranaceum. w.	membranaceous.	W. Indies.	1820.	5. 8. S. 4.	Hook. ex. flor. 76.
HYMENOPHYLLUM. FILMY-LEAF.	HYMENOPHYLLUM.	Cryptogamia Filices. W.			
tunbridgense. w.	Tunbridge.	Britain.	5. 6. H. 4.	Eng. bot. 162.
POLYBOTRYA. K.S.	POLYBOTRYA.	Cryptogamia Filices.			
vivipara. H.E.F.	viviparous.	W. Indies.	1823.	5. 8. S. 4.	Hook. ex. flor. 107.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. p. 1.

CLEMATIS. p. 1.	VIRGIN'S-BOWER.						
33 campaniflora. DC.	bell-flowered.	Portugal.	1822.	6. 8.	H. $\frac{1}{2}$.	Lodd. bot. cab. 987.	
34 paniculata. DC.	panicked.	Japan.	1789.	—	G. $\frac{1}{2}$.	Hout. pflanz. 7. f. 2.	
THALICTRUM. 2.	MEADOW-RUE.						
48 polygamum. s.s.	polygamous.	N. America.	5. 7.	H. $\frac{1}{4}$.		
RANUNCULUS. 4.	CROWFOOT.						
62 cymbalariae. DC.	Cymbalaria-ld.	—	1823.	—	H. $\frac{1}{4}$.	Amm. ruth. t. 13. f. 2.	
63 millefoliatus. DC.	many-leaved.	Greece.	1824.	4. 7.	H. $\frac{1}{4}$.	Flor. græc. t. 521.	
64 tuberosus. DC.	tuberous-root'd.	Pyrenees.	—	—	H. $\frac{1}{4}$.		
65 napellifolius. DC.	Napellus-ld.	Greece.	1825.	5. 7.	H. $\frac{1}{4}$.		
66 dissectus. DC.	cut-leaved.	Siberia.	1823.	—	H. $\frac{1}{4}$.		
67 plebeius. DC.	Plebeian.	N. S. W.	—	—	H. $\frac{1}{4}$.		
68 hirtus. DC.	New Zealand.	N. Zealand.	—	—	H. $\frac{1}{4}$.		
69 fascicularis. DC.	fascicled.	N. America.	—	4. 5.	H. $\frac{1}{4}$.		
70 tuberculatus. DC.	tubercled.	—	5. 6.	H. $\frac{1}{4}$.		
71 trilobus. DC.	three-lobed.	S. Europe.	1824.	—	H. \odot .	Desf. atl. 1. t. 113.	
72 filiformis. M.	filiform.	N. America.	1816.	—	H. w. $\frac{1}{4}$.		
TROLLIUS. 6.	GLOBE-FLOWER.						
6 patulus. DC.	spreading.	Greece.	5. 6.	H. $\frac{1}{4}$.	Sm. ic. ined. 1. t. 37.	
<i>ranunculinus</i> . Sm.							
DELPHINIUM. 7.	LARKSPUR.						
1 virgatum. DC.	twiggy.	Syria.	1824.	6. 9.	H. \odot .	Deless. ic. sel. 1. t. 55.	
2 albiflorum. DC.	white-flowered.	Armenia.	1823.	—	H. $\frac{1}{4}$.	— 1. t. 58.	
3 spurium. F.	spurious.	Siberia.	1824.	—	H. $\frac{1}{4}$.		
ACONITUM. 7.	MONKSHOOD.						
1 albidum. R.U.	whitish.	Europe.	1824.	6. 8.	H. $\frac{1}{4}$.		
2 decorum. R.U.	neat.	—	—	—	H. $\frac{1}{4}$.		
3 Kœhleri. R.U.	Koehler's.	—	1823.	—	H. $\frac{1}{4}$.		
4 meloctonum. R.U.	Badger-bane.	—	—	—	H. $\frac{1}{4}$.		
5 nasutum. F.	nosed.	Siberia.	—	—	H. $\frac{1}{4}$.		
6 nemorosum. M.B.	wood.	Tauria.	—	—	H. $\frac{1}{4}$.		
7 oligocarpum. R.U.	few-podded.	Europe.	—	—	H. $\frac{1}{4}$.		
8 pubescens. R.U.	pubescent.	—	1824.	—	H. $\frac{1}{4}$.		
9 recognitum. R.U.	recognised.	—	—	—	H. $\frac{1}{4}$.		
10 Schleicheri. R.U.	Schleicher's.	Switzerland.	—	—	H. $\frac{1}{4}$.		
11 versicolor. R.U.	various-color'd.	Europe.	—	H. $\frac{1}{4}$.	Lodd. bot. cab. 794.	
12 zooctonum. R.U.	Beast-bane.	—	1824.	—	H. $\frac{1}{4}$.		

DILLENIACEÆ. p. 10.

TETRACERA. p. 10.	TETRACERA.						
4 obovata. DC.	obovate-leaved.	Senegal.	1822.	S. $\frac{1}{2}$.		
CURATELLA. 10.	CURATELLA.						
2 alata. v.	wing'd-petioled.	Guiana.	S. $\frac{1}{2}$.	Venten. choix. t. 49.	
PLEURANDRA. 10.	PLEURANDRA.						
4 cneorum. DC.	blunt-leaved.	N. S. W.	1824.	5. 7.	G. $\frac{1}{2}$.		
5 stricta. DC.	upright.	—	1822.	—	G. $\frac{1}{2}$.		
6 calycina. DC.	linear-leaved.	—	—	—	G. $\frac{1}{2}$.		
CANDOLLEA. DC.	CANDOLLEA.	Polyadelphia	Polyandria.				
<i>cuneiformis</i> . DC.	wedge-leaved.	N. Holland.	1823.	5. 8.	G. $\frac{1}{2}$.	Lab. n. holl. 2. t. 176.	
HIBBERTIA. 10.	HIBBERTIA.						
7 saligna. DC.	Willow-leaved.	N. S. W.	1824.	5. 8.	G. $\frac{1}{2}$.		
COLBERTIA. 10.	COLBERTIA.						
2 scabrella. D.P.	rough.	Nepaul.	1826.	S. $\frac{1}{2}$.		

WINTEREÆ. p. 11.

TASMANNIA. DC.	TASMANNIA.	Diœcia Polyandria.
dipetala. DC.	two-petaled.	N. S. W. 1824. 5. 8. G. ½.

ANONACEÆ. p. 11.

ANONA. p. 11.	CUSTARD-APPLE.	
14 laurifolia. DC.	Laurel-leaved.	W. Indies. 1824. S. ½. Catesb. car. 2. t. 67.
15 amplexicaulis. DC.	stem-clasping.	Mauritius. — S. ½.
UVARIA. 12.	UVARIA.	
5 velutina. DC.	velvety.	E. Indies. 1825. S. ½.
6 lucida. Bôj.	shining.	E. Africa. — S. ½.

SARRACENIÆ. p. 14.

SARRACENIA. W.	SIDE-SADDLE-FLOWER.	Polyandria Monogynia. L.
1 purpurea. w.	purple.	N. America. 1640. 6. 7. H. ¼. Botan. magaz. 849.
2 rubra. w.	red-flowered.	— 1786. — H. ¼. Hook. ex. flor. 13.
psittacina. M ?		
3 variolaris. w.	hook-leaved.	— 1803. — H. ¼. Botan. magaz. 1710.
adunca. Ex. bot. t. 53.		
4 flava. w.	yellow.	— 1752. — H. ¼. — 780.

PAPAVERACEÆ. p. 15.

PAPAVER. 15.	POPPY.	
19 horridum. DC.	prickly-stalked.	N. S. W. 1825. 6. 8. H. ⊙. Swt. br. fl. gar. 173.
MACLEAYA. Br.	MACLEAYA.	Polyandria Monogynia.
cordata. Br.	heart-leaved.	China. 1795. 5. 8. H. ¼. Botan. magaz. 1905.
Bocconia cordata. p. 16.		

FUMARIACEÆ. p. 16.

DICLYTRA. 16.	DICLYTRA.	
7 tenuifolia. DC.	slender-leaved.	Kamtschatka. 1824. 5. 7. H. ¼.
CORYDALIS. 17.	CORYDALIS.	
19 stricta. DC.	upright.	Siberia. 1825. 5. 7. H. ¼.
20 sibirica. DC.	Siberian.	— — H. ¼. Amm. ruth. t. 20.
21 acaulis. DC.	stalkless.	Hungary. — 7. 9. H. ⊙. Jacq. ic. 3. t. 554.
FUMARIA. 17.	FUMITORY.	
8 micrantha. Lag.	small-blossom'd.	Spain. 1824. 5. 7. H. ⊙.

CRUCIFERÆ. p. 17.

MATHIOLA. 17.	STOCK.	
15 torulosa. DC.	twisted-podded.	C. B. S. 1816. 5. 8. G. ½.
16 tatarica. DC.	Tartarian.	Tartary. 1826. — H. ¼. Pall. it. 1. app. t. O.
17 coronopifolia. DC.	Buckshorn-ld.	S. Europe. 1825. — H. ¼. Flor. græc. t. 637.
BARBAREA. p. 19.	WINTER CRESS.	
5 taurica. DC.	Taurian.	Tauria. 1825. 7. 9. H. ¼.
ARABIS. 19.	WALL-CRESS.	
34 mollis. DC.	soft.	Caucasus. 1825. 5. 7. H. ♂.
35 curtisiliqua. DC.	short-podded.	Scania. — — H. ♂.
36 præcox. DC.	early.	Hungary. 1822. 4. 6. H. ¼.
37 ambigua. DC.	ambiguous.	Siberia. 1824. 5. 7. H. ¼.
38 cebennensis. DC.	pale violet.	S. France. — — H. ♂.
39 lasiologa. DC.	woolly podded.	Mexico. — — H. ♂.
CARDAMINE. 19.	LADY'S-SMOCK.	
18 rhomboidea. DC.	rhomboid.	N. America. 1825. 5. 7. H. w. ¼.
19 granulosa. DC.	granular.	Italy. 1824. — H. ¼.
20 uliginosa. DC.	marsh.	Caucasus. — — H. w. ¼.
21 prorepens. DC.	creeping.	Siberia. 1825. — H. w. ¼.
22 pensylvanica. DC.	Pensylvanian.	N. America. 1823. — H. ¼.
23 umbrosa. DC.	shade.	Europe. — 6. 8. H. ⊙.

24 glauca. DC.	glaucous.	Italy.	1824.	5. 7.	H. 4.	
DENTARIA. 20.	TOOTH-WORT.					
10 trifolia. DC.	three-leaved.	Hungary.	1824.	5. 6.	H. 4.	W. et K. hung. 2. t. 139.
11 tenuifolia. DC.	slender-leaved.	Siberia.	1825.	—	H. 4.	Gmel. sib. 3. n. 41. t. 65.
FIBIGIA. Med.	FIBIGIA. Tetradynamia Siliculosa.					
1 suffruticosa.	suffrutescent.	Persia.	1820.	4. 5.	G. ½.	Vent. cels. t. 19.
<i>Farsetia suffruticosa.</i> p. 20.						
2 lunarioides.	oriental.	Greece.	1731.	6. 7.	H. 4.	Tourn. ic. ed. ger. 1. t. 30
3 clypeata. Med.	buckler podded.	S. Europe.	1596.	—	H. ♂.	Swt. br. fl. gar. ic.
<i>Farsetia clypeata.</i> p. 20.						
KONIGA. Br.	KONIGA. Tetradynamia Siliculosa.					
maritima. Br.	sweet.	England.	5. 10.	H. ½.	Eng. bot. 1729.
<i>Alyssum maritimum.</i> p. 21.						
VESICARIA. 20.	VESICARIA.					
5 Ludoviciana. DC.	Missouri.	Missouri.	1825.	5. 6.	H. 4.	
ADYSETON. Scop.	ADYSETON. Tetradynamia Siliculosa.					
1 saxatile.	rock.	Russia.	1710.	4. 5.	H. ½.	Botan. magaz. 159.
<i>Alyssum saxatile.</i> p. 21.	<i>Aurinia saxatilis.</i> Desv.					
2 gemonense.	canescent.	Germany.	—	—	H. ½.	Jacq. ic. 3. t. 503.
3 orientale.	oriental.	Crete.	—	H. ½.	Flor. græc. t. 625.
4 spathulatum.	spathulate.	Siberia.	1821.	4. 6.	H. ½.	Deles. ic. sel. 2. t. 37.
<i>Alyssum spathulatum.</i> p. 21.						
5 argenteum.	silvery.	Switzerland.	—	5. 6.	H. ½.	All. ped. t. 54. f. 3.
6 Bertolonii.	Bertoloni's.	Italy.	1825.	—	H. ½.	
7 murale.	wall.	Europe.	1801.	6. 8.	H. ½.	W. et K. hung. 1. t. 6.
8 obtusifolium.	blunt-leaved.	Siberia.	1812.	—	H. ½.	Deles. ic. sel. 2. t. 38.
9 serpyllifolium.	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ½.	
10 tortuosum.	twisted.	Hungary.	1804.	6. 7.	H. ½.	W. et K. hung. 1. t. 91.
11 vernale.	vernal.	1823.	4. 5.	H. 4.	Schrank. h. mon. t. 96.
12 alpestre.	Italian.	Italy.	1777.	6. 10.	H. ½.	Flor. græc. t. 624.
13 montanum. Sc.	mountain.	Germany.	1713.	5. 8.	H. 4.	Botan. magaz. 419.
14 cuneifolium.	wedge-leaved.	Naples.	1825.	—	H. 4.	
15 diffusum.	spreading.	—	—	—	H. 4.	
16 Wulfenianum.	Wulfen's.	Carinthia.	1821.	—	H. 4.	
<i>Alyssum Wulfenianum.</i> p. 21.						
ANODONTEA. DC.	ANODONTEA. Tetradynamia Siliculosa.					
1 edentula.	toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et K. hung. 1. t. 92.
<i>Alyssum edentulum.</i> p. 21.						
2 rupestris.	silvery rock.	Italy.	1824.	—	H. ½.	Ten. fl. nap. t. 60.
3 halimifolia.	Halimus-leav'd.	—	—	—	H. ½.	All. ped. t. 54. f. 1.
<i>Alyssum halimifolium.</i> p. 21.						
4 spinosum.	thorny.	S. Europe.	1683.	6. 8.	F. ½.	Barrel. ic. t. 808.
5 macrocarpum.	large-podded.	—	1825.	—	F. ½.	
<i>Alyssum macrocarpum.</i> DC.						
DRABA. 21.	WHITLOW-GRASS.					
21 bruniaefolia. DC.	Brunia-leaved.	Caucasus.	1825.	6.	H. 4.	
22 pilosa. DC.	pilose.	Siberia.	—	5. 6.	H. 4.	
23 glacialis. DC.	starry-haired.	—	—	—	H. 4.	
24 repens. DC.	creeping.	Caucasus.	1823.	—	H. 4.	
25 Gmelini. DC.	Gmelin's.	Siberia.	—	—	H. 4.	
26 muricella. DC.	tufted.	N. Europe.	1825.	—	H. 4.	Wahl. fl. lapp. t. 11. f. 2.
27 nivalis. DC.	snowy.	—	1824.	—	H. 4.	Flor. dan. t. 142.
28 lapponica. DC.	Lapland.	—	—	—	H. 4.	Wahl. fl. lap. t. 11. f. 5.
29 daurica. DC.	Daurian.	Dauria.	—	—	H. ♂.	
30 aurea. DC.	golden.	Greenland.	—	—	H. ♂.	Flor. dan. t. 1460.
31 lutea. DC.	yellow.	Caucasus.	1825.	5. 8.	H. ⊙.	Desf. ann. mus. 11. t. 38.
KERNERA. Br.	KERNERA. Tetradynamia Siliculosa.					
1 saxatilis.	rock.	Europe.	1775.	6. 7.	H. 4.	Jacq. aust. 2. t. 128.
<i>myagroides.</i> Med.	<i>Cochlearia saxatilis.</i> p. 22.	<i>Myagrum saxatile.</i> L.				
<i>β incisa.</i>	cut-leaved.	—	—	—	H. 4.	Moris. ox. 2. s. 3. t. 17.
2 auriculata.	eared.	Pyrenees.	1824.	5. 6.	H. 4.	Berg. phyt. 3. p. 140. ic.
<i>Cochlearia auriculata.</i> p. 22.						
COCHLEARIA. p. 22.	SCURVY-GRASS.					
12 fenestrata. DC.	fenestrate.	N. Europe.	1820.	4. 5.	H. 4.	
13 acaulis. DC.	stalkless.	Portugal.	1823.	3. 4.	H. 4.	Jacq. ecl. t. 132.
<i>pusilla.</i> Jacq.						
CAPSELLA. 22.	SHEPHERD'S-PURSE.					
2 procumbens. Br.	procumbent.	Europe.	1823.	3. 5.	H. ⊙.	Hill. veg. syst. t. 42. f. 1.
<i>Hutchinsia procumbens.</i> p. 22.	<i>Lepidium procumbens.</i> L.					

IBERIS. 22.	CANDY-TUFT.					
19 contracta. DC.	contracted.	Spain.	1824.	4. 6.	H. $\frac{1}{2}$.	
HESPERIS. 24.	ROCKET.					
10 heterophylla. DC.	various-leaved.	Naples.	1825.	5. 6.	H. $\frac{1}{4}$.	
11 elata. DC.	tall.	—	5. 8.	H. $\frac{1}{4}$.	
12 grandiflora. B.M.	large-flowered.	1818.	—	H. $\frac{1}{4}$?	
SISYMBRIUM. 24.	SISYMBRIUM.					
31 Tillieri. w.	Tillier's.	Switzerland.	1824.	6. 8.	H. \odot .	
32 rigidum. DC.	rigid.	Tauria.	—	—	H. \odot .	Pall.it.3.ap.t.Mm.f.1.
ERYSIMUM. 25.	ERYSIMUM.					
22 gracile. DC.	slender.	Caucasus.	1824.	6. 8.	H. $\frac{1}{2}$.	
23 asperum. DC.	rough.	N.America.	—	—	H. $\frac{1}{2}$.	
24 Redowskii. DC.	Redowski's.	Siberia.	1825.	—	H. $\frac{1}{2}$.	
25 pumilum. DC.	dwarf.	Switzerland.	1824.	—	H. $\frac{1}{2}$.	
26 patulum. DC.	spreading.	—	—	H. $\frac{1}{2}$.	
STANLEYA. DC.	STANLEYA. Tetradynamia Siliquosa.					
pinnatifida. DC.	pinnatifid.	Missouri.	1812.	5. 6.	H. $\frac{1}{4}$.	
<i>Cleome pinnata</i> . Ph.						
LEPIDIUM. p. 26.	PEPPERWORT.					
26 vesicarium. DC.	bladdered.	Levant.	4. 8.	H. \odot .	Hill.veg.sys.11.t.41.f.31
SINAPIS. 28.	MUSTARD.					
24 geniculata. DC.	jointed.	Barbary.	1824.	7. 9.	H. \odot .	
25 cernua. DC.	drooping.	China.	—	—	H. \odot .	
26 hastata. DC.	hastate-leaved.	N.Holland.	—	—	H. \odot .	
27 ramosa. H.B.	branching.	E. Indies.	1823.	—	H. \odot .	

CAPPARIDEÆ. p. 31.

GYNANDROPSIS. 31.	GYNANDROPSIS.					
5 Candelabrum.	Chandelier.	1824.	6. 8.	H. \odot .	Botan. magaz. 2656.
<i>Cleome Candelabrum</i> . B.M.						
CLEOME. 32.	CLEOME.					
rosea. DC.	rose-coloured.	Brazil.	1825.	5. 8.	S. \odot .	Botan. regist. 960.
CRATÆVA. 32.	CRATÆVA.					
3 Roxburghii. Br.	Roxburgh's.	E. Indies.	1822.	S. $\frac{1}{2}$.	
<i>Capparis trifoliata</i> . H.B.						
RITCHIEA. Br.	RITCHIEA. Dodecandria Monogynia.					
fragrans.	fragrant.	Sierra Leon.	1795.	6. 7.	S. $\frac{1}{2}$.	Botan. mag. 596.
<i>Cratæva fragrans</i> . p. 32.						
CAPPARIS. 33.	CAPER-TREE.					
23 verrucosa. DC.	warted.	S. America.	1823.	S. $\frac{1}{2}$.	Jacq. amer. t. 29.
MORISONIA. DC.	MORISONIA. Monadelphia Polyandria. L.					
americana. DC.	American.	Caribees.	1824.	S. $\frac{1}{2}$.	Jacq. amer. t. 97.

RESEDACEÆ. p. 33. *misplaced at p. 150.*

RESEDA. 150.	RESEDA.					
23 chinensis. s.s.	Chinese.	China.	1824.	6. 8.	H. $\frac{1}{2}$.	

DATISCEÆ. *Brown in app. to Denham and Clap. trav.*

DATISCA. L.	DATISCA. Diœcia Dodecandria. L.					
1 cannabina. L.	Hemp-like.	Candia.	1640.	7. 9.	H. $\frac{1}{4}$.	Schkuhr hand. 3. t. 336.
2 hirta. w.	hairy.	Pensylvania.	1826.	9. 10.	H. $\frac{1}{4}$.	

CISTINEÆ. p. 34.

CISTUS. p. 34.	ROCK-ROSE.					
29 canescens. s.c.	canescent.	S. Europe.	6. 8.	H. $\frac{1}{2}$.	Swt. cist. t. 45.
30 obtusifolius. s.c.	blunt-leaved.	Crete.	1822.	6. 8.	H. $\frac{1}{2}$.	— t. 42.
31 platysepalus. s.c.	broad-sepaled.	—	—	H. $\frac{1}{2}$.	— t. 47.
32 psilosepalus. s.c.	smooth-sepaled.	S. Europe.	1822.	—	H. $\frac{1}{2}$.	— t. 33.
HELIANTHEMUM. 34.	SUN-ROSE.					
84 involucratum. DC.	short pedicled.	S. Europe.	1826.	6. 8.	F. $\frac{1}{2}$.	
85 candidum. s.c.	white-leaved.	Spain.	1822.	—	F. $\frac{1}{2}$.	Swt. cist. t. 25.
86 brasiliense. DC.	Brazilian.	Brazil.	1823.	—	F. $\frac{1}{2}$.	— t. 43.
87 polygalæfolium. s.c.	Milkwort-ld.	—	—	—	F. $\frac{1}{2}$.	— t. 11.

88 lignosum. s.c.	woody-stem'd.	S. Europe.	1810.	—	F. h.	Swt. cist. t. 46.
89 obovatum. DC.	obovate.	Spain.	1826.	—	F. h.	
90 rotundifolium. DC.	round-leaved.	—	—	—	F. h.	Cavan. ic. 2. t. 142.
91 crassifolium. DC.	thick-leaved.	—	—	—	F. h.	
92 nudicaule. DC.	naked-stalked.	—	—	—	F. h.	
93 lineare. D.C.	linear-leaved.	S. Europe.	1824.	—	F. h.	Cavan. ic. 3. t. 216.
94 virgatum. DC.	slender.	Barbary.	—	—	F. h.	
95 variegatum. s.g.	variegated.	—	—	H. h.	Swt. cist. t. 38.
96 eriosepalon. s.g.	woolly-calyxed.	S. Europe.	—	H. h.	— ic.
HUDSONIA. 36.	HUDSONIA.					
1 ericoides. p. 36.	Heath-leaved.	N. America.	1805.	5. 7.	H. h.	Swt. cist. 36.
2 tomentosa. N.	tomentose.	—	1826.	H. h.	

Sanguinea

VIOLARIEÆ. p. 36.

NOISETTIA. p. 36.	NOISETTIA.					
2 pyrifolia. Mart.	Pear-leaved.	Brazil.	1822.	S. h.	Mart. n. pl. bras. ic.
VIOLA. 36.	VIOLET.					
61 cæspitosa. D.P.	tufted.	Nepaul.	1825.	7. 10.	H. 4.	
<i>Patrinii</i> γ <i>napaulensis</i> . DC.	<i>primulæfolia</i> . Buch. non L.					
62 palmaris. D.P.	long-petioled.	—	—	—	H. 4.	
63 pygmæa. DC.	pigmy.	Peru.	1822.	7. 11.	H. 4.	
64 collina. R.S.	hill.	Volhynia.	1824.	6. 8.	H. 4.	
65 campestris. R.S.	field.	Tauria.	—	—	H. 4.	
66 sylvestris. R.S.	wood.	Hungary.	—	—	H. 4.	
67 neglectum. R.S.	neglected.	—	—	—	H. 4.	
68 Hornemanniana. R.S.	Horneman's.	1822.	—	H. 4.	
69 chrysantha. Schr.	golden-flow'r'd.	1823.	—	H. 4.	
70 hastata. M.	hastate.	N. America.	—	—	H. 4.	
ERPETION. B.F.G.	SPURLESS VIOLET. Pentandria Monogynia.					
reniforme. B.F.G.	kidney-leaved.	N. S. W.	1823.	5. 9.	H. 4.	Swt. br. fl. gar. 170.
CERANTHERA. DC.	CERANTHERA. Pentandria Monogynia.					
dentata. DC.	tooth-leaved.	Sierra Leone.	1822.	S. h.	Beau. fl. ow. 11. t. 65.

POLYGALEÆ. p. 38.

POLYGALA. p. 38.	MILKWORT.					
36 attenuata. B.C.	taper-pointed.	C. B. S.	1823.	5. 12.	G. h.	Lodd. bot. cab. 1000.
COMESPERMA. DC.	COMESPERMA. Monadelphica Octandria.					
1 ericina. DC.	Heath-like.	N. S. W.	1822.	5. 8.	G. h.	
2 cordifolia. F.T.	heart-leaved.	—	—	—	G. h.	

TREMANDREÆ. p. 39.

TETRATHECA. p. 39.	TETRATHECA.					
5 rubioides. F.T.	Rubia-like.	N. S. W.	1823.	6. 8.	G. h.	

MALVACEÆ. p. 48.

HIBISCUS. 50.	HIBISCUS.					
71 spiralis. DC.	spiral.	Mexico.	1826.	G. h.	Cavan. ic. 2. t. 162.
72 racemosus. B.R.	racemed.	Nepaul.	1824.	8. 2.	G. h.	Botan. regist. 917.
NUTTALLIA. B.A.	NUTTALLIA. Monadelphica Polyandria.					
1 digitata. B.A.	digitate-leaved.	N. America.	1824.	7. 10.	H. 4.	Swt. br. fl. gar. 129.
2 pedata. B.A.	pedate-leaved.	—	—	—	H. 4.	Hook. ex. flor. 172.

CAMELLIEÆ. p. 61.

CAMELLIA. p. 61.	CAMELLIA.					
japonica. 61.	common.	China.	1739.	12. 5.	G. h.	
ββ Chandleri. c.c.	striped Waratah.	Seedling.	1822.	—	G. h.	Chandl. camel. t. 1. 2.
versicolor. p. 62.						
γγ Rossii.	Ross's.	—	—	—	G. h.	
δδ Aitoni. c.c.	large single red.	—	—	—	G. h.	Chandl. camel. t. 3.
εε althæifolia. c.c.	Hollyhock-fl'd.	—	—	—	G. h.	— t. 4.
ζζ corallina. c.c.	coral-flowered.	—	—	—	G. h.	— t. 5.
ηη insignis. c.c.	splendid.	—	—	—	G. h.	— t. 6.
θθ florida. c.c.	cluster-flowered.	—	—	—	G. h.	— t. 7.
u anemoneflora alba.	white Anemone-fl'd.	—	—	—	G. h.	— t. 8.
7 euryoides. B.R.	small-flowered.	—	1824.	—	G. h.	Botan. regist. 983.

AURANTIACEÆ. p. 62.

GLYCOSMIS. DC.	GLYCOSMIS.				
3 citrifolia. H.T.	Citron-leaved. China.	1820.	2. 6. G. h.	Botan. magaz. 2416.	
<i>Limonia citrifolia</i> . DC.	<i>parviflora</i> . B.M.				

HYPERICINEÆ. p. 63.

HARONGA. DC.	HARONGA. Polyadelphia Dodecandria.				
madagascariensis. DC.	Madagascar. Madagascar. 1824.	S. h.		
<i>Arongana paniculata</i> . P.S.					
HYPERICUM. p. 63.	ST. JOHN'S-WORT.				
68 virgatum. DC.	twiggy. N.America. 1823.	6. 8.	S. 4.		
69 empetrifolium. DC.	Crowberry-ld. S. Europe.	—	H. h.	Wats. dend. brit. 141.	
70 cochinchinense. DC.	Cochin China. Cochinchina. 1822.	—	G. h.		

GUTTIFERÆ. p. 65.

XANTHOCHYMUS. 65.	XANTHOCHYMUS.				
4 luteus. L.C.	yellow. E. Indies. 1823.	S. h.		
5 macrophyllus. L.C.	large-leaved. ————	—	S. h.	
6 purpureus. L.C.	purple. ————	—	S. h.	

VOCHISIÆ. *Martius*.

VOCHISIA. J.	VOCHISIA. Monandria Monogynia. W.				
excelsa. Lam.	tall. Guiana. 1822.	S. h.	Aub. gui. 1. t. 6.	
<i>Cucullaria excelsa</i> . W.					

HIPPOCRATEACEÆ. p. 66.

TRIGONIA. DC.	TRIGONIA. Monadelphia Pent-Decandria.				
1 villosa. DC.	villous. Cayenne. 1820.	S. h.	Aub. gui. 1. t. 149.	
2 mollis. DC.	soft-leaved. Brazil. 1823.	S. h.		

MALPIGHIACEÆ. p. 67.

MALPIGHIA. 67.	MALPIGHIA.				
11 dubia. DC.	doubtful. Jamaica. 1824.	S. h.	Cav. dis. 8. t. 242.	

ACERINEÆ. p. 68.

ACER. 68.	MAPLE.				
1 neapolitanum. T.N.	Neapolitan. Naples. 1826.	H. h.	Ten. at. ac. nea. 1819. ic.	

MELIACEÆ. p. 71.

AITONIA. W.	AITONIA. Monadelphia Octandria. W.				
capensis. W.	Cape. C. B. S. 1774.	5. 9.	G. h.	Botan. magaz. 173.	
CARAPA. 72.	CARAPA.				
3 guianensis. DC.	Guiana. Guiana. 1820.	S. h.	Aub. gui. t. 387.	

GERANIACEÆ. p. 73.

HOAREA. p. 75.	HOAREA.				
67 congesta. S.G.	crowded-fl'd. C. B. S. 1820.	5. 10.	G. 4.	Swt. ger. t. 302.	
68 orobifolia. S.G.	Orobus-leaved. Hybrid. 1823.	—	G. 4.	— t. 304.	
69 retusa. S.G.	notched petal'd. ———— 1824.	—	G. 4.	— t. 307.	
70 coluteæfolia. S.G.	Bladder Senna-ld. ———— 1823.	—	G. 4.	— t. 311.	
DIMACRIA. p. 76.	DIMACRIA.				
29 rumicifolia. S.G.	Dock-leaved. C. B. S. 1825.	5. 8.	G. 4.	Swt. ger. t. 318.	
PELARGONIUM. 77.	STORK'S-BILL.				
403 pedunculatum. S.G.	long-peduncul'd. Hybrid. 1823.	7. 10.	G. h.	Swt. ger. ic. ined.	

404	Francisli. s.G.	Mr. Francis's.	_____	1824.	5. 10.	G. h.	Swt. ger. ic. ined.
405	basilicum. s.G.	princely.	_____	_____	_____	G. h.	_____ ic. ined.
406	flaccidum. s.G.	flaccid-petal'd.	_____	_____	_____	G. h.	_____ ic. ined.
407	cartilagineum. s.G.	horny-toothed.	_____	_____	_____	G. h.	_____ ic. ined.
408	suffusum. s.G.	mixed-colour'd.	_____	_____	_____	G. h.	_____ ic. ined.
499	chelidoniifolium. s.G.	Chelidonium-ld.	_____	_____	_____	G. h.	_____ ic. ined.
410	argutum. s.G.	sharp-toothed.	_____	_____	_____	G. h.	_____ ic. ined.
411	ramigerum. s.G.	branching-vein'd.	_____	_____	_____	G. h.	_____ ic. ined.
412	Goweri. s.G.	Mr. Levison Gower's.	_____	1825.	_____	G. h.	_____ t. 333.
413	cuneiflorum. s.G.	wedge-petaled.	_____	_____	_____	G. h.	_____ t. 330.
414	chenopodiifolium. s.G.	Goose-foot-ld.	_____	_____	_____	G. h.	_____ t. 328.
415	congestum. s.G.	close-headed.	_____	_____	_____	G. h.	_____ t. 325.
416	magnistipulatum. s.G.	large-stipuled.	_____	_____	_____	G. h.	_____ t. 313.
417	dilatatum. s.G.	dilated-leaved.	Hybrid.	1824.	5. 10.	G. h.	_____ t. 314.
418	verecundum. s.G.	blushing.	_____	_____	_____	G. h.	_____ t. 316.
419	Foljambeæ. s.G.	Mrs. Foljambe's.	_____	_____	_____	G. h.	_____ t. 312.
420	salebrosum. s.G.	rugged-leaved.	_____	_____	_____	G. h.	_____ t. 309.
421	incarnatum. s.G.	pale flesh-col'd.	_____	_____	_____	G. h.	_____ t. 308.
422	conclausum. s.G.	shut-petal'd.	_____	1823.	_____	G. h.	_____ t. 305.
423	insignitum. s.G.	marked-flow'rd.	_____	_____	_____	G. h.	_____ t. 300.
424	biflorum. s.G.	two-flowered.	_____	1822.	_____	G. h.	_____ t. 287.
425	Humei. s.G.	Sir A. Hume's.	_____	1824.	_____	G. h.	_____ t. 324.
426	quadriflorum. s.G.	four-flowered.	_____	_____	_____	G. h.	_____ t. 321.
427	bryoniæfolium. s.G.	Bryony-leaved.	_____	_____	_____	G. h.	_____ t. 320.
428	latifolium. s.G.	broad-leaved.	_____	_____	_____	G. h.	_____ t. 335.
429	platanifolium. s.G.	Plane-leaved.	_____	_____	_____	G. h.	_____ t. 326.
430	purum. s.G.	pure-flowered.	_____	_____	_____	G. h.	_____ t. 334.
431	recurvifolium. s.G.	recurve-leaved.	_____	_____	_____	G. h.	_____ ic. ined.
432	veniferum. s.G.	veined-petaled.	_____	_____	_____	G. h.	_____ t. 322.
433	foliosum. s.G.	many-leaved.	_____	_____	_____	G. h.	_____ ic. ined.
434	tanacetifolium. s.G.	Tansy-leaved.	_____	_____	_____	G. h.	_____ t. 336.
435	sphærocephalon. s.G.	round-headed.	_____	_____	_____	G. h.	_____ t. 317.
436	Spinii. col.	Spin's.	_____	_____	G. h.	Colla. h. rip. t. 7.

dianthiflorum. p. 82. n. 323.

CICONIUM. p. 84. CICONIUM.

24 fulgens. s.G. Basilisk. Hybrid. 1823. 5. 10. G. h. Swt. ger. ic. ined.

ZYGOPHYLLÆ. p. 87.

LARREA. DC.	LARREA. Decandria Monogynia.						
nitida. DC.	glossy-leaved. S. America. 1823.	S. h.			Cavan. ic. 6. t. 559.	
PORLIERA. DC.	PORLIERA. Octandria Monogynia.						
hygrometrica. DC.	pinnate-leaved. Peru. 1820.	S. h.			R. et. P. prod. t. 9.	

RUTACEÆ. p. 88.

PHEBALIUM. 89.	PHEBALIUM.						
2 elatum. F.T.	tall.	N. S. W.	1823.	4. 8.	G. h.		
3 aureum. F.T.	golden.	_____	_____	_____	G. h.		
4 lachnoides. F.T.	Lachnæa-like.	_____	_____	_____	G. h.		
5 linearis. ψ.	linear-leaved.	N. Holland.	1825.	G. h.		
6 salicifolium. ψ.	Willow-leaved.	_____	_____	G. h.		
ERIOSTEMON. 89.	ERIOSTEMON.						
3 cuspidatum. F.T.	sharp-pointed.	N. S. W.	1823.	4. 8.	G. h.		
4 linearifolium. DC.	linear-leaved.	_____	_____	_____	G. h.		
5 lanceolatum. DC.	spear-leaved.	_____	_____	_____	G. h.		
6 squammeum. DC.	scaly.	N. Holland.	1822.	_____	G. h.		
7 obovale. F.T.	oboval-leaved.	_____	1823.	_____	G. h.		
8 ericifolium. ψ.	Heath-leaved.	_____	1825.	_____	G. h.		
BORONIA. 89.	BORONIA.						
6 alata. DC.	winged-leaved.	N. Holland.	1825.	G. h.		
7 anemonæfolia. F.T.	Anemone-ld.	N. S. W.	1824.	G. h.		
8 denticulata. DC.	tooth-leaved.	N. Holland.	1823.	5. 8.	G. h.		
9 paradoxa. DC.	paradoxical.	_____	1825.	G. h.		
ZIERIA. 90.	ZIERIA.						
7 obcordata. F.T.	obcordate.	N. S. W.	1824.	G. h.		
8 revoluta. F.T.	revolute.	_____	_____	3. 5.	G. h.		

Gært. fruct. 3. t. 210.
Labill. n. hol. 1. t. 141.

Botan. regist. 1000.

OCHNACEÆ. p. 91.

WALKERA. DC.	WALKERA.					
serrata. DC.	saw-leaved.	E. Indies.	1824.	S. h.	Rheed. mal. 5. t. 48.

RHAMNEACEÆ. p. 91.

HOVENIA. 91.	HOVENIA.					
2 inæqualis. DC.	Nepaul.	Nepaul.	1823.	G. h.	
<i>pubescens</i> . p. 91.	<i>dulcis</i> . D.P. et F.I. nec aliorum.					
GOUANIA. p. 92.	GOUANIA.					
4 integrifolia. DC.	entire-leaved.	1824.	S. h. ~.	
5 Retinaria. DC.	oval-leaved.	Mauritius.	—	S. h. ~.	Gært. fruct. 2. t. 120. f. 4.
6 leptostachya. DC.	slender-spiked.	E. Indies.	1810.	4. 6.	S. h. ~.	Roxb. corom. 1. t. 98.
<i>tiliaefolia</i> . Roxb. non Lam.						
CRYPTANDRA. 92.	CRYPTANDRA.					
4 obovata. DC.	obovate-leaved.	N. S. W.	1824.	5. 7.	G. h.	
5 spinescens. DC.	spiny.	—	—	—	G. h.	
COLLETIA. 92.	COLLETIA.					
3 spinosa. DC.	spiny.	S. America.	1823.	G. h.	
POMADERRIS. 92.	POMADERRIS.					
6 intermedia. DC.	intermediate.	N. S. W.	1818.	4. 6.	G. h.	
7 discolor. DC.	two-coloured.	N. Holland.	1803.	4. 5.	G. h.	Venten. malm. t. 58.
<i>Ceanothus discolor</i> . p. 93.						
8 phillyræoides. DC.	Phillyrea-ld.	—	—	—	G. h.	
9 ledifolia. F.T.	Ledum-leaved.	N. S. W.	1824.	—	G. h.	
10 aspera. DC.	rough.	—	1818.	—	G. h.	
ZIZYPHUS. 93.	ZIZYPHUS.					
14 sinensis. DC.	China.	China.	1818.	5. 6.	H. h.	
BERCHEMIA. DC.	BERCHEMIA.					
1 volubilis. DC.	twining.	Carolina.	1714.	6. 7.	H. h. ~.	Jacq. ic. 2. t. 336.
<i>Oenopia volubilis</i> . p. 94.	<i>Zizyphus volubilis</i> . w. <i>Rhamnus volubilis</i> . L.					
2 ? lineata. DC.	lined.	China.	1804.	G. h.	Osborne. it. 19. t. 7.
<i>Zizyphus lineatus</i> . w. <i>Oenopia lineata</i> . p. 94.						
DARWINIA. L.T.	DARWINIA. Decandria Monogynia.					
1 fascicularis. L.T.	close-leaved.	N. S. W.	1820.	5. 7.	G. h.	Linn. trans. 11. t. 22.
2 taxifolia. F.T.	yew-leaved.	—	1824.	G. h.	

CELASTRINEÆ. DC. prodr. 2. p. 2.

Tribus I. STAPHYLEACEÆ. DC. l. c.

STAPHYLEA. DC.	BLADDER-NUT. p. 95.					
3 Bumalda. DC.	Japan.	Japan.	1804.	6. 9.	G. h.	
<i>Bumalda trifolia</i> . p. 96.						
TURPINIA. DC.	TURPINIA. Pentandria Monogynia.					
pomifera. DC.	Apple bearing.	E. Indies.	1823.	S. h.	Roxb. corom. 3. t. 279.
<i>Dalrymplea pomifera</i> . Roxb.						

Tribus II. EUONYMEÆ. DC.

EUONYMUS. 95.	SPINDLE-TREE.					
14 chinensis. DC.	Chinese.	China.	1822.	5. 6.	H. h.	
CELASTRUS. p. 93.	STAFF-TREE.					
19 oleoides. DC.	Olive-leaved.	C. B. S.	1816.	5. 8.	G. h.	
20 pterocarpus. DC.	wing-capsuled.	—	—	—	G. h.	Burm. afr. t. 97. f. 1.
21 ilicinus. DC.	Ilex-like.	—	—	—	G. h.	
22 flexuosus. DC.	flexuose.	—	—	—	G. h.	
PLECTRONIA. p. 94.	PLECTRONIA.					
ventosa. p. 94.	corymbed.	C. B. S.	1816.	G. h.	Burm. prod. afr. t. 94.
<i>Celastrus ? Plectronia</i> . DC.						
MAYTENUS. DC.	MAYTENUS. Pentandria Monogynia.					
1 octogonus. DC.	angular-leaved.	Peru.	1786.	10. 11.	G. h.	
2 verticillatus. DC.	whorled.	—	1823.	G. h.	Flor. peruv. 3. t. 229. f. B.
ELÆODENDRON. 95.	OLIVE-WOOD.					
4 xylocarpum. DC.	leathery-leav'd.	St. Thomas.	1816.	S. h.	Vent. choix. t. 23.
<i>Cassine xylocarpa</i> . p. 95.						
5 ? croceum. DC.	Holly-leaved.	C. B. S.	1794.	5. 6.	G. h.	
<i>Ilex crocea</i> . w.						

PTELIDIUM. DC.	PTELIDIUM. Pentandria Monogynia.		
ovatum. DC.	oval-leaved. Madagascar. 1825.	S. h.	
CASSINE. 95.	CASSINE.		
7 oppositifolia. DC.	opposite-leav'd.	5. 8. S. h.	
HARTOGIA. DC.	HARTOGIA. Pentandria Monogynia. L.		
capensis. DC.	Cape. C. B. S. 1816.	G. h.	Thunb. n. gen. 5. p. 55. ic.
CURTISIA. DC.	CURTISIA. Tetrandria Monogynia.		
faginea. DC.	Hassagay-tree. C. B. S. 1775.	G. h.	Burm. afr. 235. t. 82.
MYGINDA. 94.	MYGINDA. misplaced in Rhamneaceæ.		
4 myrtifolia. DC.	Myrtle-leaved. N. America. 1818. 5. 8. H. h.		
<i>Ilex Myrsinites</i> . Ph.			
ILEX. 94.	HOLLY. misplaced in Rhamneaceæ.		
19 canariensis. DC.	Canary. Canaries. 1818. 5. 6. F. h.		
PRINOS. 94.	WINTER-BERRY. misplaced in Rhamneaceæ.		
9 deciduus. DC.	deciduous-ld. N. America. 1760. 6. 7. H. h.		Wats. dend. brit. 115.
<i>Ilex prinoides</i> . p. 94.			
NEMOPANTHES. DC.	NEMOPANTHES. Pentandria Tetragynia.		
canadensis. DC.	Canadian. N. America. 1812. 6. 7. H. h.		DC. pl. rar. h. gen. t. 3.
<i>Ilex canadensis</i> . M. 2. t. 49.			

SAMYDEÆ. p. 96.

CASEARIA. 96.	CASEARIA.		
8 ramiflora. DC.	branch-flg. Guiana. 1824.	S. h.	Aub. gui. 1. t. 127.
9 nitida. DC.	shining. S. America. —	S. h.	Act. helv. 8. p. 58. ic.

HOMALINEÆ. p. 132.

ASTRANTHUS. 335.	ASTRANTHUS. misplaced p. 335.		
cochinchinensis. DC.	Chinese. China. 1821. 6. 7. S. h.		Botan. magaz. 2659.
ARISTOTELIA. DC.	ARISTOTELIA. Dodecandria Monogynia. L.		
Maqui. DC.	shining-leaved. Chili. 1773. 4. 5. H. h.		Wats. dend. brit. t. 44.

CHAILLETIACEÆ. DC. prodr. v. 2. p. 57.

CHAILLETIA. DC.	CHAILLETIA. Pentandria Di-Trigynia.		
toxicaria. G. D.	poisonous. Sierra Leone. 1822.	S. h.	

CASSUVIÆ. p. 98.

PICRAMNIA. DC.	PICRAMNIA. Dioecia Pentandria. L.		
1 Antidesma. DC.	Ash-leaved. Jamaica. 1793.	S. h.	Sloan. hist. 208. f. 2.
2 pentandra. DC.	pentandrous. W. Indies. 1822.	S. h.	
RHUS. 97.	SUMACH.		
60 acuminata. DC.	pointed-leaved. Nepaul. 1823.	G. h.	
61 Cavanillesii. DC.	Cavanille's. Mexico.	7. 8. G. h.	Cavan. ic. 2. t. 132.
62 Burmanni. DC.	Burman's. C. B. S. 1697. —	G. h.	Burm. afr. t. 91. f. 2.
<i>lucidum</i> . A. H. K.			
<i>lucida</i> . DC.	shining-leaved. — — —	G. h.	Comm. hort. 1. t. 93.

AMYRIDEÆ. p. 98.

DUVAUA. DC.	DUVAUA. Monœcia Octandria.		
dependens. DC.	dependent. Chili. 1790. 6. 7. H. h.		Cavan. ic. 3. t. 239.
<i>Amyris polygama</i> . p. 98.	<i>Schinus dependens</i> . H. K.		
SCHINUS. 98.	SCHINUS.		
4 terebinthifolius. DC.	Terebinthus-ld. Brazil. 1822.	S. h.	

CONNARACEÆ. p. 99.

OMPHALOBIMUM. DC.	OMPHALOBIMUM. Monadelphia Decandria.		
1 indicum. DC.	Indian. E. Indies.	S. h.	Gært. fruct. 1. t. 46.
2 africanum. DC.	African. Sierra Leone. 1822.	S. h.	Cav. diss. 7. t. 221.
<i>Connarus africanus</i> . p. 99.			

TEREBINTHACEÆ. p. 99.

BRUCEA. 100.
4 gracilis. DC.

BRUCEA. slender. E. Indies. S. h.

LEGUMINOSÆ. DC. prodr. v. 2. p. 93.

Subordo. I. PAPILIONACEÆ.—Tribus I. SOPHOREÆ. DC.

MYROSPERMUM. DC.	MYROSPERMUM.	Decandria Monogynia.				
toluiferum. DC.	Balsam of Tolu.	S. America.	S. h.	Woodv. m. bot. 3. t. 193.
SOPHORA. p. 106.	SOPHORA.					
9 glauca. DC.	glaucous.	E. Indies.	1818.	S. h.	
10 secundiflora. DC.	side-flowering.	New Spain.	—	S. h.	Cavan. ic. 5. t. 401.
11 littoralis. DC.	sea-side.	Brazil.	1824.	S. h.	
VIRGILIA. 107.	VIRGILIA.					
intrusa. DC.	yellow-flow'r'd.	C. B. S.	1790.	5. 8.	G. h.	Botan. magaz. 2617.
<i>Sophora sylvatica.</i> p. 107.						
MACROTROPIS. DC.	MACROTROPIS.	Decandria Monogynia.				
fœtida. DC.	strong-scented.	China.	1822.	4. 5.	F. h.	
<i>Anagyris chinensis.</i> p. 106.						
THERMOPSIS. 107.	THERMOPSIS.					
corgonensis. DC.	Alpine.	Altay.	1824.	6. 7.	H. 4.	Pall. astr. t. 90. f. 1.
<i>Sophora alpina.</i> Pal.	<i>Podalyria alpina.</i> W.en.					
CYCLOPIA. 107.	CYCLOPIA.					
galioides. DC.	Galium-leaved.	C. B. S.	1818.	7. 8.	G. h.	Pluk. alm. t. 413. f. 4.
<i>elata.</i> p. 107.						
CHORIZEMA. 108.	CHORIZEMA.					
4 Henchmanni. B.R.	Mr. Henchman's.	N. Holland.	1825.	5. 9.	G. h.	Botan. regist. 986.
PODOLOBIUM. 108.	PODOLOBIUM.					
staurophyllum. DC.	spiny-leaved.	N. S. W.	1821.	3. 5.	G. h.	Botan. regist. 959.
<i>spinosum.</i> p. 108.						
OXYLOBIUM. 107.	OXYLOBIUM.					
5 spinosum. DC.	spine-leaved.	N. S. W.	1823.	5. 8.	G. h.	
6 obtusifolium. ψ.	blunt whorl'd.	N. Holland.	1825.	2. 5.	G. h.	
7 Pultenæ. DC.	wood.	N. S. W.	1823.	4. 6.	G. h.	
CALLISTACHYS. 107.	CALLISTACHYS.					
3 linariifolia. ψ.	Linaria-leaved.	N. Holland.	1825.	G. h.	
GOMPHOLOBIUM. 109.	GOMPHOLOBIUM.					
10 barbigerum. DC.	bearded-fl'd.	N. S. W.	1824.	5. 8.	G. h.	
11 virgatum. DC.	twiggy.	—	—	—	G. h.	
12 tenellum. ψ.	slender sharp-l'd.	N. Holland.	1825.	G. h.	
13 reticulatum. ψ.	netted-leaved.	—	—	G. h.	
14 pedunculare. DC.	peduncled.	N. S. W.	1822.	5. 7.	G. h.	
BURTONIA. 108.	BURTONIA.					
2 minor. DC.	hairy-stalked.	N. S. W.	1812.	3. 8.	G. h.	
<i>Gompholobium minus.</i> p. 109.						
JACKSONIA. p. 108.	JACKSONIA.					
3 furcellata. DC.	forked.	N. Holland.	1822.	4. 6.	G. h.	Bonpl. nav. t. 11.
4 reticulata. DC.	netted-leaved.	N. S. W.	—	4. 8.	G. h.	
<i>Daviesia reticulata.</i> p. 108.						
AOTUS. 108.	AOTUS.					
2 virgata. DC.	slender.	N. S. W.	1820.	4. 8.	G. h.	
DILLWYNIA. 108.	DILLWYNIA.					
7 acicularis. DC.	needle-leaved.	N. S. W.	1822.	5. 7.	G. h.	
8 pungens. ψ.	pungent.	N. Holland.	1825.	G. h.	
9 rudis. DC.	villous-branch'd.	N. S. W.	1812.	5. 7.	G. h.	
10 tenuifolia. DC.	slender-leaved.	—	1820.	—	G. h.	
11 phyllifolia. F.T.	Phylla-leaved.	N. S. W.	1824.	5. 8.	G. h.	
12 sericea. F.T.	silky.	—	—	—	G. h.	
PULTENÆA. 107.	PULTENÆA.					
20 canescens. F.T.	white-leaved.	N. Holland.	1825.	5. 7.	G. h.	
21 echinula. DC.	harsh-leaved.	N. S. W.	1823.	—	G. h.	
22 aristata. DC.	awned-calyx'd.	—	—	—	G. h.	
23 microphylla. DC.	small-leaved.	—	—	—	G. h.	
24 euchila. DC.	wedge-leaved.	—	1824.	—	G. h.	
25 villifera. DC.	wool-bearing.	—	—	—	G. h.	

26 hypolampra. DC.	whorl-branch'd.	N. S. W.	1822.	5. 7.	G. h.
27 thymifolia. DC.	Thyme-leaved.	————	————	————	G. h.
28 plumosa. DC.	feathered.	————	————	————	G. h.
29 parviflora. DC.	small-flowered.	————	1824.	————	G. h.
30 racemulosa. DC.	racemed.	————	1821.	————	G. h.
31 polifolia. F.T.	Poley-leaved.	————	1824.	5. 8.	G. h.
32 argentea. F.T.	silvery.	————	————	————	G. h.
33 procumbens. F.T.	procumbent.	————	————	————	G. h.
34 aspera. DC.	rough.	————	————	————	G. h.
35 comosa. DC.	tufted.	————	————	————	G. h.
36 squarrosa. DC.	squarrose.	————	————	————	G. h.
37 phyllicoides. DC.	Phylla-like.	————	1823.	————	G. h.
DAVIESIA. 108.	DAVIESIA.				
10 squarrosa. DC.	squarrose.	N. S. W.	1822.	5. 7.	G. h.
MIRBELIA. 108.	MIRBELIA.				
3 speciosa. DC.	handsome.	N. S. W.	1824.	5. 8.	G. h.
4 pungens. ψ.	pungent.	N. Holland.	————	————	G. h.

To this TRIBE belongs *Edwardsia*, *Ormosia*, *Anagyris*, *Baptisia*, *Podalyria*, *Brachysema*, *Viminaria*, *Sphærolobium*, *Eutaxia*, *Sclerothamnus*, *Gastrolobium*, and *Euchilus*.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.

HOVEA. p. 115.	HOVEA.				
7 chorizemæfolia. DC.	Holly-leaved.	N. Holland.	1824.	5. 7.	G. h.
<i>ilicifolia</i> . p. 111.					
8 rosmarinifolia. F.T.	Rosemary-ld.	N. S. W.	————	————	G. h.
PLATYLOBIUM. 110.	FLAT-PEA.				
4 ovatum. DC.	oval-leaved.	N. S. W.	1820.	5. 7.	G. h.
BOSSIA. 110.	BOSSIA.				
8 ensata. DC.	sword-stem'd.	N. Holland.	1822.	5. 7.	G. h.
9 foliosa. F.T.	leafy.	N. S. W.	1823.	————	G. h.
10 buxifolia. F.T.	Box-leaved.	————	————	————	G. h.
11 rotundifolia. DC.	round-leaved.	————	1822.	————	G. h.
12 rhombifolia. DC.	rhomb-leaved.	————	————	————	G. h.
13 lenticularis. DC.	orbicular-leaved.	————	————	————	G. h.
VASCOA. DC.	VASCOA. Monadelphia Decandria.				
1 amplexicaulis. DC.	stem-clasping.	C. B. S.	1816.	6. 7.	G. h.
<i>Rafnia amplexicaulis</i> . p. 111.					
2 perfoliata. DC.	perfoliate.	————	1812.	7. 8.	G. h.
<i>Borbonia perfoliata</i> . p. 109.	<i>Crotalaria amplexicaulis</i> . Lam.				
PRIESTLEYA. DC.	PRIESTLEYA. Diadelphia Decandria.				
1 myrtifolia. DC.	Myrtle-leaved.	C. B. S.	1825.	G. h.
<i>Liparia myrtifolia</i> . p. 110.					
2 hirsuta. DC.	shaggy-stem'd.	————	1792.	12. 4.	G. h.
3 lævigata. DC.	polished.	————	1799.	7. 8.	G. h.
<i>Borbonia lævigata</i> . p. 109.					
4 capitata. DC.	headed.	————	1812.	————	G. h.
5 graminifolia. DC.	narrow-leaved.	————	1800.	6. 7.	G. h.
6 teres. DC.	smooth-stalked.	————	1816.	————	G. h.
7 ericæfolia. DC.	Heath-leaved.	————	1812.	7. 8.	G. h.
<i>Borbonia ericifolia</i> . p. 109.					
8 sericea. DC.	silky-leaved.	————	1794.	6. 7.	G. h.
9 elliptica. DC.	elliptic-leaved.	————	1816.	————	G. h.
10 villosa. DC.	villous-leaved.	————	1774.	————	G. h.
11 vestita. DC.	concave-leaved.	————	1800.	5. 6.	G. h.
<i>Liparia vestita</i> . B.M.	<i>Liparia villosa</i> . A.R. 382. <i>nec aliorum</i> .				
12 tomentosa. DC.	downy.	————	1812.	7. 8.	G. h.
13 umbellifera. DC.	umbel-flow'r'd.	————	1825.	6. 7.	G. h.
CROTALARIA. 110.	CROTALARIA.				
55 platycarpa. DC.	flat-podded.	N. America.	1824.	7. 9.	H. ⊙.
56 benghalensis. DC.	Bengal.	E. Indies.	————	————	S. ⊙.
57 novæ hollandiæ. DC.	New Holland.	N. S. W.	1820.	————	S. h.
58 paulina. DC.	St. Paul.	Brazil.	————	————	S. h.
59 pellita. DC.	villous-podded.	Jamaica.	1822.	————	S. h.
60 calycina. DC.	hispid-calyx'd.	E. Indies.	1818.	————	S. ⊙.
61 Roxburghiana. DC.	Roxburgh's.	————	1823.	————	S. 4.
<i>arborescens</i> . DC.	spreading.	C. B. S.	1774.	6. 10.	G. h.
<i>incanescens</i> . p. 111.	<i>capensis</i> . Jacq.				

Seb. thes. 1. t. 24. f. 5.

Botan. regist. 8.
Lodd. bot. cab. 247.

DC. leg. mem. 6. t. 3.
Seb. thes. 1. t. 24. f. 1.
Botan. magaz. 2223.

Pluk. alm. t. 169. f. 5.

Schrank pl. rar. t. 88.

Schr. pl. rar. t. 12.

Jacq. vind. 3. t. 64.

62	cytisoides. DC.	Cytisus-like.	E. Indies.	1823.	S. h.	
63	purpurascens. DC.	purplish.	Mauritius.	—	8. 10.	S. ☉.	
64	microphylla. DC.	small-leaved.	Arabia.	—	—	H. ☉.	
65	villosa. DC.	villous.	C. B. S.	—	5. 8.	G. 4.	
66	fruticosa. DC.	shrubby.	Jamaica.	—	S. h.	
67	angulata. DC.	angular.	Campeachy.	8. 10.	S. ☉.	
HYPOCALYPTUS. DC. HYPOCALYPTUS. Monadelphia Decandria.							
	obcordatus. DC.	obcordate-ld.	C. B. S.	1790.	4. 6.	G. h.	
	<i>Crotalaria cordifolia.</i>	p. 111.					
VIBORGIA. DC. VIBORGIA. Monadelphia Decandria.							
1	obcordata. DC.	many-flowered.	C. B. S.	1812.	7. 9.	G. h.	Lodd. bot. cab. 509.
	<i>Crotalaria floribunda.</i>	B.C. <i>Anthyllis cuneata.</i>	Hort.				
2	sericea. DC.	silky.	—	1780.	—	G. h.	
	<i>Wiborgia sericea.</i>	p. 110.					
ADENOCARPUS. 112. ADENOCARPUS.							
	parvifolius. DC.	small-leaved.	France.	7. 8.	H. h.	
	<i>parviflorus.</i>	p. 112. errata.					
5	intermedius. DC.	intermediate.	S. Europe.	—	H. h.	Clus. hist. 1. p. 94. f. 1.
6	telonensis. DC.	loose-flowered.	—	—	H. h.	Duh. ar. ed. n. 5. t. 47. f. 2.
7	frankenoides. DC.	clammy.	Canaries.	1815.	—	G. h.	
	<i>Genista viscosa.</i>	p. 112. <i>Adenocarpus anagyris.</i>	s.s.				
CYTISUS. 112. CYTISUS.							
	calycinus. DC.	dwarf.	Caucasus.	1816.	6. 8.	H. h.	Lodd. bot. cab. 673.
	<i>nanus.</i>	p. 112.					
25	grandiflorus. DC.	great-flowered.	Portugal.	—	—	H. h.	
26	orientalis. DC.	oriental.	Levant.	—	G. h.	
27	glomeratus. Boj.	Zanzibar.	Zanzibar.	1825.	8. 10.	S. h.	
ONONIS. 113. REST-HARROW.							
40	emarginata. Boj.	emarginate.	Mauritius.	1824.	S. h.	
41	longifolia. DC.	long-leaved.	Canaries.	1816.	5. 6.	G. h.	
42	geminiflora. DC.	twin-flowered.	Spain.	1825.	8. 10.	H. ☉.	
MEDICAGO. 117. MEDICK.							
56	applanata. DC.	obovate-leav'd.	1824.	7. 9.	H. ☉.	
57	ægagrophila. DC.	goats.	—	—	H. ☉.	
TRIGONELLA. 117. FENUGREEK.							
23	cœrulea. DC.	blue.	Germany.	1562.	8. 9.	H. ☉.	Botan. magaz. 2283.
	<i>Trifolium cœruleum.</i>	B.M. <i>Melilotus cœrulea.</i>	p. 115.				
24	uncinata. DC.	hooked.	Siberia.	1823.	6. 9.	H. ☉.	
	<i>Melilotus hamosa.</i>	p. 115.					
25	prostrata. DC.	prostrate.	S. Europe.	1824.	—	H. ☉.	J. Bauh. his. 2. p. 365. f. 2.
	<i>Fischeriana.</i>	DC. Fischer's.	Tiflin.	1818.	—	H. ☉.	
	<i>flexuosa.</i>	M.B. non Poir.					
26	ornithorhynchus. DC.	rostrate-podd.	Russia.	1825.	6. 9.	H. ☉.	
27	ornithopodioides. DC.	Bird's-foot.	Britain.	—	H. ☉.	Eng. bot. 1070.
	<i>Melilotus ornithopodioides.</i>	p. 115. <i>Trifolium ornithopodioides.</i>	E.B.				
POCOCKIA. DC. POCOCKIA. Diadelphia Decandria.							
	cretica. DC.	Cretan.	Candia.	1713.	6. 9.	H. ☉.	Moris. s. 2. t. 14. f. 3.
	<i>Melilotus cretica.</i>	p. 115. <i>Trifolium creticum.</i>	L.				
MELILOTUS. 115. MELILOT.							
	leucantha. DC.	white-flowered.	Europe.	6. 9.	H. ♂.	Stur. deut. 1. fas. 15. f. K.
	<i>vulgaris.</i>	p. 115. n. 13.					
18	melanosperma. DC.	black-seeded.	Tauria.	1825.	—	H. ♂.	
19	palustris. DC.	marsh.	Hungary.	1824.	6. 8.	H. ♂.	W. et K. hung. 3. t. 266.
20	segetalis. DC.	hedge.	Portugal.	—	—	H. ☉.	
21	gracilis. DC.	slender.	France.	—	—	H. ☉.	
22	suaveolens. DC.	sweet-scented.	Dahuria.	1826.	H. 4.	
23	arvensis. DC.	corn-field.	Germany.	1822.	6. 9.	H. ☉.	
DORYCNIUM. 118. DORYCNIUM.							
	suffruticosum. DC.	suffruticose.	S. Europe.	1640.	7. 9.	F. h.	Lob. ic. 2. p. 51. f. 1. 2.
	<i>monspeliense.</i>	p. 118.					
4	rectum. DC.	upright.	—	—	6. 8.	H. 4.	Barrel. ic. t. 544.
	<i>Lotus rectus.</i>	p. 118.					
5	hirsutum. DC.	hairy.	—	1683.	—	H. h.	Botan. magaz. 336.
6	sericeum. DC.	silky.	—	1820.	—	H. h.	
	<i>Lotus sericeus.</i>	p. 118.					
7	parviflorum. DC.	small-flowered.	—	1824.	7. 8.	H. ☉.	Desf. atl. 2. t. 211.
	<i>Lotus parviflorus.</i>	p. 118.					
LOTUS. 118. BIRD'S-FOOT TREFOIL.							
30	sessilifolius. DC.	sessile-leaved.	Canaries.	1816.	6. 9.	G. 4.	

31	atropurpureus. DC.	dark-purple.	1823.	6. 9.	G. $\frac{h}{2}$.	
32	Candolleanus.	De Candolle's.	N. S. W.	1812.	—	G. $\frac{h}{2}$.	
	<i>australis</i> β <i>angustifoliola</i> . DC.						
33	obovatus. ψ .	glaucous obovate.	—	—	—	G. $\frac{4}{4}$.	
PSORALEA. 114. PSORALEA.							
	sericea. DC.	flat-headed.	C. B. S.	1815.	1. 12.	G. $\frac{h}{2}$.	Botan. regist. 223.
	pubescens. B.R.	pubescent.	Lima.	1823.	7. 9.	G. $\frac{\delta}{2}$.	— 968.
INDIGOFERA. 124. INDIGO.							
	junceae. DC.	Rushy.	C. B. S.	7. 10.	G. $\frac{h}{2}$.	Botan. regist. 104.
	<i>filifolia</i> . p. 124.	<i>Lebeckia contaminata</i> .	B.R. <i>Lebeckia nuda</i> .	B.M. 2214.			
42	angulata. B.R.	angular-stalk'd.	N. S. W.	1824.	4. 8.	G. $\frac{h}{2}$.	Botan. regist. 991.
43	cylindrica.	cylindrical.	C. B. S.	1822.	—	G. $\frac{h}{2}$.	
44	macrostachya. DC.	long-spiked.	China.	—	—	G. $\frac{h}{2}$.	Venten. malm. t. 44.
45	divaricata. DC.	spreading.	1824.	—	G. $\frac{h}{2}$.	Jacq. schoenb. t. 365.
46	polyphylla. DC.	many-leaved.	Nepaul.	1825.	—	G. $\frac{h}{2}$.	
47	alopecuroides. DC.	Fox-tail.	C. B. S.	—	—	G. $\frac{h}{2}$.	
48	digitata. DC.	finger-leaved.	—	1820.	—	G. $\frac{h}{2}$.	
CLITORIA. 120. CLITORIA.							
11	lascivia. Boj.	Madagascar.	Madagascar.	1826.	S. $\frac{h}{2}$.	
VILMORINIA. DC. VILMORINIA. Diadelphia Decandria.							
	multiflora. DC.	many-flowered.	W. Indies.	1823.	7. 8.	S. $\frac{h}{2}$.	
	<i>Clitoria multiflora</i> . p. 120.						
PUERARIA. DC. PUERARIA.							
	tuberosa. DC.	tuberous.	E. Indies.	1806.	S. $\frac{h}{2}$.	
	<i>Hedysarum tuberosum</i> . p. 130.						
DUMASIA. DC. DUMASIA.							
1	villosa. DC.	villous.	Nepaul.	1824.	8. 12.	G. $\frac{h}{2}$.	DC. leg. mem. 6. t. 44.
2	pubescens. DC.	pubescent.	—	—	—	G. $\frac{h}{2}$.	Botan. regist. 962.
GLYCINE. DC. GLYCINE. 121.							
	minima. DC.	small.	N. S. W.	1812.	4. 10.	G. $\frac{4}{4}$.	
CHÆTOCALYX. DC. CHÆTOCALYX. Diadelphia Decandria.							
	vincentina. DC.	St. Vincent.	St. Vincent's.	1823.	6. 8.	S. $\frac{h}{2}$.	Botan. regist. 799.
	<i>Glycine vincentina</i> . p. 121.						
DALEA. 114. DALEA.							
13	sericea. DC.	silky.	Mexico.	1825.	G. $\frac{4}{4}$.	Kth. mim. t. 48.
14	tuberculata. DC.	tubercled.	—	—	G. $\frac{h}{2}$.	
15	reclinata. DC.	reclining.	—	1824.	5. 8.	G. $\frac{4}{4}$.	
16	Thouini. DC.	Thouin's.	—	—	H. \odot .	Schrank. h. mon. t. 9.
TEPHROSIA. 124. TEPHROSIA.							
16	suberosa. DC.	cork-barked.	E. Indies.	1818.	S. $\frac{h}{2}$.	
	<i>Robinia suberosa</i> . p. 126.						
17	fruticosa. DC.	frutescent.	—	1820.	S. $\frac{h}{2}$.	
	<i>Robinia fruticosa</i> . p. 126.						
18	candida. DC.	white-leaved.	—	1810.	S. $\frac{h}{2}$.	
	<i>Robinia candida</i> . p. 126.						
19	capensis. DC.	Cape.	C. B. S.	1823.	5. 9.	G. $\frac{h}{2}$.	Jacq. ic. t. 574.
20	hypargyrea. DC.	various-leaved.	E. Indies.	—	6. 9.	S. $\frac{h}{2}$.	
	<i>Galega heterophylla</i> . p. 124.						
21	caribæa. DC.	Caribbean.	W. Indies.	1786.	6. 7.	S. $\frac{h}{2}$.	Jacq. amer. t. 125.
	<i>Galega? caribæa</i> . p. 124.						
NISSOLIA. 132. NISSOLIA.							
4	racemosa. DC.	racemed.	W. Indies.	6. 8.	S. $\frac{h}{2}$.	
5	robiniaefolia. DC.	Robinia-leav'd.	—	1824.	S. $\frac{h}{2}$.	
6	microptera. DC.	small-winged.	—	6. 8.	S. $\frac{h}{2}$.	
LONCHOCARPUS. DC. LONCHOCARPUS. Diadelphia Decandria.							
1	domingensis. DC.	Domingo.	St. Domingo.	1759.	S. $\frac{h}{2}$.	
	<i>Dalbergia domingensis</i> . p. 131.						
2	violaceus. DC.	violet.	W. Indies.	—	S. $\frac{h}{2}$.	Jacq. amer. t. 177. f. 49.
3	sericeus. DC.	silky.	—	1823.	S. $\frac{h}{2}$.	
4	pyxidarius. DC.	Cuba.	Cuba.	1822.	S. $\frac{h}{2}$.	
5	latifolius. DC.	broad-leaved.	S. America.	1814.	S. $\frac{h}{2}$.	
	<i>Amerimnum latifolium</i> . p. 131.						
6?	pubescens. DC.	pubescent.	Caracas.	1820.	S. $\frac{h}{2}$.	
7	roseus. DC.	rose-coloured.	S. America.	S. $\frac{h}{2}$.	
8	sepium. DC.	hedge.	W. Indies.	1820.	S. $\frac{h}{2}$.	Jacq. amer. t. 129. f. 101.
	<i>Robinia sepium</i> . p. 126.						
SESBANIA. 128. SESBANIA.							
10	affinis. DC.	likened.	E. Indies.	1822.	5. 8.	S. $\frac{\delta}{2}$.	
11	macrocarpa. DC.	long-podded.	Louisiana.	—	7. 10.	H. \odot .	

- 12 gracilis. DC. slender. 1824. 7. 10. S. ⊙.
 AGATI. DC. AGATI. Diadelphia Decandria.
 1 grandiflora. DC. great-flowered. E. Indies. 1768. 7. 8. S. h. Rheed. mal. 1. t. 61.
Sesbania grandiflora. p. 128. *Æschynomene grandiflora*. L.
 2 coccinea. DC. red-flowered. 1824. S. h. Rumph. amb. 1. t. 77.
 GLOTTIDIUM. DC. GLOTTIDIUM. Diadelphia Decandria.
 floridanum. DC. flat-podded. Carolina. 1822. 7. 8. G. ⊙. Jacq. ic. 1. t. 148.
Sesbania platycarpa. p. 129. *Robinia vesicaria*. Jacq.
 DAUBENTONIA. DC. DAUBENTONIA. Diadelphia Decandria.
 punicea. DC. red-flowered. Mexico. 1824. S. h. Cavan. ic. 4. t. 316.
 PISCIDIA. 122. PISCIDIA.
 2 carthagenensis. DC. villous-leaved. W. Indies. S. h. Plum. ed. Bur. t. 133. f. 2
 HALIMODENDRON. DC. SALT-TREE. Diadelphia Decandria.
 argenteum. DC. silver-leaved. Siberia. 1779. 5. 6. H. h. Botan. magaz. 1016.
Robinia Halodendron. B.M. *Caragana Halodendron*. p. 125.
 COLUTEA. 124. BLADDER-SENNA.
 haleppica. DC. Pocock's. Levant. 1752. 5. 10. H. h. Schmidt arb. t. 129.
Pocockii. p. 124. *Istria*. Mill. ic. t. 100.
 5 nepalensis. B.M. Nepaul. Nepaul. 1822. 8. 9. H. h. Botan. magaz. 2622.
 LESSERTIA. 124. LESSERTIA.
 7 falciformis. DC. falcate-podded. C. B. S. 1825. 5. 7. G. ♂.
 SUTHERLANDIA. 124. SUTHERLANDIA.
 2 microphylla. DC. small-leaved. C. B. S. 1816. 6. 9. G. h.

To this Tribe also belongs *Goodia*, *Scottia*, *Templetonia*, *Rafnia*, *Borbonia*, *Achyronia*, *Liparia*, *Hullia*, *Loddigesia*, *Lebeckia*, *Sarcophyllum*, *Aspalathus*, *Ulex*, *Spartium*, *Genista*, *Calycotome*, *Anthyllis*, *Hymenocarpus*, *Trifolium*, *Lupinaster*, *Tetragonolobus*, *Petalostemum*, *Glycyrhiza*, *Galega*, *Amorpha*, *Mullera*, *Robinia*, *Culophaca*, *Swainsona*, *Phaca*, *Astragalus*, *Oxytropis*, and *Biserrula*.

Tribus III. HEDYSAREÆ. DC. prodr. 2. p. 307.

- CORONILLA. 128. CORONILLA.
 13 pentaphylla. DC. five-leaved. Algiers. 5. 10. G. h. Mill. ic. t. 289. f. 2?
 14 montana. DC. mountain. Europe. 1816. 6. 9. H. h. Botan. magaz. 907.
coronata. B.M. non L.
 ASTROLOBIUM. DC. ASTROLOBIUM.
 1 ebracteatum. DC. round-podded. Portugal. 5. 6. H. ⊙. Dalech. his. 1. p. 487. f. 1.
Ornithopus ebracteatus. p. 128.
 2 durum. DC. perennial. Spain. 1805. 6. 7. H. h. Cavan. ic. 1. t. 41.
 3 repandum. DC. repand. Barbary. 1805. — H. ⊙. Lam. ill. t. 631. f. 4.
 4 scorpioides. DC. Purslane-ld. S. Europe. 1596. — H. ⊙. Cavan. ic. 1. t. 37.
Ornithopus scorpioides. p. 128.
 HIPPOCREPIS. 128. HORSESHOE-VETCH.
 7 glauca. DC. glaucous. Naples. 1825. 5. 8. H. h. Ten. fl. neap. 2. t. 69.
 8 monocarpa. DC. one-podded. Caucasus. — 6. 8. H. ⊙.
 PICTETIA. DC. PICTETIA. Diadelphia Decandria.
 1 aristata. DC. awned. St. Domingo. 1820. S. h. Jacq. schœn. 2. t. 237.
Æschynomene aristata. p. 129.
 ORMOCARPUM. DC. ORMOCARPUM. Diadelphia Decandria.
 sennoides. DC. Senna-like. E. Indies. 1818. 6. 7. S. h.
Hedysarum sennoides. p. 131.
 ZORNIA. 129. ZORNIA. Monadelphia Decandria.
 3 angustifolia. DC. narrow-leaved. E. Indies. 1733. 7. 8. S. ⊙. Rheed. mal. 9. t. 82.
diphylla. p. 129.
 4 reticulata. DC. netted-bracted. W. Indies. — S. ⊙.
 5 dyctiocarpa. DC. netted-podded. N. S. W. 1824. — H. ⊙.
 ADESMIA. DC. ADESMIA. Decandria Monogynia.
 1 muricata. DC. prickly-podded. Patagonia. 1793. 6. 7. H. h. Jacq. ic. 3. t. 568.
Hedysarum muricatum. p. 131.
 2 papposa. DC. feathery-pod^d. Chili. 1823. — H. h.
 ÆSCHYNOMENE. 129. ÆSCHYNOMENE.
 7 patula. DC. spreading. Mauritius. 1826. S. ♂?
 8 pendula. Boj. pendulous. Madagascar. 1825. S. ♂?
 9 subviscosa. DC. clammy. E. Indies. 1820. 9. 10. S. ⊙.
 SMITHIA. 128. SMITHIA.
 3 conferta. DC. close-flowered. N. Holland. 1820. 7. 9. S. ♂.
 LOUREA. DC. LOUREA. Diadelphia Decandria.
 1 Vespertilionis. DC. bat-winged. Cochinchina. 1780. 7. 8. S. ♂. Jacq. ic. 3. t. 566.
Hedysarum Vespertilionis. p. 130.

URARIA. DC.		URARIA. Diadelphia Decandria.					
1	picta. DC.	painted-leaved.	Guinea.	1788.	6. 8.	S. h.	Jacq. ic. 3. t. 567.
	<i>Hedysarum pictum</i> . p. 130.						
2	crinita. DC.	crook-podded.	E. Indies.	1780.	7. 9.	S. h.	Burm. ind. t. 56.
	<i>Hedysarum crinitum</i> . p. 131.						
3	lagocephala. DC.	hairy.	Brazil.	1823.	—	S. 4.	
4	Lagopus. DC.	Hare's-foot.	Nepaul.	—	S. h.	
* DESMODIUM. DC.		DESMODIUM. Diadelphia Decandria.					
1	dubium. B.R.	doubtful.	Nepaul.	1823.	7. 8.	S. h.	Botan. regist. 967.
2	umbellatum. DC.	umbel-flower'd.	E. Indies.	1801.	6. 7.	S. h.	Jacq. schœnb. 3. t. 297.
	<i>Hedysarum umbellatum</i> . p. 130.						
3	triquetrum. DC.	triangular.	—	1802.	7. 8.	S. 4.	Burm. ind. t. 52. f. 2.
4	pseudotriquetrum. DC.	triquetrous.	Nepaul.	1818.	—	S. 4.	
5	alatum. DC.	winged-stalked.	E. Indies.	1809.	S. h.	
6	gyrans. DC.	moving-plant.	—	1775.	7. 9.	S. 4.	Jacq. ic. 3. t. 565.
7	gyroides. DC.	gyrans-like.	—	1818.	—	S. h.	
8	gangeticum. DC.	oval-leaved.	—	1762.	—	S. 4.	Burm. zeyl. t. 49.
9	maculatum. DC.	spotted.	—	1732.	6. 8.	S. 4.	Dill. elt. t. 141. f. 168.
10	sagittatum. DC.	arrow-leaved.	—	1807.	S. h.	
11	angustifolium. DC.	narrow-leaved.	Mexico.	1825.	S. h.	
12	latifolium. DC.	broad-leaved.	E. Indies.	1809.	7. 8.	S. h.	Botan. regist. t. 356.
13	lasiocarpum. DC.	woolly-podded.	Guinea.	1822.	7. 9.	S. h.	Beau. fl. ow. 1. t. 18.
14	canadense. DC.	Canadian.	N. America.	1640.	—	H. 4.	Corn. canad. t. 45.
15	canescens. DC.	canescent.	—	1733.	—	H. 4.	
16	marylandicum. DC.	Maryland.	—	1725.	7. 10.	H. 4.	Dill. elt. t. 144. f. 171.
17	obtusum. DC.	obtuse.	—	1805.	7. 8.	H. 4.	
18	ciliare. DC.	fringed.	—	1823.	—	H. 4.	
19	viridiflorum. DC.	green-flowered.	—	1787.	7. 9.	H. 4.	Pluk. alm. t. 308. f. 5.
20	bracteosum. DC.	bracted.	—	1806.	7. 8.	H. 4.	
21	glabellum. DC.	smooth.	—	1824.	7. 9.	H. 4.	
22	paniculatum. DC.	panicked.	—	1781.	7. 8.	H. 4.	Pluk. alm. t. 432. f. 6.
23	nudiflorum. DC.	naked-flower'd.	—	1823.	—	H. 4.	
24	acuminatum. DC.	glutinous.	—	1805.	—	H. 4.	
	<i>Hedysarum glutinosum</i> . p. 130.						
25	uncinatum. DC.	uncinate.	Caracas.	1823.	6. 7.	S. h.	Jacq. schœn. 3. t. 208.
26	incanum. DC.	hoary.	W. Indies.	1820.	7. 8.	S. h.	Plum. ic. 149. f. 1.
27	supinum. DC.	trailing.	Jamaica.	—	—	S. h.	Sloan. jam. 1. t. 118. f. 2.
28	tortuosum. DC.	twisted-podd'd.	—	1781.	—	S. h.	— 1. t. 116. f. 2.
29	adscendens. DC.	ascending.	—	1820.	7. 9.	S. h.	
30	mexicanum.	Mexican.	Mexico.	—	11. 5.	S. h.	Botan. regist. 815.
	<i>Hedysarum mexicanum</i> . p. 130. <i>adscendens</i> . var. <i>cœruleum</i> . B.R.						
31	trigonum. DC.	three-sided.	Jamaica.	1733.	7. 9.	S. h.	
32	spirale. DC.	spiral.	—	—	S. h.	
33	Aparines. DC.	hairy-stalked.	Mexico.	1820.	—	S. h.	
34	asperum. DC.	harsh.	—	6. 8.	S. h.	
35	cæspitosum. DC.	tufted.	Mauritius.	—	S. 4.	
36	mauritanum. DC.	creeping-root'd.	—	1822.	7. 9.	S. 4.	
37	diversifolium. DC.	different-leav'd.	Madagascar.	1820.	S. h.	
38	spectabile.	showy.	Zanzibar.	1825.	S. h.	
	<i>Hedysarum spectabile</i> . Boj.						
39	triflorum. DC.	three-flowered.	India.	1796.	6. 7.	S. 4.	Burm. ind. t. 54. f. 2.
40	heterophyllum. DC.	various-leaved.	Ceylon.	1820.	—	S. 4.	Burm. zeyl. t. 54. f. 1.
41	parvifolium. DC.	slender.	Nepaul.	1823.	7. 9.	S. h.	
	<i>tenellum</i> . D.P. non Kth.						
42	Scalpe. DC.	repand.	Bourbon.	—	7. 8.	S. h.	
	<i>Hedysarum repandum</i> . p. 130. non DC.						
43	Roxburghii.	Roxburgh's.	E. Indies.	1825.	S. h.	
	<i>diffusum</i> . DC. p. 335. non p. 336.						
44	floribundum. D.P.	abundant-flg.	Nepaul.	1823.	7. 9.	S. h.	
45	retusum. D.P.	retuse-leaved.	—	—	—	S. h.	
46	concinnum. DC.	neat.	—	—	—	S. h.	
47	capitatum. DC.	headed.	Ceylon.	7.	S. h.	Burm. ind. t. 54. f. 1.
48	tomentosum. DC.	woolly.	China.	1782.	6. 7.	G. 4.	
49	malacophyllum. DC.	soft hairy-la.	Manilla.	1824.	S. 4.	
50	grandifolium. DC.	large-leaved.	E. Indies.	—	S. h.	
51	serotinum. DC.	late-flowering.	—	1806.	7. 9.	S. 4.	

* The species of this genus are referred to *Hedysarum*, p. 130 and 131.

DICERMA. DC.	DICERMA.	Diadelphia Decandria.				
1 pulchellum. DC.	neat.	E. Indies.	1799.	7. 8.	S. h.	Burm. zeyl. t. 52.
<i>Zornia pulchella.</i> p. 129.	<i>Hedysarum pulchellum.</i> w.					
2 biarticulatum. DC.	jointed.	————	1808.	S. h.	———— t. 50. f. 2.
<i>Hedysarum biarticulatum.</i> p. 130.						
HEDYSARUM. DC.	HEDYSARUM.					
1 lasiocarpum. DC.	woolly-podded.	Siberia.	1824.	6. 8.	H. 4.	
2 ibericum. DC.	Iberian.	Iberia.	—	—	H. 4.	
3 cretaceum. DC.	slender-spiked.	Volga.	1818.	—	H. 4.	
4 consanguineum. DC.	kindred.	Siberia.	—	—	H. 4.	
5 caucasicum. DC.	Caucasean.	Caucasus.	1824.	—	H. 4.	
ONOBRYCHIS. 131.	SAINTFOIN.					
14 procumbens. DC.	procumbent.	Iberia.	1823.	7. 9.	H. 4.	
15 radiata. DC.	rayed.	Caucasus.	—	—	H. 4.	
ELEIOTIS. DC.	ELEIOTIS.					
sororia. DC.	sister.	E. Indies.	1820.	S. 4.	Desv. j. bot. 3. t. 6. f. 31.
<i>Hedysarum sororium.</i> p. 130.						
LESPEDeza. 129.	LESPEDeza.					
12 eriocarpa. DC.	woolly-podded.	Nepaul.	1812.	7. 9.	G. h.	
13 villosa. DC.	villous.	N. America.	—	—	H. 4.	
EBENUS. DC.	EBENUS.	Monadelphia Decandria.				
1 cretica. DC.	Cretan.	Crete.	1737.	6. 7.	F. h.	Botan. magaz. 1092.
<i>Anthyllis cretica.</i> p. 114.						
2 pinnata. DC.	wing-leaved.	Barbary.	1786.	7. 8.	G. h.	Desf. act. par. 1. t. 3.
<i>Anthyllis sericea.</i> p. 114.						
ALHAGI. DC.	ALHAGI.	Diadelphia Decandria.				
1 maurorum. DC.	Levant.	Levant.	1714.	7. 8.	G. h.	Tourn. cor. 54. t. 489.
<i>Manna hebraica.</i> p. 131.	<i>Hedysarum Alhagi.</i> w.					
2 camelorum. DC.	Caspian.	Caucasus.	1824.	—	H. 4.	
ALYSICARPUS. DC.	ALYSICARPUS.	Diadelphia Decandria.				
1 bupleurifolius. DC.	Bupleurum-ld.	India.	1793.	7. 8.	S. h.	Botan. magaz. 1722.
<i>Hedysarum bupleurifolium.</i> p. 129.						
2 vaginalis. DC.	sheathed.	E. Indies.	1790.	—	S. o.	Burm. zeyl. t. 49. f. 1.
3 nummularifolius.	moneywort-ld.	————	1777.	7. 9.	S. o.	Pet. gaz. t. 26. f. 4.
<i>Hedysarum nummularifolium.</i> p. 129.						
4 monilifer. DC.	neck-lace.	————	1824.	—	S. 4.	Burm. ind. t. 52. f. 3.
5 styracifolius. DC.	Storax-leaved.	————	1796.	—	S. h.	

To this Tribe also belongs *Scorpiurus*, *Stylosanthes*, *Securigera*, and *Flemingia*.

Tribus IV. VICIEÆ. DC. prodr. 2. p. 353.

ERVUM. 128.	TARE.					
10 Ervilia. DC.	officinal.	S. Europe.	1596.	6. 8.	H. o.	Blackw. t. 208. f. 3.
<i>Vicia Ervilia.</i> p. 127.						
11 monanthos. DC.	single-flower'd.	————	1790.	7. 8.	H. o.	Sturm. fl. germ. 1. f. 322.
LATHYRUS. 126.	LATHYRUS.					
37 intermedius. DC.	intermediate.	N. Europe.	1818.	7. 9.	H. 4.	Mull. fl. dan. t. 785.
38 longepedunculatus.	long-peduncul'd.	1824.	—	H. o.	
39 hirtus. DC.	hairy.	—	—	H. o.	
OROBUS. 126.	BITTER VETCH.					
22 formosus. DC.	handsome.	Caucasus.	1824.	4. 6.	H. 4.	Linn. trans. 11. t. 36.
23 sessilifolius. DC.	sessile-leaved.	Greece.	—	5. 7.	H. 4.	
24 multiflorus. DC.	many-flowered.	Italy.	—	—	H. 4.	
25 vicioides. DC.	Vicia-like.	Carniola.	1818.	6. 8.	H. 4.	W. et K. hung. 3. t. 2422.
<i>Vicia oroboides.</i> p. 127.						
26 aurantius. DC.	orange-color'd.	Iberia.	1824.	—	H. 4.	
27 erectus. DC.	upright.	1820.	—	H. 4.	

To this Tribe also belongs *Cicer*, *Faba*, *Vicia*, and *Pisum*.

Tribus V. PHASEOLEÆ. DC. prodr. 2. p. 381.

SWEETIA. DC.	SWEETIA.	Diadelphia Decandria.				
1 longifolia. DC.	long-leaved.	S. America.	1824.	6. 7.	S. h. ~.	Jacq. ic. 3. t. 572.
<i>Tephrosia longifolia.</i> p. 124.	<i>Galega longifolia.</i> Jacq.					
2 filiformis. DC.	slender.	Mexico.	1826.	S. h. ~.	— 3. t. 573.
ROTHIA. DC.	ROTHIA.					
trifoliata. DC.	trifoliolate.	S. America.	1820.	6. 8.	S. o.	
<i>Glycine humifusa.</i> p. 121.						

KENNEDIA. 121.		KENNEDIA.				
7? heterophylla. ψ .	various-leaved.	N. Holland.	1826.	G. $\frac{1}{2}$
8? inophylla. ψ .	few-leaved.	————	1825.	S. $\frac{1}{2}$
9? dilatata. ψ .	dilated-leaved.	————	————	S. $\frac{1}{2}$
RHYNCHOSIA. DC.		RHYNCHOSIA.	Diadelphia Decandria.			
1 reniformis. DC.	kidney-leaved.	Carolina.	1806.	7. 8.	F. 4.	
<i>Glycine reniformis.</i>	p. 121.					
2 difformis. DC.	downy climbing.	N. America.	1732.	6. 9.	H. 4.	... Dill. elt. t. 26. f. 29.
<i>Glycine tomentosa.</i>	p. 121.					
3 erecta. DC.	upright.	————	—	H. 4.	
4 caribæa. DC.	trailing.	W. Indies.	1742.	9. 10.	S. $\frac{1}{2}$ Jacq. ic. 1. t. 146.
5 phaseoloides. DC.	Abrus-seeded.	————	1820.	6. 7.	S. $\frac{1}{2}$ Botan. magaz. 2284.
6 precatoria. DC.	Abrus-like.	S. America.	—	—	S. $\frac{1}{2}$.	
7 reticulata. DC.	netted.	Jamaica.	1779.	7. 9.	S. $\frac{1}{2}$.	
8 rhombifolia. DC.	rhomb-leaved.	E. Indies.	1815.	5. 8.	S. $\frac{1}{2}$.	
9 viscida. DC.	viscous.	————	1823.	6. 7.	S. $\frac{1}{2}$.	
10 angustifolia. DC.	narrow-leaved.	C. B. S.	1795.	6. 8.	G. $\frac{1}{2}$ Jacq. schœn. 2. t. 231.
<i>Glycine angustifolia.</i>	p. 121.					
11 suaveolens. DC.	sweet-scented.	E. Indies.	1816.	7. 9.	S. $\frac{1}{2}$.	
FAGELIA. DC.		FAGELIA.	Diadelphia Decandria.			
bituminosa. DC.	clammy.	C. B. S.	1774.	4. 9.	G. $\frac{1}{2}$ Botan. regist. 261.
<i>Glycine bituminosa.</i>	p. 121.					
PHASEOLUS. 119.		KIDNEY-BEAN.				
34 macrostachyus. DC.	large-spiked.	N. America.	1824.	7. 9.	H. 4.	...
35 compressus. DC.	flat-seeded.	6. 9.	H. \odot Savi mem. 3. t. 10. f. 20.
36 oblongus. DC.	oblong-seeded.	—	H. \odot 3. t. 10. f. 14.
37 saponaceus. DC.	spotted white-seeded.	—	H. \odot 3. t. 10. f. 15.
38 tumidus. DC.	thick-seeded.	—	H. \odot 3. t. 10. f. 16.
39 hæmatocarpus. DC.	red-spotted.	—	H. \odot 3. t. 10. f. 17.
40 sphæricus. DC.	round-seeded.	—	H. \odot 3. t. 10. f. 18.
41 gonospermus. DC.	angular-seeded.	—	H. \odot 3. t. 10. f. 19.
42 derasus. DC.	narrow-podded.	Brazil.	1823.	—	H. \odot Schr. h. monac. 1. t. 89.
43 Xuaresii. DC.	pointed-leaved.	—	—	H. \odot .	
44 microspermus. DC.	small-seeded.	Cuba.	S. \odot .	
45 chrysanthos. DC.	yellow-flow'r'd.	—	S. \odot .	
46 violaceus. DC.	violet-flowered.	Africa?	—	H. \odot .	
47 scaber. DC.	rough-podded.	—	H. \odot Moris. ox. s. 2. t. 5. f. 8.
SOJA. DC.		SOY.	Diadelphia Decandria.			
hispida. DC.	hispid.	E. Indies.	1790.	7. 8.	S. \odot Jacq. ic. 1. t. 145.
<i>Dolichos Soja.</i>	p. 119.					
DOLICHOS. 119.		DOLICHOS.				
39 Jacquinii. DC.	Jacquin's.	W. Indies.	1822.	7. 9.	S. $\frac{1}{2}$.	
40 melanophthalmus. DC.	black-circled.	—	—	H. \odot .	
VIGNA. DC.		VIGNA.				
glabra. DC.	yellow.	America.	1805.	7. 8.	H. \odot Jacq. vind. 1. t. 90.
<i>Dolichos luteolus.</i>	p. 119.					
LABLAB. DC.		LABLAB.	Diadelphia Decandria.			
1 vulgaris. DC.	common.	Egypt.	1694.	6. 7.	S. \odot Botan. magaz. 896.
<i>Dolichos Lablab.</i>	p. 119.					
2 purpureus.	purple.	E. Indies.	1790.	5. 10.	S. 4.	... Exot. bot. 2. t. 74.
<i>Dolichos purpureus.</i>	B. R. 830.					
3 benghalensis.	Bengal.	Bengal.	1820.	7. 8.	S. $\frac{1}{2}$ Jacq. vind. 2. t. 124.
<i>vulgaris</i> γ <i>albiflorus.</i>	DC. <i>Dolichos benghalensis.</i>	p. 119.				
4 nankinicus. DC.	Chinese.	China.	1821.	—	H. \odot Savi. dis. 1821. f. 8. d-g.
5 leucocarpus. DC.	white-podded.	E. Indies.	—	—	S. \odot f. 9. a-d.
6 cultratus. DC.	sharp-edged.	Japan.	1818.	6. 7.	H. \odot Banks ic. k. t. 25.
<i>Dolichos cultratus.</i>	p. 119.					
7 microcarpus. DC.	small-podded.	E. Indies.	1824.	—	S. \odot Rumph. am. 5. t. 141. f. 1.
8 perennans. DC.	perennial.	China.	1823.	7. 8.	G. 4.	... — 5. t. 137.
PACHYRHIZUS. DC.		PACHYRHIZUS.	Diadelphia Decandria.			
angulatus. DC.	angular-leaved.	E. Indies.	1781.	7.	S. 4.	... Rumph. amb. 5. t. 132.
<i>Dolichos bulbosus.</i>	p. 119.					
PSOPHOCARPUS. DC.		PSOPHOCARPUS.	Diadelphia Decandria.			
tetragonolobus. DC.	square-podded.	E. Indies.	1816.	9. 11.	S. \odot Rumph. amb. 5. t. 133.
<i>Dolichos tetragonolobus.</i>	p. 119.					
CANAVALIA. DC.		CANAVALIA.	Monadelphia Decandria.			
1 obtusifolia. DC.	blunt-leaved.	E. Indies.	1818.	7. 8.	S. $\frac{1}{2}$ Rheed. mal. 8. t. 43.
<i>Dolichos rotundifolius.</i>	p. 119.					
β emarginatus. DC.	emarginate.	————	—	—	S. $\frac{1}{2}$ Jacq. schœn. 2. t. 221.

- 2 *gladiata*. DC. sabre-podded. E. Indies. 1801. 6. 7. S. $\frac{1}{2}$. Jacq. ic. 3. t. 560.
Dolichos gladiata. p. 119. *Malocchia gladiata*. Savi.
3 *ensiformis*. DC. cimeter-podded. ——— 1778. 7. 8. S. \odot . Jacq. ic. 3. t. 559.
4 *rosens*. DC. rose-coloured. Jamaica. 1812. — S. \odot .
Dolichos roseus. p. 119.
MUCUNA. DC. **COWITCH. Diadelphia Decandria.**
1 *urens*. DC. broad-podded. W. Indies. 1691. 6. 7. S. $\frac{1}{2}$. Plum. amer. t. 107.
Stizolobium urens. p. 119. *Dolichos urens*. Jacq. amer. t. 182. f. 84.
2 *altissima*. DC. tall. Martinico. 1779. S. $\frac{1}{2}$. Jacq. amer. t. 182. f. 85.
3 *pruriens*. DC. common. India. 1680. S. $\frac{1}{2}$. Rheed. mal. 8. t. 85.
Stizolobium pruriens. p. 119. *Carpopogon pruriens*. H.B.
4 *gigantea*. DC. gigantic. E. Indies. 1815. 7. 9. S. $\frac{1}{2}$. Rheed. mal. 8. t. 36.
5 *mitis*. DC. oblique-leaved. Peru. 1823. S. $\frac{1}{2}$.
6 *monosperma*. DC. single-seeded. E. Indies. 1818. 7. 9. S. $\frac{1}{2}$.
Carpopogon monospermum. p. 119.
7 *atropurpurea*. DC. dark-purple. ——— 1820. — S. $\frac{1}{2}$.
8 *nivea*. DC. white. ——— — S. \odot .
9 *imbricata*. DC. imbricated. ——— 1815. — S. $\frac{1}{2}$.
10 *anguinea*. snake-like. ——— 1822. S. $\frac{1}{2}$.
Carpopogon anguineum. p. 119.
11 *bracteata*. DC. bracted. ——— — S. $\frac{1}{2}$.
12 *capitata*. capitate. ——— — 7. 9. S. \odot .
Carpopogon capitatum. p. 119.
ERYTHRINA. 120. CORAL-TREE.
26 *enneandria*. DC. nine anther'd. S. $\frac{1}{2}$.
27 *macrophylla*. DC. large-leaved. 1816. S. $\frac{1}{2}$.
28 *umbrosa*. DC. deltoid-leaved. Caracas. 1824. S. $\frac{1}{2}$.
RUDOLPHIA. DC. RUDOLPHIA. Diadelphia Decandria.
dubia. DC. doubtful. Havannah. 1815. S. $\frac{1}{2}$. H. et B. n. gen. 6. t. 591.
Glycine sagittata. p. 121.

To this Tribe also belongs *Abrus*, *Teramnus*, *Amphicarpæa*, *Wisteria*, *Apios*, *Cajanus*, *Lupinus*, *Cylista*, and *Butea*.

Tribus VI. *DALBERGIEÆ*. DC. prodr. 2. p. 415.

- DREPANOCARPUS. DC. DREPANOCARPUS. Monadelphia Decandria.**
lunatus. DC. crescent-podded. S. America. 1792. S. $\frac{1}{2}$. Plum. ed. Bur. t. 201. f. 22.
Pterocarpus lunatus. p. 132.
BRYA. DC. BRYA. Monadelphia Decandria.
Ebenus. DC. Jamaica Ebony. W. Indies. 1713. 7. 8. S. $\frac{1}{2}$. Brown. jam. t. 31. f. 2.
To this Tribe belongs *Pongamia*, *Dalbergia*, *Pterocarpus*, *Amerimnum*, and *Ecastaphyllum*.

PHYLLOLOBIUM. 131. PHYLLOLOBIUM.

- 2 *zanzibarense*. Boj. Zanzibar. Zanzibar. 1825. S. $\frac{1}{2}$.

SUBORDO II.—Tribus VII. *SWARTZIEÆ*. DC. prodr. 2. p. 422.

- SWARTZIA. DC. SWARTZIA. Monadelphia Dec-Dodecandria.**
1 *grandiflora*. DC. great-flower'd. Trinidad. 1822. S. $\frac{1}{2}$. Vahl. ecl. pl. am. 1. t. 9.
2 *pinnata*. DC. wing-leaved. ——— 1820. S. $\frac{1}{2}$. Corr. an. mus. 9. t. 24. f. 22.
BAPHIA. DC. BAPHIA. Decandria Monogynia.
nitida. DC. glossy. Sierra Leone. 5. 9. S. $\frac{1}{2}$. Lodd. bot. cab. 367.

SUBORDO III.—Tribus VIII. *MIMOSEÆ*. DC. prodr. 2. p. 424.

- ENTADA. p. 100. ENTADA.**
1 *Gigalobium*. DC. American. W. Indies. 1780. S. $\frac{1}{2}$.
2 *Pursætha*. DC. Indian. E. Indies. — S. $\frac{1}{2}$. Rheed. mal. 8. t. 32-34.
Parrana. p. 100. *Acacia scandens*. w.
3 *monostachya*. DC. single-spiked. ——— — S. $\frac{1}{2}$. Rheed. mal. 9. t. 77.
Rheedii. p. 100. *Mimosa Entada*. w.
4 *polystachya*. DC. many-spiked. W. Indies. 1816. 4. 9. S. $\frac{1}{2}$. Jacq. amer. t. 183. f. 93.
Mimosa polystachya. p. 100.
GAGNEBINA. DC. GAGNEBINA. Decandria Monogynia.
1 *tamariscina*. DC. Tamarisk-like. Mauritius. 1824. S. $\frac{1}{2}$. DC. leg. me. 12. t. 64. f. 13.
Acacia tamariscina. p. 102.
2 *axillaris*. DC. axillary-spiked. ——— — S. $\frac{1}{2}$. DC. leg. me. 12. t. 64. f. 14.
ERYTHROPHLEUM. Br. RED WATER-TREE. Decandria Monogynia.
leonense. G.D. Sierra Leone. Sierra Leone. 1822. S. $\frac{1}{2}$.

PARKIA. Br.		PARKIA. Monadelphia Decandria.					
<i>africana. Br.</i>	<i>African.</i>	<i>Africa.</i>	1822.	S. h.	Beau. fl. d. ow. 2. t. 90.	
<i>Inga biglobosa. p. 101.</i>							
INGA. 101.		INGA.					
21 <i>pulcherrima. Cerv.</i>	<i>handsome.</i>	<i>Mexico.</i>	1822.	S. h.		
22 <i>setifera. DC.</i>	<i>setiferous.</i>	<i>Guiana.</i>	1824.	S. h.		
23 <i>Feuillei. DC.</i>	<i>Feuillee's.</i>	<i>Peru.</i>	—	S. h.	Feuil. obs. 3. t. 19.	
24 <i>splendens. DC.</i>	<i>splendid.</i>	<i>Brazil.</i>	1825.	S. h.		
25 <i>emarginata. DC.</i>	<i>emarginate.</i>	<i>Mexico.</i>	—	S. h.	Kth. mim. t. 17.	
26 <i>xylocarpa. DC.</i>	<i>woody-podded.</i>	<i>E. Indies.</i>	1822.	S. h.	Roxb. corom. 1. t. 100.	
<i>Acacia xylocarpa. p. 102.</i>							
DARLINGTONIA. DC. DARLINGTONIA. Pentandria Monogynia.							
1 <i>brachyloba. DC.</i>	<i>Illinois.</i>	<i>N. America.</i>	1803.	9. 10.	H. 4.	DC. leg. mem. 12. t. 66.	
2 <i>glandulosa. DC.</i>	<i>glandulous.</i>	—	1806.	—	F. h.	Vent. choix. t. 27.	
<i>Acacia glandulosa. p. 102.</i>							
DESMANTHUS. 100. DESMANTHUS.							
10 <i>callistachys. DC.</i>	<i>pretty-spiked.</i>	1820.	7. 10.	S. h.		
PROSOPIS. 101. PROSOPIS.							
4 <i>juliflora. DC.</i>	<i>long-flowered.</i>	<i>Jamaica.</i>	1793.	5. 6.	S. h.		
<i>Acacia juliflora. p. 103.</i>							
LAGONYCHIUM. DC. LAGONYCHIUM. Decandria Monogynia.							
<i>Stephanianum. DC.</i>	<i>Stephan's.</i>	<i>Caucasus.</i>	1825.	H. h.	Breyn. cent. 1. t. 56. f. 4.	
ACACIA. 101. ACACIA. Polygamia Monœcia.							
140 <i>dolabriformis. DC.</i>	<i>hatchet-leaved.</i>	<i>N. Holland.</i>	1818.	4. 6.	G. h.		
141 <i>hastulata. DC.</i>	<i>hastulate.</i>	—	1824.	—	G. h.		
142 <i>nervosa. DC.</i>	<i>nervose.</i>	—	—	—	G. h.		
143 <i>paradoxa. DC.</i>	<i>wave-leaved.</i>	—	1818.	3. 6.	G. h.	Botan. regist. t. 843.	
<i>undulata. p. 102.</i>							
144 <i>Brownei. DC.</i>	<i>Brown's.</i>	<i>N. S. W.</i>	1796.	—	G. h.		
<i>acicularis. H. K. pugioniformis. p. 101. non W. A.</i>							
145 <i>echinula. DC.</i>	<i>pungent.</i>	—	1824.	—	G. h.		
146 <i>pugioniformis. DC.</i>	<i>needle-leaved.</i>	—	1803.	—	G. h.	Wendl. ac. t. 9.	
147 <i>emarginata. DC.</i>	<i>emarginate.</i>	<i>N. Holland.</i>	1816.	—	G. h.		
148 <i>leprosa. DC.</i>	<i>leprous.</i>	<i>N. S. W.</i>	1824.	—	G. h.		
149 <i>multinervia. DC.</i>	<i>many-nerved.</i>	<i>N. Holland.</i>	—	—	G. h.		
150 <i>eglandulosa. DC.</i>	<i>glandless.</i>	—	—	—	G. h.		
151 <i>coriacea. DC.</i>	<i>leathery.</i>	—	—	—	G. h.		
152 <i>anceps. DC.</i>	<i>flat-edged.</i>	—	—	—	G. h.		
153 <i>elongata. DC.</i>	<i>elongated.</i>	—	—	—	G. h.		
154 <i>trinervata. DC.</i>	<i>three-nerved.</i>	<i>N. S. W.</i>	1823.	4. 6.	G. h.		
155 <i>quadrilateralis. DC.</i>	<i>four-sided.</i>	<i>N. Holland.</i>	1822.	—	I. h.		
156 <i>asparagoides. F. T.</i>	<i>Asparagus-like.</i>	<i>N. S. W.</i>	1824.	—	G. h.		
157 <i>buxifolia. F. T.</i>	<i>Box-leaved.</i>	—	—	—	G. h.		
158 <i>rubida. F. T.</i>	<i>reddish.</i>	—	—	—	G. h.		
159 <i>verniciflua. F. T.</i>	<i>varnished.</i>	—	—	—	G. h.		
160 <i>falciformis. DC.</i>	<i>sickle-shaped.</i>	—	—	—	G. h.		
161 <i>penninervis. DC.</i>	<i>wing-nerved.</i>	—	—	—	G. h.		
162 <i>amœna. DC.</i>	<i>handsome.</i>	—	—	—	G. h.	Wendl. ac. t. 4.	
163 <i>pyrifolia. DC.</i>	<i>Pear-leaved.</i>	—	—	—	G. h.		
164 <i>binervata. DC.</i>	<i>two-nerved.</i>	—	—	—	G. h.		
165 <i>bivenosa. DC.</i>	<i>two-veined.</i>	—	—	—	G. h.		
166 <i>obtusata. DC.</i>	<i>blunt-leaved.</i>	—	—	—	G. h.		
167 <i>subulata. DC.</i>	<i>awl-leaved.</i>	—	—	—	G. h.		
168 <i>oxycedrus. DC.</i>	<i>Oxycedrus-ld.</i>	—	—	—	G. h.		
169 <i>homomalla. DC.</i>	<i>pubescent-ld.</i>	—	—	—	G. h.		
170 <i>intertexta. DC.</i>	<i>netted.</i>	—	—	—	G. h.		
171 <i>cinerascens. DC.</i>	<i>greyish.</i>	—	—	—	G. h.		
172 <i>lanigera. F. T.</i>	<i>wool-bearing.</i>	—	—	—	G. h.		
173 <i>Cyclopis. ↓.</i>	<i>Cyclopia-like.</i>	<i>N. Holland.</i>	—	—	G. h.		
174 <i>impressa. ↓.</i>	<i>impressed.</i>	—	—	—	G. h.		
175 <i>mucronulata. ↓.</i>	<i>sharp-pointed.</i>	—	—	—	G. h.		
176 <i>oleifolia. ↓.</i>	<i>Olive-leaved.</i>	—	—	—	G. h.		
177 <i>pendula. ↓.</i>	<i>pendulous.</i>	—	—	—	G. h.		
178 <i>rigens. ↓.</i>	<i>stiff.</i>	—	—	—	G. h.		
179 <i>thegonocarpa. ↓.</i>	<i>angular-podded.</i>	—	—	—	G. h.		
180 <i>dillwyniæfolia. ↓.</i>	<i>Dillwynia-ld.</i>	—	—	—	G. h.		

To this Tribe belongs *Mimosa*, *Schrankia*, and *Adenanthera*.

ANDIRA. DC.	ANDIRA. Diadelphia Decandria.			
1 racemosa. DC.	racemed.	Brazil.	1824. S. h. Aub. gui. sup. t. 373.
2 inermis. DC.	bastard cabbage-tree.	Jamaica.	1778. S. h. Phil. trans. 1777. t. 10.
<i>Geoffroya inermis</i> . p. 132.				
GEOFFROYA. DC.	GEOFFROYA.			
spinosa. DC.	spiny.	S. America.	1823. S. h. Jacq. amer. t. 180. f. 62.
BROWNEA. 106.	BROWNEA.			
2 Rosa. DC.	handsome.	S. America.	1816. S. h. Berg. act. ang. t. 8. 9.

To this Tribe belongs *Arachis* and *Dipterix*.

MORINGA. DC.	HORSE-RADISH-TREE.					
pterygosperma. DC.	wing-seeded.	E. Indies.	1759.	S. h.	Rheed. mal. 6. t. 11.
<i>Hyperanthera Moringa.</i> p. 105.						
COULTERIA. DC.	COULTERIA.	Decandria Monogynia.				
tinctoria. DC.	dyer's.	Peru.	1818.	S. h.	H. et B. n. gen. t. 569.
<i>Cæsalpina Tara.</i> p. 105.						
HARDWICKIA. DC.	HARDWICKIA.	Oct-Decandria Monogynia.				
binata. DC.	two-leaved.	E. Indies.	1824.	S. h.	
JONESIA. DC.	JONESIA.	Heptandria Monogynia.				
Asoca. DC.	winged-leaved.	E. Indies.	1796.	S. h.	Rheed. mal. 5. t. 59.
<i>pinnata.</i> w. <i>Saraca indica.</i> L.						
TAMARINDUS. 104.	TAMARIND.					
2 occidentalis. DC.	West Indian.	W. Indies.	6. 7.	S. h.	Jacq. amer. t. 10.
CASSIA. 104.	CASSIA.					
71 aversiflora. B.M.	contrary-fl'd.	Brazil.	1823.	1. 12.	S. h.	Botan. magaz. 2638.
72 australis. B.M.	New Holland.	N. S. W.	1820.	5. 12.	S. h.	————— 2676.
73 pulchella. Boj.	pretty.	Zanzibar.	1825.	7. 9.	S. h.	
SCHOTIA. 104.	SCHOTIA.					
4 alata. DC.	winged.	C. B. S.	1816.	6. 7.	I. h.	
5? latifolia. DC.	broad-leaved.	—————	—————	4. 6.	I. h.	Hook. ex. flor. t. 159.
<i>Omphalobium Schotia.</i> p. 104.						
PARIVOA. DC.	PARIVOA.	Diadelphia Decandria.				
grandiflora. DC.	large-flower'd.	Cayenne.	1816.	S. h.	Aub. gui. 2. t. 303.
<i>Dimorpha grandiflora.</i> L.T. 9. t. 20.						
OUTEA. DC.	OUTEA.	Tri-Tetrandria Monogynia.				
bijuga. DC.	two-paired.	E. Indies.	1823.	S. h.	Linn. trans. 12. t. 17.
<i>Macrolobium bijugum.</i> p. 106.						
VOUAPA. DC.	VOUAPA.	Triandria Monogynia.				
bifolia. DC.	two-leaved.	Guiana.	1823.	S. h.	Aub. gui. 1. t. 7.
CODARIUM. DC.	CODARIUM.	Diandria Monogynia.				
1 acutifolium. DC.	acute-leaved.	Guinea.	1800.	S. h.	Rœm. arch 1. t. 6.
<i>nitidum.</i> Vahl. <i>Dialium guineense.</i> w.						
2 obtusifolium. DC.	blunt-leaved.	—————	—————	S. h.	

To this Tribe belongs *Gleditschia*, *Gymnocladus*, *Guilandina*, *Cæsalpinia*, *Poinciana*, *Hoffmanseggia*, *Hematoxylon*, *Parkinsonia*, *Cadia*, *Ceratonia*, *Cathartocarpus*, *Copaifera*, *Cynometra*, *Hymenæa*, *Bauhinia*, and *Cercis*.

DETARIUM. DC. DETARIUM. Decandria Monogynia.
senegalense. DC. Senegal. Senegal. 1822. S. h.

GENISTA. p. 111. GENISTA.
æthnensis. DC. three-seeded. M.Ætna. 1821. 7. 8. H. h. Botan. magaz. 2674.
Spartium ætnense. B.M.

CHRYSOBALANEÆ. p. 133.

GRANGERIA. DC.	GRANGERIA.	Dodecandria Monogynia.		
borbonica. DC.	Bourbon.	Bourbon.	1826.	S. h. Lam. ill. t. 427.
HIRTELLA. 133.	HIRTELLA.			
1 triandra. DC.	triandrous.	W. Indies.	S. h. Jacq. amer. 8. t. 8.
americana. Jacq.				
2 racemosa. DC.	racemed.	—————	1782.	S. h. Aub. gui. 1. t. 98.
americana. Aub.				

AMYGDALINEÆ. p. 133.

PRUNUS. 133.	PLUM.			
8 candicans. DC.	white-leaved.	1818. 4. 5.	H. h.
9 Cocomilia. DC.	twin-flowered.	Italy.	1826.	H. h.
10 pubescens. DC.	pubescent.	1819. 4. 5.	H. h.
CERASUS. DC.	CHERRY.	Icosandria Monogynia.		
1 Juliana. DC.	July-fruited.	4. 5.	H. h. Duha. ed. no. 5. t. 15. f. A.
2 Caproniana. DC.	common.	—	H. h. Eng. bot. 706.
Prunus Cerasus. p. 134.				

To this genus also belongs *Prunus Chicasa*, *hyemalis*, *depressa*, *Susquehannæ*, *pumila*, *pygmæa*, *persicifolia*, *nigra*, *pensylvanica*, *borealis*, *duracina*, *macrophylla*, *avium*, *semperflorens*, *pendula*, *chamæcerasus*, *fruticosa*, *Mahaleb*, *paniculata*, *japonica*, *Laurocerasus*, *caroliniana*, *lusitanica*, *occidentalis*, *sphærocarpa*, *serotina*, *virginiana*, *rubra*, and *Padus*. p. 133 and 134.

POMACEÆ. p. 134.

MESPILUS. 134.	MESFILUS.	<i>Mespilus et Cratægus.</i>	DC.	
38 mexicana. DC.	Mexican.	Mexico.	1824.	G. h.
39 prunifolia. DC.	Plum-leaved.	N. America.	1812. 5. 6.	H. h.
40 ovalifolia. DC.	oval-leaved.	—————	H. h.
41 Poiretiana. DC.	Poiret's.	H. h.
42 florentina. DC.	Florentine.	Italy.	1824.	H. h.
43 orientalis. DC.	oriental.	Levant.	—	5. 6. H. h.
44 heterophylla. DC.	various-leaved.	N. America.	1818. —	H. h.
COTONEASTER. 135.	COTONEASTER.			
tomentosa. DC.	Quince-leaved.	Europe.	1759. 4. 5.	H. h.
tomentosa. L.T. et <i>Mespilus eriocarpa.</i>	DC.			
ARONIA. 135.	ARONIA.			
floribunda.	many-flower'd.	5. H. h. Botan. regist. 1006.
<i>Pyrus floribunda.</i>	B.R.			
PYRUS. 135.	PEAR, APPLE, &c.			
34 amygdaliformis. DC.	Almond-like.	France.	1820. 5. 6.	H. h.
35 lanuginosa. DC.	woolly-leaved.	Hungary.	—	H. h.
spuria. DC.	spurious.	Hybrid.	H. h. Moench. weis. t. 6.
hybrida. p. 136.				

ROSACEÆ. p. 136.

DRYAS. 145.	DRYAS.			
2 integrifolia. DC.	entire-leaved.	Greenland.	1824. 4. 8.	H. h. Hook. ex. flor. 220.

ONAGRARIÆ. p. 151.

FUCHSIA. 153.	FUCHSIA.			
virgata.	Colvill's.	Mexico.	1825. 5. 8.	F. h.
VISNEA. W.	VISNEA.	Dodecandria Trigynia.	W.	
Mocanera. w.	Canary.	Canaries.	1815. 8. 12.	G. h.

COMBRETACEÆ. p. 153.

COMBRETUM. 153.	COMBRETUM.			
8 elegans. K.S.	elegant.	S. America.	1823.	S. h. Aub. gui. 1. t. 137.
laxum. Aub. nec aliorum.				
9 farinosum. K.S.	mealy-leaved.	Mexico.	—	S. h.
TERMINALIA. 153.	TERMINALIA.			
14 Fatræa. Boj.	Madagascar.	Madagascar.	1826.	S. h.
madagascarensis. s.s.	<i>Mirobolanus Fatræa.</i>	Poir.		

LOASEÆ. p. 154.

BLUMENBACHIA. insignis. B.F.G.	BLUMENBACHIA. elegant.	Polyandria Monogynia. Chili.	1826. 7. 10. H. ☉.	Swt. br. fl. gar. 171.
--------------------------------	------------------------	------------------------------	--------------------	------------------------

PHILADELPHEÆ. D. Don.

To this order belongs *Philadelphus*. p. 155.

MYRTACEÆ. p. 155.

LEPTOSPERMUM. 155.	LEPTOSPERMUM.			
23 thymifolium. F.T.	Thyme-leaved.	N. S. W.	1823.	G. h.
24 multicaule. F.T.	many-branch'd.	_____	_____ G. h.
CALLISTEMON. 155.	CALLISTEMON.			
9 microphyllum. ♀.	small-leaved.	N. Holland.	1825.	G. h.
10 formosum. ♀.	handsome.	_____	_____ G. h.
MELALEUCA. 155.	MELALEUCA.			
31 tenuifolia. ♀.	slender-leaved.	N. Holland.	1825.	G. h.
TRISTANIA. 156.	TRISTANIA.			
6 persicæfolia. F.T.	Peach-leaved.	N. S. W.	1824.	G. h.
BILLOTIA. Colla. acerosa. Colla.	BILLOTIA. Polyadelphia Polyandria. needle-leaved.	N. Holland.	1820. 6. 9. G. h.	Coll. hort. rip. t. 23.
CALOTHAMNUS. 156.	CALOTHAMNUS.			
clavatus. ♀.	club-leaved.	N. Holland.	1825.	G. h.
BÆCKEA. 156.	BÆCKEA.			
6 gracilis. F.T.	slender.	N. S. W.	1824.	G. h.
7 ramosissima. F.T.	branching.	_____	_____ G. h.
METROSIDEROS. 156.	METROSIDEROS.			
7 aspera. ♀.	rough.	N. Holland.	1824.	G. h.
8 capitata. L.T.	headed.	N. S. W.	_____ G. h.
EUDESMIA. Br. tetragona. Br.	EUDESMIA. Polyadelphia Polyandria. S.S. four-sided.	N. Holland.	1824.	G. h.
CALYTRIX. 157.	CALYTRIX.			
3 ericoides. F.T.	Heath-like.	N. S. W.	1823.	G. h.
LECYTHIS. 158.	LECYTHIS.			
3 grandiflora. s.s.	large-flowered.	W. Indies.	1822.	S. h. Aub. gui. 2. t. 283.
4 amara. s.s.	bitter.	Guiana.	_____ S. h. _____ 2. t. 286.
5 Idatimon. s.s.	glandular-peduncled.	_____	_____ S. h. _____ 2. t. 289.
6 parviflora. s.s.	small-flowered.	_____	_____ S. h.
7 minor. s.s.	smaller.	S. America.	1823.	S. h.

MYRTACEIS AFFINE.

CAREYA. R.C.	CAREYA. Monadelphia Polyandria.			
1 sphærica. H.B.	spherical.	E. Indies.	1823.	S. h.
2 arborea. H.B.	tree.	_____	_____ S. h. Roxb. corom. ic.
3 herbacea. H.B.	herbaceous.	_____	1808. 7. 8. S. 4.	_____ 3. t. 217.

MELASTOMACEÆ. p. 159.

MELASTOMA. 159.	MELASTOMA.			
11 villosa. B.M.	villous.	1820. 5. 8. S. h.	Botan. magaz. 2630.

CUCURBITACEÆ. p. 161.

FEUILLÆA. B.M.	FEUILLÆA. Diœcia Pentandria.			
pedata. B.M.	pedate-leaved.	E. Africa.	1825. 6. 8. S. 4. ~.	Botan. magaz. 2681.

FICOIDEÆ. p. 162.

MESEMBRYANTHEMUM. FIG-MARYGOLD.				
292 albinotum. H.P.	keeled, white-dotted.	C. B. S.	1823. 9.	G. 4.
293 albipunctum. H.P.	small-keeled.	_____	_____	G. 4.

294 ermininum. H.P.	Ermine-chop.	C. B. S.	1823.	5.	G. 4.
295 agninum. H.P.	lamb's-chop.	_____	1824.	—	G. 4.
296 inconspicuum. H.P.	small-fl'd. rigid.	_____	1822.	6. 10.	G. 4.
297 luteum. H.P.	upright yellow.	_____	—	—	G. 4.
298 luteolum. H.P.	small yellow.	_____	—	—	G. 4.
299 clandestinum. H.P.	minute-flg.	_____	—	5. 8.	G. 4.
300 lepidum. H.P.	pretty white.	_____	—	8.	G. 4.
301 subcompressum. H.P.	slender upright.	_____	1825.	6.	G. 4.
β minus. H.P.	smaller.	_____	—	—	G. 4.

ARALIACEÆ. p. 193.

CUSSONIA. 193.	CUSSONIA.	•			
triptera. Col.	tripterous.	C. B. S.	1816.	G. 4. Col. h. rip. t. 26.

LOPHIREÆ. G. Don. next to Rhizophoreæ.

LOPHIRA. S.S.	SCRUBBY OAK.	Icosandria Monogynia. S.S.			
alata. s.s.	winged.	Sierra Leone. 1822.	S. 4.	

RUBIACEÆ. p. 196.

GARDENIA. 197.	GARDENIA.				
propinqua. B.R.	strong-spined.	1816.	5. 8.	S. 4. Botan. regist. 975.
AZIMA. Lam.	AZIMA. Tetrandria Monogynia.				
tetracantha. P.S.	four-spined.	E. Indies.	1758.	7.	S. 4. L'Herit. st. nov. 1. t. 1.
Monetia barlerioides. W.					
CEPHÆLIS. 200.	CEPHÆLIS.				
4 involucrata. s.s.	large-bracted.	Guiana.	1824.	S. 4. Aub. gui. 1. t. 64.
Carapichea gujanensis. Aub.					
5 violacea. s.s.	violet-bracted.	_____	—	S. 4. Aub. gui. 1. t. 60.
Tapogomea violacea. Aub.					
PÆDERIA. 200.	PÆDERIA.				
Lingun. Boj.	tongue.	Madagascar. 1823.	S. 4.	

COMPOSITEÆ. p. 206.

COREOPSIS. 237.	COREOPSIS.				
grandiflora. B.F.G.	large-flowered.	N. America.	1826.	8. 9.	H. 4. Swt. br. fl. gar. 175.
HELIOPSIS. 235.	HELIOPSIS.				
2 lævis.	smooth.	Mexico.	1825.	8. 9.	H. 4.
3 helianthoides.	roughish.	N. America.	1714.	7. 10.	H. 4. L'Herit. stirp. t. 45.
Buphthalmum helianthoides. L.					
4 scabra. s.s.	rough-leaved.	_____	—	H. 4.
VERBESINA. 235.	VERBESINA.				
13 atriplicifolia. Col.	Atriplex-ld.	Trinidad.	1822.	9. 11.	S. 4. Coll. hort. rip. t. 31.
TAGETES. 233.	TAGETES.				
10 glandulifera. Schr.	glanduliferous.	Mexico.	1826.	10. 11.	G. 4.
CHRYSANTHEMUM. 245.	CHRYSANTHEMUM.				
sinense. p. 245.	Chinese.	China.	1824.	10. 12.	H. 4.
ζζ chrysocomum.	tasselled yellow.	_____	—	—	H. 4.
ηη Waratah.	yellow Waratah.	_____	—	—	H. 4.
θθ Sabini.	golden Lotus.	_____	—	—	H. 4.
ι ι chryseides.	double indian yellow.	_____	—	—	H. 4.
κκ Parkii.	Park's small yellow.	_____	—	—	H. 4.
λλ pallens.	semidouble quill'd pale orange.	_____	—	—	H. 4.
μμ stamineum.	pale buff.	_____	—	—	H. 4.
νν mutabile.	changeable pale buff.	_____	—	—	H. 4.
ξξ bicolor.	two-coloured incurv'd.	_____	—	—	H. 4.
οο versicolor.	two-colour'd red.	_____	—	—	H. 4.
ππ stellatum.	starry purple.	_____	—	—	H. 4.
ρρ ornatum.	tasselled lilac.	_____	—	—	H. 4.
σσ fulvescens.	brown purple.	_____	—	—	H. 4.
ττ rubicundum.	early blush.	_____	—	—	H. 4.
υυ blandum.	blush.	_____	—	—	H. 4.
φφ leucanthum.	double indian white.	_____	—	—	H. 4.

GOODENOVIEÆ. p. 248.

GOODENIA. 248.	GOODENIA.			
gracilis. B.C.	slender.	N. Holland. 1824.	5. 8. G. h.	Lodd. bot. cab. 1032.
DAMPIERA. 249.	DAMPIERA.			
2 ovalifolia. B.P.	oval-leaved.	N. S. W. 1823.	5. 9. G. h.	

GESNEREÆ. p. 252.

SINNINGIA. B.R.	SINNINGIA.	Didynamia Angiospermia.		
Helleri. B.R.	Heller's.	Brazil. 1824.	6. 8. S. h.	Botan. regist. 997.
GLOXINIA. 252.	GLOXINIA.			
3 hirsuta. B.R.	hairy.	Brazil. 1825.	5. 8. S. 4.	Botan. regist. 1004.

EPACRIDEÆ. p. 266.

Sect. I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. 266.	DRACOPHYLLUM.			
2 secundum. B.P.	long-reflex-ld.	N. S. W. 1824. G. h.	
3 longifolium.	long-leaved.	— — — — — G. h.	
PONCELETIA. B.P.	PONCELETIA.	Pentandria Monogynia. S.S.		
sprengelioides. B.P.	Sprengelia-like.	N. S. W. 1826. G. h.	
COSMELIA. B.P.	COSMELIA.	Pentandria Monogynia.		
rubra. B.P.	red-flowered.	N. Holland. 1826. G. h.	
LYSINEMA. 266.	LYSINEMA.			
3 pentapetalum. B.P.	five-petaled.	N. Holland. 1826. G. h.	
EPACRIS. 266.	EPACRIS.			
9 mucronulata. B.P.	pointed.	V. Diem. Isl. 1824. G. h.	
10 ruscifolia. B.P.	Ruscus-leaved.	— — — — — G. h.	
11 heteronema. B.P.	hairy-branch'd.	— — — — — G. h.	Labil. n. holl. 1. t. 56.
12 sparsa. B.P.	scattered.	N. S. W. 1825. G. h.	
13 onosmæflora. F.T.	Onosma-fl'd.	— — — — — 1823.	5. 8. G. h.	
14 apiculata. F.T.	pointed.	— — — — — G. h.	

Sect. II. STYPHELIAÆ.

ACROTRICHE. B.P.	ACROTRICHE.	Pentandria Monogynia..		
1 cordata. B.P.	heart-leaved.	N. Holland. 1825. G. h.	Labil. n. hol. 1. t. 63.
2 divaricata. B.P.	divaricate.	N. S. W. 1822.	... G. h.	
MONOTOCA. 267.	MONOTOCA.			
3 albens. B.P.	white-leaved.	N. S. W. 1823. G. h.	
4 scoparia. B.P.	Broom.	— — — — — G. h.	
LEUCOPOGON. 267.	LEUCOPOGON.			
1 appressus. B.P.	pressed-leaved.	N. S. W. 1824. G. h.	
2 setiger. B.P.	bristle-pointed.	— — — — — G. h.	
3 striatus. B.P.	striated.	N. Holland. — G. h.	
4 collinus. B.P.	hill.	V. Diem. Isl. 1822.	5. 6. G. h.	
5 ericoides. B.P.	heath-leaved.	N. Holland. 1815.	4. 7. G. h.	Cavan. ic. 4. t. 347. f. 11.
LISSANTHE. 267.	LISSANTHE.			
3 sapida. B.P.	recurved-racemed.	N. S. W. 1823. G. h.	
4 ciliata. B.P.	fringed.	V. Diem. Isl. — G. h.	
CYATHODES. 267.	CYATHODES.			
2 oxycedrus. B.P.	linear-leaved.	V. Diem. Isl. 1822.	5. 8. G. h.	Labil. n. hol. 1. t. 69.
MELICHRUS. B.P.	MELICHRUS.	Pentandria Monogynia.		
1 medius. F.T.	middle.	N. S. W. 1823.	5. 8. G. h.	
2 rotatus. B.P.	rotate-flow'r'd.	— — — — — 1822.	— G. h.	Cavan. ic. 4. t. 349. f. 11.
ASTROLOMA. 267.	ASTROLOMA.			
2 denticulatum. B.P.	tooth-leaved.	N. Holland. 1825. G. h.	
STYPHELIA. 267.	STYPHELIA.			
6 læta. B.P.	fruitful.	N. S. W. 1822. G. h.	
7 adscendens. B.P.	ascending.	V. Diem. Isl. — G. h.	

PENÆACEÆ.

PENÆA. R.S.	PENÆA.	Tetrandria Monogynia. R.S.		
1 myrtoides. w.	Myrtle-like.	C. B. S. 1816.	5. 7. G. h.	

2 fruticulosa. w.	blunt-leaved.	C. B. S.	1822.	5. 7.	G. h.	
3 mucronata. R.S.	sharp-pointed.	————	1787.	—	G. h.	Venten. malm. t. 87.
4 squamosa. R.S.	scaly.	————	—	—	G. h.	Botan. regist. 106.
5 Sarcocolla. R.S.	rhomb-leaved.	————	1816.	—	G. h.	Pluk.mant.t.446.f.6.
6 marginata. R.S.	thick-edged.	————	—	—	G. h.	

OLEINÆ. p. 270.

OLEA. 271.	OLIVE & PHILLYREA.					
21 robusta.	large Phillyrea. E. Indies.	1818.	S. h.		
<i>Phillyrea robusta. F.I.</i>						

APOCINÆÆ. p. 273.

PLUMERIA. 275.	PLUMERIA.					
20 Cowani. D.D.	Cowan's.	Mexico.	1824.	5. 8.	S. h.	
CRYPTOLEPIS. Br.	CRYPTOLEPIS.	Pentandria Monogynia.				
elegans. L.C.	elegant.	E. Indies.	1823.	S. h. ~.	

ASCLEPIADEÆ. p. 276.

OXYPETALUM. Br.	OXYPETALUM.	Pentandria Digynia.				
appendiculatum. Mar.	appendaged.	Brazil.	1824.	S. h. ~.	Mart. n. pl. bras. t. 30.

GENTIANÆÆ. p. 280.

VOHIRIA. R.S.	VOHIRIA.	Pentandria Monogynia. R.S.				
1 rosea. R.S.	rose-colour'd.	Guiana.	1822.	6. 8.	S. 4.	Aub. gui. 1. t. 83. f. 1.
MITRASACME. 282.	MITRASACME.	Tetrandria Digynia.				
3 serpyllifolia. B.P.	creeping.	N. S. W.	1826.	G. 4.	

SESAMEÆ. p. 285.

MARTYNIA. 285.	MARTYNIA.					
4 lutea. B.R.	yellow.	S. America.	1824.	7. 9.	H. ☉.	Botan. regist. 934.

CONVOLVULACEÆ. p. 286.

IPOMÆA. 287.	IPOMÆA.					
pubibunda.	blush-flowered.	W. Indies.	1825.	7. 10.	S. ☉.	Botan. regist. 999.
CALYSTEGIA. B.P.	CALYSTEGIA. p. 287.					
9 marginata. B.P.	margin'd.	N. S. W.	1824.	7. 8.	H. 4.	

SOLANÆÆ. p. 295.

DATURA. 297.	THORN-APPLE.					
11 guayaquilensis. K.S.	Guayaquil.	S. America.	8. 10.	H. ☉.	
SOLANDRA. 302.	SOLANDRA.					
oppositifolia.	opposite-leav'd.	W. Indies.	1824.	S. h.	
! CODON. W.	CODON. Decandria Monogynia. W.					
Royeni. w.	prickly.	C. B. S.	1801.	9.	G. ♂.	Andr. reposit. 325.

SCROPHULARINÆ. p. 302.

RHINANTHUS. 307.	YELLOW-RATTLE.					
3 major. E.F.	larger.	England.	6. 8.	H. 4.	
VERONICA. 308.	SPEEDWELL.					
101 falcata. Mart.	falcate-leaved.	1820.	6. 7.	H. 4.	
102 melancholica. Df.	melancholy.	—	—	H. 4.	
103 Stephaniana. R.S.	Stephan's.	Persia.	1821.	—	H. 4.	
104 præalta. R.S.	lofty.	1817.	—	H. 4.	
105 grandis. F.	large white.	Siberia.	1826.	—	H. 4.	
106 confusa. R.S.	confused.	1819.	—	H. 4.	
107 corymbosa. R.S.	corymbose.	1817.	—	H. 4.	
108 incarnata. G.D.	flesh-coloured.	—	H. 4.	

109	carnea. Ræu.	pale red.	—	H. 4.	
110	leucantha. F.	white-flowered.	Siberia.	1824.	—	H. 4.	
111	Wormskioldii. R.S.	Wormskiold's.	Greenland.	1819.	—	H. 4.	
112	cretica. R.S.	Cretan.	Crete.	—	5. 6.	H. 4.	
113	microphylla. W.K.	small-leaved.	Hungary.	1824.	4. 5.	H. 4.	
114	caroliniana. Poir.	Carolina.	Carolina.	1821.	6. 7.	H. 4.	
115	tenuifolia. Stev.	fine-leaved.	Iberia.	1821.	6.	H. 4.	
116	Tournefortii. Vil.	Tournefort's.	France.	—	5. 6.	H. 4.	
117	pilosa. W.	pilose.	Bohemia.	1819.	—	H. 4.	
118	acutiflora. Lap.	acute-flowered.	France.	1821.	—	H. 4.	
119	petræa. Stev.	Caucasean rock	Caucasus.	—	—	H. 4.	
120	lamiifolia. Hayn.	Lamium-leav'd.	1825.	—	H. 4.	
121	maxima. Stev.	large.	Caucasus.	1824.	—	H. 4.	
122	pinnatifida. W.	pinnatifid.	1817.	—	H. 4.	
123	amœna. Stev.	fine blue.	Iberia.	1824.	4. 5.	H. 4.	
124	biloba. Vahl.	two-lobed.	—	1819.	—	H. 4.	Buxb. cent. 1. t. 36.

125 *Hamadryfolia*

LABIATÆ. p. 310.

PROSTANTHERA. 315.	PROSTANTHERA.					
5 incisa. B.P.	cut-leaved.	N. S. W.	1825.	G. h.	

VERBENACEÆ. p. 322.

PETRÆA. p. 323.	PETRÆA.					
3 erecta. L.C.	upright.	S. America.	1824.	S. h.	

AMARANTHACEÆ. p. 335.

OPLOTHECA. N.	OPLOTHECA.	Pentandria Monogynia.	B.M.			
1 floridana. N.	Florida.	Arkansa.	1823.	8. 10.	H. 4.	Botan. magaz. 2603.
2 interrupta. N.	trailing.	W. Indies.	1733.	7. 10.	S. 4.	Jacq. ic. 1. t. 51.
<i>Gomphrena interrupta.</i> p. 337.						

PROTEACEÆ. p. 345.

PETROPHILA. 346.	PETROPHILA.					
4 teretifolia. B.P.	round-leaved.	N. Holland.	1824.	G. h.	
5 filifolia. B.P.	thread-leaved.	—	—	G. h.	
6 acicularis. B.P.	needle-leaved.	—	—	G. h.	
7 pedunculata. B.P.	peduncled.	—	—	G. h.	
ISOPOGON. 346.	ISOPOGON.					
8 propinquus. ↓.	related.	N. Holland.	1824.	G. h.	
9 polycephalus. B.P.	many-headed.	—	—	G. h.	
10 axillaris. B.P.	axillary.	—	—	G. h.	
ADENANTHOS. B.P.	ADENANTHOS.	Tetrandria Monogynia.				
1 obovata. B.P.	obovate-leaved.	N. Holland.	1824.	G. h.	Labil. n. hol. 1. t. 37.
2 cuneata. B.P.	wedge-leaved.	—	—	G. h.	— 1. t. 36.
3 sericea. B.P.	silky-leaved.	—	—	G. h.	— 1. t. 38.
CONOSPERMUM. B.P.	CONOSPERMUM.	p. 348.				
4 taxifolium. B.P.	Yew-leaved.	N. Holland.	1823.	G. h.	
PERSOONIA. 348.	PERSOONIA.					
10 chamæpitys. F.T.	ground pine.	N. S. W.	1824.	G. h.	
11 scabra. B.P.	rough.	N. Holland.	—	G. h.	
12 nutans. B.P.	nodding-fl'd.	N. S. W.	—	G. h.	
13 pruinosa. ↓.	frosted.	N. Holland.	—	G. h.	
GREVILLEA. 348.	GREVILLEA.					
22 Flindersii. ↓.	Flinders's.	N. Holland.	1823.	S. h.	
23 podocarpifolia.	Podocarpus-ld.	—	—	S. h.	
24 concinna. B.P.	pretty.	—	1824.	S. h.	
25 montana. B.P.	mountain.	N. S. W.	—	G. h.	
26 Baueri. B.P.	Bauer's.	—	—	G. h.	
27 pubescens. H.E.F.	pubescent.	—	1822.	4. 8.	G. h.	Hook. ex. flor. 216.
HAKEA. 349.	HAKEA.					
30 flexilis. B.T.	bending.	N. Holland.	1824.	G. h.	

31 subulata. ψ .	awl-leaved.	N.Holland.	1824.	G. h_2 .
32 petrophiloides. ψ .	Petrophila-like.	————	1825.	G. h_2 .
33 echinata. ψ .	bristly-podded.	————	—	G. h_2 .
34 angustifolia. ψ .	narrow-leaved.	————	1824.	G. h_2 .
35 repanda. ψ .	repand.	————	—	G. h_2 .
36 cucullata. ψ .	hollow-leaved.	————	—	G. h_2 .
LOMATIA. 349.	LOMATIA.				
5 ilicifolia. B.P.	Holly-leaved.	N. Holland.	1824.	G. h_2 .
AGASTACHYS. B.P.	AGASTACHYS.				
odorata. B.P.	sweet-scented.	V. Diem. Isl.	—	G. h_2 .

THYMELEÆ. p. 350.

PIMELEA. 351.	PIMELEA.				
10 filamentosa. L.T.	filamentose.	N. Holland.	1826.	G. h_2 . Linn. trans. 10. t. 14. f. 1.
11 incana. B.P.	hoary.	V. Diem. Isl.	—	4. 8.	G. h_2 .
? TROPHIS. W.	RAMOON-TREE.	Diœcia Tetrandria.	W.		
1 americana. w.	American.	W. Indies.	1789.	4. 5.	S. h_2 . Brown. jam. t. 37. f. 1.
2 aspera. w.	rough-leaved.	E. Indies.	1802.	S. h_2 .

EUPHORBIACEÆ. p. 355.

SARCOCOCCA. B.R.	SARCOCOCCA.	Monœcia Tetrandria.			
coriacea.	leathery.	Nepaul.	1820.	4. 6.	G. h_2 . Botan. regist. 358.
pruniformis. B.R.	Pachysandra coriacea.	H.E.F.	148.		
ACIDOTON. W.	ACIDOTON.	Monœcia Polyandria.	W.		
urens. w.	stinging.	Jamaica.	1793.	S. h_2 . Sloan. j. 1. t. 83. f. 1.
HYÆNANCHE. H.K.	HYÆNA-POISON.	Diœcia Dodecandria.			
globosa. H.K.	Cape.	C. B. S.	1783.	4. 9.	G. h_2 . Lamb. cinch. 52. t. 10.
Toxicodendron capense. w.					
EUCLEA. W.	EUCLEA.	Diœcia Dodecandria.	W.		
1 racemosa. w.	round-leaved.	C. B. S.	1722.	11. 12.	G. h_2 . Jacq. frag. 3. t. 1. f. 5.
2 undulata. w.	wave-leaved.	—	1794.	G. h_2 .
GELONIUM. W.	GELONIUM.	Diœcia Icosandria.	W.		
bifarium. w.	oval-leaved.	E. Indies.	1793.	6. 8.	S. h_2 .
ROTTLERA. W.	ROTTLERA.	Diœcia Icosandria.	W.		
tinctoria. w.	dyer's.	E. Indies.	1810.	S. h_2 . Roxb. corom. 2. t. 168.
TREWIA. W.	TREWIA.	Diœcia Polyandria.	W.		
nudiflora. w.	naked-flower'd.	E. Indies.	1796.	S. h_2 . Rheed. mal. 1. t. 42.

URTICEÆ. p. 361.

BROSIMUM. W.	BREAD-NUT.	Polygamia Diœcia.	W.		
1 Alicastrum. w.	Jamaica.	Jamaica.	1776.	S. h_2 . Sw. fl. ind. oc. 1. t. 1. f. 1.
2 spurium. w.	Milkwood.	—	1789.	S. h_2 .

CONIFERÆ. p. 371.

SALISBURIA. L.T.	SALISBURIA.	Misplaced at p. 370.			
adiantifolia. L.T.	maiden-hair-ld.	Japan.	1754.	4. 5.	H. h_2 . Wats. dend. brit. 168.

Subordo IV. EMPETREÆ. Nuttall.

CERATIOLA. M.	CERATIOLA.	Monœcia Diandria.	N.		
ericoides. M.	Heath-like.	N. America.	1820.	H. h_2 . Pursh. amer. 1. t. 13.
EMPETRUM. W.	EMPETRUM.	Diœcia Triandria.	L.		
1 album. w.	white-berried.	Portugal.	1774.	4. 6.	G. h_2 .
2 nigrum. w.	black-berried.	Britain.	4. 5.	H. h_2 . Eng. bot. 526.

PANDANEÆ. p. 377.

PANDANUS. 377.	PANDANUS.				
sessilis. Boj.	sessile.	Pembu.	1825.	S. h_2 . 3 R 2

ORCHIDEÆ.

BLETIA. 385.	BLETIA.				
guineensis. G.D.	Guinea.	Guinea.	1822.	S. 4.
ONCIDIUM. 386.	ONCIDIUM.				
pubes. B.R.	pubescent.	Brazil.	1824.	3. 4.	S. 4. Botan. regist. 1007.
EULOPHIA. 388.	EULOPHIA.				
streptopetala. B.R.	twisted-petal'd.	S. America.	1822.	12. 6.	S. 4. Botan. regist. 1002.

MELANTHACEÆ. p. 428.

PELIOSANTHES. A.R.	PELIOSANTHES.	Hexandria Monogynia.			
1 humilis. A.R.	small.	E. Indies.	1809.	5. 6.	S. 4. Botan. magaz. 1532.
2 Teta. A.R.	large.	————	1807.	4.	S. 4. ————— 1302.

JUNCEÆ.

XEROTES.	XEROTES.				
echinata. ↓.	bristly.	N. Holland.	1824.	G. 4.

GRAMINEÆ. p. 439.

POA. p. 452.	MEADOW-GRASS.				
mucronata. Beau.	mucronated.	Africa.	1822.	7. 9.	S. 4. Beauv. fl. ow. pl. 4.

Omitted in their proper places.

STACKHOUSEÆ. Brown.

STACKHOUSIA. S.S.	STACKHOUSIA.	Pentandria Trigynia.			
linariifolia. F.T.	Linaria-leaved.	N. S. W.	1823.	G. 4.

BREXIA. p. 65.	BREXIA.	Pentandria Monogynia. S.S.			
1 spinosa. B.R.	spiny.	Madagascar.	1815.	7. 8.	S. 4. Botan. regist. 872.
2 madagascariensis.	Madagascar.	————	————	————	S. 4. ————— 730.
Venana madagascariensis. Lam.					
3 chrysophylla.	golden-leaved.	————	1820.	S. 4.

LAUROPHYLLUS. W.	LAUROPHYLLUS.	Polygamia Diœcia. W.			
capensis. w.	Cape.	C. B. S.	1801.	G. 4.

SCHÆFFERIA. 472.	SCHÆFFERIA.	Diœcia Tetrandria. W.			
completa. w.	white-flowered.	W. Indies.	1793.	S. 4. Lam. ill. t. 809.

PORANTHERA. p. 89.	PORANTHERA.	Pentandria Trigynia.			
ericifolia. L.T.	Heath-leaved.	N. S. W.	1825.	5. 8.	G. 4. Linn. trans. 10. t. 22. f. 2.

RULINGIA. 55.	RULINGIA.				
4 corylifolia. ↓.	Nut-leaved.	N. Holland.	1824.	G. 4.

GERANIUM. 73.	CRANE'S-BILL.				
51 Lambertii. s.G.	Mr. Lambert's.	Nepaul.	1825.	8. 10.	H. 4. Swt. ger. 4. t. 338.

MIRBELIA. p. 475.	MIRBELIA.				
5 Baxteri. ↓.	Baxter's.	N. Holland.	1826.	G. 4.

SCHELHAMMERA. 428.	SCHELHAMMERA.				
multiflora. B.P.	many-flowered.	N. Holland.	1824.	7. 8.	H. 4.

INDEX GENERUM to PART II.

	Page.		Page.		Page.		Page.
ABIETINÆ	372	Aitonia	476	Anchusa	292, 293, 294	Argania	269
Abildgaardia	438	Ajax	407	Andersonia	266	Argyreia	289
Abronia	335	Ajuga	315	Andira	484	Aristea	395
Acacia	483	Ajuga	316	Andrachne	360	Aristida	444
Acacia	482, 483	Albuca	417	Androcera	301	Aristida	444
Acalypha	358	Aldea	295	Androcymbium	428	Aristolochia	353
ACANTHACEÆ	326	Aletris	409	Andromeda	254	Aristotelia	473
Acanthus	326	Aletris	409	Andromeda	254	Aronia	485
Acer	470	Aleurites	359	Andropogon	446	AROIDEÆ	377
Aceras	382	Aleurites	359	Andropogon	446, 447	Arrhenatherum	447
Acerates	279	Alhagi	480	Androsace	330	Artemisia	242
Achillea	244	Alisma	375	Androsace	330	Arthropodium	417
Achillea	241, 242	Alisma	375	Aneilema	430	Artocarpus	362
Achimenes	303	ALISMACEÆ	375	Anemia	460	Arum	379
Achnodonton	441	Allamanda	274	Angelonia	306	Arum	379
Achras	269	Allantodia	462	Angræcum	388	Arundinaria	457
Achyranthes	337	Allionia	335	Anguillaria	428	Arundo	457
Achyranthes	336, 337	Allionia	334	Anguloa	386	Arundo	442, 445, 451, 453, 457
Acianthus	384	Allium	421	Anigosanthos	400	ASARINÆ	353
Acidoton	491	Alnus	368	Anisanthus	396	Asarum	353
Acinos	315	Alnus	368	Anisodus	298	ASCLEPIADEÆ	276
Acnida	340	Aloe	410	Anisomeles	316	Asclepias	279
Aconitum	465	Aloe	411, 412, 413, 423	Anisopetalum	386	Asclepias	279, 280
Acorus	378	Alonsoa	306	Anodonteia	467	Asparagus	423
Acrocomia	432	Alopecurus	441	Anomatheca	396	Asperugo	292
Acrostichum	460	Aloysia	324	Anona	466	ASPHODELEÆ	416
Acrostichum	460	Alpinia	390	Anredera	338	Asphodelus	416
Acrotriche	488	Alpinia	390	ANTHEMIDEÆ	241	Asphodelus	416
Actinocarpus	375	Alsophila	464	Anthemis	243	Aspidistra	378
Actinochloa	455	Alstonia	275	Anthemis	243, 244, 245	Aspidium	461
Adelia	361	Alstrœmeria	408	Antheophora	448	Aspidium	462, 464
Adelia	361	Alternanthera	337	Anthericum	416	Asplenium	462
Adenanthos	490	Alysicarpus	480	Anthericum	416, 417, 418	Asprella	451
Adenocarpus	476	Alyssum	467	Anthistiria	447	Astephanus	280
Adenophora	249	Alyxia	273	Anthocercis	295	Asterolinon	331
Adesmia	478	AMARANTHACEÆ	335	Antholyza	396	Astranthus	473
Adiantum	464		335	Antholyza	396, 397, 398	Astrocaryum	432
Adyseton	467	Amaranthus	335	Anthoxanthum	440	Astrolobium	478
Ægilops	450	AMARYLLIDEÆ	401	Antidesma	361	Astroloma	267, 448
Ægiphila	322		401	ANTIDESMEÆ	361	Athanasia	241
Ægopogon	444	Amaryllis	402	Antirrhinum	303	Atheropogon	447
Aeranthus	388	Amaryllis	401, 403, 404, 405, 406, 422	Antirrhinum	303, 304	Atheropogon	455
Aerides	388	Amasonia	324	Aotus	474	Atraphaxis	312
Aerides	388	Ambrosinia	379	Aphelandra	327	Atriplex	339
Ærua	337	AMENTACEÆ	365	Aphyllanthus	422	Atropa	298
Æschynomene	478	Amerimnum	477	Apicra	413	Atropa	298
Æschynomene	478	Amethystea	310	Apluda	446	Attalea	433
Ætheilema	327	Ammocharis	404	APOCINEÆ	273	Aulax	345
Afzelia	307	Ammyrsine	266	Apocynum	276	Aurinia	467
Agapanthus	409	Amomum	390	Apocynum	280	Avena	452
Agapanthus	421	Amomum	390	Aponogeton	376	Avena	443, 451, 452
Agastachys	491	Amphilophium	284	Arabis	466	Avicennia	326
Agathis	372	Amphipogon	442	Arancaria	372	Axonopus	449
Agati	478	Amsonia	275	Arbutus	253	Axyris	340
Agave	424	Anabasis	338	Arbutus	253	Axyris	340
Agave	424	Anacyllus	243	Arctostaphylos	253	Azalea	264
Agrostis	443	Anagallis	331	Ardisia	268	Azalea	266
Agrostis	442, 443, 445	Anantherix	280	Arduina	273	Azima	487
Agyneja	360	Anarrhinum	303	Areca	432	Babiana	396
Aira	445	Anatherum	447	Arethusa	385	Bactris	433
Aira	445, 451	Anchusa	292	Arethusa	384	Bæckia	486
Airopsis	445			Aretia	330		

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Bæobotrys</i>	268	<i>Borya</i>	361	<i>Calligonum</i>	344	<i>Celastrus</i>	472
<i>Ballota</i>	321	<i>Bosea</i>	340	<i>Callisia</i>	430	<i>Celosia</i>	336
<i>Ballota</i>	321	<i>Bossiaea</i>	475	<i>Callistachys</i>	474	<i>Celosia</i>	336
<i>Balsamita</i>	241	<i>Botryceras</i>	349	<i>Callistemon</i>	486	<i>Celsia</i>	296
<i>Bambusa</i>	457	<i>Botrychium</i>	459	<i>Callitriche</i>	376	<i>Celsia</i>	306
<i>Bambusa</i>	457	<i>Bouteloua</i>	455	<i>Calluna</i>	255	<i>Celtis</i>	364
<i>Banksia</i>	349	<i>Bowiea</i>	411	<i>Calochilus</i>	383	<i>Celtis</i>	364
<i>Baphia</i>	482	<i>Brabejum</i>	348	<i>Calopogon</i>	385	<i>Cenchrus</i>	440
<i>Barbarea</i>	466	<i>Brachypodium</i> ..	456	<i>Calostemma</i>	406	<i>Cenchrus</i> 440, 444, 452	
<i>Barleria</i>	326	<i>Brachypodium</i> ..	455	<i>Calothamnus</i>	486	<i>Cenia</i>	243
<i>Bartholina</i>	382	<i>Brachystelma</i> ..	278	<i>Calotropis</i>	280	<i>Centotheca</i>	452
<i>Bartsia</i>	306	<i>Bradleja</i>	360	<i>Calymenia</i>	334	<i>Centrospermum</i> ..	246
<i>Bartsia</i>	307	<i>Brassavola</i>	387	<i>Calypso</i>	385	<i>Centunculus</i> ..	331
<i>Basella</i>	338	<i>Brassia</i>	386	<i>Calystegia</i> .. 287, 489		<i>Cephaelis</i>	487
<i>Basella</i>	338	<i>Brexia</i>	492	<i>Calytrix</i>	486	<i>Cephalophora</i> ..	241
<i>Bassia</i>	269	<i>Briedelia</i>	360	<i>Camaridium</i>	387	<i>Ceranthera</i>	469
<i>Batschia</i>	291	<i>Briza</i>	454	<i>Camellia</i>	469	<i>Cerasus</i>	485
<i>Beaumontia</i>	275	<i>Brodiaea</i>	410	<i>Cameraria</i>	275	<i>Ceratiola</i>	491
<i>Beckmannia</i>	449	<i>Bromelia</i>	424	<i>Cameraria</i> .. 274, 275		<i>Ceratocarpus</i> ..	340
<i>Befaria</i>	266	BROMELIACEÆ		<i>Campanula</i>	249	<i>Ceratochloa</i>	454
<i>Begonia</i>	341	424	<i>Campanula</i> 249, 251, 331		<i>Ceratophyllum</i> ..	376
BEGONIACEÆ	341	<i>Bromus</i>	456	CAMPANULACEÆ		<i>Ceratosperrum</i> ..	340
<i>Bejaria</i>	266	<i>Bromus</i>	456, 457	249	<i>Cerbera</i>	274
<i>Belamcanda</i>	395	<i>Brosimum</i>	491	<i>Camphorosma</i> ..	340	<i>Cerbera</i>	274
<i>Belis</i>	373	<i>Brossæa</i>	254	<i>Canarina</i>	249	<i>Ceresia</i>	441
<i>Bellevalia</i>	419	<i>Brotera</i>	320	<i>Canavalia</i>	481	<i>Cerithe</i>	291
<i>Bellinia</i>	298	<i>Broughtonia</i>	387	<i>Candollea</i>	465	<i>Ceropegia</i>	278
<i>Berchemia</i>	472	<i>Broussonetia</i>	363	<i>Canna</i>	391	<i>Cestrum</i>	301
<i>Bernhardia</i>	459	<i>Broussonetia</i>	362	<i>Cannabis</i>	364	<i>Ceterach</i>	461
<i>Besleria</i>	252	<i>Browallia</i>	306	CANNEÆ	391	<i>Chætaria</i>	444
<i>Beta</i>	340	<i>Brownea</i>	484	<i>Cantua</i>	286	<i>Chætocalyx</i>	477
<i>Betonica</i>	321	<i>Brucea</i>	474	<i>Capparis</i>	468	<i>Chætospora</i>	437
<i>Betula</i>	368	<i>Brugmansia</i>	297	<i>Capparis</i>	468	<i>Chæturus</i>	442
BETULINÆ	368	<i>Brunfelsia</i>	302	<i>Capraria</i>	302	<i>Chailletia</i>	473
<i>Beurreria</i>	294	<i>Brunnichia</i>	341	<i>Capraria</i>	302	CHAILLETIACEÆ	
<i>Bignonia</i>	283	<i>Brunsvigia</i>	404	<i>Capsella</i>	467	473
<i>Bignonia</i> 273, 283, 284		<i>Brya</i>	482	<i>Capsicum</i>	298	<i>Chamædorea</i>	431
BIGNONIACEÆ	283	<i>Buchnera</i>	306	<i>Caragana</i>	478	<i>Chamæledon</i>	266
<i>Billotia</i>	486	<i>Buchnera</i>	306	<i>Caralluma</i>	278	<i>Chamælium</i> ..	429
<i>Blæria</i>	255	<i>Buddleia</i>	302	<i>Carapa</i>	470	<i>Chamærops</i>	431
<i>Blæria</i>	255	<i>Bulbine</i>	416	<i>Carapichea</i>	487	<i>Chamærops</i>	431
<i>Blandfordia</i>	409	<i>Bulbocodium</i>	428	<i>Cardamine</i>	466	<i>Chamissoa</i>	336
<i>Blandfordia</i>	263	<i>Bumelia</i>	269	<i>Carex</i>	435	<i>Chamissoa</i>	336
<i>Blechnum</i>	463	<i>Buonaparteæ</i> ..	424	<i>Carex</i> 437, 439		<i>Chara</i>	458
<i>Blechnum</i>	463	<i>Buphane</i>	404	<i>Careya</i>	486	CHARACEÆ	458
<i>Blechnum</i>	327	<i>Burchardia</i>	428	<i>Cargillia</i>	270	<i>Cheilanthes</i>	464
<i>Blepharis</i>	326	<i>Burmannia</i>	434	<i>Carissa</i>	273	<i>Chelone</i>	305
<i>Bletia</i>	385, 492	<i>Burtonia</i>	474	<i>Carissa</i>	273	<i>Chenolea</i>	338
<i>Blitum</i>	340	BUTOMEÆ	375	<i>Carludovica</i>	378	CHENOPODEÆ	338
<i>Blumenbachia</i> ..	486	<i>Butomus</i>	375	<i>Carpinus</i>	368	<i>Chenopodium</i> ..	338
<i>Bobartia</i>	395	<i>Buxus</i>	358	<i>Carpopogon</i>	482	<i>Chenopodium</i> 336, 338,	
<i>Bocconia</i>	466	<i>Bystropogon</i> ..	318	<i>Cartonema</i>	430	340
<i>Boehmeria</i>	363	CÆSALPINÆÆ	484	<i>Caruncularia</i> ..	278	<i>Chilochloa</i>	441
<i>Boerhaavia</i>	335	<i>Cæsia</i>	417	<i>Caryota</i>	432	<i>Chiloglottis</i>	384
<i>Boerhaavia</i>	335	<i>Caladium</i>	379	<i>Casearia</i>	473	<i>Chilopsis</i>	283
<i>Boldoa</i>	335	<i>Caladenia</i>	384	<i>Cassia</i>	484	<i>Chimaphila</i>	263
<i>Bonaparteæ</i>	425	<i>Calamagrostis</i> ..	442	CASSIÆÆ	484	<i>Chionanthus</i>	271
<i>Bonatea</i>	382	<i>Calamintha</i>	314	<i>Cassine</i>	473	<i>Chironia</i>	282
<i>Bonnaya</i>	308	<i>Calamus</i>	432	<i>Cassytha</i>	344	<i>Chlidanthus</i>	406
<i>Bonplandia</i>	286	<i>Calanthe</i>	388	<i>Castanea</i>	370	<i>Chloanthus</i>	323
<i>Bontia</i>	326	<i>Calathea</i>	392	<i>Castilleja</i>	307	<i>Chlora</i>	281
BORAGINÆÆ	290	<i>Calceolaria</i>	307	<i>Castilleja</i>	307	<i>Chloraster</i>	408
<i>Borago</i>	294	<i>Caldasias</i>	286	<i>Casuarina</i>	371	<i>Chloris</i>	447
<i>Borago</i>	294	<i>Caleana</i>	385	<i>Catabrosa</i>	445	<i>Chloris</i>	447
<i>Borassus</i>	433	<i>Caleyia</i>	385	<i>Catalpa</i>	283	<i>Chlorophytum</i> ..	417
<i>Borbonia</i>	475	<i>Calla</i>	378	<i>Catasetum</i>	386	<i>Chondrosium</i> ..	455
<i>Borkhausenia</i>	303	<i>Calla</i>	378	<i>Cattleya</i>	387	<i>Chorizema</i>	474
<i>Boronia</i>	471	<i>Callicarpa</i>	323	<i>Cecropia</i>	364	<i>Chrysanthemum</i> 245,	
						487

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Chrysanthemum</i>	245, 246	<i>Cordia</i>	294	CYCADEÆ	374	<i>Desmochæta</i>	336
<i>Chrysiphiala</i>	406	<i>Cordia</i>	295	<i>Cycas</i>	374	<i>Desmodium</i>	478
<i>Chrysophyllum</i>	269	<i>Cordyline</i>	424	<i>Cyclamen</i>	329	<i>Desmoncus</i>	433
<i>Chrysopogon</i>	446	<i>Coreopsis</i>	487	<i>Cyclanthus</i>	378	DETARIEÆ	484
<i>Chrysurus</i>	447	<i>Coris</i>	331	<i>Cyclopia</i>	474	<i>Detarium</i>	484
<i>Cicca</i>	358	<i>Corispermum</i>	340	<i>Cymbaria</i>	303	<i>Dialium</i>	484
<i>Cicendia</i>	282	<i>Cornucopiæ</i>	440	<i>Cymbidium</i>	386	<i>Dianella</i>	423
<i>Ciconium</i>	471	<i>Cornutia</i>	323	<i>Cymbidium</i>	385, 386, 387, 388	<i>Diapensia</i>	263
<i>Cinna</i>	443	<i>Cornutia</i>	323	<i>Cymbopogon</i>	446	<i>Diarrhena</i>	455
<i>Cinna</i>	443	COROLLIFLORÆ	267	<i>Cymburum</i>	324	<i>Diascia</i>	306
<i>Cinnamomum</i>	344	<i>Coronilla</i>	478	<i>Cynanchum</i>	280	<i>Diasia</i>	399
<i>Cipura</i>	394	<i>Cortusa</i>	329	<i>Cynanchum</i>	279, 280	<i>Diastella</i>	347
<i>Cirrhaea</i>	386	<i>Corybas</i>	385	<i>Cynodon</i>	444	<i>Dicerma</i>	480
<i>Cistus</i>	468	<i>Corycarpus</i>	455	<i>Cynoglossum</i>	294	<i>Dichondra</i>	290
<i>Citharexylum</i>	323	<i>Corycium</i>	383	<i>Cynoglossum</i>	293, 294	<i>Dichorisandra</i>	430
<i>Cladanthus</i>	244	<i>Corydalis</i>	466	<i>Cynosurus</i>	454	<i>Dicksonia</i>	464
<i>Cladium</i>	437	<i>Corylus</i>	368	<i>Cynosurus</i>	446, 447	<i>Dicliptera</i>	328
<i>Cladostachys</i>	336	<i>Corynephorus</i>	445	<i>Cypella</i>	394	<i>Diclytra</i>	466
<i>Clematis</i>	465	<i>Corypha</i>	431	CYPERACEÆ	435	<i>Digitalis</i>	305
<i>Cleome</i>	468	<i>Corypha</i>	431	<i>Cyperus</i>	438	<i>Digitaria</i>	444
<i>Cleonia</i>	314	<i>Corysanthes</i>	385	<i>Cyphia</i>	248	<i>Digitaria</i>	444, 445
<i>Clerodendrum</i>	322	<i>Cosmelia</i>	488	<i>Cypripedium</i>	388	<i>Digraphis</i>	445
<i>Clethra</i>	254	<i>Costus</i>	390	<i>Cyrilla</i>	254	<i>Dilatreis</i>	400
<i>Cliftonia</i>	254	<i>Cotoneaster</i>	485	<i>Cyrilla</i>	303	DILLENACEÆ	465
<i>Clinopodium</i>	315	<i>Cotula</i>	243	<i>Cyrtanthus</i>	406	<i>Dillwynia</i>	474
<i>Clitoria</i>	477	<i>Cotula</i>	243	<i>Cyrtanthus</i>	406	<i>Dimacria</i>	470
<i>Clitoria</i>	477	<i>Coulteria</i>	484	<i>Cyrtopodium</i>	386	<i>Dimorpha</i>	484
<i>Cluytia</i>	360	<i>Craniolaria</i>	285	<i>Cyrtostylis</i>	384	<i>Dineba</i>	446
<i>Cobaea</i>	284	<i>Crataeva</i>	468	CYTINEÆ	381	<i>Dinetus</i>	289
COBÆACEÆ	284	<i>Crataeva</i>	468	<i>Cytisus</i>	476	<i>Dioscorea</i>	413
<i>Cochlearia</i>	467	<i>Crepidaria</i>	355	<i>Czackia</i>	416	DIOSCOREÆ	413
<i>Cocos</i>	432	<i>Crescentia</i>	302	<i>Dacrydium</i>	372	<i>Diospyros</i>	270
<i>Codarium</i>	484	<i>Crescentia</i>	302	<i>Dactylanthus</i>	356	<i>Diotis</i>	340
<i>Codon</i>	489	<i>Cressa</i>	290	<i>Dactylis</i>	454	<i>Diplachne</i>	455
<i>Cœlogyne</i>	386	<i>Crinum</i>	404	<i>Dactylis</i>	440, 457	<i>Diplazium</i>	463
<i>Coix</i>	457	<i>Crinum</i>	406	<i>Dactyloctenium</i>	454	<i>Diplolepis</i>	280
<i>Colbertia</i>	465	<i>Crocus</i>	399	<i>Dæmia</i>	280	<i>Diplophyllum</i>	310
<i>Colchicum</i>	428	<i>Crossandra</i>	327	<i>Dais</i>	351	<i>Dipodium</i>	387
<i>Coleanthus</i>	441	<i>Crotalaria</i>	474	DALBERGIEÆ	482	<i>Dirca</i>	350
<i>Colebrookia</i>	324	<i>Crotalaria</i>	474, 476	<i>Dalbergia</i>	477	<i>Disa</i>	383
<i>Colletia</i>	472	<i>Croton</i>	359	<i>Dalea</i>	477	<i>Disandra</i>	306
<i>Collinsonia</i>	312	CRUCIFERÆ	466	<i>Dalechampia</i>	358	<i>Dischidia</i>	279
<i>Colobachne</i>	444	<i>Crypsis</i>	444	<i>Damasonium</i>	374	<i>Disperis</i>	383
<i>Colpodium</i>	443	<i>Cryptandra</i>	472	<i>Damasonium</i>	375	<i>Disporum</i>	428
<i>Columnea</i>	303	<i>Cryptarrhena</i>	388	<i>Dammara</i>	372	<i>Dissolena</i>	274
<i>Colutea</i>	478	<i>Cryptocarya</i>	344	<i>Dampiera</i>	249, 488	<i>Diurus</i>	384
<i>Comandra</i>	352	CRYPTOGAMEÆ	458	<i>Danthonia</i>	451	<i>Dodartia</i>	303
<i>Combretum</i>	485	<i>Cryptolepis</i>	489	<i>Danthonia</i>	451	<i>Dodecatheon</i>	329
<i>Comesperma</i>	469	<i>Cryptostegia</i>	276	<i>Daphne</i>	350	<i>Dolichos</i>	481
<i>Commelina</i>	430	<i>Cryptostylis</i>	384	<i>Darlingtonia</i>	483	<i>Dolichos</i>	481, 482
<i>Commelina</i>	430	<i>Cunila</i>	310	<i>Darwinia</i>	472	<i>Dombeya</i>	285, 372
COMMELINEÆ	430	<i>Cunila</i>	310	<i>Datisca</i>	468	<i>Doodia</i>	463
<i>Comptonia</i>	370	CUPRESSINÆ	372	DATISCEÆ	468	<i>Doryanthes</i>	409
<i>Conanthera</i>	423	<i>Cupressus</i>	372	<i>Datura</i>	297, 489	<i>Dorycnium</i>	476
<i>Conchium</i>	349	<i>Cupressus</i>	372	<i>Datura</i>	297	<i>Dorstenia</i>	364
CONIFERÆ	371	CUPULIFERÆ	369	<i>Daubentonia</i>	478	<i>Draba</i>	467
<i>Connarus</i>	473	<i>Curatella</i>	469	<i>Davallia</i>	464	<i>Dracæna</i>	424
<i>Conospermum</i>	348, 490	<i>Curculigo</i>	401	<i>Daviesia</i>	475	<i>Dracæna</i>	423, 433
<i>Conostylis</i>	400	<i>Curcuma</i>	389	<i>Deeringia</i>	474	<i>Dracocephalum</i>	314
<i>Conostylis</i>	400	<i>Curtisia</i>	473	<i>Delphinium</i>	336	<i>Dracontium</i>	378
<i>Convallaria</i>	415	<i>Cuscuta</i>	290	<i>Dendrobium</i>	465	<i>Dracontium</i>	378
<i>Convallaria</i>	415	<i>Cussonia</i>	487	<i>Dendrobium</i>	387	<i>Dracophyllum</i>	266, 488
CONVOLVULA-		<i>Cyanella</i>	423	<i>Dentaria</i>	467	<i>Drepanocarpus</i>	482
CEÆ	286	<i>Cyanotis</i>	430	<i>Deschampsia</i>	445	<i>Drimia</i>	420
<i>Convolvulus</i>	286	<i>Cyathea</i>	464	<i>Desmanthus</i>	483	<i>Dryandra</i>	350
<i>Convolvulus</i>	287, 289	<i>Cyathodes</i>	267, 488	<i>Desmochæta</i>	337	<i>Dryas</i>	485
<i>Corallorrhiza</i>	385					<i>Dulichium</i>	437
<i>Corbularia</i>	407						

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Dumasia	477	Eriochilus	384	Fritillaria	426	Glycosmis	470
Duranta	324	Eriogonum	343	Fuchsia	485	Gmelina	323
Duvallia	276	Eriophorum	439	Fuirena	439	Gnetum	364
Duvaua	473	Eriophorum	439	Fumaria	466	Gnidia	351
EBENACEÆ ..	270	Eriospermum ..	421	Funkia	409	Gomeza	385
Ebenus	480	Eriostemon	471	Furcrœa	424	Gomeza	386
Eccremocarpus ..	284	Eriostemon	320	Fusanus	352	Gomphocarpus ..	280
Echinaria	451	Erodendrum ..	346	Gagea	418	Gomphocarpus ..	279
Echinochloa ..	448	Erpetion	469	Gagnebina	482	Gompholobium ..	474
Echinopogon ..	445	Ervum	480	Galanthus	408	Gomphrena	337
Echinospermum ..	293	Erysimum	468	Galarhæus	357	Gomphrena	337
Echites	275	Erythraea	281	Galax	263	Gomutus	433
Echites	275	Erythrina	482	Galaxia	396	Gongora	387
Echium	291	Erythronium	427	Galaxia	396	Gonolobus	279
Ehretia	294	Erythrophleum ..	482	Galega	477	Gonostemon	278
Ehrharta	457	Esula	357	Galenia	340	Goodenia	248, 488
Ehrharta	457	Ethulia	241	Galeobdolon	319	Goodenia ..	248, 249
ELÆAGNEÆ ..	353	Euchroma	307	Galeopsis	319	GOODENOVIEÆ	
Elæagnus	353	Euclea	491	Ganymedes	407		248
Elæodendron	472	Eucomis	420	Gardenia	487	Goodyera	383
Elæodendron	269	Eucrosia	406	Gasteria	411	Goodyera	383
Elais	432	Endesmia	486	Gastronema	406	Gouania	472
Elate	432	Eulophia ..	388, 492	Gastridium	441	Gramia	241
Elegia	435	EUONYMEÆ ..	472	Gaudinia	452	GRAMINEÆ ..	439
Eleiotis	480	Euonymus	472	Geissorhiza	399	Grammitis	461
Eleocharis	438	Euosma	282	Gelonium	491	Grangea	243
Elettaria	390	Euphorbia	355	Gelsemium	273	Grangeria	485
Eleusine	454	Euphorbia	355	Genista	484	Gratiola	308
Ellisia	295	EUPHORBIACEÆ		Genista	476	Gratiola	308
Elsholtzia	318		355	Gentiana	280	Grevillea ..	348, 490
Elymus	450	Euphrasia	306	Gentiana	282	Griffinia	404
Elyna	439	Eurycles	406	GENTIANEÆ	280	Gualtheria	253
Elytraria	327	Euryspermum	346	Geodorum	385	Gualtheria	253
Embelia	268	Eustachys	447	Geoffrœa ..	484	Gunnera	364
Emblia	360	Eustegia	280	Geoffroya	484	Guzmannia	425
Embothrium ..	349	Eustoma	282	Geoffroya	484	Gymnadenia	382
Embryopteris ..	270	Eustrephus	423	Geonoma	432	Gymnema	279
Emericia	275	Euterpe	432	Geranium	492	Gymnogramma ..	461
Emex	343	Euthales	248	Gerardia	307	Gymnostachys ..	378
Empetrum	491	Evolvulus	289	Gerardia	307	Gymnostyles	243
Enkianthus	254	Exacum	282	GESNEREÆ ..	252	Gynandropsis ..	468
Enodium	446	Exacum	282	Gesneria	252	Gyrocarpus	345
Entada	482	Excœcaria	361	Gethyllis	408	Gyromia	415
EPACRIDEÆ ..	266	Exocarpos	352	Gethyra	390	Gyrotheca	400
Epacris	266, 488	Fagelia	481	Ghinia	324	Habenaria	382
Epacris	266	Fagus	370	Gilia	286	Habranthus	402
Epaltes	241	Falkia	290	Gilliesia	434	Hæmadictyon ..	275
Ephedra ..	371	Farsetia	467	Gingko	370	Hæmanthus	404
Epidendrum	387	Ferraria	396	Gisekia	337	Hæmanthus	404
Epidendrum 386, 387,		Ferraria	396	Gladiolus	397	HÆMODORACEÆ,	
.....	388	Ferreola	270	Gladiolus 396, 397, 398,			400
Epigæa	264	Festuca	455	399	Hæmodorum	400
Epipactis	384	Festuca 454, 455, 456,		Glaux	331	Hakea	349, 490
Epipactis	384	457	Glechoma	319	Halesia	268
EQUISETACEÆ	458	Feuillæa	486	GLEICHENEÆ	460	Halimodendron ..	478
Equisetum	458	Fibigia	467	Gleichenia	460	Halleria	303
Eragrostis	453	Ficus	361	Globba	389	HAMAMELIDEÆ,	
Eranthemum ..	328	Fieldia	284	Globba	389		371
Eranthemum ..	326	FILICES	459	Globularia	331	Hamamelis	371
Eremurus	416	Fimbristylis	438	GLOBULARIÆ	331	Hamiltonia	352
Eria	387	Flagellaria	434	Gloriosa	427	Hardwickia	484
Erianthus	446	FLUVIALES ..	376	Glossodia	385	Haronga	470
Erica	255	Fontanesia	271	Glossula	383	Harrachia	327
Erica	255, 263	Forskohlea	364	Glottidium	478	Hartogia	473
ERICÆÆ	253	Fothergilla	371	Gloxinia	252, 488	Hastingia	323
Erinus	306	Frasera	281	Glyceria	453	Haworthia	411
Eriocaulon	435	Fraxinus	270	Glycine	476	Hebenstreitia ..	325
Eriocephalus	243	Fraxinus	271	Glycine	481, 482	Hedeoma	310

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Hedychium</i>	390	<i>Humulus</i>	364	<i>Ixia</i>	398	<i>Leiophyllum</i>	266
<i>HEDYSAREÆ</i>	478	<i>Hura</i>	360	<i>Ixia</i> 395 to	399	<i>Lemna</i>	376
<i>Hedysarum</i>	480	<i>Hyacinthus</i>	419	<i>Jacaranda</i>	284	<i>LENTIBULARIÆ</i> ,	329
<i>Hedysarum</i> 477, 478,		<i>Hyacinthus</i> 418, 419,		<i>Jacaranda</i>	283	<i>Leonotis</i>	322
..... 479, 480	 420, 421		<i>Jacksonia</i>	474	<i>Leonurus</i>	321
<i>Heleochloa</i>	444	<i>Hyænanche</i>	491	<i>Jacquinia</i>	268	<i>Lepechinia</i>	315
<i>Helianthemum</i> ..	468	<i>HYDROCHARI-</i>		<i>Janipha</i>	359	<i>Lepidagathis</i> ..	327
<i>Heliconia</i>	392	<i>DEÆ</i>	374	<i>Jasione</i>	251	<i>Lepidium</i>	468
<i>Heliopsis</i>	487	<i>Hydrocharis</i>	374	<i>JASMINÆ</i> ..	272	<i>Lepidosperma</i> ..	437
<i>Heliotropium</i> ..	290	<i>Hydrochloa</i>	453	<i>Jasminum</i>	272	<i>Leptandra</i>	308
<i>Heliotropium</i> 290, 294		<i>Hydroglossum</i>	460	<i>Jatropha</i>	359	<i>Leptanthus</i>	429
<i>Helleborine</i>	382	<i>Hydrolea</i>	286	<i>Jatropha</i>	359	<i>Leptocarpus</i>	435
<i>Hellenia</i>	390	<i>HYDROLEACEÆ</i> ,		<i>Jonesia</i>	484	<i>Leptochloa</i>	454
<i>Helonias</i>	429 286		<i>JUNCAGINÆÆ</i> , 375		<i>Leptomeria</i>	352
<i>Helonias</i>	429	<i>HYDROPHYLLEÆ</i>		<i>JUNCEÆ</i>	433	<i>Leptospermum</i> ..	486
<i>HEMEROCAL-</i>	 295		<i>Juncus</i>	434	<i>Lepturus</i>	447
<i>LIDÆÆ</i>	409	<i>Hydrophyllum</i> ..	295	<i>Juncus</i>	434	<i>Lepyrodia</i>	435
<i>Hemerocallis</i>	409	<i>Hydrophyllum</i> ..	295	<i>Juniperus</i>	372	<i>Lessertia</i>	478
<i>Hemerocallis</i>	416	<i>Hygrophila</i>	326	<i>Justicia</i>	327	<i>Lestibudesia</i>	336
<i>Hemidesmus</i>	276	<i>Hymenocallis</i>	406	<i>Justicia</i> 326, 327, 328		<i>Lettsonia</i>	289
<i>Hemimeris</i>	310	<i>Hymenophyllum</i> 464		<i>Kämpferia</i>	389	<i>Leucadendron</i> ..	345
<i>Hemimeris</i>	306	<i>Hymenophyllum</i> 464		<i>Kalmia</i>	264	<i>Leucadendron</i> ..	347
<i>Hemionitis</i>	460	<i>Hyoscyamus</i>	297	<i>Kennedia</i>	481	<i>Leucas</i>	321
<i>Heritiera</i>	400	<i>Hyoscyamus</i>	297	<i>Kernera</i>	467	<i>Leucojum</i>	408
<i>Herminium</i>	382	<i>Hyperanthera</i> ..	484	<i>Kirganelia</i>	360	<i>Leucopogon</i> 267, 488	
<i>Hermione</i>	408	<i>Hypericum</i>	470	<i>Knappia</i>	443	<i>Leucospermum</i> ..	347
<i>Hernandia</i>	345	<i>Hyphæne</i>	432	<i>Kobresia</i>	437	<i>Licuala</i>	432
<i>Herpestis</i>	305	<i>Hypocalyptus</i> ..	476	<i>Kochia</i>	338	<i>Lidbeckia</i>	243
<i>Hesperantha</i>	399	<i>Hypoestes</i>	328	<i>Kochia</i> .. 338, 339		<i>Lidbeckia</i>	243
<i>Hesperis</i>	468	<i>Hypolæna</i>	435	<i>Kœleria</i>	451	<i>Lightfootia</i>	249
<i>Heteranthemis</i> ..	246	<i>Hypopithys</i>	263	<i>Kœnigia</i>	344	<i>Ligustrum</i>	272
<i>Heteranthera</i>	429	<i>HYPOXIDÆÆ</i> 401		<i>Koniga</i>	467	<i>Lilium</i>	427
<i>Heteranthera</i>	429	<i>Hypoxis</i>	401	<i>Kyllinga</i>	439	<i>Lilium</i>	427
<i>Heteropogon</i>	446	<i>Hyptis</i>	320	<i>LABIATÆ</i>	310	<i>Limnetis</i>	440
<i>Hexaglottis</i>	398	<i>Hyssopus</i>	318	<i>Lablab</i>	481	<i>Limnocharis</i>	375
<i>Hibbertia</i>	465	<i>Hyssopus</i>	320	<i>Lachenalia</i>	419	<i>Limodorum</i> 385, 388	
<i>Hibiscus</i>	469	<i>Iantha</i>	388	<i>Lachenalia</i> 419, 420, 421		<i>Limosella</i>	306
<i>Hierochloe</i>	445	<i>Iberis</i>	468	<i>Lachnanthes</i> ..	400	<i>Linaria</i>	303
<i>Hippeastrum</i> ..	403	<i>Ichnocarpus</i>	275	<i>Lachnæa</i>	351	<i>Lindernia</i>	306
<i>Hippia</i>	243	<i>Ilex</i>	473	<i>Lagetta</i>	350	<i>Lindernia</i>	306
<i>Hippia</i>	243	<i>Ilex</i>	473	<i>Lagonychium</i>	483	<i>Lindsæa</i>	464
<i>Hippion</i>	282	<i>Illecebrum</i> .. 336, 337		<i>Lagurus</i>	445	<i>Linociera</i>	271
<i>Hippocrepis</i>	478	<i>Imbricaria</i>	269	<i>Lamarchia</i>	447	<i>Liparia</i>	475
<i>Hippomane</i>	359	<i>Imperata</i>	446	<i>Lambertia</i>	349	<i>Liparis</i>	384
<i>Hippophae</i>	353	<i>Incarvillea</i> .. 283, 284		<i>Lamium</i>	319	<i>Lippia</i>	325
<i>Hippophae</i>	353	<i>Indigofera</i>	477	<i>Lanaria</i>	400	<i>Lippia</i>	325
<i>HIPPURIDÆÆ</i> 376		<i>Inga</i>	483	<i>Lancisia</i>	243	<i>Liquidambar</i>	370
<i>Hippuris</i>	376	<i>Inga</i>	483	<i>Lantana</i>	324	<i>Lisianthus</i>	282
<i>Hirtella</i>	485	<i>Inocarpus</i>	269	<i>Lapeyrousia</i>	396	<i>Lissanthe</i> .. 267, 488	
<i>Hoarea</i>	470	<i>Ionopsis</i>	388	<i>Lapeyrousia</i>	396	<i>Lissochilus</i>	386
<i>Hoitzia</i>	286	<i>Ipomœa</i> .. 287, 489		<i>Lappago</i>	444	<i>Listera</i>	384
<i>Holcus</i>	447	<i>Ipomœa</i>	289	<i>Larrea</i>	471	<i>Lithospermum</i> ..	290
<i>Holcus</i>	447	<i>Ipomopsis</i>	286	<i>Latania</i>	431	<i>Lithospermum</i> ..	291
<i>Holmskioldia</i> ..	323	<i>Iresine</i>	337	<i>Lathræa</i>	328	<i>Littæa</i>	424
<i>Homeria</i>	395	<i>IRIDÆÆ</i>	393	<i>Lathyrus</i>	480	<i>Littorella</i>	334
<i>Hopea</i>	267	<i>Iris</i>	393	<i>LAURINÆ</i> ..	344	<i>Livistona</i>	431
<i>Hordeum</i>	444	<i>Iris</i> 394, 395		<i>Laurophyllus</i> ..	492	<i>Lobelia</i>	246
<i>Horminum</i>	314	<i>Isachne</i>	449	<i>Laurus</i>	344	<i>Lobelia</i>	248
<i>Hornemannia</i>	306	<i>Isanthus</i>	317	<i>Laurus</i>	344	<i>LOBELIACEÆ</i> 246	
<i>Hosta</i>	323	<i>Ischæmum</i>	447	<i>Lavandula</i>	316	<i>Logania</i>	282
<i>Hottonia</i>	331	<i>Ismene</i>	407	<i>Laxmannia</i>	422	<i>Loiseleuria</i>	266
<i>Houstonia</i>	282	<i>Isochilus</i>	387	<i>Lebeckia</i>	477	<i>Lolium</i>	450
<i>Houttuynia</i>	378	<i>Isœtes</i>	458	<i>Lechenaultia</i> ..	248	<i>Lomandra</i>	433
<i>Hovea</i>	475	<i>Isolepis</i>	438	<i>Lecythis</i>	486	<i>Lomaria</i>	463
<i>Hovenia</i>	472	<i>Isopogon</i> 346, 490		<i>Ledum</i>	266	<i>Lomatia</i>	491
<i>Hoya</i>	278	<i>Isotoma</i>	248	<i>Ledum</i>	266	<i>Lomatophyllum</i> ..	423
<i>Hudsonia</i>	469	<i>Itea</i>	266	<i>Leersia</i>	441	<i>Lonchitis</i>	464
<i>Huernia</i>	278	<i>Itea</i>	254	<i>Leimanthium</i> ..	429		

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Lonchocarpus ..	477	Matricaria	244	Moluccella	322	Nolana ~	2988
Lophiola	400	Mattia	293	Monachne	449	Nolina	4299
Lophira	487	Maurandia	303	Monarda ~	310	Nonea	2922
LOPHIREÆ ..	487	Mauritia	432	Monerma	448	Notelæa	2711
LOTEÆ	475	Maxillaria	387	Monerma	448	Notholæna	4609
Lotus	476	Maximiliana	432	MONOCHLAMY-		Notylia	3868
Lotus	476	Maytenus	472	DEÆ	332	Nuttallia	4699
Lourea	478	Mazus	306	MONOCOTYLE-		NYCTAGINEÆ,	3344
Loureira	361	Medeola	423	DONEÆ	374	Nyctanthes	2722
Lubinia	331	Medeola	415	Monopsis	248	Nycterisition	269
Lucuma	269	Medicago	476	Monotoca ..	267, 488	Nycterium	3011
Ludolfia	457	Medusea	356	Monotropa	264	Nyssa	3522
Ludovia	378	Megaclinium ..	386	Monotropa	263	Obesia	2788
Lumnitzera	313	Megastachya ..	454	MONOTROPEÆ ..	263	Ochrosia	2741
Luzula	434	Melaleuca	436	Moræa	394	Octomeria	3866
Luzuriaga	423	Melampyrum ..	307	Moræa 393,394,395,396		Ocymum	3133
Lycium	301	MELANTHACEÆ		Moringa	484	Ocymum	3133
Lycopersicum ..	299	428	Morisonia	468	Onocarpus	4322
Lycopodium	459	Melanthium	428	Morus	363	Olea	271, 4899
Lycopodium	459	Melanthium 428, 429		Morus	362	Olea	2711
Lycopsis	292	Melasphærulea ..	399	Mozinna	361	OLEINÆ	2700
Lycopsis ..	292, 293	Melastoma	486	Mucuna	482	Olyra	4577
Lycopus	310	Melica	445	Muhlenbergia ..	444	Omphalea	3599
Lycoris	403	Melichrus	488	Murucua	355	Omphalobium ..	4733
LYCOPODIACEÆ		Melinis	444	Musa	392	Omphalodes	2933
.....	459	Melilotus	476	MUSACEÆ ..	392	Oncidium ..	386, 4922
Lygeum	440	Melilotus	476	Muscari	419	Onobrychis	4800
Lygodium	460	Melissa ~	313	Mygalurus	456	Onoclea	4633
Lyonia	254	Melissa	315	Myginda	473	Onoclea	4633
Lyonsia	276	Melittis	315	Mylocaryum	254	Ononis ~	4763
Lyperanthus	385	Melocanna	457	MYOPORINEÆ	325	Onosma	2911
Lysimachia	331	Melodinus	276	Myoporum	325	Onosmodium	2111
Lysinema ..	266, 488	Meniscium	461	Myosotis	293	OPHIOGLOSSEÆ,	
Maba	270	Mentha	318	Myosotis 290, 292, 293		459
Macleaya	466	Menyanthes	282	Myrica	370	Ophioglossum ...	4599
Maclura	362	Menyanthes	282	MYRICEÆ	370	Ophiopogon	4155
Macradenia	386	Menziesia	263	Myristica	345	Ophioxylon ...	2733
Macrobium	484	Mercurialis	335	MYRISTICÆÆ	345	Ophioxylon	2741
Macrotropis	474	Mertensia	364	Myrospermum ..	474	Ophrys	3822
Mæsa	268	Mertensia	460	Myrsine	268	Ophrys 382, 383, 384	
Mairania	253	Mesembryanthemum		Myrsine	268	Ophyostachys ...	4299
Malaxis	385	486	MYRSINEÆ ..	268	Oplismenus	4488
Malaxis	384	Mespilus	485	Myrsiphyllum ..	423	Oplothea	4909
Malpighia	470	Messerschmidia ..	294	Najas	376	Orbea	2763
Mandragora	298	Messerschmidia ..	294	Narcissus	407	ORCHIDEÆ ..	3811
Manglilla	269	Methonica	427	Narcissus	407	Orchis	3811
Manicaria	433	Metrosideros	486	Nardus	439	Orchis	3811
Manisurus	448	Michauxia	249	Nardus	448	Origanum	317
Manna	480	Microcale	282	Narthecium	434	Ormocarpum....	478
Mantisia	389	Microchloa	444	Nemesia	303	Ornithidium	3877
Manulea	306	Microlæna	457	Nemopanthus ..	473	Ornithocephalus	386
Maranta	392	Microloma	280	Nemophila	295	Ornithogalum ...	4177
Maranta	392	Microstylis	385	Neottia	383	Ornithogalum ...	4188
Marattia	460	Microtea	338	Nepenthes	381	Ornithoglossum	4288
Marica	394	Microtis	384	Nepeta	319	Ornus	2711
Marica	395	Miegia	457	Nepeta	314	Orobanche	3288
Mariscus	439	Milium	442	Nepeta	314	OROBANCHEÆ,	
Mariscus	437	Milium ..	442, 449	Nephrodium	462	3288
Marrubium	321	Millingtonia	283	Nerine	403	Orobis	4800
Marsdenia	279	Mimetes	347	Nerium	274	ORONTIACEÆ ..	3777
Marsilea	459	MIMOSEÆ ..	482	Nerium	274	Orontium	3788
MARSILEACEÆ		Mimulus ~	306	Nicandra	298	Orontium	3788
.....	458	Mimusops	269	Nicotiana	297	Orthoceras	3841
Martynia ..	285, 489	Mirabilis	335	Nipa	433	Orthopogon	4488
Martynia	285	Mirbelia ..	475, 492	Nissolia	477	Oryza	4577
Massonia	420	Mirobolanus	485	Nivenia	348	Oryzopsis	4399
Massonia	418	Mitrasacme 282, 489		Noisettia	469	Osmunda	4609
Mathiola	466	Modecca	355			Osmunda 459, 460, 463	

INDEX GENERUM.

	Page.		Page.		Page.		Page.
OSMUNDACEÆ	460	<i>Persea</i>	344	<i>Plectranthus</i>	313	<i>Prismatocarpus</i> ..	251
<i>Ostrya</i>	368	<i>Persea</i>	344	<i>Plectranthus</i>	317	<i>Priva</i>	324
OSYRIDEÆ ..	352	<i>Persoonia</i> ..	348, 490	<i>Plectronia</i>	472	<i>Priva</i>	324
<i>Osyris</i>	352	<i>Petiveria</i>	338	<i>Pleea</i>	433	<i>Proiphys</i>	406
<i>Otanthus</i>	241	<i>Petræa</i> ..	323, 490	<i>Pleopeltis</i>	461	<i>Prosopis</i>	483
<i>Outea</i>	484	<i>Petrophila</i> ..	346, 490	<i>Pleurandra</i>	465	<i>Prostanthera</i> 315,	490
<i>Ovieda</i>	322, 396	<i>Petunia</i>	297	<i>Pleurothallis</i>	386	<i>Protea</i>	346
<i>Oxybaphus</i>	334	<i>Phacelia</i>	295	<i>Pleurothallis</i>	386	<i>Protea</i> 345, 346, 347,	348
<i>Oxycoccus</i>	253	<i>Phalangium</i>	416	<i>Plukenetia</i>	358	PROTEACEÆ	345
<i>Oxypetalum</i>	489	<i>Phalaris</i>	445	PLUMBAGINEÆ ,		<i>Prunella</i>	313
<i>Oxyria</i>	342	<i>Phalaris</i>	441, 445	332	<i>Prunus</i>	485
<i>Oxystelma</i>	280	<i>Pharus</i>	457	<i>Plumbago</i>	333	<i>Psamma</i>	457
<i>Pachidendron</i> ..	410	<i>Phaseolus</i>	481	<i>Plumeria</i> ..	275, 489	<i>Psilotum</i>	459
<i>Pachyrhizus</i>	481	<i>Phayloopsis</i>	327	<i>Poa</i> ..	452, 491	<i>Psilurus</i>	448
<i>Pachysandra</i>	358	<i>Phebalium</i>	471	<i>Poa</i> ..	451, 453	<i>Psophocarpus</i> ..	481
<i>Pæderia</i>	487	PHILADELPHÆÆ ,		<i>Pocockia</i>	476	<i>Psoralea</i>	477
<i>Pæderota</i>	308	486	<i>Podalyria</i>	474	<i>Ptelidium</i>	473
PALMÆ	431	<i>Phillyrea</i> ..	272, 492	<i>Podanthes</i>	278	<i>Pteris</i>	463
<i>Pancratium</i>	406	<i>Philoxerus</i>	337	<i>Podocarpus</i>	371	<i>Pterostylis</i>	385
<i>Pancratium</i> 406,	407	<i>Philydrum</i>	434	<i>Podolobium</i>	474	<i>Pterygodium</i>	385
PANDANÆÆ ..	377	<i>Phleum</i>	441	<i>Podopterus</i>	343	<i>Pueraria</i>	477
<i>Pandanus</i> ..	377, 491	<i>Phleum</i>	441	<i>Podostigma</i>	280	<i>Pulmonaria</i>	291
<i>Panicum</i>	448	<i>Phlomis</i>	321	<i>Pogonia</i>	384	<i>Pulmonaria</i>	291
<i>Panicum</i>	440	<i>Phlomis</i>	322	<i>Pogonia</i>	325	<i>Pultenæa</i>	474
<i>Papaver</i>	466	<i>Phlox</i> ..	285	<i>Pogostemon</i>	318	<i>Pupalia</i>	337
PAPILIONACEÆ ,		<i>Phoenix</i>	431	POLEMONIACEÆ ,		<i>Puschkinia</i>	417
.....	474	<i>Pholidota</i>	388	285	<i>Pycnanthemum</i> ..	317
<i>Pappophorum</i> ..	451	<i>Pholiurus</i>	448	<i>Polemonium</i>	285	<i>Pycnostachys</i> ..	322
<i>Papyrus</i>	439	<i>Phormium</i>	424	<i>Polianthes</i>	409	<i>Pyrethrum</i>	246
<i>Pardanthus</i>	395	<i>Phragmites</i>	457	<i>Pollinia</i>	446	<i>Pyrola</i>	263
<i>Pariana</i>	458	<i>Phryma</i>	314	<i>Polybotrya</i>	464	<i>Pyrola</i>	263
<i>Parietaria</i>	364	<i>Phrynium</i>	391	<i>Polycnemum</i>	340	<i>Pyrularia</i>	352
<i>Paris</i>	415	<i>Phyllanthus</i>	360	<i>Polygala</i>	469	<i>Pyrus</i>	485
<i>Parivoa</i>	484	<i>Phyllanthus</i>	360	<i>Polygonatum</i> ..	415	<i>Pyxidanthera</i> ...	263
<i>Parkia</i>	483	<i>Phyllanthus</i>	360	POLYGONEÆ	341	<i>Queltia</i>	407
<i>Parsonia</i>	275	<i>Phyllolobium</i>	482	<i>Polygonum</i> ..	341	<i>Quercus</i>	369
<i>Paspalum</i>	441	<i>Phylloma</i>	423	<i>Polygonum</i> ..	338, 342	<i>Rafnia</i>	475
<i>Paspalum</i>	441	<i>Phylogyne</i> ..	407, 408	POLYPODIACEÆ		<i>Rajania</i>	413
<i>Passerina</i>	351	<i>Physalis</i> ..	298	460	<i>Ramonda</i>	296
<i>Passerina</i>	351	<i>Phytalephas</i>	377	<i>Polypodium</i> ..	461	RANUNCULACEÆ	
<i>Passiflora</i> ..	354	<i>Phyteuma</i>	251	<i>Polypogon</i>	441	465
<i>Passiflora</i>	355	<i>Phytolacca</i>	337	<i>Polypogon</i>	444	<i>Ranunculus</i>	465
PASSIFLOREÆ	354	PHYTOLACEÆ , 337		<i>Polystachya</i> ..	387	<i>Rauwolfia</i>	273
<i>Patagonula</i>	295	<i>Piaranthus</i>	278	<i>Pomaderris</i>	472	<i>Rauwolfia</i>	273
<i>Patersonia</i>	395	<i>Picotia</i>	293	<i>Poncelletia</i>	488	<i>Ravenalia</i>	392
<i>Pectinaria</i>	276	<i>Picramnia</i>	473	PONTEDEREÆ	429	<i>Renealmia</i>	395
PEDALINÆ ..	284	<i>Pictetia</i>	478	<i>Pontederia</i>	429	<i>Renealmia</i>	390
<i>Pedaliun</i>	284	<i>Pilea</i>	364	<i>Ponthieva</i> ..	383	<i>Reseda</i>	468
<i>Pedicularis</i>	307	<i>Pilularia</i>	458	<i>Populus</i>	367	RESEDACEÆ	468
<i>Pedilanthus</i>	355	<i>Pimelea</i> ..	351, 491	<i>Porana</i>	289	RESTIACEÆ ..	435
<i>Pelargonium</i>	470	<i>Pinguicula</i>	329	<i>Porana</i> ..	289	<i>Restio</i>	435
<i>Pelexia</i>	383	<i>Pinus</i>	373	<i>Poranthera</i> ..	491	<i>Retzia</i>	286
<i>Peliosanthes</i>	491	<i>Pinus</i>	372, 373	<i>Porliera</i>	471	<i>Rhabdochloa</i>	454
<i>Penæa</i>	488	<i>Piper</i>	380	<i>Potamogeton</i> ..	376	<i>Rhagodia</i>	340
PENÆACEÆ ..	488	<i>Piper</i>	380, 381	<i>Potamophila</i> ..	457	<i>Rhamnus</i>	364
<i>Penicillaria</i>	440	PIPERACEÆ ..	380	<i>Pothos</i>	377	<i>Rhapis</i>	431
<i>Pennisetum</i> ..	440	<i>Piptatherum</i>	442	<i>Pothos</i>	378	<i>Rheum</i>	343
<i>Pennisetum</i>	440	<i>Piscidia</i>	478	<i>Pourretia</i>	425	<i>Rhinanthus</i>	307
<i>Penstemon</i>	305	<i>Pisonia</i>	335	<i>Prasium</i>	314	<i>Rhipidodendron</i>	411
<i>Pentzia</i>	241	<i>Pitcairnia</i>	425	<i>Prasophyllum</i> ..	383	<i>Rhododendron</i>	264
<i>Peperomia</i>	380	<i>Planera</i>	364	<i>Premna</i>	323	<i>Rhodora</i>	264
<i>Pergularia</i>	279	PLANTAGINEÆ ,		<i>Prescotia</i>	384	RHODORACEÆ , 264	
<i>Pergularia</i>	275	333	<i>Prestonia</i>	275	<i>Rhopala</i>	349
<i>Periballia</i>	445	<i>Plantago</i>	333	<i>Priestleya</i>	474	<i>Rhus</i>	473
<i>Perilla</i>	318	PLATANEÆ	370	<i>Primula</i>	329	<i>Rhynchosia</i>	481
<i>Periploca</i>	276	<i>Platanthera</i>	382	<i>Primula</i>	330	<i>Rhynchospora</i> ..	437
<i>Periploca</i> ..	276, 280	<i>Platanus</i>	370	PRIMULACEÆ	329	<i>Richardia</i>	378
<i>Perotis</i>	441	<i>Platylobium</i>	474	<i>Prinos</i>	473	<i>Ricinus</i>	359

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Rindera	293	Scheuchzeria ..	375	Soldanella	329	Swertia	281
Ripidium	446	Schinus	473	Soliva	243	Swertia	282
Ripogonum	414	Shisanthes	407	Sophora	474	Syagrus	432
Ritchiea	468	Schismus	445	Sophora	474	Symphytum	291
Rivina	338	Shizæa	460	SOPHOREÆ ..	474	Sympieza	255
Robinia	477, 478	Shizanthus	308	Sorghum	447	Symplocarpus ..	378
Rochelia	293	Schmidtia	441	Sorocephalus ..	348	SYMPLOCINÆ	
Rodriguezia	385	Schœnus	437	Sowerbæa	422	267
Roella	251	Schœnus ..	437, 438	Sparaxis	398	Symplocos	267
Roella	250	Schollera ..	253, 429	Sparaxis	398	Synnotia	398
Rohdea	378	Schotia	484	Sparganium	377	Syntherisma	444
Roscoea	389	Schwenckia	308	Spartina	440	Syringa	272
Rosmarinus	310	Scilla	418	Spatalla	348	Tabernæmontana	274
Rostraria	457	Scilla	416, 419	Spathodea	284	Tacca	379
Rothia	480	Scirpus	438	Sphærospora ..	398	TACCACEÆ ..	379
Rottboellia	447	Scirpus	438	Spielmannia	324	Tacsonia	355
Rottboellia	447	SCITAMINÆ ..	389	Spigelia	282	Tænites	464
Royena	270	Scleria	437	Spinacia	340	Tagetes	487
Rudolphia	482	Sclerochloa	453	Sporobolus	443	Taliera	431
Ruellia	326	Scleroxylum ..	269	Stachys	320	Tamarindus	484
Ruellia	327	Scolopendrium ..	463	Stachytarpheta ..	324	Tamonea	324
Rulingia	492	Scolopendrium ..	461	STACKHOUSEÆ		TAMEÆ	414
Rumex	342	Scoparia	302	492	Tamus	414
Rumex	342, 343	Scopolia	297	Stackhousia	492	Tamus	413
Ruppia	376	Scrophularia	304	Stanleya	468	Tanacetum	241
Ruscus	415	SCROPHULARI-		Stapelia	277	Tanacetum	241
Russelia	303	NÆ	302	Stapelia 276, 277, 278		Tanæcium	302
Sabal	431	Scutellaria	315	Staphylea	472	Tarchonanthus ..	241
Sabbatia	481	Seaforthia	433	STAPHYLEACEÆ		Tasmannia	466
Saccharum	446	Sebæa	282	472	Taxanthema	332
Saccharum	446	Secale	449	Stalice	332	TAXINÆ	371
Sagittaria	375	Secale	449, 450	Stalice	332, 333	Taxodium	372
Sagus	432	Secamone	276	Stegania	463	Taxus	371
SALICEÆ	365	Securinega	361	Stelis	385	Taxus	371
Salicornia	340	Selago	325	Stellera	351	Tecoma	284
Salisburia ..	370, 491	Serapias	382	Stemodia	303	Tectona	324
Salix	365	Serapias	384	Stenanthaera	267	Teedia	303
Salmia	378	Serruria	347	Stenocarpus	349	Telopea	349
Salpianthus	335	Sersalisia	269	Stenochilus	326	Tephrosia	477
Salsola	338	SESAMEÆ	285	Stenomesson	406	Terminalia	485
Salsola ..	338, 339	Sesamum	285	Sternbergia	401	Testudinaria	413
Salvia	310	Sesbania	477	Stilago	361	Tetracera	465
Salvinia	459	Sesbania	478	Stillingia	360	Tetranthera	344
Samara	268	Sesleria	451	Stipa	442	Tetrapogon	449
Samolus	331	Sesleria	451	Stizolobium	483	Tetratheca	469
Sansevieria	409	Setaria	440	Stratiotes	374	Teucrium	316
SANTALACEÆ, 352		Seymeria	307	Strelitzia	392	Thalia	391
Santalum	352	Shepherdia	353	Streptium	324	Thalictrum	465
Santolina	241	Sibthorpia	306	Streptopus	415	Thamnochortus	435
Santolina	241	Sideritis	317	Strophanthus	274	Thelygonum	364
Sapium	359	Sideroxylon	269	Strumaria	404	Thelymitra	384
SAPOTEÆ	269	Sideroxylon 268, 269		Struthiola	351	Thenardia	275
Saracha	298	Sinapis	468	Struthiopteris ...	463	Theophrasta	273
Sarcanthus	388	Sinningia	488	Strychnos	273	Thermopsis	474
Sarcochilus	387	Siphonanthus	322	Stylandra	280	Thesium	352
Sarcococca	491	Siphonia	359	STYLIDÆ	248	Thesium	352
Sarcolobus	279	Sisymbrium	468	Stylidium	248	Thrinax	432
Sarcostemma	280	Sisyrinchium	395	Stypandra	417	Thuja	372
Sarracenia	466	Smeathmannia ..	355	Styphelia ..	267, 488	Thunbergia	326
SARRACENIÆ 466		SMILACEÆ ..	414	Styphelia	267	Thymbra	315
Satureja	317	Smilacina	415	STYPHELIÆ 267		THYMELÆÆ ..	350
Satyrrium	383	Smilax	414	STYRACINÆÆ 267		Thymus	314
Satyrrium ..	382, 383	Smithia	478	Styrax	267	Thymus	314, 315
Saururus	380	Soja	481	Suardia	444	Thysanotus	423
Scævola	248	Solandra	302, 489	Sutherlandia	478	Tiaridium	290
Schæfferia	492	SOLANÆÆ	295	Swartzia	482	Tigridia	396
Schelhammera 428, 492		Solanum	299	SWARTZIÆÆ ..	482	Tigridia	394
Schenodorus	455	Solanum	299, 301	Sweetia	480	Tillandsia	425

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Tithymalus</i>	356	<i>Tripinnaria</i>	302	<i>Vanda</i>	388	<i>Watsonia</i>	397
<i>Tittmannia</i>	306	<i>Triplaris</i>	343	<i>Vanda</i>	388	<i>Westringia</i>	316
<i>Todea</i>	460	<i>Tripsacum</i>	448	<i>Vandellia</i>	306	<i>Whitleya</i>	298
<i>Tofieldia</i>	428	<i>Tripsacum</i>	448	<i>Vanilla</i>	388	<i>Willdenovia</i>	435
<i>Torenia</i>	306	<i>Tristania</i>	486	<i>Varronia</i>	295	<i>Willughbeia</i>	276
<i>Tortula</i>	324	<i>Tristegis</i>	444	<i>Vascoa</i>	475	<i>Windsoria</i>	451
<i>Tournefortia</i>	294	<i>Triticum</i>	449	<i>Velleia</i>	248	WINTEREÆ ..	466
<i>Tournefortia</i> 290, 294		<i>Triticum</i> 449, 450, 456		<i>Veltheimia</i>	409	<i>Witheringia</i>	301
<i>Tourettia</i>	285	<i>Tritoma</i>	409	<i>Ventenatia</i>	248	<i>Witsenia</i>	395
<i>Trachelium</i>	251	<i>Tritonia</i>	398	<i>Veratrum</i>	429	<i>Woodsia</i>	461
<i>Trachynotia</i>	440	<i>Trizeuxis</i>	386	<i>Verbascum</i>	296	<i>Woodsia</i>	464
<i>Tradescantia</i> ..	430	<i>Trochocarpa</i>	267	<i>Verbascum</i>	296	<i>Woodwardia</i> ..	463
<i>Tradescantia</i>	430	<i>Trollius</i>	465	<i>Verbena</i>	325	<i>Wrightia</i>	274
<i>Tragia</i>	361	<i>Tromotriche</i>	277	<i>Verbena</i>	324	<i>Wulfenia</i>	308
<i>Tragopyrum</i>	342	<i>Trophis</i>	491	VERBENACEÆ 322		<i>Wurmbea</i>	428
<i>Tragus</i>	444	<i>Tulbagia</i>	409	<i>Verbesina</i>	487	<i>Xanthochymus</i> ..	470
<i>Treisia</i>	356	<i>Tulipa</i>	426	<i>Veronica</i>	308, 489	<i>Xanthorrhœa</i>	424
<i>Trevirania</i>	303	TULIPACEÆ ..	426	<i>Veronica</i>	308, 310	<i>Xerophyllum</i>	429
<i>Trewia</i>	491	<i>Tupistra</i>	378	<i>Vesicaria</i>	467	<i>Xerotes</i>	433, 492
<i>Tribrachia</i>	386	<i>Turpinia</i>	472	<i>Vestia</i>	297	<i>Xiphidium</i>	400
<i>Trichæta</i>	456	<i>Tylophora</i>	278	<i>Viborgia</i>	476	<i>Xylobium</i>	387
<i>Trichochloa</i>	443	<i>Typha</i>	377	<i>Vicia</i>	480	<i>Xylomelum</i>	349
<i>Trichodesma</i>	294	TYPHINÆ	377	<i>Vieusseuxia</i>	394	<i>Xylophylla</i>	360
<i>Trichodium</i>	442	<i>Ugena</i>	460	<i>Vigna</i>	481	<i>Xyris</i>	435
<i>Tricholæna</i>	446	<i>Ulmus</i>	364	<i>Villarsia</i>	282	<i>Xysmalobium</i>	280
<i>Trichomanes</i>	464	<i>Ulmus</i>	364	<i>Vilmorinia</i>	477	<i>Yucca</i>	426
<i>Trichonema</i>	399	<i>Uniola</i>	454	<i>Vinca</i>	274	<i>Zamia</i>	374
<i>Trichophorum</i> ..	439	<i>Urania</i>	392	<i>Viola</i>	469	<i>Zannichellia</i>	376
<i>Trichorhiza</i>	388	<i>Uraria</i>	479	<i>Visnea</i>	485	<i>Zapania</i>	324
<i>Trichostemma</i> ..	314	<i>Uropetalum</i>	419	<i>Vitex</i>	323	<i>Zea</i>	457
<i>Trichostemma</i> ..	317	<i>Urtica</i>	363	<i>Vitex</i>	323	<i>Zephyranthes</i> ..	481
<i>Tricoryne</i>	417	<i>Urtica</i>	363	<i>Vittaria</i>	463	<i>Zieria</i>	471
<i>Tridens</i>	451	URTICEÆ	361	<i>Vochisia</i>	470	<i>Zietenia</i>	320
<i>Tridentea</i>	277	<i>Utricularia</i>	329	VOCHISIÆ ..	470	<i>Zigadenus</i>	429
<i>Trientalis</i>	331	<i>Uvaria</i>	466	<i>Vohiria</i>	489	<i>Zingiber</i>	389
<i>Trifolium</i>	476	<i>Uvularia</i>	428	<i>Volkameria</i>	322	<i>Zizania</i>	458
<i>Triglochin</i>	375	<i>Uvularia</i> ..	415, 428	<i>Volkameria</i>	322	<i>Ziziphora</i>	310
<i>Trigonella</i>	476	VACCINIEÆ ..	252	<i>Vouapa</i>	484	<i>Zizyphus</i>	472
<i>Trigonina</i>	470	<i>Vaccinium</i>	252	<i>Wachendorfia</i> ..	400	<i>Zizyphus</i>	364
<i>Trillium</i>	415	<i>Vaccinium</i>	253	<i>Wahlenbergia</i> ..	249	<i>Zornia</i>	478
<i>Trimezia</i>	394	<i>Vallaris</i>	275	<i>Walkera</i>	472	<i>Zornia</i>	480
<i>Triodia</i>	451	<i>Vallesia</i>	273	<i>Wallichia</i>	432	<i>Zostera</i>	380
<i>Triodia</i>	451	<i>Vallisneria</i>	374	<i>Wallrothia</i>	323	<i>Zoysia</i>	441
<i>Triphora</i>	384	<i>Vallota</i>	406	<i>Wangenheimia</i> ..	446	<i>Zuccagnia</i>	419

ENGLISH INDEX to PART II.

	Page.		Page.		Page.		Page.
ABELE-TREE ..	367	Bird's-head	386	Chili Pine	372	Feverfew	246
Adam's-needle ..	426	Bird's-nest	384	Chives	421	Fiddle-wood	323
Adder's-tongue..	459	Bird's-tongue....	428	Cinnamon	344	Fig Marygold ..	486
African Almond ..	348	Birthwort	353	Clary	312	Fig-tree	361
African fleabane ..	241	Bitter Vetch	480	Clearing-nut	273	Figwort	304
African Lily	409	Black Bryony ..	414	Club-moss	459	Filbert	368
Air-plant	388	Black Saltwort ..	331	Club-Rush	438	Filmy-leaf	464
Alder	368	Bladder-nut	472	Cock's-comb	336	Fir-tree	373
Alligator-pear ..	344	Bladder-Senna ..	478	Cock's-foot-grass	454	Flat-pea	475
All-seed	339	Blea-berry	252	Cocoa-nut-tree ..	432	Flax-Lily	424
Amaranth	335	Blood-flower	404	Cogwood-tree ..	344	Flower de luce ..	393
Amboy-na-pitch-tree		Bog-rush	437	Colic-root	409	Flowering Ash ..	271
.....	372	Bonace-bark	351	Comfrey	291	Flowering Rush ..	375
American Cowslip	329	Box-thorn	301	Contrajerba-root	364	Fly Ophrys	382
Arbor-vitæ	372	Box-tree	358	Coral-tree	482	Foxglove	305
Archangel	319	Brake	463	Cork-tree	369	Foxtail-grass....	441
Arrow-grass	375	Brazil-Pine	372	Cornflag	397	Friar's-cowl	379
Arrow-head	375	Bread-fruit	362	Cornish moneywort,		Fringe-tree	271
Arrow-root	392	Bread-nut	491	306	Fritillary	426
Asarabacca	353	Brome-grass	456	Costmary	241	Frog-bit	374
Ash-tree	270	Brook-weed	331	Cotton-grass	439	Fumitory	466
Aspen	367	Broom-rape	328	Couch-grass	449	Fustick-wood ..	362
Asphodel	416	Buckbean	282	Cowberry	253	Garden Balsam ..	328
Auricula	330	Buckwheat	342	Cowitch	482	Garland-flower ..	390
Badger-bane	465	Buckwheat-tree ..	254	Cowrie-tree	372	Garlic	421
Balm	313	Bugle	315	Cowslip	329	Germander	309, 316
Balsam-herb	327	Bugloss	292	Cow-wheat	307	German Madwort	292
Balsam of Tolu ..	474	Bulbous Iris	394	Cranberry	253	Gentian	280
Bamboo-cane ..	457	Bur-reed	377	Crane's-bill	492	Ginger	389
Banana-tree	392	Butcher's-broom	415	Crow-foot	465	Glasswort	340
Banyan-tree	362	Butterwort	329	Custard-Apple ..	466	Globe Amaranth ..	337
Barbadoes Lily ..	403	Cabbage-tree ..	432	Cypress	372	Globe-flower	465
Barley	444	Calabash-tree ..	302	Darnel	450	Goatweed	302
Basil	313	Calamint	314	Date-Palm	431	Golden-rod-tree ..	340
Bastard Balm ..	315	Calathian Violet	281	Date-Plum	270	Goose-corn	434
Bastard Cabbage-tree		Calf's-snout	303	Day-Lily	409	Goose-foot	338
.....	484	Camphire-tree ..	344	Deadly-nightshade	298	Grains of Paradise	390
Bastard Mangeneel	275	Canada-Rice	459	Dead-nettle	319	Grape Hyacinth ..	419
Bastard Orpine ..	360	Canary-grass ..	445	Dittany of Crete ..	317	Green-man	382
Bastard Pimpernell		Candleberry-Myrtle		Dock	342	Greek Valerian ..	285
.....	331	370	Dodder	290	Gromwell	290
Bastard Vervain ..	324	Candy-tuft	468	Dog's-bane	276	Ground Ivy	319
Bay-tree	344	Cane-brake	457	Dog's-cabbage ..	364	Ground-Pine ..	316
Bear-berry	253	Canterbury-bells	250	Dog's-tail-grass ..	440	Guinea-grass ..	448
Bear-bind	287	Caper-spurge	357	Dog's-tooth Violet	427	Gum-tree	424
Bear's-breech ..	326	Caper-tree	468	Dragon	378, 379	Hair-grass	445
Bear's-ear Sanicle	329	Cardamon	390	Dragon's-head ..	314	Hard-grass	447, 450
Beast-bane	465	Cardinal-flower ..	247	Dragon-tree	424	Harebell's	418
Beech	370	Carrion-flower ..	277	Duck-weed	376	Hare's-foot-fern ..	464
Bee Ophrys	382	Cascarilla	359	Dumb-cane	379	Hare's-tail-grass	445
Beet	340	Cassava	359	Egg-plant	300	Hart's-tongue ..	463
Belladonna Lily ..	402	Castor-oil-plant..	359	Elastic-gum-tree ..	359	Hassagay-tree ..	473
Benjamin-tree ..	344	Catalpa-tree	283	Elephant's-foot ..	413	Heath	255
Bent-grass	443	Catmint	319	Elm-tree	364	Hedge-hyssop ..	308
Bergamot	318	Cat's-tail	377	English Mercury ..	338	Hedge-nettle ..	320
Bermudas Cedar ..	372	Cat's-tail-grass ..	441	Evening-flower ..	399	Hemp	364
Betony	321	Cat-Thyme	316	Eye-bright	306	Hemp-nettle	319
Bilberry	252	Cedar of Goa	372	Fan-Palm	431	Henbane	297
Bindweed	286	Cedar of Lebanon	373	Feather-grass ..	442	Henbit	319
Birch	368	Chamomile	243	Felwort	281	Herbarota	244
Bird's-eye	330	Chaste-tree	323	Fenugreek	476	Herb-Paris	416
Bird's-foot Trefoil	476	Chestnut	370	Fescue-grass	455	Hogweed	335

ENGLISH INDEX.

Page.		Page.		Page.		Page.	
Holly	473	Malabar-nut	328	Oxeye Daisy	245	Sapota	269
Honeywort	291	Male-fern ..	462, 463	Oxlip	330	Sassafras-tree ..	344
Hooded Milfoil ..	329	Mammee	269	Painted cup	307	Savanna-flower ..	275
Hop	364	Mauchineel-tree ..	359	Palma Christi ..	359	Savory	317
Hop-Hornbeam ..	368	Mandrake	298	Panic-grass	448	Savoy Spiderwort ..	416
Horehound	321	Mangle wurzel ..	340	Paper Mulberry ..	362	Scammony	286
Hornbeam	368	Mango-ginger ..	389	Paper-Rush	439	Scorpion-grass ..	293
Horn of plenty ..	440	Manicot	432	Passion-flower ..	354	Screw-pine	377
Hornwort	376	Maple	470	Patience	343	Scrubby Oak	487
Horse-radish-tree ..	484	Mare's-tail	376	Pear	485	Scunkweed	378
Horse-shoe-Vetch ..	478	Marjoram	317	Pellitory	364	Scurvy-grass	467
Horsetail	459	Marvel of Peru ..	335	Pellitory of Spain ..	243	Sea Buckthorn ..	353
Horsetail-tree ..	371	Mat-grass	439	Pennyroyal	319	Sea Lavender ..	332
Hound's-tongue ..	294	Meadow-grass, 452, 492		Pepper	380	Sea Matweed 380, 457	
Hyacinth	419	Meadow-Rue ..	465	Perriwinkle	274	Sea-side Grape ..	341
Hyæna-poison ..	491	Meadow-Saffron ..	428	Persicaria	341	Sea-side Laurel ..	360
Hyssop	318	Medick	476	Phillyrea ..	272, 489	Sedge	435
Indian corn	457	Medusa's-head ..	356	Physic-nut	359	Self-heal	313
Indian Cucumber ..	415	Melic-grass	445	Pillwort	458	Serpent-wood ..	273
Indian Millet ..	447	Melilot	476	Pimpernell	331	Shallot	421
Indian Shot	391	Mercury	355	Pine Apple	424	Shave-grass	458
Indigo	477	Mexican Lily	402	Pine-tree	373	Sheep's Scabious ..	251
Ipecacuanha-spurge,	357	Mezerion	350	Pipewort	435	Shepherd's-club ..	296
Irish Heath	263	Milfoil	244	Pitcher-plant ..	381	Shepherd's-purse ..	467
Iron-wood	269	Milk-tree	274	Plane-tree	370	Shield-fern	461
Ironwort	317	Milkwood	491	Plantain	333	Shoreweed	334
Jaca-tree	362	Milkwort	469	Plantain-tree	393	Side-saddle-flower ..	466
Jack in a box ..	345	Millet-grass	442	Plum	485	Silver-tree	345
Jacoea Lily	403	Mint	318	Poet's Cassia	352	Skull-cap	315
Jamaica Ebony ..	482	Molucca-balm ..	322	Poison-nut	273	Slipper-spurge ..	355
Jasmine	272	Moneywort	331	Polyanthus	330	Slipper-wort	307
Jerusalem Sage ..	321	Monkey-flower ..	306	Polypody	461	Snakeroot	353
Job's-tears	457	Monk's Basil ..	313	Pond-weed	376	Snake's-beard ..	415
Juniper	372	Monkshood	465	Poplar	367	Snake's-tongue ..	460
Kidney-bean	481	Moonwort	459	Poppy	466	Snake-wood	364
Knot-grass	342	Motherwort	321	Potatoo	299	Snap-dragon ..	303
Lace-bark	350	Mousetail-grass ..	456	Potatoo Onion ..	421	Sneezewort	244
Ladies'-slipper ..	358	Mudwort	306	Primrose	329	Snowdrop	408
Ladies'-traces ..	383	Mugwort	242	Prince's-feather ..	336	Snowdrop-tree ..	268
Lady-fern	462	Mulberry	362	Privet	272	Snowflake	408
Lady's-smock ..	466	Mullein	296	Quaking-grass ..	454	Solomon's-seal ..	415
Lamp-wick	321	Naseberry-tree ..	269	Quillwort	458	Sorrel	343
Larkspur	465	Nepaul Butter-tree ..	269	Ramoon-tree	491	Sorrel-tree	254
Lavender	316	Nettle	363	Rampion	249	Southernwood ..	242
Lavender cotton ..	241	Nettle-tree	364	Red Cedar	372	Spanish Elm	295
Leadwort	333	New Zealand Spruce ..	372	Redtop-grass	451	Spanish nut	394
Leatherwood ..	350	Norfolk Island Pine ..	372	Redwater-tree ..	482	Sparrow-wort ..	351
Leek	421	Nutmeg	345	Reed	457	Speedwell 308, 489	
Lilac	272	Nut-tree	368	Reed-grass	457	Spider Ophrys ...	382
Lily	427	Oak	369	Rhubarb	343	Spiderwort	430
Lily Pink	422	Oat-grass	452	Rice	457	Spinage	340
Lion's-ear	322	Oil-nut	352	Rocambole	421	Spindle-tree	472
Lizard's-tail	380	Oily-grain	285	Rocket	468	Spring-grass	440
Loose-strife	331	Oily-Palm	432	Rock-rose	468	Spurge	355
Lousewort	307	Oleander	274	Rope-grass	435	Spurge Laurel ...	351
Love-Apple	299	Oleaster	353	Rosemary	311	Spurless Violet ..	469
Love-grass	454	Olive	271, 489	Rush	434	Squill	418
Love lies bleeding ..	336	Olive-wood	472	Rush-nut	438	Staff-tree	472
Lungwort	291	One-berry	416	Rye	449	Star-Apple	269
Lychnidea	285	Onion	421	Rye-grass	450	Star of Bethlehem ..	417
Lyme-grass	450	Opera-girls	389	Sage	311	Star of the earth ..	334
Macaw-tree	432	Orache	339	Sago-Palm	432	St. Bruno's Lily ..	416
Maidenhair	464	Osage Apple	362	Saintfoin	480	Stinking Horehound ..	321
Maidenhair-tree ..	370, 491	Otaheite Chestnut ..	269	Salep	379	St. John's-wort ...	470
Malabar Nightshade,	338	Otaheite Myrtle ..	361	Salt-tree	478	Stock	466
		Oxeye	244	Saltwort	338	Storax	267
				Sandal-wood	352	Strawberry-blite ..	340
				Sandbox-tree ..	360		

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Strawberry-tree	253	Throat-wort	251	Virginian Hemp	340	Whortle-berry	252
Sugar-cane	446	Tiger-flower	396	Virginian Silk-tree	276	Wild Basil	315
Sumach	473	Tile-root	399	Virgin's-bower	465	Wild Bugloss	292
Summer Cypress	338	Toad-flax	303	Wall-cress	466	Wild Rosemary	254
Sun Rose	468	Tobacco	297	Wall-rue	462	Willow	365
Swallow-wort	279	Tomato	299	Waratah	349	Winter-berry	473
Sweet-Bay	344	Tongue Aloe	411	Water Horehound	310	Winter-cherry	298, 299
Sweet-flag	378	Toothwort	328, 467	Water-leaf	295	Winter-cress	466
Sweet-grass	453	True-love	416	Water-pepper	342	Winter-green	263, 331
Sweet gum-tree	371	Trumpet-flower	283	Water-Plantain	375	Winter-green-grass	442
Sweet Maudlin	244	Tulip	426	Water-soldier	375	Witch-hazel	371
Sweet Potatoe	288	Tupelo	352	Water Starwort	376	Wooden-pear	349
Tacamahac	367	Turmeric	389	Water-Violet	331	Woodrush	434
Tallow-tree	360	Turnsole	290	Water-weed	376	Woolhead	243
Tamarind	484	Tway-blade	384	Wax Dammar	371	Wormwood	242
Tansy	241	Umbrella-wort	334	Wax-tree	272	Yam	413
Tare	480	Venus'-looking-glass,	251	Welsh Onion	421	Yellow Bird's-nest	263
Tarragon	242		251	Wheat	449	Yellow-rattle	307, 489
Teak-wood	324	Venus' Navelwort	293	White Cedar	372	Yellow-wort	281
Thorn-Apple	297, 489	Vervain	325	White Hellebore	429	Yew-tree	371
Thrift	332	Viper's Bugloss	291	Whitlow-grass	467	Zedoary	389

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Abroma	55	Alsodeia	37	Anthyllis	111, 123	Atragene	3
Abrus	121	ALSODINEÆ	37	Antiphylla	182	Aubletia	59
Abuta	13	Althæa	49	Anychia	176	Aubrietia	20
Abutilon	53	ALYSSINEÆ	20	Aotus	108	Aucuba	94
Acacia	101	Alyssum	21	Apargia	208	Aulaxis	181
Acacia	100, 101	Alyssum	20, 21	Apeiba	59	AURANTIACEÆ	62
Acæna	148	Ambrosia	240	Aphanes	148	Averrhoa	85
Acarna	216	AMBROSIACEÆ		Aphelexis	223	Ayenia	55
Acer	68		240	Apios	121	Baccharis	220
Acer	68	Amelanchier	135	Apios	121	Baccharis	220
Aceratium	60	Amellus	227	Apium	187	Bactrylobium	104
ACERINEÆ	68	Amellus	227	Aquilegia	6	Bæckia	156
Achania	50	Amerimnum	131	ARABIDEÆ	17	Balanites	88
Achyrophorus	212	Amerimnum	132	Arabis	19	Balbisia	235
Acicarpa	205	Ammannia	151	Arabis	20	BALSAMINEÆ	85
Aciotis	160	Ammi	190	Arachis	114	Balsamina	85
Acisanthera	151	Ammi	189	Arachis	129	Baltimora	240
Acmella	234	Ammobium	221	Aralia	193	Banisteria	68
Aconitum	7	Amorpha	121	Aralia	193	BANISTERIEÆ	67
Actæa	9	AMPELIDEÆ	72	ARALIACEÆ	193	Baptisia	107
Actæa	9	Ampelopsis	72	Arctium	213	Baptisia	107
Actinomeris	236	Ampherephis	219	Arctium	215	Barbarea	19
Actinophyllum	193	Amphicarpa	121	Arctotheca	238	Barosma	88
Actinotus	184	AMYGDALINEÆ		Arctotis	239	Barringtonia	159
Adansonia	54		133	Arctotis	238, 239	Barringtonia	159
Adenandra	88	Amygdalus	133	Arenonia	147	Bartonia	154
Adenanthera	105	AMYRIDEÆ	98	Arenaria	46	Baryosma	132
Adenocarpus	112	Amiris	98	Argemone	16	Bastardia	53
Adenostyles	230	Anacampseros	170	Argemone	16	Bauera	183
Adina	199	Anacampseros	179	Armeniaca	133	Bauhinia	106
Adlumia	16	Anacardium	97	Armoracia	22	Beaufortia	156
Adonis	4	Anacardium	97	Arnica	228	Bellidiastrum	228
Adoxa	183	Anagyris	106	Arnica	228	Bellis	228
Adysetum	21	Anastatica	23	Arnopogon	206	Bellium	228
Ægle	62	ANASTATICEÆ	23	Arnoseris	211	Berardia	215
Ægopodium	186	ANCHONIEÆ	27	Aronia	135	BERBERIDEÆ	13
Æschynomene	129	Ancistrum	148	Aronia	135	Berberis	13
Æschynomene	129	Andreoskia	24	Artabotrys	12	Berckheya	238
Æsculus	69	Andromachia	227	Artedia	193	Bergenia	180
Æsculus	69	Androsæmum	63	Ascaricida	219	Bergera	62
Æthionema	26	Andryala	211	Asimina	12	Berrya	59
Æthusa	188	Andryala	210	Aspalathus	109	Berteroia	20
Æthusa	187	Anemone	3	Asperula	200	Bidens	237
Afzelia	72	ANEMONEÆ	2	Asperula	201	Bidens	233
Agathæa	232	Anethum	187	Assonia	57	Biforis	187
Agathosma	89	Anethum	187	Astelma	222	Bigelovia	200
Ageratum	229	Angelica	192	Astelma	222	Billardiera	40
Ageratum	229	Angelica	186, 191, 192	Aster	224	Biophytum	86
Aglaia	62	Angianthus	219	Aster	224, 226	Biscutella	23
Agrimonia	147	Anguria	161	Aster	224, 226	Biserrula	123
Agrimonia	147	Anisum	186	Aster	224, 226	Bivonæa	26
Agrostemma	44	Anneslea	14	Astragalus	122	Bixa	33
Agrostemma	44, 45	Annesia	102	Astragalus	107, 123, 130	BIXINEÆ	33
Ailanthus	100	Anoda	52	Astrantia	184	Blackwellia	132
Aizoon	163	Anoda	52	Astrantia	184	Blakea	159
Alangium	155	Anona	11	Astrapæa	58	Blighia	70
Alchimilla	148	ANONACEÆ	11	Atalantia	62	Bocconia	16
Alcina	239	Antennaria	221	Athamanta	189	Bœbera	233
Alhagi	129	Anthodon	66	Athamanta	189, 190	Boltonia	227
Alliaria	25	Antholoma	66	Athrixia	235	BOMBACEÆ	54
Alomia	229	Anthospermum	201	Atractylis	216	Bombax	54
Alsine	46	Anthriscus	190	Atractylis	216	Bombax	54, 60
ALSINEÆ	45	Anthyllis	114	Atragene	2	Borbonia	109

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Borbonia</i>	111	<i>Calcitrapa</i>	217	<i>Carthamus</i> ..	215, 216	<i>Chondrocarpus</i> ..	185
<i>Borkhausia</i>	210	<i>Calea</i>	234	<i>Carum</i>	186	<i>Chondrosea</i> ..	181, 182
<i>Boronia</i>	89	<i>Calea</i> 220, 233, 234		<i>Carum</i>	186	<i>Chorispora</i>	23
<i>Boscia</i>	32	<i>Caleacte</i>	234	<i>Carya</i>	97	<i>Chorizema</i>	108
<i>Bossiaea</i>	110	<i>Calendula</i>	239	<i>Caryocar</i>	69	<i>Chorizema</i>	108
<i>Boswellia</i>	99	<i>Calepina</i>	29	CARYOPHYLLÆ		<i>Chrysanthellum</i> ..	235
<i>Bouvardia</i>	198	<i>Calinea</i>	10	40	CHRYSOBALANÆ	
<i>Brachylæna</i>	220	<i>Callicoma</i>	183	<i>Caryophyllus</i>	157	133
<i>Brachysema</i>	108	<i>Callisace</i>	188	<i>Casearia</i>	96	<i>Chrysobalanus</i> ..	133
<i>Brasenia</i>	14	<i>Callistachys</i>	107	<i>Cassia</i>	104	<i>Chrysocoma</i>	227
<i>Brassica</i>	27	<i>Callistema</i>	226	<i>Cassia</i>	104	<i>Chrysocoma</i> ..	221, 227
<i>Brassica</i>	25, 29	<i>Callistemon</i>	155	<i>Cassine</i>	95	<i>Chrysosplenium</i> ..	183
BRASSICÆ	27	<i>Callitriche</i>	169	<i>Cassine</i>	95	<i>Chuquiraga</i>	212
<i>Braya</i>	19	<i>Calodendron</i>	88	<i>Cassinia</i>	221	<i>Cicer</i>	128
<i>Brotera</i>	219	<i>Calophaca</i>	113	<i>Cassinia</i>	219	<i>Cicer</i>	128
<i>Brotera</i>	57, 218	CALOPHYLLÆ ..	65	CASSUVIÆ	97	CICHORACÆ ..	206
<i>Brownea</i>	106	<i>Calophyllum</i>	65	<i>Cassuvium</i>	97	<i>Cichorium</i>	212
<i>Brownlowia</i>	59	<i>Calothamnus</i>	156	<i>Castalia</i>	15	<i>Ciconium</i>	84
<i>Brucea</i>	100	<i>Calotis</i>	224	<i>Catananche</i>	212	<i>Cicuta</i>	188
<i>Brunelia</i>	100	<i>Caltha</i>	6	<i>Catesbæa</i>	198	<i>Ciliaria</i>	181
<i>Brunia</i>	96	CALYCANTHA-		<i>Cathartocarpus</i> ..	104	<i>Cimicifuga</i>	9
<i>Brunia</i>	95	CEÆ	132	<i>Caucalis</i>	188	<i>Cimicifuga</i>	9
BRUNIACÆ ..	95	<i>Calycanthus</i>	132	<i>Caucalis</i>	189	<i>Cinchona</i>	197, 198
<i>Bryonia</i>	161	<i>Calycanthus</i>	132	<i>Caulophyllum</i>	14	<i>Cineraria</i>	232
<i>Bryophyllum</i>	179	CALYCIFLORÆ ..	91	<i>Ceanothus</i>	92	<i>Cineraria</i>	232
<i>Bubon</i>	189	<i>Calycotome</i>	112	<i>Ceanothus</i>	92, 93	CINCHONÆ	198
<i>Bubon</i>	192	<i>Calyptranthes</i> ..	158	<i>Cedrela</i>	72	<i>Circæa</i>	151
<i>Bubroma</i>	55	CALYCERÆ ..	205	CEDRELÆ	72	<i>Cirsium</i>	214
<i>Bucida</i>	153	<i>Calyptrion</i>	36	<i>Celastrus</i>	94	<i>Cissampelos</i>	13
<i>Buffonia</i>	45	<i>Calytrix</i>	157	CELASTRINÆ ..	94	<i>Cissus</i>	72
<i>Bulliarda</i>	176	<i>Camelina</i>	25	<i>Centaurea</i>	216	<i>Cissus</i>	72
<i>Bumalda</i>	96	CAMELINEÆ ..	25	<i>Centaurea</i> 213, 214, 215,		CISTINÆ	34
<i>Bunchosia</i>	67	<i>Camellia</i>	61	216, 217, 218	<i>Cistus</i>	34
BUNIADEÆ	30	<i>Camellia</i>	61	<i>Centranthus</i>	203	<i>Cistus</i>	34, 35, 36
<i>Bunias</i>	30	CAMELLIÆ ..	61	<i>Cephalis</i>	200	<i>Citrus</i>	63
<i>Bunias</i>	23, 29	<i>Campylia</i>	75	<i>Cephalanthus</i>	199	<i>Clausenia</i>	62
<i>Bunium</i>	189	<i>Canarium</i>	99	CEPHALANTHÆ ..	199	<i>Claytonia</i>	169
<i>Bunium</i>	189, 190	<i>Canella</i>	65	<i>Cephalotus</i>	148	CLEMATIDÆ ..	11
<i>Bupleurum</i>	185	<i>Canthium</i>	197	<i>Cerastium</i>	47	<i>Clematis</i>	11
<i>Buphthalmum</i>	236	<i>Capnophyllum</i> ..	189	<i>Cerastium</i>	45, 46	<i>Clematis</i>	22
<i>Buphthalmum</i>	235	CAPPARÆ ..	32	<i>Cerasus</i>	134	<i>Cleome</i>	322
<i>Burchellia</i>	197	CAPPARIDÆ ..	31	<i>Ceratocephalus</i> ..	4	<i>Cleome</i>	31, 322
<i>Bursaria</i>	40	<i>Capparis</i>	32	<i>Ceratonia</i>	104	CLEOMÆ	311
<i>Bursera</i>	99	<i>Capparis</i> ..	32, 33	<i>Ceratopetalum</i> ..	183	<i>Cleyera</i>	600
<i>Burtonia</i>	108	CAPRIFOLIACÆ		<i>Ceratosanthes</i> ..	162	<i>Clidemia</i>	1600
<i>Butea</i>	120	194	<i>Cercis</i>	106	<i>Cliffortia</i>	1488
<i>Butonica</i>	159	<i>Caprifolium</i>	195	<i>Cercodia</i>	169	<i>Clitoria</i>	1200
<i>Buttneria</i>	55	<i>Capsella</i>	22	<i>Cereus</i>	171	<i>Clusia</i>	65
BUTTNERIACÆ ..	55	<i>Caragana</i>	125	<i>Cestrinus</i>	215	<i>Clusia</i>	65
<i>Byblis</i>	38	<i>Carapa</i>	72	<i>Chærophyllyum</i> ..	190	CLUSIÆ	655
<i>Byrsonima</i>	67	<i>Cardamine</i>	19	<i>Chærophyllyum</i>	189	<i>Clypeola</i>	211
<i>Byttneria</i>	55	<i>Cardamine</i>	19, 20	<i>Chamænerium</i>	153	<i>Cneorum</i>	99
<i>Cabomba</i>	14	<i>Cardiospermum</i> ..	69	<i>Chaptalia</i>	212	<i>Cnestis</i>	999
<i>Cacalia</i>	230	<i>Cardopatum</i>	218	<i>Cheiranthus</i>	18	<i>Cnidium</i>	1860
<i>Cachrys</i>	187	CARDUACÆ	213	<i>Cheiranthus</i> 19, 20, 24,		<i>Cnicus</i>	2177
<i>Cachrys</i> ..	187, 188, 189	<i>Carduncellus</i>	216	25, 27	<i>Coccocypselum</i> ..	1988
<i>Cacoucia</i>	153	<i>Carduus</i>	213	<i>Cheirinia</i>	24, 25	<i>Coccocypselum</i> ..	1988
<i>Cactus</i>	170	<i>Carduus</i>	214, 215	<i>Cheirostemon</i> ..	54	<i>Cocculus</i>	122
<i>Cactus</i>	171, 172	<i>Carica</i>	162	<i>Chelidonium</i>	16	<i>Cocculus</i>	133
<i>Cadia</i>	106	<i>Carlina</i>	215	<i>Cherleria</i>	47	<i>Cochlearia</i>	222
CÆSALPINÆ	103	<i>Carlina</i> ..	213, 214	<i>Chimonanthus</i> ..	132	<i>Cochlearia</i>	266
<i>Cæsalpinia</i>	105	<i>Carlowizia</i>	216	<i>Chiococca</i>	200	<i>Cœlestina</i>	2299
<i>Cæsalpinia</i>	105	<i>Carmichaelia</i>	121	<i>Chiranthodendron</i> ..	54	<i>Coffea</i>	2000
<i>Cæsulia</i>	219	<i>Carolinea</i>	54	<i>Chitonia</i>	159	<i>Coffea</i>	2000
<i>Cajanus</i>	113	<i>Carpesium</i>	221	CHLENACÆ ..	60	COFFEACÆ	1999
<i>Cakile</i>	23	<i>Carpodontos</i>	64	<i>Chloroxylon</i> ..	72	<i>Colbertia</i>	100
<i>Cakile</i>	30	<i>Carpopogon</i>	119	<i>Chomelia</i>	199	<i>Colletia</i>	922
<i>Calcilinceæ</i>	23	<i>Carrichtera</i>	29	<i>Chondrilla</i>	208	<i>Columellia</i>	2365
<i>Calcitrapa</i>	218	<i>Carthamus</i>	215	<i>Chondrilla</i>	208	<i>Colutea</i>	1244

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Colutea</i>	124	<i>Cucumis</i>	161	<i>Diplopappus</i>	224	<i>Eruca</i>	29
<i>Comaropsis</i>	147	<i>Cucurbita</i>	162	<i>Diplotaxis</i>	29	<i>Erucaria</i>	30
<i>Comarum</i>	145	CUCURBITACEÆ ,	161	<i>Diptera</i>	181	ERUCARIÆ	30
<i>Comarum</i>	147			<i>Dipterix</i>	132	<i>Ervilia</i>	127
COMBRETACEÆ	153	<i>Cullumia</i>	238	<i>Dodonæa</i>	70	<i>Ervum</i>	128
<i>Combretum</i>	153	<i>Cuminum</i>	190	DODONÆACEÆ ..	70	<i>Eryngium</i>	184
<i>Commersonia</i>	55	<i>Cunonia</i>	183	<i>Dolichos</i>	119	<i>Erysimum</i>	25
<i>Comocladia</i>	99	CUNONIACEÆ ..	183	<i>Dolichos</i>	119	<i>Erysimum</i> ..	9, 24, 25
COMPOSITÆ ..	206	<i>Cupania</i>	70	<i>Dombeya</i>	57	<i>Erythrina</i>	120
<i>Conium</i>	190	<i>Cuphea</i>	151	DOMBEYACEÆ ..	57	<i>Erythrolæna</i>	215
<i>Conium</i>	187, 189	<i>Curatella</i>	10	<i>Dondia</i>	184	ERYTHROXYLÆ ,	66
CONNARACEÆ ..	99	<i>Curtogyne</i>	177	<i>Donia</i>	227	<i>Erythroxyton</i>	66
<i>Connarus</i>	99	CUSPARIÆ	90	<i>Doronicum</i>	228	<i>Eucalyptus</i>	156
<i>Conocarpus</i>	154	<i>Cussonia</i>	193	<i>Doronicum</i> ...	227, 228	<i>Euchilus</i>	107
<i>Conringia</i>	25	<i>Cyamus</i>	14	<i>Dorycnium</i>	118	EUCLIDIÆ	23
<i>Conyza</i>	220	<i>Cyanus</i>	217	<i>Draba</i>	21	<i>Euclidium</i>	23
<i>Conyza</i> ..	219, 220, 224	<i>Cyclopia</i>	107	<i>Draba</i>	21, 22	<i>Eugenia</i>	157
<i>Cookia</i>	62	<i>Cydonia</i>	136	<i>Drepania</i>	211	<i>Eugenia</i> ..	157, 158, 159
<i>Copaifera</i>	106	<i>Cylista</i>	121	<i>Drosera</i>	38	<i>Eunymus</i>	95
<i>Corchorus</i>	58	<i>Cyminosma</i>	90	DROSERACEÆ ..	38	EUPATOREÆ	228
<i>Cordilocarpus</i>	30	<i>Cynara</i>	215	<i>Dryas</i>	145	<i>Eupatorium</i>	228
<i>Coreopsis</i>	237	<i>Cynara</i>	215	<i>Dryas</i>	145	<i>Eupatorium</i> ..	221, 229
<i>Coreopsis</i> ..	234, 236, 238	<i>Cynometra</i>	106	<i>Drymaria</i>	45	<i>Euphoria</i>	70
<i>Coriandrum</i>	187	<i>Cysticapnos</i>	16	<i>Drypis</i>	45	<i>Eurya</i>	60
<i>Coriandrum</i>	187	<i>Cytisus</i>	112	<i>Duchesnea</i>	147	<i>Euryale</i>	14
<i>Coriaria</i>	91	<i>Cytisus</i> , 107, 112, 113, 126	126	<i>Duroia</i>	197	<i>Eutaxia</i>	108
CORIARIÆ ..	91	<i>Dahlia</i>	237	<i>Dyssodia</i>	233	<i>Euthamia</i>	227
<i>Corion</i>	187	<i>Dalbergia</i>	131	<i>Ebenus</i>	114	<i>Euzomum</i>	29
<i>Cornus</i>	194	<i>Dalbergia</i>	131	<i>Ecastaphyllum</i> ..	132	<i>Evax</i>	223
<i>Coronilla</i>	128	<i>Dalea</i>	114	<i>Echinophora</i>	184	<i>Evodia</i>	90
<i>Coronilla</i>	128	<i>Dalea</i>	114	<i>Echinops</i>	218	<i>Exostemma</i>	198
<i>Coronopus</i>	26	<i>Dalibarda</i>	145	ECHINOPSIDÆ ..	218	<i>Faba</i>	128
<i>Corræa</i>	89	<i>Dalibarda</i>	147	<i>Eclipta</i>	235	<i>Fabricia</i>	155
<i>Corrigiola</i>	170	<i>Dalrymplea</i>	93	<i>Edwardsia</i>	106	<i>Fabricia</i>	155
<i>Corydalis</i>	17	<i>Daucus</i>	188	<i>Ekebergia</i>	71	<i>Fagara</i>	90
<i>Coscinium</i>	12	<i>Daucus</i>	189	ELÆOCARPEÆ ..	59	<i>Fagonia</i>	87
<i>Cosmea</i>	237	<i>Daviesia</i>	108	<i>Elæocarpus</i>	59	<i>Farsetia</i>	20
<i>Cosmea</i>	237	<i>Decumaria</i>	148	<i>Elæocarpus</i>	60	<i>Farsetia</i>	20
<i>Cossignia</i>	70	<i>Delima</i>	10	<i>Elæodendron</i>	95	<i>Fedia</i>	203
<i>Cotoneaster</i>	135	DELIMACEÆ	10	<i>Elæodendrum</i>	95	<i>Fernelia</i>	198
<i>Cotyledon</i>	178	<i>Delphinium</i>	7	<i>Elaphrium</i>	90	<i>Feronia</i>	62
<i>Cotyledon</i> ..	178, 179	<i>Dentaria</i>	20	<i>Elaterium</i>	161	<i>Ferula</i>	192
<i>Coumarouna</i>	132	<i>Dentella</i>	199	<i>Elatine</i>	45	<i>Ficaria</i>	5
<i>Couroupita</i>	158	<i>Dermasea</i>	181	<i>Elephantopus</i>	219	<i>Ficoideæ</i>	162
<i>Coutarea</i>	198	<i>Desmanthus</i>	100	<i>Elichrysium</i> ..	222, 223	<i>Filago</i>	223
<i>Crambe</i>	30	<i>Dianthus</i>	41	<i>Elodea</i>	63	<i>Flacourtia</i>	33
<i>Crassula</i>	177	<i>Dicera</i>	60	<i>Emilea</i>	230	FLACOURTIANÆ	33
<i>Crassula</i> ..	176, 177, 178, 179	<i>Diclytra</i>	16	<i>Empleurum</i>	89	<i>Flaveria</i>	240
CRASSULACEÆ ..	176	<i>Dictamnus</i>	88	<i>Encelia</i>	235	<i>Flemingia</i>	129
<i>Cratægus</i>	134, 135	<i>Didelta</i>	238	<i>Entada</i>	100	<i>Florestina</i>	233
<i>Cratæva</i>	32	<i>Diervilla</i>	195	<i>Entelea</i>	58	<i>Foeniculum</i>	187
<i>Crepis</i>	211	<i>Dietrichia</i> ..	177, 178	<i>Ephielis</i>	70	<i>Fothergilla</i>	159
<i>Crepis</i> ..	208, 209, 210	<i>Dillenia</i>	10	<i>Epilobium</i>	153	<i>Fragaria</i>	147
<i>Cristaria</i>	52	<i>Dillenia</i>	10	<i>Epimedium</i>	14	<i>Fragaria</i>	147
<i>Crithmum</i>	187	DILLENACEÆ ..	10	<i>Epiphyllum</i>	172	<i>Frankenia</i>	40
<i>Crithmum</i>	185	<i>Dillwynia</i>	168	<i>Epyphyllum</i>	172	FRANKENIACEÆ ..	40
<i>Critonia</i>	228	<i>Dillwynia</i>	108	<i>Eranthis</i>	6	<i>Franseria</i>	240
<i>Crocodilium</i>	217	<i>Dimacria</i>	76	<i>Erigeron</i>	224	<i>Freziera</i>	60
<i>Crotalaria</i>	110	<i>Dimocarpus</i>	70	<i>Erigeron</i> ...	221, 224	FREZIERÆ	60
<i>Crowea</i>	89	<i>Diodia</i>	200	<i>Eriobotrya</i>	135	<i>Friesia</i>	60
CRUCIFERÆ ..	17	<i>Diomedea</i>	235	<i>Eriocalia</i>	184	<i>Fuchsia</i>	153
<i>Crucianella</i>	201	<i>Dionæa</i>	38	<i>Eriodendron</i>	54	<i>Fumaria</i>	17
<i>Crupina</i>	216	<i>Diosma</i>	88, 89	<i>Eriolæna</i>	58	<i>Fumaria</i>	16, 17
<i>Cryptandra</i>	92	<i>Diosma</i>	89	<i>Eriostemon</i>	89	FUMARIACEÆ ..	16
<i>Cryptospermum</i> ..	203	DIPSACEÆ	204	<i>Erithalis</i>	196	<i>Gærtnera</i>	67
<i>Cucubalus</i>	42	<i>Dipsacus</i>	204	<i>Ernodea</i>	200	<i>Galactia</i>	121
<i>Cucubalus</i>	42, 44	<i>Diphylleia</i>	14	<i>Erodium</i>	74		
		DIPLECOLOBÆ ..	29	<i>Erophila</i>	22		

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Galactites	216	Guarea	71	HIPPOCASTANÆ	69	Ixora	199
Galardia	236	Guatteria	12			Ixora	199
GALEÆ	201	Guazuma	55	Hippocratea	66	Jacksonia	108
Galedupa	131	Guettarda	196	HIPPOCRATEA-		JACOBÆ	230
Galega	124	GUETTARDEÆ	196	CEÆ	66	Jambolifera	90
Galega	124	Guilandina	106	Hippocrepis	128	Jasonia	224
Galinsogea	235	Guilandina	104	Hippomarathrum	187	Jeffersonia	14
Galipea	90	Gundelia	219	Hippuris	169	Jenkinsonia	84
Galium	201	Gustavia	159	Hiræa	67	Johnia	66
Garcinia	65	GUTTIFERÆ	65	Hirculus	181	Jonidium	37
GARCINIEÆ	65	Gymnocladus	104	Hirtella	133	Jonidium	36, 37
Gardenia	197	Gymnoloma	236	Hoarea	75	JUGLANDEÆ	96
Gardenia	197	Gynandropsis	31	Hoffmanseggia	106	Juglans	96
GARDENIEÆ	197	Gypsophila	40	Holosteum	45	Juglans	97
Garidella	6	Gyrostemon	59	Holosteum	45	Jussiaea	152
Garuga	99	Hæma toxylon	105	HOMALINEÆ	132	Kalanchoe	178
Gastonia	193	Hagea	176	Homalium	132	Kalmia	264
Gastrolobium	107	Hallia	129	Houstonia	198	Kalosanthes	177
Gaura	152	Haloragis	169	Hovea	111	Kaulfussia	233
Gaya	53	Hamelia	196	Hovenia	91	Kennedia	121
Gazania	238	HAMELIACEÆ	196	Hudsonia	36	Kerria	149
Genipa	197	Hamiltonia	199	Hugonia	60	Kiggelaria	33
Genista	111	Hapalostephium	210	Humea	221	KIGGELARIEÆ	33
Geoffroya	132	Hasselquistia	188	Hutchinsia	22	Kitaibelia	49
Geophila	200	Havetia	65	Hydrangea	183	Kleinhovia	566
Geranium	73	Hedera	193	Hydrastis	3	Kleinia	230
Geranium	73, 85	Hedera	72	Hydrocotyle	184	Kleinia	230
GERANIACEÆ	73	HEDYOTIDEÆ	198	Hydrocotyle	185	Knautia	205
Gerberia	228	Hedyotis	198	HYDROPELTIDEÆ	14	Knautia	205
Geropogon	206	Hedynois	211	Hydropeltis	14	Knowltonia	33
Getonia	154	Hedynois	208	HYGROBIÆ	169	Knoxia	201
Geum	145	Hedysarum	129	Hymenæa	106	Kœlpinia	212
Geum	145	Hedysarum	129, 131	Hymenocarpus	117	Kœlreuteria	700
Gillenia	149	Helenium	234	Hymenodictyon	198	Krigia	211
Githago	45	Helianthemum	34	Hymenogyne	169	Kuhnia	220
Glaucium	16	Helianthus	236	Hymenopappus	233	Kydia	588
Glaucium	16	Helianthus	235	Hyoseris	211	LABIATIFLORÆ	212
Gleditschia	103	Helichrysum	222	Hyoseris	208, 211	Lactuca	2077
Glinus	163	Helicteres	54	Hypocoum	16	Lætia	344
Globulea	176	Heliocarpus	58	Hyperanthera	105	Lagasca	219
Glyceria	185	Heliophila	31	HYPERICINEÆ	63	Lagascea	219
Glycine	121	HELIOPHILEÆ	31	Hypericum	63	Lagerstrœmia	1500
Glycine	120, 121	Heliopsis	235	Hypochæris	212	Lagœcia	193
Glycirrhiza	124	Helleborus	6	Hyptage	67	Lagoseris	2100
Glycosmis	62	HELLEBOREÆ	6	HYPTAGEÆ	67	Lagoseris	2111
Gnaphalium	222	Helminthia	211	Ibbetsonia	107	Lagunea	544
Gnaphalium	221, 222, 235	Hepatica	3	Iberis	22	Lahaya	1766
Goldbachia	27	Heracantha	215	Iberis	22	Lamarckia	95
Gomphia	91	Heracleum	191	Ilex	94	LAPLACEÆ	61
Gompholobium	109	Heracleum	189, 191	Illecebrum	175	Lappa	213
Gompholobium	107	Heritiera	55	Illecebrum	175	Lapsana	212
Gonocarpus	151	Hermannia	56	Illicium	11	Lapsana	211, 212
Goodia	110	Hermannia	57	Impatiens	85	Larbrea	455
Gordonia	61	HERMANNIEÆ	56	Impatiens	85	Larochea	1785
GORDONIEÆ	61	Hermas	185	Imperatoria	192	Laserpitium	192
Gorteria	238	Herniaria	176	Imperatoria	191	Laserpitium	188, 190, 192
Gossypium	52	Hesperis	24	Indigofera	124	LASIOPETALEÆ	566
Gouania	92	Hesperis	19, 24, 25	Inga	101	Lasiopetalum	566
Grenvillea	75	Heteropteris	68	Inula	221	Lasiopetalum	566
Grewia	58	Heterospermum	233	ISATIDEÆ	26	Lathyrus	1266
GRIELEÆ	75	Heuchera	183	Isatis	26	Lathyrus	1266
Grielum	75	Heynea	71	Isertia	197	Laugeria	1966
Grindelia	227	Hibbertia	10	Isnardia	152	Lavatera	49
Grindelia	225	Hibiscus	50	Isocarpha	234	Lavenia	2344
Grislea	150	Hibiscus	52	Isopetalum	85	Lawsonia	1500
Gronovia	161	Hieracium	209	Isopyrum	6	Lebeckia	1111
GROSSULARIEÆ	173	Hieracium	208, 210	Iva	240	Lebeckia	1244
Guaiacum	87	Hillia	198	Ixodia	221	Lebretonia	500

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Lechea 36	Macrotys 9	Mespilus 134	Negundo 68
LECYTHIDEÆ	158	Madia 234	Mespilus 135	NELUMBONÆ	.. 14
Lecythis 158	Magnolia 11	Metalasia 222	Nelumbium 14
Ledeburia 186	MAGNOLIACEÆ	11	Metrosideros 156	Nephelium 240
Leea 73	Mahernia 57	Metrosideros 155	Nephelium 70
LEEACEÆ 73	Mahonia 13	Meum 187	Nesæa 151
LEGUMINOSÆ	100	Malachodendron	61	Meum 187	Neslia 26
Lens 128	Malachra 50	Michelia 11	Nestlera 235
Leontice 13	Malcomia 24	Miconia 159	Neurolæna 234
Leontodon 208	Mallococca 58	Micranthera 65	Neuroloma	.. 20
Leontopodium 222	Malope 48	Micranthes 181	Niebuhria 32
LEPIDINEÆ 26	Malpighia 67	Microcos 59	Nigella 6
Lepidium 26	Malpighia 67	Micropus 223	Nissolia 132
Lepidium 26	MALPIGHIACEÆ	67	Mikania 229	Nitraria 162
Leptasea 181	Malva 48	Milleria 240	Nocca 219
Leptocarpæa 18	Malva 52	Mimosa 100	Noisettia	.. 36
Leptospermum	155	MALVACEÆ	.. 48	Mimosa 100,101,102,103		Norantea 66
Leria 212	Malvaviscus 50	MIMOSEÆ 100	NORANTEÆ 66
Lespedeza 129	Mammillaria 171	Minuartia 175	Nothria 40
Lessertia 124	Mammea 65	Miscopetalum	.. 181	Notoceras 18
Lettsomia 60	Manettia 198	Mitchella 199	NOTORHIZEÆ	24
Leucostemma 223	Mangifera 97	Mitella 183	Nuphar 15
Leuzea 216	Manna 129	Mniarum 175	Nymphæa 15
Leysera 230	Marcgravia 66	Mœhringia 45	Nymphæa 15
Liatris 219	MARCGRAVIACEÆ		Mœnchia 45	NYMPHÆACEÆ	14
Ligularia 181	66	Molinæa 70	Ochna 91
Ligusticum 190	Marshallia 234	Mollia 176	Ochna 91
Ligusticum	186, 188	Matayba 70	Mollugo 45	OCHNACEÆ	.. 91
Limeum 170	Mathiola 17	Mollugo 45	Ochroma 54
Limonia 62	Matthiola 196	Momordica 161	Ochrus 126
Limonia 62	Meconopsis 16	Monanthes 180	Ochthodium	.. 23
Linconia 95	Medicago 117	Monniera 90	Odontites	.. 185
LINEÆ 47	Medicago 117	Monodora 12	œdera 219
Linnæa 195	Megacarpæa 23	Monsonia 73	Enanthe 186
Linum 47	Megasea	.. 180, 181	Monsonia 73	Oenoplia 94
Linum 48	Melaleuca 155	Montia 170	œnothera 152
Liparia 109	Melaleuca 156	Montinia 151	OLACINEÆ	.. 62
Liriodendron 11	Melampodium	.. 239	Moricandia 28	O lax 62
Loasa 154	Melananthera	.. 233	Morina 204	Oldenlandia 198
LOASEÆ 154	Melanoselinum	.. 190	Morinda 199	Oliveria 189
Lobadium 98	Melastoma 159	Moringa 105	Omphalobium 104
Lobaria 181	Melastoma	.. 159, 160	Mougeotia 56	ONAGRARIÆ	.. 151
Loddigesia 110	MELASTOMACEÆ,		Mullera 109	Onobroma 216
Lœflingia 175	159	Mundia 39	Onobroma 216
Longchampia 235	Melhania 57	Muntingia 59	Onobrychis 131
Lonicera 195	Melia 71	Muraltia 39	Ononis 113
Lonicera 195	Melia 71	Murraya 62	Onopordum 215
Lopezia 151	MELIACEÆ	.. 71	Muscaria 182	Onopordum 215
Lopimia 52	Melianthus 88	Mussænda 197	Opercularia 203
LORANTHEÆ	196	Melicocca 70	Mussænda 197	OPERCULARIÆ,	
Loranthus 196	Melicope 90	Myagrum 27	203
Lotus 118	Melicytus 33	Myagrum	22, 26, 30	Opuntia 172
Lotus 118, 121	Melilotus 115	Myginda 94	OPUNTIACEÆ	170
Luculia 197	Melilotus 115	Myoseris 211	Orchidocarpum	.. 12
Ludia 34	Melochia 56	Myosurus 4	Oreoselinum 191
Ludia 34	Melochia 56	Myriophyllum	.. 169	Ormosia 107
Ludwigia 152	Melothria 161	Myrodia 54	Ornithopus 128
Luffa 161	Memecylon 159	Myrrhis 189	Ornitrophe 70
Lunaria 20	Meniocus 21	MYRTACEÆ	.. 155	Orobis 126
Lupinaster 115	MENISPERMACEÆ		Myrtus 158	Orostachys 178
Lupinus 113	12	Myrtus 157	Ortegia 45
Lychnis 44	Menispermum	.. 13	Nandina 13	ORTHOPOCEÆ	27
Lychnis 43, 44	Menispermum	.. 13	Napæa 53	Osbeckia 160
Lythrum 150	Mentzelia 154	Naravelia 2	Osmites 238
Lythrum 151	Meriania 160	Nasturtium 18	Osteospermum	.. 240
Macrocnemum	.. 198	Mesembryanthemum		Nauclea 199	Othonna 233
Macrolobium 106	163	Nauenburgia 219	Otidia 75
Macropodium 19	Mesembryanthemum	169	Nectris 14	OXALIDEÆ 85

INDEX GENERUM.

	Page.		Page.		Page.		Page.
Oxalis	86	Phœnocoma	223	Prinos	94	RHIZOBOLÆ	69
Oxalis	86	Photinia	135	Prockia	34	Rhizophora	196
Oxyanthus	197	Phylica	92	Proserpinaca	169	RHIZOPHOREÆ	196
Oxylobium	107	Phyllis	200	Prosopis	101	Rhodiola	179
Oxytropis	193	Phyllolobium	131	Prunus	133	Rhododendron	264
Ozothamnus	221	Phymatanthus	75	Prunus	133	Rhodora	264
Pachira	54	Physospermum	188	Psiadia	228	RHODORACEÆ	264
Pæderia	200	Picridium	207	Psidium	158	Rhus	97
Pæonia	9	Picris	208	Psoralea	114	Rhus	70, 97, 98
PÆONIACEÆ	9	Picris	211	Psoralea	114	Ribes	173
Palafoxia	229	Pimpinella	185	Psychine	29	Richardsonia	200
Palavia	52	Pimpinella	185, 186	PSYCHINÆ	29	Ricotia	20
Paliurus	94	Pinckneya	198	Psychotria	200	Riedleia	56
Pallasia	235	Piqueria	230	Psychotria	200	Rindera	293
Panax	193	Pirigara	159	Ptelea	100	Robertia	212
Papaver	15	Piriqueta	154	Pterocarpus	132	Robertsonia	181
Papaver	16	Piscidia	122	Pterocarpus	132	Robinia	125
PAPAVERACEÆ	15	Pistacia	99	Pterocephalus	205	Robinia	125, 131
PAPILIONACEÆ	106	Pisum	126	Pteroneurum	20	Rochea	178
Parinarium	133	Pisum	126	Pteronia	216	Rochelia	293
Parkinsonia	104	PITTOSPOREÆ	40	Pterospermum	57	Roella	251
Parnassia	38	Pittosporum	40	Ptilostephium	235	Roella	250
Paronychia	175	Pittosporum	156	Pulicaria	221	Rolandra	218
PARONYCHIEÆ	175	Plagianthus	54	Pulsatilla	3	Rosa	136
Parthenium	240	Platylobium	110	Pultenæa	107	ROSACEÆ	136
Pascalina	235	Platylobium	110	Pultenæa	108	Rosmarinus	311
Pastinaca	191	Platypterus	234	Punica	158	Rothia	211
Pastinaca	187, 192	Plectronia	94	Pyrus	135	Royena	270
Patrinia	203	Pleroma	159	Pyrus	135, 136	Rubertia	95
Patrisia	33	Pleurandra	10	Quassia	90	Rubia	201
PATRISIEÆ	33	PLEURORHIZEÆ	17	Quassia	91	RUBIACEÆ	196
Paullinia	69	Pleurospermum	188	Queria	175	Rubus	144
Paullinia	69	Plocama	200	Queria	176	Rudbeckia	236
PAULLINIEÆ	69	Podalyria	107	Quisqualis	153	Ruellia	326
Pavetta	199	Podalyria	107	Quivisia	71	Ruellia	327
Pavia	69	PODOPHYLLEÆ	14	Radiola	48	Ruizia	57
Pavonia	50	Podophyllum	14	Ræmeria	16	Ruizia	70
Pavonia	51	Podophyllum	14	Rafnia	111	Rulingia	55
Pectis	233	Podospermum	206	Rafnia	107	Rulingia	170
Peganum	88	Poinciana	105	Ramonda	296	Rumia	187
Peganum	88	Poiretia	111	Randia	197	Rumia	189
PELARGONIEÆ	75	Polanisia	32	RANUNCULACEÆ	1	Russelia	303
Pelargonium	77	Pollichia	175	RANUNCULEÆ	4	Ruta	88
Pelargonium	75, 85	Polycarpon	175	Ranunculus	4	RUTACEÆ	88
Peltaria	21	Polygala	38	Ranunculus	5	Ruyschia	66
Pentadesma	65	Polygala	39	RAPHANÆ	30	Ryanæa	33
Pentapetes	57	POLYGALÆ	38	Raphanus	30	Sagina	45
Pentaphyllum	115	Polymnia	239	Raphiolepis	135	Sagina	45
Penthorum	180	Polyspora	61	Rapistrum	30	SALICARIÆ	150
Peplis	151	POMACEÆ	134	Rapistrum	23, 26	Salmea	234
Peredcium	212	Pomaderris	92	Rauwolfia	273	Sambucus	194
Pereskia	172	Pombalia	37	Rauwolfia	273	Samyda	96
Periptera	52	Pongamia	131	Reaumuria	162	SAMYDEÆ	96
Peritoma	31	Porcelia	12	Redoutea	52	Sandoricum	71
Persoonia	234	Portenschlagia	95	Relhania	234	Sanguinaria	16
Petaloma	159	Portlandia	198	Reseda	150	Sanguisorba	148
Petalostemon	114	Portlandia	198	RESEDACEÆ	150	SANGUISORBEÆ	148
Petrobium	234	Portulaca	170	Retzia	286	Sanicula	184
Petrocallis	21	Portulacaria	170	Rhagadiolus	212	Sanvitalia	235
Peucedanum	191	PORTULACEÆ	169	Rhagadiolus	212	SAPINDACEÆ	69
Peucedanum	192	Posoqueria	197	RHAMNEACEÆ	91	Sapindus	70
Phaca	123	Potentilla	145	Rhamnus	93	Sapindus	90
Phaca	123	Potentilla	145	Rhamnus	94	Saponaria	42
Pharnaceum	45	POTENTILLÆ	144	Rhaponticum	217	Sarcocapnos	17
Phaseolus	119	Poterium	148	Rhexia	160	Sarcocaulon	73
Phebalium	89	Prenanthes	208	Rhexia	159, 160	Sarcocephalus	199
Phellandrium	187	Prenanthes	207	Rhinanthus	307	Sarcophyllum	109
Philotheca	89	Prinos	94	Rhipsalis	172	Saurauja	60

INDEX GENERUM.

	Page.		Page.		Page.		Page.
SAURAUJÆ	60	Sida	52	Stellaria	46	Thrinicia	208
Saussurea	213	Sida	52, 53, 54	Stellaria	45	Thysselinum	188
SAUVAGÆ	38	Sideranthus	227	Stephania	33	Thysselinum	188
Sauvagesia	38	Siderodendron	199	Sterculia	55	Tiarella	183
Saxifraga	180	Siegesbeckia	235	STERCULIÆ	55	Tiarella	183
SAXIFRAGÆ	180	Sieversia	145	Sterigma	27	Tilia	59
Scabiosa	204	Silene	42	Stevenia	19	TILIACEÆ	58
Scabiosa	204, 205	SILENÆ	40	Stevi a	229	Tiliacora	13
Scalea	227	Siler	188	Stevia	229, 233	Tillæa	176
Scandix	189	Silphium	240	Stizolobium	119	Tithonia	238
Scandix	190	Silybum	214	Stobæa	215	Tococa	160
Schinus	98	Simaba	91	Stoebe	219	Toddalia	99
Schinus	98	Simaruba	91	Stokesia	216	Tolpis	211
Schivereckia	21	SIMARUBÆ	90	Stravadium	159	Tordylium	188
Schizandra	13	Simsia	234	Stuartia	61	Tordylium	187, 188, 191
Schizopetalum	31	Sinapis	28	Stuartia	61	Torilis	189
Schkuhria	233	Sinapis	29	Stylosanthes	129	Tormentilla	145
Schmaltzia	98	Sison	186	Subularia	31	Trachymene	185
Schmidelia	70	Sison	185, 186, 188, 189,	SUBULARIÆ	31	Trachyspermum	189
Schotia	104		190	Succisa	204	Tragium	186
Schotia	104	SISYMBRÆ	24	Succowia	29	Tragium	186
Schousbæa	153	Sisymbrium	24	Sutherlandia	124	Tragopogon	206
Schrankia	100	Sisymbrium	18, 24, 29	Swainsona	124	Trapa	153
Sciodaphyllum	193	Sium	190	Swietenia	72	Trattenickia	234
Scleranthus	175	Sium	192	Swietenia	72	TREMANDRÆ	39
Sclerocarpus	238	Sloanea	59	SYMPHONIÆ	65	Trianthema	170
Sclerothamnus	108	Smithia	128	Symphoria	195	Tribulus	87
Scolymus	212	Smyrniun	187	Synedrella	235	Trichera	204
Scopolia	99	Smyrniun	186, 192	Syrenia	25	Trichilia	71
Scorpiurus	128	Sobolewskia	27	Tagetes	233	TRICHILIÆ	71
Scorzönera	206	Solea	37	Tagetes	233	Trichosanthes	162
Scorzonera	206, 207	Solidago	226	Talinum	170	Trichosanthes	162
Scottia	110	Solidago	227, 234	Talinum	170	Tridactylites	182
Scytalia	70	Sonchus	207	Tamarindus	104	Tridax	234
Sechium	161	Sonchus	207	TAMARISCINÆ	160	Trifolium	115
Securidaca	39	Sophora	106	Tamarix	160	Trifolium	115
Securigera	128	Sophora	106, 107	Taraxacum	208	Trigonella	117
Sedum	179	Southwellia	55	Teesdalia	22	Trigonella	115
Selinum	191	Spallanzania	147	Telephium	170	Trigonis	70
Selinum	186, 188, 191,	Spananthe	185	Templetonia	110	Trinia	185
	192	Sparmannia	58	Tenoria	185	Triopteris	68
Selloa	230	Spartianthus	111	Tephrosia	124	Triosteum	195
Semecarpus	97	Spartium	111	Teramnus	120	Triphasia	62
Sempervivum	180	Spartium	111, 112	TEREBINTHACÆ	99	Triptilion	212
Sempervivum	179, 180	Spathelia	99		99	Tristania	156
Senacia	40	Spatularia	181	Terminalia	153	Triumfetta	58
Senebiera	26	Spergula	45	Ternstroemia	60	Trixis	212
Senecio	231	Spermacoe	200	TERNSTRÆMIA-		Trollius	6
Septas	178	Spermacoe	200, 201	CEÆ	60	TROPEOLEÆ	85
Seriana	69	SPERMACOCEÆ	200	Terpanthus	90	Tropæolum	85
Seridia	218	Spermadictyon	199	Tetracera	10	Troximon	206
Seringia	56	Spermaxyrum	62	Tetracera	10	Troximon	211
Seriola	211	Sphæranthus	219	Tetragonia	169	Turgosea	176
Seriola	212	Sphærolobium	108	Tetragonolobus	118	Turnera	154
Seriphium	219	Sphenogyne	238	Tetragonotheca	234	Turnera	154
Serissa	200	Spilanthus	234	Tetramerium	199	TURNERACÆ	154
Serpicula	169	Spilanthus	234	Tetrapteris	68	Turræa	71
Serratula	213	Spiræa	149	Tetratheca	39	Turritis	19
Serratula	213, 214, 215	Spiræa	149	Thalictrum	2	Turritis	18, 19, 29
Sesbania	128	SPIRÆACÆ	149	Thapsia	192	Tussilago	230
Seseli	186	Spiralepis	222	Thaspium	186	Tussilago	212
Seseli	186, 189	Spiranthera	90	Theobroma	55	Ulex	109
Sesuvium	162	Spondias	99	Thermopsis	107	Ulospermum	187
Sethia	66	Staavia	95	Thespesia	52	UMBELLIFERÆ	184
Seymouria	77	Stæhelina	216	Thlaspi	22	Unona	12
Sherardia	201	Staphylea	95	Thlaspi	22, 26	Urena	50
Sibbaldia	147	Starkea	227	THLASPIDÆ	22	Urvillæa	69
Sicyos	161	Stauracanthus	109	Thomasia	56	Uvaria	12

INDEX GENERUM.

	Page.		Page.		Page.		Page.
<i>Uvaria</i>	12	<i>Vesicaria</i>	20	<i>Waltheria</i>	56	<i>Zacintha</i>	1888
<i>Valantia</i>	201	<i>Viburnum</i>	194	<i>Webera</i>	197	<i>Zaluzania</i>	2355
<i>Valantia</i>	201, 202	<i>Vicia</i>	127	<i>Wedelia</i>	236	<i>Zanthorhiza</i>	90
<i>Valeriana</i>	203	<i>Vicia</i>	128	<i>Weinmannia</i>	183	<i>Zanthoxylon</i>	900
<i>Valeriana</i> ..	203, 204	<i>Vigniera</i>	236	<i>Wendlandia</i>	13	<i>Zieria</i>	900
VALERIANEÆ ..	203	<i>Viminaria</i>	108	<i>Wiborgia</i>	110	<i>Zilla</i>	299
<i>Valerianella</i>	203	VINIFERÆ	72	<i>Wiborgia</i>	235	ZILLEÆ	299
<i>Vangueria</i>	196	<i>Viola</i>	36	WINTEREÆ ..	11	<i>Zinnia</i>	2344
<i>Vauanthes</i>	176	<i>Viola</i>	36	<i>Wisteria</i>	121	<i>Zizyphus</i>	93
<i>Velezia</i>	45	VIOLARIEÆ ..	36	<i>Woodfordia</i>	150	<i>Zizyphus</i>	94
<i>Vella</i>	29	<i>Virgilia</i>	107	<i>Wormia</i>	10	<i>Zœgea</i>	2166
<i>Vella</i>	29	<i>Viscaria</i>	44	<i>Xanthium</i>	240	<i>Zornia</i>	1299
VELLEÆ	29	<i>Viscum</i>	196	<i>Xanthochymus</i> ..	65	<i>Zornia</i>	1299
<i>Ventilago</i>	91	<i>Vismia</i>	63	<i>Xeranthemum</i> ..	228	<i>Zosimia</i>	1888
<i>Verbesina</i>	235	VISMIEÆ	63	<i>Xeranthemum</i> ..	223	<i>Zwingera</i>	911
<i>Verbesina</i> ..	235, 236	<i>Visnaga</i>	190	<i>Ximenesia</i>	234	ZYGOPHYLLEÆ	877
<i>Verea</i>	179	<i>Vitis</i>	72	<i>Ximenesia</i>	62	<i>Zygophyllum</i>	877
<i>Vernonia</i>	219	<i>Vitis</i>	72	<i>Ximenesia</i>	88	<i>Zygophyllum</i>	883
<i>Vernonia</i>	219	<i>Waldsteinia</i>	147	<i>Xylopia</i>	12		
VERNONIACEÆ ..	219	WALLICHIEÆ	58	<i>Xylostium</i>	195		

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Achania	50	Bladder-nut	95	Chick-Pea	128	Drumstick-tree	104
African Marygold	233	Bladder-Senna ..	124	Chickweed	46	Duck's-foot	14
Agrimony	147	Black Parsley ..	190	China Aster	226	Dyer's-green-weed	112
Akee-tree	70	Blue bottle	217	Chinese varnish ..	97	Earth-nut ...	114, 189
Alaternus	93	Borecole	27	Chocolate-nut ...	55	Earth Pea	126
Alexander's	187	Bramble	144	Choko	161	Elder	194
All-seed .. 48,	175	Brasiletto	105	Christmas Rose ..	6	Elecampane	221
Almond	133	Bread-root	115	Christ's-thorn 93,	94	Elephant Apple ..	62
Amber-tree	201	Broccoli	28	Cicely	189	Elephant's-foot ..	219
Angelica	192	Broom	111	Cinquefoil	145	Enchanter's nightshade	
Angelica-tree	193	Bryony	161	Clevers	202	151
Aniseed-tree ..	11	Aniseed-mustard..	23	Cloud-berry	145	Endive	212
Anotta	33	Buckthorn	93	Clove	41	Eryngo	184
Apple	135	Bugwort	9	Clove-tree	157	Evening Primrose	152
Apple-berry	40	Bullace-tree	133	Cockspur-thorn	135	Everlasting	222
Apricot	133	Burdock	213	Cocoa-Plum	133	Everlasting Pea ..	126
Arracacha	190	Burnet	148	Codlins & Cream	153	Fennel	187
Artichoke	215	Bur-Parsley	188	Coffee-tree	200	Fennel-flower	6
Asafœtida	192	Butter-bur	231	Coleseed	28	Fenugreek	117
Avens	145	Butter-tree	65	Colewort	30	Feverwort	195
Awlwort	31	Button-tree	154	Colpoon-tree	95	Fig Marygold	163
Azarole	134	Button-weed	200	Coltsfoot	230	Flat Pea	110
Balsam	85	Button-wood	199	Columbine	6	Flax	47
Balsam Apple ..	161	Cabbage	27	Common-Acacia ..	125	Fleabane	220
Balsam of Capevi	106	Cajuputi-tree	155	Common Broom ..	112	Fleawort	221
Balsam-tree	65	Caltrops	87	Coral-tree	120	Flix-weed	24
Bane-berries	9	Campion	42	Coriander	187	Flower-fence	105
Barbadoes Gooseberry		Candy-carrot	189	Corn Cockle	45	Fool's Parsley	188
.....	172	Candy-tuft	22	Cornelian Cherry	194	Fox-grape	73
Barberry	13	Cape Aster	232	Cotton Rose	223	Fraxinella	88
Barrenwort	14	Cape-Jasmine	197	Cotton-thistle	215	FrenchHoneysuckle	
Bastard Cabbage-tree		Cape Phillyrea ..	95	Cotton-tree	52	131
.....	132	Caper-tree	32	Cowbane	188	French Marygold	233
Bastard Cedar 55,	72	Carambola-tree ..	85	Cowitch	119	Fumitory	17
Bastard Cress ..	22	Caraway	186	Cow Parsnep	191	Furze	109
Bastard Hare's-ear	200	Cardoon	215	Crane's-bill	73	Genip-tree	197
Bastard Indigo ..	121	Carline-thistle....	215	Cress	26	Giant Fennel	192
Bastard Quince ..	135	Carnation	41	Cress-Rocket	29	Gingerbread Plum	133
Bastard Saffron ..	215	Carob-tree	104	Crosswort .. 200,	201	Ginseng	193
Bastard Vetch ..	123	Carolina Allspice	132	Crowfoot	4	Glastonbury-thorn	134
Bawd-money	187	Carrot	188	Cuckold-tree	103	Globe-flower	6
Bead-tree	71	Cashew-nut	97	Cuckoo-flower ..	20	Globe-thistle	218
Bean	128	Cassioberry-bush	194	Cucumber	161	Goat's-beard 149,	206
Bean-Caper	87	Catchfly	42	Cumin	190	Goat's-rue	124
Bean Trefoil	106	Caterpillar	128	Currant	173	Goat's-horn	122
Bear's-foot	6	Cats-ear	212	Custard Apple ..	11	Goat's-thorn	123
Bedstraw	201	Cauliflower	28	Daisy	228	Golden-rod	226
Bengal Quince ..	62	Celandine	16	Dandelion	208	Golden Saxifrage	97
Bilimbi-tree	85	Celery	187	Deadly Carrot ..	192	Golden-thistle ..	212
Bird's-foot	128	Centaury	216	Devil's-bit	204	Gold of pleasure ..	25
Bird's-foot Trefoil	118	Cheese Rennet ..	202	Dewberry	145	Goldilock's	5
Bishop's-weed	190	Cherimolli	11	Dill	187	Goldy-lock's	227
Bitter Vetch	126	Cherry	134	Dogwood	194	Gooseberry	173
Bladder Ketmia ..	51	Chervil	190	Dropwort	149	Gourd	162

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Goutweed	186	Laurestine	195	Navelwort	178	Rose-root	1799
Grape-vine	72	Lee-Chee	70	Nectarine	133	Rough Chervil	1900
Great Burnet	148	Lemon	63	Necklace-tree	107	Rough skin'd Plum	1333
Groundsel	231	Lentil	128	New Jersey Tea	92	Rue	888
Groundsel-tree	220	Leopard's-bane	228	New Zealand Cork-tree	58	Rupture-wort	1766
Guava	158	Lettuce	207	New Zealand Tea	155	Sacred Bean	144
Guelder-Rose	194	Licca-tree	90	Nicker-tree	106	St. Andrew's cross	644
Gum Succory	208	Lignum-Vitæ	87	Nipplewort	212	St. Barnaby's-thistle	2188
Hare's-ear	185	Lime	63	Old man's beard	206	Saintfoin	131
Hartwort	188	Lime-tree	59	Olibanum-tree	99	St. John's-bread	104
Hatchet Vetch, 123,	128	Lion's-foot	208, 222	Olive-bark-tree	153	St. John's-wort	635
Hawkweed	209	Liquorice	124	Olive-wood	95	St. Peter's-wort	1955
Hawthorn	134	Locust-tree	106, 125	Orange-tree	63	Salt-tree	1255
Heart's-ease	37	Logwood	105	Orpine	170	Samphire	1877
Heart-seed	69	London pride	181	Ox-eye	236	Sandwort	466
Hedge-mustard	24	London Rocket	24	Ox-tongue	208	Sanicle	1844
Hellebore	6	Looking-glass-plant	55	Pæony	9	Sappan-fruit	1011
Hemlock	190	Loquat	135	Papaw-tree	162	Satin-wood	722
Hemp Agrimony	229	Lord Anson's Pea	126	Paraguay Tea	94	Savoy	277
Herb Robert	74	Lovage	190	Parsley	187	Sawwort	2133
Heron's-bill	74	Lupine	113	Parsley piert	148	Saxifrage	1800
Hickory-tree	97	Madder	201	Parsnep	191	Scabious	2044
Hog-Plum	99	Madwort	21	Pasque-flower	3	Scorpion Senna	1288
Holly	94	Mahogany-tree	72	Pea	126	Screw-tree	541
Hollyhock	49	Malay Apple	157	Peach	133	Scurvy-grass	222
Honesty	20	Mallow	48	Pear	135	Sea Chickweed	477
Honey-berry	70	Mammee-tree	65	Pearlwort	45	Sea Heath	400
Honey-flower	88	Mangosteen	65	Penny-cress	143	Sea Holly	1844
Honeysuckle	195	Mango-tree	97	Pennywort	178	Sea Kale	300
Horn Gourd	162	Maple	68	Peppermint-tree	157	Sea Rocket	233
Horn Poppy	16	Mare's-tail	169	Pepper-Vine	72	Sensitive plant	1000
Horse Chestnut	69	Marsh cinquefoil	145	Pepperwort	26	Septfoil	1455
Horse Radish	22	Marsh Mallow	49	Petty Whin	112	Service-tree	1366
Horse-radish-tree	105	Marsh Marygold	6	Pheasant's-eye	4	Shaddock	633
Horseshoe Vetch	128	Marsh Pennywort	184	Pigeon-pea	113	Sheep's-beard	2066
Horse-thistle	214	Marygold	239	Pilewort	5	Shepherd's-cress	222
Hottentot Cherry	95	Masterwort	192	Pink	41	Shepherd's-purse	222
Houseleek	180	Mastick-tree	98, 99	Pin-pillow	172	Shrubby Trefoil	1000
Humble-plant	100	May Apple	14	Pistachia-tree	99	Siberian Crab	1355
Ice-plant	167	Meadow Rue	2	Plank-plant	110	Silk-cotton-tree	544
Indian Cress	85	Meadow Saxifrage	186	Plowman's Spikenard	220	Skirrett	1960
Indian Fig	172	Meadow-sweet	149	Plum-tree	133	Sloe-tree	1333
Indian Lotus	15	Medick	117	Poison Oak	97	Smooth Chestnut	699
Indian Madder	198	Medlar	134	Pomegranate	158	Snake-Gourd	1622
Indigo	124	Melilot	115	Poppy	15	Snakeroot	99
Iron-tree	199	Melon	162	Puccoon	16	Snowball-tree	1944
Ivy	193	Melon Thistle	170	Pumpkin	162	Snowberry	2000
Jamaica Dogwood	122	Mignonette	150	Purslane	170	Soap-berry	700
Jamaica Ebony	132	Milk Parsley	191	Purslane-tree	170	Soapwort	42
Jambolana-tree	158	Milk Vetch	122	Pyracantha	135	Soldier-wood	1011
Jersey-thistle	218	Milkwort	38	Quince	136	Sour Gourd	544
Judas-tree	106	Misseltoe	196	Radish	30	Soursop	111
Jupiter's-beard	114	Monkshood	7	Ragged Robin	44	Sow-thistle	2077
Kanguru Vine	72	Moonseed	13	Ragwort	231, 232, 233	Spanish Broom	1111
Kidney-Bean	119	Moschatel	183	Rambootan	70	Spanish Cress	266
Kidney Vetch	114	Mountain Ash	136	Rape	28	Spignell	1899
Knapweed	217	Mountain Ebony	106	Raspberry	145	Spindle-tree	955
Knawel	175	Mountain Rose	160	Rattlesnake-root	39	Sponge-tree	1033
Knot-grass	175	Mouse-ear	209	Red Lac	97	Spurrey	455
Laburnum	112	Mouse-ear-chickweed	47	Rest-harrow	113	Squash	1622
Ladies's Bedstraw	45	Mouse-tail	4	Rocket	24	Squirting Cucumber	1611
Ladies' Mantle	148	Moving-plant	130	Rock-Rose	34	Staff-tree	944
Ladies' Smock	19	Musk Okro	51	Rose	136	Star Thistle	2188
Lamb's Lettuce	203	Mustard	28	Rose Acacia	126	Starwort	2244
Lance-wood	12	Myrrh	189	Rose Campion	44	Stitchwort	466
Larkspur	7	Myrtle	158	Rose of Jericho	23	Stock	117
Laserwort	192	Mysore-thorn	105			Stonecrop	1799
Laurel	134					Stork's-bill	777

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Strapwort 170	Teasel 204	Vine 72	Water Parsnep ..	190
Strawberry 147	Tea-tree 61	Violet 36	Water Purslane ...	151
Succory 212	Thistle 213	Viper's Grass	206	Water Starwort...	169
Sulphurwort 191	Tonquin Bean ..	132	Virginian Creeper	72	Waterwort 45
Sumach 97	Toothpick 190	Virgin's-bower ..	1	Wayfaring-tree ...	194
Sundew 38	Toothwort 20	Wall-Cress 19	Whitlow-grass, 21,	26
Sunflower 236	Touch me not	85	Wallflower 18	Widow-wail.....	99
Sun-Rose 34	Tower Mustard ..	19	Wall-Rocket 29	Wild Cumin.....	193
Supple-jack 69	Traveller's-joy ..	1	Walnut-tree.....	96	Wild Liquorice ..	121
Sweet-briar 138	Treacle Mustard..	21	Wampee-tree ..	62	Willow-herb.....	153
Sweet-Pea 126	Tree Celandine ..	16	Wart-flower 75	Winter Aconite ...	6
Sweetsop 11	Tree Mallow 50	Water Caltrops ..	153	Winter-berry ..	94
Sweet Sultan 216	Trefoil 115	Water Chickweed	170	Winter-cress	19
Sweet William ..	41	Tulip-tree 11	Watercress 18	Woad 26
Swine's Succory ..	211	Turnep 28	Water Dropwort	186	Wolf's-bane.....	8
Syrian Rue 88	Valerian 203	Water Hemlock..	187	Woodbine 195
Syringa 155	Venus's-comb	189	Water-Lily 15	Woodruff 201
Tamarind-tree ..	104	Venus' Flytrap ..	38	Water Melon 162	Wood-Sorrel.....	86
Tamarisk 160	Vetch 127	Water Milfoil	169	Yellow-root.....	3, 9
Tare 128	V. flower 176				

